INDEXES TO THE JOURNAL

compiled by the

American Ceramic Society

VOL. 57, NO. 12 **DECEMBER, 1974**

AUTHOR INDEX TO THE JOURNAL

Numbers in parentheses refer to *monthly* issue of *The Journal;* numbers following are *page* numbers.

Anderson, Harlan U. Influence of O activity on the sintering of $MgCr_2O_4$ (1) 34. See Halloran, John W.

Angers, R., Tremblay, R., and Chakinder, A. C. D. Effect of pressure on formation of $CaZrO_3$ by solid-state reaction between CaO and ZrO_2 (5) 231.

Anthony, Gaylord D., and Gara, Paul D. Kinetics of kaolinite dehydroxylation (3) 132.

Anthony, P. J., and Worst, J. C. Thermal conductivity of KCl alloys (11) 504.

Badollaance, R., Krstic, D. A., and Hasselman, D. P. H. Effect of slow crack growth on the thermal-stress resistance of an Na-2O-CaO-SiO_2 glass (10) 432.

Bandyopadhyay, G., and Fulrath, Richard M. Processing parameters and properties of Li ferrite spinel (4) 182; Thermogravimetry of Li spinel ferrites (11) 483.

Bandyopadhyay, G., Lacy, A. M., and Fulrath, Richard M. Densification and grain growth in doped $LiFe_5O_8$ spinel (10) 460.

Banerjee, Subrata, and Paul, A. Thermodynamics of the system Cu-O and ruby formation in borate glass (7) 286.

Barber, D. J. See Tressler, R. E.

Barczak, V. J. Characterization of Li_2NaPO_4 (9) 407.

Barker, D. B., and Berard, M. F. Measurement of O diffusion in Dy_2O_3 and Gd_2O_3 by studying high-temp. oxidation of the metals (10) 467.

Batdorf, S. B. Weibull statistics for polyaxial stress states (1) 44.

Baylor, Richard, Jr., Stinton, David P., and Brown, Jesse J., Jr. Subsolidus equilibria in the system LiF-AlF_3-Na_3AlF_6 (11) 470.

Becher, Paul F. Surface hardening of sapphire and rutile associated with machining (2) 107.

Bensel, J. F. See Jea, Chi-chin

Berard, M. F. See Basler, D. B.

Berger, R. L. See Young, J. F.

Bergeron, C. G. See Kumar, H. S. A. ; Marlor, A. J. ; Nagel, Suzanne R.

Bertolotti, Raymond L. Strength and absorbed energy in instrumented impact tests of polycrystalline Al_2O_3 (7) 300.

Bertsch, B. E., Larson, D. R., and Hasselman, D. P. H. Effect of crack density on strength loss of polycrystalline Al_2O_3 subjected to severe thermal shock (5) 235.

Bishay, A. M. See Levy, P. W.

Blachere, J. R. Modification of *t* curve for N_2 adsorption on porous glass (6) 268. See Sugarman, A. C.

Blachere, J. R., and Young, J. E. Failure of capillary theory of frost damage as applied to ceramics (5) 212.

Blackburn, Douglas H. See Haller, Wolfgang

Blair, H. D., and Milberg, M. E. Structure of Tl silicate glass (6) 257.

Bradt, R. C. See Hartline, S. D. ; Kennard, F. L. ; Larson, D. R. ; Tressler, R. E.

Bratton, R. J. Translucent sintered $MgAl_2O_4$ (7) 283.

Brecker, James N. Analysis of bond formation in vitrified abrasive wheels (11) 486.

Breese, J. See Young, J. F.

Brook, R. J. See Taylor, K. I.

Brown, Jesse J., Jr. See Baylor, Richard, Jr. ; Fields, James M., Jr.

Brown, S. D. See Sin, L. B.

Brun, M., and Stubican, V. S. Precipitation studies in the systems WC-ZrC (3) 117.

Bunch, J. M., and Clinard, F. W., Jr. Damage of single-crystal Al_2O_3 by 14-MeV neutrons (6) 279.

Bye, G. C., and Gavin, D. G. Crystallization of metastable aluminas in the presence of V_2O_5 (2) 55.

Bye, G. C., and Simpkin, G. T. Influence of Cr and Fe on formation of α-Al_2O_3 from γ-Al_2O_3 (8) 367.

Cameron, N. See Topping, J. A.

Capozzi, V. F. See Rossington, D. R.

Carlson, D. E. Ion depletion of glass at a blocking anode: I, Theory and experimental results for alkali silicate glasses (7) 291; Anodic proton injection in glasses (11) 461.

Carlson, D. E., Hang, K. W., and Stockdale, G. F. Ion depletion of glass at a blocking anode: II, Properties of ion-depleted glasses (7) 295.

Chakinder, A. C. D. See Angers, R. ; C'Brien, T. E.

Chang, Lisbe L. Y. See Hoda, Syed N.

Chen, Pin Lo Raman effect in sintered ceramics (6) 275.

Chesebrough, N. S., and Patterson, J. W. Transition from ionic to electronic conduction in pure ThO_2 under reducing conditions (2) 90.

Clark, A. E., Jr. See Pantano, C. G., Jr.

Clinard, F. W., Jr. See Bunch, J. M.

Coad, J. P. See Taylor, R. I.

Coble, R. L. See Kitazawa, K. ; Neve, J. M.

Cohen, J. B. See Krawitz, A.

Condrate, R. A., Sr. See Kowalczyk, L. N.

Condurache, D. See Rezlescu, N.

Cooke, Charles M. See Mazdiyasni, K. S.

Coppola, J. A. See Larson, D. R.

Coyle, R. Tom, Jr., and Lewis, Gordon Knudsen effusion study of the vaporization of CdO(*s*) (9) 398.

Day, Delbert E. Internal friction of glasses with low water contents (12) 530.

De Carvalho, A. A. See Lawrence, F. V., Jr.

Dear, Paul S. See Fields, James M., Jr.

Diamond, Sidney See Winslow, D. N.

Dikeman, Randi D. See Hicks, John F. G.

Dineen, A. M. See Wiederhorn, S. M.

Doremus, R. H. Mixed-alkali effect and interdiffusion of Na and K ions in glass (11) 478. See Kay, J. F.

Duncan, J. F. See Percival, H. J.

Dutta, S. K. See Seaton, C. C.

Duvigneaud, P. H. Existence of mullite without SiO_2 (5) 224.

Eddy, David S. See Kaplit, Michael

Ejiri, Koichi Growth and relative orientation of grains (9) 415; Dekinking of bent MgO crystals (9) 416.

El-Shiekh, Ahmed M., and Nicholson, Patrick S. Thermal-shock structures in a partially stabilized ZrO_2 in the system CaO-ZrO_2 (1) 19.

Evans, A. G. Analysis of strength degradation after sustained loading (9) 410. See Wiederhorn, S. M.

Exarhos, G. J., and Risen, W. M., Jr. Raman study of isothermal devitrificatics of $NaPO_3$ glass (9) 401.

Faruqui, E. H. See McVay, G. L.

Fate, W. A. High-temp. shear modulus of Si_3N_4 and SiC (1) 49; Density dependence of shear modulus of Si_3N_4 (8) 372.

Fields, James M., Jr., Dear, Paul S., and Brown, Jesse J., Jr. Phase equilibria in the system BaO-SrO-SiO_2—correction (10) 460.

Fine, M. E. See Shannon, R. E.

Fine, Morris E. See Mendelson, Mel I.

Fine, Morris E., and Hsieh, Ning Wiedemann-Franz-Lorenz relation in highly electronic-conducting oxides (11) 502.

Flipot, A. J. See Gilissen, R.

Foster, P. K. See Percival, H. J.

Freiman, S. W. Effect of alcohols on crack propagation in glass (8) 350.

Freiman, S. W., Onoda, G. Y., Jr., and Placun, A. G. Mechanical properties of $3BaO.5SiO_2$ glass-ceramics (1) 8.

Freiman, Stephen W. See Mecholsky, John J.

Friebole, E. J., Kosa, N. C., Wilson, L. K., and Kinser, D. L. Magnetic properties of an amorphous antiferromagnet (6) 237.

Frischat, G. H. See Sattar, M.

Fuchs, P. See Topping, J. A.

Fujii, Kinjiro, and Kondo, Wakichi Kinetics of the hydration of tricalcium silicate (11) 492.

Fuller, E. R. See Wiederhorn, S. M.

Fuller, Gary L. See Prabhu, Ashok

Fulrath, Richard M. See Bandyopadhyay, G.

Gara, Paul D. See Anthony, Gaylord D.

Gavin, D. G. See Bye, G. C.

Gibby, R. L. See Ross, W. A.

Giddings, Robert A. See Tremper, R. T.

Giddings, Robert A., and Gordon, Ronald S. Review of O activities and phase boundaries in wustite as determined by emf and gravimetric methods—correction (1) 50.

Gilissen, R., Flipot, A. J., and Lecocq, R. Tentative Dy_2O_3-Al_2O_3 phase diagram and preparation of pure single-phase Dy aluminates (6) 274.

Gilmer, F. P. See Gunawardane, R. P. ; Smart, R. M.

Gliemeroth, Georg Reversible optical density changes in composite layers (8) 332.

Gordon, Ronald S. See Giddings, Robert A. ; Tremper, R. T. ; Virkar, A. V.

Green, David J., Maki, Dennis R., and Nicholson, Patrick S. Microstructural development in partially stabilized ZrO_2 in the system CaO-ZrO_2 (3) 136.

Green, David J., and Nicholson, Patrick S. Correlation of work-of-fracture and fracture toughness for ZrO_2 partially stabilized by CaO (2) 105.

Gruver, R. M., and Kirchner, H. P. Effect of environment on penetration of surface damage and remaining strength of Al_2O_3 (5) 220.

Gunawardane, R. P., and Glasser, F. P. Phase equilibria and crystallization of melts in the system Na_2O-BaO-SiO_2 (5) 201.

Haller, Wolfgang, Blackburn, Douglas H., and Simmons, Joseph H. Miscibility gap in alkali-silicate binaries—data and thermodynamic interpretation (3) 120.

Halloran, John W., and Anderson, Harlan U. Influence of O_2 partial pressure on initial sintering of alpha Cr_2O_3 (3) 150.

Hanada, Koichi, and Kojima, Hiroshi Effect of milling on the intrinsic coercivity of Ba ferrite powders (2) 68.

Hanada, Koichi, Miyakawa, Choji, and Kojima, Hiroshi Preparation of high-coercivity $BaFe_{12}O_{19}$ (8) 354.

Hang, K. W. See Carlson, D. E.

Harrower, I. T. See Topping, J. A.

Hartline, S. D., Bradt, R. C., Richerson, D. W., and Tietz, M. L. Work-of-fracture and apparent yield correlation in Si_3N_4 (4) 190.

Hasselman, D. P. H. See Badaliance, R. ; Bertsch, B. E. ; Kipp, M. E. ; Larson, D. R.
Hay, J. M. See Nadeau, J. S.
Hench, L. L. See Pantano, C. G., Jr.
Hennings, D., and Pompius, H. Evaluation of lattice site and valence of Mn and Fe in polycrystalline $PbTiO_3$ by ESR and thermogravimetry (12) 527.
Hermata, A. See Micheron, F.
Heuer, A. H. See Pletka, B. J. ; Wiederhorn, S. M.
Hicks, John F. G., and Dilmore, Randi D. Densities of a molten Na-Zn borosilicate glass (3) 149.
Hoda, Syed N., and Chang, Luke L. Y. Phase relations in the system Bi_2O_3-WO_3 (7) 323.
Hodge, J. D. See Tremper, R. T.
Holt, J. B. Thermal diffusivity of Be_4B, Be_2B, and BeB_6 (3) 126.
Hoodless, John F., and Roy, Rustum Lattice energies of Ti_nO_{2n-1} phases and the related homologs V_nO_{2n-1} and Ti_n-$_2Cr_2O_{2n-1}$ calculated from crystal-chemical parameters (5) 234.
Hrma, Pavel, and Satava, Vladimir Model for strength of brittle porous materials (2) 71.
Hsieh, Ning See Fine, Morris E.
Hummel, F. A. See Mason, T. O.
Hunter, O., Jr., Karkhu, H. J., and Suchomel, R. R. Elastic properties of polycrystalline monoclinic Sm_2O_3 (6) 267.

Ichihara, M. See Mitsuhashi, T.
Inagaki, Michio See Naka, Shigeharu
Inoue, H. See Komeya, K.
Isenburg, J. E., and Vanderhoff, J. W. Hypothesis for reinforcement of portland cement by polymer latexes (6) 242.
Ishibiki, Y., Shimada, M., and Koizumi, M. Fabrication of translucent $Pb(Zr_{0.8}Ti_{0.2})O_3$ ceramics by isostatic hot-pressing (10) 458.
Ito, Suketoshi See Naka, Shigeharu

Jaegermann, Ch. See Soroka, I.
Jan, Chi-chin, and Benzel, J. F. Unidirectional solidification of the UO_2-Mo, UO_2-Nb, and UO_2-Ta systems (5) 232.
Johnson, D. L. See Kumar, P. ; Shannon, R. E.
Johnson, H. See Wiederhorn, S. M.
Johnson, W. C., Stein, D. F., and Rice, Roy W. Analysis of grain-boundary impurities and fluoride additives in hot-pressed oxides by Auger electron spectroscopy (8) 342.

Kameyama, Tetsuya, and Naka, Shigeharu Effect of water on transformation of amorphous silica to coesite (11) 499.
Kapodia, C. M., and Leipold, M. H. Grain growth in pure dense MgO (1) 41.
Kaplit, Michael, and Eddy, David S. Temp. dependence of the birefringence for PLZT 7/65/35 and an Nb-modified PZT (9) 409.
Kawamoto, Yoji, Nagura, Nagao, and Tsuchihashi, Shoji Dc conductivity of Ge-S-Ag and As-S-Ag glasses (11) 489.
Kay, J. F., and Doremus, R. H. Strength and durability of a glass-ceramic containing spodumene crystals (11) 480.
Kayal, P. B. See Mukerji, J.
Keeton, S. C. See Shelby, J. E.
Kennard, F. L., Bradt, R. C., and Stubican, V. S. Directional solidification of the ZrO_2-MgO eutectic (10) 428.
Keramidas, Vassilis G., and White, William B. Raman scattering study of the crystallization and phase transformations of ZrO_2 (1) 22.
Kerwavycz, John, and Tomozawa, Minoru Light scattering from phase-separated glass (11) 467.
Kim, H. See Kimura, S.
Kimura, S., Kim, H., and Yasuda, E. Fabrication of MgO bicrystals (10) 456.
Kingery, W. D. Plausible concepts necessary and sufficient for interpretation of ceramic grain-boundary phenomena: I, Grain-boundary characteristics, structure, and electrostatic potential (1) 1; II, Solute segregation on, grain-boundary diffusion, and general discussion (2) 74.
Kinser, D. L. See Friebele, E. J. ; Perry, C. H.
Kipp, M. E., Krohn, D. A., and Hasselman, D. P. H. Effect of surface-compression strengthening vs reduction in flaw size on thermal-stress resistance of an Na_2O-CaO-SiO_2 glass (10) 457.
Kirchner, H. P. See Gruver, R. M.
Kitazawa, K., and Coble, R. L. Electrical conduction in single-crystal and polycrystalline Al_2O_3 at high temps. (6) 245; Chemical diffusion in polycrystalline Al_2O_3 as determined from electrical conductivity measurements (6) 250; Use of stabilized ZrO_2 to measure O_2 permeation (8) 360.
Kivlighn, H. D., Jr., and Ramak, M. A. Formation of nepheline glass-ceramics using Nb_2O_5 as a nucleation catalyst (9) 382.
Kokumai, M. See Ishitobi, Y.
Kojima, Hiroshi See Haneda, Koichi
Komeya, K. See Tsuge, A.
Komeya, K., Inoue, H., and Tsuge, A. Role of Y_2O_3 and SiO_2 additions in sintering of AlN (9) 411.
Kondo, Wakichi See Fujii, Kinjiro
Koon, N. C. See Friebele, E. J.
Karkhus, H. J. See Hunter, O., Jr.
Kowalczyk, L. N., and Condrate, R. A., Sr. Vibrational spectra of spodiosite analogs (2) 102.
Krevitz, A., and Cohen, J. B. Phase relations at low temps. in the Fe-Mg-O system (4) 186.
Krohn, D. A. See Badaliance, R. ; Kipp, M. E.
Kudo, H. See Tsuge, A.
Kumar, Binod, and Rindone, Guy E. Strength and related characteristics of Li_2O-SiO_2 glasses crystallized after ion exchange (6) 263.
Kumar, H. S. A. See Markar, A. J.
Kumar, H. S. A., and Bergeron, C. G. Structural interpretation of the densities of Pb borate melts (12) 537.
Kumar, P., and Johnson, D. L. Sintering of CoO: I, Initial stage (2) 62; II, Intermediate stage (2) 65.

Lacy, A. M. See Bandyopadhyay, G.
Lange, F. F. High-temp. strength behavior of hot-pressed Si_3N_4: Evidence for subcritical crack growth (2) 84. See Terwilliger, G. R.
Langmuirpen, R. A. See Tressler, R. E.
Larson, D. R. See Bertsch, B. E.
Larson, D. R., Coppola, J. A., Hasselman, D. P. H., and Bradt, R. C. Fracture toughness and spalling behavior of high-Al_2O_3 refractories (10) 417.
Lauder, Ian See May, Henri B.
Lawrence, F. V., Jr., Reid, D. A., and De Carvalho, A. A. TEM of hydrated dicalcium silicate thin films (3) 144.
Leconte, R. See Gilissen, R.
Leigh, H. D., and McCartney, E. R. Redetermination of lattice parameter of ThO_2 (4) 192.
Leipold, M. H. See Kapadia, C. M.
Lengweiler, K. See Levy, P. W.
Levin, Ernest M. System Y_2O_3-GeO_2 below 1700°C (4) 189.
Levy, P. W., Mattern, P. L., Lengweiler, K., and Bishay, A. M. Studies on nonmetals during irradiation: V, Growth and decay of color centers in Ba aluminoborate glasses containing Ce (4) 176.
Lewis, Gordon See Coyle, R. Tom, Jr.
Luca, E. See Rezlescu, N.
Lucchini, Elio, Minichelli, Dino, and Sloccari, Giorgio X-ray characterization of $7SrO.5Fe_2O_3$ (1) 42.

Mahl, Dennis R. See Green, David J.
Manthuruthil, J., Sikri, T. R., and Simmons, G. A. Simplified mathematical model simulating heat transfer in glass-forming molds (8) 345.
Marboe, E. C., and Weyl, W. A. Mechanism of homogenization and fining of Na_2O-CaO glasses (8) 371.
Markar, A. J., Bergeron, C. G., and Kumar, H. S. A. X-ray diffraction data and enthalpy of fusion for $Ca_2B_6O_{10}$ (5) 233.
Mason, T. O., and Hummel, F. A. Compatibility relations in the system SiO_2-ZrO_2-P_2O_5 (12) 538.
Mattern, P. L. See Levy, P. W.
Matthews, R. B. Statistical aspects of fracture of irradiated graphite (5) 225.
May, Henri B., Lauder, Ian, and Wollast, Roland O diffusion coeffs. in alkali silicates (5) 197.
May, Henri B., and Wollast, Roland Interdiffusion coeffs. in SiO_2-K_2O melts (1) 30.
Maycock, J. Norman See Skalny, Jan
Mayeux, C. See Micheron, F.
Mazdiyasni, K. S., and Cooke, Charles M. Consolidation, microstructure, and mechanical properties of Si_3N_4 doped with rare-earth oxides (12) 536.
Mazurin, O. V. See Rekhson, S. M.
McCarthy, Gregory J. O fugacity–temp. diagram for the Eu-O system (11) 502.
McCartney, E. R. See Leigh, H. D.
McCauley, J. W. See Viechnicki, D.
McVay, G. L., and Faruqui, E. H. Anomalous effects of H_2O on Na diffusion in glass (1) 43.
Mecha, Josef See Schaeffler, Helmut A.
Mecholsky, John J., Rice, Roy W., and Freiman, Stephen W. Prediction of fracture energy and flaw size in glasses from measurements of mirror size (10) 440.
Mencik, Z. See Varshneya, A. K.
Mendelson, Mel I., and Fine, Morris E. Enhancement of fracture properties of wustite by precipitation (4) 154.
Meyer, C. See Whalen, T. J.
Micheron, F., Mayeux, C., Hermosin, A., and Nicolas, J. Holographic storage in quadratic PLZT ceramics (7) 306.
Milberg, M. E. See Blair, H. D. ; Varshneya, A. K.
Mills, Susan A. See Simmons, Joseph H.
Minden, S. See Nadeau, J. S.
Minford, W. J., and Stubican, V. S. Interdiffusion and association phenomena in the system NiO-Al_2O_3 (8) 363.
Minichelli, Dino See Lucchini, Elio
Mitchell, P. W. D., and Morgan, P. E. D. Direct precipitation method for complex crystalline chalcogenides (6) 278.
Mitchell, T. E. See Pletka, B. J.
Mitsuhashi, T., Ichihara, M., and Tatsuke, U. Characterization and stabilization of metastable tetragonal ZrO_2 (2) 97.
Miyakawa, Chuji See Haneda, Koichi
Morgan, P. E. D. Direct aqueous precipitation of Li ferrite and titanate (11) 499. See Mitchell, P. W. D.
Mukerji, J., and Kayal, P. B. Reaction of $CaNO_3$ and $RbNO_3$ with SiO_2 and metakaolin (5) 229.
Murthy, M. K. See Topping, J. A.

Nadeau, J. S. Subcritical crack growth in vitreous C at room temp. (7) 303.
Nadeau, J. S., Minden, S., and Hay, J. M. Slow crack growth in cement paste (2) 51.
Nagel, Suzanne R., and Bergeron C. G. Crystallization of $Na_2B_4O_7$ from its melt (3) 129.
Nagura, Nagao See Kawamoto, Yoji
Naka, Shigeharu See Kameyama, Tetsuya
Naka, Shigeharu, Ito, Suketoshi, and Inagaki, Michio Kinetic studies of transitions from amorphous SiO_2 and quartz to coesite (5) 217.
Napolitano, Albert See Simmons, Joseph H.
Neve, J. M., and Coble, R. L. Initial sintering of Cr_2O_3 (6) 274.
Nicholson, Patrick S. See El-Shiekh, Ahmed M. ; Green, David J. ; Shackelford, James F.
Nicolas, J. See Micheron, F.
Notis, Michael R. Interpretation of kinetics of final-stage pressure sintering of NiO by deformation-mechanism maps (6) 271.

O'Brien, T. E., and Chaklader, A. C. D. Effect of O on the reaction between Cu and sapphire (8) 329.
O'Bryan, H. M., Jr., and Thomson, J., Jr. Phase equilibria in the TiO_2-rich region of the system BaO-TiO_2 (12) 522.
O'Bryan, H. M., Jr., Thomson, J., Jr., and Plourde, J. K. A new BaO-TiO_2 compound with temp.-stable high permittivity and low microwave loss (10) 450.
Onoda, G. Y., Jr. See Freiman, S. W.

Pantano, C. G., Jr., Clark, A. E., Jr., and Hench, L. L. Multilayer corrosion films on bioglass surfaces (9) 412.
Patterson, J. W. See Choudhury, N. S.
Paul, A. See Banerjee, Subrata
Percival, H. J., Duncan, J. F., and Foster, P. K. Interpretation of the kaolinite-mullite reaction sequence from ir absorption spectra (2) 57.
Perrotta, A. J., and Young, J. E., Jr. SiO_2-free phases with mullite-type structures (9) 405.
Perry, C. H., Wilson, L. K., and Kinser, D. L. Quantitative determination of oxidation state in binary transition-metal-oxide glasses (5) 227.
Petraru, P. See Rezlescu, N.
Pincus, A. G. See Freiman, S. W.
Pletka, B. J., Mitchell, T. E., and Heuer, A. H. Dislocation structures in sapphire deformed by basal slip (9) 388.
Plourde, J. K. See O'Bryan, H. M., Jr.
Pompius, H. See Hennings, D.
Prabhu, Ashok, Fuller, Gary L., and Vest, R. W. Solubility of RuO_2 in a Pb borosilicate glass (9) 408.

Radjy, Farhoz Fracture of hardened cement paste in relation to surface forces and porosity (2) 88.
Ramamoorthy, P., and Rockett, T. J. Phase relations in the system CaO-B_2O_3-P_2O_5 at 900°C (11) 501.
Reid, D. A. See Lawrence, F. V., Jr.
Rekhson, S. M., and Mazurin, O. V. Stress and structural relaxation in Na_2O-CaO-SiO_2 glass (7) 327.
Rezlescu, N., Condurache, D., Petraru, P., and Luca, E. Resistivity and Curie point of Li-Zn ferrites (1) 40.
Rice, Roy W. See Johnson, W. C. ; Mecholsky, John J.
Richerson, D. W. See Hartline, S. D.
Riebling, E. F. Polymer mixtures in $Na_2O.Sb_2O_3.GeO_2$ glasses (9) 373.
Rindone, Guy E. See Kumar, Binod ; Sproull, James F.
Rishod, Subhash Nucleation and crystallization in glassy Cd-$GeAs_2$ (6) 272.
Risen, W. M., Jr. See Exarhos, G. J.
Ritchie, I. G., Rosinger, H. E., and Shillington, A. J. Measurement of dynamic Young's modulus during four-point bend tests (10) 453.
Rockett, T. J. See Ramamoorthy, P.
Rohatgi, A., Viverito, T. R., and Slack, L. H. Electrical and optical properties of Sn oxide films (6) 278.
Rosinger, H. E. See Ritchie, I. G.
Ross, W. A., and Gibby, R. L. Polymorphic transformation of Eu_2O_3 by abrasion (1) 46.
Rossington, D. R., and Capozzi, V. F. Para-to-Ortho H_2 conversion on Gd, Y, Gd_2O_3, and Y_2O_3 (11) 474.
Roy, Rustum See Houlihan, John F.
Ramak, M. A. See Kivlighn, H. D., Jr.
Ramak, Michael A. Quantitative analysis of nepheline glass-ceramics by X-ray diffraction (11) 500.

Safdar, M., Frischat, G. H., and Salge, H. Etching of Al_2O_3 surfaces with molten V_2O_5 (2) 106.
Salge, H. See Safdar, M.
Satava, Vladimir Equilibrium in the system $CaSO_4.2H_2O$-Ca-$SO_4.1/2H_2O$-H_2O (9) 385. See Hrma, Pavel
Schaeffler, Helmut A., and Mecha, Josef Na diffusion anomaly in high-SiO_2 glass (12) 535.
Schmid, F. See Viechnicki, D.
Schultz, Peter C. Optical absorption of the transition elements in vitreous SiO_2 (7) 309.
Schulz, H. Thermal expansion of beta eucryptite (7) 313.
Sexton, C. C., and Dutta, S. K. Effect of grain size on crack propagation in thermally shocked B_4C (5) 228.
Shackelford, James F., Nicholson, Patrick S., and Smeltzer, Walter W. Initial sintering of MnO_{1+x} (5) 235.
Shannon, R. E., Johnson, D. L., and Fine, M. E. Precipitation hardening of spinel with excess MgO (6) 269.
Shelby, J. E. He diffusion and solubility in K_2O-SiO_2 glasses (6) 260; Viscosity and thermal expansion of alkali germanate glasses (10) 436.
Shelby, J. E., and Keeton, S. C. Pressure dependence of He permeation through vitreous SiO_2 (1) 45.
Shillington, A. J. See Ritchie, I. G.
Shimada, M. See Ishitobi, Y.
Sikri, T. R. See Manthuruthil, J.
Simmons, G. A. See Manthuruthil, J.
Simmons, Joseph H. See Haller, Wolfgang
Simmons, Joseph H., Mills, Susan A., and Napolitano, Albert Viscous flow in glass during phase separation (3) 109.
Simpkin, G. T. See Bye, G. C.

Simpson, L. A. Use of the notched-beam test for evaluation of fracture energies of ceramics (4) 151. See Wilkins, B. J. S.
Sis, L. B., Brown, S. D., Van, Tran Bao, and Wirtz, G. P. Polymorphic phases in anodic-spark-deposited coatings of Al_2O_3 (2) 108.
Skalny, Jan, and Maycock, J. Norman SEM of industrial cement clinkers (6) 253.
Slack, L. H. See Rohatgi, A.
Sloccari, Giorgio See Lucchini, Elio
Smart, R. M., and Glasser, F. P. Compound formation and phase equilibria in the system PbO-SiO_2 (9) 378.
Smeltzer, Walter W. See Shackelford, James F.
Snow, Gary S. Elimination of porosity in $Pb(Zr,Ti)O_3$ ceramics by liquid-phase sintering (6) 272.
Soroka, I., and Jaegermann, Ch. Pozzolanic strength and soluble-SiO_2 content of some volcanic rocks (12) 534.
Spanoudis, L. See Wengert, P. R.
Sproull, James F., and Rindone, Guy E. Effect of melting history on the mechanical properties of glass: I. Role of melting time and atm (4) 160.
Stein, D. F. See Johnson, W. C.
Stinton, David P. See Baylor, Richard, Jr.
Stockdale, G. F. See Carlson, D. E.
Stroud, J. E., Tripp, W. C., and Wimmer, J. M. Defect structure of Ta_2O_5 (4) 172.
Stubican, V. S. See Brun, M. ; Kennard, F. L. ; Minford, W. J.
Suchomel, R. R. See Hunter, O., Jr.
Sugarman, A. C., and Blachere, J. R. Control of grain growth in MgO by a fine dispersion of C (9) 414.

Takamori, Takeshi Form birefringence in a Na borosilicate glass (6) 277.
Taplin, John H. Index of reaction—a unifying concept for the reaction kinetics of powders (3) 140; Index of reaction—a unifying concept for the reaction kinetics of powders—correction (9) 416.
Tatsuke, U. See Mitsuhashi, T.
Taylor, R. I., Coad, J. P., and Brook, R. J. Grain boundary segregation in Al_2O_3 (12) 539.
Tennenhouse, G. J. See Virkar, A. V. ; Whalen, T. J.
Terwilliger, G. R. Properties of sintered Si_3N_4 (1) 48.
Terwilliger, G. R., and Lange, F. F. Hot-pressing behavior of Si_3N_4 (1) 25.
Thomson, J., Jr. See O'Bryan, H. M., Jr.
Tomozawa, Minoru See Kerwawycz, John
Tooper, B. See Whittaker, A. Greenville
Topping, J. A. Elastic properties of glasses in the system PbO-GeO_2 (10) 455.
Topping, J. A., Cameron, N., and Murthy, M. K. Properties and structure of glasses in the system Bi_2O_3-SiO_2-GeO_2 (12) 519.
Topping, J. A., Fuchs, P., and Murthy, M. K. Properties and structure of glasses in the system PbO-GeO_2-SiO_2 (5) 205.
Topping, J. A., Harrower, I. T., and Murthy, M. K. Properties and structure of glasses in the system PbO-GeO_2 (5) 209.
Topping, J. A., and Murthy, M. K. Electrical resistivity of PbO-SiO_2 and PbO-GeO_2-SiO_2 glasses (6) 281.
Torti, M. L. See Hartline, S. D.
Tremblay, R. See Angers, R.
Tremper, R. T., Giddings, Robert A., Hodge, J. D., and Gordon, Ronald S. Creep of polycrystalline MgO-FeO-Fe_2O_3 solid solutions (10) 421.
Trexler, R. E., and Barber, D. J. Yielding and flow of *c*-axis sapphire filements (1) 13.
Trexler, R. E., Langenslopen, R. A., and Brady, R. C. Surface-finish effects on strength-vs-grain-size relations in polycrystalline Al_2O_3 (5) 226.
Tripp, W. C. See Stroud, J. E.
Tsuchihashi, Shoji See Kawamoto, Yoji
Tsuge, A. See Komeya, K.
Tsuge, A., Kudo, H., and Komeya, K. Reaction of Si_3N_4 and Y_2O_3 in hot-pressing (6) 269.

Van, Tran Bao See Sis, L. B.
Vanderhoff, J. W. See Isenburg, J. E.
Varshneya, A. K. Empirical relation between self-diffusion and electrical conduction in mixed-alkali glasses (1) 37; Empirical relation between self-diffusion and electrical conduction in mixed-alkali glasses—correction (3) 148.
Varshneya, A. K., and Menchi, Z. Application of iterative deconvolution technique to ion-exchange study of glass (4) 170.
Varshneya, A. K., and Milberg, M. E. Ion exchange in Na borosilicate glasses (4) 165; Ion exchange in Na borosilicate glasses—correction (7) 328.
Vest, R. W. See Prabhu, Ashok
Viechnicki, D., Schmid, F., and McCauley, J. W. Liquidus-solidus determinations in the system $MgAl_2O_4$-Al_2O_3 (1) 47.
Virkar, A. V., Tennenhouse, G. J., and Gordon, Ronald S. Hot-pressing of Li_2O-stabilized β''-alumina (11) 508.
Viverito, T. R. See Rohatgi, A.

Wachtman, John B., Jr. Highlights of progress in the science of fracture of ceramics and glass (12) 509.
Wakino, Kikuo Properties of surface barrier layer formed on a semiconducting $BaTiO_3$ ceramic (11) 472.
Wengert, P. R., and Spanoudis, L. Limits on the Gibbs free energy of formation of intermetallic compounds containing Pt-group elements (2) 94.
Weyl, W. A. See Marboe, E. C.
Whalen, T. J., Tennenhouse, G. J., and Meyer, C. Relation of properties to microstructure in a β''-alumina ceramic (11) 497.
White, William B. See Keramidas, Vassilis G.
Whittaker, A. Greenville, and Tooper, B. Single-crystal diffraction patterns from vitreous C (10) 443.
Wiederhorn, S. M., Evans, A. G., Fuller, E. R., and Johnson, H. Application of fracture mechanics to space-shuttle windows (7) 319; Application of fracture mechanics to space-shuttle windows—correction (11) 508.
Wiederhorn, S. M., Johnson, H., Diness, A. M., and Heuer, A. H. Fracture of glass in vacuum (8) 336.
Wilkins, B. J. S., and Simpson, L. A. Errors in estimating the minimum time-to-failure in glass (11) 505.
Wills, R. R. Si Y oxynitrides (10) 459.
Wilson, L. K. See Friebele, E. J. ; Perry, C. H.
Wimmer, J. M. See Stroud, J. E.
Winslow, D. N., and Diamond, Sidney Specific surface of hardened portland cement paste as determined by small-angle X-ray scattering (5) 193.
Wirtz, G. P. See Sis, L. B.
Wollast, Roland See May, Henri B.
Wong, J. Nature of intergranular phase in nonohmic ZnO ceramics containing 0.5 mol% Bi_2O_3 (8) 357.
Wurst, J. C. See Anthony, P. J.

Yasuda, E. See Kimura, S.
Young, J. E. See Blachere, J. R.
Young, J. E., Jr. See Perrotta, A. J.
Young, J. F., Berger, R. L., and Breese, J. Accelerated curing of compacted Ca silicate mortars on exposure to CO_2 (9) 394.

SUBJECT INDEX TO THE JOURNAL

Volume 57, 1974

Numbers in parentheses refer to *monthly* issue of *The Journal;* number following is *page* number. Cross references are listed on pages 357-358 following the Subject Index to *Ceramic Abstracts*.

Absorption, optical, of transition elements in vitreous SiO_2 (7) 309.
Alcohol, effect, on crack propagation in glass (8) 350.
Alloys, KCl, thermal conductivity of (11) 504.
Aluminates, mullite-type, X-ray diffraction data (9) 405.
Aluminum oxide, alpha-, from gamma-Al_2O_3, effect of Cr and Fe (8) 367.
bars, Young's modulus, measurement during four-point bend tests (10) 453.
beta", Li_2O-stabilized, hot-pressing of (11) 508.
relation of properties to microstructure (11) 497.
ceramics, strength, before and after sustained loading treatmeat (10) 410.
coatings, anodic-spark-deposited, polymorphic phases in (2) 108.
crack stability diagram (12) 509.
fracture energy, notched-beam test for evaluation (4) 151.
grain boundaries in (1) 1.
grain boundary segregation in (12) 539.
hot-pressed, with LiF or NaF, grain-boundary chemistry, AES (8) 342.
metastable, crystallization in presence of V_2O_5 (2) 55.
polycrystalline, chemical diffusion in, from electrical conductivity measurements (6) 250.
penetration of surface damage and strength, environment effects (5) 220.
strength and absorbed energy in instrumented impact tests (7) 300.
strength loss on severe thermal shock, effect of crack density (5) 235.
strength-vs-grain size relations in, surface-finish effects (5) 226.
single-crystal, damage by 14-MeV neutrons (6) 279.
and polycrystalline, electrical conductivity at high temp. (6) 245.
surface, etching with molten V_2O_5 (2) 106.
Analysis, quantitative, of nepheline glass-ceramics by X-ray diffraction (11) 500.
Atmospheres, effect, on pristine strength of glass (4) 160.

Barium, $BaFe_{12}O_{19}$, high-coercivity, preparation (8) 354.
$Ba_2Ti_9O_{20}$, with temp.-stable high permittivity and low microwave loss (10) 450.
oxide, -SiO_2, miscibility gap in (3) 120.
titanate, ceramics, properties of surface barrier layer on (11) 472.
Beryllium, Be_4B, Be_2B, and BeB_6, thermal diffusivity (3) 126.
Bismuth, trioxide, 0.5mol%, in ZnO ceramics, intergranular phase in (8) 357.
Bonds, formation, in vitrified abrasive wheels (11) 486.
Boron, carbide, crack propagation in, grain size effect (5) 228.
Brittle materials, porous, strength, model for (2) 71.

Cadmium, CdO(s), vaporization, Knudsen effusion study (9) 398.
Calcium, di-, silicate, thin films, TEM (3) 144.
tri-, silicate, hydration, kinetics (11) 492.
zirconate, formation by solid-state reaction between CaO and ZrO_2, effect of pressure (5) 231.
Capacitors, capacitive layer, on semiconducting $BaTiO_3$ ceramic (11) 472.
Carbon, dioxide, effect on carbonation of C_3S mortar (9) 394.
fine dispersion, for control of grain growth in MgO (10) 414.
vitreous, single-crystal diffraction patterns from (10) 443.
subcritical crack growth in (7) 303.
Carbonation, of Ca silicate compacts, for curing portland cement mortars (9) 394.
Cements, clinker, industrial, SEM (6) 253.
paste, hardened, fracture in relation to surface forces and porosity (2) 88.
slow crack growth in (2) 51.
portland, reinforcement by polymer latexes, hypothesis (6) 242.
portland paste, hardened, specific surface, by small-angle X-ray scattering (5) 193.
Ceramics, fracture, science, progress survey (12) 509.
Cerium, effect, on coloring of glass during irradiation (4) 176.
oxide, effect on Si_3N_4 properties (12) 535.
Cesium, $Cs_2B_6O_{10}$, X-ray diffraction data and enthalpy of fusion (5) 233.
nitrate, reaction with SiO_2 and metakaolin (5) 229.
Chalcogenides, complex crystalline, direct precipitation method for (6) 278.
Chromium, effect, on alpha-Al_2O_3 formation from gamma-Al_2O_3 (8) 367.
-ic oxide, alpha, initial sintering, effect of O_2 partial pressure (3) 150.
initial sintering (6) 274.
optical absorption, in vitreous SiO_2 (7) 309.
Coatings, Al_2O_3, anodic-spark-deposited, polymorphic phases in (2) 108.
Cobalt, optical absorption, in vitreous SiO_2 (7) 309.
-ous oxide, sintering, initial stage (2) 62.
sintering, intermediate stage (2) 65.
Coercive force, of Ba ferrite powders, effect of milling (2) 68.
Cossite, formation, from amorphous SiO_2 and quartz, kinetics (5) 217.
SiO_2 transformation to, effect of H_2O (11) 499.
Color, centers, growth and decay, in Ba aluminoborate glasses during irradiation (4) 176.
Conductivity, electrical, of Al_2O_3, to determine chemical diffusion (6) 250.
single-crystal and polycrystalline, at high temp. (6) 245.
dc, of Ge-S-Ag and As-S-Ag glasses (11) 489.
of glass, mixed-alkali, relation to self-diffusion (1) 37.
mixed-alkali, relation to self-diffusion, correction (3) 148.
Conductivity, electronic, in ThO_2, transition from ionic conduction (2) 90.
Conductivity, ionic, in ThO_2, transition to electronic conduction (2) 90.
Conductivity, thermal, of Be_4B, Be_2B, and BeB_6 (3) 126.
of KCl alloys (11) 504.
Copper, optical absorption, in vitreous SiO_2 (7) 309.
reaction, with sapphire, effect of O (8) 329.
Cracks, density, effect on strength loss of Al_2O_3 on severe thermal shock (5) 235.
growth, in cement paste (2) 51.
subcritical, effect on high-temp. strength of Si_3N_4 (2) 84.
propagation, in B_4C, grain size effect (5) 228.
in glass, effect of alcohols (8) 350.
subcritical, in vitreous C (7) 303.
slow growth, effect on thermal-stress resistance of Na_2O-CaO-SiO_2 glass (10) 432.
Creep, steady-state, of MgO-FeO-Fe_2O_3 solid solutions, polycrystalline (10) 421.
Crystallization, of alumina, metastable, in presence of V_2O_5 (2) 55.
in $CdGeAs_2$, glassy (6) 272.
of melts, in Na_2O-BaO-SiO_2 system (5) 201.
of $Na_2B_4O_7$, from its melt (3) 129.
Crystals, lattice energies, of Ti_nO_{2n-1}, V_nO_{2n-1}, and $Ti_nCr_2O_{2n-1}$ (5) 234.
lattice parameters, of ThO_2 (4) 192.
structure, effect on vibrational spectra of spodiosite analogs (2) 102.

Defects, flaw size, in glasses, prediction from measurements of mirror size (10) 440.
structure, of Ta_2O_5 (4) 172.
Dehydration, topotactical, of gypsum (9) 385.
Dehydroxylation, of kaolinite, kinetics (3) 132.
Densification, in $LiFe_5O_8$ spinel (10) 460.
Density, dependence, of shear modulus of Si_3N_4 (8) 372.
of glass, Na-Zn borosilicate (3) 149.
in system PbO-GeO_2-SiO_2 (5) 205.
optical, reversible changes in composite layers (8) 332.
of Pb borate melts, structural interpretation (12) 536.
Devitrification, isothermal, kinetics of $NaPO_3$ glass, Raman study (9) 401.
Dielectrics, properties, of $Ba_2Ti_9O_{20}$ (10) 450.
Diffusion, chemical, in Al_2O_3, determined by electrical conductivity measurements (6) 250.
coeff., in SiO_2-K_2O melts (1) 30.
grain-boundary (2) 74.
He, in K_2O-SiO_2 glasses (6) 260.

Diffusion *(continued)*
inter-, of Na and K ions in glass, mixed-alkali effect (11) 478.
in NiO-Al_2O_3 system (8) 363.
Na, in glass, anomalous effects of H_2O (1) 43.
in high-SiO_2 glass (12) 535.
oxygen, coeff., in alkali silicates (5) 197.
in Dy_2O_3 and Gd_2O_3, measurement by studying oxidation of metals (10) 447.
self-, relation to electrical conduction in mixed-alkali glasses (1) 37.
relation to electrical conduction in mixed-alkali glass, correction (3) 148.
Diffusivity, thermal, of Be_4B, Be_2B, and BeB_6 (3) 126.
Dislocations, structures, in sapphire, deformed by basal slip (9) 388.
Dysprosium, aluminate, pure-single phase (6) 274.
oxide, O diffusion in, measurement by studying oxidation of metals (10) 447.

Elasticity, moduli, of 3BaO.5SiO_2 glass-ceramics (1) 8.
properties, of glasses in system PbO-GeO_2 (10) 455.
of Sm_2O_3, polycrystalline monoclinic (6) 267.
Young's modulus, dynamic, measurement during four-point bend tests (10) 453.
Electrical properties, of glass, ion-depleted (7) 295.
of SnO_2 films (6) 278.
Electrolytes, solid, in electrical devices, beta alumina for (11) 497.
Electromotive force, determination, of O activities and phase boundaries in wustite, correction (1) 50.
Electron diffraction, micrograph, and pattern of c-axis sapphire filament (1) 13.
pattern, of intergranular phase in ZnO + 0.5mol% Bi_2O_3 ceramic (8) 357.
single-crystal, from vitreous C (10) 443.
from ZrO_2 (1) 22.
Electrostatic processes, potential, grain-boundary (1) 1.
Energy, of formation, Gibbs, of intermetallic compounds containing Pt-group elements (2) 94.
fracture, of Al_2O_3 in impact tests (7) 300.
of ceramics, notched-beam test for evaluation (4) 151.
surface, relation to fracture of hardened cement paste (2) 88.
Enthalpy, of fusion, for $Cs_2B_6O_{10}$ (5) 233.
Equations, Nernst-Einstein-type, for relating electrical conductivity of mixed-alkali glass to self-diffusion (1) 37.
Weibull, for polyaxial stress states (1) 44.
Etching, Al_2O_3, surfaces, with molten V_2O_5 (2) 106.
Eucryptite, beta, thermal expansion (7) 313.
Europium, oxide, polymorphic transformation by abrasion (1) 46.
Eutectics, ZrO_2-MgO, directional solidification (10) 428.
Expansion, thermal, of alkali germanate glasses (10) 436.
coeff., of glass in system PbO-GeO_2 (5) 209.
coeff., of glass in system PbO-GeO_2-SiO_2 (5) 205.
of eucryptite, beta (7) 313.

Ferrites, Ba, high-coercivity (8) 354.
powders, intrinsic coercivity, effect of milling (2) 68.
Li spinel, processing parameters and properties (4) 182.
thermogravimetry (11) 483.
Li-Zn, resistivity and Curie point (1) 40.
Mn-Zn, grain boundaries in (1) 1.
Filaments, sapphire, c-axis, yielding and flow (1) 13.
Fracture, of cement paste, hardened, relation to surface forces and porosity (2) 88.
of ceramics, and glass, progress in science (12) 509.
energy, of Al_2O_3 in impact tests (7) 300.
of 3BaO.5SiO_2 glass-ceramics (1) 8.
of ceramics, notched-beam test for evaluation (4) 151.
in glasses, prediction from measurements of mirror size (10) 440.
of high-Al_2O_3 refractories (10) 417.
of glass, space-shuttle windows (7) 319.
correction (11) 508.
in vacuum (8) 336.
of graphite, irradiated, statistical aspects (5) 225.
properties, of wustite, enhancement by precipitation (4) 154.

Fracture *(continued)*
work-of-, and apparent yield correlation in Si_3N_4 (4) 190.
correlation with fracture toughness for ZrO_2 (2) 105.
Friction, internal, of glasses with low water contents (12) 530.
Frost resistance, of porous ceramics, solid bars (5) 212.

Gadolinium, oxide, powders, and Gd evaporated metal films, para-to-ortho H_2 conversion on (11) 474.
Glass, alkali germanate, viscosity and thermal expansion (10) 436.
alkali silicate, ion depletion at blocking anode (7) 291.
As-S-Ag, dc conductivity (11) 489.
Ba aluminoborate, growth and decay of color centers in during irradiation (4) 176.
borate, ruby formation in, and thermodynamics of system Cu-O (7) 286.
$CdGeAs_2$, nucleation and crystallization in (6) 272.
crack propagation in, effect of alcohols (8) 350.
fracture, science, progress survey (12) 509.
in vacuum (8) 336.
Ge-S-Ag, dc conductivity (11) 489.
ion-depleted, properties (7) 295.
ion-exchange study, use of iterative deconvolution technique (4) 170.
K_2O-SiO_2, He diffusion and solubility in (6) 260.
Li_2O-SiO_2, crystallized after ion exchange, strength (6) 263.
$0.5Li_2O.0.5K_2O.2SiO_2$, pristine strength, effect of melting time and atm (4) 160.
mixed-alkali, relation between self-diffusion and electrical conduction in (1) 37.
correction (3) 148.
Na borosilicate, form birefringence in (6) 277.
ion exchange in (4) 165.
ion exchange in, correction (7) 328.
viscous flow in, during phase separation (3) 109.
Na diffusion in, anomalous effects of H_2O (1) 43.
$NaPO_3$, isothermal devitrification kinetics, Raman study (9) 401.
with low water contents, internal friction (12) 530.
Na-Zn borosilicate, densities (3) 149.
Na_2O-BaO-SiO_2, crystallization and properties (5) 201.
Na_2O-CaO, homogenization and fining mechanisms to replace Na_2SO_4 and As (8) 371.
Na_2O-CaO-SiO_2, stress and structural relaxation in (7) 327.
Na_2O-SiO_2, light scattering from (11) 467.
$Na_2Sb_2O_3$-GeO_2, polymer mixtures in (9) 373.
Pb borosilicate, RuO_2 solubility in (9) 408.
PbO-SiO_2, and PbO-GeO_2-SiO_2, electrical resistivity (6) 281.
phototropic, Ag-halide-containing, layers, reversible optical density changes in (8) 332.
porous, t curve for N_2 adsorption on (6) 268.
proton injection in (11) 461.
silica, high-, Na diffusion anomaly in (12) 535.
silicate, and nonsilicate, fracture energy and flaw size in, prediction from measurements of mirror size (10) 440.
soda-lime, interdiffusion of Na and K ions in, mixed-alkali effect (11) 478.
soda-lime-silica, thermal-stress resistance, effect of slow crack growth (10) 432.
thermal-stress resistance, effect of surface-compression strengthening vs reduction in flaw size (10) 457.
system, Bi_2O_3-SiO_2-GeO_2, properties and structure (12) 519.
MnO-P_2O_5, antiferromagnetic, magnetic properties (6) 237.
PbO-GeO_2, elastic properties (10) 455.
PbO-GeO_2, properties and structure (5) 209.
PbO-GeO_2-SiO_2, properties and structure (5) 205.
time-to-failure, minimum, errors in estimating (11) 505.
Tl silicate, structure (6) 257.
transition-metal-oxide, oxidation state in (5) 227.
window, space-shuttle, fracture properties (7) 319.
correction (11) 508.
Glass-ceramics, $3BaO.5SiO_2$, mechanical properties (1) 8.
containing spodumene crystals, strength and durability (11) 480.
nepheline, with Nb_2O_5 as nucleation catalyst (9) 382.
quantitative analysis by X-ray diffraction (11) 500.
Grain boundaries, impurities, in MgO, Al_2O_3, and $MgAl_2O_4$, hot-pressed with LiF or NaF (8) 342.
phenomena, characteristics, structure, and electrostatic potential (1) 1.
solute segregation, diffusion, and discussion (2) 74.
segregation, in Al_2O_3 (12) 539.
Grain growth, in $LiFe_5O_8$ (10) 460.
in MgO, control by fine dispersion of C (10) 414.
pure dense (1) 41.
Graphite, fracture energy, notched-beam test for evaluation (4) 151.
irradiated, fracture, statistical aspects (5) 225.
Gravimetry, determination, of O activities and phase boundaries in wustite, correction (1) 50.
Grinding apparatus, wheels, abrasive, bond formation in (11) 486.
Gypsum, dehydration, to hemihydrate in liquid H_2O (9) 385.
plasters, model for strength (2) 71.

Hardening, precipitation, of spinel with excess MgO (6) 269.
surface, of sapphire and rutile, machine-associated (2) 107.
Heat, transfer, in glass-forming molds, simplified mathematical model (8) 345.
treatment, in ZrO_2-SiO_2-P_2O_5 system (12) 538.
Helium, diffusion, and solubility in K_2O-SiO_2 glasses (6) 260.
permeation, through vitreous SiO_2, pressure dependence (1) 45.
Helium permeation *(continued)*
45.
Holography, storage, in PLZT ceramics (7) 306.
Hydration, of C_3S, kinetics (11) 492.
Hydrogen, para-, conversion to ortho-, on Gd, Y, Gd_2O_3, and Y_2O_3 (11) 474.

Impact, tests, of polycrystalline Al_2O_3 (7) 300.
Ions, depletion, of alkali silicate glasses, at blocking anode (7) 291.
exchange, in Na borosilicate glasses (4) 165.
in Na borosilicate glasses, correction (7) 328.
study of glass, use of iterative deconvolution technique (4) 170.
Iron, effect, on alpha-Al_2O_3 formation from gamma-Al_2O_3 (8) 367.
lattice site, and valence, in $PbTiO_3$, ESR and thermogravimetry (12) 527.
optical absorption, in vitreous SiO_2 (7) 309.
Irradiation, effect, on fracture strength of graphite (5) 225.

Kaolin, meta-, reaction with $CsNO_3$ and $RbNO_3$ (5) 229.
Kaolinite, dehydroxylation, kinetics (3) 132.
-mullite reaction sequence, ir absorption spectra (2) 57.
Kinetics, of dehydroxylation, of kaolinite (3) 132.
of formation, of coesite from amorphous SiO_2 and quartz (5) 217.
of hydration, of C_3S (11) 492.
isothermal devitrification, of $NaPO_3$ glass, Raman study (9) 401.
of reaction, of powders, index-of-reaction equation (3) 140.
of powders, correction (10) 416.
of sintering, pressure, of NiO, deformation-mechanism maps (6) 271.
Knudsen effusion study, of CdO(s) vaporization (9) 398.

Lead, borate, melts, structural interpretation of densities (12) 537.
oxide, powder, Raman spectra (6) 275.
PLZT, 7/65/35 and Nb-modified PZT, birefringence, temp. dependence (10) 409.
PLZT ceramics, elimination of porosity in, by liquid-phase sintering (6) 272.
holographic storage in (7) 306.
PZT, ceramics, translucent, by isostatic hot-pressing (10) 458.
titanate, lattice site and valence of Mn and Fe in, ESR and thermogravimetry (12) 527.
Lithium, ferrite, and titanate, direct aqueous precipitation (11) 499.
$LiFe_5O_8$, spinel, densification and grain growth in (10) 460.
Li_2NaPO_4, characterization (9) 407.
oxide, -SiO_2, immiscibility measurements (3) 120.

Magnesium, aluminate, translucent sintered (7) 283.
$MgCr_2O_4$, sintering, effect of O activity (1) 34.
oxide, bicrystals (10) 456.
crystals, bent, dekinking (10) 416.
effect on hot-pressing behavior of Si_3N_4 (1) 25.
grain-boundary surface (1) 1.
grain growth in MgO, control by fine dispersion of C (10) 414.
hot-pressed with LiF or NaF, grain-boundary chemistry, AES (8) 342.
pure dense, grain growth in (1) 41.
smoke crystals, growth and relative orientation (10) 415.
Magnetic properties, of antiferromagnet, MnO-P_2O_5 glass system (6) 237.
of $BaFe_{12}O_{19}$, effect of heating temp. (8) 354.
Magnetization, curves, for magnesiowustite (4) 186.
Manganese, lattice site, and valence, in $PbTiO_3$, ESR and thermogravimetry (12) 527.
$MnO_{1+\delta}$, initial sintering (5) 235.
optical absorption, in vitreous SiO_2 (7) 309.
Mechanical properties, of $3BaO.5SiO_2$ glass-ceramics (1) 8.
thermo-, of high-Al_2O_3 refractories (10) 417.
Melts, SiO_2-K_2O, interdiffusion coeff. in (1) 30.
Microscopy, scanning electron, of industrial cement clinkers (6) 253.
transmission electron, of hydrated C_3S thin films (3) 144.
Milling, effect, on intrinsic coercivity of Ba ferrite powders (2) 68.
Miscibility, gaps, in alkali-silicate binaries (3) 120.
Models, simplified mathematical, simulating heat transfer in glass-forming molds (8) 345.
for strength, of brittle porous materials (2) 71.
Molds, glass, heat transfer in, simplified mathematical model (8) 345.
Mortars, Ca silicate, compacted, accelerated curing on exposure to CO_2 (9) 394.
Mullite, existence, without SiO_2 (5) 224.
kaolinite-, reaction sequence, ir absorption spectra (2) 57.

Nepheline, glass-ceramics, quantitative analysis by X-ray diffraction (11) 500.
Neutrons, 14-MeV, damage of single-crystal Al_2O_3 by (6) 279.
Nickel, optical absorption, in vitreous SiO_2 (7) 309.
oxide, pressure sintering, deformation-mechanism maps (6) 271.
Niobium, pentoxide, as nucleation catalyst in formation of nepheline glass-ceramics (9) 382.
Nitrogen, adsorption, on porous glass, t curve for (6) 268.
Nucleation, in $CdGeAs_2$, glassy (6) 272.

Optical properties, of glass, ion-depleted (7) 295.
of SnO_2 films (6) 278.
Oxidation, behavior, of sintered Si_3N_4 (1) 48.
of Gd, and Dy, to measure O diffusion in Dy_2O_3 and Gd_2O_3 (10) 447.
state, in transition-metal-oxide glasses (5) 227.
Oxides, electronic-conducting, Wiedemann-Franz-Lorenz relation in (11) 502.
Oxygen, activity, effect on sintering of $MgCr_2O_4$ (1) 34.
in wustite, correction (1) 50.
diffusion, coeff., in alkali silicates (5) 197.
in Dy_2O_3 and Gd_2O_3, measurement by studying oxidation of metals (10) 447.
effect, on reaction between Cu and sapphire (8) 329.
fugacity, -temp. diagram for Eu-O system (11) 502.
partial pressure, effect on initial sintering of alpha Cr_2O_3 (3) 150.
effect on conductivity of Al_2O_3 (6) 245.
electrical conductivity and ionic transference in Ta_2O_5 as function of (4) 172.
permeation, measurement by stabilized ZrO_2 (8) 360.
self-diffusion, in SiO_2 K silicate (1) 30.

Particles, size, effect on crack propagation in B_4C (5) 228.
strength-vs-, in Al_2O_3, surface-finish effects (5) 226.
Phase equilibria, boundaries, in wustite, correction (1) 50.
diagrams, of CaO-B_2O_3-P_2O_5 at 900°C (11) 501.
Dy_2O_3-Al_2O_3 (6) 274.
of Si_3N_4-Y_2O_3 system (6) 269.
systems, BaO-SrO-SiO_2, correction (10) 460.
BaO-TiO_2, in TiO_2-rich region (12) 523.
Bi_2O_3-WO_3, relations in (7) 323.
CaO-ZrO_2, microstructural development in ZrO_2 in (3) 136.
CaO-ZrO_2, thermal-shock structures in ZrO_2 in (1) 19.
CaO-B_2O_3-P_2O_5, phase relations at 900°C (11) 501.
$CaSO_4.2H_2O$-$CaSO_4.1/2H_2O$-H_2O (9) 385.
Cu-O, thermodynamics, and ruby formation in borate glass (7) 286.
Eu-O, O fugacity-temp. diagram (11) 502.
Fe-Mg-O, relations at low temp. (4) 186.
LiF-AlF_3-Na_3AlF_6, relations in (11) 470.
$MgAl_2O_4$-Al_2O_3, liquidus-solidus determinations in (1) 47.
Na_2O-BaO-Al_2O_3, phases with mullite-type structures (9) 405.
Na_2O-BaO-SiO_2, melts in (5) 201.
Na_2O-B_2O_3-SiO_2, immiscibility surface study (3) 120.
NiO-Al_2O_3, interdiffusion and association phenomena in (8) 363.
PbO-GeO_2-SiO_2, glass-forming region in (5) 205.
PbO-SiO_2, and compound formation (9) 378.
SiO_2-ZrO_2-P_2O_5, compatibility relations in (12) 538.
UO_2-Mo, UO_2-Nb, and UO_2-Ta, unidirectional solidification (5) 232.
WC-ZrC, precipitation studies in (3) 117.
Y_2O_3-GeO_2, below 1700°C (4) 189.
ZrO_2-MgO, eutectic, solidification (10) 428.
Phases, relations, in system CaO-B_2O_3-P_2O_5 at 900°C (11) 501.
Physical properties, of glass, in $Na_2O.Sb_2O_3.GeO_2$ system (9) 373.
Plasters, gypsum, model for strength (2) 71.
Platinum, -group metals, Gibbs free energy of formation, limits (2) 94.
Polymers, latexes, for reinforcing portland cement (6) 242.
Polymorphism, transformation, of Eu_2O_3 by abrasion (1) 46.
Porosity, in PLZT ceramics, elimination by liquid-phase sintering (6) 272.
relation, to fracture of hardened cement paste (2) 88.
Porous materials, solid bars, frost damage, failure of capillary theory (5) 212.
Potassium, chloride, alloys, thermal conductivity of (11) 504.
ions, interdiffusion in glass, mixed-alkali effect (11) 478.
Powders, reaction kinetics, index-of-reaction equation (3) 140.
correction (10) 416.
Precipitation, aqueous, of Li ferrite and titanate (11) 499.
direct, for complex crystalline chalcogenides (6) 278.
studies, in WC-ZrC system (3) 117.
of wustite, to enhance fracture properties (4) 154.
Pressing, hot-, isostatic, for fabrication of PZT ceramics (10) 458.
of Li_2O-stabilized beta"-alumina (11) 508.
Si_3N_4, role of MgO (1) 25.
Si_3N_4, role of Y_2O_3 additive (10) 459.
Pressure, dependence, of He permeation through vitreous SiO_2 (1) 45.
effect, on formation of $CaZrO_3$ by solid-state reaction between CaO and ZrO_2 (5) 231.
Protons, anodic, injection in glass (11) 461.

Quartz, transition, to coesite, kinetics (5) 217.

Raman effect, in sintered ceramics (6) 275.
study, of isothermal devitrification kinetics of $NaPO_3$ glass (9) 401.
Rare earths, oxides, effect on Si_3N_4 properties (12) 535.
Reactions, index of, unifying concept for reaction kinetics of powders (3) 140.
correction (9) 416.
Refraction, birefringence, form, in Na borosilicate glass (6) 277.
for PLZT 7/65/35 and Nb-modified PZT, temp. dependence (10) 409.

Refractive index, of glass, in system PbO-GeO_2 (5) 209.
in system PbO-GeO-SiO_2 (5) 205.
Refractories, alumina, high-, fracture toughness and spalling behavior (10) 417.
Resistivity, electrical, of glass, PbO-SiO_2 and PbO-GeO_2-SiO_2 (6) 281.
in system PbO-GeO_2 (5) 209.
of Li ferrite spinel (4) 182.
of Li-Zn ferrites (1) 40.
Resonance, ESR, of lattice site and valence of Mn and Fe in $PbTiO_3$ (12) 527.
Rocks, volcanic, pozzolanic strength and soluble-SiO_2 content (12) 534.
Rubidium, nitrate, reaction with SiO_2 and metakaolin (5) 229.
Rupture, modulus, of vitreous C (7) 303.
Ruthenium, dioxide, solubility in Pb borosilicate glass (9) 408.
Rutile, surface, abrasion hardening (2) 107.

Samarium, oxide, polycrystalline monoclinic, elastic properties (6) 267.
Sapphire, dislocation structures in, deformed by basal slip (9) 388.
filaments, c-axis, yielding and flow (1) 13.
reaction, with Cu, effect of O (8) 329.
surface, abrasion hardening in (2) 107.
Scattering, light, from phase-separated glass (11) 467.
Raman, study of ZrO_2 crystallization and phase transformations (1) 22.
X-ray, study of structure of Tl silicate glass (6) 257.
X-ray small angle, of specific surface of hardened portland cement paste (5) 193.
Segregation, solute, at grain boundaries (2) 74.
Shear, modulus, of Si_3N_4, density dependence (8) 372.
of Si_3N_4 and SiC (1) 49.
Shock, thermal, structures in ZrO_2 in system CaO-ZrO_2 (1) 19.
Shock resistance, thermal, of Al_2O_3, loss in strength (5) 235.
Silicates, alkali, O diffusion coeff. in (5) 197.
Silicon, carbide, fracture energy, notched-beam test for evaluation (4) 151.
strength degradation (12) 509.
nitride, and carbide, high-temp. shear modulus (1) 49.
consolidation, microstructure, and mechanical properties (12) 536.
hot-pressed, high-temp. strength (2) 84.
hot-pressing behavior (1) 25.
properties (1) 48.
reaction with Y_2O_3 in hot-pressing (6) 269.
shear modulus, density dependence (8) 372.
work-of-fracture and apparent yield correlation (4) 190.
yttrium oxynitrides (10) 459.
Silicon dioxide, amorphous, transformation to coesite, effect of H_2O (11) 499.
transition to coesite, kinetics (5) 217.
effect on AlN sintering (10) 411.
-free phases, with mullite-type structures (9) 405.
mullite existence without (5) 224.
reaction, with $CsNO_3$ and $RbNO_3$ (5) 229.
soluble-, content of volcanic rocks, relation to pozzolanic strength (12) 534.
vitreous, He permeation through, pressure dependence (1) 45.
optical absorption of transition elements in (7) 309.
Sintering, AlN, effect of Y_2O_3 and SiO_2 (10) 411.
initial, of alpha Cr_2O_3, effect of O_2 partial pressure (3) 150.
of Cr_2O_3 (6) 274.
of MnO_{1+x} (5) 235.
initial stage, of CoO (2) 62.
intermediate stage, of CoO (2) 65.
liquid-phase, to eliminate porosity in PLZT ceramics (6) 272.
$MgCr_2O_4$, effect of O activity (1) 34.
to prepare $MgAl_2O_4$ (7) 283.
pressure, of NiO, deformation-mechanism maps (6) 271.
Sodium, chloride, grain-boundary structure (1) 1.
diffusion, in glass, anomalous effects of H_2O (1) 43.
in high-SiO_2 glass (12) 535.
ions, interdiffusion in glass, mixed-alkali effect (11) 478.
monoxide, -SiO_2, immiscibility measurements (3) 120.
$Na_2B_4O_7$, crystallization, from its melt (3) 129.
Solidification, directional, of ZrO_2-MgO eutectic (10) 428.
unidirectional, of UO_2-Mo, UO_2-Nb, and UO_2-Ta systems (5) 232.
Solubility, of RuO_2, in Pb borosilicate glass (9) 408.
Solutions, solid, MgO-FeO-Fe_2O_3, polycrystalline, creep (10) 421.
Spectra, absorption, radiation-induced, of Ba aluminoborate glass (4) 176.
ir, of $Na_2O.Sb_2O_3.GeO_2$ glasses (9) 373.
ir absorption, of kaolinite-mullite reaction sequence (2) 57.
Moessbauer absorption, of Ba ferrite powders, milled (2) 68.
vibrational, of spodiosite analogs (2) 102.
Spectroscopy, Auger electron, of grain-boundary chemistry in MgO, Al_2O_3, and $MgAl_2O_4$ (8) 342.
Spinel, with excess MgO, precipitation hardening (6) 269.
Li ferrite, processing parameters and properties (4) 182.
$LiFe_5O_8$, densification and grain growth in (10) 460.
$MgAl_2O_4$, hot-pressed with LiF or NaF, grain-boundary chemistry, AES (8) 342.
prepared by sintering (7) 283.
$NiAl_2O_4$, formation (8) 363.
Spodiosite analogs, vibrational spectra (2) 102.
Spodumene, crystals, in glass-ceramic, effect on strength and durability (11) 480.
Stabilization, of ZrO_2, metastable tetragonal (2) 97.
Strength, of Al_2O_3, effect of environment on penetration of surface damage and (5) 220.
of brittle porous materials, model for (2) 71.
degradation, after sustained loading (10) 410.
flexural, of 3BaO.5SiO_2 glass-ceramics (1) 8.
of glass, Li_2O-SiO_2, after ion exchange (6) 263.
pristine, effect of melting time and atm (4) 160.
of glass-ceramics, containing spodumene crystals (11) 480.
high-temp., of Si_3N_4, hot-pressed (2) 84.
pozzolanic, of volcanic rocks, relation to soluble-SiO_2 content (12) 534.
of Si_3N_4, sintered (1) 48.
-vs-grain-size, in Al_2O_3, surface-finish effects (5) 226.
Stresses, polyaxial states, Weibull statistics for (1) 44.
relaxation, in Na_2O-CaO-SiO_2 glass (7) 327.
tensile, vs-elongation curves for c-axis sapphire filaments (1) 13.
thermal, resistance of Na_2O-CaO-SiO_2 glass, effect of crack growth (10) 432.
resistance of Na_2O-CaO-SiO_2 glass, effect of surface-compression strengthening vs reduction in flaw size (10) 457.
Strontium, 7SrO.5Fe_2O_3, X-ray characterization (1) 41.
Structure, eutectic, of $MgAl_2O_4$-Al_2O_3 system (1) 47.
of glass, in Bi_2O_3-SiO_2-GeO_2 system (12) 519.
in system PbO-GeO_2 (5) 209.
Tl silicate (6) 257.
micro-, of beta"-alumina ceramic, relation to properties (11) 497.
of Si_3N_4, doped with rare-earth oxides (12) 536.
of TiO_2-rich region of BaO-TiO_2 system (12) 523.
of ZrO_2, partially stabilized with CaO (3) 136.
Surface, specific, of portland cement paste, by small-angle X-ray scattering (5) 193.

Tantalum, pentoxide, defect structure (4) 172.
Temperature, Curie, point, of Li-Zn ferrites (1) 40.
dependence, of birefringence for PLZT 7/65/35 and Nb-modified PZT (10) 409.
Thermal analysis, of TiO_2-rich region, of BaO-TiO_2 system (12) 523.
Thermodynamics, of Cu-O system, and ruby formation in borate glass (7) 286.
Thermogravimetry, of lattice site, and valence of Mn and Fe in $PbTiO_3$ (12) 527.
of Li spinel ferrites (11) 483.
Thorium, dioxide, lattice parameter data for (4) 192.
pure, transition from ionic to electronic conduction in (2) 90.
Tin, -ic oxide, films, electrical and optical properties (6) 278.
Titanium, dioxide, powder, Raman spectra (6) 275.
Ti_nO_{2n-1} phases, and $Ti_{n-2}Cr_2O_{2n-1}$, lattice energies (5) 234.
Tungsten, carbide, solubility in ZrC (3) 117.

Vanadium, optical absorption, in vitreous SiO_2 (7) 309.
pentoxide, crystallization of aluminas in presence of (2) 55.
for etching Al_2O_3 surfaces (2) 106.
V_nO_{2n-1}, lattice energies (5) 234.
Vaporization, of CdO(s), Knudsen effusion study (9) 398.
Viscosity, of glass, alkali germanate (10) 436.
Na borosilicate, during phase transitions (3) 109.

Water, effect, anomalous, on Na diffusion in glass (1) 43.
on transformation of amorphous SiO_2 to coesite (11) 499.
Wiedemann-Franz-Lorenz relation, in electronic-conducting oxides (11) 502.
Wustite, fracture properties, enhancement by precipitation (4) 154.
phase, O activities in, correction (1) 50.

X rays, analysis, of TiO_2-rich region of BaO-TiO_2 system (12) 523.
diffraction, data for $Cs_2B_6O_{10}$ (5) 233.
data for mullite-type aluminate (9) 405.
powder data for Y germanates (4) 189.
in quantitative analysis of nepheline glass-ceramics (11) 500.
diffraction patterns, of aluminas, in presence of V_2O_5 (2) 55.
of intergranular phase in ZnO + 0.5 mol% Bi_2O_3 ceramic (8) 357.
of ZrO_2 (1) 22.
of ZrO_2 powders (2) 97.
powder data, for Pb silicates (9) 378.
powder diffraction, data for $Sr_7Fe_{10}O_{22}$ (1) 41.
of Li_2NaPO_4 (9) 407.
powder patterns, of Eu_2O_3 pellets (1) 46.

Yttrium, oxide, effect on AlN sintering (10) 411.
powders, and Y evaporated metal films, para-to-ortho H_2 conversion on (11) 474.
reaction with Si_3N_4 in hot-pressing (6) 269.

Zinc, oxide, nonohmic ceramics, containing 0.5mol% Bi_2O_3, intergranular phase in (8) 357.
Zirconium, dioxide, crystallization and phase transformations (1) 22.
metastable tetragonal, characterization and stabilization (2) 97.
microstructural development in, in system CaO-ZrO_2 (3) 136.
powder, Raman spectra (6) 275.
stabilized, to measure O_2 permeation (8) 360.
thermal-shock-resistant partially stabilized by CaO (1) 19.
work-of-fracture and fracture toughness correlation (2) 105.
Zirconium dioxide *(continued)*

JOURNAL

of the

American Ceramic Society

A MONTHLY PUBLICATION DEVOTED TO THE ARTS AND SCIENCES RELATED TO CERAMICS

VOLUME 57, 1974

F. P. Reid, *Publisher and Executive Director*
William J. Smothers, *Editor*
M. Geraldine Smith, *Associate Editor*
Margie K. Reser, *Technical Editor*
Nancy L. Reed, *Associate Technical Editor*
Olive Scott, *Senior Editorial Assistant*
Martha Bell, *Editorial Assistant*

Committee on Publications: Seymour L. Blum, *Chairman;* Ralph E. Carter, Arthur L. Friedberg, Lyle A. Holmes, J. B. Wachtman, Jr.; *ex officio members:* Richard A. Eppler, F. P. Reid, William J. Smothers.

Executive, Editorial, and Advertising Offices:
65 Ceramic Drive, Columbus, Ohio 43214

Officers of the American Ceramic Society, 1974-75

SOCIETY OFFICERS

President: JOSEPH E. BURKE, General Electric Co., Research & Development Center, Box 8, Schenectady, N.Y. 12301
President-Elect: RALSTON RUSSELL, JR., Ohio State University, 2041 N. College Rd., Columbus, Ohio 43210
Vice Presidents:
WILLIAM J. KNAPP, University of California, Dept. of Materials, Los Angeles, Calif. 90024
MALCOLM G. MCLAREN, Rutgers University, School of Ceramics, New Brunswick, N.J. 08903
HAYDN H. MURRAY, Indiana University, Dept. of Geology, Bloomington, Ind. 47401
BASIL G. STAPLES, Pfaudler Co., 1000 West Ave., Rochester, N.Y. 14603
FRANKLIN M. TOWNSEND, Aluminum Co. of America, 1501 Alcoa Bldg., Pittsburgh, Pa. 15219
Treasurer: LYLE A. HOLMES, Sobin Chemicals, Inc., Ceramic and Glass Products Div., 52 Sobin Park, Boston, Mass. 02210

DIVISION AND CLASS OFFICERS

Basic Science Division

Trustee: RALPH E. CARTER (1975), General Electric Co., Research & Development Center, Box 8, Schenectady, N.Y. 12301
Chairman: SHELDON M. WIEDERHORN, National Bureau of Standards, Washington, D.C. 20234
Chairman-Elect: PAUL J. JORGENSEN, Stanford Research Institute, Menlo Park, Calif. 94025
Vice Chairman: ROBERT RUH, 4225 Murrell Drive, Dayton, Ohio 45429 (U.S. Air Force Materials Lab)
Secretary: RONALD S. GORDON, University of Utah, Div. of Materials Science & Engineering, Salt Lake City, Utah 84112

Cements Division

Trustee: PETER J. SEREDA (1975), National Research Council, Div. of Building Research, Montreal Rd., Ottawa, Ont., Canada K1A OR6
Chairman: FORREST R. HURLEY, Martin Marietta Labs, Cement Technical Center, 1450 S. Rolling Rd., Baltimore, Md. 21227
Chairman-Elect: LOUIS CARTZ, Universite de Limoges, U. E. R. des Sciences, 123 rue Albert Thomas, Limoges, 87100, France
Secretary: V. S. RAMACHANDRAN, 1079 Elmlea Drive, Beacon Hill S., Ottawa, Ont., Canada K1J 6W3 (National Research Council)

Ceramic-Metal Systems Division

Trustee: JAMES D. SULLIVAN (1976), A. O. Smith Corp., Glass Coating Materials Div., Box 584, Milwaukee, Wis. 53201
Chairman: JOHN D. BUCKLEY, 23 E. Governor Drive, Newport News, Va. 23602 (NASA-Langley)
Chairman-Elect: THOMAS E. CURRIE, General Electric Co., AP 35-1115, Appliance Park, Louisville, Ky. 40225
Vice Chairman: W. HOWARD COOK, 5908 Nottingham Rd., Knoxville, Tenn. 37918 (Union Carbide Corp.)
Secretary: JOHN C. WURST, 4308 Appleton Pl., Kettering, Ohio 45440 (University of Dayton)
Counselor: RICHARD A. EPPLER, Pemco Products, Glidden-Durkee, Div. of SCM Corp., 5601 Eastern Ave., Baltimore, Md. 21224
Counselor: JULES J. DUGA, 2605 Bryden Rd., Columbus, Ohio 43209 (Consultant)

Electronics Division

Trustee: MERLE D. RIGTERINK (1975), Bell Labs, 600 Mountain Ave., Murray Hill, N.J. 07974
Chairman: JOHN C. WILLIAMS, Seven Mt. Vernon Way, Whippany, N.J. 07981 (Bell Labs)
Chairman-Elect: DAVID L. WILCOX, 2184 Glenkirk Drive, San Jose, Calif. 95124 (IBM Corp.)
Vice Chairman: JOSEPH T. BAILEY, 9800 Janero Court, Mahtomedi, Minn. 55115 (3M Co.)
Secretary: THOMAS G. REYNOLDS III, Seven Cardinal Drive, Woodstock, N.Y. 12498 (Ferroxcube Corp.)

Glass Division

Trustee: J. RAYMOND HENSLER (1977), Bausch & Lomb, 635 St. Paul St., Rochester, N.Y. 14602
Chairman: LARRY L. HENCH, University of Florida, Dept. of Materials Science & Engineering, Gainesville, Fla. 32611
First Vice Chairman: E. LOWELL SWARTS, PPG Industries, Inc., Glass Research Center, Box 11472, Pittsburgh, Pa. 15238
Second Vice Chairman: JOSEPH L. HAMMELL, PPG Industries, Inc., Glass Research Center, Box 11472, Pittsburgh, Pa. 15238
Secretary: L. D. PYE, N. Y. S. College of Ceramics, Alfred University, Alfred, N.Y. 14802

Materials & Equipment Division

Trustee: HARRY J. BECKEMEYER (1977), McGean Chemical Co., Inc., 1250 Terminal Tower, Cleveland, Ohio 44113
Chairman: WILLIAM C. SPANGENBERG, Hammond Lead Products, Inc., 425 Manor Oak One, 1910 Cochran Rd., Pittsburgh, Pa. 15220
Chairman-Elect: J. RICHARD SCHORR, 4829 Larwell Drive, Columbus, Ohio 43220 (Battelle, Columbus Labs)
Vice Chairman: JAMES C. LAUGHREY, 2334 McNary Blvd., Pittsburgh, Pa. 15235 (New Castle Refractories Co.)
Secretary: JAMES A. BRIAN, Pemco Products, Glidden-Durkee, Div. of SCM Corp., 3049 21st St. N. W., Canton, Ohio 44708

Nuclear Division

Trustee: EUGENE D. LYNCH (1976), R. R. 3, Box 256-T, Lynchburg, Va. 24504 (Babcock & Wilcox Co.)
Chairman: WILLIAM R. JACOBY, Westinghouse Electric Corp., Box 217, Cheswick, Pa. 15024
Vice Chairman: JOHN M. KERR, 1425 Brookville Lane, Lynchburg, Va. 24502 (Babcock & Wilcox Co.)
Secretary: JAMES M. LEITNAKER, Oak Ridge National Lab, Bldg. 4500S, Room S-178, Oak Ridge, Tenn. 37830

Refractories Division

Trustee: RALPH C. PADFIELD (1976), 2115 Jennings St., Bethlehem, Pa. 18017 (Bethlehem Steel Corp.)
Chairman: BRUCE H. BAKER, Armco Steel Corp., Research Center-South, Middletown, Ohio 45043
Vice Chairman: A. DANIEL FENTZKE, 14 Sharon Lane, Wethersfield, Conn. 06109 (Hartford Div., Emhart Corp.)
Secretary: LESLIE J. DAVIES, Canadian Refractories Div., Dresser Industries Canada Ltd., P. O. Box 1750, Station B, Montreal, Que., Canada H3B 3L3

Structural Clay Products Division

Trustee: GILBERT C. ROBINSON (1975), Box 91, Clemson, S.C. 29631 (Clemson University)
Chairman: JAMES L. CLARK, 2761 S. Jay, Denver, Colo. 80227 (Robinson Brick & Tile Co.)
Chairman-Elect: WILLIAM L. PANGBORN, United States Concrete Pipe Co., Box 1390, Ocala, Fla. 32670
Vice Chairman: JOSEPH A. GUZZETTA, 1615 Warwick Lane, Newport Beach, Calif. 92660 (Pearne & Lacy Machine Co., Div. of Aircraft Mechanics Inc.)
Secretary: CARLOS W. FRICK, 9529 Highgate Rd., Columbia, S.C. 29206 (Carolina Ceramics Inc.)

Whitewares Division

Trustee: MILAN VUKOVICH, JR. (1977), 6912 Africa Rd., R. R. 1, Galena, Ohio 43021 (Edward Orton Jr. Ceramic Foundation)
Chairman: WILLIAM J. KELLY, Cyprus Industrial Minerals Co., 2435 Military Ave., West Los Angeles, Calif. 90064
Chairman-Elect: DALE A. FRONK, 6044 Sharon Woods Blvd., Columbus, Ohio 43229 (Edward Orton Jr. Ceramic Foundation)
Vice Chariman: WILLIAM B. SHOOK, Ohio State University, Dept. of Ceramic Engineering, 2041 N. College Rd., Columbus, Ohio 43210
Secretary: JONATHAN W. HINTON, Champion Spark Plug Co., Ceramic Div., 20000 Conner Ave., Detroit, Mich. 48234

Ceramic Educational Council

Trustee: W. C. HACKLER (1977), Virginia Polytechnic Institute & State University, Ceramic Engineering, Blacksburg, Va. 24061
President: ORVILLE HUNTER, JR., Iowa State University, 110 Engineering Annex, Ames, Iowa 50010
President-Elect: MARTIN H. LEIPOLD, JR., 1118 Sheraton Drive, La Canada, Calif. 91011 (Jet Propulsion Lab)
Vice President: O. J. WHITTEMORE, JR., University of Washington, Ceramic Engineering FB-10, Seattle, Wash. 98195
Secretary-Treasurer: W. RICHARD OTT, Rutgers University, Dept. of Ceramics, New Brunswick, N.J. 08903
Executive Secretary: JOHN F. MCMAHON, 13 Sayles St., Alfred, N.Y. 14802 (Consultant)

National Institute of Ceramic Engineers

Trustee: ROBERT J. BEALS (1977), 438 Smithfield St., East Liverpool, Ohio 43920 (Hall China Co.)
President: ROBERT E. MOORE, University of Missouri–Rolla, School of Mines & Metallurgy, Rollz, Mo. 65401
President-Elect: RICHARD A. ALLIEGRO, Norton Co., One New Bond St., Worcester, Mass. 01606
Vice President: JOSEPH L. PENTECOST, 3605 Clubwood Trail, Marietta, Ga. 30062 (Georgia Institute of Technology)
Secretary-Treasurer: EVERETT A. THOMAS, 3044 Coral Park Drive, Cincinnati, Ohio 45211 (Chas. Taylor Sons Co., Sub. N L Industries, Inc.)

TABLE OF CONTENTS

VOLUME 57, 1974

January [No. 1], pp. 1–50

1. W. D. Kingery: Plausible Concepts Necessary and Sufficient for Interpretation of Ceramic Grain-Boundary Phenomena: I, Grain-Boundary Characteristics, Structure, and Electrostatic Potential 1
2. S. W. Freiman, G. Y. Onoda, Jr., and A. G. Pincus: Mechanical Properties of $3BaO \cdot 5SiO_2$ Glass-Ceramics 8
3. R. E. Tressler and D. J. Barber: Yielding and Flow of *c*-Axis Sapphire Filaments 13
4. Ahmed M. El-Shiekh and Patrick S. Nicholson: Thermal-Shock Structures in a Partially Stabilized ZrO_2 in the System $CaO\text{-}ZrO_2$ 19
5. Vassilis G. Keramidas and William B. White: Raman Scattering Study of the Crystallization and Phase Transformations of ZrO_2 22
6. G. R. Terwilliger and F. F. Lange: Hot-Pressing Behavior of Si_3N_4 25
7. Henri B. May and Roland Wollast: Interdiffusion Coefficients in $SiO_2\text{-}K_2O$ Melts 30
8. H. U. Anderson: Influence of Oxygen Activity on the Sintering of $MgCr_2O_4$ 34
9. A. K. Varshneya: Empirical Relation Between Self-Diffusion and Electrical Conduction in Mixed-Alkali Glasses 37

Discussions and Notes

N. Rezlescu, D. Condurache, P. Petrariu, and E. Luca: Resistivity and Curie Point of Li-Zn Ferrites 40
C. M. Kapadia and M. H. Leipold: Grain Growth in Pure Dense MgO 41
Elio Lucchini, Dino Minichelli, and Giorgio Sloccari: X-Ray Characterization of $7SrO \cdot 5Fe_2O_3$ 42
G. L. McVay and E. H. Farnum: Anomalous Effects of H_2O on Na Diffusion in Glass 43
S. B. Batdorf: Weibull Statistics for Polyaxial Stress States 44
J. E. Shelby and S. C. Keeton: Pressure Dependence of Helium Permeation Through Vitreous Silica 45
W. A. Ross and R. L. Gibby: Polymorphic Transformation of Eu_2O_3 by Abrasion 46
D. Viechnicki, F. Schmid, and J. W. McCauley: Liquidus-Solidus Determinations in the System $MgAl_2O_4\text{-}Al_2O_3$ ... 47
G. R. Terwilliger: Properties of Sintered Si_3N_4 48
W. A. Fate: High-Temperature Shear Modulus of Si_3N_4 and SiC 49
Robert A. Giddings and Ronald S. Gordon: Review of Oxygen Activities and Phase Boundaries in Wustite as Determined by Electromotive-Force and Gravimetric Methods—Correction 50

February [No. 2], pp. 51–108

10. J. S. Nadeau, S. Mindess, and J. M. Hay: Slow Crack Growth in Cement Paste 51
11. G. C. Bye and D. G. Gavin: Crystallization of Metastable Aluminas in the Presence of V_2O_5 55
12. H. J. Percival, J. F. Duncan, and P. K. Foster: Interpretation of the Kaolinite-Mullite Reaction Sequence from Infrared Absorption Spectra 57
13. P. Kumar and D. L. Johnson: Sintering of CoO: I, Initial Stage 62
14. P. Kumar and D. L. Johnson: Sintering of CoO: II, Intermediate Stage 65
15. Koichi Haneda and Hiroshi Kojima: Effect of Milling on the Intrinsic Coercivity of Barium Ferrite Powders 68
16. Pavel Hrma and Vladimir Satava: Model for Strength of Brittle Porous Materials 71
17. W. D. Kingery: Plausible Concepts Necessary and Sufficient for Interpretation of Ceramic Grain-Boundary Phenomena: II, Solute Segregation, Grain-Boundary Diffusion, and General Discussion 74
18. F. F. Lange: High-Temperature Strength Behavior of Hot-Pressed Si_3N_4: Evidence for Subcritical Crack Growth 84
19. Fariborz Radjy: Fracture of Hardened Cement Paste in Relation to Surface Forces and Porosity 88
20. N. S. Choudhury and J. W. Patterson: Transition from Ionic to Electronic Conduction in Pure ThO_2 Under Reducing Conditions 90
21. P. R. Wengert and L. Spanoudis: Limits on the Gibbs Free Energy of Formation of Intermetallic Compounds Containing Pt-Group Elements 94
22. T. Mitsuhashi, M. Ichihara, and U. Tatsuke: Characterization and Stabilization of Metastable Tetragonal ZrO_2 97
23. L. N. Kowalczyk and R. A. Condrate, Sr.: Vibrational Spectra of Spodiosite Analogs 102

Discussions and Notes

David J. Green and Patrick S. Nicholson: Correlation of Work-of-Fracture and Fracture Toughness for ZrO_2 Partially Stabilized by CaO 105
M. Safdar, G. H. Frischat, and H. Salge: Etching of Al_2O_3 Surfaces with Molten V_2O_5 106
Paul F. Becher: Surface Hardening of Sapphire and Rutile Associated with Machining 107
L. B. Sis, S. D. Brown, Tran Bao Van, and G. P. Wirtz: Polymorphic Phases in Anodic-Spark-Deposited Coatings of Al_2O_3 108

March [No. 3], pp. 109–50

24. Joseph H. Simmons, Susan A. Mills, and Albert Napolitano: Viscous Flow in Glass During Phase Separation 109
25. M. Brun and V. S. Stubican: Precipitation Studies in the System WC-ZrC 117
26. Wolfgang Haller, Douglas H. Blackburn, and Joseph H. Simmons: Miscibility Gaps in Alkali-Silicate Binaries—Data and Thermodynamic Interpretation 120
27. J. B. Holt: Thermal Diffusivity of Be_4B, Be_2B, and BeB_6 126
28. Suzanne R. Nagel and C. G. Bergeron: Crystallization of $Na_2B_4O_7$ from Its Melt 129
29. Gaylord D. Anthony and Paul D. Garn: Kinetics of Kaolinite Dehydroxylation 132
30. David J. Green, Dennis R. Maki, and Patrick S. Nicholson: Microstructural Development in Partially Stabilized ZrO_2 in the System $CaO\text{-}ZrO_2$ 136
31. John H. Taplin: Index of Reaction—A Unifying Concept for the Reaction Kinetics of Powders 140
32. F. V. Lawrence, Jr., D. A. Reid, and A. A. De Carvalho: Transmission Electron Microscopy of Hydrated Dicalcium Silicate Thin Films 144

A. K. Varshneya: Empirical Relation Between Self-Diffusion and Electrical Conduction in Mixed-Alkali Glasses—Correction 148

Discussions and Notes
John F. G. Hicks and Randi D. Dikeman: Densities of a Molten Sodium-Zinc Borosilicate Glass 149
John W. Halloran and Harlan U. Anderson: Influence of O_2 Partial Pressure on Initial Sintering of Alpha Cr_2O_3 ... 150

April [No. 4], pp. 151–92

33. L. A. Simpson: Use of the Notched-Beam Test for Evaluation of Fracture Energies of Ceramics 151
34. Mel I. Mendelson and Morris E. Fine: Enhancement of Fracture Properties of Wustite by Precipitation 154
35. James F. Sproull and Guy E. Rindone: Effect of Melting History of the Mechanical Properties of Glass: I, Role of Melting Time and Atmosphere 160
36. A. K. Varshneya and M. E. Milberg: Ion Exchange in Sodium Borosilicate Glasses 165
37. A. K. Varshneya and Z. Mencik: Application of Iterative Deconvolution Technique to Ion-Exchange Study of Glass .. 170
38. J. E. Stroud, W. C. Tripp, and J. M. Wimmer: Defect Structure of Ta_2O_5 172
39. P. W. Levy, P. L. Mattern, K. Lengweiler, and A. M. Bishay: Studies on Nonmetals During Irradiation: V, Growth and Decay of Color Centers in Barium Aluminoborate Glasses Containing Cerium 176
40. G. Bandyopadhyay and R. M. Fulrath: Processing Parameters and Properties of Lithium Ferrite Spinel 182
41. A. Krawitz and J. B. Cohen: Phase Relations at Low Temperatures in the Fe-Mg-O System 186

Discussions and Notes
Ernest M. Levin: System Y_2O_3-GeO_2 Below 1700°C 189
S. D. Hartline, R. C. Bradt, D. W. Richerson, and M. L. Torti: Work-of-Fracture and Apparent Yield Correlation in Si_3N_4 190
H. D. Leigh and E. R. McCartney: Redetermination of Lattice Parameter of ThO_2 192

May [No. 5], pp. 193–236

42. D. N. Winslow and S. Diamond: Specific Surface of Hardened Portland Cement Paste as Determined by Small-Angle X-Ray Scattering 193
43. Henri B. May, Ian Lauder, and Roland Wollast: Oxygen Diffusion Coefficients in Alkali Silicates 197
44. R. P. Gunawardane and F. P. Glasser: Phase Equilibria and Crystallization of Melts in the System Na_2O-BaO-SiO_2 .. 201
45. J. A. Topping, P. Fuchs, and M. K. Murthy: Properties and Structure of Glasses in the System PbO-GeO_2-SiO_2 205
46. J. A. Topping, I. T. Harrower, and M. K. Murthy: Properties and Structure of Glasses in the System PbO-GeO_2 209
47. J. R. Blachere and J. E. Young: Failure of Capillary Theory of Frost Damage as Applied to Ceramics 212
48. Shigeharu Naka, Suketoshi Ito, and Michio Inagaki: Kinetic Studies of Transitions from Amorphous Silica and Quartz to Coesite 217
49. R. M. Gruver and H. P. Kirchner: Effect of Environment on Penetration of Surface Damage and Remaining Strength of Al_2O_3 220

Discussions and Notes
P. H. Duvigneaud: Existence of Mullite Without Silica 224
R. B. Matthews: Statistical Aspects of Fracture of Irradiated Graphite 225
R. E. Tressler, R. A. Langensiepen, and R. C. Bradt: Surface-Finish Effects on Strength-vs-Grain-Size Relations in Polycrystalline Al_2O_3 226
C. H. Perry, L. K. Wilson, and D. L. Kinser: Quantitative Determination of Oxidation State in Binary Transition-Metal-Oxide Glasses 227
C. C. Seaton and S. K. Dutta: Effect of Grain Size on Crack Propagation in Thermally Shocked B_4C 228
J. Mukerji and P. B. Kayal: Reaction of $CsNO_3$ and $RbNO_3$ with SiO_2 and Metakaolin 229
R. Angers, R. Tremblay, and A. C. D. Chaklader: Effect of Pressure on Formation of $CaZrO_3$ by Solid-State Reaction Between CaO and ZrO_2 231
Chi-Chin Jen and J. F. Benzel: Unidirectional Solidification of the UO_2-Mo, UO_2-Nb, and UO_2-Ta Systems 232
A. J. Marlor, C. G. Bergeron, and H. S. A. Kumar: X-Ray Diffraction Data and Enthalpy of Fusion for $Cs_2B_6O_{10}$ 233
John F. Houlihan and Rustum Roy: Lattice Energies of Ti_nO_{2n-1} Phases and the Related Homologs V_nO_{2n-1} and $Ti_{n-2}Cr_2O_{2n-1}$ Calculated from Crystal-Chemical Parameters 234
James F. Shackelford, Patrick S. Nicholson, and Walter W. Smeltzer: Initial Sintering of MnO_{1+x} 235
B. E. Bertsch, D. R. Larson, and D. P. H. Hasselman: Effect of Crack Density on Strength Loss of Polycrystalline Al_2O_3 Subjected to Severe Thermal Shock 235

June [No. 6], pp. 237–82

50. E. J. Friebele, N. C. Koon, L. K. Wilson, and D. L. Kinser: Magnetic Properties of an Amorphous Antiferromagnet . 237
51. J. E. Isenburg and J. W. Vanderhoff: Hypothesis for Reinforcement of Portland Cement by Polymer Latexes 242
52. K. Kitazawa and R. L. Coble: Electrical Conduction in Single-Crystal and Polycrystalline Al_2O_3 at High Temperatures 245
53. K. Kitazawa and R. L. Coble: Chemical Diffusion in Polycrystalline Al_2O_3 as Determined from Electrical Conductivity Measurements 250
54. Jan Skalny and J. Norman Maycock: Scanning Electron Microscopy of Industrial Cement Clinkers 253
55. H. D. Blair and M. E. Milberg: Structure of Thallium Silicate Glass 257
56. J. E. Shelby: Helium Diffusion and Solubility in K_2O-SiO_2 Glasses 260
57. Binod Kumar and Guy E. Rindone: Strength and Related Characteristics of Li_2O-SiO_2 Glasses Crystallized After Ion Exchange 263

Discussions and Notes
O. Hunter, Jr., H. J. Korklan, and R. R. Suchomel: Elastic Properties of Polycrystalline Monoclinic Sm_2O_3 267
J. R. Blachere: Modification of *t* Curve for N_2 Adsorption on Porous Glass 268
R. E. Shannon, D. L. Johnson, and M. E. Fine: Precipitation Hardening of Spinel with Excess MgO 269
A. Tsuge, H. Kudo, and K. Komeya: Reaction of Si_3N_4 and Y_2O_3 in Hot-Pressing 269
Michael R. Notis: Interpretation of Kinetics of Final-Stage Pressure Sintering of NiO by Deformation-Mechanism Maps 271
Gary S. Snow: Elimination of Porosity in $Pb(Zr,Ti)O_3$ Ceramics by Liquid-Phase Sintering 272
Subhash Risbud: Nucleation and Crystallization in Glassy $CdGeAs_2$ 272
R. Gilissen, A. J. Flipot, and R. Lecocq: Tentative Dy_2O_3-Al_2O_3 Phase Diagram and Preparation of Pure Single-Phase Dy Aluminates 274
J. M. Neve and R. L. Coble: Initial Sintering of Cr_2O_3 274
Pin Ao Chen: Raman Effect in Sintered Ceramics 275
Takeshi Takamori: Form Birefringence in a Sodium Borosilicate Glass 277

P. W. D. Mitchell and P. E. D. Morgan: Direct Precipitation Method for Complex Crystalline Chalcogenides 278
A. Rohatgi, T. R. Viverito, and L. H. Slack: Electrical and Optical Properties of Tin Oxide Films 278
J. M. Bunch and F. W. Clinard, Jr.: Damage of Single-Crystal Al_2O_3 by 14-MeV Neutrons 279
J. A. Topping and M. K. Murthy: Electrical Resistivity of $PbO-SiO_2$ and $PbO-GeO_2-SiO_2$ Glasses 281

July [No. 7], pp. 283–328

58. R. J. Bratton: Translucent Sintered $MgAl_2O_4$ 283
59. Subrata Banerjee and A. Paul: Thermodynamics of the System Cu-O and Ruby Formation in Borate Glass 286
60. D. E. Carlson: Ion Depletion of Glass at a Blocking Anode: I, Theory and Experimental Results for Alkali Silicate Glasses 291
61. D. E. Carlson, K. W. Hang, and G. F. Stockdale: Ion Depletion of Glass at a Blocking Anode: II, Properties of Ion-Depleted Glasses 295
62. Raymond L. Bertolotti: Strength and Absorbed Energy in Instrumented Impact Tests of Polycrystalline Al_2O_3 300
63. J. S. Nadeau: Subcritical Crack Growth in Vitreous Carbon at Room Temperature 303
64. F. Micheron, C. Mayeux, A. Hermosin, and J. Nicolas: Holographic Storage in Quadratic PLZT Ceramics 306
65. Peter C. Schultz: Optical Absorption of the Transition Elements in Vitreous Silica 309
66. H. Schulz: Thermal Expansion of Beta Eucryptite 313
67. S. M. Wiederhorn, A. G. Evans, E. R. Fuller, and H. Johnson: Application of Fracture Mechanics to Space-Shuttle Windows 319
68. Syed N. Hoda and Luke L. Y. Chang: Phase Relations in the System $Bi_2O_3-WO_3$ 323

Discussions and Notes

S. M. Rekhson and O. V. Mazurin: Stress and Structural Relaxation in $Na_2O-CaO-SiO_2$ Glass 327
A. K. Varshneya and M. E. Milberg: Ion Exchange in Sodium Borosilicate Glasses—Correction 328

August [No. 8], pp. 329–72

69. T. E. O'Brien and A. C. D. Chaklader: Effect of Oxygen on the Reaction Between Copper and Sapphire 329
70. Georg Gliemeroth: Reversible Optical Density Changes in Composite Layers 332
71. S. M. Wiederhorn, H. Johnson, A. M. Diness, and A. H. Heuer: Fracture of Glass in Vacuum 336
72. W. C. Johnson, D. F. Stein, and R. W. Rice: Analysis of Grain-Boundary Impurities and Fluoride Additives in Hot-Pressed Oxides by Auger Electron Spectroscopy 342
73. J. Manthuruthil, T. R. Sikri, and G. A. Simmons: Simplified Mathematical Model Simulating Heat Transfer in Glass-Forming Molds 345
74. S. W. Freiman: Effect of Alcohols on Crack Propagation in Glass 350
75. Koichi Haneda, Choji Miyakawa, and Hiroshi Kojima: Preparation of High-Coercivity $BaFe_{12}O_{19}$ 354
76. J. Wong: Nature of Intergranular Phase in Nonohmic ZnO Ceramics Containing 0.5 Mol% Bi_2O_3 357
77. K. Kitazawa and R. L. Coble: Use of Stabilized ZrO_2 to Measure O_2 Permeation 360
78. W. J. Minford and V. S. Stubican: Interdiffusion and Association Phenomena in the System $NiO-Al_2O_3$ 363
79. G. C. Bye and G. T. Simpkin: Influence of Cr and Fe on Formation of α-Al_2O_3 from γ-Al_2O_3 367

Discussions and Notes

E. C. Marboe and W. A. Weyl: Mechanism of Homogenization and Fining of Na_2O-CaO Glasses 371
W. A. Fate: Density Dependence of Shear Modulus of Si_3N_4 372

September [No. 9], pp. 373–416

80. E. F. Riebling: Polymer Mixtures in $Na_2O \cdot Sb_2O_3 \cdot GeO_2$ Glasses 373
81. R. M. Smart and F. P. Glasser: Compound Formation and Phase Equilibria in the System $PbO-SiO_2$ 378
82. H. D. Kivlighn, Jr., and M. A. Russak: Formation of Nepheline Glass-Ceramics Using Nb_2O_5 as a Nucleation Catalyst 382
83. Vladimír Šatava: Equilibrium in the System $CaSO_4 \cdot 2H_2O-CaSO_4 \cdot 1/2H_2O-H_2O$ 385
84. B. J. Pletka, T. E. Mitchell, and A. H. Heuer: Dislocation Structures in Sapphire Deformed by Basal Slip 388
85. J. F. Young, R. L. Berger, and J. Breese: Accelerated Curing of Compacted Calcium Silicate Mortars on Exposure to CO_2 394
86. R. Tom Coyle, Jr., and Gordon Lewis: Knudsen Effusion Study of the Vaporization of CdO(*s*) 398
87. G. J. Exarhos and W. M. Risen, Jr.: Raman Study of Isothermal Devitrification Kinetics of $NaPO_3$ Glass 401
88. A. J. Perrotta and J. E. Young, Jr.: Silica-Free Phases with Mullite-Type Structures 405

Discussions and Notes

V. J. Barczak: Characterization of Li_2NaPO_4 407
Ashok Prabhu, Gary L. Fuller, and R. W. Vest: Solubility of RuO_2 in a Pb Borosilicate Glass 408
Michael Kaplit and David S. Eddy: Temperature Dependence of the Birefringence for PLZT 7/65/35 and an Nb-Modified PZT 409
A. G. Evans: Analysis of Strength Degradation After Sustained Loading 410
K. Komeya, H. Inoue, and A. Tsuge: Role of Y_2O_3 and SiO_2 Additions in Sintering of AlN 411
C. G. Pantano, Jr., A. E. Clark, Jr., and L. L. Hench: Multilayer Corrosion Films on Bioglass Surfaces 412
A. C. Sugarman and J. R. Blachere: Control of Grain Growth in MgO by a Fine Dispersion of Carbon 414
Koichi Ejiri: Growth and Relative Orientation of Grains 415
Koichi Ejiri: Dekinking of Bent MgO Crystals 416
John H. Taplin: Index of Reaction—A Unifying Concept for the Reaction Kinetics of Powders—Correction 416

October [No. 10], pp. 417–60

89. D. R. Larson, J. A. Coppola, D. P. H. Hasselman, and R. C. Bradt: Fracture Toughness and Spalling Behavior of High-Al_2O_3 Refractories 417
90. R. T. Tremper, R. A. Giddings, J. D. Hodge, and R. S. Gordon: Creep of Polycrystalline $MgO-FeO-Fe_2O_3$ Solid Solutions 421
91. F. L. Kennard, R. C. Bradt, and V. S. Stubican: Directional Solidification of the ZrO_2-MgO Eutectic 428
92. R. Badaliance, D. A. Krohn, and D. P. H. Hasselman: Effect of Slow Crack Growth on the Thermal-Stress Resistance of an $Na_2O-CaO-SiO_2$ Glass 432
93. J. E. Shelby: Viscosity and Thermal Expansion of Alkali Germanate Glasses 436
94. J. J. Mecholsky, R. W. Rice, and S. W. Freiman: Prediction of Fracture Energy and Flaw Size in Glasses from Measurements of Mirror Size 440
95. A. Greenville Whittaker and B. Tooper: Single-Crystal Diffraction Patterns from Vitreous Carbon 443

96. D. B. Basler and M. F. Berard: Measurement of Oxygen Diffusion in Dy_2O_3 and Gd_2O_3 by Studying High-Temperature Oxidation of the Metals 447
97. H. M. O'Bryan, Jr., J. Thomson, Jr., and J. K. Plourde: A New $BaO-TiO_2$ Compound with Temperature-Stable High Permittivity and Low Microwave Loss 450

Discussions and Notes

I. G. Ritchie, H. E. Rosinger, and A. J. Shillinglaw: Measurement of Dynamic Young's Modulus During Four-Point Bend Tests 453
J. A. Topping: Elastic Properties of Glasses in the System $PbO-GeO_2$ 455
S. Kimura, H. Kim, and E. Yasuda: Fabrication of MgO Bicrystals 456
M. E. Kipp, D. A. Krohn, and D. P. H. Hasselman: Effect of Surface-Compression Strengthening vs Reduction in Flaw Size on Thermal-Stress Resistance of an $Na_2O-CaO-SiO_2$ Glass 457
Y. Ishitobi, M. Shimada, and M. Koizumi: Fabrication of Translucent $Pb(Zr_{0.8}Ti_{0.2})O_3$ Ceramics by Isostatic Hot-Pressing 458
R. R. Wills: Silicon Yttrium Oxynitrides 459
G. Bandyopadhyay, A. M. Lacy, and R. M. Fulrath: Densification and Grain Growth in Doped $LiFe_5O_8$ Spinel 460
James M. Fields, Jr., Paul S. Dear, and Jesse J. Brown, Jr.: Phase Equilibria in the System $BaO-SrO-SiO_2$—Correction 460

November [No. 11], pp. 461–508

98. D. E. Carlson: Anodic Proton Injection in Glasses 461
99. John Kerwawycz and Minoru Tomozawa: Light Scattering from Phase-Separated Glass 467
100. Richard Baylor, Jr., David P. Stinton, and Jesse J. Brown, Jr.: Subsolidus Equilibria in the System $LiF-AlF_3-Na_3AlF_6$ 470
101. Kikuo Wakino: Properties of Surface Barrier Layer Formed on a Semiconducting $BaTiO_3$ Ceramic 472
102. D. R. Rossington and V. F. Capozzi: Para-to-Ortho H_2 Conversion on Gd, Y, Gd_2O_3, and Y_2O_3 474
103. R. H. Doremus: Mixed-Alkali Effect and Interdiffusion of Na and K Ions in Glass 478
104. J. F. Kay and R. H. Doremus: Strength and Durability of a Glass-Ceramic Containing Spodumene Crystals 480
105. G. Bandyopadhyay and R. M. Fulrath: Thermogravimetry of Lithium Spinel Ferrites 483
106. James N. Brecker: Analysis of Bond Formation in Vitrified Abrasive Wheels 486
107. Yoji Kawamoto, Nagao Nagura, and Shoji Tsuchihashi: Dc Conductivity of Ge-S-Ag and As-S-Ag Glasses 489
108. Kinjiro Fujii and Wakichi Kondo: Kinetics of the Hydration of Tricalcium Silicate 492

Discussions and Notes

T. J. Whalen, G. J. Tennenhouse, and C. Meyer: Relation of Properties to Microstructure in a β''-Alumina Ceramic 497
Tetsuya Kameyama and Shigeharu Naka: Effect of Water on Transformation of Amorphous Silica to Coesite 499
P. E. D. Morgan: Direct Aqueous Precipitation of Lithium Ferrite and Titanate 499
Michael A. Russak: Quantitative Analysis of Nepheline Glass-Ceramics by X-Ray Diffraction 500
P. Ramamoorthy and T. J. Rockett: Phase Relations in the System $CaO-B_2O_3-P_2O_5$ at 900°C 501
Gregory J. McCarthy: Oxygen-Fugacity–Temperature Diagram for the Eu-O System 502
Morris E. Fine and Ning Hsieh: Wiedemann-Franz-Lorenz Relation in Highly Electronic-Conducting Oxides 502
P. J. Anthony and J. C. Wurst: Thermal Conductivity of KCl Alloys 504
B. J. S. Wilkins and L. A. Simpson: Errors in Estimating the Minimum Time-to-Failure in Glass 505
V. Krishnamachari and J. T. Jones: Compressive Creep of CoO Single Crystals 506
Takayasu Ikegami, Shin-ichi Matsuda, and Hiroshige Suzuki: Effect of Halide Dopants on Fabrication of Transparent Polycrystalline MgO 507
A. V. Virkar, G. J. Tennenhouse, and R. S. Gordon: Hot-Pressing of Li_2O-Stabilized β''-Alumina 508
S. M. Wiederhorn, A. G. Evans, E. R. Fuller, and H. Johnson: Application of Fracture Mechanics to Space-Shuttle Windows—Correction 508

December [No. 12], pp. 509–00

109. John B. Wachtman, Jr.: Highlights of Progress in the Science of Fracture of Ceramics and Glass 509
110. J. A. Topping, N. Cameron, and M. K. Murthy: Properties and Structure of Glasses in the System $Bi_2O_3-SiO_2-GeO_2$. 519
111. H. M. O'Bryan, Jr., and J. Thomson, Jr.: Phase Equilibria in the TiO_2-Rich Region of the System $BaO-TiO_2$ 522
112. D. Hennings and H. Pomplun: Evaluation of Lattice Site and Valence of Mn and Fe in Polycrystalline $PbTiO_3$ by Electron Spin Resonance and Thermogravimetry 527
113. Delbert E. Day: Internal Friction of Glasses with Low Water Contents 530

Discussions and Notes

I. Soroka and Ch. Jaegermann: Pozzolanic Strength and Soluble-Silica Content of Some Volcanic Rocks 534
Helmut A. Schaeffer and Josef Mecha: Sodium Diffusion Anomaly in High-Silica Glass 535
K. S. Mazdiyasni and C. M. Cooke: Consolidation, Microstructure, and Mechanical Properties of Si_3N_4 Doped with Rare-Earth Oxides 536
H. S. A. Kumar and C. G. Bergeron: Structural Interpretation of the Densities of Lead Borate Melts 537
T. O. Mason and F. A. Hummel: Compatibility Relations in the System $SiO_2-ZrO_2-P_2O_5$ 538
R. I. Taylor, J. P. Coad, and R. J. Brook: Grain Boundary Segregation in Al_2O_3 539
Author Index to *The Journal* 541
Subject Index to *The Journal* 544

CERAMIC ABSTRACTS

December 1974 *SECTION*

Compiled by the American Ceramic Society

AUTHOR INDEX FOR 1974

The number in parentheses refers to the issue of *Ceramic Abstracts;* the number following is the page number. The letter B or P preceding the issue number indicates an abstract of (B) a book, bulletin, or separate publication or (P) a patent. The italic letter following the page number indicates position of the abstract on the page.

Abate-Daga, Giancarlo, and Amato, Ignazio Sintered nuclear fuel containing Mo-coated Gd oxide microspheres, P (1) 16*g*.

Abbakumov, V. G. See Gropyanov, V. M.

Abbas, A. F. See El-Batal, H. A.

Abbas, Y., and Roesot-Mignod, J. Magnetic structures and magnetic susceptibilities of Tb oxysulfide and oxyselenide (1) 25*g*.

Abbati, I., Braicovich, L., and De Michelis, B. New structures in photoelectric spectra of PbTe (3) 80*a*.

Abbattista, F. See Maja, M.

Abbattista, F., Burdese, A., and Maja, M. High-temp. equilibria involving wustite, Fe, Ca oxide, and dicalcium ferrite (10) 217*a*.

Abbattista, F., Grassi, G. Borroni, and Maja, M. Wustite activity in the solid solutions $(Fe,Mg)O_x$ (10) 220*f*.

Abbink, Henry C., and Goodwin, Norman W. Method of forming a stable MNOS IGFET, P (8) 170*b*.

Abd El-Latif, Ahmed Khairy Effect of ultrasonic intensity on stress relief of glass (9) 184*j*.

Abd El-Latif, Ahmed Khairy Ultrasonically assisted stabilization of optical glass (4) 87*c*.

Abdinov, A. Sh. See Akhundov, G. A.

Abdrakhmanov, R. S., Syritskaya, Z. M., and Shapovalova, N. F. EPR study of the effect of additives on the properties of Ti phosphate glasses (1) 4*a*.

Abdullaev, G. K. See Rza-Zade, P. F.

Abdullina, N. G. See Petrov, K. I.

Abe, Kiuichi Process for mfg. of rigid foams, P (4) 89*d*.

Abe, Masanori See Kawachi, Masao

Abe, Masanori, Kawachi, Masao, and Nomura, Shoichiro X-ray and neutron diffraction studies in spinel Fe_2MoO_4 (6) 142*k*.

Abe, Masanori, Nakagawa, Takehiko, and Nomura, Shoichiro Magnetic and Moessbauer studies of the ordered perovskites $Sr_2Fe_{1+x}Re_{1-x}O_6$ (10) 217*d*.

Abe, Masanori, and Uchino, Kenji X-ray study of the deficient perovskite $La_{2/3}TiO_3$ (5) 124*a*.

Abe, Ryuji See Matsuda, Takashi

Abe, Toshihiko Process for measuring particle size and concentration of slurries according to on-stream analysis, P (8) 172*h*.

Abe, Toshio, Sato, Kaoru, Kosaka, Masami, and Narita, Takamichi Method of mfg. semiconductor devices, P (2) 42*d*.

Abe, Yoshihiro, Naruse, Akira, and Saito, Hajime Formation of Li-O-Li bond in Li silicate glasses (10) 204*j*.

Abeel, Joseph A., and Schreiber, Charles L. Flexible glass body assemblies, P (9) 186*e*.

Abels, Karl-Heinz, Bauer, Gerhard, Hoeffken, Erich, and Kluges, Gerhard Refractory lining of steel pouring ladles (9) 188*h*.

Abercrombie, William F., Jr. See Whitley, James B.

Ablett, John Burnishing (11) 221*h*.

Ablova, M. S. See Karklina, M. I.

Aboaf, Joseph A., and Sedgwick, Thomas O. Method for controlling semiconductor surface potential, P (2) 42*d*.

Abo-El Enein, S. A., Daimon, M., Ohnawa, S., and Kondo, R. Hydration of low porosity slag-lime pastes (8) 162*e*.

Abo-El-Enein, S. A. See Mikhail, R. Sh.

Aboutboul, Henri A. See Krekeler, Jerome H.

Aboutboul, Henri A., Krekeler, Jerome H., and Kirch, William Preparation of SiO_2 gels, P (7) 153*g*; Preparation of SiO_2 gels, P (10) 214*j*.

Abraham, A. See Stourac, L.

Abraham, Farid F., and Tiller, William A. (Editors) An Introduction to Computer Simulation in Applied Science, B (2) 58*i*.

Abraham, K. P. See Seetharaman, S.

Abraham, M. M. See Kolbe, W. ; Tohver, H. T.

Abraham, M. M., Chen, Y., Kolopus, J. L., and Tohver, H. T. Radiation-induced $[Na]^0$ centers in MgO and SrO (7) 157*f*.

Abraham, M. M., Chen, Y., Lewis, J. T., and Modine, F. A. Radiation-induced $[K]^0$ center in CaO and SrO (8) 178*f*.

Abraham, William H. See Scheve, John L.

Abrahams, M. S., Buiocchi, C. J., Rayl, M., and Wojtowicz, P. J. TEM of granular Ni/SiO_2 cermet films (3) 70*c*.

Abrahams, S. C., Sherwood, R. C., Bernstein, J. L., and Nassau, Kurt Transition metal iodates: II, Crystallographic, magnetic, and nonlinear optic survey of the 3*d* iodates (2) 57*d*; Transition metal iodates: IV, Crystallographic, magnetic, and nonlinear optic survey of the Cu iodates (5) 123*a*.

Abramov, N. P., Baldakov, L. A., and Strakhov, L. P. NMR study of the state of water in some disperse systems (11) 229*b*.

Abramova, E. A. See Safonov, V. V.

Abramowitz, S., and Acquista, N. Ir spectra of matrix isolated U oxide species (10) 211*j*.

Abrams, Richard L., and Glass, Alastair M. Pyroelectric devices, P (10) 211*d*.

Abramson, I. G. See Matveev, L. V.

Abramson, I. G., Kicklian, E. S., Manukhina, L. M., Chebotarev, V. L., and et al. Movement of material and dust elimination in a 4x150 m furnace (4) 85*h*.

Abratis, Horst Reactions of refractories with molten slags (4) 90*a*.

Ache, Hans J. See Nicholas, J. Blair

Acker, Ellsworth G., and Glemza, Rimantas Method of preparing thickening grade SiO_2 composition, P (8) 173*f*.

Acker, Ellsworth G., and Winyall, Milton E. Loosely aggregated 100-Mμ micellular SiO_2, P (6) 136*g*.

Ackerman, Stanley C., and Dunham, Thomas E. Vibration-resistant lamp, P (8) 166*a*.

Ackermann, R. J., and Rauh, E. G. Thermodynamic properties of substoichiometric Y_2O_3 (3) 81*i*; Preparation and characterization of the metastable monoxides of Th and U (4) 95*f*.

Acket, Gerard A., and Vlaardingerbroek, Marinus T. Semiconductor device for amplifying microwaves, P (1) 15*a*.

Achid, G. Firing temp. and coeff. of expansion in soft stoneware bonds (7) 148*b*.

Acquaviva, Samuel J. Method for fatigue testing of ceramic materials (1) 18*a*.

Acquista, N. See Abramowitz, S.

Acres, G. J. K., Cooper, B. S., and Matlack, G. L. Production of automobile emission control catalysts—global capability of the Johnson Matthey group (1) 12*d*.

Adachi, Eiichi, and Saito, Kazutoshi Method for diffusing Zn into a III-V compound semiconductor crystal through alumina masking, P (7) 150*a*; Method for mfg. III-V compound semiconductor device, P (9) 191*b*.

Adachi, Barbara Living Treasures of Japan, B (3) 82*d*.

Adam, J. D., Owens, J. M., and Collins, J. H. Ferromagnetic resonance line width of thick YIG films grown by liquid-phase epitaxy [on Ga garnet substrates] (6) 130*i*.

Adamic, Joseph W., Jr. Increasing field inversion voltage of metal oxide on Si integrated circuits, P (1) 14*d*.

Adams, Anthony L., Yeargley, Gerald A., Simmons, Marion L., and Yager, Billy P. Automatic semiconductor bonding machine, P (4) 93*j*.

Adams, J. W., and Iberall, E. R. Bibliography of the Geology and Mineralogy of the Rare Earths and Scandium to 1971, B (2) 58*e*.

Adams, Norbert See Intrator, Alexander M.

Adams, P. Bruce, Justice, Benjamin, and Marunak, Francis J. Self-degradable glass containers, P (11) 226*e*.

Adams, Whitney R. Pyrolyzed structures, P (6) 129*f*.

Adams, William E. See McReynolds, James C.

Addle, Donald Executive viewpoint—energy key to glass' future (1) 4*c*.

Addiss, R. R., Jr. See Ghosh, Amal K.

Adduci, F., Ferrara, M., Tantalo, P., Cingolani, A., and et al. Photoelectric properties of GaSe (11) 235*j*.

Adelsberg, Lee M. See Tobin, J. Martin

Adhikari, M., and Majumdar, M. K. Surface properties of some Indian clay minerals (5) 119*d*; Energy changes in dehydroxylation of silicate minerals (10) 216*a*.

Adler, Karl, and Ducommun, Georges Miniaturized electric source, P (2) 43*d*.

Adolphe, C. See Sfez, G.

Adomynaite, M. See Makariunas, K.

Adrian, Frank J., Cochran, Edward L., and Bowers, Vernon A. ESR spectra and structure of $NaSO_2$ and NaO_2 (8) 176*h*.

Aellig, Milton J., Powers, Earle M., and Clark, William E. Apparatus for grinding parallel edges of glass sheets, P (9) 186*a*.

Afanas'ev, V. M. See Kosarev, Yu. I.

Afinogenov, Yu. P. System $BiCl_3 + 3Tl = 3TlCl + Bi$ (1) 28*h*.

Afinogenov, Yu. P., and Anokhina, A. A. Reciprocal system $2InCl_3 + 3Zn = 3ZnCl_2 + 2In$ (4) 102*a*.

Afinogenov, Yu. P., Shumeikov, L. I., and Larionova, T. N. Reciprocal system $PbCl_2 + 2In = 2InCl + Pb$ (1) 27*d*.

Afromowitz, Martin A. Thermal conductivity of $Ga_{1-x}Al_xAs$ alloys (8) 179*i*.

Agarkov, A. S. See Matveev, G. M.

Agarwal, R. K. See Srivastava, B. N.

Agarwal, S. K. See Verma, M. P.

Aggarwal, R. L. See Shapira, Y. ; Shin, S. H.

Agnihotri, O. P. See Garg, A. K.

Agnone, John L., Fister, Robert V., and Sheppard, Jon C. Sputtering apparatus with accordion-pleated anode means, P (2) 44*c*.

Agosti, Geraldo Pb glazes in table and cooking crockery (7) 145*d*.

Agrawal, V. K., and Garg, H. C. Entropy of formation of vacancies in ionic crystals (9) 196*b*.

Agst, J. Chemical resistance of refractory materials (1) 9*a*.

Agureeva, L. K. See Kurdyumov, G. M.

Agusta, Benjamin, and Chang, Joseph J. Nonvolatile semiconductor storage device utilizing avalanche injection and extraction of stored information, P (7) 150*e*.

Ahern, John R. See Lazet, Frank J.

Ahmadieh, Aziz A., and Raftzadeh, Hamid A. Dispersion curves and elastic constants of graphite (8) 175*e*.

Ahmed, A. H. Moinuddin, and Glasser, L. S. D. Ba aluminate hydrates: IV, a-$BaO.Al_2O_3.4H_2O$ (2) 49*f*.

Ahmed, Abul A. M. Method of assembling a glow discharge readout device, P (10) 211*c*.

Ahmed, H., and Broers, A. N. La hexaboride electron emitter (3) 70*b*.

Ahmed, Mukhtar See Gorle, F.

Ahmed, S., and Lee, P. A. Electrical properties and memory effects in Hf disulfide single-crystal devices (2) 51*d*.

Ahmed, Siddique Ir spectra study of some inorganic sulfates (3) 79*g*.
Ahn, Junghi, De Witt, David, Johnson, William S., and Kleinfelder, Walter J. Proton-enhanced diffusion methods, P (1) 15*i*.
Ahn, K. Y. EuO films doped with Fe and Gd (2) 40*h*.
Ahn, Kie Y., and Cuomo, Jerome J. Fabrication mask using rare earth orthoferrites, P (10) 210*e*.
Ahn, Young Phil, Sang, Ki Nam, Ko, Young Shin, and Han, Sang Mok Study of ceramic raw materials by electron microscope: I–II (10) 219*j*.
Ahonen, George H. No-weld refractory covering for water-cooled pipes, P (5) 112*g*.
Ahrens, N. Tendency of raw material homogenization (2) 45*d*.
Aiazzi, G. Porcelain ware (6) 130*e*.
Aignesberger, Alois, and Rosenbauer, Hans Guenter Long-term properties of concrete containing an anionic melamine-formaldehyde condensation product (5) 106*h*.
Aihara, Satoshi See Shimizu, Kazuo
Aikani, Toshiro See Kume, Sanae
Aiki, Junio See Umeda, Junichi
Ainger, F. W. See Burgess, J. W.
Ainsworth, J. H., and Herron, R. H. Thermal shock damage resistance of refractories (9) 188*a*.
Airazov, V. Ya., and Bertush, B. O. Formation of films of stoichiometric composition during electron-beam vaporization of Al_2O_3 in vacuum (9) 196*e*.
Aizawa, Hideo See Ogasawara, Shoji
Aizawa, Hironori See Omoto, Tsunehiko
Aizenberg, I. B., Orlov, M. S., and Stolov, A. L. Impurity centers in fluorite-type crystals at high Er^{3+} concentrations (2) 52*e*.
Aizu, Ketichiro, Kumada, Akio, Yumoto, Hiroshi, Ashida, Sakichi, and et al. Compound ferroelectric-ferroelastic crystal, P (3) 70*e*.
Ajamie, Amil J. See Davidsohn, Uryon S.
Akaba, Ryoichi See Nakada, Ichiroh
Akagi, Saburo See Toyuki, Hiroshi
Akai, Shinichi, Mori, Hideki, Takahashi, Nobuo, and Iguchi, Shinichi Method for continuously growing epitaxial layers of semiconductors from liquid phase, P (9) 191*e*.
Akasaki, Isamu See Kobayasi, Hiroyuki
Akashi, Goro See Kitamoto, Tatsuji
Akashi, Goro, Fujiyama, Masaaki, Kasuga, Akira, Yamada, Yasuyuki, and et al. Process for the production of a magnetic record member, P (7) 150*i*.
Akashi, Goro, Kitamoto, Tatsuji, Katada, Takeshi, Yamada, Yasuyuki, and et al. Magnetic recording member and method of producing, P (2) 42*a*.
Akashi, Thomas M. See Whitaker, Noble D.
Akashi, Tsuneo See Sugano, Izuru
Akesson, Gunvor, and Roest, Erling Crystal structure of $Fe_{0.28}Ni_{0.28}Te_{0.44}$ (3) 77*e*.
Akeyama, Masamoto See Tomita, Yoshifumi
Akeyoshi, Kazuyuki See Furuuchi, Shigemasa
Akeyoshi, Kazuyuki, and Suga, Katsunori Method [sag] and apparatus for bending a sheet of glass, P (1) 7*g*.
Akhmanova, M. V. See Alekhina, L. G.
Akhmedov, Rustam B., Gol'dberg, Ilya M., and Mingareev, Fedor M. Gas burner, P (3) 75*a*.
Akhmed-Zade, K. A., Zakrevskii, V. A., and Yudin, D. M. Paramagnetic centers formed owing to mechanical destruction and irradiation of alkali phosphate glasses (1) 5*f*; EPR study of destruction of inorganic glasses (9) 184*e*.
Akhmetov, K. M. See Akhmetov, S. F.
Akhmetov, S. F., Akhmetov, K. M., and Ugorets, M. Z. Synthesis and properties of hydrated PbO (II) (1) 28*f*.
Akhundov, G. A., Abdinov, A. Sh., and Mekhtiev, N. M. S-elements based on GaSe-type laminar semiconductors (11) 230*d*.
Akhund-Zade, N. D., and Fataliev, S. A. Effect of tuffs on the quality of white cement (4) 84*i*.
Aki, Junji See Kakuda, Hisashi
Akiba, Yukio See Takeda, Toshio
Akimoto, Syuniti See Yagi, Takehiko ; Yamamoto, Katsuhiro
Akimoto, Yasumasa, Sato, Masao, and Hoshino, Yoshio Preparation and magnetic characteristics of chemically deposited fine Fe particles (9) 190*h*.
Akiyama, Katsuhiko Photographic treatment for semiconductor devices or the like, P (2) 43*g*.
Akiyama, Masaru See Nishimura, Tatsuo
Akiyama, Naoki See Mizuno, Hideaki
Akiyama, S. See Megumi, K.
Akopov, E. K. See Moiseenko, Zh. G.
Akopov, E. K., and Bortnikova, T. P. Ternary reciprocal system of the chlorides and sulfates of Na and Cs (7) 158*j*.
Akopov, E. K., and Moiseenko, Zh. G. New data on the system 2Li,2Cs||2Cl,SO_4 (7) 156*d*.
Akopov, E. K., Moiseenko, Zh. G., and Panieva, L. A. Relation of sulfates in the quaternary reciprocal system 2Li,2K,2Cs||2Cl,SO_4 (8) 178*j*.
Aksay, Ilhan A., and Pask, Joseph A. SiO_2-Al_2O_3 system—stable and metastable equilibria at 1.0 atm (6) 141*a*.
Aksenova, L. L. See Kovda, A. V.
Aksenova, L. L., Distler, G. I., Kovda, A. V., and Kortukova, E. I. Oriented crystallization of CdS (2) 54*e*.
Akulenok, E. M., Danilenko, Yu. K., Paateleev, V. V., Fedorov, E. A., and et al. Structural-morphological features of single-crystal α-Al_2O_3 vaporization (5) 122*g*.
Alascio, B., Gruenfeld, V., and Lopez, Arturo Thermodynamic theory of the phase diagram of mixed transition-metal oxides (7) 159*g*.
Alaverdova, O. G., Balbashov, A. M., and Chervonenkis, A. Ya. Relation of domain structure to defects in orthoferrite single crystals (5) 122*i*.
Albano, Robert E., and Dyment, John C. Chemical growth of insulating layers on GaAs, P (6) 131*h*.
Al'bats, B. S. See Radun, D. V.
Albella, J. M., Pajares, J. A., and Soria, J. A. Electrical conductivity of Sc_2O_3 (8) 175*d*; Electrical conductivity of pure nonstoichiometric MnO (11) 234*a*.
Albenque, M. New ceramic material—foamed clay (2) 48*g*.
Albers, Edwin W. See Vaughan, David E. W.
Albers, Edwin W., Edwards, Grant C., and Vaughan, David E. W. Preparation of zeolites, P (1) 20*c*.
Alberti, A. Structure type of heulandite B (heat-collapsed phase) (1) 28*a*.
Albertini, Emanuele Firing setters for tiles and other ceramic articles, P (1) 10*i*.
Alberts, L. See du Plessis, P. de V.
Alcock, C. B. See Peleg, M.
Alcover, J. F., Gatineau, L., and Mering, J. Exchangeable cation distribution in Ni and Mg vermiculites (1) 23*j*.
Alder, William R. Single pass prereacted grain [MgO] and method of making, P (10) 209*f*.
Aldrich, R. E. See Hou, S. L.
Aldridge, L. P. See Churchman, G. J.
Aldridge, L. P., and Eardley, R. P. Effects of analytical errors on the Bogue calculation of compound composition (8) 161*j*.
Aleixandre Ferrandis, Vicente Importance of ceramics (10) 220*h*.
Aleixandre Ferrandis, Vicente, Fernandez Navarro, Jose Maria, and Oteo Mazo, Jose Luis Incorporation of N in alkaline borate glasses at different temps. (3) 63*b*.
Aleixandre Ferrandis, Vicente, and Gonzalez Pena, J. M. Industrial properties of forsterite refractories made from Barranco de San Juan serpentine (Granada, Spain) (5) 111*e*.
Alekhina, L. G., Akhmanova, M. V., Gribov, L. A., Kondratov, O. I., and et al. Isomorphism studied by vibration spectroscopy exemplified by zircon (4) 100*d*.
Aleksandrov, L. N., Zaletin, V. M., Krivorotov, E. A., and Sidorov, Yu. G. Investigation of the growth surface of GaAs epitaxial films by chemical decoration and small-angle shadowing technique (11) 229*f*.
Aleksandrov, V. B. See Tkachenko, N. L.
Aleksandrov, V. I., Kitaeva, V. F., Kozlov, I. V., Osiko, V. V., and et al. Molecular scattering of light in a Hf dioxide single crystal (4) 100*d*.
Aleksandrov, V. I., Voron'ko, Yu. K., Mikhalevich, V. G., Osiko, V. V., and et al. Spectroscopic properties and lasing of Nd^{3+} in ZrO_2 and HfO_2 (2) 56*a*.
Aleksandrova, V. A. See Drobot, D. V.
Alekseev, F. P. See Mokhosoev, M. V.
Alekseev, V. V. See Knyazev, A. S.
Alekseeva, Z. D., and Polozok, N. V. Refractive index, density, and thermal expansion coeff. of Li Cs silicate and Na Cs silicate glasses (8) 164*i*.
Aleksoff, Carl C. Laser scanner using an intracavity device of a ferroelastic material to form an image, P (10) 210*j*.
Aleksyuk, V. E. See Savitskii, V. G.
Aleshechkin, V. N. See Poplavko, Yu. M.
Alexander, S. J., and Taylor, N. Field surveys of the damage caused by gaseous explosions (10) 207*e*.
Alexandrov, V. B. See Fedorov, P. P.
Alexandrov, Vladimir I., Osiko, Vyacheslav V., and Tatarintsev, Vladimir M. Method of growing monocrystals of ruby from a molten charge, P (11) 229*h*.
Ali, Abde See Samadani, S. G.
Ali, H. O. See Neufeld, P.
Ali, Mir Akbar, Bratschun, William R., and Pincus, Alexis G. Improved uv-transmitting La-Zn-borate glass composition, P (3) 65*c*.
Aliev, R. M. See Feklichev, V. G.
Alimova, N. V. See Pankratov, V. L.
Aliprandi, G. Principles of thermodynamics applied to ceramics (7) 159*f*.
Aliprandi, G., Ranieri, A., and Ratto, A. Sintered mullites and electrically fused mullites (4) 90*h*.
Allais, G. See Monfort, Y.
Allakhverdov, G. R. See Fakeev, A. A. ; Safonov, V. V.
Allan, J. W., Llewellyn, L. R., and Schweizer, F. History of so-called Egyptian faience in Islamic Persia—investigations into Abu'l-Qasim's treatise (11) 221*e*.
Allard, Norman F. See Stepan, Ivan E.
Allemand, Pierre, and Hovasse, Christian Adjuvants for cements, mortars, and concretes, P (5) 107*g*.
Allen, Byron W. Industrial plate glass cutter's table, P (6) 128*c*.
Allen, C. W. See Kazmerski, L. L.
Allen, G. C., Wood, M. B., and Dyke, J. M. Spectroscopic properties of some mixed-valence transitional metal chalcogenides (4) 102*j*.
Allen, J. E. See Farris, Robert E.
Allen, J. W. Stress-induced spin flop in Cr_2O_3 (8) 179*a*; Effect of spin rotation on the $^4A_2$-^2E optical-exciton absorption spectrum of Cr_2O_3 (9) 195*b*; Stress dependence and the latent heat of the Morin transition in Fe_2O_3 (9) 198*g*.
Allen, Lloyd R. Method of producing B_4C film laminates [vacuum deposition], P (8) 168*e*.
Allen, Philip B. Superconductivity and structural instability in $SrTiO_3$ (3) 81*f*.
Alliger, Howard Air pollution abatement apparatus, P (2) 45*f*.
Allington, Trevor R. See Degenkolb, Robert S.
Allison, David F. Semiconductor isolation method utilizing anisotropic etching and differential thermal oxidation, P (7) 151*d*; Method for making semiconductor structure [Si] with dielectric and air isolation, P (10) 211*e*. See Camenzind, Hans R.
Allison, J., and Dawe, V. R. Interpretation of the preswitching behavior of chalcogenide-glass switches in terms of a space-charge-injection mechanism (4) 92*e*.
Allison, John S. See Pearse, Thomas R.
Allpress, J. G. See Grey, I. E. ; Iijima, S.
Allpress, J. G., Iijima, S., Roth, R. S., and Stephenson, N. C. Structural studies by electron microscopy—high-resolution observations on $\beta ZrO_2.12Nb_2O_5$ (2) 56*g*.
Allpress, J. G., Rossell, H. J., and Scott, H. G. Fluorite-related phases in the system CaO-HfO_2 (8) 176*b*.
Allred, W. P. See Leung, P. C.
Almoguera, Antonio L., Bleier, Barrie H., and Morgan, David C. Yellow TiO_2 crystals, P (7) 153*j*.
Alongi, V., Bartozzetti, G., and Catteian, S. Instrument for studying the microstructure of porous substances (7) 152*d*.
Alpan, I. See Frydman, S.
Alpha, Smith Pulverizing apparatus, P (10) 215*c*.
Altenschoepfer, Theodor Glasses in the dishwasher (1) 4*f*.
Altmeyer, Georg See Dawihl, Walther
Al'tshuler, L. V., Podurets, M. A., Simakov, G. V., and Trunin, R. F. High-density forms of fluorite and rutile (2) 52*i*.
Al'tshuler, N. S., Ivoilova, E. Kh., and Stolov, A. L. Eu^{2+} cubic centers in perovskite-type crystals (3) 78*j*.
Al'tshuler, N. S., Korsbleva, S. L., Livanova, L. D., and Stolov, A. L. EPR and optical spectra of Eu^{2+} ions in $LiBaF_3$ single crystals (7) 155*h*.
Alunno-Rossetti, Vito, Chiocchio, Gerardo, and Collepardi, Mario Influence of precuring on high-pressure steam hydration of tricalcium silicate (5) 106*f*; Low pressure steam hydration of tricalcium silicate (8) 162*f*.
Alvarez-Estrada, D. See Duran Botia, P. ; Gonzalez Pena, J. M. ; Jimenez Calvo, I.
Alvera, Violeta, Clomirtan, Dan, and Ionescu, Maria Effect of preparation method on the structure and physical properties of Al_2O_3 (1) 22*g*.
Alves, M. G. See Caro, Paul E.
Alves, Ronald V. See Buchanan, Robert A.
Alviset, L. Theory of drying of clay bodies (3) 73*j*.
Aly, M. M. See Haroun, N. A.
Alyamovskaya, K. V., and Chukhlantsev, V. G. Properties of the Cs zirconosilicates (1) 27*a*.
Alyamovskii, S. I. See Zhilyaev, V. A.
Amagi, Yasuo, Shiiki, Zenya, Ohsumi, Yukihiko, and Noguchi, Kazuo Process for producing hollow C microspheres, P (5) 112*h*.
Amagi, Yasuo, Takahashi, Ryoichi, and Wagu, Masakatsu Active C having a hollow microspherical structure, P (4) 91*a*.
Amantea, Robert See White, Joseph P.
Amato, I. Effect of gas trapped on sintering (7) 155*d*. See Colombo, R. L. ; Negro, A.
Amato, I., and Martorana, D. Rheological properties of colloidal alumina dispersions (4) 102*b*; Al_2O_3-Al phosphate composite insulator foamed in situ (11) 226*b*.
Amato, I., and Negro, A. Sintered glass-ceramics in the Al_2O_3-MgO-SiO_2 system (2) 34*i*.
Amato, Ignazio See Abate-Daga, Giancarlo
Amberg, Stephen W., Doherty, Thomas E., and Heyne, Clarence A. Machine for producing a plastic-covered glass container, P (8) 165*h*; Machine for producing a plastic-covered glass container, P (11) 225*j*.
Amberger, Eberhard See Ploog, K.
Amberger, Eberhard, Druminski, M., and Ploog, K. Kinetic formation characteristics in the B-C system—pyrolytic formation of C-rich B-C phases (5) 121*a*.
Amberger, Eberhard, and Ploog, K. Formation of pure B lattice (5) 120*c*.
Amelinckx, S. See van Landuyt, J.
Amelio, Gilbert F., Krambeck, Robert H., and Pickar, Kenneth A. Charge-coupled devices employing nonuniform concentrations of immobile charge along the information channel, P (7) 149*h*.
Amemiya, Masahiro Sublimation of O and Li from $Li_{0.5}Fe_{2.5}O_4$ during heat treatment (1) 28*c*.
Amemiya, Toshioki See Masuyama, Takeshi
American Ceramic Society Proceedings—1973 Fall Meeting, Materials and Equipment and White Wares Division, American Ceramic Society, B (10) 220*j*.
American Society for Testing and Materials ASTM Standards on Chemical-Resistant Nonmetallic Materials; Clay and Concrete Pipe and Tile; Masonry Mortars and Units; Asbestos-Cement Products, B (7) 159*i*; ASTM Standards on Refractories, Glass, and Other Ceramic Materials; Manufactured Carbon and Graphite Products, B (7) 159*j*; ASTM Standards on Electrical Insulating Materials Test Methods, B (9) 199*j*.
Ames, B. Charles Managing for improved productivity (7) 145*g*.
Ames, L. L. See Zmbov, K. F.
Amey, J. E. See Johnson, W. J.
Amin, Rajnikant B. Partially crystallizable glasses for producing low-K crossover dielectrics, P (5) 110*d*.
Amodei, J. J. See Staebler, D. L.
Amodei, Juan J., and Staebler, David L. Process for fixing holographic patterns in electrooptic crystals and the crystals produced thereby, P (3) 72*d*.
Anand, H. R., and Mullen, J. G. Diffusion broadening of the Moessbauer line in wustite (9) 195*f*.
Anandan, N. S., and Moorthy, V. K. Microstructure in sintered UO_2 pellets (10) 211*j*.
Ananthanarayanan, K. P. See Tsay, Y. F.
Anastasia, Louis J., Curis, Erwin L., Chilenskas, Albert A.,

Grase, Johan E. A., and et al. Fluoride reprocessing of breeder fuels, P (1) 16*c*.
Anastasio, Angelo A. See Athanas, Terry G.
Anastasova, N. A. See Kaban, G. P.
Anatychuk, L. I., and Gnatyuk, A. M. Electrical and thermographic studies of CdSb (8) 175*g*.
Anayama, T. See Saito, Y.
Anazawa, Shinzo Packaged semiconductor device including a housing in the form of a rectangular parallelepiped and ceramic rectangular base member, P (8) 170*d*.
Anbar, Michael, Bambenek, Mark, and Ross, Alberta B. Selected specific rates of reactions of transients from water in aqueous solution: I, Hydrated electron (1) 18*h*.
Anbe, Toshi See Yamashita, Sadahiko
Anbe, Toshi, and Tokuzawa, Yukimichi Resonance-frequency variable resonator, P (2) 43*e*.
Ancker-Johnson, Betsy Radiant energy optical detector [In-Sb] amplifier, P (7) 151*a*.
Ancona, John A. See Hierholzer, Frank J.
Andeen, Carl See Fontanella, John
Andeen, Carl, Schuele, Donald, and Fontanella, John Pressure and temp. derivatives of the low-freq. dielectric constants of the alkaline-earth fluorides (8) 178*d*.
Andersen, Mette E. Library and documentation service of the concrete research lab at Karlstrup (9) 182*b*.
Andersen, Torben Design calculation for 2-leaf brickwork facing (2) 37*j*.
Anderson, A. C., and Malinowski, M. E. Interaction between thermal phonons and dislocations in LiF (7) 156*b*.
Anderson, C. A. See Segnit, E. R.
Anderson, E. E. See Steimach, A. A.
Anderson, E. M., Herman, C. E., and Mayer, J. H. Development of a coarse grained kaolin sanitary-ware slurry (10) 209*i*.
Anderson, Gordon Wood Absorption tail and fundamental absorption edge in V phosphate glasses (8) 163*c*.
Anderson, Harlan U. Influence of Ba/Ti ratio on the initial sintering kinetics of $BaTiO_3$ (1) 13*d*; Influence of O activity on the sintering of $MgCr_2O_4$ (2) 52*h*. See Halloran, John W.
Anderson, Harriette Putting bubbles in glass (9) 181*f*.
Anderson, J. C. See Milne, W. I.
Anderson, J. R. See Schirber, J. E.
Anderson, Leslie C. Method of fabricating multilayer circuits, P (3) 71*j*.
Anderson, Lowell W., and Stephenson, Michael J. Production of sintered porous metal fluoride pellets, P (5) 116*f*.
Anderson, Royal P., and Tanner, John A. Design considerations for minerals plants (10) 212*a*.
Anderson, Scott Method of preparing purified Li Al chloride, P (2) 48*b*.
Anderson, Vernon A. See Cushman, Charles R.
Anderson, Wayne A. See Economou, Thanasis E.
Anderson, Weston A. Apparatus for analyzing environmental gases, P (3) 74*i*.
Andersson, Per O., Kollberg, Erik L., and Jelenski, Andrzej Extra EPR spectra of Fe-doped rutile (9) 196*d*.
Andersson, Sten, and Hyde, B. G. Twinning on the unit cell level as a structure-building operation in the solid state (10) 220*c*.
Andlauer, B., Schneider, J., and Tolksdorf, W. ESR analysis of Pb^{3+} ions in $Y_3Ga_5O_{12}$ (9) 196*b*.
Ando, Ken, and Otaki, Yasunichi Self-diffusion of O ion in $MgAl_2O_4$ single crystal—correction (3) 81*j*.
Ando, Manso See Minami, Hiroshi
Ando, Tsuyoshi See Terada, Toshio
Andre, Elie See Mahieu, Marc
Andre, Elie, and Mahieu, Marc Method of mfg. semiconductor body, P (11) 230*j*.
Andreas, Ehrhardt See Greenlay, Charles A.
Andreassen, Knut A. See Blaker, Ivar
Andreassen, Victor P. Lined coolers for rotary kilns, P (6) 135*h*.
Andreatch, Peter, Jr. See McSkimin, H. J.
Andreev, A. Ya., and Pazin, N. A. Simplified methods of dust-gas measurements (4) 96*b*.
Andreev, G. A. Formation and annealing of point defects in NaF crystals (1) 23*d*.
Andreev, G. A., and Smirnov, B. I. Precipitation in Sr-doped NaCl crystals (11) 235*b*.
Andreev, I. F. See Fedorov, N. F.
Andreev, V. V. See Shevyakov, A. I.
Andreeva, L. See Ikonopisov, S.
Andreeva, M. I., Podoseruaya, E. A., Kobycheva, T. A., and Kuznetsov, V. Ya. Synthesis of double sulfates of Nb, K or Na (7) 158*b*.
Andresen, Arne F. See Selte, Kari
Andrews, Harry N. See Frisch, Erling
Andrews, Lester See Spiker, Robert C., Jr.
Andrews, Robert W. See Shields, Michael A.
Andrievskii, A. I., and Kashirin, G. F. Compensation effect in vitreous chalcogenide semiconductors (1) 21*d*.
Anecouddin, Mir, and Saxena, E. R. Beneficiation of Fuller's earth (10) 213*j*.
Angapova, L. E., and Serebrennikov, V. V. Thermal stability of rare earth arsenates (11) 236*i*.
Angeleri, Frederico, Manzo, Jose, Filho, Manoel M., and Romano, William Stress determination in porcelain for use on sanitary ware—comparison of various methods (6) 130*e*.
Angell, C. A. See Rao, K. J.
Angelov, B. See Gancheva, G.
Angers, R., Tremblay, R., and Chaklader, A. C. D. Effect of pressure on formation of $CaZrO_3$ by solid-state reaction between CaO and ZrO_2 (6) 137*i*.
Angus, John C. See Poferl, David J.
Anikin, I. N. See Fedoseev, A. D.
Anisimova, E. G. See Kambulov, V. A.
Ankerst, H. Right use and care of enameled ware (5) 107*h*.
Annabi, F., Glaeser, R., and Mering, J. Retention of alcohols by montmorillonite (6) 140*h*.
Annal, James M. Hangers for porcelain enameling furnaces, P (6) 126*g*.
Annis, Alexander D. See Lacklison, David E.
Annopol'skii, V. F. See Belyaev, E. K.
Anokhina, A. A. See Afinogenov, Yu. P.
Anservin, Ronald W., Avetta, Edward D., and McKay, William P. Inspecting [laser beam] the bottom wall of hollow open-ended containers, P (3) 65*d*.
Anslow, Byron E. Bingham plastic flow in annuli (9) 193*i*.
Antczak, Stanley M., Getzendiner, Albert E., and Riggert, Marvin C. Mfg. of elongated fused quartz member, P (2) 36*i*.
Anthony, A. M. Heating elements for electric kilns at high temps. and all atm (1) 19*j*. See Guillot, A.
Anthony, Anne-Marie See Suzuki, Takeyuki
Anthony, Gaylord D., and Garn, Paul D. Kinetics of kaolinite dehydroxylation (4) 100*e*.
Anton, G., Vila, R., Vitoria, J., and Fernandez-Alonso, J. I. Classification of Iberian ceramics from Valencia (5) 113*d*.
Antonov, V. A., Arsenev, P. A., Linde, I. G., and Farshtendiker, V. L. Point defects in $YAlO_3$ and $GdAlO_3$ single crystals (11) 235*a*.
Antonov, V. K. See Shchepetkin, A. A.
Antonova, L. I. See Kovaleva, I. S. ; Tarasevich, S. A.
Antoshina, L. G. See Belov, K. P.
Antypas, George A., and Kister, Malcolm L. III-V photocathode bonded to a foreign transparent substrate, P (3) 65*e*.
Antypas, George A., Rosztoczy, Ferenc E., Stein, William W., and von Szeressy, Sigmund Preparation of GaP-Si heterojunction by liquid phase epitaxy, P (9) 191*g*.
Anugul, Surang, Pantchour, Chaos, and Rundqvist, Stig Crystal structure of Nb_3P_5 (3) 77*i*.
Anzai, Norio, Takagui, Takeshi, Kosa, Yasunobu, Kubo, Masaharu, and et al. IGFE semiconductor device having a breakdown-preventing element, P (1) 14*f*.
Anzai, Shigeo See Kubota, Takehiro
Anzai, Shuichiro, Watanabe, Kiuchiro, Iwasa, Masanori, Morita, Akira, and et al. Structural and electrical properties of $Mn_{1-x}Mg_xTe_2$ (4) 102*f*.
Anzalone, C. Single-fired refractories (7) 147*h*.
Aoki, Masaki See Wada, Mitsuo
Apfel, Joseph H., and Seavely, Carol J. Wide-band antireflection coating and article coated therewith, P (2) 37*f*.
Appels, Johannes A. See Kooi, Else ; Paffen, Maria M. M.
Appleby, Harry See Cowland, Frederick C.
Appleton, Arthur I. Light bulb, P (2) 36*f*.
Arai, Eisuke, and Terunuma, Yukio Structural changes of As silicate glasses with heat treatment (3) 64*g*.
Arai, Kazumasa See Yoshida, Tetsuro
Arai, Yasuo, Yasue, Tamotsu, Yamaguchi, Izumi, and Sugino, Tetsuo Studies on mechanochemical phenomena of hydroxides: III, Solid acidity of ground mixture of gibbsite-hydrous SiO_2 (10) 219*j*.
Araja, S. See Steimach, A. A.
Arakawa, E. T. See Hanson, W. F. ; Williams, M. W.
Arakawa, Yoshiaki See Sumikawa, Sadao
Arakelov, O. A. See Gabrielyan, V. T.
Araki, Tadashi, Asano, Kiro, Kosugi, Junichi, and Tamura, Fusao Mfg. of C shaped articles, P (10) 209*a*.
Araki, Tadashi, Asano, Kiro, and Kosugi, Junichi Process for the production of incombustible carbonaceous material, P (6) 129*f*.
Araki, Yoshitoshi, Yanagisawa, Yuzuru, and Nakayama, Akira Method and apparatus for electron tubes, P (5) 110*a*.
Aranovskii, L. I. See Volynets, F. K.
Arapaki-Strapelias, H. See Muxart, R.
Araujo, Roger J., and Sawchuk, Loris G. Cladding glasses for photochromic optical fibers, P (5) 109*d*.
Arbin, Claes Goran See Norin, Rolf
Archer, Robert J., and Cohen, Jerome Schottky barrier ir detector having ultrathin metal layer, P (1) 15*j*.
Arbury, Zane L., Campbell, Virgil B., and Reynolds, Carl D. Carbonaceous coating for C foam, P (9) 188*d*.
Ardelean, I. See Motiu, A.
Ardelean, Ion See Surdeanu, Tudor
Arendt, R. H. Liquid-phase sintering of magnetically isotropic and anisotropic compacts of $BaFe_{12}O_{19}$ and $SrFe_{12}O_{19}$ (10) 217*c*.
Arendt, Ronald H. Method of preparing ferrites, P (7) 150*a*; Molten salt synthesis of single magnetic domain $BaFe_{12}O_{19}$ and $SrFe_{12}O_{19}$ crystals (7) 156*c*.
Arendt, Ronald H., and Van Buren, Charles E. Method of preparing [magnetoplumbite] ferrites, P (9) 191*c*.
Arezzi, Raffaele See Soverini, Arrigo
Argauer, Robert J., and Landolt, George R. Conversion with ZSM-5 family of crystalline aluminosilicate zeolites, P (6) 136*e*.
Argue, Gary R. See Silver, H. Graham
Argyle, John F., Medowski, Glenn O., Ports, David W., and Sutch, Richard D. Fine-grain alumina bodies, P (10) 209*f*.
Arima, Hideo See Nomura, Shoichiro
Aris, F. C., and Lewis, T. J. Steady and transient conduction processes in anodic Ta oxide (4) 102*c*.
Arizmendi, L., and Cros, F. Effect of powder glass on lubricating oils (3) 63*h*.
Arizumi, Tetsuya See Shimakawa, Koichi
Arkharov, V. I., Bogoslovskii, V. N., and Pashchenko, V. P. Imperfection of crystal lattice of nonequilibrium spinel phases (1) 24*g*.
Arkhipov, V. N. See Sinyakov, E. V.
Armani, Robert C. See Jones, Robert J.
Armas, B. Boride deposition (5) 119*e*.
Armigliato, A. See Morettini, L.
Armington, A. See Bowen, H. K.
Armour, D. G. See Cavaleru, A. O. R.
Armstrong, A. J. See Loehman, R. E.
Armstrong, R. D., Bulmer, R. S., and Dickinson, T. Some factors responsible for high ionic conductivity in simple solid compounds (6) 141*d*.
Armstrong, Ramsey C., and Hoover, Herbert III Laminated structures and method of forming [safety glass], P (10) 206*i*.
Arnaud, Jacques A. Ray inverters for minimizing delay distortion in multimode optical fibers, P (1) 8*c*.
Arnaud, Y. See Murat, M.
Arnaudov, Al. Lime-bitumen suspensions (11) 222*h*.
Arndt, Heinz H., and Belke, Franz Method of mfg. a semiconductor device [solar cell], P (3) 71*d*.
Arndt, Lloyd G. Method of electroforming a printing screen, P (3) 73*f*.
Arnemann, Gerhard Apparatus for loading sacks onto pallets, P (1) 16*g*.
Arnett, Patrick C., Heller, Lawrence G., and Stapper, Charles H., Jr. Single-phase charge-coupled semiconductor device, P (7) 151*f*.
Arnoldussen, T. C., Bube, R. H., Fagen, E. A., and Holmberg, S. Photoconductivity in amorphous chalcogenides (2) 54*j*.
Arouchik, E. M., and Sedakova, M. T. Perspective of Keramzit-perlite concrete production and use in the Moscow region (5) 106*j*.
Aroni, Samuel See Cahn, David S.
Arora, B. M., and Compton, W. Dale Luminescence from impurities and radiation defects in CdSe and CdS (4) 92*i*.
Arras, K. Electrostatic precipitators for dust removal from cement grinding mills (2) 32*b*.
Arribada, Jorge See Heilbraum, Roberto
Arsenev, P. A. See Antonov, V. A.
Arsen'ev, P. A., Bienert, Klaus, Francke, R., Kustov, E. F., and et al. Properties of YAG:Nd,Li laser crystals (11) 230*b*.
Artama, Arvi, and Artama, Erkki Furnace for heating and bending glass plates for windshields, P (2) 36*a*; Apparatus [lehr] for hardening glass plates, P (7) 146*g*.
Artama, Erkki See Artama, Arvi
Artelt, Peter Refractories in the steel industry (1) 10*b*.
Artigas Gimenez, German Apparatus for homogenization of molten glass and additives, P (9) 186*a*. Apparatus for modifying molten glass by an additive, P (1) 6*j*.
Artman, J. O. See Melamed, N. T.
Asada, Chiaki Test results on forced cooling of arc furnace roof for extension of its life: I (11) 227*f*.
Asada, Eiichi, and Nakagome, Minoru Electrical resistance composition and resistance element, P (4) 93*c*.
Asai, Shojiro, and Maruyama, Eiichi Conductive region for semiconductor device and method for making, P (3) 70*f*.
Asami, Kaoru Acid-resistant Pb-free glazes (6) 129*j*.
Asano, Gyoichi See Shichijo, Yuzo
Asano, H., and Hirabayashi, M. Interstitial superstructures of V deuterides (11) 234*i*.
Asano, Jun See Takatsu, Manabu
Asano, Kiro See Araki, Tadashi
Asano, Onaun See Tanimura, Shigeru
Asao, Ichiro Epitaxial deposition of $GaAs_{1-x}P_x$ on a substrate, P (9) 190*h*.
Asao, Takeshi See Takahashi, Shiro
Asaoka, Takashi See Ieda, Nobuaki
Asaro, F. See Bowman, H. R.
Asay, J. R., Fowles, G. R., Duvall, G. E., Miles, M. H., and et al. Effects of point defects on elastic precursor decay in LiF (3) 78*a*.
Asay, J. R., and Gupta, Y. M. Effect of impurity clustering on elastic precursor decay in LiF (3) 78*g*.
Ash, E. A. See Thomson, J. K.
Ash, Malcolm D. Refractory compositions, P (1) 11*g*.
Ashall, Ronald J. Thermal insulation, P (4) 91*d*; Binders for glass fiber insulation, P (6) 127*h*.
Ashar, Kanu Emitter diffusion isolated semiconductor structure, P (6) 132*a*.
Asher, John W., and Herczog, Andrew Frit capacitor and method for obtaining the dielectric constant thereof, P (10) 206*d*.
Ashida, S. See Megumi, K.
Ashida, Sakichi See Aizu, Keiichiro
Ashizuki, Shigeya See Ninagawa, Chikayoshi
Ashley, Edmond J., Decker, Donald L., and Bennett, Jean M. Ir Ge film polarizer, P (2) 41*f*.
Ashmarin, I. I., Bykovskii, Yu. A., Gridin, V. A., Elsin, V. F., and et al. Early stages of laser destruction in glass (9) 184*e*.
Ashour, G. M., and Shehata, A. M. Crystallization of Cr oxide in glass (chrome aventurine) (10) 204*c*.
Ask, Clifford W., Sr. See Marino, Amadee D.
Asmaghy, F. Y. I. See Robson, D.
Astbury, N. F., West, H. W. H., and Hodgkinson, H. R. Experimental gas explosions—report of further tests at Potters Marston (10) 207*e*.
Astle, H. W. See Kaiser, P.
Astrelina, E. A. See Sinyakov, E. V.
Astroem, Anders Crystal structure of M-SbOF (3) 77*i*.
Atanassiu, Nicolae, and Atanassiu, Zoe Ultrasonic processing of materials (10) 212*f*.
Atanzaiu, Zoe See Atanassiu, Nicolae
Athanas, Terry G., and Anastasio, Angelo A. Method of making beam leads for semiconductor devices, P (2) 42*g*.
Athani, V. V., and Phatak, D. B. Programable temp. controller

(5) 117*d*.

Atkins, G. R. See Petrak, D. R.

Atkinson, A., Leatt, P. J., and Moulson, A. J. Nitriding of Si powder compacts (7) 156*f*.

Atkinson, Donald C. Superimposed hot top and seal, P (7) 148*g*.

Atsukawa, Masumi See Fukui, Saburo

Atsukawa, Masumi, Kansei, Kazumi, Furumoto, Toshihiko, and Tsuneyoshi, Nikushi Process for washing S oxide-containing gases with a slurry of lime, P (7) 153*f*.

Attas, Ph. See Wollast, R.

Attlis, Peter William See Sargeant, Graham Kenwood

Attix, Frank H. See Ritz, Victor H.

Anderset, H. See Steigmeier, E. F.

Audesse, Emery G., and Hough, Harold L. Photoflash lamp, P (3) 65*c*.

Audette, R. J., Quail, J. W., Black, W. H., and Robertson, B. E. Crystal structures of M_3FeO_4 (M = K,Rb,Cs) (4) 98*h*.

Audi, Josef See Halberschmidt, Friedrich

Augustsson, Bengt O., and Southwick, Russell D. Vapor deposition apparatus including air mask, P (11) 226*g*.

Aurentz, John A. See Whitaker, Noble D.

Aunkers, Allan, and Horn, William Capillary porosity in hardened cement paste (5) 105*i*.

Austerman, S. B. See Elkins, Perry E.

Austin, A. E. See Miller, J. F.

Austin, Lewis M., Denman, Robert R., O'Donnell, Thomas P., and Veres, Frank Molding of lightweight glass articles and apparatus therefor, P (6) 128*a*.

Austin, M. J., and Bourne, D. E. Mathematical model of an electric glass furnace (2) 34*g*.

Autequitte, Jean See Brichard, Edgard

Auvergne, D. See Camassel, J.

Auzary, C. See Poindessault, R.

Auzel, Francois E. Preparing fluorescent materials for optical freq. conversion, P (10) 207*b*.

Avasthy, P. N. Cold junction compensation for thermocouple sensors (1) 17*j*.

Avdeev, A. L., Danilyuk, Yu. L., and Rozenberg, L. A. Mechanism of electrical aging of TiO_2 (9) 197*b*.

Avdeeva, Tamara P. See Nekrasov, K. D.

Averbuch, B. L. See Rechtin, M. D.

Averbuch-Pouchot, Marie Therese Phase diagrams of the systems $Zn(PO_3)_2$-$RbPO_3$, and $Zn(PO_3)_2$-$TlPO_3$ (1) 26*g*.

Avery, R. C., and Smith, J. C. OSHA inspection—XYZ plant (10) 220*j*.

Aver'yanova, L. N. See Belyaev, I. N.

Avetta, Edward D. See Ansevin, Ronald W.

Avgustinik, A. I. See Ordan'yan, S. S.

Avgustinik, A. I., Balasdina, V. V., and Lyutsedarskii, V. A. Magnetochemical study of vitreous characteristics of glazes (7) 148*e*.

Avigal, Y., and Schieber, M. SiC contamination of epitaxial Si grown by pyrolysis of tetramethyl silane (2) 41*a*.

Avramenko, O. I. See Satarin, V. I.

Awane, Katunobu See Tuzi, Takateru

Awano, Yuji See Kimura, Takashi

Axe, J. D. See Dorner, B.

Ayel, Michel, Besselere, Jean P., and Lambert, Bernard Method of mfg. semiconductor single crystals, P (2) 42*f*.

Ayers, Arnold L. Method of dissolving spent nuclear fuel, P (10) 212*f*.

Ayers, Earl D. See Brady, Thomas P.

Ayers, Ronald F., Barr, Harry W., Jr., Fisher, W. Halder, Duckworth, Winston H., and et al. Refractories industry—its relation to the U. S. economy and its energy needs (4) 90*c*.

Aykan, Kamran, Rogers, Donald B., and Sleight, Arthur W. Catalyst compositions of scheelite crystal structure containing Bi ions and cation vacancies, P (9) 194*g*.

Ayuzawa, Nobuo See Kimura, Morihiro

Azarbayejani, G. H. Site occupancy of Cu and Gd in $PbMoO_4$ single crystals (3) 81*a*.

Azegami, Takeo See Kamimura, Seigoro

Azimov, Sh. Yu. See Fedorov, N. F.

Baab, Heinz J. See Weimann, Klaus

Baab, K. A., Herron, R. H., Iveson, C. T., and Indelicato, B. A. Use of high-Al_2O_3 refractories in the blast furnace bosh (1) 10*d*.

Baak, Tryggve, and Rapp, Charles F. Cu aluminosilicate glass compositions, P (4) 87*j*.

Baba, Nobuyoshi See Mizuki, Isuei

Babachev, G. Effect of some chemical additives on the retardation of cement setting (11) 222*d*.

Babachev, G., and Petrova, M. Chemical and mineralogical characteristics of raw and calcined gypsum from the Koshava and Radnevo deposits in Bulgaria (10) 202*c*.

Babaev, S. Kh. See Rustamov, A. G.

Babaeva, E. P. See Bukhalova, G. A.

Babak, G. V. See Sidochenko, I. M.

Babcock, C. L. See Cleek, G. W. ; Nisle, T. R.

Babcock, C. L., Bendiecker, Robert A., and Hagedorn, Erwin C. Crystallized glass-ceramics and process for forming, P (6) 127*j*.

Babcock, Guy L. See LaCombe, Donald J.

Babcock, H. N. Cementitious compositions, P (3) 62*c*. Fast-setting crack-resistant cementitious composition having inhibited shrinkage, P (7) 145*a*.

Babenkin, A. M. See Fabrichnyi, P. B.

Babinets, V. M. See Donis, V. K.

Babitzke, Herbert R. See Oden, Laurance L.

Babko, V. A., and Tron'ko, V. D. Temp. dependence of dispersion component of Faraday effect in $Y_3Fe_5O_{12}$ (11) 236*g*.

Babonas, G. A. See Deksnis, A. P.

Babonas, G. A., Kurik, M. V., Sileika, A. Yu., and Jasutis, V. V. Exciton-phonon interactions in recrystallized CdTe films (8) 176*h*.

Babosova, A. K., Zhunina, L. A., Skripko, G. G., and Grishina, N. P. Acid resistance of Zr-containing pyroxene glass PTs-10 and its crystallization products (1) 4*a*.

Babot, D., and Chevreton, M. Low-temp. electrical conductivity of the binary compounds Cr_2X_3 and Cr_3X_4 (X = S,Se,Te) (4) 100*g*.

Babot, D., Wintenberger, M., Lambert-Andron, B., and Chevreton, M. Magnetic properties and electrical conductivities of ternary compounds $Cr_3Se_{4-x}Te_x$ (x = 0.5–3.5) (4) 100*j*.

Baburek, Jiri Mineralogical composition of Podborany kaolins (5) 121*g*; New dressing process for changing the physical properties of kaolins and clays (11) 233*j*.

Babushkin, V. I., Mokritskaya, L. P., and Gontovoi, S. V. Effect of pH and E_H of interstitial water on corrosion and passivity of reinforcing steel in cement stone and concrete (7) 143*j*.

Baca, Ernest See Storms, Edmund K.

Bach, Ricardo O. See Burkert, George M.

Bacher, Rudolph J. Cross conductors with double layered insulation [glass], P (11) 225*f*.

Bachheimer, J. P. See Dolino, G.

Bachrach, R. Z. See Casey, H. C., Jr.

Bachrach, R. Z., and Lorimor, O. G. Measurement of the extrinsic room-temp. minority carrier lifetime in GaP (2) 53*g*.

Bachrach, R. Z., Lorimor, O. G., Dawson, L. R., and Wolfstirn, K. B. Evidence for a primarily nonradiative Si, O defect in GaP (6) 138*h*.

Backas, H. Optimization of raw material by means of a nomogram (2) 45*c*.

Bacon, F. R., Russell, R. H., Baumgartner, G. W., and Close, W. P. Composition of material extracted from soda-lime glass containers by aqueous contents (11) 223*i*.

Bacon, James F. High-modulus invert analog glass compositions containing BeO, P (5) 109*i*; Nontoxic invert analog glass compositions of high modulus, P (9) 187*b*.

Bacquet, G., Dugas, J., Escribe, C., Vassilieff, L., and et al. Paramagnetic resonance of $^{155}Gd^{3+}$ in a ThO_2 single crystal--hyperfine structure (allowed and forbidden lines) (7) 156*i*.

Badalliance, R., Krohn, D. A., and Hasselman, D. P. H. Effect of slow crack growth on the thermal-stress resistance of an Na_2O-CaO-SiO_2 glass (11) 223*e*.

Bade, E. Conception and construction of the first countercurrent vertical clinker cooler for 3000 tons/day (2) 31*e*.

Bade, Heribert See Lailach, Guenter

Badkar, P. A. See Bailey, J. E.

Badkar, P. A., Bailey, J. E., and Barker, H. A. Properties of filaments sintered from boehmite gels (8) 167*f*.

Baeckha, R., and Eder, Th. Processing of kaolin on Bornholm (3) 75*g*.

Baerwinhausen, H. Crystallochemical studies on rare earth dihalides: Crystal structure of Eu(II) chloride (9) 195*b*.

Baerwinhausen, H., and Warkentin, E. Crystal data and structure type of DyI_2 and of DyOI (9) 195*c*.

Baes, Charles F., Jr., Bamberger, Carlos E., and Ross, Robert G. Recovery of protactinium from molten fluoride nuclear fuel compositions, P (5) 116*g*.

Baeumler, Peter, Hoefer, Gerhard, Koerner, Tassilo, Mohn, Heinrich, and et al. Quartz glass elements, P (4) 89*f*.

Baffier, Noel See Bernard, Jean Luc

Bagdasarov, Kh. S. See Esayan, S. Kh. ; Meleshina, V. A.

Bagdasarov, Kh. S., Dobrovinskaya, E. R., Litvinov, L. A., and Pishchik, V. V. Possibility of controlling structural quality during growth and subsequent heating of single crystals grown from the melt (4) 101*b*.

Bagdasarov, Kh. S., Kaminskii, A. A., Kevorkov, A. M., Sarkisov, S. E., and et al. Stimulated radiation of (Er,Lu)AlO_3 crystals doped with Ho^{3+} and Tm^{3+} ions (4) 102*e*.

Bagley, B. G. See Di Salvo, F. J.

Bagocheaulte, R., Pozela, J., Skucas, J., Skuciene, A., and et al. Electrical conductivity of CdTe films doped with Cd (8) 169*e*; Volt-ampere characteristics and electrical conducivity anisotropy of CdTe films (8) 169*f*.

Bahat, Dov Several metastable alkaline earth feldspar modifications (6) 140*j*.

Baidakov, L. A. See Abramov, N. P.

Baidov, V. V. See Ofitserov, A. A.

Baidyaroy, S., and Mark, Peter Effect of bulk compensation on the sorption-dependent semiconductivity of thin evaporated CdS films (1) 12*h*.

Baikova, L. G., Pukh, V. P., and Talalakin, S. N. High-strength glass breakage due to microimpression (3) 63*a*.

Bailey, Cecil, Balchunas, Walter C., and Zhupko, John E. Method of applying a fused SiO_2 coating to a substrate, P (10) 211*b*.

Bailey, F. P. See Barker, W. W.

Bailey, George W. See Karickhoff, Samuel W.

Bailey, George W., Brown, D. S., and Karickhoff, S. W. Competitive hydration of quinazoline at the montmorillonite-water interface (4) 98*j*.

Bailey, George W., and Karickhoff, S. W. Uv spectroscopic method for monitoring surface acidity of clay minerals under varying water content (8) 172*e*.

Bailey, J. E. See Badkar, P. A.

Bailey, J. E., and Badkar, P. A. Simultaneous sintering and phase transformation in boehmite gels (7) 158*d*.

Bailey, J. E., Barker, H. A., and Urbanowicz, C. Alumina-filament-reinforced cement paste (8) 161*e*.

Bailey, R. T. Measurement of strength of unfired clays and ceramic bodies (8) 172*b*.

Bailey, Wallace O., McMurtry, Carl H., and Miccioll, Bruno R. Dense composite ceramic bodies, P (9) 188*e*.

Bailleu, John R. Reusable bolt-type mounted thermocouple, P (2) 47*b*.

Bainbridge, D. W. Sulfation of a nickeliferous laterite (10) 214*a*.

Baird, T., Cairns-Smith, A. G., and Mackenzie, D. W. Electron microscope study of Mg smectite synthesis (6) 138*g*.

Bakalov, Zl. Feldspathic sands as raw material for the ceramic industry (10) 214*c*. See Datskova, T. ; Kovacheva, T.

Baker, E. H. See Knox, B. E.

Baker, Earl A. Article handling apparatus, P (8) 165*g*.

Baker, Floyd B., Fitzgibbon, George C., Pavone, D., Holley, C. E., Jr., and et al. Enthalpies of formation of Sm_2O_3 (monoclinic) and Sm_2O_3 (cubic) (2) 51*b*.

Baker, James A., and Poziomek, Edward J. Modification of the adsorptive properties of charcoal by treatments with pyridines (11) 235*e*.

Baker, L. R. Structural action of brickwork panels subjected to wind loads (4) 89*j*. See Base, G. D.

Baker, Margaret A. Weathering tests of porcelain enamels on steel and Al (9) 183*g*.

Baker, Ralph W., Bergeron, Charles R., and Nugent, Adam, Jr. Preparation of Be hydride by pyrolysis of a di-tertiary-alkyl Be etherate, P (10) 214*g*.

Baker, Richard D., Hayter, Sidney W., and Lewis, Homer D. Method for producing UO_2-loaded refractory metals, P (4) 95*a*.

Baker, Theodore H., Ghafghaichi, Majid, and Totta, Paul A. Semiconductor integrated-circuit chip structure protected against impact damage from other chips during chip handling, P (5) 115*a*.

Bakes, Stanley E. Delamination of mica by molten salts, P (3) 75*j*.

Bakhchisaraitseva, S. A., and Saakyan, E. R. Ir spectroscopic study of phase transformations during preparation of aerated concrete (1) 8*b*.

Bakker, Martin B. See Harlow, Justin E., III

Bakker, Wate T. See Dunworth, Bruce E.

Bakos, Peter, and Knight, Diana J. Method for stripping resists from substrates, P (10) 211*i*.

Bakshutov, V. S. See Danyushevskii, V. S.

Bakul, Valentin N., Rabinovich, Eafir S., and Yakovchuk, Yu. A. Binder [rubber-resin] for cutting particles of abrasive tool, P (10) 201*f*.

Bakutis, J., Valacka, K., and Venisloviene, R. Effect of mechanical stress on the photovoltaic effect in polycrystalline layers of CdTe (8) 169*d*.

Balakhonov, N. F. See Shitikov, A. V.

Balandina, V. V. See Avgustinik, A. I.

Balashov, D. V. See Belyaev, I. N.

Balashov, Yu. S. See Postnikov, V. S.

Balazs, Martin Adhesion of polyvinyl butyral coating to sheet glass (11) 223*c*.

Balbashov, A. M. See Alaverdova, O. G. ; Belyaeva, A. I. ; Chetkin, M. V.

Balcar, O. Isostatic pressing (3) 73*h*.

Balchunas, Walter C. See Bailey, Cecil

Baldieri, Francesco, and Borgianni, Carlo Solutions for the treatment of amorphous C or graphite mfg. articles for improving their resistance to oxidation, P (10) 209*g*.

Baldwin, Richard R., and Ruff, Bruce J. Optical dilatometer, P (6) 134*i*.

Baldwin, Willis H. Production of high-purity halides, P (11) 233*i*.

Baldy, Jean Method of mfg. a [ceramic] piezoelectric element, P (11) 230*j*.

Baldy, Jean, and Coville, Patrick Heating element having a high heating current, P (2) 41*c*.

Baldyga, Henry, and McGoury, Thomas E. SiO_2 gel flatting agent, P (10) 215*c*.

Baletskii, D. Yu., Bereka, D. M., Koperles, B. M., and Turyanitsa, I. D. Effect of impurities on [ferroelectric] Curie temp. of chain crystals [SbSI] (9) 195*j*.

Baliga, B. Jayant, and Ghandhi, Sorab K. Growth of SiO_2 and phosphosilicate films (8) 169*g*.

Balint, Pal Drying experiments with green ceramic ware (1) 19*g*.

Balint, Pal, and Toth, Kalman Computer processing of a large number of clay test data (2) 46*i*; Computer analysis of characteristic property data of brick clays (6) 137*g*.

Ball, F. Carlton Salt glazing (11) 221*h*.

Ball, Fred Primitive pottery at Red Dog (7) 143*i*; Stoneware gloves of Laraine Wade (9) 181*f*.

Ball, W. G. Coloring oxides (2) 33*c*.

Ballad, J. P. See Gibson, H.

Ballard, Norman E. High-temp.-resistant coating, P (4) 86*h*.

Ballman, Albert A., and Tien, Ping King Optical wave-guiding devices using monocrystalline materials of the sillenite family of Bi oxides, P (9) 191*f*.

Ballman, Albert A., Kurtz, S. K., and Brown, H. Effects of melt stoichiometry on the optical properties of Ba Na niobate (2) 50*h*.

Balta, Petru Possibilities for improving the mechanical resistance of glass (5) 109*c*. See Solacolu, Serban

Balta, Petru, Dinulescu, Mihai, and Bisin, Marcel Industrial control of glass viscosity by means of the penetrometer (11) 224*f*.

Balta, Petru, and Doellinger, Lucian Photochromic glass (10) 205*b*.

Baltar, C. R. Process and apparatus for separating particles,

P (6) 134*d*.
Bales, H. P. Cellular model for the specific heat of amorphous solids at low temps. (3) 76*c*.
Baltzer, Philip K. Radiation-resistant Li ferrite cores, P (2) 43*c*.
Bambenek, Mark See Anbar, Michael
Bamberger, Carlos E. See Baes, Charles F., Jr.
Bamford, Robert P. See Hamilton, Harold E.
Ban, V. S. See Tietjen, James J.
Ban, V. S., Gonsenberger, H. F., and Tietjen, James J. Influence of deposition temp. on composition and growth rate of $GaAs_xP_{1-x}$ layers (3) 79*c*.
Bando, Sigeru Spindle support assembly in a glass plate edge-grinding machine, P (10) 207*e*.
Bando, Yoshichika See Yamamoto, Naoichi
Bandyopadhyay, G., and Fulrath, Richard M. Processing parameters and properties of Li ferrite spinel (5) 114*b*.
Bandyopadhyay, G., Lacy, A. M., and Fulrath, Richard M. Densification and grain growth in doped $LiFe_5O_8$ spinel (11) 234*d*.
Baneeva, M. I., and Bendeliani, N. A. System Fe_2O_3-H_2O at high pressures and temps. (10) 219*e*.
Banerjee, J. C., Chatterjee, N. B., and Panti, B. N. Forsterite refractories from Salem magnesite with clays and building sand addition (3) 66*e*.
Banerjee, J. C., Ramesam, K., and Sallm, A. Castable refractories based on zircon (2) 37*j*.
Banerjee, S. K., and Roy, Soumyen Advantages of a ceramic tunnel kiln over intermittent downdraft kiln (1) 19*f*.
Banerjee, Subrata, and Paul, A. Thermodynamics of the system Cu-O and ruby formation in borate glass (8) 165*e*.
Banit, F. G., and Vasilik, A. V. Effect of gypsum-containing additive on dust removal from furnace gases (4) 84*i*.
Bank, G. See Quick, S. M.
Banteria, G., Stenico, A., Terrani, M., and Villani, S. Characterization of Samian ware sherds by means of neutron activation analysis (11) 221*i*.
Banus, M. D. See Reed, Thomas Bennington
Banus, M. D., Reed, T. B., and Strauss, A. J. Electrical and magnetic properties of TiO and VO (7) 155*g*.
Banyan, John D., and Ross, Edward A. Burner apparatus for forming a finish on a glass container, P (6) 127*h*.
Baptizmanskii, V. I. See Belopol'skii, G. M.
Baranov, S. P., Prisyazhnyi, V. D., and Grigor'eva, A. S. ZnCl_2-TlCl and $ZnCl_2$-$PbCl_2$ mixed melts studied by the Raman effect (9) 199*g*.
Barbe, D. F., and Saka, N. S. Electrical transport phenomena in amorphous Ga phosphide films (9) 190*e*.
Barber, D. J. See Tressler, R. E.
Barber, Eugene J. See Gustison, Robert A.
Barberis, G. E., and Calvo, R. Angular variation of the EPR line widths of ions in tetragonal symmetries: Mn^{2+} in CaWO_4 (1) 21*b*.
Barbulescu, Elena See Szabo, A.
Barbulescu, Eva See Solacolu, Serban
Barczak, V. J. Characterization of Li_2NaPO_4 (10) 215*j*.
Bardash, Irwin, and Schlotterhausen, Christian Temp.-compensated latching ferrite phase shifter, P (11) 231*j*.
Bardeen, John Electron-phonon interactions and superconductivity (2) 51*j*.
Bardenheuer, Friedrich, von Ende, Hans, and Solmecke, Rolf Reduction of slag attack on BOF refractories (2) 38*b*.
Bardi, G. See Piacente, V.
Baresel, Detlef Method for producing fuel cell electrodes having high activity, P (3) 71*f*.
Barile, Conrad A., Dockerty, Robert C., and Nagarajan, Arunachala Method for stabilizing FET devices having Si gates and composite nitride-oxide gate dielectrics, P (7) 150*c*.
Barinov, G. I. See Malakhovskii, A. V.
Barker, H. A. See Badkar, P. A. ; Bailey, J. E.
Barker, Ronald Reversibility of the reaction $CaCO_3$⇌Ca$O+CO_2$ (7) 144*e*.
Barker, W. W., Bailey, F. P., and Garrett, W. High-temp. neutron diffraction study of pure and Sc-stabilized ZrO_2 (3) 79*f*.
Barkley, J. R., and Jeltschko, W. Antiphase boundaries and their interactions with domain walls in ferroelastic-ferroelectric $Gd_2(MoO_4)_3$ (8) 174*g*.
Barkley, John R. Heat-treated ferroelastic alpha Pb Sr phosphate crystals having controlled domain wall orientation, P (10) 206*h*.
Barkow, William H. See Gross, Josef
Bar-lev, A. See Neugroschel, A.
Barlow, H. M. Hf wave propagation between parallel surfaces very close together (3) 69*h*.
Barna, Septimiu Contribution of research to development of glass and fine ceramics industries (10) 220*h*.
Barnes, C. E. See Norris, C. B.
Barnett, Irvin Extruded asbestos yarn for paper dryer felts, P (1) 10*i*.
Barneveld, Dirk See Dikhoff, Johannes A. M.
Barnoski, M. K., Hunsperger, R. G., Wilson, R. G., and Tangonan, G. Proton-implanted GaP optical wave guide (9) 198*d*.
Barone, Frank J., and Tolliver, Donald L. Method of forming integrated circuits utilizing low resistance values, low-temp.-deposited oxides, and shallow junctions, P (1) 14*c*.
Barr, Harry W., Jr. See Ayers, Ronald F.
Barr, John B. Treatment of C fibers to improve shear strength in composites, P (6) 129*h*.
Barrales-Rienda, J. M. See Lopez-Gonzalez, J. de D.
Barratt, William C. Apparatus for producing cement sheets, P (4) 85*h*.
Barrett, Harrison H. See Bass, Michael
Barriac, Pierre Hardness testing of plaster in the lab and at the building site (5) 106*d*.
Barricella, Joseph D., Sr., and Carini, George F. Quality assurance program for production of direct-on cover coat frits (9) 183*f*.
Barron, Frank C. See Walker, Paul J.
Barron, Mark B. See Kurz, Bruno F.
Barron, Mark B., and Butler, Walter J. Gate-diffusion isolation for JFET depletion-mode bucket-brigade circuit, P (6) 132*b*.
Barros, F. de S. See Melamed, N. T. ; Viccaro, P. J.
Barros, H. L., Chandrasekhar, G. V., Chi, T. C., Honig, J. M., and et al. Specific heat of single-crystal undoped and V-doped Ti_2O_3 (8) 179*f*.
Barry, Claude, and Ratte, Patrice Method and apparatus for establishing the firing temp. curve of a sintering charge, P (4) 97*e*.
Barry, R. J. See Parker, B.
Barsby, Noel Kiln cars, P (1) 19*g*; "Package" tunnel kiln (5) 118*c*.
Barsch, G. R. See Chang, E.
Barta, J., and Gorná, J. Improvements in mechanical and electrical properties of alumina (6) 131*c*.
Bartch, Donald W. See Maley, James J.
Bartocki, Adam, Cieslak, Maria, and Weglowski, Stanislaw W oxoiodide, WOI_2 (8) 180*g*.
Bartels, R. A. See Vetter, V. H.
Bartels, R. A., and Smith, P. A. Pressure and temp. dependence of the static dielectric constants of KCl, NaCl, LiF, and MgO (8) 178*c*.
Bartenev, G. M., Chistozerdov, V. G., Tsygunov, A. D., and Gerbachev, V. V. Structural transformation of SiO_2 at high pressure (6) 141*h*.
Bartenev, Georgij Michajlovic See Goecke, Wolfhart
Bartenev, S. S. See Obukhov, A. P.
Bartha, P. Progress in the technique of lining rotary kilns by the adhesive-bonding method at winter temps. (3) 62*e*.
Bartha, P., Kocknc, V., and Kurjat, J. Disintegration of refractories by C deposited within them (7) 147*c*.
Barthel, Heinz Wear of magnesite bricks in glass tank regenerators (7) 147*i*.
Barthelat, J. C., and Jeannin, Y. Crystallographic study of the tetragonal Zr arsenosulfides and arsenoselenides (7) 154*a*.
Bartholomae, Hans D., and Franzke, Roslta Quantitative determination of V_2O_5 in clays (7) 152*i*.
Bartholomew, Roger F., Campbell, Donald E., Dates, Harold F., Lewis, Stanley S., and et al. Degradable glass suitable for containers, P (9) 186*d*.
Barthou, St., and Dumitrescu, C. Some technical innovations concerning the design of glass-ceramic works (2) 35*c*.
Barti, Miroslav Estimation of free lime in clinkers and in cements (5) 106*j*.
Bartlett, R. W. See van Hecke, M. C.
Bartlieg, Helmut See Eberle, Herbert
Bartoszetti, G. See Alongi, V.
Bartram, R. H. See Madacsi, David P.
Bartuska, Miloslav See Sasek, Ladislav
Bartuska, Miloslav, and Mares, Ivo Use of synthetic mullite refractories (3) 67*h*.
Bartuska, Miloslav, and Zverina, Karel ZrO_2 coatings applied by plasma-gun spraying—properties, phase changes, and test results on the glass feeder plunger (5) 112*g*.
Barvinok, M. S., Prushkina, M. N., and Popova, O. S. Ir spectroscopic study of behavior of E-89 resin in hardened cement (7) 144*i*.
Basche, Malcolm, and Scola, Daniel A. Treatment of C fibers, P (3) 68*c*.
Base, G. D., and Baker, L. R. Fundamental properties of structural brickwork (4) 89*c*.
Bashkirov, L. A., and Bashkirova, M. G. Phase equilibria in the system NiO-MgO-Fe_2O_3 in the region of compositions containing <50 mol% Fe oxide (1) 26*j*.
Bashkirova, M. G. See Bashkirov, L. A.
Basi, Jagtar S. Method for polishing semiconductor GaP planar surfaces, P (4) 94*e*.
Basi, Jagtar S., and Hull, Edward M. Method for protecting GaAs wafer surfaces, P (4) 94*h*.
Basi, Jagtar S., and Lyons, Vincent J. Method for controlling intermetallic semiconductor diffusions, P (7) 149*i*.
Basile, L. J. See Manghnani, M. H.
Basin, V. M., and Shugurov, V. K. Modelling of a ferrite medium in a static approximation (8) 169*a*.
Basler, D. B., and Berard, M. F. Measurement of O diffusion in Dy_2O_3 and Gd_2O_3 by studying high-temp. oxidation of the metals (11) 235*b*.
Bass, Michael, and Barrett, Harrison H. Laser-induced damage probability at 1.06 and 0.69 μm (10) 217*b*.
Basso, C. Porcelain enamel compared with glass and organic finishes (8) 163*i*.
Basu, A. N. See Roy, D.
Basu, A. N., and Sengupta, S. Lattice dynamics of alkali halides (9) 196*e*.
Basu, M. K., and Lole, R. V. Effect of reducing atm on SnO_2-Sb_2O_5-based semiconducting glaze (8) 169*e*.
Batailler, G. See Poindessault, R.
Baturenas, J. See Jakimavicius, J.
Batdorf, S. B. Weibull statistics for polyaxial stress states (2) 57*j*.
Bate, Robert T. See Wrobel, Joseph S.
Bates, Harry E. Analysis of noncollinear-phase-matching effects in uniaxial crystals (9) 194*b*.
Bates, S. R. See Clark, D. E.
Batsanova, L. R., and Lukina, L. V. Structure of "hydrated" rare earth trifluorides (1) 28*h*.
Batsanova, L. R., Zakhar'ev, Yu. V., and Opalovskii, A. A. Synthesis and physicochemical study of the tetrafluorides of Ce, Pr, and Tb (10) 219*d*.
Batt, John A. See Hulse, Charles O.
Battersby, William R. Method of making double glazing unit, P (1) 7*e*.
Batti, P., and Lucchini, E. System $BaFeO_{2.5}$-$SrFeO_{2.5}$ (2) 56*f*.
Battigelli, Jean Production of fibers from thermoplastic materials, particularly glass fibers, P (10) 207*c*.
Battles, J. E., Shinn, W. A., and Blackburn, P. E. Thermodynamic investigation of trisodium U(V) oxide (Na_3UO_4): IV, Mass spectrometric study of the Na+U+O system (2) 45*a*.
Baudin, Pol See Phamat, E. ; Van Laethem, Robert
Bauer, D. W., and Kotlensky, W. V. Relation between structure and strength for CVD C-infiltrated substrates: I (5) 111*j*; II, Three-dimensional woven, tufted, and needled substrates (5) 112*a*; III, Fabric lay-up substrates (5) 112*b*.
Bauer, George T. Aperture fluorescent lamp for copying machines, P (2) 35*j*.
Bauer, Gerhard See Abele, Karl-Heinz
Bauer, Helmut See Metzger, Claus
Bauer, J. M. Development of the blast furnace during recent years as viewed by French refractories manufacturers (1) 9*g*.
Bauer, Walter, and Munket, R. G. Study of Al_2O_3 films by ion-induced X rays and Rutherford backscattering (9) 199*b*.
Baum, Wilhelm Articles [glass] produced by centrifugal casting, P (5) 109*c*.
Baumer, Wilhelm, Schmitt, Dieter, and Sieis, Alfred Indicator for the detection of Mn(II) ions, P (3) 74*b*.
Baumgart, Wolfgang New high-density refractories (3) 66*g*.
Baumgartner, G. W. See Bacon, F. R.
Baur, W. H. See Tillmanns, E.
Bawa, S. S. See Mansingh, A.
Bay, Eduard Casserole, P (5) 113*f*.
Bay, Theodosios Method and apparatus for cement kiln control, P (1) 3*j*.
Bayburt, R. D. See Haire, R. G.
Bayer, G. Thermal expansion of ABO_4 compounds with zircon and scheelite structures (7) 159*e*.
Bayly, A. R. Secondary processes in the evolution of sputter topographies (6) 127*a*.
Bayly, A. R., and Townsend, P. D. Ellipsometric analysis of refractive index profiles produced by ion implantation in SiO_2 glass (3) 74*a*.
Baynham, A. C. Absolute instability of electromagnetic waves within large subcritically doped GaAs samples (8) 174*a*.
Baznev, G. V. See Borukhovich, A. S. ; Shveikin, G. P. ; Zubkov, V. G.
Baznev, G. V., Matveenko, I. I., Zubkov, V. G., and Shveikin, G. P. Weak ferromagnetism of Nd and Eu orthovanadates (5) 123*b*.
Beach, William A., and Schlauch, Richard M. Settling rate tester, P (10) 213*c*.
Beale, H. A. See Hyde, Garrett R.
Beale, Julian R. A. Method of mfg. semiconductor devices, P (4) 94*e*; Electroluminescent semiconductor devices, P (11) 230*j*. See Nicholas, Keith H.
Beall, George H. Sr fluormica glass-ceramics, P (1) 8*g*.
Beall, George H., Chyung, Chi-Kwun, and Watkins, Harry J. Mica glass-ceramics, P (8) 166*c*.
Beals, Raymond S. Refractories—custom tailored for industrial uses (2) 38*c*.
Bean, Brent L. See Izatt, Jerald R.
Bean, Brent L., and Izatt, Jerald R. Verification of the Kramers-Kronig relations in optically pumped ruby (9) 199*f*.
Bean, Charles P. Measurements of particles and molecules, P (5) 117*i*.
Bean, Charles P., and De Blois, Ralph W. Particle analyzer, P (10) 213*a*.
Bean, Kenneth E. Double isolation for electronic devices, P (3) 70*b*. See Pankratz, John M. ; Skaggs, Frank L.
Bean, Kenneth E., and Gleim, Paul S. Method of forming circuit components within a substrate, P (7) 150*b*.
Beard, R. Compressive strength of some grouted cavity walls (10) 207*a*.
Beason, James D. FET, P (7) 149*b*.
Beason, Marion B. Fiber-glass-forming-package carton, P (7) 146*a*.
Beauchamp, E. K. See Stephens, H. P.
Beaudoin, James J., and MacInnis, Cameron Mechanism of frost damage in hardened cement paste (7) 144*a*; Effect of admixtures on length change anomalies due to slow cooling and warming of hardened cement paste (9) 182*d*.
Beaudoin, James J., and Seroda, P. J. Exploratory studies of the utilization of S in autoclaved products (7) 144*c*.
Beavers, A. H. See Follmer, Leon R.
Becher, P. F., and Rice, R. W. Strengthening effects in press forged KCl (9) 198*g*.
Becher, Paul F. Surface hardening of sapphire and rutile associated with machining (3) 81*g*.
Becherer, Gerhard See Goecke, Wolfhart
Becherescu, D. See Ivan, E.
Beck, A. H. See Robbie, J. C.
Beck, B. H. See Jensen, F. R.
Beck, E. Dale, and De Santis, Urbano J. Corrosion-resistant soda-lime glass (6) 126*j*.
Becke, Hans W. See White, Joseph P.
Beckenbach, Karl Inclined hearth kiln for the firing and sintering of material, P (2) 48*c*.
Becker, Hans See Wieland, Dieter
Becker, Kurt Press-and-blow machine for the production of containers, P (9) 187*d*.

Becker, Kurt, and Seidel, Hans G. Apparatus for feeding gobs of molten vitreous or plastic material into molds of a machine for forming bottles or similar containers with control means for controlling the movement of the molds, P (6) 127*f*.
Bednyakov, F. I. See Kriulin, V. N.
Beech, D. G. See Harding, J. R.
Beech, D. G., Everill, J. B., and West, H. W. H. Effect of size of packing material on brick crushing strength (10) 207*d*.
Beech, D. G., and West, H. W. H. Performance of modular bricks in story-height walls (10) 207*f*.
Beeler, Leland S. Production of fluidized alumina reduction cell feed, P (11) 233*h*.
Beeson, Eric J. G., Furnidge, Kenneth F., Stanyon, Horace E., and Speller, John R. T. Electric lamps and discharge devices, P (4) 88*b*.
Beeson, Justin L., Pulsifer, Allen H., and Wheelock, Thomas D. H from coal char in a continuous electrofluid reactor (9) 193*g*.
Beeson, Robert J. See Richards, David O.
Beerbold, W. See Norris, C. B.
Behr, W. J., Gliemeroth, G., and Gott, O. [Ophthalmic] spectral glasses with high strength by hardening (3) 64*a*.
Behrens, Richard Terra sigillata Nepheline syenite glazes (4) 83*d*; Two-component glazes (4) 83*e*; Formulary of leadless glazes (4) 83*j*; Fluoride glazes for cones 06, 4, and 6 (5) 105*g*; Rosy gold glazes (5) 105*h*; Ba glazes; Basic mat glazes for cone 4 (6) 125*f*; Low temp. frit porcelain (6) 125*h*; Stoneware glazes for cone 7 (9) 181*f*; Zr glazes (9) 181*g*; Cone 6 reduction glazes; Glaze faults and their correction; High MgO glazes for cone 6 (9) 181*j*; Ni blue glazes for cone 4 (10) 201*f*; Simple inexpensive glazes; Sr glazes (10) 201*g*; Plant ash glazes (11) 221*g*.
Behrens, Robert G., and Rosenblatt, Gerd M. Vapor pressure and thermodynamics of octahedral arsenic trioxide (arsenolite) (2) 57*h*; Vapor pressure and thermodynamics of orthorhombic Sb trioxide (valentinite) (3) 82*c*.
Beisler, Walter See Heimke, Guenther
Beke, Bela Classification processes in cement mills (1) 2*h*; Grinding body size and the hardening of cement (1) 2*i*; Sizing process in rotary cement mills (4) 85*b*.
Beleuta, I. L. See Lungu, S.
Belhomme, Charles See Yperman, Jean M. B. G.
Belik, R. I. See Fakeev, A. A.
Belitskii, A. V., and Ursulyak, N. D. Effect of mixing on the rate of temp. reduction during crystallization of an Fe garnet from a melt (1) 22*f*.
Belke, Franz See Arndt, Heinz H.
Belknap, Donald J. Method and apparatus for making incandescent lamps, P; Miniature incandescent lamp, P (2) 36*c*.
Bell, Frederick K. See Bussman, Dale R.
Bell, H. See Krishnamachari, V.
Bell, R. J., Dean, P., and Hibbins-Butler, D. C. Normal mode assignments in vitreous SiO_2, GeO_2, and BeF_2 (1) 25*i*.
Bellas, Michael, and Seddon, William L. Preparation of Mn oxides, P (2) 48*d*.
Bellows, Alfred H. See Metcalf, Arthur G. B.
Belogurov, D. A. See Shaldin, Yu. V.
Belokoneva, E. L., Mill, B. V., Simonov, M. A., and Belov, N. V. Refinement of the crystal structure of V garnet $Na_3Sc_2V_3O_{12}$ (10) 210*h*.
Belokoneva, E. L., Simonov, M. A., Duderov, N. G., Lobachev, A. N., and et al. Synthetic Cd germanates and their X-ray analysis (4) 103*e*.
Belopol'skii, G. M., Kulikov, V. O., Baptizmanskii, V. I., Bolchenko, B. M., and et al. Life of the tar-bonded BOF lining (6) 129*d*.
Belotskii, D. P., and Makhova, M. K. Solubility of Ge in monocrystalline CdSb (8) 179*d*.
Belov, K. P., Gapeev, A. P., Kadomtseva, A. M., Ledneva, T. M., and et al. Spin reorientation in Y orthoferrite due to small substitutions of Co ions for Fe ions (3) 81*d*.
Belov, K. P., Goryaga, A. N., and Antoshina, L. G. Magnetic ordering of tetragonally distorted $CuFe_2O_4$ (5) 121*f*.
Belov, L. V. See Eenmaa, T. E. ; Egorov, G. B.
Belov, N. V. See Belokoneva, E. L. ; Lyutin, V. I. ; Nadezhina, T. N. ; Nosyrev, N. A. ; Polyanskaya, T. M.
Belso, James C., and Schaefer, Robert S. Method of treating tacky strand material, P (5) 110*e*.
Belyaev, E. K., and Annopol'skii, V. F. Comparative study of the reactivity of carbonates and hydroxides of Li, Na, and K in mixtures with Al_2O_3 (1) 21*c*.
Belyaev, I. N., Aver'yanova, L. N., and Ezhov, V. M. X-ray diffraction study of the systems $SrZrO_3$-$LaTaO_4$ and $SrTiO_3$-$LaTaO_4$ (10) 220*g*.
Belyaev, I. N., Aver'yanova, L. N., Ezhov, V. M., and Balashov, D. V. New compounds with pyrochlore structure (4) 100*j*.
Belyaev, I. N., Lapelko, T. G., and Kirpi, G. P. Phase equilibria in the system Na,Tl||SO_4,VO_3 (11) 235*j*.
Belyaev, I. N., Shurginov, E. A., and Kudryashov, N. S. Thermal analysis of the system Al-BI_2 (4) 103*i*.
Belyaev, L. M. See Lobachev, A. N. ; Lyubutin, I. S.
Belyaeva, A. I., Kotlarskii, M. M., Vainshtein, R. A., and Balashov, A. M. Role of Tm^{3+} in low-temp. specific heat anomaly of $TmFeO_3$ (11) 235*g*.
Belyakova, L. L., and Yafaev, N. R. EPR of S radicals in glasses (1) 4*h*.
Belyn, G. See Cernoch, S.
Belyustin, Anatoly A. See Nikol'skii, Boris P.
Benedicti, P. See Benoit, J.
Benard, Claude Tunnel [glass] furnace (resistance type), P (10) 207*h*.
Benavides, Margaret E. See Munir, Zuhair A.
Benbow, John J., and Lord, Leslie W. Catalyst support, P (11) 233*d*.
Bendo, David, and Kerstetter, Donald R. CRT having a conductive metallic coating therein, P (6) 127*i*.
Bendeliani, N. A. See Baneeva, M. I.
Bender, W. Schoentonwerke claims full automation (4) 89*i*.
BenDor, L., and Shimony, Y. Crystal structure, magnetic susceptibility, and electrical conductivity of pure and NiO-doped MoO_2 and WO_2 (10) 215*e*.
Benedict, R. P. Generating thermocouple reference tables (5) 117*f*.
Benford, Charles L., Jr., and Mielke, James E. Glass decoration, P (7) 146*b*.
Benidze, O. M., and Zalesskii, A. V. Domain structure of large Y orthoferrite single crystal (3) 78*d*.
Benin, D. Thermal conductivity of LiF and NaF and the Ziman limit (8) 179*i*.
Beninga, Dunne H., and Gibbons, Hugh P. Organic resin-glass composite and method for making, P (2) 36*b*.
Benneema, P. See Gilmer, G. H.
Bennet, H. Trends in ceramic analysis (11) 232*h*.
Bennett, Harold E. Roughness analyzer, P (3) 65*e*.
Bennett, Herbert S. Internal electric fields near isolated defects in ionic crystals (2) 52*j*; Optical properties of *U* centers in alkali halides and alkaline earth fluorides (4) 101*d*.
Bennett, Jean M. See Ashley, Edmond J.
Bennett, William R. See Inns, David H.
Bennington, K. O., and Brown, R. R. Thermodynamic properties of three Na titanates (2) 57*i*.
Benoit, J., and Bonalloul, P. $^5D_3 \rightarrow {}^7F_J$ transitions by cathodoluminescence of thin films of TbF_3, ZnS-TbF_3, and ZnS:Tb^{3+} (11) 234*g*; Yellow emission in the cathodoluminescence of ZnS:Cu,Cl thin films (11) 236*b*.
Benshtein, Yu. N. See Butt, Yu. M.
Benson, A. J. Thermostatic control system, P (4) 97*h*.
Bensted, J., and Varma, S. Prakash Studies of ettringite and its derivatives: IV, Low-sulfate form of Ca sulfoaluminate (monosulfate) (8) 162*e*.
Benton, Samuel T. See Gustison, Robert A.
Benton, Samuel T., and Schmitt, Charles R. Method of preparing a syntactic C foam, P (9) 188*h*.
Benton, V. M., and Turyanitsa, I. D. Photoemission from crystals and glasses of some chalcogenides (9) 185*i*.
Bentz, A. See Leineweber, L.
Ben-Yair, M. Effect of chlorides on concrete in hot and arid regions (9) 182*f*.
Benz, Mark G., and Martin, Donald L. Stabilized permanent magnet comprising a sintered and quenched body of compacted Co-rare earth particles, P (1) 15*c*.
Benz, Robert Tb-N-O phase diagram (8) 171*e*.
Benz, Robert, Elliott, John F., and Chipman, John Solid phases of the Mn-C system (10) 219*d*.
Benz, Robert, and Farr, J. D. X-ray diffraction of UC-UC_2 and UC-UN alloys at elevated temps. (5) 115*j*.
Benzar, V. K. See Khomich, V. Kh.
Benzel, J. F. See Jen, Chi-chin
Berak, Josef M. See Popowicz, Marian
Beranger, G. See Morin, F.
Berard, M. F. See Basler, D. B.
Berden, W. J. H. Specific density of alpha and beta $CaSO_4$ hemihydrate (11) 235*i*.
Bereha, D. M. See Baletskii, D. Yu.
Bereshkova, G. V., Gerasimov, Yu. M., Govorkov, V. G., and Kozlovskaya, E. P. High-voltage electron microscopy of corundum single crystals (10) 217*a*.
Bereshnoi, A. A. Photoinduced birefringence in Zn selenide crystals (9) 197*e*. See Kamzina, L. S.
Bereshnoi, A. I., Ivanova, V. I., Krasnikov, A. S., and Krasnikova, M. D. Dislocation structures and properties of Sr-containing Li aluminosilicate photo-glass-ceramics (5) 108*d*.
Berezina, M. I., Pechkovskii, V. V., and Pinaev, G. F. Thermal dissociation of Be selenite (1) 29*j*.
Berg, Egon Antonio Torres Properties of talcs from Parana, Brazil (6) 140*e*.
Berger, A. S., Samsonova, T. I., and Poroshina, I. A. Synthesis and properties of crystalline gallosilicates of alkali metals, $M_2O.Ga_2O_3.2SiO_2$ (1) 28*e*.
Berger, Horst H., and Wiedmann, Siegfried K. Multilayered vertical transistor having reachthrough isolating contacts, P (11) 231*d*.
Berger, M. G. See Logvinenko, N. V.
Berger, R. L. Properties of concrete with cement clinker aggregate (6) 126*e*. See Young, J. F.
Berger, R. L., Lawrence, F. V., Jr., and Young, J. F. Hydration of tricalcium silicate pastes: II, Strength development and fracture characteristics (2) 32*c*.
Bergeron, Charles R. See Baker, Ralph W.
Bergeron, Clifton G. See Marlor, A. J. ; Nagel, Suzanne R.
Bergeron, Grafton L. Method of preparing asbestos slurry, P (3) 76*b*.
Bergfelt, Nils H. See Thelen, Alfred J.
Bergman, A. G. See Drobasheva, T. I. ; Larina, R. A.
Bergman, A. G., Machavariani, Z. N., and Mal'tsev, V. T. System PbO-GeO_2-WO_3 (6) 141*e*.
Bergman, A. G., Vorkov, V. L., and Mal'tsev, V. T. System K_2O-B_2O_3-WO_3 (10) 219*f*.
Bergmann, G. See Hanusch, W.
Bergmann, Karl, and Trojer, Felix Causes of F emission in tunnel kilns and possibility of their prevention (2) 47*e*.
Bergt, Hans E. Light-sensitive semiconductor device, P (1) 14*h*.
Berjaun, R. See Coutures, J. P.
Berjaun, R., Traverso, J. P., and Coutures, J. P. Structural study and thermal decomposition of basic La peroxychromate (9) 198*j*.
Berka, Josef, and Kurilova, Ludmila Clogging of tank furnace recuperators (11) 223*h*.
Berkenblit, Melvin, Cole, James N., Herrell, Dennis J., Light, Thomas B., and et al. Methods for fabricating bistable resistors, P (7) 150*d*.
Berl, Kathe Liquid enamels for background and texture (6) 125*h*; Using liquid enamels in bead making (10) 201*i*.
Berlinger, W. See Von Waldkirch, Th.
Berman, Gary W. See Hommel, Richard O.
Berman, I., and Ryan, C. E. Growth of SiC needles by the VLS method (2) 40*e*.
Bernal G., E., and Koepke, B. G. Residual stresses in machined MgO crystals (1) 27*h*.
Bernard, D., Pannetier, J., Moisan, J. Y., and Lucas, J. Influence of substitutions on the phase transitions of pyrochlores derived from $Cd_2Nb_2O_6S$ (4) 99*j*.
Bernard, H. W. See Riehl, J. W.
Bernard, Jean Luc, Baffier, Noel, and Huber, Michel Crystalline distortion and cation distribution in spinels of the type $CoMn_xFe_{2-x}O_4$ (4) 98*f*.
Berne, F. Treatment of pre-enameling pickling effluents (8) 163*a*.
Berner, Warren E. Process for mfg. of substrate-supported semiconductive stack, P (1) 15*h*; Semiconductor device including low-impedance connections, P (3) 72*j*.
Bernhardt, Harvey A. See Gustison, Robert A.
Bernstein, J. L. See Abrahams, S. C.
Berova, S. See Popova, Ek.
Berre, B. See Fossheim, K.
Berry, Norman H. Ignition circuit radiation suppression structure, P (3) 71*d*.
Berry, W. B. See Kazmerski, L. L.
Bershtein, V. A., Nikitin, V. V., Stepanov, V. A., and Shamrai, L. M. Hydrolytic mechanism of destruction of glass under load (6) 127*c*.
Bertaut, E. F. See Fruchart, D.
Berthier, Rene M. Process for making noncorrosive cement with controlled setting time, P (2) 33*b*.
Berthold, Hans Joachim, Hein, Hilmar Goetz, and Reuter, Herbert Preparation and X-ray diffraction study of U nitrides UN_x (x>1.75) (2) 44*d*.
Berti, G., and Tongiorgi, L. Pottery basins on some churches in the Lucca countryside (3) 61*d*.
Bertolotti, Raymond L. Strength and absorbed energy in instrumented impact tests of polycrystalline Al_2O_3 (8) 179*j*.
Bertorelli, Orlando L. Production of finely amorphous aluminosilicate pigments from kaolin, P (5) 119*h*.
Bertsch, B. E., Larson, D. R., and Hasselman, D. P. H. Effect of crack density on strength loss of polycrystalline Al_2O_3 subjected to severe thermal shock (6) 137*g*.
Bertush, B. O. See Aivazov, V. Ya.
Berul, S. I. See Lazarev, V. B. ; Salov, A. V.
Besancon, Pierre Beta variety of rare-earth sulfides (2) 49*g*.
Besse, Jean Pierre See Vedrine, Alain
Besselere, Jean P. See Ayel, Michel
Besser, Paul J. See Mee, Jack E.
Besson, G., Tchoubar, C., and Mering, J. Order-disorder relations in distribution of 2/1 phyllosilicates of the smectite group (6) 139*f*.
Bessonov, A. F. See Slobodyanyuk, A. A.
Beswick, D. M., and Lang, A. R. X-ray topographic observations on natural fluorite (2) 58*b*.
Beumer, B. Continuous conveyors—present state, standardization, safety (4) 95*f*.
Bevan, D. J. M. See Parks, T. C.
Beyer, Hermann See Broll, Arno
Beyer, Klaus D. Method for diffusing As into Si from a solid phase, P (8) 170*f*.
Beynon, T. D. See Moon, J. R.
Beynon, T. D., and Moon, J. R. Thermal neutron transport near a moderator discontinuity using the method of weighted residuals: I, Theory (10) 212*a*; III, Temp. discontinuities in graphite and light water (10) 212*c*.
Bezerianos, N., and Vook, R. W. Thermal vaporization from the (111) CaF_2 face (2) 57*h*.
Bezombes, Albert Supporting and tempering bent glass plates, P (8) 166*j*; Glass heating and tempering apparatus, P (9) 186*f*.
Bhat, H. L. See Patel, A. R.
Bhattacharyya, Arup, and Dinklage, John B. Gate oxide early fail screening test utilizing a low-pressure plasma, P (7) 149*b*.
Bhattacharyya, Manoranjan See Bose, Monisha
Bhide, V. G., and Hedge, M. S. Moessbauer effect for ^{57}Fe in ferroelectric Pb titanate (7) 156*b*.
Bhide, V. G., Rajoria, D. S., Rao, G. Rama, and Rao, C. N. R. Moessbauer studies of the high-spin-low-spin equilibria and the localized-collective electron transition in $LaCoO_3$ (8) 177*j*.
Biale, Marcel See Balta, Petru
Bianchi, Giuseppe, and Nidola, Antonio E. Activated graphite [catalyst], P (1) 20*f*.
Biard, James R. Edge emission GaAs light emitter structure, P (11) 230*i*.
Biavati, Eros The Richards—developers of pottery factories since 1822 (3) 61*e*.
Bickle, Larry W., and Keltner, Ned R. Measuring transient surface temps. (4) 96*h*.
Bicknell, R. W. Simple rotating jet-thinning apparatus for producing taper sections and electron microscope specimens from Si and compound semiconductors (9) 190*i*.
Biehl, Norbert Tests on ceramic bodies—explanation of the

causes of frost susceptibility of clayware products (3) 66*e*.

Bieker, B. See Schultz, A. H.

Bieker, Barrie H. See Almoguera, Antonio L.

Bienert, Klaus See Arsen'ev, P. A.

Bieniek, Andrew S. Report on PEI Bulletin P-302--porcelain enamel application by dipping and flow coating (9) 183*f*.

Bieuveux, G. See Gentaz, C.

Bier, David A., and Curtze, Edward W. Cutting of glass, P (1) 7*b*.

Bierstedt, P. E. See Brixner, L. H.

Biestek, Tadeusz, Sekowski, Stefan, and Zawadzka, Mirosława Relation of thickness, impedance, and corrosion resistance of oxide coatings on Al and its alloys: I (3) 62*g*.

Biffi, G. See Dardi, M.

Bigg, Donald, and Middleman, Stanley Mixing in a screw extruder--a model for residence time distribution and strain (9) 193*f*.

Bilal, Abdel-Latif, Metscher, Klaus, and Zimen, Karl E. Method of separating Pu from U and from other transuranium elements, P (11) 231*g*.

Biller, Larry N., Jozefowski, John E., and Uber, Joseph F. Properties of enameling clays (9) 183*e*.

Billy, M. See Tetard, D.

Binder, Horst, Kuhn, Wolfgang H., and Sandstede, Gerd Electrodes with mixed catalysts of metal carbide [WC] for H fuel cells, P (1) 10*g*.

Binder, Kurt Method and apparatus for continuously casting nonferrous metals in a graphite-glassy substance mold, P (7) 148*b*.

Bindler, I. A., Kynatov, P. B., and Mikhailov, V. M. Aerofountain dryer for free-flowing materials (9) 181*i*.

Bingeman, Wilbur H., Grimone, Frank H., and Kerstetter, Donald R. Electron discharge device having increased heater-cathode breakdown voltage, P (2) 35*f*.

Birbeck, J. C. H. See Wight, D. R.

Birchall, James D., and Cassidy, John E. Graphite compositions, P (9) 188*f*.

Birchall, James D., Cassidy, John E., Priddle, John E., and Smith, Laurence M. Glass laminates, P (7) 146*b*.

Bird, B. D., Osborne, G. A., and Stephens, P. J. Magnetic circular dichroism of impurities in solids--vibrationally induced *d*–*d* transitions in MgO:Ni (7) 156*h*.

Bird, G. W., and Fawcett, J. J. Stability relations of Mg-chlorite-muscovite and quartz between 5 and 10 kbars water pressure (6) 141*f*.

Birdsall, Derek (Editor) Living Treasures of Japan, B (3) 82*d*.

Birgiechner, Georg Method of mfg. semiconductor component, P (2) 42*b*.

Birkholz, U. See Waldecker, G.

Birley, A. W. See Ross, G.

Birlogeanu, C. See Dragomir, C.

Birnbaum, Milton, and Gelbwachs, Jerry A. Stimulated-emission cross section of Nd^{3+} at 1.06 μm in $POCl_3$, YAG, $CaWO_4$, ED-2 glass, and LG55 glass (3) 64*f*.

Biron, E. See Reisfeld, R.

Bischoff, John T. See Chun, Myung, K.

Bishay, A. M. See Levy, P. W.

Bishay, A. M., El-Hamamsy, Mahmoud A., and Omar, Mohammed H. Glass showing electrical switching phenomena, P (5) 109*h*.

Bishop, H. E., and Poole, D. M. Simple method of thin-film analysis in the electron probe microanalyzer (3) 74*f*.

Bishop, John T. Package tunnel kilns and low-thermal-mass kiln cars (1) 19*b*.

Bishop, John W. See Robinson, Ernest B.

Bishop, P. T. See Owen, M. J.

Bishop, S. G., Taylor, P. C., and Mitchell, D. L. Structural studies of liquid chalcogenide semiconductors (10) 219*f*.

Bishop, Stephen G. See Mitchell, Dean L.

Bishop, Stephen G., and Moore, W. J. Chalcogenide glass bolometers (11) 223*g*.

Bishop, Stephen G., and Moore, William J. Two-dimensional imaging array of chalcogenide glass bolometers, P (2) 37*f*: Chalcogenide glass bolometer, P (5) 114*f*.

Bishui, B. M., and Ghosh, D. K. Electron microscope study of some Indian clays (10) 216*j*.

Bishui, B. M., and Kosur, P. Effects of various additives on the hydration reaction of cement clinkers (10) 202*a*.

Bishui, B. M., and Nandi, A. K. Thermodynamic approach to induced mullitization of kaolinite in the presence of Al fluoride (3) 81*h*.

Bisinella, Angelo J., and Nosek, Roy F. Apparatus for lining the walls of metallurgical vessels with prepared refractory material, P (4) 91*b*.

Bismuth, G. See Micheron, F.

Bither, Tom A., Jr. Isotypic borates of Al, Rh, and Tl of calcite-type crystal structure, P (1) 20*i*; Pd phosphide chalcogenides, P (2) 43*g*.

Blachere, J. R. Modification of *t* curve for N_2 adsorption on porous glass (7) 145*h*. See Sugarman, A. C.

Blachere, J. R., and Young, J. E. Failure of capillary theory of frost damage as applied to ceramics (6) 128*f*.

Black, James R., and Gurev, Harold S. Vertical resistor, P (4) 94*j*.

Black, James R., and Mattox, Robert J. Method of preventing a chemical reaction between Al and Si dioxide in a semiconductor device, P (11) 231*b*.

Black, Joseph M. Blank for shadow mask for color TV picture tube, P (1) 7*a*.

Black, W. H. See Audette, R. J.

Black, William B. Quarl burner, P (7) 148*f*.

Blackburn, D. H. See Napolitano, Albert

Blackburn, Douglas H. See Haller, Wolfgang K. ; Simmons, Joseph H.

Blackburn, P. E. See Battles, J. E.

Blackham, Kenneth K. See Zollweg, Robert J.

Blackman, Elliot S. See Nisenson, Peter

Blacknall, D. M. See Doerbeck, F. H.

Blair, D. G. Theory of high-temp. breakaway of dislocations from a row of randomly placed pinning agents (2) 57*a*.

Blair, G. Richard, and Elam, Michael R. Coated [borate glaze] wire and method, P (8) 169*i*.

Blair, H. D., and Millberg, M. E. Structure of Tl silicate glass (7) 146*d*.

Blaise, Jean, and Wyart, Jean Francois Classification of the optical spectra of lanthanides (9) 194*i*.

Blake, H. E., Jr. See Rule, A. R.

Blake, Melvyn New improved Si_3N_4 vies for high performance bearings (6) 129*e*.

Blake, W. B. J. See Halliburton, Larry E.

Blakemore, J. S. See Brown, W. J., Jr.

Blakemore, J. S., Brown, Winfield J., Jr., Stass, Merrill L., and Woodbury, Dustin A. Thermal activation energy of Mn acceptors in GaAs as a function of impurity spacing (10) 219*i*.

Blaker, Ivar, Boeyum, Oeystein, Andreassen, Knut A., Lunde, Reidar S., and et al. Process for the preparation of anhydrous $MgCl_2$ from Mg chloride hydrates, P (1) 20*f*.

Blanchard, G. Mfg. and characteristics of thin metal sheets for enameling (8) 163*g*.

Blanchard, Margot Karen Park's ceramic wall reliefs (7) 143*i*.

Blanchet, Pierre See Recasens, Joseph

Blanco, Louis A. Method for the preparation of an overglaze ceramic decalcomania, P (3) 68*j*.

Blanco, Louis A., and Meade, Hazel W. Ceramic decalcomania bonding agent, P (3) 68*i*.

Blaney, T. G., and Knight, D. J. E. Experiments using a superconducting point-contact harmonic mixer near 1 THz (3) 69*e*.

Blank, Stuart L., LeCraw, Roy C., Levinstein, Hyman J., Tien, Ping King, and et al. Optical wave-guide devices using single-crystal garnet films, P (2) 43*f*.

Blankenhorn, P. R. See Whiting, D. A.

Blasse, G. Thermal quenching of characteristic luminescence: II (10) 220*a*. See Bode, J. H. G. ; Buyserd, J. ; Draai, W. T.

Blasse, George Eu^{3+} luminescence as a measure for chemical bond differences in solids (2) 51*g*; Vibrational spectra of Y niobate and tantalate (2) 57*i*; Ir spectrum and crystal structure of $Ba_3Fe_2WO_9$ (3) 79*h*; Crystal chemistry and rare-earth luminescence of mixed metal oxides (9) 195*b*. See Kaleveld, E. W.

Blazhev, B. See Brankin, K.

Bleha, William P., Jr. See Braunstein, Morris ; Scholl, Ronald F.

Bleiffuss, R. L. Activation of nonswelling bentonite (6) 136*f*.

Biell, Carl E. Horizontal growth of crystal ribbons, P (1) 14*d*.

Blencowe, Clifford A. Thermocouple with spaced electrically insulating sheaths, P (8) 166*j*.

Blessing, R. H. See Clearfield, A.

Blickwede, D. J. Enameling and the microconstituents in steel (9) 183*j*.

Bliemeister, Robert M. Support bearing and assembly for rotary kilns, P (5) 118*j*.

Blin, Clement Quality control in mfg. of fine ceramics (10) 212*e*.

Blinc, R., Mali, M., Pirs, J., and Zumer, S. ^{75}As spin-lattice relaxation and resonance in KH_2AsO_4-type ferroelectric crystals (3) 76*j*.

Bliss, G. W. H., and Long, J. L. Thermally insulating materials, P (2) 39*i*.

Bloch, D., and Maury, R. Uniaxial stress experiments and magnetoelastic interactions in MnO (8) 180*g*.

Block, Jacob, Shoup, Robert D., Laine, Norman R., and Triggiani, Leonard V. Process for the formation of metal carbide and metal carbide plus C microspheres, P (2) 39*e*.

Blodgett, William E. See Kiger, W. Terry

Bloechl, Walter, and Oberbacher, Bonifaz Process for the production of pure concentrated HF from impure fluosilicic acid, P (3) 76*d*.

Bloembergen, N. See Levenson, M. D.

Bloom, John A. Formation [CVD] of refractory coatings on steel without loss of temper of steel, P (3) 62*i*.

Bloss, F. Donald, and Riess, Dean Computer determination of 2*V* and indicatrix orientation from extinction data (5) 117*b*.

Blouet, Jean See Courcier, Francois

Blue, P. L. Nondestructive emissive coating measurement method (11) 223*a*.

Blum, Joseph M., and Shih, Kwang K. Open tube diffusion in III-V compounds, P (2) 43*f*.

Blum, L., and Frisch, H. L. General theory of elastic light scattering (3) 79*e*.

Blume, Edwin M. See Economou, Thanasis E.

Blumenfeld, S. Morry See Redington, Rowland W.

Blundell, S. J. See Craik, D. J.

Blunt, R. F., Candela, G. A., and Forman, Richard A. Effect of γ-irradiation on the magnetic properties of ruby (9) 195*j*.

Blyumin, Alfred A. See Nekrasov, K. D.

Board, R. D. See Honig, J. M.

Bobrov, V. S., Shul'ts, M. M., and Evstaf'eva, R. I. Stability of electrode potentials of Li borosilicate and some borate glasses (7) 146*c*.

Bobudaev, A. Ya., Vorob'ev, S. A., and Kaplin, V. V. Determination of the bend of single crystals by use of orientation scattering of β-particles (3) 77*f*.

Bobyiev, B. A., Kravchenko, A. F., Loburetz, Yu. V., and Salomon, S. N. Electroreflectance and galvanoluminescence of GaAs (3) 69*e*.

Boccon-Gibod, D. See Teszner, J. L.

Boch, P. See Boisson, J.

Bocharova, S. M. See Safonov, V. V.

Bochkareva, L. V., and Simashkevich, A. V. Electrical properties of ZnTe-ZnSe heterostructures (11) 229*e*.

Bochkova, R. I. See Butt, Yu. M.

Bochman, Raymond A., Dessauer, Ralph G., and Jen, Dian P. Method and apparatus for producing large-diameter monocrystals, P (8) 170*f*.

Beckstie, Lawrence G., Jr. Electrical resistor coated with flameproof coating composition, P (1) 14*a*; Flameproof protective coating for electrical film resistors, P (4) 88*b*.

Bocsi, Katalin See Gemesi, Jozsef

Bode, J. H. G., Kuijt, H. R., Lohey, M. A. J. Th., and Blasse, G. Vibrational spectra of compounds Ln_2MoO_6 and Ln_2WO_6 (4) 104*f*.

Bodine, M. W., Jr., and Fernalld, T. H. EDTA dissolution of gypsum, anhydrite, and Ca-Mg carbonates (6) 135*b*.

Bodway, George E. Thin-film capacitors and method for mfg., P (4) 94*i*; Thin-film circuits and method for mfg., P (5) 115*b*; Fabrication of thin-film resistors, P (6) 132*b*.

Boebel, Carl P., and Stevenson, Gary E. Coatings having high solar absorptance-to-ir emittance ratios, P (9) 183*i*.

Boeglin, Albert F., and Chowning, Edward A. Granulation of langbeinite, P (10) 214*f*.

Boehm, Horst Electrical conductivity of vitreous GeO_2 (2) 51*b*.

Boehm, L. See Velapoldi, R. A.

Boenisch, Dietmar, and Koehler, Bernd Thermal stability of clays and molding sand mixtures (1) 10*j*.

Boerio, Sergio See Padovani, Piero

Boesch, L. P. See Moynihan, C. T.

Boettner, George B., and Spremulli, Paul F. Apparatus for melting thermoplastic material, P (1) 6*i*.

Boev, B. See Zagorcheva, E.

Boeyum, Oeystein See Blaker, Ivar

Boffe, Maurice, and Toussaint, Francois Diffusion methods and treating mediums for improving the properties of [glass] materials, P (9) 186*e*.

Bogdanov, Vladimir G. See Kozlenkov, Alexandr I.

Bogdanova, I. V. See Egorov, G. B.

Boggum, Paul Basic materials for glass furnace construction (8) 167*a*.

Bognar, Lewis L. Forming vessels from green glass-ceramic sheets, P (4) 88*d*.

Bogomolov, B. N., Seletskikh, A. B., and Chesnokov, B. F. Method of fastening linings in rotary kilns (9) 182*c*.

Bogoslovskii, V. N. See Arkharov, V. I.

Bogrets, German N., Semenov, Oleg A., Dudkin, Vyacheslav F., and Verontsov, Anatoly K. Apparatus for making profiled articles, P (11) 225*b*.

Boh, Milos Effect of the components on the properties of neutral glasses (11) 223*d*.

Bohor, B. F. See Ehrlinger, H. P., III

Boichenko, B. M. See Belopol'skii, G. M.

Boilot, J. P., Thery, J., and Collongues, R. β- and β''-alumina-type phases in the system Na_2O-Ga_2O_3 (2) 49*e*.

Boisson, J., Piston, F., and Boch, P. Evolution of elastic and anelastic constants of porcelain with firing temp. (11) 228*d*.

Bolteux, M., Doussineau, P., Ferry, B., and Hoechli, U. T. Antiferroacoustic resonances and magnetoelastic coupling in $GdAlO_3$ (8) 174*f*.

Boivin, Louis P. Coupling of lasers to optical fibers, P (4) 87*j*.

Boix, A., Draignaud, M., and Debras-Guedon, J. X-ray fluorescence spectrometric analysis of silicates and ceramic products (11) 232*i*.

Bokros, Jack C. C-Si coating alloys for improved irradiation stability, P (2) 45*c*.

Boksha, O. N., and Varina, T. M. Absorption spectra of Mg-WO_4 crystals activated by Cr^{3+} and Co^{3+} ions (1) 21*b*.

Boksha, S. S. High gas pressure crystal growth of Sb sulfoiodide, Ni carbonate, and black P (2) 52*j*.

Bole, Hamilton B. Lens frangibility testing apparatus [drop ball], P (6) 128*d*.

Bole, Hamilton B., and Chace, Howard E. Apparatus for heat-treating lenses, P (2) 35*a*.

Boleky, Edward J., III Fabrication of monolithic integrated circuits, P (6) 132*a*.

Boling, N. L., Crisp, M. D., and Dube, G. Laser-induced surface damage (11) 224*g*.

Boller, Thomas E. Method of treating a surface of a glass article and the glass article produced, P (7) 146*i*.

Bolotin, A., Lias, A., and Litinskii, A. Electronic structure of AlH_3 (8) 175*j*.

Boltaks, B. I. See Sagatov, M. A.

Bolwijn, P. T., Schipper, D. J., and van Doorn, C. Z. Cathodochromic properties of sodalite (2) 49*g*.

Bolze, G. M. See Kirkaldy, J. S.

Bomar, Edward S. See Tennery, V. J.

Bomberger, Henry A. Flexible intermediate-temp. mineral wool board, P (4) 88*c*.

Bon, Charles K., and Johnson, David R. Low-velocity burner for thermal expansion of particulate solids, P (1) 19*g*.

Bonazoli, Robert P., and Keenan, James P. Lamp assembly and method of making high-silica lamps, P (1) 7*i*.

Bond, Fred C. Apparatus for and method of controlling feed of grinding media to a grinding mill, P (3) 73*b*.

Bondar, I. A., Glushkova, V. B., Tselitin, P. A., Pozharskii, B. G., and et al. Phase transitions in Al_2O_3 (1) 26*b*; Phase transitions in TiO_2 (1) 26*c*.

Bondarenko, V. S. See Dudkevich, V. P.

Bondarev, Konstantin T., Golius, Tamara E., Minakov, Anatoly G., Minakov, Vladimir A., and et al. Method of mfg. crystal-

line glass articles, P (8) 166*a*.
Bondarev, Konstantin T., Pavlushkin, Nikolai M., Tykachinskii, Isai D., Kozlovskii, Viktor S., and et al. Method of producing rolled porous glass-ceramic material, P (9) 186*j*.
Bondarev, Vitaly P., Tumulan, Georgy V., Budennyi, Genady G., Mgeladze, Nodar V., and et al. Device for evaluating the quality of cake in intermittent filters, P (10) 212*h*.
Bondareva, L. N. See Dvornikova, L. M.
Bonecutter, Charles A. See Murib, Jawad H.
Bonet, C., Vallbona, G., Foex, M., Daguenet, M., and et al. High-temp. processing of superrefractories in a plasma fluidized bed reactor (11) 226*i*.
Boogenaar, Hendrik See Eisses, Reinhart C. W.
Bonham, Roger D. Ceramic sculpture of Joe Ann Cousino (7) 143*h*; Lion's Head Pottery (11) 221*f*.
Bonner, W. A. See van der Ziel, J. P. ; Warner, A. W.
Bonner, W. A., Gemic, J. E., Smith, D. H., Rossol, F. C., and et al. Characteristics of temp.-stable Eu-based garnet films for magnetic bubble applications (6) 130*b*.
Bonnetin, Alain See Thach Lan Tran
Booker, Graham Roger See Joy, David Charles
Boonen, Henry See Toussaint, Robert
Booth, Dennis See Laidler, Thomas G.
Booth, John F. Mfg. of hollow clayware articles, P (11) 232*b*.
Bopp, Anton Method for surface hardening steel and cemented carbides, P (3) 67*g*.
Bora, M. N., Hatiberua, J., and Mahanta, P. C. Mineralogical studies of some Assam and Meghalaya clays by crystallographic and physicochemical methods (10) 217*f*.
Bordes, Roger R. Methods for the mfg. of lightweight optical parts, P (1) 7*i*.
Bordure, G. See Llinares, C.
Borer, Albert, and Krogseng, Gerald P. Method of firing dry spun refractory oxide fibers, P (1) 11*c*.
Borg, M., and Ray, D. K. Effect of the anharmonic interactions on the spin-lattice relaxation of paramagnetic ions in an MgO crystal (8) 175*g*.
Borgianni, Carlo See Baldieri, Francesco
Borisov, Iv. Relation between viscosity and temp. in bulgarites determined using a Leitz hot-stage microscope (11) 235*f*.
Borisov, Ivan, and Pavlova, Yuiya Secondary crystallization of vitrified basaltic melts (7) 157*h*.
Borisov, S. V. See Polyanskaya, T. M.
Borisova, Z. U. Glass formation in chalcogenide systems (1) 4*h*. See Obraztsov, A. A. ; Pazin, A. V.
Bork, Peter Glass molding apparatus, P (9) 186*g*.
Borlera, M. Lucco, and Pradelli, G. Fe-Cr-B system—coexistence relations at the solid state between phases of the system at 1250°C (10) 217*h*.
Bormans, Josef M. J. See Visser, Reier
Born, Liborius See Noll, Walter
Bornarel, Jean Existence of dislocations at domain tips in ferroelectric crystal KH_2PO_4 (2) 51*h*.
Bornstein, Norman S., and De Crescente, Michael A. Protective coatings for metal substrates, P (2) 33*i*.
Borodin, V. Z. See Nikiforov, I. Ya.
Boross, Marcus P., and Burke, Joseph E. Surface heating apparatus, P (10) 207*f*.
Boross, Marcus P., and DeVries, Robert C. Thermochromic surface heating apparatus, P (5) 110*h*.
Boros, M., and Juhasz, Z. Water absorption of gypsum from atmospheric moisture (9) 183*d*.
Borovich, T. L. See Osipov, K. A.
Borowski, Bernard J. Fe-containing porcelain enamels for self-cleaning cooking oven, P (1) 3*h*.
Borrel, Philippe See Masotti, Robert
Borrelli, N. F. Magnetic bubble detection using wave-guide fiber optics (9) 196*h*.
Borri, Frank J., and Lindson, John T. Frit composition for producing acid-resistant vitreous enamels on cast iron, P (3) 62*i*.
Borstel, G. See Claus, R.
Bortfeld, D. P., Curtis, B. J., and Meier, H. Electrical properties of C-doped GaP (2) 51*c*.
Bortfeld, D. P., and Meier, H. Refractive indices and electrooptic coeffs. of the eulytites $Bi_4Ge_3O_{12}$ and $Bi_4Si_3O_{12}$ (6) 140*c*.
Borthakur, P. C., Chaitaraj, B. D., Dutta, S. N., and Iyengar, M. S. Quality assessment of molecular sieve zeolites by thermal analysis (2) 55*h*.
Bortnikova, T. P. See Akopov, E. K.
Borton, D. F. See Whitaker, A.
Bortz, S. A., and Onesto, E. J. Flame-sprayed bioceramics (2) 33*d*.
Borukhovich, A. S., Baznev, G. V., and Shvetkin, G. P. Heat capacity and magnetic phase transition in $LaVO_3$ (3) 79*d*.
Bosch, Gerrit Semiconductor device having an integrated thermocouple, P (2) 43*g*.
Boscolo, Carlo See Sperandio, Claudio
Bose, D. K. See Mehra, O. K.
Bose, Monisha, and Bhattacharyya, Manoranjan Nuclear magnetic resonance studies in a number of rare-earth phosphates (6) 139*f*.
Bosma, Robert W., and Pettee, George H. Segmental cutoff grinding wheel, P (7) 143*g*.
Bosnell, J. See Thomas, C. B.
Boss, David W., Hull, Edward M., and Scilla, Salvatore J. Boat structure in an apparatus for making semiconductor compound single crystals, P (7) 149*h*.
Boss, David W., Kemlage, Bernard M., Lyons, Vincent J., and Pegge, Hans B. Method for minimizing autodoping in epitaxial deposition, P (2) 42*f*.
Bossart, Clayton J., and Poll, Albert A. Apparatus for determining the CO, methane, and total hydrocarbons content in air, P (6) 134*g*.
Bosselaar, Cornelis A. Guard junction for semiconductor devices, P (2) 41*b*.
Boteler, R. C. See Granquist, W. T.
Boto, Louis Apparatus for forming a refractory nozzle body, P (8) 167*j*.
Bottelberghs, P. H. See Van Gool, W.
Bottom, Virgil E. Dielectric constants of quartz (2) 50*h*.
Bouaziz, Roger See Maraine-Giroux, Colette
Bouchard, Andre C., Gaudet, Peter W., and Thomas, Martha J. B. Method of mfg. arc discharge lamps, P (1) 7*e*.
Bouchard, R. J. See Butler, S. R.
Bouchard, Robert J. Compositions for making resistors comprising Pb-containing polynary oxide, P (4) 93*b*.
Bougnet, G. See Galibert, G.
Boulon, G. See Pedrini, C.
Boulouz, Jean Claude, and Galy, Jean Hypovanadates MV_2O_7 (M = Ca,Sr,Cd). Crystal structure of CaV_2O_7 (3) 79*j*.
Boultbee, Donald Porcelain enamel ground coat slip behavior (9) 183*d*.
Bourdeau, Romeo G. W-coated glass fiber, P (6) 128*e*.
Bourgoin, J. C., Brousseau, P. R., Kim, Y. M., Corbett, J. W., and et al. EPR of free and bound holes in diamonds (2) 51*i*.
Bourne, D. E. See Austin, M. J.
Bousoiba, A. See Gentaz, C.
Boutaine, Jean L., Bujas, Roko, and Tortel, Jean Method and apparatus for checking positions of bottom end walls of blind holes formed in a part and in particular in a graphite block, P (11) 231*f*.
Bouvier, John J. See Schwarzkopf, Henry
Boux, Joseph F. See Pennachetti, John T.
Bowden, Henry J. See Schleifer, Ronald H.
Bowen, D. H. See Henderson, Brian
Bowen, G. W., Broadbent, J. M., and Walters, K. New rheometer designs: III, Anomalous results for highly viscous liquids (10) 218*b*.
Bowen, H. K., Singh, R. N., Posen, H., Armington, A., and et al. Fabrication and properties of polycrystalline alkali halides (5) 120*b*.
Bowers, Vernon A. See Adrian, Frank J.
Bowker, A. Reliable ignition of rotary kiln burners (1) 19*c*.
Bowles, Andrew D., and Parsons, Samuel J. Method of preparing lightweight concrete and plaster and the lightweight concrete and plaster thus prepared, P (2) 33*a*.
Bowles, Arnold G. Water-cooled reactor core test apparatus, P (3) 73*d*.
Bowley, David L. Enameling experiences with interstitial-free steels (10) 203*h*.
Bowie, C. High-temp. thermally stimulated currents in type Ia and type IIa diamonds (2) 52*b*.
Bowman, B., and Fitzgerald, F. Hot spots in arc furnaces (1) 19*j*.
Bowman, Edward W. Jet-fired zonal lehr for applying treating medium inside and outside of glass containers simultaneously, P (1) 7*i*; Glassware assembling and lehr loading mechanism, P (2) 36*d*.
Bowman, Edward W., Bowman, Murial B., and Bowman, Michael E. Method and apparatus for heating, annealing, tempering, decorating, and handling glassware, P (9) 186*c*.
Bowman, H. R., Asaro, F., and Perlman, I. Composition variations in obsidian sources and archeological implications (10) 201*j*.
Bowman, Horace A., Schoonover, Randall M., and Carroll, C. Leon Density scale based on solid objects (6) 134*h*.
Bowman, Melvin G., and Vier, Dwayne T. Gas mixture for forming protective coatings on graphite, P (5) 112*c*.
Bowman, Michael E. See Bowman, Edward W.
Bowman, Murial B. See Bowman, Edward W.
Bowman, Robert S. Bicharge ZnO, P (8) 169*h*.
Bowman, Ronald R. Fabrication of semiconductor devices, P (10) 210*e*.
Bowser, George H. Multiple glazed unit, P (1) 7*i*.
Boxall, L. G., Jones, H. L., and Osteryoung, R. A. Solvent equilibria of $AlCl_3$-NaCl melts (2) 55*i*.
Boyadzhieva, Kh. See Vulkov, V.
Boyadzhieva, P. See Stefanov, G.
Boyd, David C. Na aluminosilicate glass article strengthened by a surface compressive stress layer, P (4) 89*h*.
Boyd, David C., and Williams, Joseph M. High-strength ophthalmic lens, P (6) 128*c*.
Boyd, James Ceramics—man's assurance of abundant materials (11) 233*i*.
Boyd, W. E. Gunned mixes and castable materials for cement kilns (4) 90*j*.
Boyer, L. L., and Hardy, J. R. Lattice dynamics of a rigid-ion model for Gd molybdate (9) 196*e*.
Boyle, Willard S., and Smith, George E. Buried channel charge coupled devices, P (6) 131*g*.
Bozadzhiev, L., and Popova, El. Mineralogical composition of kaolins and refractory clays (11) 235*e*.
Bozanic, Donald A., Mergerian, Dickron, and Minarik, Ronald W. Generation of repetitive spin echoes in rutile, P (11) 230*c*.
Bozanic, Donald A., Mergerian, Dickron, Minarik, Ronald W., and Placeffs, Peter H. High bandwidth-time product [rutile] spin-echo system, P (4) 93*g*.
Bozer, Keith B., and Cooper, Ronald H. Cementitious compositions, P (10) 203*d*.
Bozsin, Michael Porcelain enamel related environmental problems (10) 203*b*.
Brabers, M. See Gorle, F.
Brachthauser, Knulbert, and Langmaack, Juergen Method of increasing the cooling effect of a rotary kiln satellite cooler and device for carrying out the method, P (11) 233*g*.
Brack, Karl, Ghafghaichi, Majid, and Wimpfheimer, Hans Integrated-circuit structure electrically isolated by a combination of amorphous Si walls and isolating *pn* junction, P (5) 114*i*.
Bracken, Ronald C., Harper, James G., Paddock, Arnold D., and Morrison, Wilson G. Anodic passivating processes for integrated circuits, P (8) 169*g*.
Brada, Y. Ir emissions of the *F* center and of compound color centers in RbCl (8) 177*g*.
Bradley, A. A., Hinde, A. L., and Lloyd, P. J. Determination of the efficiency of the milling process (6) 133*j*.
Bradley, Robert O. See Steitz, William R.
Bradley, William J. Protective coatings containing glass flake pigment and articles coated therewith, P (1) 8*c*.
Bradsky, Zdenek See Broucek, Pavel
Bradt, R. C. See Hartline, S. D. ; Hollenbeck, T. M. ; Kennard, F. L. ; Kennedy, C. R. ; Larson, D. R. ; Tressler, R. E.
Brady, Edward R. See Talmo, Robert E.
Brady, Lynn J. See Holmes, Curtis L.
Brady, Thomas P., Langer, Horst G., and Ayers, Earl D. Furnace assembly for thermal analysis use, P (3) 74*a*.
Brajkovich, L. See Abbati, I.
Brand, Warren L., and Kashkooli, Farajollah MOS semiconductor structure with increased field threshold and method for making, P (6) 132*e*.
Brandi, Gabriella See Lugli, Gabriele
Brandl, Henry W. Film resistors, P (4) 93*e*.
Brandle, C. D., Miller, D. C., and Nielsen, J. W. Elimination of defects in Czochralski-grown rare-earth Ga garnets (2) 51*a*.
Brandle, C. D., and Valentino, A. J. Czochralski growth of rare-earth Ga garnets (2) 50*f*.
Brandle, Charles D., Jr. See Fay, Homer
Brandt, Denard A. See Van Dyken, Harold B., II
Brandt, Gerald H. See Schmidt, Donald L.
Brandt, H., and Kritzler, A. Regenerative elements for regenerative air preheaters, P (7) 153*g*.
Brandt, Ivan L., and von Alten, Theodor Cermet fixed resistor with soldered leads, P (9) 190*e*.
Brandt, J. N. Fundamentals of media selection (4) 83*d*.
Brankin, K., and Blazhev, B. Zeolite mineralization near Perperek, Kardzali district, Bulgaria (11) 233*c*.
Brasovich, Louis E., Fitzpatrick, William B. P., and Long, Martin L., Jr. Vapor deposition [BN] method, P (11) 228*d*.
Brassky, I. See Stroud, J. E.
Brassfield, Steven H. See Searight, Charles E.
Bratko, Rudolph S. Ir burner, P (5) 118*h*; [Gas] ir process burner, P (11) 233*f*.
Bratschun, William R. See Ali, Mir Akbar
Brattas, Leif, and Kjekshus, Arne Properties of compounds with the $ZrSe_3$ type structure (3) 81*f*.
Bratton, Raymond J. Translucent sintered $MgAl_2O_4$ (8) 180*e*.
Bratton, Raymond J., Roberts, Elwyn, and Smerd, Peter G. Pressurized fuel elements for a nuclear reactor, P (3) 73*d*.
Braun, Frank A., and Tramburulo, Ralph F. Method of splicing optical fibers, P (3) 65*j*.
Braun, Franz, Ribnitz, Peter, and Huber, Willi Powder spray gun for spraying different color powders from a powder channel, P (5) 116*f*.
Braun, Klaus J., Mauthey, Kurt, Rogusch, Klaus P., and Tamm, Rolf G. A. Sample atomizing device having a radiation-absorbing protective jacket for flameless atomic absorption spectroscopy, P (10) 213*b*.
Braun, Manfred, Majdic, Aleksander, Gelsdorf, Guenther, and Lecrivain, Lucien Preparation of test pieces of refractory concrete with reproducible characteristics: I, Experiments with dense refractory concretes (7) 152*g*.
Braunstein, J., Mamantov, Gleb, and Smith, G. P. (Editors) Advances in Molten Salt Chemistry, Vol. 2, B (8) 180*f*.
Braunstein, Morris, and Blicha, William P., Jr. Method of mfg. of liquid crystal device, P (9) 191*a*.
Bray, Jules See Leger, Lucien
Bray, Philip J. See Hendrickson, J. R.
Bray, Walter H., and Sellevold, Erik J. Water sorption properties of hardened cement paste cured or stored at elevated temps. (5) 107*f*.
Brazdzionas, P. See Kudaba, V.
Brazer, Geoffrey R. See Curran, Patrick M.
Brazis, R., and Pozela, J. Magnetoplasma wave dispersion in Bi-type single crystals (8) 177*d*.
Bre, Michel Acoustical panels, P (11) 225*a*.
Breazeale, Billy H. See Kraus, Herbert
Breazeale, M. A. See Yost, W. T.
Brecher, Charles Flash lamp, P (2) 35*h*.
Brecher, Lee E., and Stickler, Roland Method of producing doped W [filament] powders by chemical deposition, P (3) 65*j*.
Brecht, G. Ceramic sculptures of Bodo Mans (7) 143*h*.
Breese, J. See Young, J. F.
Brehm, G. E., and Pearson, G. L. Gamma-radiation damage in epitaxial GaAs (2) 52*b*.
Brekhovskikh, S. M., Sidorov, T. A., Grechishkin, V. S., and Zhitogorskii, M. L. Study of arrangement of alkali ions in silicate and aluminosilicate glasses by NMR method (1) 6*l*.
Brendel, Gottfried J. Method of preparing a Be hydride-containing composite, P (10) 214*h*. See Niebylski, Leonard M.
Brenner, N. E. Self-consistent energy bands of LiF (8) 179*c*.
Brennan, Ambrose K., Jr., and Lewis, Michael J. Continuous processor [extruder] for treating material, P (11) 232*a*.
Brennan, Peter J. Energy is off scale (10) 212*b*.
Brenner, Charles H. Integral reflecting cavity semiconductor

pumped laser [YAG:Nd]. P (11) 230*e*.

Bresler, Ethel See Lahav, N.

Breslmair, G. State of technical plant development in the brick and tile industry (8) 166*h*.

Breslmair, Gert See Holzinger, Klaus

Bresnov, O. N., Dremin, A. N., Drobyshev, V. N., and Pershin, S. V. Action of shock waves on Ta pentoxide (7) 154*a*.

Brewer, Rosemary Do you dig your own clay? (6) 125*g*.

Brezny, Bohuslav, Healy, G. W., and Simkovich, G. Equilibrium partial pressures of Mg, SiO, and CO in C-containing magnesite refractories (1) 23*h*.

Brezny, Bohuslav, and Landy, Richard A. Microstructural and chemical changes of pitch-impregnated magnesite brick under reducing conditions (8) 167*j*.

Brice, J. C., Hill, O. F., Whiffin, P. A. C., and Wilkinson, J. A. Czochralski growth of Ba Sr niobate crystals (2) 50*e*.

Brice, J. C., and Whiffin, P. A. C. Pt metals in crystal pulling—crucibles and other apparatus (1) 16*e*.

Brice, William R., and Chang, Luke L. Y. Subsolidus phase relations in aragonite-type carbonates: III, Systems $MgCO_3$-$CaCO_3$-$BaCO_3$, $MgCO_3$-$CaCO_3$-$SrCO_3$, and $MgCO_3$-$SrCO_3$-$BaCO_3$ (6) 141*j*.

Brichard, Claude Method and apparatus for controlling gas flows along a drawn ribbon of glass, P (4) 88*b*; Glass drawing method, apparatus, and glass article, P (8) 165*a*; Glass sheet [vertical] drawing method and apparatus, P (8) 165*d*; Mfg. of flat glass, P (8) 165*h*; Conditioning glass bath adjacent a vertical sheet draw, P (8) 165*i*; Glass drawing method and apparatus, P (9) 186*f*. See Lambert, Michael

Brichard, Edgard Method of constructing a refractory wall in a float glass furnace, P (8) 165*j*.

Brichard, Edgard, Declaye, Joseph, and Autequitte, Jean Refractory furnace tank walls, P (2) 37*b*.

Brichard, Edgard, Plumat, Emile, Duchene, Eloy, and Leclercq, Robert Control of flow of glass to a glass ribbon being drawn, P (9) 186*d*.

Brickmont, Francis H. Furnace and cooling control therefor, P (8) 173*g*.

Bridenbaugh, P. M. See Nash, F. R.

Bridoux, E., Morlamez, M., Rouvaen, J. M., and Dieulesaint, E. Determination of a nonlinear parameter for acoustic-surface-wave convolution in $LiNbO_3$ (4) 99*a*.

Briebach, A. V. Review of refractory hydraulic cements (7) 147*g*.

Brierley, B. Tiles or slabs, P (7) 147*g*.

Briggs, A. See Henderson, Brian

Briggs, Charles C., and Lythe, Trevor W. $Mg(OH)_2$ production [from brine], P (6) 136*g*.

Briggs, Gifford G. Method of producing $NaF.2UF_4$, P (4) 95*a*.

Brigham, Donald A. See Grossman, Leonard N.

Brindley, G. W. See Furukawa, T.

Brindley, G. W. The world of clays and clay minerals (2) 58*h*.

Brinkel, Hans, Derleth, Helmut, and Fischer, Hermann Graphite-Cu(II) chloride intercalation carrier-catalyst combination, P (1) 20*i*.

Brinkman, W. F. See McWhan, D. B.

Brixner, L. H. Structural and physical properties of the $Ln_2(MoO_4)_3$ and Ln_2MoO_6 type rare earth molybdates (9) 198*i*. See Sleight, A. W.

Brixner, L. H., Bierstedt, P. E., and Foris, C. M. Crystal growth and properties of $Pb_2P_2O_7$ (2) 49*j*.

Brixner, L. H., and Foris, C. M. Crystal growth and X-ray data of the Pb phosphates $Pb_4P_2O_8$ and $Pb_3P_2O_{13}$ (2) 50*a*; $BiPbVO_5$—a new Bi Pb vanadate (6) 137*c*.

Brixner, L. H., Sleight, A. W., and Foris, C. M. Refined cell parameters of the Ln_2WO_6-type rare earth tungstates (5) 122*f*.

Broadbent, J. M. See Bowen, G. W.

Brobst, D. A., and Pratt, W. P. (Editors) U. S. Mineral Resources, B (2) 60*e*.

Brocmer, R. E., and Vollans, E. C. Thickening flocculated kaolinite slurries in the nozzle discharge, multidisk, bowl centrifuge (9) 193*f*.

Brockus, George D. Method and apparatus for melting and refining [float] glass, P (2) 36*d*.

Brockhurst, J. E. See Gilchrist, K. E.

Brockly, Albert T. SiO_2 welding apparatus, P (5) 112*j*.

Brodsky, M. H. See Smith, J. E., Jr.

Brodwin, Morris E., and Chow, Kan Efficient bulk-wave microsonic transducer (2) 40*e*.

Broeker, F. W., and Simatupang, M. H. Thin layer chromatographic detection of substances which disturb the hardening of cement (9) 183*b*.

Broers, A. N. See Ahmed, H.

Broll, Arno, Beyer, Hermann, Mann, Herbert, and Meyer-Simon, Eugen Zr ceramic color bodies, P (8) 168*g*.

Brollo, G. Glazing bars, P (3) 65*a*.

Bromberg, A. V. See Sokol, V. A.

Brou, V. A., Stepanova, I. A., Porepelitsyn, V. A., and Sedykh, A. I. System MgO-Fe_2O_3-SiO_2 (8) 179*d*.

Brou, V. A., and Uzberg, A. I. Kinetics of the contact reaction between forsterite and chrome spinel (1) 9*d*.

Brouger, Welf, Elter, Robert, Maus, Eugen, and Schmitt, Traugott Ternary sulfides of lanthanides and the alkali metals Rb or Cs (9) 199*i*.

Bronkhorst, J. C. See de Waal, H.

Bronstein, Leonard Method for making contact lens blanks, P (3) 65*h*.

Brookes, C. A. Indentation hardness of diamond and other crystals (9) 181*f*.

Brooks, J. S., Williams, J. M., and Webster, P. J. Nuclear magnetic moments of the Moessbauer isotopes ^{57}Fe and ^{119}Sn (4) 101*c*.

Brooks, Kenneth Energy--technology is CPI's key resource (9) 193*g*.

Brosens, Pierre J. See Miskolczy, Gabor

Brosious, P. R. See Bourgoin, J. C.

Broucek, Pavel, and Bradsky, Zdenek Effect of driving gear of rotary mold table on production of glass presses (11) 223*e*.

Brough, C. See Churchill, W. M.

Brounous, Harold A. Electric heating unit [glass], P (10) 206*b*.

Brower, W. S. See Negas, Taki

Brown, D. S. See Bailey, George W.

Brown, Dale M. Glass melt-through diffusions, P (2) 41*a*. See Tiemann, Jerome J.

Brown, G. See Rayner, J. H. ; Thorp, J. S.

Brown, Gordon E., Sueno, Shigeho, and Prewitt, Charles T. New single-crystal heater for the precession camera and four-circle diffractometer (1) 18*e*.

Brown, H. See Ballman, Albert A.

Brown, Ian D. See Panagiotopoulos, N. Ch.

Brown, Jesse J., Jr. See Fields, James M., Jr. ; Jain, Dilip C.

Brown, L. C. Effect of concentration-dependent diffusion coeffs. on precipitate growth kinetics (4) 99*h*.

Brown, Nell Crystal growth and nucleation of Al trihydroxide from seeded caustic aluminate solutions (2) 49*h*.

Brown, Patrick M., Duecker, Heyman C., and de Vore, Dorothy C. Fusion-bonded vermiculite molding material, P (4) 97*d*.

Brown, Patrick M., and May, Vernon B. Low-density molding powder of vermiculite and clay, P (6) 136*g*.

Brown, Peter C. The Snake Pottery (4) 83*e*.

Brown, R. M. See Riseberg, L. A.

Brown, R. R. See Bennington, K. O. ; Richardson, D. W.

Brown, Raymond J. Pelletizing ceramic materials—a comparison of methods (10) 212*d*.

Brown, Roy A., and Wilson, Robert E. Sheet apparatus for transversely cutting an advancing sheet, P (8) 166*h*.

Brown, Sherman D. See Frakes, J. T. ; Sis, L. B.

Brown, Sidney F. See Neely, Joseph E.

Brown, W. J., Jr., and Blakemore, J. S. Transport and photoelectrical properties of GaAs containing deep acceptors (3) 82*a*.

Brown, William A., Krolikowski, Walter F., Maude, Roger F., Reuter, James L., and et al. Fabrication process for field-effect and bipolar transistor devices, P (1) 14*b*.

Brown, Winfield J., Jr. See Blakemore, J. S.

Browne, Lawrence T. Soldering method and apparatus for ceramic circuits, P (8) 171*c*.

Browne, William H. See Scott, Jack T.

Brownell, W. E. See McMann, F. C.

Brownell, W. E., McMann, F. C., and Jang, S. D. Hot-pressing of face brick: III, Pressing parameters for quality products (7) 147*d*.

Brubaker, Burton D. Microscale bloatability test for clays (1) 18*a*.

Bruchez, Jeffrey A. Transistors, P (2) 44*f*.

Brucklacher, D., and Dienst, W. Creep behavior of ceramic nuclear fuels under neutron irradiation (7) 151*c*.

Brueckner, R., and Haas, B. Physics of the impact test method for enameled objects: II, Processes during experimental impact (6) 126*b*.

Bruening, Rudolf Corrosion resistance of throat cover blocks and various cooling methods (1) 9*d*.

Brun, M., and Stubican, V. S. Precipitation studies in the system WC-ZrC (4) 101*c*.

Brundick, Horst Roller mill of the edge runner type, P (5) 119*i*.

Brundrett, Charles P. See Frazee, John R.

Brunisholz, G., Collet, P., Klipfel, L., and Roulet, R. Simultaneous determination of rare earths by ion exchange displacement chromatography (9) 193*a*.

Brunner, Mathias Method and apparatus for balancing an apparatus used for measuring the thickness of layers, P (1) 19*e*.

Bruno, Marshall J. See Russell, Allen S.

Brunsteck, D. J. See Kaleveld, E. W.

Brunsenko, Anatoli Alignment techniques for fiber bundles, P (10) 205*g*.

Bruton, T. M. Study of the liquidus in the system Bi_2O_3-TiO_2 (10) 219*a*.

Bruttel, Beat See Schmid, Eduard

Brya, W. J., Geschwind, S., and Devlin, G. E. Brillouin scattering from a microwave-phonon bottleneck in $MgO:Ni^{2+}$ (8) 174*a*.

Bryan, John, and Hart, Frederick H. Welded multiple glazing units, P (11) 226*h*.

Bryant, F. J., Goodwin, G. K., and Hagston, W. E. Atomic displacement effects on the cathodoluminescence of Zn selenide implanted with Yb ions (11) 234*a*.

Brymer, Andrew E., Jr. Falling gob deviation indicator, P (2; 35*f*; Spring-mounted charge drop guiding means, P (7) 146*j*.

Bryzgalov, A. N. See Kleshchev, G. V.

Bube, R. H. See Arnoldussen, T. C. ; Huggins, R. A. ; Lindquist, P. F.

Bube, Richard H. See Huggins, Robert A. ; Kwok, Harry B.

Bubenicek, J. Mfg. of enamels for steel sheeting and cast iron (8) 163*f*.

Bucaro, J. A., and Davis, C. M. Rayleigh wave dispersion on surface-treated glass (3) 64*c*.

Buch, T. See Lambert, B.

Buch, T., Clerjaud, B., Lambert, B., and Kovacs, P. EPR study of $3d^5$ ions in mixed-polytype ZnS (8) 176*c*.

Buchanan, Carl S. See Kleist, Dale

Buchanan, R. C., and Rosher, M. D. Thermal considerations in the design of hybrid microelectronic packages (10) 210*a*.

Buchanan, Robert A., Alves, Ronald V., Maple, T. Grant, and Sobon, Leon E. Method of making rare earth oxysulfide luminescent film, P (11) 233*f*.

Buchvarov, S. See Datskova, T.

Buchvarov, S ., and Datskova, T. Relation between the composition and properties of porcelain glazes (10) 209*b*.

Buchwald, D. See Kieffer, Richard

Buck, Robert W. Method for metalizing a ceramic, P (8) 170*j*.

Bucker, Franz Drying trolleys for bricks and other articles, P (5) 111*a*.

Buckley, Marshall S. Energy crisis and what we can do about it: Discussion on energy conservation (10) 203*i*.

Buckley, Michael J. Glass-ceramic decoration, P (10) 206*e*.

Buckley, R. W., and Woods, J. Variations in the resistivity of evaporated films of CdS (4) 93*h*.

Buckman, William G. Response of the electrical resistance of Mo oxide single crystals to H in air (2) 55*c*.

Budd, Joseph P., and Robson, Wayne K. Product and process for cavity metalization of semiconductor packages, P (7) 151*a*.

Buddy, Michael G., Sewell, Graham, and Sewell, Michael Lighting unit for use underwater and in wet environment, P (4) 88*i*.

Budennyi, Genady G. See Bondarev, Vitaly P.

Budimir, I. See Popovic, D.

Budreau, A. J. See Slobodnik, Andrew J., Jr.

Buecker, Franz, and Keck, Dieter Loading and unloading of bricks and other articles onto and from pallets, P (7) 147*g*.

Buehler, Bert E. Monolithic base metal electrode capacitor, P (1) 15*d*.

Buehler, E. See Knight, S.

Buehler, Ernest See Shay, Joseph L.

Buerge, Theodore Al sulfate and $CaSO_4$ additives for improving the quality of cement, mortar, and concrete and method for the production of such improved products, P (5) 107*h*.

Buesseem, W. R. See Ratnam, D. V.

Buffum, Marjorie Watercolor effect with enamels (6) 125*f*.

Bugnet, P., Deforges, J., and Durand, S. Crystal structure of ZnS thin films prepared by reactive cathodic sputtering as a function of the preparation conditions (9) 195*c*.

Buhite, Paul H., and Pinnow, Douglas A. Optical fiber splicing device and technique, P (9) 187*c*.

Buie, James L. Process of mfg. of semiconductor product, P (3) 72*e*.

Bulocchi, C. J. See Abrahams, M. S.

Buisson, H. Roux See Coey, J. M. D.

Buisson, R., and Nahmani, A. Influence of strains on paramagnetic resonance spectrum for strongly coupled ions--application to V^{3+} in MgO (8) 177*f*.

Bujas, Roko See Boutaine, Jean L.

Bukhalova, G. A., Mal'tsev, V. T., and Machavariani, Z. I. Ternary system Pb||O,GeO_3,MoO_4 (7) 159*b*.

Bukhalova, G. A., Shegurova, G. A., Khliyan, T. M., and Yagub'yan, E. S. Systems Na,Cs||F,Br and Na,Cs||F,I (10) 219*h*.

Bukhalova, G. A., Shpakova, V. M., Mardirosova, I. V., and Babaeva, E. P. Binary systems of pyrophosphates and fluorides of the alkali metals (4) 98*f*.

Bukhalova, G. A., and Topshinoeva, Z. N. Systems Li,K||Cl, CrO_4 and Li,K||Br,CrO_4 (11) 236*e*.

Bukrinskii, Anatoly M., Gladkov, Yu. K., Kazakov, Vladimir A., Maximov, Leonid P., and et al. Device for detecting flaws on nuclear reactor inner surfaces and internals, P (1) 16*b*.

Bukvich, John T. See Wennerberg, Arnold N.

Bulakh, A. G. Introducing corrections due to impurities in specific gravity measurement of minerals, for computation of formulas and in other investigations (5) 120*j*.

Bulakiev, St. See Stoicheva, V.

Bullis, W. Murray (Editor) Methods of measurement for semiconductor materials, process control, and devices (3) 70*d*; (Editor) Semiconductor measurement technology (6) 131*c*; (Editor) Methods of measurement for semiconductor materials,process control, and devices (6) 131*h*.

Bullivant, Kenneth W. Modular batch weighing control system and method, P (2) 46*a*.

Bulmer, R. S. See Armstrong, R. D.

Bulyarskii, S. V. See Radautsan, S. I.

Bunch, J. M., and Clinard, F. W., Jr. Damage of single-crystal Al_2O_3 by 14-MeV neutrons (7) 151*e*.

Bundy, Wayne M., and Murray, Hayden H. Effect of Al on the surface properties of kaolinite (7) 155*a*.

Bunget, I., Leonovici, M. R., and Nicolau, P. Effect of phase transitions on electrical resistance of $BaTiO_3$ (2) 50*f*.

Bungs, Janis A., and Stillman, Neil W. Process for making foundry molds, P (7) 148*e*.

Bunshah, R. F. See Raghuram, A. C.

Bunshah, Roitzan F. High-rate deposition of carbides by activated reactive evaporation, P (6) 129*d*.

Bunte, Karl Joachim, and Magerkord, Claus Experiences with slide gate nozzles for teeming ladles (5) 111*j*.

Bunton, Geof V., and Quilliam, R. M. Switching and memory effects in amorphous chalcogenide [Ge-As-Te-Si] thin films (4) 93*e*.

Buntushkin, V. P., and Potemkin, A. I. Rate of growth of refractory oxide particles in powder metallurgical Ni (8) 178*i*.

Buntushkin, V. P., Romanovich, I. V., and Timofeeva, N. I. Microhardness at high temp. and some properties of refractory oxides (1) 25*a*.

Burakhovich, I. A. See Slyusarev, V. A.

Buravlev, T. T., Slyusarev, I. T., Lyashenko, A. A., and Plyushkin, M. Z. Factors affecting the precipitation rate of Yugoslavian bauxite sludges in the Bayer process (6) 135*c*.

Buraya, I. T. See Kuz'menkov, M. I.

Burch, Nathan L., and Tapia, Leonard G. Method of making a ferrite head, P (11) 230*i*.

Bardese, A. See Abbattista, F.

Burdukov, Yu. M. See Burenkov, Yu. A.

Burenkov, G. L. See Raychenko, A. I.

Burenkov, Yu. A., Burdukov, Yu. M., Davydov, S. Yu., and Nikanorov, S. P. Temp. dependence of GaAs elastic constants (2) 56*g*.

Burge, Harland L., Jr. See Koppang, Richard R.

Burger, Jacobus J. See Krijger, Willem

Burgess, J. W., Hales, M. C., Ainger, F. W., and Porter, R. J. Single-mode resonance in $LiNbO_3$ for filter design (6) 131*e*.

Burgess, James H. See Hill, Edward J.

Burggraaf, A. J. See van de Graaf, M. A. C. G.

Burhans, Richard O. See Carini, George F.

Burl, A. See Marotta, A.

Burl, A., Marotta, A., and Orsini, P. Giordano Glass transition and composition in melilitic glasses (5) 108*e*.

Burke, Daniel F. See Vondra, Benedict L., Jr.

Burke, Joseph E. See Borom, Marcus P. ; Rossi, Giulio

Burke, William J. See Redfield, David

Burker, Ulf, and Koch, Sigurd Programable fixed data memory utilizing Schottky diodes, P (5) 115*g*.

Burkert, George M., Ubland, H. Edward, and Bach, Ricardo O. Li aluminosilicate composition having low Fe content, P (1) 20*j*.

Burmistrova, N. P., Lisov, N. I., Trunin, A. S., and Shter, G. E. Solid-phase reaction of Ba chloride with Rb sulfate (11) 235*h*.

Burn, I., and Smyth, D. M. Energy storage in ceramic dielectrics (6) 130*g*.

Burnham, Charles W. See Ohashi, Yoshikazu

Burnham, Walter J. See Liberman, Irving ; Zollweg, Robert J.

Burns, Gerald, and Scott, Bruce A. Lattice modes in ferroelectric perovskites—$PbTiO_3$ (8) 177*a*.

Burns, Gerald, and Scott, Bruce A. "Dirty" displacive ferroelectrics (3) 69*a*; Index of refraction in "dirty" displacive ferroelectrics (3) 69*j*.

Burrage, Lawrence M., and McStrack, Darrel D. Method for treating wet-process ceramic bodies, P (3) 68*j*.

Burrows, Owen M. Refractory cement [alumina], P (7) 148*f*.

Burrus, C. A. See Stone, J.

Burtscher, Joachim, Frohnhofer, Karl P., Porst, Alfred, and Voss, Peter Thyristor with auxiliary emitter connected to base between base groove and main emitter, P (3) 72*d*; Thyristor with auxiliary emitter which triggers first, P (4) 94*i*.

Buryakov, A. V. See Dionis'ev, C. D.

Busdiecker, Robert A. See Babcock, C. L.

Buseck, Peter R., and Iijima, Sumio High resolution electron microscopy of silicates (6) 138*j*.

Busenberg, E., and Clemency, C. V. Determination of the cation exchange capacity of clays and soils using an ammonia electrode (5) 117*b*.

Bush, Ian E. Mixer-separator for automated analytical chemistry system, P (5) 118*a*.

Bushweller, C. H. See Jensen, F. R.

Buslaev, Yu. A. See Dembovskii, S. A. ; Nefedov, V. I.

Busselaar, Cornelis A. See Nienhuis, Rijkent J.

Bussman, Dale R., Bell, Frederick K., and Flusinger, David E. Method and apparatus for breaking semiconductor wafers, P (6) 132*f*.

Butcher, William J. See Carstens, Ronald A.

Butherus, A. Duane, and Eick, Harry A. Preparation, characterization, and some thermodynamic properties of La oxide carbide, $La_2O_2C_2$ (3) 81*d*.

Butherus, Alexander D. Solid electrolyte batteries [$RbAg_4I_5$] and methods for their production, P (2) 44*a*.

Butler, B. C. M. Chemistry and mineralogy of high-alumina refractories from hot-metal mixer furnaces (1) 9*a*.

Butler, M. A., Eibschuetz, M., and Van Uitert, L. G. ^{53}Cr NMR in the rare-earth orthochromites (8) 174*g*.

Butler, M. O. See Rule, A. R.

Butler, S. R., and Bouchard, R. J. Single crystal growth of pyrite solid solutions (2) 55*g*.

Butler, Sidney R. See Mehta, D. A.

Butler, Walter J. See Barron, Mark B. ; Kurz, Bruno F.

Butorin, P. P. See Kleshchev, G. V.

Butorka, Bernard V. Vitrified for cutter grinding at Ingersoll Milling (10) 201*e*.

Butt, Yu. M. See Topil'skii, G. V.

Butt, Yu. M., Timashev, V. V., Bernshtein, Yu. N., Bochkova, R. I., and et al. Intergrowth of Ca hydroxide with quartz and calcite (4) 85*f*.

Buyserd, J., and Blasse, G. Luminescence of Li Zn vanadate (4) 100*h*.

Bye, G. C., and Chigbo, G. O. Aging of high surface area solids (7) 143*e*.

Bye, G. C., and Gavin, D. G. Crystallization of metastable aluminas in the presence of V_2O_5 (3) 76*j*.

Bye, G. C., and Simpkin, G. T. Influence of Cr and Fe on formation of α-Al_2O_3 from γ-Al_2O_3 (9) 196*i*.

Byer, R. L. See Roundy, C. B.

Bykhovskii, V. K. Model for controlled growth of macromolecular and crystal structures (4) 100*b*.

Bykov, M. V. See Gorelova, I. L.

Bykovskii, Yu. A. See Ashmarin, I. I.

Bylander, Ernest G. Integrated-circuit assembly using etched metal patterns of flexible insulating film, P (7) 149*e*.

Bylander, Ernest G., and Jarman, Hall E. Process for fabricating Ge:Hg ir detector arrays and resulting article of mfg., P (7) 150*f*.

Byrd, Harold R. See Halvorsen, Elmer F.

Cabis, M., and Hakim, J. Quantitative study of the homogenizing of lab melts using simple stirrers (4) 87*i*.

Cadorin, Dante See Thring, Meredith W.

Caffrey, Robert E., Dumbri, Austin C., and Tauber, Richard N. Forming windows in composite dielectric layers, P (9) 190*i*.

Cahill, John G., Sharma, Bhim S., and van der Meulen, Yde J. Si-Cd selenide heterojunctions, P (7) 151*f*.

Cahn, David S., Phillips, J. Craig, Ishai, Ori, and Aroni, Samuel Durability of fiber glass-portland cement composites (8) 161*i*.

Cahn, J. W. See Heady, R. B.

Caiger-Smith, Alan Tin-Glaze Pottery in Europe and the Islamic World, B (7) 160*j*.

Cairns-Smith, A. G. See Baird, T.

Calais, D. See de Keroulas, F.

Calcagno, Benedetto See Piccolo, Luigi

Calcott, Thomas G. See Hamilton, Frank A.

Calderwood, J. H. See Rapos, M.

Caley, Raymond H., and Mills, Donald Multilayer thin-film circuits, P (9) 191*e*.

Calfee, John D. High-impact strength in graphite fiber laminates, P (1) 11*b*.

Califano, Frank L., Shutak, Paul N., and Dalik, Herbert A. Method and apparatus for loosening wet pipe from a mandrel, P (8) 166*j*.

Callen, Earl R. See Cullen, James R.

Callender, R. H., Sussman, S. S., Selders, M., and Chang, R. K. Dispersion of Raman cross section in CdS and ZnO over a wide energy range (8) 175*e*.

Callies, Gerald A., Irland, Frank W., Retzloff, Russell C., and Zellers, James T. Temp. regulation of molten glass [vertically drawn], P (10) 207*f*.

Calvert, P. D., and Uhlmann, D. R. Theory of polymer crystallization without chain folding (2) 57*a*.

Calvet, R. Properties of montmorillonite—role of interactions between the compensating cations and water molecules (3) 81*g*.

Calvet, R., and Chassin, P. Organic complexes of clays—formation mechanisms, method of study, and applications (6) 139*f*.

Calvo, R. See Barberis, G. E. ; Oseroff, S. B.

Camassel, J., Auvergne, D., Mathieu, H., Triboulet, R., and et al. Temp. dependence of the fundamental absorption edge in CdTe (5) 123*e*.

Cameanind, Hans R., and Allison, David F. Method for making bulk resistor and integrated circuit using it, P (8) 170*h*.

Cameron, N. M. Effect of alkaline earth composition on E-glass fiber strength (4) 86*a*.

Camilleri, I. See Knight, S.

Cammarota, G. P. See Gauzzi, F.

Campagna, Edward R. Thermoplastic shielded glass bottle with highly roughened surface, P (10) 207*g*; Covered glass bottle, P (11) 225*e*; Thermoplastic shielded glass bottle, P (11) 226*g*.

Campari, M., and Garribba, S. Behavior of type K thermocouples in temp. measurement—Chromel P-Alumel thermocouples (1) 17*h*.

Campbell, Charles See Clark, Willard

Campbell, Donald A. See Packard, James R.

Campbell, Donald E. See Bartholomew, Roger F.

Campbell, J. C. See Macksey, H. M.

Campbell, James K. Process for binding pigments to glass fabrics, P (1) 8*b*.

Campbell, Virgil B. See Ardary, Zane L.

Campbell-Allen, D. See Kass, J. L.

Canale, P. See Guillot, A.

Canaple, M., and Gobert, B. Electrostatic hand gun for spraying enamel (1) 11*h*.

Candela, G. A. See Blunt, R. F.

Candela, G. A., Kaha, A. H., and Negas, Taki Magnetic susceptibility of Co^{4+} (d^5) in octahedral and tetrahedral environments (3) 80*d*.

Canon, W. R., and Nix, W. D. Models for grain rearrangement resulting from grain boundary sliding (3) 80*h*.

Cannuli, Vincent M. See Ettenberg, Michael

Canonaco, Rudy See Claassen, George R.

Cantor, Stanley Relation between sonic velocity and entropy in molten salts (2) 55*a*.

Capellman, John J. See Stultz, James C.

Capellman, John J., Stultz, James C., and Cooper, Joseph E. Hydraulic-setting bonding agent and refractory compositions made therefrom, P (11) 228*a*.

Capestan, Michel See Vedrine, Alain

Capik, R. J. See Miller, B. I.

Caplain, A., Pautrat, J. L., and Pfister, J. C. Effect of the type of Si on some fundamental properties of the Si-SiO_2 interface (10) 216*g*.

Captuneac, Aurelia See Nedelcu, Stelian

Capucci, V., Dardi, M., and Fiori, C. Use of nepheline syenite in ceramic bodies (3) 68*e*.

Caputo, Anthony J. See Napier, John M.

Carbol, Vlastimil See Simmingskoeld, Bo K. W.

Cardew, Michael Australian aborigines as potters (11) 221*g*.

Cardona, M. See Wihl, M.

Carette, G. G. See Zoldners, N. G.

Carew-Jones, R. See Thomas, C. B.

Carey, J. Sheldon Lip and foot of the pot (9) 181*d*.

Carini, George F. See Barricella, Joseph D., Sr.

Carini, George F., Hommel, Ernest M., and Twigger, James R. Ceramic coating compositions for continuous cleaning surfaces, P (2) 33*f*.

Carini, George F., Williams, George H., and Burhans, Richard O. Semisilica plastic refractory composition, P (6) 129*g*.

Carl, K., and Geisen, K. Dielectric and optical properties of a quasi-ferroelectric PLZT ceramic (6) 130*e*.

Carles, Daniel See Vautier, Claude

Carles, Maurice, and Fra, Jacky Method of purification of UF_6, P (9) 193*b*.

Carlier, R., and Hill, K. Gas for the direct firing of vitreous enamel (4) 86*d*.

Carls, Erwin L. See Anastasia, Louis J.

Carlson, Charles J. See Farmer, Donald J.

Carlson, David E. Ion depletion of glass at a blocking anode: I, Theory and experimental results for alkali silicate glasses (8) 164*b*.

Carlson, David E., Hang, Kenneth W., and Stockdale, George F. Ion depletion of glass at a blocking anode: II, Properties of ion-depleted glasses (8) 164*b*; Method of treating a glass body to provide an ion-depleted region therein, P (9) 187*a*.

Carlson, Ernest H. Vapor-phase crystal growth in the system PbS-Bi_2S_3 (2) 57*h*.

Carlson, K. Douglas See Sullivan, C. Larry

Carlson, T. M., and Lawson, Gerald P. Method of making resistance wire temp. sensor, P (8) 172*g*.

Carlson, Walter H., and Ehrenreich, Leo C. Process for producing reinforced C and graphite bodies, P (3) 67*j*.

Carlson, William A. See Smith, Sidney L.

Carlsson, Hilding A. G. Atomization burners, P (1) 19*d*.

Carlsson, Hilding A. G., and Rosen, Goran E. Turbulator for vaporizing burners, P (9) 194*d*.

Carman, John H. Synthetic Na phlogopite and its two hydrates—stabilities, properties, and mineralogic implications (10) 219*e*.

Carmellini, Andrew E., and Rogers, Andrew J. Low-temp. decalcomania, P (6) 130*h*.

Carnall, E., Jr. See Pearlman, D.

Carnall, Edward, Jr., and Parsons, William F. CdS ir-transmitting optical elements, P (11) 225*d*.

Carnall, Edward, Jr., and Pearlman, Donald Polycrystalline chalcogenide spinels, P (8) 170*g*.

Carniglia, S. C., Martinek, C. A., and Neely, J. E. Low temp. deformation test for tar-bonded basic refractories (9) 187*h*.

Caro, Paul See Sawyer, James

Caro, Paul E. Layered structures—syntaxy, polytypism, and nonstoichiometry (2) 53*g*.

Caro, Paul E., Faucher, M., Derouet, J., and Alves, M. G. Binary systems formed at 1000°C by Nd sesquioxide and La and Y sesquioxides (9) 194*f*.

Carothers, David B., Rearick, Edward W., and McBride, Lemuel R. Apparatus for automatically breaking out a scored glass bracket, P (3) 64*j*.

Carpenter, James H. Apparatus for granulating molded sand, P (3) 67*a*.

Carpenter, Larry L. Method of forming light-focusing fiber wave guide, P (11) 226*a*.

Carpenter, Lynn A. Glass forming apparatus [TV tubes], P (4) 88*f*.

Carr, R. M. See Churchman, G. J.

Carr, William N. See Kameda, Satoshi

Carrie, J. P. See Lacheny, P.

Carrie, J. P., and Pagano, M. Influence of method of laying tile on the behavior of floors subject to rolling loads (1) 8*b*.

Carroll, B. See Ropp, R. C.

Carroll, C. Leon See Bowman, Horace A.

Carroll, David F. Noble metals having a high-emittance coating of Fe titanate, P (1) 3*h*.

Carroll, J. Walter Accumulations of material on surface of pickling solutions (10) 203*h*.

Carroll, R. L. See Doerbeck, F. H.

Carrona, John J. See Freedman, Norman S.

Carruthers, J. R. See Schmidt, R. V.

Carson, Kenneth G. Thermoferrite switch with PTC resistor temp. compensation, P (1) 15*e*.

Carstens, Ronald A., and Butcher, William J. Mixed alumina dispersions, P (9) 189*i*.

Carter, A. G. Electrostatic spraying of bathtubs (4) 86*c*.

Carter, David L. See Collins, Dean R.

Carter, G. See Cavaleru, A. O. R.

Cartledge, T., and Pickard, J. Bending of glass sheets, P (1) 7*a*.

Cartledge, Thomas See Pickard, John

Cartwright, John E. See Rumbold, Bernhard C.

Caruso, Bernard E. See McGuffin, Donald W.

Caruthers, Ed, and Kleinman, Leonard Energy bands of semiconducting VO_2 (8) 176*f*.

Caruthers, Ed, Kleinman, Leonard, and Zhang, H. I. Energy bands of metallic VO_2 (8) 176*e*.

Carver, Edgar B. See Fisk, Reginald C.

Casau, Celestin J. See Rosztoczy, Ferenc E.

Case, Derek F. See Maries, Keith

Casey, H. C., Jr., and Bachrach, R. Z. Electroluminescent shifting-peak spectra in GaAs with uniform excitation (9) 195*h*.

Casey, Horace C., Jr., and Luther, Lars C. Diffused junction GaP electroluminescent device, P (1) 13*j*.

Casey, Horace C., Jr., Miller, B. I., and Pinkas, E. Variation of minority-carrier diffusion length with carrier concentration in GaAs liquid-phase epitaxial layers (8) 180*i*.

Casey, M., and Wilks, J. Friction of diamond sliding on polished cube faces of diamond (8) 176*g*.

Cashion, J. D. See Prowse, D. B.

Caslavsky, J. L., and Gazzara, C. P. Dislocation behavior in sapphire single crystals (2) 50*a*.

Cass, Eugene E., Gustafson, Robert M., and Young, Paul M. Semiconductor chip having connecting pads arranged in a nonorthogonal array, P (7) 151*b*.

Cassens, Nicholas, Jr. Refractory ramming mix [MgO], P (10) 209*f*.

Casserley, Barrie Processing of laminated transparent panels, P (8) 166*g*.
Cassidy, John E. See Birchall, James D.
Castanet, R. See Xuan, D. Phan
Castellucci, Nicholas T., and Kronkop, Ned C. Process and apparatus for solar distillation utilizing cellular ceramic nodules to improve the evaporation rate, P (8) 172*f*.
Castiglione, V. Legal aspects of air pollution (8) 180*c*.
Castles, George R. See Ettre, Kitty S.
Castrucci, Paul P., Grochowski, Edward G., Hess, Martin S., Maheras, George, and et al. Semiconductor device fabrication utilizing <100> oriented substrate material, P (7) 151*b*.
Catalano, I. M., Cingolani, A., and Minafra, A. Multiphoton transitions in ionic crystals (7) 156*c*.
Cates, Harold T., and Darling, Ray E. Process for preparing neutron-hardened semiconductor and microelectronic devices, P (3) 72*f*.
Cathers, William P. Glass [sheet] turnover and packing device, P (3) 64*j*.
Catlin, Robert T. See Dawson, Chester H.
Caton, Roy D., Jr. See Ewing, Galen W.
Cattanach, Warren Flow coating ground coat (9) 183*j*.
Cattelan, S. See Alongi, V.
Cavaleru, A. O. R., Armour, D. G., and Carter, G. Entrapment and thermal evolution of low-energy inert gas ions [Ar^+, Kr^+] injected into borosilicate glass (2) 33*j*.
Cayol, André, Clottes, Georges, and Ratier, Jean L. Nuclear fuel pin, P (10) 212*g*.
Cecil, Tom A. Preparation of stable suspension of calcined clay, P (1) 20*c*.
Celling, Walter G. Method of mfg. a semiconductor device and semiconductor device mfg. by the method, P (9) 191*b*.
Celustka, B. See Persin, M.
Cement Association of Japan Review of the 27th General Meeting of the Cement Association of Japan, B (5) 124*c*.
Cerchez, Mihai, and Dinescu, Radu Ca-Na porcelain with wollastonite (9) 189*e*.
Ceremsak, Richard J., and Hersey, Avon H. Abrading mixture, P (10) 201*e*.
Cernoch, S., and Belyus, G. Analysis of the heat balance of the preheating zone of the tunnel kiln, with special reference to air leakage (5) 118*g*.
Cerny, Josef, and Dvorakova, Vera Automatic weighing in small batch houses (11) 223*f*.
Ceva, T. See Visocekas, R.
Cevales, G. Study in the system CeO_2-Al_2O_3 (2) 56*a*.
Chabal, Joseph See Rieser, Raymond G.
Chace, Howard E. See Bole, Hamilton B.
Chadl, D. J. See Chelikowsky, J.
Chadwick, Ronald See Landman, Dirk
Chaikin, P. M. See Egorov, L. P.
Chakinder, A. C. D. See Angers, R. ; O'Brien, T. E.
Chakraborty, Asok See Geck, Hans G.
Chalieton, D. See Ferrand, B.
Chamberlain, Richard E. See Swartz, George A.
Chamberland, B. L. New defect V_2O_2 phases (3) 80*j*. See Potoff, Alan D. ; Sarkozy, R. F. ; Vlasse, Marcus
Chamberland, B. L., Cloud, W. H., and Frederick, C. G. $Cr_{1-x}Mn_xO_2$ series and characterization of orthorhombic $CrMnO_4$ (5) 120*b*.
Chamberod, A. See Coey, J. M. D.
Chambers, Arnold See Inns, David H.
Chambers, Arthur E. Semiconductor and heat sink fin assembly, P (11) 231*h*.
Chambers, J., Mason, I. M., and Turner, C. W. Acoustic-surface-wave convolution on crystals of CdS, $LiNbO_3$, and $Bi_{12}GeO_{20}$ (4) 98*a*.
Chandrasekharaiah, M. S. See Dharwadkar, S. R.
Chandrashekhar, G. V. See Barros, H. L. ; Shin, S. H.
Chandross, Edwin A., and Shankoff, Theodore A. Fabrication of thin-film devices, P (3) 70*j*.
Chang, Chi Shih, and Jen, Teh Sen Complementary FETs having *p*-doped Si gates, P (11) 230*h*.
Chang, E., and Barsch, G. R. Pressure dependence of single-crystal elastic constants and anharmonic properties of wurtzite (4) 101*d*.
Chang, Joseph J. See Agusta, Benjamin
Chang, Joseph J. F., and Vora, Madhukar B. Shallow junction semiconductor devices, P (4) 94*h*.
Chang, L. L. See Dove, D. B.
Chang, Luke L. Y. See Brice, William R. ; Hoda, Syed N.
Chang, R. K. See Callender, R. H.
Chang, Shao-Yuen Process for B-containing glasses useful with semiconductor devices, P (5) 110*d*.
Chang, T. S. Domain structure of $SrTiO_3$ under uniaxial stresses (3) 78*e*.
Chao, Pao J. Method for producing evaporation-inhibiting coating for protection of Si-Ge and Si-Mo alloys at high temps. in vacuum [thermocouples], P (5) 117*j*.
Chapman, Alan T., Jr. See Clark, Grady W.
Chapman, Dennis R., and Paterson, William C. Electrolytic treatment of filamentary C material, P (1) 10*h*.
Chappel, Carol Coffee maker (11) 221*i*.
Chaperin, Gennady A. Flameless gas catalytic heater, P (5) 118*g*.
Charbonnier, Jean C., and Tannenberger, Helmut Electric accumulator with beta alumina separator and electrolyte consisting of a salt in an organic solvent, P (3) 70*h*.
Charbonnier, M. See Escoubes, M.
Charles, R. J. See Mitoff, S. P. ; Prochazka, Svante
Charlet, Heinz Use of liquefied gas in the brick and tile industry (2) 37*d*.
Charls, T. V., and Kloppa, O. J. High-temp. combustion calorimetry: I, Enthalpies of formation of W oxides (3) 79*e*; High-temp. combustion calorimetry: II, Enthalpies of formation of V oxides (8) 177*b*.
Charsley, Peter W., and Crichton, David R. Method of making glass seals, P (9) 191*i*.
Charpentier, Robert R. Insulating ring for particle accelerator tubes and acceleration tube including the ring, P (2) 41*g*.
Chasan, David E., and Norwitz, George Ir determination of alkali carbonates by the pellet technique using a dry box (11) 232*h*.
Chasanov, M. G. See Gabelnick, S. D. ; Reedy, G. T.
Chasanov, Martin G. See Fredrickson, D. R.
Chase, C. E. See Younger, Peter R.
Chase, John D. Colored rutile boules and method of making, P (7) 148*j*.
Chassin, P. See Calvet, R.
Chatelain, A., and Weeks, R. A. EPR of Fe^{3+} in forsterite (Mg_2SiO_4) (8) 176*c*.
Chattaraj, B. D. See Borthakur, P. C.
Chatterjee, A. K., and Zhmoidin, G. I. Phase equilibrium diagram of the system CaO-Al_2O_3-CaF_2 (5) 121*h*.
Chatterjee, Manas Kumar See Mukherjee, Mrityunjay
Chatterjee, N. B. See Banerjee, J. C.
Chatterjee, S. K. Lime and limestone deposits of Nepal (4) 97*a*.
Chatterji, S. See Gupta, P. ; Wheeler, J.
Chatterji, S., Moore, N. T., and Jeffery, J. W. Artifact introduced during the shadow-casting technique of height measurement in the transmission electron microscope (1) 17*f*.
Chau, C. K. See Kupperman, D. S.
Chaudhari, R. M. See Kulkarni, R. H.
Chaudhuri, S. P. Influence of mineralizers on the constitution of hard porcelain: I, Mineralogical compositions; II, Microstructures (4) 91*g*; Influence of mineralizers on the constitution of hard porcelain: II, Microstructures--correction (7) 148*c*; Effect of exchangeable cations on induced mullitization of clay (10) 216*e*.
Chaurand, Patrice, Magnan, Regis, and Coquery, Jean P. Process of mfg. anhydrous $CaSO_4$ form II and products obtained by this process, P (6) 126*h*.
Chaus, I. S. See Kompanichenko, N. M.
Chay, Dong M. Braunite-glass catalytic particles and method of preparation, P (6) 126*g*.
Chayka, George A., Persson, Eric J., and Zlobro, Norbert M. Test probe for semiconductor devices, P (9) 192*e*.
Chebotarev, V. L. See Abramson, I. G.
Chebukov, M. F., Koknaev, N. F., Ufimtsev, V. M., and Lobanova, S. P. Asphaltenes—effective additive in grinding clinker (4) 83*f*.
Checkin, V. V. See Sal'nikov, V. D.
Cheetham, A. K., Fender, B. E. F., and Taylor, R. I. High-temp. neutron diffraction study of $Fe_{1-x}O$ (1) 24*c*.
Chelikowsky, J., Chadi, D. J., and Cohen, Marvin L. Calculated valence-band densities of states and photoemission spectra of diamond and Zn blende semiconductors (9) 194*g*.
Chen, Charles Y., Dhaka, Vir A., and Krolikowski, Walter F. Process for making an integrated circuit with a damping resistor in combination with a buried decoupling capacitor, P (3) 72*e*.
Chen, Pin Ao Raman effect in sintered ceramics (7) 157*f*.
Chen, Y. See Abraham, M. M. ; Henderson, Brian ; Tohver, H. T.
Chen, Y. C. See Ruoff, Arthur L.
Cheng, Wu Hui See Nakamura, Tetsuro
Cherdon, Egon, Haerter, Manfred, Faesale, Fritz, Foerster, Hans J., and et al. Method of producing finely dispersed alpha Ca sulfate hemihydrate, P (8) 163*a*.
Cheremisina, I. M. See Opalovskii, A. A.
Cherepanov, A. M. See Vydrik, G. A.
Cherepanov, V. A. See Zil'bershtein, A. Kh.
Cherepanova, E. A. See Sandler, R. A.
Cherkinskii, Yu. S. See Kuznetsova, L. G.
Cherkinskii, Yu. S., and Kayar'kova, I. S. Dependence of SiO_2 concentration on pH in the presence of solid SiO_2 (2) 50*f*.
Chern, Mao-Jin, and Phillips, Richard A. Temp. dependence of nonlinear optical coeffs. in ferroelectric $NaNO_2$ (2) 56*h*.
Chernov, R. V., and Ermolenko, I. M. System Li^+,Na^+,K^+ // TiF_6^{2-} (4) 103*h*; Phase diagrams of the ternary systems Na^+,$\overset{\S}{\|}TiF^{2-}_6$,$Cl^-$,$F^-$ and $K^+\|TiF^{2-}_6$,Cl^-,F^- (11) 235*i*.
Chernozatonskii, L. A. See Tokarev, E. F.
Chernyavskii, V. L. See Mchedlov-Petrosyan, Otar P.
Chernyi, L. N. See Kleshchev, G. V.
Chernyshev, A. N. Advantage of viscometer with constant speed of rotation (4) 96*f*.
Cheron, Jean P. R. Apparatus for tempering sheets of glass, in particular sheets of curved form, P (8) 165*g*.
Cherskii, N. V. See Koval'skii, V. V.
Chervonenkin, A. Ya. See Alaverdova, O. G.
Chervova, A. A. See Karpovich, I. A.
Cheskis, Eugene M., and Price, James B. Photoresist keys and depth indicator, P (5) 112*g*.
Chesnokov, B. F. See Bogomolov, B. N.
Chesnis, Henry See Passarelli, Richard E., Jr.
Chesters, John Hugh Refractories--Production and Properties, B (7) 160*j*.
Chethin, M. V., and Didosyan, Yu. S. Layer structure and magneto-optic diffraction in orthoferrites (1) 25*e*.
Chetkin, M. V., Shalygin, A. N., Druchev, V. A., Balbashov, A. M., and et al. Cylindrical domains in orthoferrite plates perpendicular to the optical axis (6) 137*b*.
Chevreton, M. See Babot, D.
Chi, T. C. See Barros, H. L.
Chi, T. C., and Sindek, R. J. Elastic constants and the electrical transition in Ti_2O_3 (8) 175*c*.
Chi, Ung Up, and Lee, Ho Myun Single fast-firing of conventional batches (9) 189*c*.
Chiao, T. T., Moore, R. L., and Walkup, C. M. Graphite fiber/epoxy composites (9) 187*f*.
Chiba, Toshinobu See Noguchi, Masayasu ; Tsuda, Nobuo
Chichagov, Yu. V. See Opalovskii, A. A.
Chiche, Pierre Process for producing C fibers, P (5) 112*h*.
Chicotka, Richard J., and Taylor, Robert C. Growth of ternary compounds utilizing solid, liquid, and vapor phases, P (2) 41*b*.
Chidester, R. E. See Napolitano, Albert
Chigareva, O. G. See Fedoseev, A. D.
Chigbo, G. O. See Bye, G. C.
Chikalla, Thomas D. See Turcotte, R. P.
Chikanov, N. D. Reactions of Sb pentachloride with the chlorides of a series of elements (4) 101*i*; Reaction of $SbCl_3$ with chlorides of other elements (7) 157*a*.
Chikanov, N. D., and Ugal, V. A. Reaction of $BiCl_3$ with the chlorides of a series of elements (9) 198*g*.
Childs, Gregg E., Ericks, Lewis J., and Powell, Robert L. Thermal Conductivity of Solids at Room Temp. and Below, B (5) 124*i*.
Chilenskas, Albert A. See Anastasia, Louis J.
Chincholkar, V. S. New compounds with pyrochlore structure (1) 25*e*.
Ching, L. S., Day, J. Paul, and Ruoff, Arthur L. Pressure and temp. dependence of the elastic constants of LiBr and LiCl (8) 178*c*.
Chinglua, Yu. A. See Pel'ts, S. D.
Chinn, S. R. See Rossi, J. A.
Chinone, N. See Nakashima, H.
Chiocchio, Gerardo See Alunno-Rossetti, Vito
Chiocchio, Gerardo, and Collepardi, Mario Influence of precuring on high pressure steam hydration of tricalcium silicate in the presence of other constituents of portland cement (9) 182*j*.
Chiola, Vincent, Smith, James S., and Vanderpool, Clarence D. Process for producing lamps, P (5) 110*e*.
Chiotti, P. See Kateley, J. A.
Chipman, John See Benz, Robert
Chirina, N. A. See Korenev, Yu. M.
Chistoserdov, V. G. See Bartenev, G. M.
Chistyakov, G. I. See Kravchenko, I. V.
Chistyakov, Yu. D. See Racheva-Stambolieva, T. M.
Chiu, Shih-Tang TiC preparation, P (5) 112*j*.
Chivian, Jay S., Claytor, R. N., Eden, D. D., and Hemphill, R. B. Ir recording with thermochromic Cu_2HgI_4 (10) 210*d*.
Cho, A. Y., and Panish, M. B. Mg-doped GaAs and $Al_xGa_{1-x}As$ by molecular beam epitaxy (6) 139*f*.
Cho, Cheul-Youn See Yang, Ji-Hyun
Choh, Sung Ho, and Seidel, G. Resonance properties of Er^{3+} in Th oxide (8) 179*b*.
Choi, Jae Shi, and Kim, Bo Won Kinetics and mechanism of the oxidation of CO over ZnO (7) 156*e*.
Choi, Sang Heul, Han, Sang Mok, and Kim, Ki Soon Properties of hydrated Ba aluminate at high temp. (10) 202*h*.
Choi, Seung Hwan See Han, Ki Sung
Choi, Suk Jin See Jung, Chang Ju
Cholmet, J., Deschanvres, A., and Raveau, B. Structural evolution of new germanates and silicates of the wadeite type and related structures (5) 122*f*.
Cholakov, P., Shopov, N., Kolarov, M., and Shishkov, P. Slag resistance of chrome-magnesite refractories during electric melting of Cu concentrates (11) 227*c*.
Chopey, Nicholas P. Gas from coal—an update (5) 118*a*.
Chopra, K. L., Sharma, Shiv K., and Yadava, V. N. Equivalent refractive index of multilayer films of different materials (11) 234*e*.
Chou, Y. T., and Tsao, K. Y. Temp. dependence of dislocation energy in alumina crystals (8) 179*f*.
Choudhury, N. S., and Patterson, J. W. Transition from ionic to electronic conduction in pure ThO_2 under reducing conditions (3) 82*a*.
Chough, Euiwon Process for etching metals employing ultrasonic vibration, P (2) 43*a*.
Chough, Euiwon, Deverse, Frank T., Konrad, Franz, Kurtz, John A., and et al. Mounting block for semiconductor wafers, P (9) 191*d*.
Chow, K., and McKnight, H. G. Growth and characterization of pure and rare earth-substituted YVO_4 (5) 120*f*.
Chow, Kan See Brodwin, Morris E.
Chow, S. L., Hedgecock, N. E., Schlesinger, M., and Rezek, J. Electron microscope study of the nucleation and growth of electroless Co and Ni (1) 12*i*.
Chowning, Edward A. See Boeglin, Albert F.
Choy, Jin Ho See Lee, Hee Soo
Choyke, W. J. See Patrick, Lyle
Chretien, Andre See de Kozak, Ariel
Christ, B. W., and Smith, L. C. Chemical polish for quick removal of grinding and lapping scratches from Fe and low-C steel (1) 17*i*.
Christensen, A. Noerlund Hydrothermal preparation and crystal structure of $NaHo_4(GeO_4)_2O_2OH$ (2) 52*e*.
Christenson, N. H., Cooper, A. R., and Rawal, B. S. Kinetics of dendritic precipitation of cristobalite from a K silicate melt (1) 5*e*.
Christman, Brian B. Refractory sanitary-ware setter, P (2) 39*g*.
Chu, Pochen Treatment of organic cation-containing zeolites, P (2) 48*i*.
Chu, T. K. Thermal conductivity of bone at low tem 123*f*.
Chu, T. L., and Hyslop, A. E. Crystal growth and pro

Burdese, A. See Abbattista, F.

Burdukov, Yu. M. See Burenkov, Yu. A.

Burenkov, G. L. See Raychenko, A. I.

Burenkov, Yu. A., Burdukov, Yu. M., Davydov, S. Yu., and Nikanorov, S. P. Temp. dependence of GaAs elastic constants (2) 56*g*.

Burge, Harland L., Jr. See Koppang, Richard R.

Burger, Jacobus J. See Krijger, Willem

Burgess, J. W., Hales, M. C., Ainger, F. W., and Porter, R. J. Single-mode resonance in $LiNbO_3$ for filter design (6) 131*e*.

Burgess, James H. See Hill, Edward J.

Burggraaf, A. J. See van de Graaf, M. A. C. G.

Burhans, Richard O. See Carini, George F.

Buri, A. See Marotta, A.

Buri, A., Marotta, A., and Orsini, P. Giordano Glass transition and composition in melilitic glasses (5) 108*e*.

Burke, Daniel F. See Vondra, Benedict L., Jr.

Burke, Joseph E. See Borom, Marcus P. ; Rossi, Giulio

Burke, William J. See Redfield, David

Burker, Ulf, and Koch, Sigurd Programable fixed data memory utilizing Schottky diodes, P (5) 115*g*.

Burkett, George M., Uhland, H. Edward, and Bach, Ricardo O. Li aluminosilicate composition having low Fe content, P (1) 20*j*.

Burmistrova, N. P., Lisov, N. I., Trusin, A. S., and Shter, G. E. Solid-phase reaction of Ba chloride with Rb sulfate (11) 235*h*.

Burn, I., and Smyth, D. M. Energy storage in ceramic dielectrics (6) 130*g*.

Burnham, Charles W. See Ohashi, Yoshikazu

Burnham, Walter J. See Liberman, Irving ; Zollweg, Robert J.

Burns, Gerald, and Scott, Bruce A. Lattice modes in ferroelectric perovskites–$PbTiO_3$ (8) 177*a*.

Burns, Gerald, and Scott, Bruce A. "Dirty" displacive ferroelectrics (3) 69*a*; Index of refraction in "dirty" displacive ferroelectrics (3) 69*j*.

Burrage, Lawrence M., and McStrack, Darrel D. Method for treating wet-process ceramic bodies, P (3) 68*j*.

Burrows, Owen M. Refractory cement [alumina], P (7) 148*f*.

Burrus, C. A. See Stone, J.

Burtscher, Joachim, Frohnsdorfer, Karl P., Porst, Alfred, and Voss, Peter Thyristor with auxiliary emitter connected to base between base groove and main emitter, P (3) 72*d*; Thyristor with auxiliary emitter which triggers first, P (4) 94*i*.

Baryakov, A. V. See Dionis'ev, C. D.

Busdiecker, Robert A. See Babcock, C. L.

Busech, Peter R., and Iijima, Sumio High resolution electron microscopy of silicates (6) 138*j*.

Busenberg, E., and Clemency, C. V. Determination of the cation exchange capacity of clays and soils using an ammonia electrode (5) 117*b*.

Bush, Ian E. Mixer-separator for automated analytical chemistry system, P (5) 118*a*.

Bushweller, C. H. See Jensen, F. R.

Businov, Yu. A. See Dembovskii, S. A. ; Nefedov, V. I.

Busselaar, Cornelis A. See Nienhuis, Rijkent J.

Bussman, Dale R., Bell, Frederick K., and Filsinger, David E. Method and apparatus for breaking semiconductor wafers, P (6) 132*f*.

Butcher, William J. See Carstens, Ronald A.

Butherus, A. Duane, and Eick, Harry A. Preparation, characterization, and some thermodynamic properties of La oxide carbide, $La_2O_2C_2$ (3) 81*d*.

Butherus, Alexander D. Solid electrolyte batteries [$RbAg_4I_5$] and methods for their production, P (2) 44*a*.

Butler, B. C. M. Chemistry and mineralogy of high-alumina refractories from hot-metal mixer furnaces (1) 9*a*.

Butler, M. A., Elbaschuetz, M., and Van Uitert, L. G. ^{53}Cr NMR in the rare-earth orthochromites (8) 174*g*.

Butler, M. O. See Rule, A. R.

Butler, S. R., and Bouchard, R. J. Single crystal growth of pyrite solid solutions (2) 55*g*.

Butler, Sidney R. See Mehta, D. A.

Butler, Walter J. See Barron, Mark B. ; Kurz, Bruno F.

Butorin, P. P. See Kleshchev, G. V.

Butorka, Bernard V. Vitrified for cutter grinding at Ingersoll Milling (10) 201*e*.

Butt, Yu. M. See Topil'skii, G. V.

Butt, Yu. M., Timashev, V. V., Beushtein, Yu. N., Bochkova, R. I., and et al. Intergrowth of Ca hydroxide with quartz and calcite (4) 85*f*.

Buyserd, J., and Blasse, G. Luminescence of Li Zn vanadate (4) 100*b*.

Bye, G. C., and Chigbo, G. O. Aging of high surface area solids (7) 143*e*.

Bye, G. C., and Gavin, D. G. Crystallization of metastable aluminas in the presence of V_2O_5 (3) 76*j*.

Bye, G. C., and Simpkin, G. T. Influence of Cr and Fe on formation of α-Al_2O_3 from γ-Al_2O_3 (9) 196*i*.

Byer, R. L. See Roundy, C. B.

Bykhovskii, V. K. Model for controlled growth of macromolecular and crystal structures (4) 100*b*.

Bykov, M. V. See Gorelova, I. L.

Bykovskii, Yu. A. See Ashmarin, I. I.

Bylander, Ernest G. Integrated-circuit assembly using etched metal patterns of flexible insulating film, P (7) 149*e*.

Bylander, Ernest G., and Jarman, Hall E. Process for fabricating Ge:Hg ir detector arrays and resulting article of mfg., P (7) 150*f*.

Byrd, Harold R. See Halvorsen, Elmer F.

Cable, M., and Hakim, J. Quantitative study of the homogenizing of lab melts using simple stirrers (4) 87*i*.

Cadorin, Dante See Thring, Meredith W.

Caffrey, Robert E., Dumbri, Austin C., and Tauber, Richard N. Forming windows in composite dielectric layers, P (9) 190*i*.

Cahill, John G., Sharma, Bhim S., and van der Meulen, Yde J. Si-Cd selenide heterojunctions, P (7) 151*f*.

Cahn, David S., Phillips, J. Craig, Ishai, Ori, and Aroni, Samuel Durability of fiber glass-portland cement composites (8) 161*i*.

Cahn, J. W. See Heady, R. B.

Caiger-Smith, Alan Tin-Glaze Pottery in Europe and the Islamic World, B (7) 160*j*.

Cairns-Smith, A. G. See Baird, T.

Caisis, D. See de Keroulas, F.

Calcagno, Benedetto See Piccolo, Luigi

Calcott, Thomas G. See Hamilton, Frank A.

Calderwood, J. H. See Rapos, M.

Caley, Raymond H., and Mills, Donald Multilayer thin-film circuits, P (9) 191*e*.

Calfee, John D. High-impact strength in graphite fiber laminates, P (1) 11*b*.

Califano, Frank L., Shutzk, Paul N., and Dalik, Herbert A. Method and apparatus for loosening wet pipe from a mandrel, P (8) 166*j*.

Callen, Earl R. See Cullen, James R.

Callender, R. H., Sussman, S. S., Selders, M., and Chang, R. K. Dispersion of Raman cross section in CdS and ZnO over a wide energy range (8) 175*e*.

Callies, Gerald A., Irland, Frank W., Retzloff, Russell C., and Zellers, James T. Temp. regulation of molten glass [vertically drawn], P (10) 207*f*.

Calvert, P. D., and Uhlmann, D. R. Theory of polymer crystallization without chain folding (2) 57*a*.

Calvet, R. Properties of montmorillonite—role of interactions between the compensating cations and water molecules (3) 81*g*.

Calvet, R., and Chassin, P. Organic complexes of clays—formation mechanisms, method of study, and applications (6) 139*f*.

Calvo, R. See Barberis, G. E. ; Oseroff, S. B.

Camassel, J., Auvergne, D., Mathieu, H., Triboulet, R., and et al. Temp. dependence of the fundamental absorption edge in CdTe (5) 123*e*.

Cameuzind, Hans R., and Allison, David F. Method for making bulk resistor and integrated circuit using it, P (8) 170*h*.

Cameron, N. M. Effect of alkaline earth composition on E-glass fiber strength (4) 86*a*.

Camilbel, I. See Knight, S.

Cammarota, G. P. See Gauzzi, F.

Campagna, Edward R. Thermoplastic shielded glass bottle with highly roughened surface, P (10) 207*g*; Covered glass bottle, P (11) 225*e*; Thermoplastic shielded glass bottle, P (11) 226*g*.

Camperi, M., and Garribba, S. Behavior of type K thermocouples in temp. measurement—Chromel P-Alumel thermocouples (1) 17*h*.

Campbell, Charles See Clark, Willard

Campbell, Donald A. See Packard, James R.

Campbell, Donald E. See Bartholomew, Roger F.

Campbell, J. C. See Macksey, H. M.

Campbell, James K. Process for binding pigments to glass fabrics, P (1) 8*b*.

Campbell, Virgil B. See Ardary, Zane L.

Campbell-Allen, D. See Kass, J. L.

Canale, P. See Guillot, A.

Canaple, M., and Gobert, B. Electrostatic hand gun for spraying enamel (1) 11*h*.

Candela, G. A. See Blunt, R. F.

Candela, G. A., Kaha, A. H., and Negas, Taki Magnetic susceptibility of Co^{4+} (d^5) in octahedral and tetrahedral environments (3) 80*d*.

Canaon, W. R., and Nix, W. D. Models for grain rearrangement resulting from grain boundary sliding (3) 80*h*.

Cannell, Vincent M. See Ettenberg, Michael

Canonico, Rudy See Claassen, George R.

Canter, Stanley Relation between sonic velocity and entropy in molten salts (2) 55*a*.

Capellman, John J. See Stultz, James C.

Capellman, John J., Stultz, James C., and Cooper, Joseph E. Hydraulic-setting bonding agent and refractory compositions made therefrom, P (11) 228*a*.

Capestan, Michel See Vedrine, Alain

Capik, R. J. See Miller, B. I.

Capiain, A., Pautrat, J. L., and Pfister, J. C. Effect of the type of Si on some fundamental properties of the Si-SiO_2 interface (10) 216*g*.

Captusenc, Aurelia See Nedelcu, Stelian

Capucci, V., Dardi, M., and Fiori, C. Use of nepheline syenite in ceramic bodies (3) 68*e*.

Caputo, Anthony J. See Napier, John M.

Carbol, Vlastimil See Simmingskoeld, Bo K. W.

Cardew, Michael Australian aborigines as potters (11) 221*g*.

Cardona, M. See Wihl, M.

Carette, G. G. See Zoldners, N. G.

Carew-Jones, R. See Thomas, C. B.

Carey, J. Sheldon Lip and foot of the pot (9) 181*d*.

Carini, George F. See Barricella, Joseph D., Sr.

Carini, George F., Hommel, Ernest M., and Twigger, James R. Ceramic coating compositions for continuous cleaning surfaces, P (2) 33*f*.

Carini, George F., Williams, George H., and Burhans, Richard O. Semisilica plastic refractory composition, P (6) 129*g*.

Carl, K., and Geisen, K. Dielectric and optical properties of a quasi-ferroelectric PLZT ceramic (6) 130*e*.

Carles, Daniel See Vautier, Claude

Carles, Maurice, and Fra, Jacky Method of purification of UF_6, P (9) 193*b*.

Carlier, R., and Hill, K. Gas for the direct firing of vitreous enamel (4) 86*d*.

Carls, Erwin L. See Anastasia, Louis J.

Carlson, Charles J. See Farmer, Donald J.

Carlson, David E. Ion depletion of glass at a blocking anode: I, Theory and experimental results for alkali silicate glasses (8) 164*b*.

Carlson, David E., Hang, Kenneth W., and Stockdale, George F. Ion depletion of glass at a blocking anode: II, Properties of ion-depleted glasses (8) 164*b*; Method of treating a glass body to provide an ion-depleted region therein, P (9) 187*a*.

Carlson, Ernest H. Vapor-phase crystal growth in the system PbS-Bi_2S_3 (2) 57*h*.

Carlson, K. Douglas See Sullivan, C. Larry

Carlson, T. M., and Lawson, Gerald P. Method of making resistance wire temp. sensor, P (8) 172*g*.

Carlson, Walter H., and Ehrenreich, Leo C. Process for producing reinforced C and graphite bodies, P (3) 67*j*.

Carlson, William A. See Smith, Sidney L.

Carlsson, Hilding A. G. Atomization burners, P (1) 19*d*.

Carlsson, Hilding A. G., and Rosen, Goran E. Turbulator for vaporizing burners, P (9) 194*d*.

Carman, John H. Synthetic Na phlogopite and its two hydrates—stabilities, properties, and mineralogic implications (10) 219*e*.

Carmellini, Andrew E., and Rogers, Andrew J. Low-temp. decalcomania, P (6) 130*h*.

Carnall, E., Jr. See Pearlman, D.

Carnall, Edward, Jr., and Parsons, William F. CdS ir-transmitting optical elements, P (11) 225*d*.

Carnall, Edward, Jr., and Pearlman, Donald Polycrystalline chalcogenide spinels, P (8) 170*g*.

Carniglia, S. C., Martinek, C. A., and Neely, J. E. Low temp. deformation test for tar-bonded basic refractories (9) 187*h*.

Caro, Paul See Sawyer, James

Caro, Paul E. Layered structures—syntaxy, polytypism, and nonstoichiometry (2) 53*g*.

Caro, Paul E., Faucher, M., Derouet, J., and Alves, M. G. Binary systems formed at 1000°C by Nd sesquioxide and La and Y sesquioxides (9) 194*f*.

Carothers, David B., Resnick, Edward W., and McBride, Lemuel R. Apparatus for automatically breaking out a scored glass bracket, P (3) 64*j*.

Carpenter, James H. Apparatus for granulating molded sand, P (3) 67*a*.

Carpenter, Larry L. Method of forming light-focusing fiber wave guide, P (11) 226*a*.

Carpenter, Lynn A. Glass forming apparatus [TV tubes], P (4) 88*f*.

Carr, R. M. See Churchman, G. J.

Carr, William N. See Kameda, Satoshi

Carrie, J. P. See Lacheny, P.

Carrie, J. P., and Pagano, M. Influence of method of laying tile on the behavior of floors subject to rolling loads (1) 8*b*.

Carroll, B. See Ropp, R. C.

Carroll, C. Leon See Bowman, Horace A.

Carroll, David F. Noble metals having a high-emittance coating of Fe titanate, P (1) 3*h*.

Carroll, J. Walter Accumulations of material on surface of pickling solutions (10) 203*h*.

Carroll, R. L. See Doerbeck, F. H.

Carrosa, John J. See Freedman, Norman S.

Carruthers, J. R. See Schmidt, R. V.

Carson, Kenneth G. Thermoferrite switch with PTC resistor temp. compensation, P (1) 15*e*.

Carstens, Ronald A., and Butcher, William J. Mixed alumina dispersions, P (9) 189*i*.

Carter, A. G. Electrostatic spraying of bathtubs (4) 86*c*.

Carter, David L. See Collins, Dean R.

Carter, G. See Cavaleru, A. O. R.

Cartledge, T., and Pickard, J. Bending of glass sheets, P (1) 7*a*.

Cartledge, Thomas See Pickard, John

Cartwright, John E. See Rumbold, Bernhard C.

Caruso, Bernard E. See McGuffin, Donald W.

Caruthers, Ed, and Kleinman, Leonard Energy bands of semiconducting VO_2 (8) 176*f*.

Caruthers, Ed, Kleinman, Leonard, and Zhang, H. I. Energy bands of metallic VO_2 (8) 176*e*.

Carver, Edgar B. See Fisk, Reginald C.

Casau, Celestin J. See Rosztoczy, Ferenc E.

Case, Derek F. See Maries, Keith

Casey, H. C., Jr., and Bachrach, R. Z. Electroluminescent shifting-peak spectra in GaAs with uniform excitation (9) 195*h*.

Casey, Horace C., Jr., and Luther, Lars C. Diffused junction GaP electroluminescent device, P (1) 13*j*.

Casey, Horace C., Jr., Miller, B. I., and Pinkas, E. Variation of minority-carrier diffusion length with carrier concentration in GaAs liquid-phase epitaxial layers (8) 180*i*.

Casey, M., and Wilks, J. Friction of diamond sliding on polished cube faces of diamond (8) 176*g*.

Cashion, J. D. See Prowse, D. B.

Caslavsky, J. L., and Gazzara, C. P. Dislocation behavior in sapphire single crystals (2) 50*a*.

Cass, Eugene E., Gustafson, Robert M., and Young, Paul M. Semiconductor chip having connecting pads arranged in a nonorthogonal array, P (7) 151*b*.

Cassens, Nicholas, Jr. Refractory ramming mix [MgO], P (10) 209*f*.

Casserley, Barrie Processing of laminated transparent panels, P (8) 166*g*.
Cassidy, John E. See Birchall, James D.
Castanet, R. See Xuan, D. Phan
Castellucci, Nicholas T., and Kronkop, Ned C. Process and apparatus for solar distillation utilizing cellular ceramic nodules to improve the evaporation rate, P (8) 172*f*.
Castiglione, V. Legal aspects of air pollution (8) 180*c*.
Castles, George R. See Ettre, Kitty S.
Castrucci, Paul P., Grochowski, Edward G., Hess, Martin S., Maberas, George, and et al. Semiconductor device fabrication utilizing <100> oriented substrate material, P (7) 151*b*.
Catalano, I. M., Cingolani, A., and Minafra, A. Multiphoton transitions in ionic crystals (7) 156*c*.
Cates, Harold T., and Darling, Ray E. Process for preparing neutron-hardened semiconductor and microelectronic devices, P (3) 72*f*.
Cathers, William P. Glass [sheet] turnover and packing device, P (3) 64*j*.
Catlin, Robert T. See Dawson, Chester H.
Caton, Ray D., Jr. See Ewing, Galen W.
Cattanach, Warren Flow coating ground coat (9) 183*j*.
Cattelan, S. See Alongi, V.
Cavalera, A. O. R., Armour, D. G., and Carter, G. Entrapment and thermal evolution of low-energy inert gas ions [Ar^+, Kr^+] injected into borosilicate glass (2) 33*j*.
Cayol, Andre, Clottes, Georges, and Ratier, Jean L. Nuclear fuel pin, P (10) 212*g*.
Cecil, Tom A. Preparation of stable suspension of calcined clay, P (1) 20*c*.
Celling, Walter G. Method of mfg. a semiconductor device and semiconductor device mfg. by the method, P (9) 191*b*.
Celustka, B. See Persin, M.
Cement Association of Japan Review of the 27th General Meeting of the Cement Association of Japan, B (5) 124*c*.
Cerchez, Mihai, and Dinescu, Radu Ca-Na porcelain with wollastonite (9) 189*e*.
Ceremsak, Richard J., and Hersey, Avon H. Abrading mixture, P (10) 201*e*.
Cernoch, S., and Belyus, G. Analysis of the heat balance of the preheating zone of the tunnel kiln, with special reference to air leakage (5) 118*g*.
Cerny, Josef, and Dvorakova, Vera Automatic weighing in small batch houses (11) 223*f*.
Ceva, T. See Visocekas, R.
Cevales, G. Study in the system CeO_2-Al_2O_3 (2) 56*a*.
Chabal, Joseph See Rieser, Raymond G.
Chace, Howard E. See Bole, Hamilton B.
Chadi, D. J. See Chelikowsky, J.
Chadwick, Ronald See Landman, Dirk
Chaikin, P. M. See Egorov, L. P.
Chaklader, A. C. D. See Angers, R. ; O'Brien, T. E.
Chakraborty, Asok See Geck, Hans G.
Challeton, D. See Ferrand, B.
Chamberlain, Richard E. See Swartz, George A.
Chamberland, B. L. New defect V_2O_2 phases (3) 80*j*. See Potoff, Alan D. ; Sarkozy, R. F. ; Vlasse, Marcus
Chamberland, B. L., Cloud, W. H., and Frederick, C. G. $Cr_{1-x}Mn_xO_2$ series and characterization of orthorhombic $CrMnO_4$ (5) 120*b*.
Chamberod, A. See Coey, J. M. D.
Chambers, Arnold See Inns, David H.
Chambers, Arthur E. Semiconductor and heat sink fin assembly, P (11) 231*h*.
Chambers, J., Mason, I. M., and Turner, C. W. Acoustic-surface-wave convolution on crystals of CdS, $LiNbO_3$, and $Bi_{12}GeO_{20}$ (4) 98*a*.
Chandrasekharaiah, M. S. See Dharwadkar, S. R.
Chandrashekhar, G. V. See Barros, H. L. ; Shin, S. H.
Chandross, Edwin A., and Shankoff, Theodore A. Fabrication of thin-film devices, P (3) 70*j*.
Chang, Chi Shih, and Jen, Teh Sen Complementary FETs having *p*-doped Si gates, P (11) 230*h*.
Chang, E., and Barsch, G. R. Pressure dependence of single-crystal elastic constants and anharmonic properties of wurtzite (4) 101*d*.
Chang, Joseph J. See Agusta, Benjamin
Chang, Joseph J. F., and Vora, Madhukar B. Shallow junction semiconductor devices, P (4) 94*h*.
Chang, L. L. See Dove, D. B.
Chang, Luke L. Y. See Brice, William R. ; Hoda, Syed N.
Chang, R. K. See Callender, R. H.
Chang, Shao-Yuen Process for B-containing glasses useful with semiconductor devices, P (5) 110*d*.
Chang, T. S. Domain structure of $SrTiO_3$ under uniaxial stresses (3) 78*e*.
Chao, Pao J. Method for producing evaporation-inhibiting coating for protection of Si-Ge and Si-Mo alloys at high temps. in vacuum [thermocouples], P (5) 117*j*.
Chapman, Alan T., Jr. See Clark, Grady W.
Chapman, Dennis R., and Paterson, William C. Electrolytic treatment of filamentary C material, P (1) 10*h*.
Chappel, Carol Coffee maker (11) 221*i*.
Chaperin, Gennady A. Flameless gas catalytic heater, P (5) 118*g*.
Charbonnier, Jean C., and Tanneuberger, Helmut Electric accumulator with beta alumina separator and electrolyte consisting of a salt in an organic solvent, P (3) 70*h*.
Charbonnier, M. See Escoubes, M.
Charles, R. J. See Mitoff, S. P. ; Prochazka, Svante
Charlet, Heinz Use of liquefied gas in the brick and tile industry (2) 37*d*.
Charlu, T. V., and Kleppa, O. J. High-temp. combustion calorimetry: I, Enthalpies of formation of W oxides (3) 79*e*; High-temp. combustion calorimetry: II, Enthalpies of formation of V oxides (8) 177*b*.
Charnley, Peter W., and Crichton, David R. Method of making glass seals, P (9) 191*i*.
Charpentier, Robert R. Insulating ring for particle accelerator tubes and acceleration tube including the ring, P (2) 41*g*.
Chasan, David E., and Norwitz, George Ir determination of alkali carbonates by the pellet technique using a dry box (11) 232*h*.
Chasanov, M. G. See Gabelnick, S. D. ; Reedy, G. T.
Chasanov, Martin G. See Fredrickson, D. R.
Chase, C. E. See Younger, Peter R.
Chase, John D. Colored rutile boules and method of making, P (7) 148*j*.
Chasnis, P. See Calvet, R.
Chatelain, A., and Weeks, R. A. EPR of Fe^{3+} in forsterite (Mg_2SiO_4) (8) 176*c*.
Chattaraj, B. D. See Borthakur, P. C.
Chatterjee, A. K., and Zhmoidin, G. I. Phase equilibrium diagram of the system CaO-Al_2O_3-CaF_2 (5) 121*h*.
Chatterjee, Manas Kumar See Mukherjee, Mrityunjay
Chatterjee, N. B. See Banerjee, J. C.
Chatterjee, S. K. Lime and limestone deposits of Nepal (4) 97*a*.
Chatterji, S. See Gupta, P. ; Wheeler, J.
Chatterji, S., Moore, N. T., and Jeffery, J. W. Artifact introduced during the shadow-casting technique of height measurement in the transmission electron microscope (1) 17*f*.
Chau, C. K. See Kupperman, D. S.
Chaudhari, R. M. See Kulkarni, R. H.
Chaudhuri, S. P. Influence of mineralizers on the constitution of hard porcelain: I, Mineralogical compositions; II, Microstructures (4) 91*g*; Influence of mineralizers on the constitution of hard porcelain: II, Microstructures--correction (7) 148*c*; Effect of exchangeable cations on induced mullitization of clay (10) 216*e*.
Chauvard, Patrice, Magnan, Regis, and Coquery, Jean P. Process of mfg. anhydrous $CaSO_4$ form II and products obtained by this process, P (6) 126*h*.
Chaus, I. S. See Kompanichenko, N. M.
Chay, Deog M. Braunite-glass catalytic particles and method of preparation, P (6) 126*g*.
Chayka, George A., Persson, Eric J., and Ziobro, Norbert M. Test probe for semiconductor devices, P (9) 192*e*.
Chebotarev, V. L. See Abramson, I. G.
Chebukov, M. F., Koknaev, N. F., Uffantsev, V. M., and Lobanova, S. P. Asphaltenes—effective additive in grinding clinker (4) 83*f*.
Checkin, V. V. See Sal'nikov, V. D.
Cheetham, A. K., Fender, B. E. F., and Taylor, R. I. High-temp. neutron diffraction study of $Fe_{1-x}O$ (1) 24*c*.
Chelikowsky, J., Chadi, D. J., and Cohen, Marvin L. Calculated valence-band densities of states and photoemission spectra of diamond and Zn blende semiconductors (9) 194*g*.
Chen, Charles Y., Dhaka, Vir A., and Krelikowski, Walter F. Process for making an integrated circuit with a damping resistor in combination with a buried decoupling capacitor, P (3) 72*e*.
Chen, Pin Ao Raman effect in sintered ceramics (7) 157*f*.
Chen, Y. See Abraham, M. M. ; Henderson, Brian ; Tohver, H. T.
Chen, Y. C. See Ruoff, Arthur L.
Cheng, Wu Hui See Nakamura, Tetsuro
Cherdon, Egon, Haertier, Manfred, Faessle, Fritz, Foerster, Hans J., and et al. Method of producing finely dispersed alpha Ca sulfate hemihydrate, P (8) 163*a*.
Cheremisina, I. M. See Opalovskii, A. A.
Cherepanov, A. M. See Vydrik, G. A.
Cherepanov, V. A. See Zil'bershtein, A. Kh.
Cherepanova, E. A. See Sandler, R. A.
Cherkinskii, Yu. S. See Kuznetsova, L. G.
Cherkinskii, Yu. S., and Kayaz'kova, I. S. Dependence of SiO_2 concentration on pH in the presence of solid SiO_2 (2) 50*f*.
Chern, Mao-Jin, and Phillips, Richard A. Temp. dependence of nonlinear optical coeffs. in ferroelectric $NaNO_2$ (2) 56*h*.
Chernov, R. V., and Ermolenko, I. M. System Li^+,Na^+,K^+ + TiF_6^{2-} (4) 103*b*; Phase diagrams of the ternary systems Na^+_2||TiF^{2-}_6,Cl^-,F^- and K^+||TiF^{2-}_6,Cl^-,F^- (11) 235*i*.
Chernoostonskii, L. A. See Tokarev, E. F.
Chernyavskii, V. L. See Mchedlov-Petrosyan, Otar P.
Chernyi, L. N. See Kleshchev, G. V.
Chernyshev, A. N. Advantage of viscometer with constant speed of rotation (4) 96*f*.
Cheron, Jean P. R. Apparatus for tempering sheets of glass, in particular sheets of curved form, P (8) 165*g*.
Chertkil, N. V. See Koval'skii, V. V.
Chervonenkin, A. Ya. See Alaverdova, O. G.
Chervova, A. A. See Karpovich, I. A.
Cheskis, Eugene M., and Price, James B. Photoresist keys and depth indicator, P (5) 112*g*.
Chesnokov, B. F. See Bogomolov, B. N.
Chessin, Henry See Passarelli, Richard E., Jr.
Chesters, John Hugh Refractories--Production and Properties, B (7) 160*j*.
Chetkin, M. V., and Didoryan, Yu. S. Layer structure and magneto-optic diffraction in orthoferrites (1) 25*e*.
Chetkin, M. V., Shalygin, A. N., Drachev, V. A., Balbashov, A. M., and et al. Cylindrical domains in orthoferrite plates perpendicular to the optical axis (6) 137*b*.
Chevreton, M. See Babot, D.
Chi, T. C. See Barros, H. L.
Chi, T. C., and Sladek, R. J. Elastic constants and the electrical transition in Ti_7O_3 (8) 175*c*.
Chi, Ung Up, and Lee, Ho Myun Single fast-firing of conventional batches (9) 189*c*.
Chiao, T. T., Moore, R. L., and Walkup, C. M. Graphite fiber/epoxy composites (9) 187*f*.
Chiba, Toshinobu See Noguchi, Masayasu ; Tsuda, Nobuo
Chichagov, Yu. V. See Opalovskii, A. A.
Chiche, Pierre Process for producing C fibers, P (5) 112*h*.
Chicotka, Richard J., and Taylor, Robert C. Growth of ternary compounds utilizing solid, liquid, and vapor phases, P (2) 41*b*.
Chidester, R. E. See Napolitano, Albert
Chigareva, O. G. See Fedoseev, A. D.
Chigbo, G. O. See Bye, G. C.
Chikalla, Thomas D. See Turcotte, R. P.
Chikanov, N. D. Reactions of Sb pentachloride with the chlorides of a series of elements (4) 101*i*; Reaction of $SbCl_3$ with chlorides of other elements (7) 157*a*.
Chikanov, N. D., and Ugai, V. A. Reaction of $BiCl_3$ with the chlorides of a series of elements (9) 198*g*.
Childs, Gregg E., Ericks, Lewis J., and Powell, Robert L. Thermal Conductivity of Solids at Room Temp. and Below, B (5) 124*i*.
Chilenskas, Albert A. See Anastasia, Louis J.
Chinchalkar, V. S. New compounds with pyrochlore structure (1) 25*e*.
Ching, L. S., Day, J. Paul, and Ruoff, Arthur L. Pressure and temp. dependence of the elastic constants of LiBr and LiCl (8) 178*c*.
Chingina, Yu. A. See Pel'ts, S. D.
Chinn, S. R. See Rossi, J. A.
Chinone, N. See Nakashima, H.
Chiocchio, Gerardo See Alunno-Rossetti, Vito
Chiocchio, Gerardo, and Collepardi, Mario Influence of precuring on high pressure steam hydration of tricalcium silicate in the presence of other constituents of portland cement (9) 182*j*.
Chiola, Vincent, Smith, James S., and Vanderpool, Clarence D. Process for producing lamps, P (5) 110*e*.
Chiotti, P. See Kateley, J. A.
Chipman, John See Benz, Robert
Chirina, N. A. See Korenev, Yu. M.
Chistoserdov, V. G. See Bartenev, G. M.
Chistyakov, G. I. See Kravchenko, I. V.
Chistyakov, Yu. D. See Racheva-Stambolieva, T. M.
Chiu, Shiu-Tang TiC preparation, P (5) 112*j*.
Chivian, Jay S., Claytor, R. N., Eden, D. D., and Hemphill, R. B. Ir recording with thermochromic Cu_2HgI_4 (10) 210*d*.
Cho, A. Y., and Panish, M. B. Mg-doped GaAs and $Al_xGa_{1-x}As$ by molecular beam epitaxy (6) 139*f*.
Cho, Choul-Youn See Yang, Ji-Hyun
Choh, Sung Ho, and Seidel, G. Resonance properties of Er^{3+} in Th oxide (8) 179*b*.
Choi, Jae Shi, and Kim, Bo Won Kinetics and mechanism of the oxidation of CO over ZnO (7) 156*e*.
Choi, Sang Heul, Han, Sang Mok, and Kim, Ki Soon Properties of hydrated Ba aluminate at high temp. (10) 202*h*.
Choi, Seung Hwan See Han, Ki Sung
Choi, Suk Jin See Jung, Chang Ju
Choisnet, J., Deschanvres, A., and Raveau, B. Structural evolution of new germanates and silicates of the wadeite type and related structures (5) 122*f*.
Cholakov, P., Shopov, N., Kolarov, M., and Shishkov, P. Slag resistance of chrome-magnesite refractories during electric melting of Cu concentrates (11) 227*c*.
Chopey, Nicholas P. Gas from coal—an update (5) 118*a*.
Chopra, K. L., Sharma, Shiv K., and Yadava, V. N. Equivalent refractive index of multilayer films of different materials (11) 234*e*.
Chou, Y. T., and Tsao, K. Y. Temp. dependence of dislocation energy in alumina crystals (8) 179*f*.
Choudhury, N. S., and Patterson, J. W. Transition from ionic to electronic conduction in pure ThO_2 under reducing conditions (3) 82*a*.
Chough, Euiwon Process for etching metals employing ultrasonic vibration, P (2) 43*a*.
Chough, Euiwon, Deverse, Frank T., Konrad, Franz, Kurtz, John A., and et al. Mounting block for semiconductor wafers, P (9) 191*d*.
Chow, K., and McKnight, H. G. Growth and characterization of pure and rare earth-substituted YVO_4 (5) 120*f*.
Chow, Kau See Brodwin, Morris E.
Chow, S. L., Hedgecock, N. E., Schlesinger, M., and Rezek, J. Electron microscope study of the nucleation and growth of electroless Co and Ni (1) 12*i*.
Chowning, Edward A. See Boeglin, Albert F.
Choy, Jin Ho See Lee, Hee Soo
Choyke, W. J. See Patrick, Lyle
Chretien, Andre See de Kozak, Ariel
Christ, B. W., and Smith, L. C. Chemical polish for quick removal of grinding and lapping scratches from Fe and low-C steel (1) 17*i*.
Christensen, A. Noerlund Hydrothermal preparation and crystal structure of $NaHo_4(GeO_4)_2O_2OH$ (2) 52*e*.
Christensen, N. H., Cooper, A. R., and Rawal, B. S. Kinetics of dendritic precipitation of cristobalite from a K silicate melt (1) 5*e*.
Christman, Brian B. Refractory sanitary-ware setter, P (2) 39*g*.
Chu, Pochen Treatment of organic cation-containing zeolites, P (2) 48*i*.
Chu, T. K. Thermal conductivity of bone at low temps. (5) 123*f*.
Chu, T. L., and Hyslop, A. E. Crystal growth and properties

of B monoarsenide (2) 49*i*.

Chubarova, V. K. See Kuleshov, I. M.

Chufarov, G. I. See Shchepetkin, A. A.

Chukhlantsev, V. G. See Alyamovskaya, K. V. ; Dyunov, P. V.

Chumak, V. D. See Malinin, A. Yu.

Chambres, Louis G., and Rudy, George J. Landless plated through hole photoresist-making process, P (3) 71*f*.

Chun, Myung K., and Bischoff, John T. Single Pockels cell double pulsing scheme [YAG rod], P (10) 211*f*.

Chun, Sang Moon See Lee, Hichul

Chung, David Y., Hoyte, Alfred F., and Li, Yuan Redetermination of elastic constants of single-crystal $CaMoO_4$ (9) 198*j*.

Chung, Kuk Sam See Lee, Hee Soo

Chung, Yun Joong See Lee, Hee Soo

Church, Peter K., and Knutson, Oliver J. Ceramic treating process and product produced thereby, P (10) 209*e*.

Churchill, W. M., Brough, C., and West, H. W. H. "Peacocking"—a blue discoloration of blue bricks exposed to rain (8) 166*f*.

Churchman, G. J., Aldridge, L. P., and Carr, R. M. Relation between the hydrated and dehydrated states of a halloysite (6) 140*c*.

Chvatal, Theodor L. Glasses with high content of Ag oxide, P (8) 165*d*.

Chyung, Chi-Kwan See Beall, George H.

Chzhao, P. Kh. See Danyushevskii, V. S.

Cianchi, L., Mancini, M., and Moretti, P. Influence of covalency in the dynamic Jahn-Teller effect in $Al_2O_3:Ti^{3+}$ (8) 177*e*.

Ciburu, W. See Wurlitzer, M.

Ciesiak, Maria See Bartecki, Adam

Cingolani, A. See Adduci, F. ; Catalano, I. M.

Ciomirtan, Dan See Alvera, Violeta

Ciovirnache, V. See Popescu, I. C.

Ciramella, Anthony F., Jaeger, Ralph R., and Rogers, Ronald R. Method of vapor seal coating Pu oxide particles with Mo, P (7) 152*c*.

Ciztola, A. B. Observation of defects in rf sputtered SiO_2 glass films (3) 63*i*.

Claassen, George R., and Canonaco, Rudy Apparatus for conveying heat-treated flat or shaped glass sheets, P (9) 186*a*.

Claps, William A. Noise discriminating circuitry and method for electronic particle study apparatus, P (5) 118*b*.

Claridge, Maurice A., and Cowe, Peter L. Treatment of oxide pigments [TiO_2], P (2) 48*i*.

Clark, A. E. See Pantano, C. G., Jr.

Clark, C. W. See Rule, A. R.

Clark, D. E., Hench, L. L., and Bates, S. R. Mo metalizing on BeO (8) 169*a*.

Clark, George D. See Strack, Hans A.

Clark, Grady W., Wilson, James C., Oliver, Bennie F., and Chapman, Alan T., Jr. Method of producing multicomponent metal-metal oxide single crystals, P (7) 152*h*.

Clark, Lowell E. Transistor with improved breakdown mode, P (1) 15*f*.

Clark, N. J. See McColm, I. J.

Clark, Norman O. Processing of particulate materials [clay], P (10) 215*c*; Method of modifying clay particles [size distribution], P (11) 233*f*.

Clark, Peter S. Ti oxides in electroslag processes, P (3) 63*a*.

Clark, Robert S. Method for the production of structural bodies, P (4) 90*c*.

Clark, Roger Insulation improves kiln performance (5) 118*b*.

Clark, Willard, and Campbell, Charles Method and apparatus for heat-treating glassware, P (4) 88*c*.

Clark, William E. See Aellig, Milton J.

Clarke, Charles M. See Ram, Michael J.

Clarke, Otis M., Jr. See Neathery, Thornton L.

Classen, Franz Method for using molten metal channel for the conveyance of liquid glass, P (8) 166*c*.

Claifelter, T. E. See Hackler, W. C.

Claus, Karl M. See Wack, Henry P.

Claus, R., Borstel, G., Wiesendanger, E., and Steffan, L. Assignments of optical phonon modes in $LiNbO_3$ (8) 174*h*.

Clausen, Claus, and Jensen, Frederick K. Nozzle for electrostatic powder spraying apparatus, P (2) 46*b*.

Clausen, Edward M., and Clemmer, Robert G. Ultrasonically etched photoflash lamp, P (10) 207*h*.

Clausen, H. J. See Hansen, F. E.

Claytor, R. N. See Chivian, Jay S.

Clearfield, A., and Blessing, R. H. Preparation and crystal structure of a basic Zr molybdate and its relation to ion-exchange gels (1) 26*j*.

Cleek, G. W. See Waxler, Roy M.

Cleek, G. W., and Babcock, C. L. Properties of glasses in some ternary systems containing BaO and SiO_2 (1) 5*h*.

Clemency, C. V. See Busenberg, E.

Clemmer, Robert G. See Clausen, Edward M.

Clendenen, Ronald L. Rehydration and pressure sintering of hot-pressed alumina structures, P (3) 69*a*; Alumina-transition metal oxide ceramic products of enhanced ductility, P (4) 91*i*. See Schlaudt, Charles M.

Clendenen, Ronald L., and Olson, Eugene E. Beta alumina production, P (7) 153*d*.

Clerjaud, B. See Buch, T.

Clevenger, Loyd H. See Sloan, Benjamin J., Jr.

Cliaard, F. W., Jr. See Bunch, J. M.

Cliaard, F. W., Jr., and Sanders, W. M. Axial channeling in ThO_2 (6) 136*j*.

Cline, C. F. See Guinan, M.

Cline, Carl F. See Landingham, Richard L.

Clinton, D. See Wilson, A. D.

Clisbem, Thomas A., Duerr, Francis R., and Snook, Carl T. Electrical furnace for melting glass, P (10) 206*b*.

Cloos, P. See Vande Poel, D.

Close, W. P. See Bacon, F. R.

Clottes, Georges See Cayol, Andre

Cloud, W. H. See Chamberland, B. L.

Clougherty, Edward V., and Kalish, David Refractory diboride materials, P (4) 91*b*.

Clyde, D. H. Crack direction in relation to Griffith's biaxial failure criterion (2) 31*h*.

Coakley, Thomas A., and Sullivan, James C. Glass-fiber-reinforced elastomers, P (10) 206*f*.

Coates, Alfred E. See Vegh, Bertalan J.

Coatney, Richard L. Periclase refractory grain, P (1) 11*e*.

Coats, Edwin See Russ, Malcolm J.

Cobb, Carolus Process for growing crystals using an ozone-enriched H-O flame, P (4) 96*c*.

Coble, R. L. See Kitazawa, K.

Coble, Robert L. See Neve, J. M.

Cochardt, Alexander R. See Cochardt, Philip A.

Cochardt, Alexander W. See Cochardt, Philip A.

Cochardt, Philip A., Cochardt, Alexander R., and Cochardt, Alexander W. Flexible ferrite permanent magnet and methods for its mfg., P (2) 41*a*.

Cochran, Andrew A., and Starliper, Aaron G. Production of rutile and Fe from ilmenite, P (2) 48*g*.

Cochran, Edward L. See Adrian, Frank J.

Cockayne, B., Filby, J. D., and Gasson, D. B. Growth of MgO crystals from the vapor (2) 40*d*.

Coe, Roger F. Method of producing a pair of Si_3N_4 parts, P (10) 209*c*.

Coesen, Matthias Relation between thermal penetration coeff. and workability of glass melts (1) 6*d*.

Coes, Loring, Jr. Segmental cutoff grinding wheel, P (7) 143*g*.

Coey, J. M. D., Buisson, H. Roux, and Chamberod, A. Metal-nonmetal transition in NiS studied by the Moessbauer effect of ^{57}Fe (3) 80*g*.

Coey, J. M. D., Price, D. C., and Morrish, A. H. Furnace for high field Moessbauer experiments (1) 17*d*.

Coey, J. M. D., and Sawatzky, G. A. Study of hyperfine interactions in the system $(Fe_{1-x}Rh_x)_2O_3$ using the Moesabauer effect (1) 28*b*.

Coffari, E. See Spoliti, M.

Coffin, Leon B. See Lawrence, Willis G.

Coghlan, W. A. Constant-stress continuous-load compression creep machine for small single crystals [4×4×10 mm] (1) 17*j*.

Cohen, B. L., Fink, C. L., and Degaan, J. H. Nondestructive analysis for trace amounts of H (2) 47*c*.

Cohen, E. See Finkman, E.

Cohen, Harvey M. See Siqui, Richard H.

Cohen, J. B. See Krawitz, A.

Cohen, Jerome See Archer, Robert J.

Cohen, Marvin L. See Chelikowsky, J.

Cohen, Ronald A., and Wheeler, Roy K. Method and apparatus for stable SiO_2 layers on Si grown in Si_3N_4 ambient, P (7) 149*h*.

Cohen, Sheppard, Richardson, Donald A., and Kimball, Stephen F. Na vapor lamp having a grooved alumina arc tube with side rod heater retainer, P (9) 187*f*.

Cohen, Sidney M. Method and apparatus for treating [aggregate] materials, P (2) 37*e*; Mfg. of lightweight aggregate, P (6) 128*h*.

Cohen Arazi, Salomon, and Rossini, Angel R. Comparative study of mullites obtained from different premullites (3) 66*j*; DTA and X-ray diffraction study of the transformation of γ-Al_2O_3 into α-Al_2O_3 at 600–1500°C (5) 120*g*.

Colaitis, Denise, Lecaille, Claude, and Lebas, Dominique Precision in crystal parameters and in Debye-Scherrer indexing of the oxides ReO_2 and ReO_3 (3) 81*c*.

Colchagoff, Robert D. Apparatus for guiding gobs of molten glass, P (3) 64*a*; Apparatus for positively centering a glass-forming thimble, P (5) 109*b*.

Cole, James N. See Berkenblit, Melvin

Cole, Jerome F. OSHA—be prepared (10) 220*i*.

Cole, John See Kouwenhoven, Herman W.

Cole, W. F. Permanent moisture expansion of ceramic products (4) 89*g*.

Cole, W. F., and Crook, D. N. High-temp. reactions of clay mineral mixtures and their ceramic properties: V, Dimensional and weight changes on refiring and the pore-size distribution of fired kaolinite–illite-quartz mixtures with 25 wt% quartz (4) 99*g*.

Cole, W. F., and Hajela, R. B. Clay mineral composition of some brickmaking clays from the Melbourne area (4) 89*a*.

Colella, R. See Srinivasan, G. R.

Colgan, Joseph D. Extruded alumina catalyst supports, P (9) 189*h*.

Colin, F., and Collongues, R. Use of a hot-front method for oxide deposition from a vapor (5) 123*c*.

Colin, Jean Paul See Morin, Denise

Collepardi, Mario See Alunno-Rossetti, Vito ; Chiocchio, Gerardo

Collet, P. See Brunisholz, G.

Collin, G., and Flahaut, J. Structure of the distorted K_2NiF_4-type compounds L_4MS_7 (L = La,Ce,Pr,Nd; M = Co,Ni) (10) 219*h*.

Collins, A. T. Visible luminescence from diamond (9) 181*g*.

Collins, Byron R., Sales, Juris, and McVey, Charles I. High-intensity lamp containing internal shorting fuse, P (2) 36*e*.

Collins, D. A. See Wieder, H. H.

Collins, David A. See Lile, Derek L.

Collins, Dean R., and Carter, David L. Charge transfer solid state display, P (6) 131*h*.

Collins, Dean R., and McMahon, William R. Method of fabricating a semiconductor device, P (1) 14*b*.

Collins, E. W. See Davis, E. G.

Collins, J. H. See Adam, J. D.

Collins, M. F. See Haywood, B. C. G.

Collins, Neil E., and Hait, Ira E. Ohmic contact for group III-V *p*-type semiconductors, P (3) 71*j*; Ohmic contact for group III-V *p*-type semiconductors, P (5) 115*e*.

Collins, R. A. See Raby, J.

Collomb, A. See Samaras, D.

Collongues, R. See Boilot, J. P. ; Colin, F. ; Dhalenne, G.

Colloques Intern. Natl. Rech. Sci. Study of crystalline transformation at temps. above 2000°K, B (2) 60*e*.

Colman, J. R. T. Glass protector, P (9) 186*h*.

Colombo, A. F. See Green, R. E.

Colombo, R. L., and Amato, I. Thermal etching figures in ceramic bodies (7) 151*i*.

Colombo, Umberto See Hannay, N. Bruce

Colquhoun, I. See McColm, I. J.

Colson, Frank S. Portable [hobby] kilns, P (5) 118*i*.

Colwell, Priscilla J. See Klein, Miles V.

Colwell, Priscilla J., and Klein, Miles V. Raman scattering from electronic excitations in *n*-type SiC (8) 178*g*.

Comas, James See Evans, Bruce D.

Combe, Edward C. See Frame, John W.

Combs, Clyde See Davidsohn, Uryon S.

Comes, R., and Shirane, G. Neutron-scattering analysis in the linear-displacement correlations in $KTaO_3$ (7) 156*d*.

Compaan, A., and Cummins, H. Z. Raman scattering, luminescence, and exciton-phonon coupling in Cu_2O (8) 178*h*.

Compton, W. Dale See Arora, B. M.

Condrate, R. A., Sr. See Jang, Sung Do ; Kowalczyk, L. N.

Conduruche, D. See Rezlescu, Nicolae

Connell, John G. Self-cleaning air flow bar for apparatus for making aggregate, P (6) 128*h*.

Conner, Michael E. Matched pair of enhancement mode MOS transistors, P (10) 211*a*.

Conner, William V. Conversion of multigram quantities of $^{241}AmO_2$ to $^{241}AmF_4$ (5) 120*b*.

Conner, William V., and Proctor, Stephen G. Am recovery from reduction residues, P (5) 116*b*.

Connolly, T. F., and Hawkins, Donald T. (Compilers) Ferroelectrics Literature Index, B (9) 200*b*.

Conrady, C. Hollow C or graphite arc electrodes, P (4) 91*f*; C or graphite electrode joints, P (5) 112*b*.

Conroy, Gary D. Apparatus for measuring the thickness of metal oxide coating on a glass article, P (3) 64*b*.

Conti, F. E. Production of alumina and Al from bauxite, P (7) 153*i*.

Conway, J. G. See Stacy, J. J.

Conwicke, Joel A. Sintering aids for producing alumina dielectric compositions cofireable with Pd, P (8) 171*b*.

Cook, Albert W., and Dernovshek, Joseph F. Graphite and/or C disk with removable wear faces, P (8) 168*b*.

Cook, Charles W. Glass container angular displacement device, P (5) 109*g*.

Cook, D. J., and Haque, M. N. Effect of sorption on the tensile creep and strength reduction of desiccated concrete (9) 182*g*.

Cook, Henry A. See Strong, Herbert W.

Cook, John S., and Marcatili, Enrique A. J. Butt-joined optical fibers, P (11) 225*c*.

Cook, Richard S. Fluidized solids reactor with refractory lining, P (10) 208*i*.

Cooke, Charles M. See Mazdiyasni, K. S.

Coon, Warren P. Magnetic shielding for evacuated tube comprising plural coating of binder and magnetic particles, P (2) 36*h*.

Cooper, A. R. See Christensen, N. H.

Cooper, A. S. See Nassau, Kurt

Cooper, B. S. See Acres, G. J. K.

Cooper, E. G. See Robson, D.

Cooper, Joseph E. See Capellman, John J.

Cooper, Leon N. Microscopic quantum interference in the theory of superconductivity (2) 54*d*.

Cooper, P. V. See Craik, D. J.

Cooper, P. V., and Craik, D. J. Simple approximations to the magnetostatic energy of domains in uniaxial platelets (4) 102*f*.

Cooper, R. F. See Yates, B.

Cooper, Ronald H. See Bozer, Keith B. ; Schmidt, Donald L.

Coors, Joseph Executive viewpoint—future of electronic ceramics (2) 40*h*.

Copeland, G. L., Duhose, C. K. H., Donnelly, R. G., and Martin, W. R. TEM of irradiated B_4C (8) 171*g*.

Copeland, Robert Staffordshire pottery industry preservation trust (7) 143*d*.

Copley, G. J., Redmond, A. D., and Yates, B. Influence of TiO_2 on the thermal expansion of vitreous SiO_2 (4) 86*j*.

Coppo, S. See Fatuzzo, E.

Coppola, J. A. See Larson, D. R.

Coquery, Jean P. See Chaurand, Patrice

Corbett, J. W. See Bourgoin, J. C. ; Weigel, C.

Corbett, John D. Reduced halides of the rare earth elements (9) 198*j*.

Corbett, R. P. Practical advantages of the dry powder electrostatic process (4) 86*f*.

Corbin, Lester J., and Corbin, Verda S. Attaching findings to enameled jewelry (10) 201*i*.

Corbin, Verda S. See Corbin, Lester J.

Cordelle, Claude See Maringer, Robert

Cordes, Linus F. Method of making resistor thin films by

reactive sputtering from a composite source, P (2) 42*h*. See Engeler, William E.

Cordfunke, E. H. P., and Muis, R. P. Heat capacity of UN (5) 115*g*.

Cordoveanu, Gelven A. Mineral-ceramic mouthpieces for extrusion presses (3) 66*a*.

Corelli, J. C. See O'Brien, J. K.

Cornelius, Edward B., De La Mater, George B., Koester, David W., and McEvoy, James E. Reforming catalyst and preparation, P (5) 119*i*.

Cornelius, Edward B., and Koester, David W. Chromia-alumina catalyst, P (4) 97*c*.

Corset, Jean, and Rossier, Dominique Method of mfg. a solid semiconductor glass, P (11) 226*b*.

Cornforth, J. R. Gas and its application to firing bricks (4) 96*j*.

Corno, Silvio E. Method to determine the neutron absorption and multiplication parameters for cluster-type nuclear fuel elements, P (4) 95*j*.

Corsentino, Donald J. See Corsentino, Joseph

Corsentino, Joseph, and Corsentino, Donald J. Apparatus for producing fiber mats of mineral fiber, P (3) 64*b*.

Corsi, C., and Miller, M. Electrical properties and spectral response of PbTe-Ge heterojunctions (11) 229*d*.

Corstanje, W. A., Stein, H. N., and Stevels, J. M. Hydration reactions in pastes $C_3S+C_3A+CaSO_4.2H_2O+H_2O$ at 25°C: I (4) 85*a*; Hydration reactions in pastes $C_3S+C_3A+CaSO_4.2H_2O+H_2O$ at 25°C: II (7) 144*e*; III (9) 182*g*.

Cosgrove, M. E., and Suiaiman, A. M. A. Rapid method for the determination of quartz in sedimentary rocks by X-ray diffraction incorporating mass absorption correction (4) 96*j*.

Costa, Harald See Staedler, Ludwig

Couderc, P., and Douillet, Ph. Industrial vermiculites—exfoliation and mineralogical and chemical properties (4) 97*i*.

Coughlin, Bernard J. Method of diffusing an impurity into a semiconductor body, P (1) 14*a*.

Coulter, Wallace H., and Hogg, Walter R. Particle size analyzing apparatus and method using threshold level control, P (1) 19*d*.

Counts, Charles Pottery Workshop—A Study in the Making of Pottery from Idea to Finished Form, B (6) 142*f*.

Couquelet, Dieudonne Machine for the production of hollow glass bodies [from tubes], P (7) 146*c*.

Courbon, Paul Apparatus for the suction and purification of polluted air, P (2) 45*g*.

Courcier, Francois, Blouet, Jean, Courtel, Robert, Gras, Rene, and et al. Friction material, P (10) 208*i*.

Courdille, J. M., and Dumas, J. Electric field effect on the elastic constant near the Gd molybdate phase transition (9) 195*g*.

Courrier, B., and Gleitzer, Ch. Oxidation products of powdered $NbSi_2$ (10) 218*g*.

Courtel, Robert See Courcier, Francois

Cousseins, Jean-Claude See Delaigue, Alain

Cousnot, Gerard, and Psaila, R. Positron as a probe of imperfections in quartz crystals (2) 55*c*.

Coutures, J. P. See Berjoan, R.

Coutures, J. P., Berjoan, R., and Grasier, B. Use of solar furnaces to study reactions between gas and liquid oxides (5) 123*d*.

Coville, Patrick See Baldy, Jean

Cowan, David L. See Halliburton, Larry E.

Cowan, Roy Oil-fired kilns: II (6) 135*d*.

Cowe, Peter L. See Claridge, Maurice A.

Cowland, Frederick C., and Appleby, Harry Carbonaceous bodies, P (6) 129*b*.

Cowley, E. R., and Pant, A. K. Lattice dynamics of calcite (9) 196*e*.

Cowley, J. M. See Iijima, S.

Cox, D. E. See Wright, J. C.

Cox, M. G. C., McEnaney, B., and Scott, V. D. Chemical diffusion model for partitioning of transition elements in oxide scales on alloys (2) 49*a*.

Cox, Robert J. Process for compacting fluorspar for metallurgical use, P (10) 214*j*.

Coxon, George E. Mfg. of W halogen lamps, P (9) 186*a*.

Coyle, R. Tom, Jr., and Lewis, Gordon Knudsen effusion study of the vaporization of CdO(*s*) (10) 217*a*.

Cracknell, John R., and Groszek, Aleksander J. Graphite pellets, P (10) 208*j*.

Craford, Magnus G. See Herzog, Arno H. ; Keune, D. L.

Craford, Magnus G., Shaw, Roger W., Herzog, Arno H., and Groves, Warren O. Radiative recombination mechanisms in GaAsP diodes with and without N doping (4) 101*i*.

Craik, D. J. Domain nucleation in uniaxial magnetic platelets (4) 99*g*. See Cooper, P. V.

Craik, D. J., Cooper, P. V., and Myers, G. Evaluation of magnetic bubble domain specimens (1) 12*j*.

Craik, D. J., McQuillin, J. D. R., and Blundell, S. J. Magnetization dynamics controlled by magnetocrystalline anisotropy (2) 53*e*.

Crandall, William B., and Lee, Charles M., Jr. Low-porosity coating and method for producing, P (6) 128*e*.

Craven, R. E. Brick setting systems allied to stiff extrusion (5) 110*b*.

Crawford, J. H., Jr. See Mallard, W. C.

Crawford, J. R., and Dragsdorf, R. Dean Photoluminescence from He, Ar, Fe, and Cr ion-implanted MgO (8) 178*i*.

Crawford, James E., and Russell, Richard H. Method of coating glass surface and products produced thereby, P (8) 165*j*; Method of coating glass surface and products produced thereby, P (9) 186*e*.

Crawford, Robert H. MOS-bipolar high-voltage driver circuit, P (4) 94*a*.

Crawley, R. L. See Johnson, W. J. ; Rado, W. G.

Crayton, P. H. See DiLiddo, R. C. ; McMann, F. C.

Creo, F. See Arizmendi, L.

Cretenet, Jean-Claude Double fluorides, triple fluorides, and solid solutions of V(III) and alkaline elements, Tl(I), alkaline earths, Pb(II) (10) 216*c*.

Crevecoeur, C., and De Wit, H. J. Preparation of α-As_2Se_3 crystals (2) 55*c*.

Criado, E. See De Aza, S. ; Espinosa de los Monteros, J.

Crichton, David R. See Charnley, Peter W.

Crijns, N. J. H., and Felix, F. J. H. Kiln furniture for rapid firing (3) 66*g*.

Crisp, M. D. See Boling, N. L.

Crisp, Stephen, and Wilson, Alan D. Formation of a glass-ionomer cement based on an ion-leachable glass and polyacrylic acid (8) 162*c*.

Criss, George H. Method of extruding SiO_2 compositions, P (3) 67*f*.

Cristea, Viorel See Simonfi, Paul

Critchlow, Dale L., and Schuster, Stanley E. FET device with guard ring and fabrication method therefor, P (8) 170*a*.

Crockett, Joseph T. See Hackbarth, Lowell E.

Croitoru, N., and Popescu, C. Approximations and boundary conditions in the theory of thermal instabilities (8) 174*g*.

Cronemeyer, D. C. See Giess, E. A.

Cronin, Leo J. Thermionic cathode, P (1) 15*d*.

Crook, D. N. See Cole, W. F. ; Hajela, R. B.

Cronet, Michel, and Velasco, Gonzalo Short-wavelength wave guides formed of metal oxides [Ta_2O_5], P (11) 226*f*.

Cross, L. E. (Editor) Phase Transitions—1973, B (6) 142*e*. See Sawaguchi, E.

Crouse, Clifford F. See Frazier, J. Earl

Crowder, B. L. See Smith, J. E., Jr.

Crowe, William J., Ritchie, Kim, and Gurev, Harold S. Liquid-phase deposition of thin insulating and refractory film [ZrO_2] on a substrate, P (3) 71*g*.

Crowle, Brian Method and circuit element for the selective charging of a semiconductor diffusion region, P (10) 211*c*.

Crowley, M. S., and Wygant, J. F. Critical ceramic applications in fossil fuel processing (1) 30*d*.

Cruthers, Ronald F. Method of making microfuses on a thin-film circuitry panel, P (1) 14*e*.

Cruz, J. E., Rogers, E. H., and Hiester, A. E. Measuring liquid level with time domain reflectometry (1) 17*i*.

Cruz, L. D., Diaz, L. S., and Engle, L. F. Computer techniques in the design and operation of multistage crushing plants (10) 212*j*.

Csilling, Andreas Accumulation effects in an amorphous chalcogenide [Te-As-Si-Ge] thin film switch (4) 92*e*

Csordas, Istvan Thermoluminescence analysis as a tool for prospecting raw materials for the silicate industry (1) 18*c*.

Cuellleron, J., Lahet, G., Thevenot, F., and Paris, R. A. New method for obtaining metal borides (5) 121*b*.

Cuevas, Ephraim A., and Johnston, Wayne S. Removal of dissolved Pb from LiCl solutions, P (3) 76*d*.

Cullen, Darrel F. See Harris, Ronald E.

Cullen, James R., and Cullen, Earl R. Multiple ordering in magnetite (10) 217*j*.

Culpepper, Ronald M. See Schoolar, Richard B.

Cummins, H. Z. See Compaan, A.

Cummins, Stewart E. See Luke, Theodore E.

Cummins, Stewart E., and Luke, Theodore E. Image storage in a ferroelectric-photoconductor device structure using single crystal $Pb_5Ge_3O_{11}$ (4) 92*d*.

Cunningham, Andrew L., Sr. Process for surface treatment of graphite fibers, P (10) 209*e*.

Cunningham, James A. Electrical isolation of circuit components of integrated circuits, P (6) 131*j*; Integrated-circuit structure having electrically isolated circuit components, P (6) 132*d*. See Wakefield, Robert H.

Cunningham, James A., and Fuller, Clyde R. Metal contact [Mo] and interconnection system for nonhermetic enclosed semiconductor devices, P (1) 14*j*.

Cunningham-Smith, David See Fahey, Dennis

Cuomo, Jerome J. See Ahn, Kie Y. ; Rutz, R. F.

Cuomo, Jerome J., Laibowitz, Robert B., Mayadas, Ashok F., and Rosenberg, Robert Single-crystal tunnel devices [Josephson], P (10) 211*f*.

Curn, Frantisek See Sejbal, Josef

Curran, Patrick M., Brazer, Geoffrey R., and Erickson, John S. Process for reducing oxide defects in investment castings, P (10) 209*e*.

Currie, Thomas E. Kaolin clays in ceramic slips (9) 183*a*.

Curtis, B. J. See Bortfeld, D. P.

Curtiss, Lawrence E. Method for forming glass fibers, P (1) 7*d*.

Curtze, Edward W. See Bier, David A.

Cushman, Charles R., Hale, James C., and Anderson, Vernon A. Particle size and percent solids monitor, P (4) 96*f*.

Cushman, Robert H. Temp. [surface] measurement, P (1) 19*e*.

Cutler, Ivan B. Production of SiC from rice hulls, P (1) 11*f*. See Rao, W. Raja

Dada, Abdul G., and De Hollander, William R. Process for producing UO_2-rich compositions from UF_6, P (7) 152*c*.

Dada, Abdul G., De Hollander, William R., and Sloat, Robert J. Post-oxidation process for UO_2-rich compositions, P (6) 133*d*.

Daerr, G. M., and Ludwig, Udo Effect of early hydration on mortar strengths of rapid-hardening portland cements (3) 61*g*.

Dafov, G. See Pavlov, Tr.

Dagdigian, Paul J., and Wharton, Leonard Stark effect of $BaCl_2$ (5) 122*d*.

Daguenet, M. See Bonet, C.

Dahlberg, John R. See Grove, Robert H.

Dahlberg, John R., Oravitz, James L., Jr., and Michalik, Edmund R. Directional control for thermal severing of glass, P (6) 128*a*. Thermally directed glass cutting, P (7) 147*b*.

Dahlman, Frederick A., and Mras, Raymond J. Pressurized fluid ram acceleration system [pressing], P (2) 36*j*.

Dahms, Francis A. Triple gob settle blowhead and baffle construction, P (4) 89*i*.

Daimon, M. See Abo-El Enein, S. A.

Daimon, Masaki See Goto, Seishi ; Hosaka, Giko

Daley, Lawrence R., and Fermont, George R. Surface modification of graphite fibers, P (11) 228*d*.

Dalik, Herbert A. See Califano, Frank L.

Dalisa, A. L., and Seymour, R. J. Convolution scattering model for ferroelectric ceramics and other display media (3) 69*g*.

Dalla Betta, Ralph A., Gandhi, Haren S., Kummer, Joseph T., and Shelef, Mordecai Process for preparing a catalyst based on Ru, P (10) 214*j*.

Daly, D. F. See Dishman, J. M.

Damgaard, Lavritz G. See Duhring, Ornolf

Damgaard-Iversen, Joergen, and Kruse, Flemming Method for operating a rotating kiln plant for the production of cement as well as a plant for carrying out the method, P (4) 85*h*.

Damon, D. H. Thermal conductivity of vitreous SiO_2 at low temps. (9) 199*i*.

Damyanov, N. See Karamanov, Zh.

Danchenko, Vitaly Radiation hardening of MOS devices by B, P (8) 170*i*.

Dancsi, Zsuzsanna Thermometric determination of small quantities of silicate (9) 193*c*.

Daniel, Michael R. Magnetoelastic interactions in YIG (3) 80*e*; Ferroacoustic interaction in YIG with Rayleigh waves (8) 176*j*; Acoustic radiation from a high coupling cut of Li niobate (10) 215*e*.

Daniel, Michael R., and Emtage, P. R. Acoustic radiation by interdigitated grids on $LiNbO_3$ (6) 136*e*.

Daniel, Paul Form grinding of ceramic seals (1) 1*e*; Diamond grinding of B_4C (5) 105*e*.

Daniells, Robert Candleholders (11) 221*i*.

Danielmeyer, H. G., and Ostermayer, F. W., Jr. Diode-pump-modulated Nd:YAG laser (3) 69*a*.

Danielmeyer, Hans G., and Weber, Heinz P. Laser exploying a metallic [Nd] pentaphosphate, P (10) 210*j*.

Daniels, Alma U., and Iler, Ralph K. Al_2O_3-based articles of jewelry, P (4) 91*j*.

Daniels, Manfred Melting behavior of glass batch (1) 5*i*.

Danilenko, Yu. K. See Akulenok, E. M.

Danilova, N. P., Dubrovo, S. K., and Spirina, S. D. Chemical stability of phase-separating Na silicate glasses in acid and alkaline solutions (1) 4*d*.

Danilyuk, Yu. L. See Avdeev, A. L.

Danke, P. S. See Subramaniam, P. K.

Danyushevskii, V. S., Bakshetov, V. S., Chzhao, P. Kh., and Fridman, V. M. High-expansion [10—20%] oil well cement based on CaO (3) 62*a*.

Dardi, M. See Capucci, V.

Dardi, M., and Biffi, G. X-ray analysis of clay minerals: I (3) 74*h*; X-ray analysis of clay minerals: II (7) 159*j*.

Dargel, L. Magnetic structure of Li ferrites-chromites (6) 139*g*.

Darling, Alan S. Sheathed thermocouple [Pt-Rh], P (11) 233*b*.

Darling, Ray E. See Cates, Harold T.

Darlington, C. N. W. Phenomenological theory of antiferroelectricity and ferroelectricity applied to $NaNbO_3$ and the system $KNbO_3$-$NaNbO_3$ (6) 140*b*. See Newnham, R. E.

Darnell, Alfred J. Process for purifying Eu and Yb and forming refractory compounds therefrom, P (3) 72*g*.

Darriet, Bernard, and Galy, Jean $K_xV_xMo_{1-x}O_3$ ($x=0.13$)—new tunnel structure (5) 121*b*.

Dartige, J. M. See Muxart, R.

Darwin, Charles D., Nickerson, John D., Parsons, James E., and Wiesboeck, Robert A. Production of fluosilicic acid, P (2) 48*j*.

Das, A. R., and Miglani, S. Effect of compaction pressure on the isothermal sintering and grain growth in pure hematite (2) 50*e*.

Das, D. See Mitra, N. K.

Das, P., Kulkarni, A. K., and Moorthy, V. K. Development of mullite ware (10) 208*e*.

Das, S. N. Nonlinearity of ferroelectric $AgNa(NO_2)_2$ (10) 218*c*.

D'Asaro, L. A. See Dyment, John C.

D'Asaro, Lucian A., Dyment, John C., Kuhn, Matthew, and Spitzer, Stuart M. Fabrication of electrically insulating regions in optical devices by proton bombardment, P (11) 230*j*.

Dashkevich, T. B. See Gorokhovskii, V. A.

Dates, Harold F. See Bartholomew, Roger F.

Dathe, Joachim See Mueller, Wolfgang

Dathe, Joachim, Grasser, Leo, and Mueller, Wolfgang Method of producing a *pnp* Si transistor, P (6) 132*b*.

Datskova, T. See Buchvarov, S.

Datskova, T., Bakalov, Zl., and Buchvarov, S. New glaze composition for household china with improved properties (11) 228*b*.

Datta, Ranajit K., and Luscher, Thomas W. Eu- and Mn-activated Sr chlorosilicate phosphor, P (6) 132*a*.

Daubman, Edward A., and Sherlock, John W. Knife advance mechanism [rotary drum filter], P (10) 212*i*.

Daudaus, Jacques Effect of cooling of fused-cast refractories on inner face temp. and corrosion resistance (1) 9*i*.
Dauksys, Richard J. High-modulus graphite fibers having improved bonding properties, P (8) 168*b*; Treatment of high-modulus graphite fibers to improve their bonding characteristics, P (8) 168*b*.
Daumen, Henri J. Apparatus for the fabrication of mold linings such as hot top sections for ingot molds, P (2) 38*g*.
Daval, J. See Ferrand, B.
Davenport, J. W. See Moore, A. R.
David, Jean Study of Mg_3N_2 and some of its compounds (3) 81*e*.
Davidge, R. W. See Ford, Lionel H. ; Perry, J. R.
Davidge, R. W., and Evans, A. G. Si_3N_4 artefacts, P (11) 228*c*.
Davidovich, R. L., Zemnukhova, L. A., and Sigula, N. I. Synthesis and X-ray analysis of alkali metal sulfate-Sb trifluoride compounds (5) 123*c*.
Davidse, Pieter D., Logan, Joseph S., and Maddocks, Fred S. Method for sputtering a film on an irregular surface, P (1) 15*c*.
Davidsohn, Uryon S. Method of making semiconductor devices through overlapping diffusions, P (8) 170*i*.
Davidsohn, Uryon S., Ajamie, Amil J., Short, John P., Combs, Clyde, and et al. Solid state integrated circuits, P (10) 211*g*.
Davidson, Per Hot top casing for casting molds, P (11) 227*j*.
Davie, William R., and Green, Lonzo F. Phosphorus-borate glass frits as plant micronutrient carriers, P (2) 36*i*.
Davies, G. Optical properties of electron-irradiated type Ia diamond (11) 235*h*.
Davies, Terrence A. Light-duty electrical contacts of Ag and Ru oxide, P (4) 93*i*.
Davis, C. M. See Bucaro, J. A.
Davis, Curtis W., Jr., and Fern, Robert W. Apparatus for conveying a glass ribbon, P (3) 64*a*.
Davis, E. G., Collins, E. W., and Feld, I. L. Large-scale continuous attrition grinding of coarse kaolin (1) 16*c*.
Davis, J. H. See Searle, C. W.
Davis, J. H., and Searle, C. W. Spin-spin relaxation and multiple echoes in Mn ferrites (9) 198*e*.
Davis, John R. See Krishna, Surinder
Davis, John R., and Krishna, Surinder High-gain low-saturation transistor, P (3) 71*d*.
Davis, Judy Taiwan folk pottery (10) 201*g*.
Davis, L. W. See Laughman, L.
Davis, Stanley P. Epitaxial method for the fabrication of a distributed semiconductor power supply containing a decoupling capacitor, P (3) 70*i*.
Davis, T. G. Dielectric properties and soft modes in the ferroelectric mixed crystals $K_{1-x}Na_xTaO_3$ (7) 154*d*.
Davisson, J. W. Impurity-sensitive etchant for Na fluoride crystals (2) 46*i*.
Davisson, J. W., and von Batchelder, F. Impurity-sensitive etching in Na fluoride crystals (3) 79*c*.
Davranov, M. See Il'yasov, I. I.
Davydov, S. Yu. See Burenkov, Yu. A.
Daw, Harold A. See Izatt, Jerald R.
Dawe, V. R. See Allison, J.
Dawihl, Walther, and Altmeyer, Georg Stability and quenching isotherms of nonmetallic materials in relation to crack propagation (1) 12*f*.
Dawson, Chester H., Catlin, Robert T., and Haskell, Philip R. Armored metal file band and production thereof, P (4) 83*f*.
Dawson, L. R. See Bachrach, R. Z.
Dawson, P. See Kativar, R. S.
Dawson, P., Hadfield, C. D., and Wilkinson, G. R. Polarized ir and Raman spectra of $Mg(OH)_2$ and $Ca(OH)_2$ (1) 26*g*.
Dawson, P., Hargreave, M. M., and Wilkinson, G. R. Vibrational spectrum of zircon ($ZrSiO_4$) (1) 29*h*.
Day, J. Paul See Ching, L. S.
Day, J. Paul, and Ruoff, Arthur L. Pressure dependence of elastic moduli of WC cermet (9) 197*j*.
Day, Robert V. Plant experiences with pollution control boards (10) 203*b*.
Dayal, R. R. Binary system ZnO-Nb_2O_5 (8) 174*j*.
De Aza, S. See Espinosa de los Monteros, J.
De Aza, S., and Espinosa de los Monteros, J. Mechanics of formation of cordierite in ceramic bodies (5) 113*a*.
De Aza, S., Espinosa de los Monteros, J., Criado, E., and Del Rio, M. A. Application of phase diagrams to refractory technology (3) 66*h*.
de Bartolomeis, Emilio Outlook for the mfg. of brickwork products—the automatic kiln (2) 37*a*.
de Bergevin, F. See Mollard, P.
De Blois, Ralph W. See Bean, Charles P.
de Bock, A. See Lickens, W.
de Boer, Franciscus J. See Dikhoff, Johannes A. M.
de Bufala, Rafael Coloration of silicate glasses by the transition elements: I, Mn; II, Fe; III, Co; IV, Ni (2) 33*d*; V, Cr (5) 108*a*.
de Carvano y Cima, E. Maria Whiteware ceramic compositions, adapted to recent technological trends—rapid firing (3) 68*f*.
De Carvalho, A. A. See Lawrence, F. V., Jr.
de Clerck, Georges Total examination and automatic selection of glass sheets based on optical deviation (7) 146*e*.
De Crescente, Michael A. See Bornstein, Norman S.
De Freye, Dirk J. R. Electric filament lamp, P (2) 35*e*.
De Groot, Jacob See Lathouwers, Franciscus J. M.
De Jong, Cornelis Method of forming flat end faces of wire-shaped current conductors which are passed through a glass bottom of a semiconductor base, P (8) 170*g*.
de Jong, J. Vitreous enameling and glass research (2) 33*d*.
de Keroulas, F., Le Beuze, R., Calais, D., Van Craeynest, A., and et al. Cladding (stainless steel)/fuel (mixed $(U,Pu)O_{2\pm x}$ oxide) in interfacial reaction in irradiated fuel elements (9) 192*i*.
de Klerk, John Interdigital mosaic thin-film shear transducer, P (11) 230*f*. See Hopkins, R. H.
de Kort, Giljbertus M. A. J. See Westendorp, Frans F.
de Kozak, Ariel, Samouel, Maurice, and Chretien, Andre Systems GdF_3-MF (M = K,Rb,Cs) and GdF_3-Gd_2O_3 (9) 199*f*.
De La Mater, George B. See Cornelius, Edward B.
De Lange, Robert G., Zijderveld, Jacobus A., and Van Kuppeveit, Gerardus A. Method for preparing hard metal based on TiC and wear-resistant objects mfg. from this hard metal, P (1) 11*d*.
De Loach, Bernard C., Jr., Nichaus, William C., and Seidel, Thomas E. Method for fabricating a double drift diode, P (11) 230*g*.
De Long, William T., and Szumachowski, Edwin H. Production of an improved nonaustenitic steel weld deposit, P (3) 62*j*.
De Long, William T., Szumachowski, Edwin R., and Heverly, Harold R. Bonded arc-welding flux and liquid binding agent therefor, P (3) 62*h*.
De Luca, Robert D. Ionic treatment for glass optical waveguide fibers, P (6) 128*d*; Impedance element with Mg reaction terminal contact and method, P (9) 191*a*; Mg and MgO resistor and method of forming, P (9) 191*d*.
de Meester, Emiel P. J. See Verstegen, Judicus M. P. J.
de Meester, P. See de Vooght, D.
De Michelis, B. See Abbati, I.
De Miguel Fernandez, E. See Gimenez Gimenez, A.
de Minjer, C. H., and van den Boom, P. F. J. Nucleation with $SnCl_2$-$PdCl_2$ solutions of glass before electroless plating (5) 114*h*.
de Neufville, John P. See Moss, S. C.; See Sample, H. H.
de Nobel, Dirk See Kock, Hendrikus G.
de Nobel, Dirk, and Kock, Hendrikus G. Schottky contact devices and method of mfg., P (4) 94*d*.
De Santis, Raymond P. See Smith, Joseph E.
De Santis, Urbano J. See Beck, E. Dale ; Snyder, Herbert C.
De Seversky, Alexander P. Multiconcentric wet electrostatic precipitator, P (5) 116*f*.
De Stefani, G. See De Stefani, P. L.
De Stefani, P. L., and De Stefani, G. Gas burner valve, P (3) 75*b*.
De Stefano, Richard J. See Lepore, Donald A.
De Truyer, Georges D. See Smith, Joseph E.
de Vooght, D., and de Meester, P. Irregularities in the U_3Si_2 diffraction pattern (8) 171*b*.
de Vore, Dorothy C. See Brown, Patrick M.
de Vries, K. J. See van de Graaf, M. A. C. G.
de Waal, H., and Bronkhorst, J. C. Attack of glass by detergents (11) 223*e*.
De Waal, Jan A. G. See Van Steenbergen, Teunis W.
De Wit, H. J. See Crevecoeur, C.
De Wit, J. H. W. Preparation of In_2O_3 single crystals via chemical transport reaction (2) 55*d*; Electrical properties of In_2O_3 (6) 138*f*.
De Witt, David See Ahn, Junghi
Dean, George A. See Miller, Alfred H.
Dean, Guy Method of mfg. of sintered hypostoichiometric oxides, P (2) 39*c*.
Dean, K. C. See Valdez, E. G.
Dean, P. See Bell, R. J.
Dean, P. J., and Hartman, R. L. Magneto-optical properties of the dominant bound excitons in undoped 6H SiC (7) 156*j*.
DeAngelis, Willie G. Handling glass-plastic assemblies [for lamination], P (5) 109*i*.
De Angelis, William M., Lathmann, Reinhardt F., Meehan, Charles A., and Smith, M. Howe Method of fabricating lab glassware, P (3) 65*g*.
Dear, Paul S. See Fields, James M., Jr.
Deardorff, Lawrence R. Electric conductor and method, P (10) 206*a*.
Deaton, Ronald L., and Silver, Gary L. Pu recovery from organic materials, P (4) 95*b*.
Deaton, Ronald L., and Wiedenheft, C. J. O exchange reaction of PuO_2 (1) 16*a*; Self-diffusion of O in $^{238}PuO_2$ (3) 72*i*.
Debras-Guedon, J. See Bois, A.
De Caro, Aristide R. Triple-purpose heat shield, light collector, and mount support for a W-halogen projection lamp, P (5) 110*i*.
Decker, D. L., and Worton, T. G. Compression of NaCl and CsCl to 32 kbars (4) 98*d*.
Decker, Donald L. See Ashley, Edmond J.
Decker, Hanns, and Stoeckmann, Helmut Large gyratory crusher, P (4) 97*e*.
Decker, Hanns, Stoeckmann, Helmut, and Hurtmanns, Heinz Gyratory crusher with hydraulic adjustment of the crusher gap, P (5) 119*f*.
Declaye, Joseph See Brichard, Edgard
Dedek, Frank G. Method for forming articles from powdered metal, P (6) 134*c*.
Deeg, Emil W., and Graf, Robert E. Low-threshold Y silicate laser glass with high damage threshold, P (2) 36*h*.
Deeg, Emil W., and Martel, Leslie B. Toughening of ophthalmic lens blanks, P (3) 65*f*.
Deeg, Emil W., Silverberg, Carl G., and Martel, Leslie B. Method for fire polishing optical glass lenses with plasma flames, P (9) 186*f*.
DeFord, John W. See Johnson, O. W.
DeFord, John W., and Johnson, O. W. Defect and impurity thermodynamics in rutilelike systems (10) 215*g*.
Deforges, J. See Bugnet, P.
Degenkolb, Robert S., Allington, Trevor R., Wang, Yin Huai, and Oakes, Martin Method of controlling resistance values of thick-film resistors, P (7) 149*j*.
Degman, J. H. See Cohen, B. L.
deGraaf, Adrian M. See Hooper, Henry O.
DeGregorio, P. See Morello, B.
De Hollander, William R. Conversion of UF_6 to UO_2 structures of controlled density and grain size, P (10) 212*f*. See Dada, Abdul G.
De Hollander, William R., and Klepfer, Harold Holmes Conversion of U hexafluoride to UO_2 structures of controlled density and grain size, P (5) 116*b*.
Deineka, G. F., Tselik, I. N., and Il'inskaya, E. P. Interactions of the rare earth chlorides with ammonium carbonate (1) 24*b*.
Deis, D. W. See Mathur, M. P.
Deiseroth, H. J., and Mueller-Buschbaum, Hk. Alkaline-earth gallates: IV, Superstructure of $BaGa_2O_4$ (4) 98*b*.
Deitch, Richard Liquid-phase epitaxial growth under transient thermal conditions, P (6) 132*e*.
Dekker, P. Importance of cementite and its A_0 point on the strain in thin-walled cast-iron pieces and as a source of enameling defects (1) 3*r*; Importance of cementite and its transformation (A_0) point in the strain in thin-walled cast-iron pieces and its cause of enameling defects: III, Manifestation of cracks in enamel (5) 107*d*.
Deksnis, A. P., and Babonas, G. A. Absorption edges of In_2Te_4 thin films (8) 168*h*.
Del Rio, M. A. See De Aza, S. ; Espinosa de los Monteros, J.
Delacy, Thomas J. Spacecraft heat shield testing method, P (3) 74*d*.
Delaigue, Alain, and Cousseins, Jean-Claude Systems MF-Ce-F_4 (M = alkaline metal) (3) 81*g*.
De Lamotte, Emmanuel, Phillips, K., Perry, Anthony J., and Killias, H. R. Continuously cast Al-C fiber composites and their tensile properties (6) 128*f*.
Delbourgo, R. See Mellottee, H.
Delbrassine, A. See Flipot, Alfred J.
Delevalle, M. Stabilization of ZrO_2 by rare earth oxides (1) 28*e*.
Delgado, Alberto See Sale, Howard J.
Della Torre, Edward See Dimyan, Magid Y.
Delott, Richard B., and Reichert, Samuel F. Reverse current pickling technique (10) 203*d*.
Demarest, Henry M., Jr. Method of forming high-melting glass ribbon, P (3) 65*h*.
Demazeau, G. See Goodenough, J. B.
Demazeau, Gerard, Pouchard, Michel, and Hagenmuller, Paul New perovskite Co(III) oxide compounds (10) 218*a*.
Dembovskii, S. A., Kirilenko, V. V., and Buslaev, Yu. A. System B_2Se_3-Tl_2Se (9) 185*h*.
Dembovskii, S. A., Kirilenko, V. V., and Khvorostenko, A. S. Phase equilibria and glass formation in the systems As_2Se_3-Cu_2Se and As_2Se_3-$SnSe(PbSe)$ (1) 5*f*.
Dembovsky, Vladimir Plasma kiln, P (4) 97*f*.
Demidova, L. I. See Karpovich, I. A.
Demsky, Herbert M., Dexter, Wilbur H., Lever, Reginald F., and Melzer, Paul A. Method for diffusing B or P into Si substrates, P (3) 71*i*.
Dem'yanets, L. N. See Emel'chenko, G. A. ; Mininzon, Yu. M. ; Nosyrev, N. A.
Demyanyuk, M., Zhaniya, I., Matyya, Ch., Polyashek, I., and et al. Determination of the lattice parameters of pure and doped crystals of ZnO (10) 215*j*.
den Boef, J. H. See Henning, J. C. M.
Denburg, D. L., and Dybwad, G. L. Diagnostic rate monitoring of sputtered ZnO films (9) 190*c*.
Denes, Peter A. Composite soft [ferro] magnetic materials, P (4) 93*b*.
Denisov, Yu. N. See Postnikova, O. N.
Denisov, Yu. N., Malova, N. S., and Fedorov, P. I. Reaction of In diiodide with the iodides of divalent metals (11) 235*e*.
Denman, Robert R. See Austin, Lewis M.
Dennefeld, F. See Siffert, B.
Dennis, Mahlon D. See Kumar, Binod
Denny, P. J., and Robertson, R. Developments in self-clean enamels (4) 86*a*.
DePauw, Agnes D. M. See Ligtenberg, Martinus A. C.
Deportes, C. See Gauthier, M.
Deportes, Ch. See Giroud, G.
Deppisch, B. See Lohmueller, G.
Dequesne, J. Electrical conductivity and sintering of MgO (6) 138*d*.
Dequesne, J., and Duvigneaud, P. H. Effect of textural properties of MgO on sinterability (6) 138*a*.
Dequesne, J., and Pacque, C. Formation of defects on the surface of active Mg oxides (1) 23*d*.
Dereryankin, V. A. See Kraus, I. P.
Dergachev, A. I. See Drobot, N. F.
Dergunova, V. S., Shurshakov, A. N., Posos'eva, G. D., and Lazenko, L. N. Some strength properties of graphite-ZrC composite materials (9) 198*e*.
Derleth, Helmut See Brinkel, Hans
Derleth, Helmut, and Fischer, Hermann Process of making graphite-metal chloride intercalation compounds and product obtained, P (5) 112*h*.
Dernier, P. D. See Marezio, M.
Dernovshek, Joseph F. See Cook, Albert W.
Derouet, J. See Caro, Paul E.

Derror, Fred L. Method to extricate intricate ceramic shapes from multiple piece molds, P (6) 130*b*.

Desbordes, Jean Grinding mill, P (5) 116*d*.

Deschanvres, A. See Choisnet, J. ; Monfort, Y.

Deschanvres, A., Desgardin, G., and Raveau, B. Structural evolution of new vacancy perovskites: II, $Sm_x(Ta_{3x}W_{1-3x})O_3$ $[0.04 \leq X \leq 0.337]$ (4) 102*f*.

Desfours, J. P. See Galibert, G.

Desgardin, G. See Deschanvres, A.

Desgardin, G., and Raveau, B. Structural evolution of new vacancy perovskites: III, $Ln_{0.222}(M_{2/3}W_{1/3})O_3$ and $Ln_{0.05}(M_{0.15}W_{0.85})O_3$ (M = Ta,Nb) (4) 102*g*.

DeShazer, L. G. See Martin, K. W.

Deshmukh, A. M. Postcooling of concrete for the Idikki arch dam (6) 126*d*.

Deshmukh, K. G., and Singh, K. Interferometric study of the microtopography arising from 35° domain walls in crystals of Li niobate (6) 139*b*.

Deshpande, V. T., and Suryanarayana, S. V. Precision lattice parameters and thermal expansion of Ca tungstate (6) 140*d*.

Desideri, A. See Piacente, V.

Desmond, Richard J., Fronczek, Edward J., and McCarthy, John J. Machine and process for semiconductor device assembly, P (8) 170*e*.

Desrumaux, F. Fine grinding and grinding plant (1) 16*b*.

Dessauer, Ralph G. See Bochman, Raymond A.

Desyatkova, S. M. See Voronov, V. V.

Desyatnik, V. N. See Gudaitis, M. N.

Desyatnik, V. N., Katyshev, S. F., Raspopin, S. P., and Trifonov, I. I. Binary systems containing $MgCl_2$ and $CaCl_2$ and UF_4 (4) 98*d*.

Desyatnik, V. N., Mel'nikov, Yu. T., Nichkov, I. F., and Raspopin, S. P. System NaCl-$PbCl_2$-UCl_4 (4) 103*i*.

Desyatnik, V. N., Raspopin, S. P., and Trifonov, I. I. Fusibility diagrams of the systems RbCl-UF_4 and CsCl-UF_4 (4) 99*d*.

DeTorre, Robert P. Method of [heat] removing trim from patterns, P (1) 7*d*; Method of cutting glass, P (7) 146*d*. See Grove, Robert H.

Deussner, Herbert Cooling material from a [rotary] kiln, P (10) 213*h*.

De Vekey, R. C., and Majumdar, A. J. Metastable zoning in cordierite-based glass-ceramics (2) 34*i*.

De Vekey, R. C., and Majumdar, A. J. Effect of fabrication variables on the properties of cordierite-based glass-ceramics: I, Effect of variations in heat treatment (5) 108*f*.

Deverse, Frank T. See Chough, Euiwon

Devlikanova, R. U. See Fesenko, E. G.

Devlin, G. E. See Brya, W. J.

Devlin, J. Paul, Fitzhaupt, Gary, and Hudson, Tom Cooperative effects in the spectra of the internal modes of molten salts (3) 76*h*.

Dever, Donald P. See Robinson, Morton

DeVries, Robert C. See Borom, Marcus P.

DeVries, Robert C., and Fleischer, James F. Continuous growth of cubic BN, P (3) 67*a*.

Devyatkin, V. N. See Novozhilov, A. L.

Devyatova, T. A. See Filonich, V. S.

Dewar, Bruce I. Process for metal coating diamonds, P (4) 83*g*.

DeWerd, L. A. See Srinivasan, M.

Dew-Hughes, David See Wyatt, Oliver H.

DeWinter, John C., Lehesy, Robert F., Nahory, Robert E., Shah, Jagdeep C., and et al. Semiconductor laser employing III-VI [GaSe] compounds, P (11) 231*h*.

deWit, Roland Theory of disclinations: IV, Straight disclinations (4) 103*e*.

Dexter, Wilbur H. See Demsky, Herbert M.

Dey, Arabinda N. Method of making a Mo trioxide electrode by pyrolytic decomposition, P (9) 191*j*.

Dhabanandana, S. See Grjotheim, Kai

Dhaka, Vir A. See Chen, Charles Y.

Dhaka, Vir A., and Kozik, Andrew F. Interconnection metallurgy system for semiconductor devices, P (11) 230*e*.

Dhaleine, G., Revcolevschi, A., and Colleagues, R. Application of floating zone technique to purification of alumina (5) 119*c*.

D'Harcour, Jean Clair Enamel, metal, and fishscales (7) 145*e*.

Dharwadkar, S. R., and Chandrasekharaiah, M. S. Nonstoichiometry of the U_3O_8 phase at high temp. (7) 151*h*.

di Bonno, Marcello Sanitary ware (6) 130*e*.

Di Salvo, F. J., Bagley, B. G., Voorhoeve, J. M., and Waszczak, J. V. Preparation and properties of a new polytype of *4Hb*-TaS_2 (2) 55*e*.

Diamond, Sidney See Winslow, D. N.

Diaz, L. S. See Cruz, L. D.

Diaz-Colon, F. A. See Newnham, R. E.

Dibrov, G. D., Pechikin, O. Ya., Mirsoyanov, V. N., and Ostrikov, M. S. Role of liquid phase in development of stresses and strains during freezing of cement stone (11) 222*b*.

Dick, Egon Plastic deformation, flaw formation, and static fatigue in fracture experiments on flat glass (7) 146*a*.

Dickens, P. G., Moore, J. H., and Neild, D. J. Thermochemistry of H W bronze phases H_xWO_3 (2) 57*i*.

Dickens, P. G., and Neild, D. J. Thermochemistry of ammonium W bronze, $(NH_4)_{0.25}WO_3$ (5) 123*i*.

Dickinson, George A. Mfg. of [thin] float glass, P (3) 65*e*.

Dickinson, George A., and Nixon, F. Mfg. of flat glass, P (3) 65*e*.

Dickinson, T. See Armstrong, R. D.

Dickson, Robert W., and Schreiber, Edward Al_2O_3 standard reference material for resonance frequency and dynamic elastic moduli measurement: II, Characteristic values for use from 25°C to 1000°C (1) 17*d*.

Didosyan, Yu. S. See Chetkin, M. V.

Dieckamp, Herman M. See Wetch, Joseph R.

Diefendorf, Russell J. B deposition on C monofilament, P (9) 188*d*. See Lemaistre, Christopher W.

Diehl, K. Permanent magnetic rotor device, P (3) 72*a*.

Dienst, W. See Brucklacher, D.

Diepers, Heinrich, and Muscheck, Horst Method of producing a composite conductor band [Nb] for use in making a tubular superconductor, P (4) 94*f*.

Diersen, Gunther H. See Packard, James R.

Dietert, Harry W. Structure for ultrasonic screening, P (5) 116*h*.

Dietz, Earl D. Tooth filling and facing compositions comprising a radiopaque glass and method of making, P (8) 166*j*.

Dietz, Raymond L., and McFadden, Allan L. Coatings, P (1) 7*b*.

Dietze, Wolfgang See Kasper, Andreas ; Reuschel, Konrad

Dietzsch, Lothar See Gottschalk, Juergen

Dieulesaint, E. See Bridoux, E.

DiGiovanni, A. E. See Shah, Jagdeep

Dikeman, Randi D. See Hicks, John F. G.

Dikhoff, Johannes A. M., de Boer, Franciscus J., and Barneveld, Dirk Method of recovering a rare earth phosphor, P (2) 43*a*.

Dikii, N. P. See Skakun, N. A.

Dilaktorski, Nikolai, Teder, Mai, and Saaremets, Vivi Physicochemical principles of production melted clinkers of low ferric and Al_2O_3 contents (9) 182*e*.

Dilay, Walter, and Zulinski, Edward J. Cooling apparatus for semiconductor devices, P (3) 70*f*.

DiLiddo, R. C., and Crayton, P. H. Hot-pressing of face brick: I, Hot-pressing parameters for clays (7) 147*c*.

Dill, Douglas W. Clay [modeling] composition containing powdered polymer, P (10) 214*e*.

Dillon, C. P. Corrosion of concrete by sulfate ions: I–II (1) 2*h*.

Dillon, J. F., Jr. See Lynch, R. T., Jr.

Dillon, John A. Guide to temp. measurement (10) 213*f*; Measuring temp. extremes (10) 213*h*.

Dillon, Marcel O. Machine for grouping objects such as bottles, P (8) 165*g*.

Dillon, R. O. See Hyde, Garrett R.

DiLorenzo, James V. Technique for the fabrication of a millimeter wave beam lead Schottky barrier device, P (2) 44*e*; In situ etching of GaAs during vapor phase growth of epitaxial GaAs, P (9) 191*b*.

Dimitriev, Ya. See Vulkov, V.

Dimitriev, Ya., Marinov, M., and Savekov, I. Mfg. of photochromic glass (11) 224*g*.

Dimitriou, Christos See Taylor, Richard F.

Dimmock, J. O. See Oliver, M. R.

Dimmock, John O., Meingailis, Ivars, and Strauss, Alan J. Method and means of construction of a semiconductor material for use in a laser, P (7) 150*j*.

Dimyan, Magid Y., and Della Torre, Edward Temp. sensitivity of bubble domains (2) 56*i*.

Din, Ahmad, and Hennicke, Hans Walter Behavior of Mg ions in silicate glasses (9) 184*a*.

Dinescu, Radu See Cerchez, Mihai

Diness, A. M. See Wiederhorn, S. M.

Dingle, R. See Ilegems, Marc

Dinklage, John B. See Bhattacharyya, Arup

Dinulescu, Mihai See Balta, Petru

Dionis'ev, C. D., and Buryakov, A. V. System AgBr-TlBr-CsBr (1) 28*h*.

Dishman, J. M., Daly, D. F., and Knox, W. P. Deep hole traps in *n*-type liquid-encapsulated Czochralski GaP (4) 98*i*.

Distlich, Helmut, Hinz, Paul, and Kaufmann, Reinhard Process for the mfg. of multicomponent substances [glass], P (1) 8*c*.

Distler, G. I. See Aksenova, L. L. ; Kovda, A. V.

Distler, G. I., and Kortukova, E. I. Electrical structure of mirror cleavage planes of LiF, CaF_2, and MgO single crystals (5) 120*a*.

Dittrich, Wolfgang M., and Goehde, Wolfgang H. Flow-through chamber for photometers to measure and count particles in a dispersion medium, P (2) 47*j*.

Dixon, C. F. See Skelly, H. M.

Dixon, M. See Kurtzig, A. J.

Dixon, Melvyn, and Kurtzig, Arjeh J. H annealing of substituted magnetic garnets and materials so produced, P (1) 14*d*.

Dixon, R. W. See Hackett, W. H., Jr.

Djemal, M., and Dode, M. Reduction of thoria by C (10) 218*h*.

Djernesi, H., and Sorriaux, A. P. Thermoelectric properties of the U oxide U_3O_8 (2) 45*b*.

Djoglev, Dimiter See Iliev, Ilya

Dmitriev, I. N. See Gurylev, V. K.

Dmitrieva, N. V., and Shur, Ya. S. Temp. dependence of magnetic properties of Co-substituted Ni-Zn ferrites (7) 158*h*.

Dmitrieva, V. A. See Kravchenko, I. V.

Dobkin, Robert C. Schottky-clamped TTL circuit, P (6) 133*a*.

Dobo, Emerick J. Orifice assembly for extruding and attenuating essentially inviscid melts, P (3) 65*c*; High-speed production of filaments from low-viscosity melts, P (9) 186*a*.

Dobrin, Marcela Importance of glass viscosity (5) 108*g*.

Dobrovinskaya, E. R. See Bagdasarov, Kh. S.

Dochev, Ya., and Petrova, A. Properties of Bulgarian foam glass and foam glass bodies as heat-insulating and building materials (10) 205*d*.

Dockerty, Robert C. See Barile, Conrad A.

Dodd, C. V., Smith, J. H., and Simpson, W. A. Eddy current evaluation of nuclear control rods (11) 231*b*.

Dode, M. See Djemal, M. ; Ouensanga, A.

Dodokin, A. P. See Lyubutin, I. S.

Doellinger, Lucian See Balta, Petru

Doerbeck, F. H., Blackwell, D. M., and Carroll, R. L. $GaAs-Ga_xAl_{1-x}As$ heterostructure lasers with amphoterically Si-doped active regions (8) 176*i*.

Doering, Klaus Direct thermometric determination of borate in borosilicate glasses (8) 164*c*.

Doerre, Erhard, Lipp, Alfred, Rauschert, Dieter, Schweiler, Karl Heinz, and et al. Wear-resistant dense ceramic materials in the construction of machinery (1) 12*i*.

Doerre, Erhard, and Naushaus, Manfred Bullet-resisting armor, P (7) 148*i*.

Doetsch, H. Magnetoelastic YIG delay lines with linear dispersion (2) 40*g*.

Dogandzhieva, R. See Pankratov, V. ; Vulkova, I.

Doherty, Thomas E. See Amberg, Stephen W.

Doi, Haruo, Kandori, Toshio, and Kanigaito, Osami Uniform introduction of OH group into Li_2O-Al_2O_3-SiO_2 glass by addition of $LiOH.H_2O$ (1) 6*e*.

Doi, Kikuo See Kimura, Masakazu

Dokoupil, Frantisek, and Vesely, Jaroslav Simplified calculation of rotary kiln drive (1) 3*e*.

Dolgopolov, N. N., Kim, L. A., Mikhailov, G. K., and Starkov, A. A. Permittivity of some cement concretes (5) 106*i*.

Dolino, G., Bachheimer, J. P., and Vallade, M. Direct observation of Dauphine twins in quartz with second-harmonic light (2) 50*a*.

Dolivo-Dobrovol'skaya, G. I., and Mokievskii, V. A. Development of etching pattern symmetry in relation to dislocation symmetry for crystals of the *m3m* class (4) 99*b*.

Dollimore, David, and Spooner, Peter Single point method for evaluating the specific surface area of a solid from N adsorption isotherms (11) 232*f*.

Domagala, R. F., Lyon, S. R., and Ruh, Robert The pseudobinary Ti-ZrO_2 (1) 29*g*.

Dombrowe, H. See Scheibe, Wolfgang

Dominic, Christopher J., and Garnish, Edward W. C fiber composite structures, P (9) 188*d*.

Domoryad, I. A., and Kolomiets, B. T. Change in elastic properties of irradiated glasses in the system As_2S_3-As_2Se_3 (1) 4*c*.

Domracheva, N. E., Usmanov, R. Sh., and Kropotov, V. S. External electric field effect on EPR spectra of Gd^{3+} ions in $CaMoO_4$ (7) 155*i*.

Donaldson, J. D., Kjekshus, Arne, Mukherjee, A. D., Nicholson, D. G., and et al. Bonding in berthierite ($FeSb_2S_4$) (3) 76*j*.

Donaldson, J. D., Kjekshus, Arne, Nicholson, D. G., and Tricker, M. J. ^{121}Sb Moessbauer studies on compounds with pyrite, marcasite, and arsenopyrite type structures (3) 81*i*.

Doni, R. Glazes, enamels, and colors for ceramics (6) 130*d*.

Donigian, Thaddeus M. Particle counter having removable aperture slide, P (5) 118*c*.

Donis, V. K., Kyuntov, P. B., Babinets, V. M., and Libershtein, I. L. Weigh belt conveyor for recording coal entering mills (4) 85*g*.

Donjon, Jacques See Marie, Gerard

Donnay, Gabrielle See Iijima, S.

Donnelly, James H. Inorganic cement compositions containing epoxy resin and pozzolan, P (8) 163*a*.

Donnelly, R. G. See Copeland, G. L.

Donnet, J. B. See Lahaye, J.

Donskaya, R. I. See Mirak'yan, V. M.

Dontsova, L. I., and Popov, E. S. Spontaneous movement of domain walls in $BaTiO_3$ single crystals (10) 219*e*.

Doo, Ven Y., Ho, Irving T., and Jen, Teh-Sen Semiconductor shift register, P (7) 151*e*.

Doreleijers, Theodorus C. G. See Eisses, Reinhart C. W.

Doremus, Robert H. Glass Science, B (2) 59*e*.

Dorier, Jack A., Forneris, John L., and Switek, Donald J. Nonvolatile storage element, P (3) 71*j*; Schottky barrier diode read-only memory, P (4) 94*c*.

Dorn, Ludwig, Mengel, Manfred, and Heinze, Gerhard Production of transition metal-containing supported catalysts, P (4) 97*j*.

Dorner, B., Axe, J. D., and Shirane, G. Neutron-scattering study of the ferroelectric phase transformation in $Tb_2(MoO_4)_3$ (8) 178*a*.

Dorofeev, Yu. G., and Mishchenko, V. N. Problems concerning the formation of structure during dynamic hot-pressing (7) 157*d*.

Dorokhov, Yu. G. See Kudrenko, I. A.

Dorsch, Robert E. Method and apparatus for improving the tensile strength of a multifilament glass strand, P (4) 88*c*.

Dos Santos Marques, Fernando See Groenvold, Fredrik

Doshi, P., Glass, J., and Novotny, M. Low-temp. structure of $PbTiO_3$ (8) 177*d*.

Doskocil, Jan Calculation of self-diffusion coeffs. of O (9) 193*j*.

Dotman, J. P. See Kaleveld, E. W.

Doty, Edward N., and Hogg, Walter R. Particle study apparatus including an axial trajectory sensor, P (10) 213*b*.

Dougill, J. W. Failure of quasi-brittle materials under thermal stress (2) 51*i*.

Douglas, F. C. See Jacob, Bernarr A.

Douglas, J. A. M. See Goldsmith, L. A.

Douglas, R. W. See Strnad, Z.

Douglas-Hamilton, D. H., Hosg, E. D., and Seltz, J. R. M. Diamond as a high-power laser window (11) 229*e*.

Douillet, Ph. See Couderc, P.

Doussineau, P. See Boiteux, M.

Dovbnya, Alexandr V. See Vereshchagin, Leonid F.

Dove, D. B., Ludeke, R., and Chang, L. L. Interpretation of scanning high-energy electron diffraction measurements with application to GaAs surfaces (9) 196*c*.

Dow, Judith A. See Duggan, George L.

Dowsing, R. D. See Henderson, Brian

Dowty, Eric, and Lindsley, D. H. Moessbauer spectra of synthetic hedenbergite-ferrosilite pyroxenes (4) 100*c*.

Doyle, Carroll F. See Sale, Howard J.

Doyle, Norman J. See Taylor, Abraham

Drasi, W. T., and Blasse, G. Energy transfer from vanadate to rare-earth ions in $CaSO_4$ (10) 216*b*.

Drachev, V. A. See Chetkin, M. V.

Drachev, V. V. See Tokarev, E. F.

Dragieva, I. D. See Racheva-Stambolieva, T. M.

Dragomir, C., Szabo, A., Petri, L., Birlogeanu, C., and et al. Studies of Romanian quartzites and control of their use in the mfg. of high quality SiO_2 bricks (3) 67*b*.

Dragsdorf, R. Dean See Crawford, J. R.

Dragunas, A. See Makariunas, K.

Draignaud, M. See Boix, A.

Drake, Cyril F. See Regan, Martin

Dravnieks, F. See Larkin, J. P.

Dremin, A. N. See Breusov, O. N.

Drepin, N. F. See Val'berg, G. S.

Dresselhaus, G. See Johnson, L. G. ; Korn, D. M. ; Pine, A. S.

Drickamer, H. G. See Wang, P. J.

Drobasheva, T. I., Bergman, A. G., and Tokman, I. A. System Li_2WO_4-Na_2WO_4 (7) 158*d*.

Drobot, D. V., Korshunov, B. G., and Aleksandrova, V. A. Partial triangulation of the phase diagram of the system Re-Cl-O (1) 26*c*.

Drobot, D. V., and Mikhailova, L. G. Synthesis and some properties of Re(III) iodide (5) 123*c*.

Drobot, N. F., Dergachev, A. I., and Erdokimov, V. I. Lab method for obtaining anhydrous stannous chloride (1) 13*e*.

Drobyshev, V. N. See Breusov, O. N.

Dronova, G. N. See Volynets, F. K.

Drosiha, U. Wear in tube mills (2) 45*e*.

Drost, D. M., and Fry, J. L. Self-consistent procedure for the linear combination of atomic orbitals method--application of LiF (7) 157*i*.

Drost-Hansen, W. See Younger, Peter R.

Drowa, Harold L. See Royce, Damon V., Jr.

Drozdz, M. See Gollenhofer, A.

Drugmand, Lester D. Method of making electric heating elements, P (10) 211*e*.

Drugovelko, O. P. See Evstrop'ev, K. K.

Druin, Melvin L., Fermest, George R., and Rao, Velliyur N. P. Enhancement of the surface characteristics of C fibers, P (1) 10*h*.

Druminski, M. See Amberger, Eberhard

Druzhinina, I. A., Ivanova, T. A., Ragazin, R. M., and Frez, A. I. Polarizing microscope unit for transmitted light (5) 117*c*.

Drzaj, Bojan Effect of montmorillonite structure on catalytic cracking (11) 228*b*.

du Plessis, P. de V. Paramagnetic susceptibility of the ferrite FeV_2O_4 (1) 26*b*.

du Plessis, P. de V., van Tonder, S. J., and Alberts, L. Elastic constants of an NiO single crystal: I; Magnetostriction of an NiO single crystal: II (1) 23*b*.

Du Varney, R. C. See Garrison, A. K.

Dube, G. See Boling, N. L.

Dubey, B. L., and West, A. R. Crystal chemistry of Li_4XO_4 phases (X = Si,Ge,Ti) (6) 137*i*.

Dubinin, S. F., and Sidorov, S. K. Concentration dependence of the magnetic moment and Curie temp. of mixed ferrites with garnet structure (2) 49*b*.

Dubovitskii, V. Yu. See Mchedlov-Petrosyan, Otar P.

Dubose, C. K. H. See Copeland, G. L.

Dubrovina, I. N. See Shchepetkin, A. A.

Dubrovo, S. K. See Danilova, N. P.

Dubrovskaya, G. N. See Roman, O. V.

Ducato, Aldo See Thring, Meredith W.

Duchene, Eloy See Brichard, Edgard

Duchenoy, Jacques See Recasens, Joseph

Duchenoy, Jacques, Gasparini, Guy, and Marty, Yvon Rapid fuse-coating of refractory shapes in liquid-cooled metal molds, P (2) 39*f*.

Duckworth, Winston H. See Ayers, Ronald F.

Duclot, M. See Gauthier, M.

Ducoffe, Arnold L. See Huang, A. Ben

Ducommun, Georges See Adler, Karl

Duda, V. M. See Dudnik, E. F.

Dudareva, A. G., Gladis, Kiros, Fedorov, P. I., Ezhov, A. I., and et al. Phase diagrams of the systems In tribromide-Li bromide, In tribromide-K bromide, and In tribromide-ammonium bromide (5) 121*f*.

Dudenkov, Yu. A. See Klyuev, Yu. A.

Dudarev, E. E. See Panin, V. E.

Duderov, N. G. See Belokoneva, E. L.

Dudkevich, V. P., Zakharchenko, I. N., Bondarenko, V. S., Kolesova, R. V., and et al. Surface layer of $BaTiO_3$ crystals (4) 103*b*.

Dudkevich, V. P., Zakharchenko, I. N., and Fesenko, E. G. New structure-sensitive photoelectric effect in $BaTiO_3$ crystals (6) 139*c*.

Dudkin, Vyacheslav F. See Bogrets, German N.

Dudkowski, Stanley J. See Koepp, Ronald L.

Dudnik, E. F., and Duda, V. M. Secondary effects which accompany the motion of 180° *a* domains in $BaTiO_3$ (3) 81*j*.

Duecker, Heyman C. See Brown, Patrick M.

Duerksen, Walter K., Holcombe, C. E., Jr., and Morrow, Margaret K. Process for preparing sinterable Al titanate powder, P (11) 233*h*.

Duerr, Francis R. See Clishem, Thomas A.

Duerr, Manfred See Triebel, Wolfgang

Duesing, Gerhard See Meyer-Simon, Eugen

Duffek, Edward F., Funk, Ernest J., Jankowski, Alfred S., Lane, Jack C., and et al. Structure for simultaneously attaching a plurality of semiconductor dice to their respective package leads, P (2) 44*d*.

Duffner, Josef Jig for firing ceramic spark plug insulators, P (4) 92*a*; Apparatus for firing ceramic spark plug insulators, P (5) 113*e*.

Duffy, J. A., and Ingram, M. D. Uv spectra of Pb^{2+} and Bi^{3+} in glasses (11) 225*i*.

Duffy, John E. Batch pickling for direct-on enamel applications (9) 183*h*.

Duffy, Michael C., Riseman, Jacob, and Wu, Bevan P. F. Coated semiconductor structures and methods of forming protective coverings on such structures, P (1) 13*f*.

Duffy, Michael C., Schumann, Paul A., Jr., and Yeh, Tsu-Hsing Monolithic integrated circuits, P (3) 71*i*.

Dugas, J. See Bacquet, G.

Duggan, George L., and Dow, Judith A. High-strength electrical lead for disk-type thermistors, P (7) 149*d*.

Dugger, Cortland O. Synthesis of Al nitride single crystals (6) 141*d*.

Duhring, Orsolf, and Damgaard, Lavritz G. Method of preparing a test sample of material for grinding or polishing, P (2) 47*b*.

Dukhovskaya, E. L., and Mill, B. V. Refinement of the crystal structure of the V garnet $Na_{0.9}Ca_{2.05}Co_2V_3O_{12}$ (9) 198*j*.

Duma, Gyorgy Rehydration of fired clay in soil (1) 1*j*.

Dumas, D., Fjeld, B., Grjotheim, Kai, and Oeye, H. A. Viscosities of some binary mixtures between $MgCl_2$, $CaCl_2$, and AlkCl (5) 123*g*.

Dumas, Guy Method of fabricating semiconductor devices to facilitate early electrical testing, P (7) 150*a*; Method for the simultaneous diffusion of impurities in Si and semiconductor devices resulting from it, P (10) 211*i*.

Dumas, J. See Courdille, J. M.

Dumbaugh, William H., Jr. Method of depressing the liquidus temp. of La aluminogermanate glasses and the glasses produced, P (3) 65*f*; Very high elastic moduli glasses, P (9) 187*h*; Be-containing high-elastic-modulus glasses (10) 205*i*.

Dumbaugh, William H., Jr., and Malmendier, Joseph W. Method for making fused SiO_2 glass composites, P (9) 186*h*.

Dumbri, Austin C. See Caffrey, Robert E.

Dumitrescu, C. See Barthon, St.

Dumke, William P., Rideout, Vincent L., and Woodall, Jerry M. Bipolar transistor with a heterojunction emitter and method of fabricating, P (4) 93*a*.

Dunaeva-Mitlina, T. A. Domain substructure in Mg-Mn ferrite films (7) 149*b*.

Duncan, J. F. See Percival, H. J.

Duncan, James H., and Hick, Brian K. Beta-alumina polycrystalline ceramics, P (2) 39*e*.

Duncan, M. A. G. See Gillott, J. E.

Dunham, Thomas E. See Ackerman, Stanley C.

Dunkley, James L., and Smith, Bruce E. Method of producing high-speed transistors and resistors simultaneously, P (4) 94*f*.

Dunn, Daniel K. Method of coating perlite and producing materials of construction, P (3) 66*g*.

Dunn, Kirkley J. Sanding block and abrasive envelope therefor, P (4) 83*h*.

Dunn, Roger S. See Sloan, Benjamin J., Jr.

Dunning, B. W., Jr. See Leavenworth, H. W., Jr.

Dunning, Lester M., and Wright, Jeffrey F. Optimum high density ball mill charge (9) 183*b*.

Dunworth, Bruce E., and Bakker, Wate T. Concrete composition [$CaAl_2O_4$]. P (10) 208*h*.

Dupre, B., and Streiff, R. Nitrogenation of massive Mg: I, Kinetic study (7) 151*g*; II, Nitrogenation reaction mechanisms with simultaneous metal sublimation (7) 151*h*.

Dupuis, R. D. See Holonyak, N., Jr.

Dursil, G. E. See Asay, J. R.

Duran, Pedro Properties of high-temp. solid solutions of Hf oxide and oxides of lanthanides (11) 235*c*.

Duran Botia, P. Binary system HfO_2-Y_2O_3 (7) 154*d*; Characteristics of solid solutions between oxides of Hf and lanthanides at high temps. (7) 154*g*.

Duran Botia, P., and Alvarez-Estrada, D. Composition and properties of a sinter formed by a zircon-dolomite mixture (3) 66*a*.

Durand, S. See Bugnet, P.

Durbin, E. J. Mass flowmeter apparatus, P (4) 96*e*.

Durrani, S. A. See Malik, S. R.

Durst, F. D. New requirements to be fulfilled by quicklime (10) 202*g*.

Duschatko, Robert W. See Thompson, Robert R.

Dusevoir, Robert H. Discharge electrodes for electrostatic Precipitators and method of shipment and installation, P (10) 212*h*.

Duthler, C. J., and Sparks, M. Quasiselection rule for ir absorption by NaCl-structure crystals (9) 198*e*.

Dutholt, Jean Temp. control of chemical tempering of solid glass or vitrocrystalline bodies, P (7) 147*a*.

Dutt, Yag, and Oestvold, Terje Emf measurements for the determination of partial Gibbs energies and entropies of mixing of the alkali chlorides in liquid mixtures with $CoCl_2$ (2) 51*a*.

Dutta, S. K. See Gazza, G. E. ; Seaton, C. C. ; Vasilos, T.

Dutta, S. K., and Rubin, J. A. Hot-pressing and properties of Be_4B (1) 9*c*.

Dutta, S. N. See Borthakur, P. C.

Dutters, Robert B. See Kammer, Paul A.

Dutton, R. Comments on "Crack healing in UO_2" (1) 15*i*.

Dutz, Hubert See Kraemer, Fritz ; Mulfinger, Hans O. ; Scheerer, Joachim

Duval, X. See Wehrer, P.

Duvall, G. E. See Grady, D. E.

Duvall, Ronald N., Gold, Gerald, Hurtle, Richard L., and Paiermo, Blasey T. Apparatus for particle size analysis [air-suspended particles], P (10) 213*j*.

DuVarney, R. C. See Thorland, R. H.

Duvigneaud, P. H. Existence of mullite without SiO_2 (6) 138*a*. See Dequenne, J. ; Wollast, R.

Duwell, E. J. See Lokken, R. C.

Dvoinin, V. I., Krylov, E. I., Smirnov, S. V., and Rozhdestvenskii, F. A. Structure and some properties of solid solutions in the systems $CrTaO_4$-TiO_2 and $FeTaO_4$-TiO_2 (1) 28*j*.

Dvorak, Josef Electron microscopy in glass research (11) 223*i*.

Dvorakova, Vera See Cerny, Josef

Dvoreckaya, M. A. See Roman, O. V.

Dvornikova, L. M., Bondareva, L. N., and Knyazeva, L. D. Thermal decomposition of the rare-earth terephthalates (10) 219*j*.

D'yachkova, N. N., Vanyutin, L. A., Mallain, A. Yu., and Surin, Yu. V. Effect of substrate temp. and Si content in As (III) chloride on the properties of epitaxial layers of GaAs grown from the gas phase (9) 190*d*.

D'yakonova, L. V. See Samsonov, G. V.

Dyakova, V. See Stamenov, St.

Dyakovska, Tsv. See Shekerdzhiiska, M.

Dybwad, G. L. See Denburg, D. L.

Dybwad, Jens P., Logan, Lloyd M., and Zinnow, Karl P. Ir reflection spectroscopy of microscopic mineral grains (10) 213*f*.

Dye, Cloyde G. See Paridon, Leo J.

Dyer, Lawrence D. See Porter, Vernon R.

Dyke, J. M. See Allen, G. C.

Dyment, Isaac See Noguera Rojas, Francisco

Dyment, J. C. See Hwang, C. J.

Dyment, John C. See Albano, Robert E. ; D'Asaro, Lucian A.

Dyment, John C., Logan, Ralph A., and Schwartz, Bertram Method for selectively etching $Al_xGa_{1-x}As$ multilayer structures, P (8) 170*b*.

Dyment, John C., North, J. C., and D'Asaro, L. A. Optical and electrical properties of proton-bombarded *p*-type GaAs (8) 178*c*.

Dymova, Tatyana N., Roschina, Mariya S., Eliseeva, Nina G., and Osipenko, Nikolai T. Production of alkali hydridoaluminates, P (1) 20*h*.

Dynes, R. C., and Narayanamurti, V. Phonon fluorescence in superconductors and the propagation characteristics of hf phonons in Ge:Sb and $Al_2O_3:V^{3+}$ (8) 178*g*.

Dyunov, P. V., Chukhlantsev, V. G., and Zelikman, A. N. Decomposition of alkaline solutions of K pentatantalate under hydrothermal conditions (1) 22*c*.

Dzhabarov, N. See Simeonov, I.

Dzhoglev, D. See Racheva-Stambolieva, T. M.

Dziedzic, J. M. See Nash, F. R.

Dziggel, Klaus Experience with dolomite roofs of a 50-ton high-powered electric-arc furnace (9) 187*e*.

Dziuba, E. Z. See Pajaczkowska, A.

Dzsida, Laszlo See Kapolyi, Laszlo

Dzyuba, A. S. See Geguzin, Ya. E.

Eardley, R. P. See Aldridge, L. P.

Easteal, A. J., and Udy, D. J. Unit-cell parameters of K metatitanate and K tetratitanate and the thermal decomposition of K hexafluorotitanate (4) 104*c*; Phase equilibria in TiO_2 + alkali metal borate systems (6) 139*j*; Optical basicities of alkali borate glasses (10) 205*a*; Extraction of TiO_2 from ilmenite and titaniferous slag (10) 214*b*.

Easterling, K. E., and Thoelen, A. R. Green compacts (7) 155*d*.

Eastman, D. E. Quasielastic electron scattering in EuO—a possible explanation for the observed "paramagnetic" spin-polarized photoemission (10) 218*f*.

Easwaran, Jairaj See Kotler, Gerald

Eaton, David L. Porous glass support material, P (6) 136*a*; Method of making an improved porous glass support material, P (7) 146*g*.

Ebendt, Volker Process for the production of ceramic-metal compound joints, P (3) 72*f*.

Eberhardt, U. New apparatus for reliable measurement of layer thickness with β rays (3) 74*c*.

Eberl, James J., Thelen, Edmund, and Heller, Harold L. Ca-SO_4 whisker fibers and method for the mfg. thereof, P (11) 227*j*.

Eberle, Herbert, Meyer, Wolfgang, and Bartling, Helmut Active MgO, P (8) 167*j*.

Ebina, Atsuko See Yamamoto, Mitsuo

Ebisawa, Isao See Kakehi, Toshihiro

Ebregt, Johannes Process for preparing a concentrated colloidal SiO_2 solution, P (3) 76*d*.

Eccleston, William, and Perkins, Kenneth D. Making semiconductor devices, P (1) 14*h*.

Eckart, D. W. See van Landuyt, J.

Eckelmann, G. Flame shape control in rotary kilns fired with natural gas (3) 61*i*.

Ecker, K. H. Submonolayer detection by electron microprobe analysis (9) 193*b*.

Eckstein, Dieter See Raabe, Gerhard

Eckstein, Y. See Reisfeld, R.

Eckton, Wallace H., Jr. Compatible *pnp* and *npn* devices in an integrated circuit, P (7) 149*i*.

Economou, N. A. See Stoemenos, J.

Economou, Thanasis E., Anderson, Wayne A., and Blume, Edwin M. Heavy elements in surface materials—determination by

alpha particle scattering (1) 24*a*.

Economy, James, and Lin, Rucy Y. Quilted fabric containing high-surface-area C fibers, P (3) 67*j*.

Economy, James, and Mathovich, Vlado I. B_4C fiber production, P (11) 227*i*.

Eddy, David S. See Kaplit, Michael

Edelman, Alfred E., and LaPlante, Lionel J. Extensible-retractable helically coiled fiber optic assembly, P (10) 206*c*.

Edel'man, I. S. See Malakhovskii, A. V.

Edelnack, E. A. See Gregory, W. D.

Edelstein, N. See Kolbe, W. ; Rajnak, K. ; Stacy, J. J.

Eden, D. D. See Chivian, Jay S.

Eden, H. Frank, and Felsenthal, P. Elastic wave propagation in granular media (4) 86*d*.

Edenborough, Barry W. See Robins, Robert G.

Eder, Th. See Baecklin, R.

Edgerton, John L. Flexible abrasive grinders for side-sharpenable cutters, P (1) 1*j*.

Edmondson, D. R. Electronic band structure of $KTaO_3$ (1) 23*e*.

Edmunds, D. M., and Taylor, J. Reaction $CaO+3C=CaC_2+CO$ and activity of lime in $CaO-Al_2O_3-CaF_2$ system (1) 27*j*.

Edshammar, Lars Erik See Westin, Leif

Edson, Gary F. Open pit firing (10) 201*f*.

Edwards, A. See Loukes, D. G.

Edwards, A., and Loukes, D. G. Coating of glass, P (6) 127*i*.

Edwards, B. P., and Gibbs, D. F. Crystal symmetry shown by alloyed contact shapes on GaP (2) 40*c*.

Edwards, Grant C. See Albers, Edwin W.

Edwards, S. F. See Stewart, W. F.

Edwin, R. P. Measurements of the sputter rate of fused SiO_2 bombarded by Ar ions of energy 12–32 keV (2) 53*i*.

Eells, Paul K. Abrading and polishing wheels, P (10) 201*f*.

Efendiev, T. E., Turetskii, A. M., Egorov, G. B., and Belov, L. V. Guarantee of cement grade and calculation of its activity (9) 182*g*.

Efer'Nisse, E. P. Simultaneous thin-film stress and mass-change measurements using quartz resonators (2) 41*a*.

Efremidi, A. L. See Saralidze, A. L.

Efremov, V. A., and Trunov, V. K. Double molybdates of the alkali and divalent elements (1) 22*j*.

Efthymiopoulos, T. See Shewchun, J.

Egami, Akira See Nishikawa, Sakura

Egan, Clark J. See White, Robert J.

Eggert, Erwin See Schmidt, Hans

Egli, Rene See Schmid, Eduard

Egorov, G. B. See Eenmaa, T. E.

Egorov, G. B., Belov, L. V., Bogdanova, I. V., Turetskii, A. M., and et al. Evaluation of errors of chemical analysis of starting cement mixes and clinkers (4) 84*j*.

Egorov, L. P., Okun, L. S., Zatulovskii, L. M., Chaikin, P. M., and et al. Group growing of single-crystal Ge rods by the Stepanov method in a right-angle thermal zone (4) 99*e*.

Ehrenberg, W., and Shrivastava, R. P. Cathode-ray-induced space and surface currents in wurtzite crystals (9) 194*h*.

Ehrenreich, Leo C. See Carlson, Walter H.

Ehrlich, Robert See Vogel, Thomas A.

Ehrlich, Sheldon See Robinson, Ernest B.

Ehrlinger, H. P., III, Bober, B. F., and Finger, G. C. By-product gypsum in Ill.—a new resource? (10) 213*j*.

Ehrman, Chester S., Scheib, Louis, Worsley, Charles S., Jones, Frank J., and et al. Method for shearing spent nuclear fuel bundles, P (2) 45*e*.

Eibschuetz, M. See Butler, M. A.

Eick, Harry A. See Butherus, A. Duane ; Work, Dale E.

Eidel'shtein, F. I. See Zaretskaya, G. M.

Eikenberger, Robert F. Decorating with a slip cup (4) 83*i*; Clay cooking pot (5) 105*f*; Handbuilt puzzle jugs (5) 105*h*; Patch pots (9) 181*e*; Flask with screw cap (10) 201*e*; Rod puppets of clay (10) 201*f*; Perching forms (11) 221*g*.

Ellerman, George E. See McWilliams, Donald E.

Elrich, Gustav J. See Eirich, Wilhelm A.

Elrich, Wilhelm A., and Elrich, Gustav J. Method of forming granules, P (1) 7*d*.

Elmes, Reinhart C. W., Boogenaar, Hendrik, and Doreleijers, Theodorus C. G. Method of mfg. an implosion-free picture tube for TV display, P (10) 206*f*.

Ejiri, Koichi Dekinking of bent MgO crystals (10) 215*h*; Growth and relative orientation of grains (10) 216*g*.

Eklund, P. C. See Van Zandt, L. L.

Eklund, Phillip R. See Sikra, James C.

Ekstrom, Thomasy Ternary phases with the Mo_5O_{14} type of structure: III, Phase analysis of the Mo-Ti-O system (2) 57*a*; Magnetic susceptibility of phases with the $Mo_{17}O_{47}$ and Mo_5O_{14} types of structure (3) 80*d*.

Ekstrom, Thomasy, and Nygren, Mats Ternary phases with the Mo_5O_{14} type of structure: I–II (2) 56*j*.

Elam, Michael R. See Blair, G. Richard

El-Badry, Kh. M., and El-Batal, H. A. Density and refractive index of some borosilicate glasses (10) 204*d*.

El-Batal, H. A. See El-Badry, Kh. M.

El-Batal, H. A., and Abbas, A. F. Spectrophotometric studies of some borate glasses containing Co(II) ions; Spectrophotometric studies of some Pb borate glasses containing Co (10) 205*h*.

Elchin, V. I., Lukin, B. V., Rastbort, A. E., Rekov, A. I., and et al. Behavior of structural material with high SiC content in various gas media above 2000°K (1) 8*j*.

Eldridge, J. E. Assignments of the two-phonon ir absorption spectrum of LiF (8) 174*h*; Measurement and analysis of the isotope-induced one-phonon ir absorption in LiF (8) 177*e*.

Eldridge, J. E., and Howard, Roger Ir optical properties of ^{7}LiF and natural LiF at various temps., calculated with shell-model lattice-dynamical data (8) 177*g*.

Eldridge, Jerome M., and Matisoo, Juri Fabrication of variable current density Josephson junctions, P (10) 210*e*.

El-Hamamsy, Mahmoud A. See Bishay, A. M.

Elias, Marlene, and Lawrence, G. M. Green glow of Na sulfate in active N (3) 79*b*.

Eliseev, A. A. See Uspenskaya, S. I.

Eliseev, A. A., Uspenskaya, S. I., and Kalganova, T. A. Nature of the NdS_{2+x} phase and solid solution based on Nd disulfide (4) 100*f*.

Eliseev, S. S., Glukhov, I. A., Gaidaenko, N. V., and Vozhdaeva, E. E. Reaction of $MoOCl_2$ with $MoOCl_4$, $MoCl_5$, and WCl_6 (10) 218*h*.

Eliseeva, Nina G. See Dymova, Tatyana N.

El-Jazairi, B. See Worrall, W. E.

Elkins, Perry E., and Austerman, S. B. Single-crystal BeO growth from CaO and BeO melts, P (3) 69*b*.

El-Kolali, A. A., and Gad, G. M. Dielectric strength of porcelain. cordierite, and steatite ceramics (11) 228*i*.

El-Kolali, A. A., and Sallam, I. M. H. Porcelain electrical insulators (7) 148*f*.

Ellenan, T. S. See Ong, A. Sy

Ellert, G. V., and Slovyanskikh, V. K. System U-S-Te (11) 236*a*.

Elliot, Ian B. Apparatus for mfg. a multifilament light-conducting cable, P (2) 35*b*.

Elliott, Curtis H., Jr. Process for producing a crystalline zeolite, P (6) 136*c*.

Elliott, E., Tomlinson, R. D., Parkes, J., and Hampshire, M. J. Properties of flash-evaporated $CuInSe_2$ thin films (11) 230*a*.

Elliott, George Liquid crystals for electrooptical displays (11) 229*g*.

Elliott, John F. See Benz, Robert

Ellis, D. E. See Lubinsky, A. R. ; Parameswaran, T. ; Walch, P. F.

Ellis, John L. See Weinstein, Martin

Ellis, John L., Mal, M. Kumar, and Tarkan, Stuart E. Plasma-sprayed TiC tool steel coating, P (4) 91*i*.

Ellis, R. See Vecht, Aron

Elmer, Thomas H., and Maimendier, Joseph W. Devitrification-resistant coating for high-SiO_2 glasses, P (1) 7*c*.

Elmer, Thomas H., and Meitzner, Helmut E. Process for making C-containing ceramics [glass], P (4) 89*d*.

Elmer, Thomas H., and Tischer, Richard E. Porous glass supports for automotive emissions control catalysts, P (9) 187*c*.

Elsby, C. N., and Meese, J. M. Cd displacement threshold in CdS at liquid-He temps. (4) 98*h*.

El-Shiekh, Ahmed M., and Nicholson, Patrick S. Thermal-shock structures in a partially stabilized ZrO_2 in the system $CaO-ZrO_2$ (2) 57*h*.

Elsin, V. F. See Ashmarin, I. I.

Elstner, I. Rediscovery of the salt-glazing technique (5) 113*c*.

Elter, Robert See Bronger, Welf

El'tsova, V. I. See Kosak, E. A.

Elyard, C. A. Negative-resistance switching effect in polycrystalline ceramic YIG (4) 100*i*.

Emanuelson, Roger C., and Laosna, Warren L. Dense graphite structures, P (1) 10*g*.

Embury, J. David See Green, David J.

Emel'chenko, G. A., Dem'yanets, L. N., Ilyukhin, V. V., and Lobachev, A. N. Hydrothermal synthesis of rare earth germanates: I, $Na_2O-Sm_2O_3-GeO_2-H_2O$ system (10) 217*b*.

Emel'yanenko, O. V., Nasledov, D. N., and Nedeoglo, D. D. Electron heating in GaAs and InP at low temp. (2) 51*g*.

Emmer, I. Conducting filaments and voltage-controlled negative resistance in $Al-Al_2O_3-Au$ structures with amorphous dielectric (11) 229*a*.

Emslie, Robert S. Composite fibers of alkali metal hexatitanate and rutile TiO_2, P (4) 92*a*.

Emtage, P. R. See Daniel, Michael R.

Encinas, Juan Prevention of autodoping during the mfg. of a semiconductor device, P (1) 15*g*.

Enderlein, Hans D. F. K. Diffusion furnace process tube, P (9) 190*g*; Semiconductor wafer [diffusion furnace] transport device, P (9) 192*b*.

Endo, Shoichi, Yamakawa, Kinji, and Mitsui, Tadayasu X-ray measurement on the compression of NaCl to 80 kbars at liquid N temp. (4) 104*g*.

Endo, Tsuneshiko Process for producing sputtered films, P (4) 94*c*.

Engan, H. Piezoelectric determination of crystal axes (1) 18*g*.

Engedal, Knut See Landa, Torstein

Engel, Albertus J. G. See Versteeg, Geert

Engel, Karl H. See Tillessen, Ulrich

Engel, Waldemar, and Thoennessen, Fritz Creep behavior of reaction-sintered Si_3N_4 at 1200°–1400°C (2) 49*e*.

Engeler, William E. See Tiemann, Jerome J.

Engeler, William E., and Cordes, Linus F. Method for making high-temp. low ohmic contact to Si, P (7) 150*e*.

Engeler, William E., and Garfinkel, Marvin Method of fabricating high emitter efficiency semiconductor device with low base resistance by selective diffusion of base impurities, P (2) 42*e*; Device [CIS] for storing information and providing an electric readout, P (5) 114*f*; Method and device for storing information and providing an electric readout, P (7) 149*j*.

Engeler, William E., and Tiemann, Jerome J. Self-registered surface charge launch-receive device [CIS] and method for making, P (3) 72*j*; Method and apparatus for storing and transferring information [CIS], P (7) 149*h*.

Engelleitner, W. H. Pelletizing as applied to the ceramic industry (10) 212*d*.

Engels, Guenther Cooling and insulation problems with tanks for special glasses using as an example a tank for TV tubes (1) 4*e*.

Engin, R. See Fitzgerald, A. G.

Engle, L. F. See Cruz, L. D.

Engman, S. O. See Eriksen, T. E.

Ennis, Joseph C. See Winn, Ray

Enriquez, F., and Santos, E. Radiation damage in graphite crystals (4) 101*h*.

Enstrom, R. E. See Tietjen, James J.

Enstrom, Ronald E., and Fisher, Dennis G. Photocathodes [GaInAs], P (10) 211*a*.

Environmental Studies Board Man, Materials, and Environment, B (7) 160*h*.

Enz, Charles P. Lattice dynamics above structural phase transitions–$SrTiO_3$ (8) 177*j*.

Eom, Tai Su See Kim, Myun Sup

Epple, Richard R. Semiconductor device having a rectifying junction surrounded by a Schottky contact, P (1) 15*a*.

Eppler, A. H. Abrasive blast system, P (3) 61*e*.

Eppler, Richard A. Nb and W oxides in TiO_2-opacified porcelain enamels (2) 33*d*. See Marquis, J. E.

Eppler, Richard A., and O'Conor, Eugene F. Glazed ceramic ware, P (9) 189*h*.

Erastova, A. P. See Savranskaya, E. S.

Erb, Roger L., and Woodcock, James F. Squeeze tester for glass containers, P (2) 37*c*.

Eremenko, V. N., Lukashenko, G. M., Sidorko, V. R., and Khar'kova, A. M. Thermodynamic properties of Cr silicides (8) 180*d*.

Ergun, S. See Mentser, M.

Eric, T. See Popovic, D.

Ericks, Lewis J. See Childs, Gregg E.

Erickson, Clifford W. Omnidirectional uv radiation detector, P (3) 65*a*.

Erickson, John S. See Curran, Patrick M.

Eriksen, T. E., and Engman, S. O. Determination of small quantities of sulfate and thiosulfate in aqueous solutions of SO_2 (3) 73*j*.

Ermakov, Boris N., and Kurilenko, Viktor G. Ferrite material, P (1) 14*c*.

Ermakov, S. S., and Reznikov, G. T. Influence of heating rate on vol change in sintering (7) 155*j*.

Ermolenko, I. M. See Chernov, R. V.

Ernsberger, Fred M. Novel glass-ceramic article and water content crystallization process of making, P (1) 7*j*; Process and apparatus for electrolytically generating stirring bubbles in a glass melt, P (9) 187*d*.

Ernsberger, Fred M., and Nier, Thomas J. Method and apparatus for mixing molten glass by bubbling, P (9) 186*d*.

Ertem, Goezen Irreversible collapse of montmorillonite (5) 120*j*.

Esayan, S. Kh., Bagdasarov, Kh. S., Lemanov, V. V., Pukhovskaya, T. M., and et al. Light scattering by elastic waves in Gd molybdate crystals (9) 196*f*.

Escard, J., Mantin, I., and Mavel, M. G. Application of photoelectron spectroscopy to the study of exchangeable cations in montmorillonite (5) 119*c*.

Escoubes, M., Murat, M., Karchoud, M., and Charbonnier, M. Thermomagnetic study of thermal degradation of several aluminosilicates with the mica structure (glauconite, muscovite, biotite) (6) 142*e*.

Escribe, C. See Bacquet, G.

Espic, Jean Y., Jouan, Claude, and Koehly, Gerard Process for the separation of Np from Pu by liquid-liquid extraction, P (6) 133*e*.

Espinosa, G. P. Growth of single crystals of α-Mn_2O_3 and $(Mn_{1-x}M_x)_2O_3$; where M = Fe, Ga, Al, Sc, Cr (2) 52*f*.

Espinosa de los Monteros, J. See De Aza, S.

Espinosa de los Monteros, J., De Aza, S., Del Rio, M. A., and Criado, E. Application of ternary phase diagrams to white ceramic products (3) 68*e*.

Espinosa de los Monteros, J., and White, J. Equilibrium reactions in the system $ZrO_2-Al_2O_3-CaO$ (7) 155*i*.

Essenhigh, R. H. Current analysis of the energy situation (10) 213*e*.

Etkin, Vulf B. Device for measuring the concentration of suspended particles, P (11) 232*j*.
Etsorneau, Jean, Naslain, Roger, and La Placa, S. Nonstoichiometric Th hexaboride $Th_{1-x}B_6$ (5) 121*c*.
Ettenberg, Michael Method of epitaxially depositing a semiconductor material on a substrate, P (11) 230*g*.
Ettenberg, Michael, and Cannuli, Vincent M. Method for epitaxially growing layers of a semiconductor material from the liquid phase, P (2) 42*e*.
Ettmayer, P. See Schwetz, K.
Ettre, Kitty S., and Castles, George R. Tape transfer of sinterable conductive, semiconductive, or insulating patterns to electronic component substrates, P (7) 151*g*.
Etzel, James E., Helbing, Clarence H., and Justus, Carl A. Waste water reclamation in fiber glass operation, P (6) 128*e*.
Eubanks, A. G. See Nicoletta, C. A.
Eufusia, Eugene A. See Thelen, Alfred J.
Euler, F. See Skolnik, L. H.
Euthymiou, P. C. See Nomicos, C. D.
Euthymiou, P. C., Nomicos, C. D., and Philadelpheus, A. Th. Behavior of magnetophotoconductivity of semi-insulating GaAs upon α-particle bombardment (8) 174*i*.
Euwema, R. N. See Surratt, G. T.
Evans, A. G. Strength of brittle materials containing second-phase dispersions (2) 56*e*; Analysis of strength degradation after sustained loading (10) 215*g*. See Davidge, R. W. ; Ford, Lionel H. ; Wiederhorn, S. M.
Evans, A. G., and Linzer, M. Failure prediction in structural ceramics using acoustic emission (1) 23*b*.
Evans, Arthur Machine for cleaning semiconductive wafers, P (2) 42*a*.
Evans, B. J. See Leung, L. K.
Evans, B. J., and Peacor, D. R. Thermal expansion in $(La_{0.62}Pb_{0.38})MnO_3$—possible evidence for a coupling between elastic and magnetic exchange forces (2) 57*d*.
Evans, B. J., and Westrum, E. F., Jr. Multiple ordering and the low-temp. phase transition in Fe_3O_4 (7) 156*c*.
Evans, Bruce D., Comas, James, and Malmberg, Philip R. Coloration induced in MgO by MeV $^{20}Ne^+$ bombardment (8) 174*d*.
Evans, Doletha M., and Katz, Lewis Structure of a Ba Nb Si oxide with the probable composition $Ba_{6+x}Nb_{14}Si_4O_{47}$ ($X \simeq 0.23$) (4) 102*h*.
Evans, Eloise H. See Swanson, Howard E.
Evans, Howard J. Measurement of compressible fluids (5) 117*h*.
Evans, J. L., and Workman, G. M. Resisting blast-furnace lining wear—thermal approach (1) 10*d*.
Evans, Raymond H. Method of producing blast furnace slag products, P (11) 226*b*.
Evdokimov, A. A. See Trunov, V. K.
Evdokimov, V. A. See Naidich, Yu. V.
Evdokimov, V. I. See Drobot, N. F. ; Gavrilov, G. M. ; Il'in, V. K. ; Savel'ev, B. A.
Evdokimova, V. A. See Naydich, Ya.
Everill, J. B. See Beech, D. G.
Evlanova, N. F., and Rashkovich, L. N. Effect of annealing on domain structure of Li metaniobate single crystals (9) 195*i*.
Evstaf'eva, R. I. See Bobrov, V. S.
Evstifeev, E. N. See Kuvakin, M. A.
Evstrop'ev, K. K. See Malinin, V. R. ; Negodaev, G. D.
Evstrop'ev, K. K., and Drugovelko, O. P. Kinetics of the dissolution of K germanate glasses in water (1) 5*e*.
Evstrop'ev, K. S. See Krupkin, Yu. S. ; Kuznetsov, A. I. ; Kuznetsova, M. G.
Ewing, Galen W., and Caton, Roy D., Jr. Chemical instrumentation: LXXIII, Reference electrodes (6) 134*e*.
Exarhos, G. J., and Risen, W. M., Jr. Raman study of isothermal devitrification kinetics of $NaPO_3$ glass (10) 205*f*.
Exner, H. E. See Wellner, P.
Exner, H. E., Moench, S., Petzow, G., and Lukas, H. L. Fission-gas diffusion from porous sintered materials (8) 171*i*.
Eyring, L. See Turcotte, R. P.
Eyring, Leroy See Sawyer, James
Ezhov, A. I. See Dudareva, A. G.
Ezhov, V. M. See Belyaev, I. N.

Fabian, Thomas R., and Hanek, James R. Light bulb sorter and conveyor, P (5) 109*j*.
Fabre, M., and Perinet, G. Measurement of hardness of calcareous ceramic bodies—application: evaluation of firing temp. of antique ceramics (4) 83*j*.
Fabre, Pierre, Giroud-Garampon, Robert, Gondrand, Michel, and Raymond, Fernand Apparatus for the surface coating of objects, P (9) 190*c*.
Fabrichnyi, P. B., Hagenmuller, P., Babeshkin, A. M., and Kuznin, A. I. Moessbauer study of the nuclear hyperfine structure of ^{121}Sb in α-Fe_2O_3 (1) 25*c*.
Fabry, Maria See Tamas, Ferenc
Fadeeva, V. I. See Tret'yakov, Yu. D.
Fash, N. Effects of test specifications on the compressive strength of cement mortar—research results and possibilities for application (3) 61*i*.
Faenale, Fritz See Cherdon, Egon
Fagen, E. A. See Arnoldussen, T. C.
Fagherazzi, G., Maggi, C. M., and Sironi, G. Ba and Sr ferrite powders with very high intrinsic magnetic coercivity (2) 40*a*.
Fahey, Dennis, and Cunningham-Smith, David Vibrogyratory mills, P (10) 212*j*.
Fahn, Rudolf Clay-mineral-bearing suspensions, P (1) 20*g*.
Fairbank, W. M., Jr., and Klauminzer, G. K. Tetragonal-field splittings of levels in MgO:Cr^{3+} (8) 179*g*.
Faithful, D. B., Johnson, S. M., and McColm, I. J. Ir spectra of lanthanide sesquioxides (9) 196*j*.
Fajnor, Vladimir See Masar, Jozef
Fakeev, A. A. See Safonov, V. V.
Fakeev, A. A., Allakhverdov, G. R., Belik, R. I., Ivanova, Z. V., and et al. Reactions of the K and Rb tetrachloroiodates (7) 157*c*.
Falckenberg, Richard Method of dividing Mg-Al spinel substrate wafers coated with semiconductor material and provided with semiconductor components, P (10) 211*d*.
Faleev, N. N. See Labushkin, V. G.
Falkus, Craig R. Apparatus for combining linear bodies into a composite product, P (7) 146*g*.
Fan, H. Y. See Manlief, S. K.
Fan, L. T. See Wang, R. H.
Fancher, D. L., and Spetzler, H. A. Interpretation of ultrasonic measurements of hot-pressed polycrystalline specimens of MgO (9) 196*c*.
Fano, V. See Ortalli, I.
Fanti, Roy See Kuehl, Donald K.
Farnbaugh, Aloysius W. See Matesa, Joseph M.
Farnbaugh, Aloysius W., and Guiotta, Joseph A. Glass sheet float apparatus with heat flux edge detector, P (7) 146*c*.
Farnch, Horacio A. See Nicklin, R. C.
Fargo, Harland E., and Smucker, Clayton A. Process for making glass fiber product using phenolic binder resins, P (10) 207*b*.
Farley, J. M. See Hackler, W. C.
Farley, J. M., Thorp, J. S., Ross, J. S., and Saunders, G. A. Effect of current-blackening on the elastic constants of Y_2O_3-stabilized ZrO_2 (7) 155*b*.
Farmer, Donald A., and Kennedy, John D. Coated abrasive grains encapsulated in a cross-linked thermoset polymer, P (9) 181*h*.
Farmer, Donald J., Carlson, Charles J., and Muschong, Peter W. Bushing for transformers and the like, P (5) 113*e*.
Farnum, E. H. See McVay, G. L.
Farr, J. D. See Benz, Robert
Farris, Robert E., and Allen, J. E. Aluminous refractories-alkali reactions (2) 37*g*.
Farris, Robert E., and Hicks, James C. Production of mullite refractory, P (1) 11*f*.
Farrow, Tom J., and O'Donnell, Thomas P. Flue gas temp. control system, P (10) 213*h*.
Farshtendiker, V. L. See Antonov, V. A.
Fassbender, Bernd, and Kerstan, Walter Programable proportional [temp.] regulator for lab furnaces (6) 134*a*.
Fassell, Wayne M. Refractory article [BN] having high thermal shock resistance, P (9) 188*j*.
Fassett, Gardner L. Method of rebuilding a CRT, P (10) 206*g*.
Fastabend, H. See Schellmann, W.
Fastnacht, R. A. See Sinclair, W. Robert
Fataliev, S. A. See Akhund-Zade, N. D.
Fataliev, S. A., and Imanov, A. M. Effect of reactive aggregates on crystallization of new formations in concrete (7) 144*a*.
Fate, W. A. High-temp. shear modulus of Si_3N_4 and SiC (2) 52*a*; Density dependence of shear modulus of Si_3N_4 (9) 195*d*.
Fathers, D. J., and Tanner, B. K. Optical contrast of inclined boundaries in birefringent magnetic materials (3) 80*d*.
Fator, Jaroslav See Rambousek, Vladimir
Fator, Jaroslav, Rambousek, Vladimir, and Vicenik, Jaromir Mullite porcelain batches with homogeneous texture (11) 228*g*.
Fatuzzo, E., and Coppo, S. Contribution of the space-charge layer to the dielectric constant of Ag halides (2) 49*d*; Space-charge layer in Ag halide crystals (2) 55*j*.
Faucher, M. See Caro, Paul E.
Faughnan, B. W. EPR spectrum of Mo^{5+} in $SrTiO_3$. An example of the dynamic Jahn-Teller effect (7) 155*b*.
Faughnan, B. W., Gorog, Istvan, Heyman, Philip M., and Shidlovsky, Igal Cathodochromic materials and applications (3) 69*e*.
Faulkner, Richard D. See McDonie, Arthur F.
Faure, Alphonse W. Adjustable air-cylinder support for 90° push-out in glassware forming equipment, P (10) 205*g*.
Faust, Jesse A. See Haldas, Walter J.
Faust, John W., Jr. See Marshall, Robert C.
Faust, W. D., and Wright, J. F. Combination pyrolytic-continuous cleaning ovens (11) 222*d*.
Faust, W. L. See Gundersen, Martin
Faust, William D. See Snow, Jerry D.
Fawcett, J. Dawson Horizontal stiff extrusion of sewer pipes (5) 110*e*.
Fawcett, J. J. See Bird, G. W.
Fay, Gordon C. Factors that can reduce fuel consumption in existing kilns and dryers (8) 173*e*.
Fay, Homer, and Brandle, Charles D., Jr. Process for producing untwinned single crystals of $LaAlO_3$, P (7) 150*i*.
Fedorchenko, I. M., and Ivanova, I. I. Problem of the relations governing two-component sintering (7) 157*d*.
Fedorov, E. A. See Akulenok, E. M.
Fedorov, N. F., Andreev, I. F., and Azimov, Sh. Yu. Sr and rare earth silicophosphates (6) 141*g*.
Fedorov, N. F., Andreev, I. F., Kasparyan, R. M., Smorodina, T. P., and et al. Phase equilibria in the system Ga_2O_3-Nb_2O_5 (1) 26*h*.
Fedorov, N. F., Andreev, I. F., and Tunik, T. A. Phase equilibria in the system $MgSiO_3$-Nd_2SiO_5 (9) 197*c*.
Fedorov, N. F., Gavrilov, A. P., and Zagarova, S. A. Regularities in the development of binder properties by oxides with water (4) 85*b*.
Fedorov, N. F., Sokolova, N. A., Zverev, V. B., and Sychev, M. M. Phase composition and dissolution kinetics of the basic components of Zn acetate cement (1) 3*b*.
Fedorov, N. F., Zagarova, S. A., and Golubeva, N. V. Binding properties of compositions in the system CaO-PbO_2 (1) 21*f*.
Fedorov, P. I. See Denisov, Yu. N. ; Dudareva, A. G. ; Postnikova, O. N.
Fedorov, P. I., and Fedorov, P. P. Possible types of temp.-concentration phase diagrams of binary systems (1) 26*i*.
Fedorov, P. I., Kurdyumov, G. M., Molochko, V. A., and Perfilova, R. V. Cross sections of multicomponent systems comprising the Ge tetrahalides and some group IV tetrahalides (9) 195*a*.
Fedorov, P. I., Smarina, E. I., Rosbchina, A. V., and Sergeeva, L. V. Layering in the system Ga-Sb-Se (9) 196*f*.
Fedorov, P. M. See Karpov, V. N.
Fedorov, P. P. See Fedorov, P. I. ; Sobolev, B. P.
Fedorov, P. P., Izotova, O. E., Alexandrov, V. B., and Sobolev, B. P. New phases with fluorite-derived structure in CaF_2-$(Y,Ln)F_3$ systems (10) 218*a*.
Fedorov, V. E. See Opalovskii, A. A.
Fedoryako, L. I. See Pokhodenko, V. N.
Fedoseev, A. D., Chigareva, O. G., Grigor'ev, L. F., and Anikin, I. N. Use of production wastes in the synthesis of fluorasbestos (6) 136*c*.
Fedoseev, D. V. See Galimov, E. M.
Fedotov, A. F. See Zhukhlistov, A. P.
Fedotova, L. I. See Samsonov, V. P.
Fehlner, Francis P. Ion-sensitive solid-state device and method, P (7) 149*f*.
Feichtner, J. D. See Roland, George W.
Feichtner, J. D., and Roland, G. W. Optical properties of a new nonlinear optical material—Tl_3AsSe_3 (10) 218*d*.
Feigl, F. J. See Mehta, D. A.
Feinleib, J., and Oliver, D. S. Reusable optical image storage and processing device (10) 205*i*.
Fejer, Mark E. See Nesbitt, John D.
Feklichev, V. G., and Aliev, R. M. Crystal morphology of pyrite (4) 98*g*.
Feklichev, V. G., and Florinskii, N. V. Apparatus for crystalooptic investigations of minerals by a universal theodolite immersion method (5) 116*j*.
Feld, I. L. See Davis, E. G.
Feldman, D. W. EPR spectra of Zn_2GeO_4:Mn (3) 78*i*.
Feldman, David, Lesh, Nathan G., and Worobey, Walter Mfg. of beam crossovers for integrated circuits, P (3) 71*h*.
Feldman, R. F. He flow characteristics of rewetted specimens of dried hydrated portland cement paste (4) 84*c*; Changes to structure of hydrated portland cement on drying and rewetting observed by He flow techniques (5) 106*b*. See Ramachandran, V. S.
Feldman, R. F., and Ramachandran, V. S. State of water and stoichiometry of bottle-hydrated Ca_3SiO_5 (7) 144*j*.
Feldstein, Nathan, and Law, Harold B. Method of repairing or depositing a pattern of metal-plated areas on an insulating substrate, P (1) 15*c*.
Feldwick, Raymond D. Preparation of a Mg spinel catalyst base, P (6) 136*b*.
Felice, Frank T. See Jacobs, Louis J.
Felix, F. J. H. See Crijns, N. J. H.
Felix, F. W. See Miekeley, W.
Fellner, Hugo R. See Hammond, Donald L.
Felsenthal, P. See Eden, H. Frank
Feltham, P. Stochastic model of crystal plasticity (9) 198*f*.

Feltham, Stephen J., and Frankson, Robert W. SEM analysis of surface defects on alumina ceramic substrates (10) 210*i*.

Felton, Reinhold Philipp Si_3N_4—a literature survey (9) 188*i*.

Fender, B. E. F. See Cheetham, A. K.

Fenichel, Henry See Rauckhorst, William H.

Fenn, Darien S. See Waugh, James H., Jr.

Fenn, Phillip M. See Luth, William C.

Fentzke, Daniel See Wilkendorf, Ehrhardt

Ferchland, Harold W. Method of making a porous laminated metal-bonded cutting wheel, P (10) 201*g*.

Ferguson, A. M., and Phillips, L. F. Thermistor bridge using light-emitting diodes (2) 41*b*.

Ferguson, James E., and Postma, Fred W., Jr. Characterization of refractory metal carbides for electron probe reference materials (2) 46*h*.

Ferment, George R. See Daley, Lawrence R. ; Druin, Melvin L.

Fernior, J. H., and Kjekshus, Arne Electrical properties of $RbNO_3$ and $CsNO_3$ (2) 51*e*; Entropy increment at the phase II–I transition in $NaNO_3$ (2) 51*f*; Frequency dependence of the dielectric properties of $NaNO_3$ (3) 79*a*.

Fern, Robert W. See Davis, Curtis W., Jr.

Fernald, T. H. See Bodine, M. W., Jr.

Fernandez-Alonso, J. I. See Anton, G.

Fernandez Alvarez, T. Activation of sepiolite with hydrochloric acid (5) 119*a*.

Fernandez Arroyo, G., and Prod'homme, M. Devitrification of glasses of the P_2O_5-Al_2O_3-Li_2O system (3) 63*d*.

Fernandez-Moran, Humberto Ultrathin sectioning with ultrasharp diamond edge at ultralow temp., P (9) 192*f*.

Fernandez Muro, S., and Ferrando, J. L. Electrotechnical porcelains with high mechanical resistance (3) 68*i*.

Fernandez Navarro, Jose Maria See Aleixandre Ferrandis, Vincente

Fernandez Navarro, Jose Maria, and Otero Mazo, Jose Luis Solution of N in alkaline silicoborate glasses (3) 64*d*.

Fernandez Paris, J. M. Carbonatization of portland cements (4) 84*a*.

Ferrand, B., Geynet, J., Challeton, D., Daval, J., and et al. Growth of epitaxial substituted garnet films by hydrothermal synthesis (9) 190*f*.

Ferrando, J. L. See Fernandez Muro, S.

Ferrante, M. J. See Stuve, J. M.

Ferrara, M. See Adduci, F.

Ferraro, J. R. See Manghnani, M. H.

Ferraro, J. R., and Manghnani, M. H. Ir absorption spectra of Na silicate glasses at high pressures (4) 87*a*; erratum (9) 184*j*.

Ferris, Leslie M. See Mailen, James C.

Ferro, Armand P. See Kurz, Bruno F.

Ferro, C., Patino, C., and Picoal, C. Thermal diffusivity of mixed $(Th_{1-x}U_x)$ oxides and some materials to be used as reference in the range 605–2700°K (9) 192*g*.

Ferry, B. See Boiteux, M.

Fesenko, E. G. See Dudkevich, V. P. ; Filip'ev, V. S. ; Shatalova, G. E. ; Spinko, R. I.

Fesenko, E. G., Gavrilyachenko, V. G., Martynenko, M. A., Semenchev, A. F., and et al. Domain structure of Pb titanate crystals (4) 99*g*.

Fesenko, E. G., and Geguzina, G. A. Average parameters of the reduced cell of oxides with the perovskite-type structure (1) 21*c*.

Fesenko, E. G., Kupriyanov, M. F., Devlikanova, R. U., and Filip'ev, V. S. Conditions of isomorphism in complex Pb oxides with the perovskite structure (9) 194*i*.

Fickentscher, S. Production of wash basins by the Shanks system (5) 113*d*.

Fidler, F. H. Energy-conserving ceramic fiber linings for heat-treating furnaces (10) 208*g*.

Field, Marshall Solid ultrasonic delay lines and glass compositions therefor, P (5) 110*f*.

Fields, James M., Jr., Dear, Paul S., and Brown, Jesse J., Jr. Phase equilibria in the system BaO-SrO-SiO_2—correction (11) 235*i*.

Fierens, P., Tirlocq, J., and Verhaegen, J. P. Thermoluminescence and hydration of tricalcium silicate (2) 32*f*.

Fierens, P., Verhaegen, A., and Verhaegen, J. P. Thermoluminescence studies on the hydration of tricalcium aluminate (9) 183*a*.

Figg, J. Microwave heating in concrete analysis (11) 222*j*.

Figin, V. A. See Labushkin, V. G.

Figiarz, M. See Mollard, P.

Filbert, Augustus M., and Hair, Michael L. Surface-deactivated porous glass, P (5) 110*g*.

Filby, J. D. See Cockayne, B.

Filho, Manoel M. See Angeleri, Frederico

Filipavicius, V. S., and Normantas, E. S. Effect of external homogeneous deformation on the dispersion of holes in Ge (8) 175*h*.

Filip'ev, V. S. See Fesenko, E. G. ; Shatalova, G. E.

Filip'ev, V. S., Shatalova, G. E., and Fesenko, E. G. Determination of bond lengths in tungstates with the perovskite-type structure (10) 215*i*.

Filipparzi, Franco, and Fortini, Franco Connection means for semiconductor components and integrated circuits, P (6) 131*i*.

Filippov, Andrei N., Topilin, Sergei, and Liberzon, Lev A. Sintered Ag-graphite-Ni metal ceramic material for making electrical contacts and method of producing, P (9) 192*c*.

Filonich, V. S. See Yakovlev, Yu. M.

Filonich, V. S., Yakovlev, Yu. M., and Deryatova, T. A. Uniaxial anisotropy in single crystals of Bi Ca V Fe garnet (11) 236*a*.

Filsinger, David E. See Bussman, Dale R.

Finch, C. B. See Kolbe, W.

Findley, F. Total life cycle costs of plant and equipment (3) 73*j*.

Fine, M. E. See Mendelson, Mel I. ; Shannon, R. E. ; Takahashi, Masatake

Finger, G. C. See Ehrlinger, H. P., III

Fink, C. L. See Cohen, B. L.

Finke, Harry P. See Hovis, James E.

Finkel, V. M., Muratova, L. N., and Ivanov, V. P. Effect of slip bands on the propagation of cracks (2) 50*f*.

Finkel'shtein, I. M. Production and properties of Si_3N_4-Cr_2O_3 materials (10) 208*b*.

Finkel'shtein, N. A. See Maksina, N. V. ; Ryutina, N. M.

Finkenauer, Hans J. See Lettner, Kurt

Finkman, E., Cohen, E., and Van Uitert, L. G. Electronic Raman effect and spectroscopic studies of $NdAlO_3$ (8) 175*j*.

Finn, Lawrence R., and Smith, Richard L. Method and apparatus for handling stackable bodies [fiber glass bats], P (11) 225*j*.

Fiori, C. See Capucci, V.

Firestone, D. W. See Loehman, R. E.

Firle, G. Cutting the cost of electricity by means of reactive current compensation or by power factor correction: IV, Scale of charges for electricity with reactive current or power factor stipulations (2) 47*f*.

Fischer, A. Recentrant connecting tenon for a building brick, P (4) 90*c*.

Fischer, David W. X-ray band spectra and molecular-orbital structure of rutile TiO_2 (7) 159*a*.

Fischer, Hermann See Brinkel, Hans ; Derleth, Helmut

Fischer, Horst, and Justi, Eduard Semiconductor element and method of making, P (4) 94*f*.

Fischer, Horst, and Pschunder, Willi Method of producing a solar cell, P (3) 71*g*.

Fischer, John J. Rotary apparatus for treating particulate material, P (2) 46*d*.

Fischer, Karl H. Calcining of C substances and carbonaceous rocks in a tunnel kiln, P (11) 233*d*.

Fischer, S. Apparatus for blow molding hollow articles, P (5) 109*a*.

Fischer, Werner K. Apparatus for the production of green test specimens from artificial C, P (2) 47*h*.

Fischer, Wilhelm A., and Pieper, Christian Electrical conductivity of ZrO_2-Mo and Al_2O_3-Fe cermets between 20° and 1700°C (1) 12*i*; Electrical conductivity and thermoelectric force of pure and CaO-stabilized ZrO_2 at 1000°–1700°C and O_2 partial pressures of $1–10^{-16}$ atm (1) 23*b*.

Fish, John G. See Reinberg, Alan R.

Fisher, Dennis G. See Enstrom, Ronald E.

Fisher, John A. Process for mfg. integrated circuits on an alumina substrate, P (7) 150*g*.

Fisher, K. Effect of low-strength bricks in high-strength brickwork (10) 207*b*. See Haseltine, B. A.

Fisher, Lester See Rayle, Brian J.

Fisher, Robert E. See Jacobs, Louis J.

Fisher, W. Halder See Ayers, Ronald F.

Fisk, Reginald C., and Carver, Edgar B. Method of making a metal-impregnated grinding tool, P (4) 83*f*.

Fister, Robert V. See Agnone, John L.

Fitenko, V. V. See Mironov, S. A.

Fitton, B. See Willis, R. F.

Fitton, Robert C. Method for stabilizing pigment slurries, P (6) 136*a*; Modified, precipitated aluminosilicate pigments and an improved method for preparing, P (8) 173*g*.

Fitzer, E., Fritz, W., Megalopoulos, A., and Majdic, A. Pyrolysis reactions in the preparation and use of tar-bonded refractories (11) 227*g*.

Fitzgerald, A. G., and Engin, R. Defects in Ni ferrite thin films grown by chemical vapor deposition (11) 229*b*.

Fitzgerald, F. See Bowman, B.

Fitzgerald, John W., Jr. See Schaffer, Robert S.

Fitzgibbon, George C. See Baker, Floyd B.

Fitzgibbon, George C., Huber, Elmer J., Jr., and Holley, C. E., Jr. Enthalpy of formation of Eu_2O_3 (2) 51*d*; Enthalpy of formation of BaO (3) 78*e*.

Fitzgibbon, George C., Huber, Elmer J., Jr., and Holley, Charles E., Jr. Enthalpies of formation of Pr_2O_3 (hexagonal), Pr_2O_3 (cubic), and $PrO_{1.833}$ (9) 196*a*.

Fitzgibbons, William A., Kenney, Donald M., and Michaud, Ronald A. Vapor-solid impurity diffusion process, P (9) 192*g*.

Fitzhenpt, Gary See Devlin, J. Paul

Fitzpatrick, B. J. See Keune, D. L.

Fitzpatrick, William B. P. See Branovich, Louis E.

Fjeld, B. See Dumas, D.

Flaemrich, W. Continuous removal of foreign matter from a mixture composed of granular solid matter and the foreign matter, P (1) 20*g*.

Flahaut, J. See Collin, G.

Flamenbaum, Joel S., Schultz, Peter C., and Voorhees, Francis W. Method for producing high-quality fused SiO_2, P (9) 186*j*.

Flanders, P. J. Observation of *c*-axis moment in α-Fe_2O_3 (3) 80*c*.

Flank, William H., McEvoy, James E., and Stuart, John R. Ca Na aluminodisilicate foam, P (4) 97*c*.

Flasck, Richard See Rockstad, Howard K.

Fleck, K. Service life of kiln nose ring blocks (3) 62*g*.

Fleischer, James F. See DeVries, Robert C.

Fleming, S. J. Predose technique—new thermoluminescent dating method (10) 201*f*; Thermoluminescence and glaze studies of a group of T'ang dynasty ceramics (10) 201*h*.

Fleming, S. J., and Stonehem, D. Subtraction technique of thermoluminescent dating (11) 221*i*; Thermoluminescent authenticity study and dating of Renaissance terra-cottas (11) 221*j*.

Flerova, S. A. See Sinyakov, E. V.

Fletcher, James C. Coaxial inverted geometry transistor having buried emitter, P (1) 13*g*; Tunable cavity resonator with ramp-shaped supports, P (3) 65*f*; Use of thin-film light detector, P (5) 115*c*; Method of repairing discontinuity in fiber glass structures, P (10) 206*h*.

Fletcher, M. A. See Stradling, G. N.

Flinn, D. R. See Stern, Kurt H.

Flipot, Alfred J. See Gilissen, Robert E. M.

Flipot, Alfred J., and Delbrouine, A. Behavior of a UO_2-0.6 wt% Dy_2O_3 fuel containing Al_2O_3 or TiO_2 impurities (4) 95*c*.

Flohrs, Peter, Schafer, Horst, and Tovar, Theo Method of making semiconductor components, P (1) 14*f*.

Flood, Haakon, and Seltveit, Arne Method of producing refractory material, P (6) 129*f*.

Florescu, Viorel See Tanasoiu, Constantin

Florinskii, N. V. See Feklichev, V. G.

Flotow, Howard E. See Osborne, Darrell W.

Flower, Martin F. J. Phase relations of titan-acmite in the system Na_2O-Fe_2O_3-Al_2O_3-TiO_2-SiO_2 at 1000 bars total water pressure (10) 218*a*.

Flyagin, M. Yu., Nikiforov, A. E., and Men, A. N. Electric field gradient on Al nucleus in spinel taking into account overlap (11) 234*c*.

Flynn, Vincent J. See Suchow, Lawrence

Flytzanis, C. See Levenson, M. D.

Fodor, Peterne New complex thermoanalytical tests using the derivatograph (1) 18*b*.

Foerster, Hans J. See Cherdon, Egon

Foerster, Horst See Hackstein, Karl G.

Foerster, Rudolf See Geisel, August

Foex, M. See Bonet, C.

Fogle, William, and Perlstein, Jerome H. Semiconductor-to-metal transition in the blue K Mo bronze, $K_{0.30}MoO_3$—example of a possible excitonic insulator (8) 179*c*.

Foglio, M. E., and Van Vleck, J. H. Theory of the magnetic anisotropy and NMR of Eu Fe garnet (11) 236*h*.

Fok, J., and Hanscomb, J. R. Electrical breakdown in ferroelectric $NaNO_2$ crystals (4) 99*j*.

Follmer, Leon R., and Beavers, A. H. Elutriator method for particle-size analysis with quantitative silt fractionation (2) 46*f*.

Fomichev, O. I. See Zabara, Yu. V.

Fomichev, V. V., Petrov, K. I., Zlenko, G. V., and Plyushchev, V. E. Vibrational spectra of complex chlorides of Sb(III) and alkali metals (7) 159*j*.

Fomer, S. See Shapira, Y.

Fong, Andrew O. C. See Robertson, James A.

Fong, C. Y. See Hemstreet, L. A., Jr.

Fong, Francis K. See Naberhuis, S. L.

Fonlek, Fryderyk New process for the preparation of microwave garnets with controlled chemical composition and defined magnetic properties (11) 229*h*.

Fontanella, John See Andeen, Carl

Fontanella, John, Andeen, Carl, and Schuele, Donald Pressure and temp. derivatives of the low-freq. dielectric constants of LiF, NaF, NaCl, NaBr, KCl, and KBr (8) 178*e*.

Fonton, S. S. See Perekalina, T. M.

Forbes, D. W. Nature of porosity in some commercial ceramic bodies (4) 91*g*.

Ford, George L. See Oliver, Robert K.

Ford, Lionel H., Davidge, R. W., and Evans, A. G. Production of nuclear fuel particles coated with SiC, P (4) 95*d*.

Ford, Lionel H., and Shenaan, J. D. Mechanism of binderless granulation and growth of ceramic spheres (8) 171*c*.

Ford, R. W. See West, H. W. H.

Ford, Ronald A. See Nicholas, Keith H.

Forest, Harvey Method for analyzing rare earth-activated rare earth oxide and oxysulfide phosphors, P (7) 153*c*.

Forester, D. W. See Petitt, G. A.

Forler, R. P. See Hiernaut, J. P.

Foris, C. M. See Brixner, L. H.

Forker, Ray B., Jr., Kozlowski, Theodore R., Krygier, Dennis A., and Panzarino, Joseph N. Chemically strengthened glass, P (3) 64*e*.

Forker, Ray B., Jr., and Panzarino, Joseph N. Process for making C-containing glasses, P (10) 207*b*.

Fortani, Franco Method for mounting integrated-circuit chips on interconnection supports, P (5) 115*b*. See Filippazzi, Franco

Forman, Ralph Measurement of high-temp. thermal conductivity of Lucalox (Al_2O_3) using a heat pipe technique (8) 177*f*.

Forman, Richard A. See Blunt, R. F.

Formoso, Milton L. L. See Scarrone, Arnaldo

Forneris, John L. See Dorler, Jack A.

Forschepiepe, Fritz Arrangement for processing slag, P (2) 35*c*.

Forsyth, Robert B. New diversity in Thornel graphite fiber performance (9) 187*h*.

Foss, Norman A., and Ward, Samuel A. MOS photodiode, P (10) 211*j*.

Fosse, J. Milling of enamels and preparation of enamel slips (8) 163*i*.

Fossheim, K., and Berre, B. Ultrasonic propagation, stress effects, and interaction parameters at the displacive transition in $SrTiO_3$ (7) 159*h*.

Foster, Betty J., and Tummala, Rao R. Method of sealing electrodes to glass with a glass frit, P (4) 88*i*.

Foster, D. Vertical load tests on cavity-wall columns (10) 207*j*.
Foster, P. K. See Percival, H. J.
Foster, T. V. Future of forming (9) 184*g*.
Foster, Thomas V. See Nebelung, Hermann H.
Fotchenkov, A. A., and Kolodieva, S. V. Influence of penetrating radiation on the electrical properties of quartz crystals (1) 24*h*.
Fotiev, A. A. See Volkov, V. L.
Fotiev, A. A., and Golovkin, B. G. New O V bronzes of Li, Rb, and Cs (1) 25*g*.
Fourie, M. T., and Rabot, R. Causes and elimination of harmful reactions in aluminous cements (1) 2*d*.
Fournier, Paul R. Technique for reducing interdiffusion rates and inhibiting metallic compound formation between Ti and Pt, P (8) 171*d*.
Fournier, Robert Three slip trailing techniques (5) 105*i*; Illustrated Dictionary of Practical Pottery, B (10) 220*c*.
Fowkes, R. S., and Fritz, J. F. Theoretical and experimental studies on the packing of solid particles survey—a survey (7) 153*b*.
Fowles, G. R. See Asay, J. R.
Fox, A. J. Longitudinal electrooptic effects in $Ba_xSr_{1-x}Nb_2O_6$ (8) 169*i*.
Fox, Joseph S., and Koetting, Jerome D. Purification process for recovering U from an acidic aqueous solution by pH control, P (6) 133*e*.
Foy, P. W. See Pinkas, E.
Fra, Jacky See Carles, Maurice
Fraas, Lewis M., Moore, James E., and Salzberg, Jose B. Raman characterization studies of synthetic and natural Mg-Al_2O_4 crystals (8) 178*g*.
Fraikor, F. J. See Govind, P. K.
Fraiman, L. S. See Kichkina, E. S.
Frakes, J. T., Brown, Sherman D., and Kenner, G. H. Delayed failure and aging of porous alumina in water and physiological media (4) 91*f*.
Frame, John W., and Combe, Edward C. Effect of sterilization on the properties of $CaSO_4$ hemihydrate (6) 125*i*.
Francel, Josef, Minaeman, Lester C., and Nofziger, Neil B. Low-temp. sealant glass for sealing integrated circuit package parts, P (4) 88*j*.
Francke, R. See Arsen'ev, P. A.
Franco, M. A. Alario, Thomas, J. M., and Shannon, R. D. Crystallographic shear structures derived from CrO_2—an electron microscope study (10) 215*e*.
Francombe, M. H., Wu, S. Y., and Takei, W. J. Polarization and optical switching of quadristable ferroelectric films by singular electrodes, P (3) 72*b*; Epitaxial growth of thermically expandable films and particularly anisotropic ferroelectric films, P (9) 190*i*.
Frangella, Juan Martin Economic factors and the erection of a ceramic plant (1) 30*d*.
Frank, Edmund Method and apparatus for optimizing measurement of radioactivity of samples in scintillation-type counter, P (5) 117*j*.
Frank, F. C. Capillary bonds between grains in moist sand: II (7) 154*e*.
Frankfurth, Gaeather, Wieser, Werner, and Haendle, Rainer Extrusion press for processing viscous materials, especially clay or claylike materials, P (10) 212*h*.
Frank-Kamenetskii, V. A. See Kosoi, A. L.
Franklin, Arley G., and Mattson, Phillip A. Directional variation of elastic wave velocities in oriented clay (6) 137*e*.
Franklin, John L. Why balanced environment can boost productivity for the ceramic industry (5) 124*d*.
Frankson, R. W., and Slack, L. H. Low temp. coeffs. of resistance in MnO films (4) 92*h*.
Frankson, Robert W. See Feltham, Stephen J.
Frantsuzova, T. E. See Pitsyuga, V. N.
Franzini, Marco See Sartori, Franco
Franzke, Rosita See Bartholomae, Hans D.
Fraser, D. B., and Meichler, H. Sputter-deposited CdS films with high photoconductivity through film thickness (4) 93*d*.
Fraser, David B. See Maldonado, Juan R.
Frazee, John R., Martin, Brian R., and Brundrett, Charles P. Supported Cu chromite catalyst, P (1) 20*j*.
Frazier, J. Earl, and Crouse, Clifford F. Glass batch feeder, P (5) 109*g*.
Frederick, C. G. See Chamberland, B. L.
Frederikse, H. P. R. See Young, K. F.
Fredrickson, D. R., and Chasanov, Martin G. Thermodynamic investigation of trisodium U(V) oxide (Na_3UO_4): III, Enthalpy to 1200°K by drop calorimetry (2) 44*j*; Enthalpy of Na_2O to 1300 K by drop calorimetry (3) 78*g*.
Freedman, Norman S., Horsting, Carel W., Lawrence, Walter F., and Carrona, John J. Thermoelectric modular structure and method of making, P (6) 133*e*.
Freiman, Stephen W. Effect of alcohols on crack propagation in glass (9) 184*f*; Mechanical properties of glass-ceramics: I–II (4) 87*d*. See Mecholsky, J. J.
Freiman, Stephen W., Onoda, G. Y., Jr., and Pincus, Alexis G. Mechanical properties of $3BaO.5SiO_2$ glass-ceramics (2) 34*i*.
Fremlin, J. H. See Malik, S. R.
Fremont, R., Kortan, J., and Janouskova, O. Au-Ni ohmic contacts on *n*-type GaP (4) 92*g*.
French, I. E., and Harris, R. W. Effects of neutron irradiation on strain-amplitude-dependent internal friction in NaCl single crystals (1) 23*a*.
French, William G., Pearson, A. David, Tasker, G. William, and MacChesney, John B. Low-loss fused SiO_2 optical wave guide with borosilicate cladding (2) 34*e*.
Frennesson, Sven Ake, and Fronaeus, Sture Kinetics and mechanism of the oxidation of V(IV) by peroxodisulfate ion (3) 79*j*.
Frenstrop, Arthur H. Method for outgassing permanent magnets, P (1) 14*j*.
Frenzel, C., Gladun, A., Gladun, C., Hegenbarth, E., and et al. Measurements of dielectric constant of $SrTiO_3$ in the temp. range 1.2–0.025°K (11) 235*c*.
Freundlich, W. See Pages, Monique
Frey, Frederick W., Jr., and Kobetz, Paul Method for the preparation of Be hydride from a dialkyl Be solution, P (10) 214*g*.
Frez, A. I. See Druzhinina, I. A.
Fricke, Gerd D. See Kutzer, Hans J.
Fridman, V. M. See Danyushevskii, V. S.
Friebele, E. J., Koon, N. C., Wilson, L. K., and Kinser, D. L. Magnetic properties of an amorphous antiferromagnet (7) 145*e*.
Friedberg, Arthur L. Testing program for plumbing fixtures (11) 223*a*.
Friedman, Arnold See Vincent, Thomas C.
Friedman, G., and Ganser, G. Test results on homogeneity of expansion for a 1.8-m ULE lightweight mirror (10) 205*c*.
Friley, Paul B. See Ligon, Elmer R.
Frisch, Erling, and Andrews, Harry N. Rapidly refuelable nuclear reactor, P (2) 45*f*; Nuclear reactor internals construction and failed fuel rod detection system, P (10) 212*h*.
Frisch, H. L. See Blum, L.
Frischat, G. H. See Safdar, M.
Fritsch, Carl W. See Grisafe, David A.
Fritz, J. F. See Fowkes, R. S.
Fritz, W. See Fitzer, E.
Fritz, William B., Tiley, John W., and Sanders, Neil H. Rf filters with glass on a substrate, P (6) 132*j*.
Frock, Brian G. Sintered cupric oxide masses, P (7) 151*g*.
Froehlich, G. See Thomas, E. A.
Froehlich, G. H. Monolithic lining in coreless induction furnaces (1) 9*h*.
Frohnsdorf, Karl P. See Burtscher, Joachim
Frohman-Bentchkowsky, Dov. Floating-gate solid-state storage device and method for charging and discharging, P (1) 14*c*; Electrically alterable floating gate device and method for altering, P (11) 230*j*.
Frolov, A. A., Sidorenko, F. A., Krentsis, R. P., and Gel'd, P. V. Structure of $(Fe_xNi_{1-x})_2Si$ solid solutions (4) 102*j*.
Frolov, N. P. See Kuznetsova, L. G.
Fromm, E., and Kirchheim, R. Emf measurements in V-O solid solutions with ThO_2-Y_2O_3 electrolytes (8) 176*d*.
Fronaeus, Sture See Frennesson, Sven Ake
Froncek, Edward J. See Desmond, Richard J.
Frosk, Dale A., and Vukovich, Milan, Jr. Deformation behavior of pyrometric cones and the testing of self-supporting cones (4) 96*h*.
Fruchart, D., Bertaut, E. F., Le Clerc, B., Khoi, Le Dang, and et al. Neutron diffraction and NMR studies of $ZnMn_3C$ and $GaMn_3C_{0.935}$ (4) 100*i*.
Fry, J. L. See Drost, D. M.
Fry, M. G. J. Apparatus for detecting temp., P (3) 74*i*.
Fry, Ralph Dry process enamel apparatus for bathtubs, P (8) 163*b*.
Frydman, S., Zeitlen, J. G., and Alpan, I. Membrane effect in triaxial testing of granular soils (5) 117*j*.
Frye, E. R. See Steele, James W.
Frye, E. R., and Rayner, R. M. Failure modes in C composite materials (2) 38*e*.
Frye, James A., and Morton, Ralph B. Safe geometry nuclear fuel powder blender, P (11) 231*i*.
Fryer, G. M. Activation energies for ionic self-diffusion in alumina (8) 174*b*. See Razinger, J.
Fucci, Michael L. See Zwicker, Walter K.
Fuchs, P. See Topping, J. A.
Fuhr, J. R., and Wiese, W. L. Bibliography on atomic transition probabilities, July 1971 through June 1973, Supplement 2 (4) 98*c*.
Fuhrmann, Henning Approximate calculation of melting of glass batch blankets: I, Theoretical considerations (8) 163*f*; II, Numerical results (8) 163*g*.
Fujibayashi, Yoshiko Electronic properties of very thin graphite crystals (6) 138*f*.
Fujieda, Shuko Spectrophotometric study of tetragonal W-bronze crystals $Na_xK_yWO_3$ (4) 102*j*.
Fujii, Akihiro See Muraoka, Hisashi
Fujii, Hiromitsu See Yamaguchi, Takashi
Fujii, Hiroshi See Takagi, Kiyoshi
Fujii, Kinjiro See Ishido, Yoshihiko
Fujiki, Yoshinori, and Ono, Akira Growth of ZrO_2 crystals by a localized cooling method using $Na_2B_4O_7$-KF flux (7) 155*d*.
Fujimori, Keiichi See Sugai, Mikio
Fujimoto, Shoichiro See Furumi, Hirokazu
Fujimoto, Syoji Method of producing a Si-gate IGFET, P (8) 170*j*.
Fujimura, Ikuo Photoelectrically converting optical fiber and method of making, P (8) 170*e*.
Fujimura, Kenichi, and Tanaka, Takashi Method of making a multichannel magnetic head, P (10) 211*e*.
Fujimura, Sohei, Yoshino, Hajime, and Furukawa, Kunio Experiments on slinger materials using high-SiO_2 Na silicate as binder (11) 226*h*.
Fujita, Taketoshi See Fukunaga, Osamu
Fujita, Taketoshi, Yamaoka, Shinobu, and Fukunaga, Osamu Pressure-induced phase transformation in $BaWO_4$ (5) 122*b*.
Fujitani, Masashi See Kanazawa, Takafumi
Fujiwara, Shohei See Kano, Gota
Fujiwara, Yasuki See Hashimoto, Takasu
Fujiyama, Masaaki See Akashi, Goro
Fukase, Shigeo See Kawabe, Ushio
Fukatsu, Yukio Heat-shock-resistant heat-fused refractory products having MgO as main component, P (3) 67*c*.
Fukazawa, Chiaki See Nagao, Yukio
Fukui, Hiroshi Ceramic insulators for superhigh voltage (5) 113*c*.
Fukui, Masao See Hayashi, Kunio
Fukui, Saburo, Atsukawa, Masumi, Kuwabara, Haruo, and Urabe, Tetsuaki Process for desulfurizing waste flue gases while producing gypsum as by-product, P (9) 193*h*.
Fukui, Satoshi Horai roseki (1) 9*c*.
Fukumoto, Tetsuo See Yamaguchi, Goro
Fukunaga, Osamu See Fujita, Taketoshi
Fukunaga, Osamu, and Fujita, Taketoshi Relation between ionic radii and cell vols in the perovskite compounds (7) 157*d*.
Fukuoka, Hiromi See Ohba, Hiroshi
Fukushige, Yasuo, Okamoto, Toyohige, and Shimada, Kiaji Electrical conductivity of β-spodumene and β-spodumene-SiO_2 solid solutions (5) 114*e*.
Fuller, Clyde R. See Cunningham, James A.
Fuller, E. R. See Wiederhorn, S. M.
Fuller, Gary L. See Prabhu, Ashok
Fulrath, Richard M. See Bandyopadhyay, G. ; Shackelford, James F.
Fulwyler, Mack J. Method for production of uniform microspheres, P (6) 136*a*.
Fumoto, Yoshizumi See Udagawa, Shigekazu
Funabashi, Wataru, and Kakita, Isamu Coated abrasive grains: III–IV (1) 1*e*.
Funk, Ernest J. See Duffek, Edward F.
Funk, J. E. Simultaneous weight loss and shrinkage of clays (7) 152*j*.
Funke, Dieter, Ortmann, Erhard, and Liebmann, Rita Direct thermometric analysis of portland cements (9) 182*c*.
Furdyna, Jacek K. See Krauss, Alan R.
Furmidge, Kenneth F. See Beeson, Eric J. G.
Furnival, Thomas J. Method of making enclosure for a semiconductor device, P (3) 71*c*.
Furuhashi, H., Inagaki, M., and Naka, S. Determination of cation distribution in spinels by X-ray diffraction method (4) 99*a*; Cation distribution in solid solutions of the $CoAl_2O_4$-$GeCo_2O_4$ system (6) 137*d*.
Furukawa, K. See Watanabe, H.
Furukawa, Kunio See Fujimura, Sohei
Furukawa, M. See Koizumi, Ken
Furukawa, T., and Brindley, G. W. Adsorption and oxidation of benzidine and aniline by montmorillonite and hectorite (7) 154*b*.
Furumi, Hirokazu, Fujimoto, Shoichiro, and Shikano, Hiroshi Results of lab tests on corrosion resistance of fired MgO brick for converter and on relation between CaO/SiO_2 ratio and tar impregnation (11) 227*b*.
Furumi, Hirokazu, Senbu, Kimio, Sekine, Mitsuo, and Kaminaga, Yoichi Results obtained on alumina-graphite immersion nozzle used in continuous casting (11) 227*i*.
Furumoto, Toshihiko See Atsukawa, Masumi
Furuuchi, Shigemasa, Akeyoshi, Kazuyuki, Okajima, Yasuharu, and Gotoh, Yoshio Method of coating glass surfaces, P (1) 7*b*.
Furuuchi, Shigemasa, Nishihara, Akira, Okajima, Yasuharu, and Kamimori, Tadatoshi Process for preparing hard coated film having scratch resistance, P (8) 166*f*.
Furuya, N. See Ozaki, H.
Fuzii, Youzi See Kamimura, Seigoro
Fyfe, J. Mechanization of enameling baths by dry process (4) 86*f*.

Gabadadze, T. G., and Nergadze, N. G. Stability of alunitic expansive and stressing cements in corrosive media (9) 182*h*.
Gabelnick, S. D., Reedy, G. J., and Chasanov, M. G. Ir spectra of matrix-isolated U oxide species: I, Stretching region (8) 171*a*.
Gabilli, E., Severi, M., and Soncini, G. Experimental study on the surface-state density at the SiO_2-Si interface (10) 209*j*.
Gabler, R. C., Jr. See Leavenworth, H. W., Jr.
Gabor, Kalman B. Fine grinding device, P (3) 73*d*.
Gabrail, Sami I. Method of etch subdividing semiconductor wafers, P (2) 42*e*.
Gabriel, Baldur See Okrusch, Martin
Gabrielyan, V. T., Ionov, P. V., Mikhailina, K. A., and Arakelov, O. A. Growth and some physical properties of 5PbO.3Ge-O_2 single crystals (9) 196*g*.
Gachter, B. F. See Koningstein, J. A.
Gad, G. M. See El-Kolali, A. A.
Gad, Gamal See Kolali, A. A.
Gaebler, Helmut See Schneider-Arnoldi, Alfred
Gaenko, N. S. See Klyucharov, Ya. V.
Gaffney, E. S. Spectra of tetrahedral Fe^{2+} in $MgAl_2O_4$—comments (9) 198*e*.
Gagea, Lucia, and Surdeanu, Liana Yellow pigments for the ceramic industry (10) 209*d*.
Gago-Bousquet, C., Garcia-Sucre, M., and Serra-Valls, A. Low-field X-band EPR transitions of LiF:Mn^{2+} (8) 177*b*.
Gaidaenko, N. V. See Eliseev, S. S.
Gaidelis, V. See Viscakas, J.
Gaier, Claude E., Grochowski, Edward G., and Roy, Maurice M. Method for obtaining optimum phosphorus concentration in semiconductor wafers, P (1) 14*i*.
Gaite, J. M., and Michoulier, J. EPR of Fe^{3+} in diopside and spodumene (8) 176*b*.
Gaitsch, Erhard See Schramm, Ruediger
Gajak, Mieczyslaw See Jagodzinska, Elzbieta

Galan Huertos, E., and Martin Vivaldi, J. L. Spanish kaolins—geology, mineralogy, and origin: I (6) 136*b*; Spanish kaolins—geology, mineralogy, and origin: II–III (7) 153*j*.
Galante, F., and Manfre, G. Interface interaction in glass-metal composite production (2) 34*d*.
Galasso, Francis S. See Jacob, Bernarr A.
Galasso, Francis S., and Jacob, Bernarr A. SiC-surfaced filaments with TiC coating, P (9) 189*c*.
Galasso, Salvatore F. See Kuehl, Donald K.
Galasuner, Bela See Kapolyi, Laszlo
Gale, George M. See Paul, Keith T.
Gallbert, G., Bougnot, G., and Desfours, J. P. Ultrasonic absorption in *p*-type GaSb at low temp. (11) 236*j*.
Galimov, E. M., Prokhorov, V. S., Fedoseev, D. V., and Varuin, V. P. Heterogeneous isotope effects on C during diamond and graphite synthesis from gas (5) 120*g*.
Galitskii, V. Yu. See Ivanov, N. R.
Galkin, N. P., and Skroback, B. N. Improvement of construction and installation of powerful rotary furnaces (3) 62*b*.
Galkin, Yu. M. See Rutman, D. S.
Gallagher, James P., and Kreuzke, Leonard D. Pt-Re hydrocarbon conversion process, P (10) 214*i*.
Gallagher, P. K. See Johnson, D. W., Jr.
Gallagher, P. K., Johnson, D. W., Jr., Schrey, Frank, and Nitti, D. J. Preparation and characterization of Fe oxides (1) 13*h*.
Galloway, B. M. See Sandstedt, C. E.
Gallez, Pierre Apparatus for bending sheet material, P (2) 35*a*.
Galli, Guido Preparation of photoconductive films, P (2) 43*i*.
Galli, Richard J., and Kelemen, Denis G. Semiconductor chip carriers and strips thereof, P (5) 115*i*.
Gallo, Charles F. Light-producing system, P (5) 110*a*.
Galos, Miklos, Kertesz, Pal, Kurti, Istvan, Marek, Istvan, and et al. Examples of up-to-date rock testing (2) 46*f*.
Galtykhin, V. M., Gurevich, L. Yu., and Tezikov, B. B. Burner combustion control arrangements, P (8) 173*f*.
Galy, Jean See Bouloux, Jean Claude ; Darriet, Bernard
Galy, Jean, and Roth, R. S. Crystal structure of $Nb_2Zr_6O_{17}$ (3) 77*i*.
Galyon, George T. Method of determining the thickness of contiguous thin films on a substrate, P (11) 230*f*.
Gambell, James W. See Roth, James F.
Gambini, Arnaldo Apparatus for determining the compression strength of spheroidal material made of U, Th, and Pu mixed oxides, P (3) 73*a*.
Gamble, Elton S., and Peterson, Warren S. Nonferrous refractory composition having improved resistance to molten nonferrous metals and slags, P (4) 91*i*.
Gamble, F. R. Ionicity, atomic radii, and structure in the layered dichalcogenides of group IVB, VB, and VIB transition metals (10) 217*g*.
Gancheva, G., Angelov, B., and Goranov, A. New raw materials for the production of acid-resistant ceramic bodies (10) 214*e*.
Gandhi, Haren S. See Dalla Betta, Ralph A.
Ganf, K. L. See Rza-Zade, P. F.
Ganguli, D. See Sharma, K. K.
Ganguly, A. C. See Reddy, P. Narasimha
Ganguly, B. N. See Klein, Miles V. ; Ullman, Frank G.
Gansole, Eugene R., and Webster, Donald B. Optical internal quality analyzer, P (2) 36*h*.
Ganzala, Gary W., and Ott, W. R. Development of a prereacted Pb batch using a model continuous glass tank (8) 164*b*.
Gapeev, A. P. See Belov, K. P.
Garashina, L. S. See Sobolev, B. P. ; Tkachenko, N. L.
Garbe, Siegfried A. E., Zalm, Pieter, and Pastoor, Willem Method of mfg. an electric discharge tube having an electron-emitting electrode comprising a Ca-containing layer on a support, P (9) 186*i*.
Garber, M. See Suenaga, M.
Garcia-Sucre, M. See Gago-Bousquet, C.
Garcia Verduch, A. Development prospects in the science and technology of ceramic forming (3) 66*b*; Some aspects of the study of ceramic materials (7) 158*e*. See Moya Corral, J. S.
Garcia Verduch, A., and Olmo Guillen, L. Del Industrial aspects of the production of ceramic building materials (5) 110*f*.
Gard, J. A., and West, A. R. Preparation and crystal structure of Li_2CaSiO_4 and isostructural Li_2CaGeO_4 (3) 81*e*.
Gardner, J. See Marlor, Alan J.
Gardner, Nelson C. See Poferl, David J.
Gardner, Phillip J. See Silver, H. Graham
Gardner, R. A. SiO_2 reduction kinetics in H (10) 219*b*.
Garfinkel, Marvin See Engeler, William E.
Garg, A. K., Sehgal, H. K., and Agnihotri, O. P. Ir optical properties of $MoSe_2$ (3) 79*f*.
Garg, H. C. See Agrawal, V. K.
Garg, S. P., and Rai, Mohan DTA of Ca silicate bricks (10) 202*h*.
Garick, Burdie B. Method of coating metal, glass, or synthetic resin filaments with a heat-softenable material, P (1) 7*c*.
Garland, E. V. See Strukov, B. A.
Garlick, G. F. J., Nicholls, J. E., and Ozer, A. M. ESR of electron-irradiated GeO_2 (1) 23*f*.
Garmash, E. P. See Tresvyatskii, S. G.
Garn, Paul D. DTA furnace using dynamic flow of water vapor (1) 17*c*. See Anthony, Gaylord D.
Garnish, Edward W. See Dominic Christopher J.
Garrett, Keith H. See Smith, Sydney E.
Garrett, W. See Barker, W. W.
Garribba, S. See Campari, M.
Garrison, A. K. See Thorland, R. H.
Garrison, A. K., and Du Varney, R. C. Electron nuclear double resonance study of the F^+ center in BeO–interactions with the next-nearest-neighbor Be nuclei (8) 176*b*.
Garrone, F. U. Filtering centrifuges for the separation of solid matter and fluids, P (2) 45*i*.
Garside, B. K. See Shewchun, J.
Garst, John M. Method and apparatus for control of conditions in a process [glass fiber mat], P (11) 225*j*.
Garton, G., Haas, B. F., Wanklyn, Barbara M., and Smith, S. H. Flux growth of MgO and $LaAlO_3$ crystals doped with isotope ^{17}O (2) 51*j*.
Garzio, Angelo C. Majolica technique for stoneware (9) 181*e*; Reduction firing techniques (9) 181*f*.
Gasanov, N. G. See Miuskov, V. F.
Gascon, Joseph Zr pigments [Pr-Zr], P (1) 21*a*.
Gaskell, Philip H., Lythgoe, Stanley, Irlam, Philip S., Miller, Robert P., and et al. Method for making glass-ceramic materials on molten metal support, P (9) 186*i*.
Gaskell, Philip H., Tilley, Brian P., Irlam, Philip S., Miller, Robert P., and et al. Method for making glass-ceramic materials, P (9) 186*h*.
Gasparini, Guy See Duchenoy, Jacques
Gasper, Wayne L. How Maytag works with O.S.H.A. (9) 183*a*.
Gasser, G. See Friedman, G.
Gasson, D. B. See Cockayne, B.
Gast, Robert G. See Landa, Edward R.
Gatehouse, B. M., and Miskin, M. K. Structural studies in the Li_2MoO_4-MoO_3 system: I, Low-temp. form of Li tetramolybdate, *L*-$Li_2Mo_4O_{13}$ (10) 219*f*.
Gatineau, L. See Alcover, J. F.
Gatineau, L., and Tchoubar, C. Study of crystalline imperfections in phyllosilicates by electronic and X-ray diffraction (3) 81*e*.
Gatzke, Horst Economical use of waste heat in ceramic kilns (1) 19*i*; Rapid-firing technique (6) 134*b*.
Gaudernack, Bjorn, Hannestad, Gunnar, and Hundere, Ingleiv Process for separation of Y from the lanthanides, P (11) 233*h*.
Gaudet, Peter W. See Bouchard, Andre C.
Gaultier, J. P. See Mamy, J.
Gaume-Mahn, F. See Pedrini, C.
Gauthier, M., Duclot, M., Hammou, A., and Deportes, C. Conductive cation transport numbers in Ca and Sr oxides (10) 215*c*.
Gauzzi, F., Verdini, B., Cammarota, G. P., Lanzoni, E., and et al. Preparation and study of electrodeposited Ni-Al_2O_3 composites (10) 210*g*.
Gavaler, J. R. See Mathur, M. P.
Gavin, D. G. See Bye, G. C.
Gavini, Anibal, and Kwan, Clarence C. Y. Optical properties of semiconducting VO_2 films (7) 149*e*.
Gavrilin, V. P. See Malakhovskii, A. V.
Gavrilishina, A. I. See Sinyakov, E. V.
Gavrilov, A. P. See Fedorov, N. F.
Gavrilov, G. M., and Evdokimov, V. I. Effect of conditions for chemical precipitation of Ge films on their density of dislocations (8) 169*d*.
Gavrilyacheuko, V. G. See Fesenko, E. G.
Gavrish, A. M., Sukharevskii, B. Ya., Zoz, E. I., and Solov'eva, A. E. Axial thermal expansion of solid solutions in the system ZrO_2-HfO_2 (1) 21*d*.
Gaylord, T. K., Rabson, T. A., Tittel, F. K., and Quick, C. R. Self-enhancement of $LiNbO_3$ holograms (8) 179*c*.
Gazda, S. See Piekarczyk, W.
Gaze, M. E., and Smith, M. A. High-MgO cements: I, Curing at 50°C as a measure of vol stability (7) 144*d*.
Gazza, G. E. Hot-pressed Si_3N_4 (1) 24*f*.
Gazza, G. E., and Dutta, S. K. Hot-pressing ceramic oxides to transparency by heating in isothermal increments, P (2) 39*f*.
Gazzara, C. P. See Caslavsky, J. L.
Geach, Charles J. See Groszek, Aleksander J.
Gebauer, Juraj, and Schraemli, Werner Variations in water requirement of industrially produced portland cements (4) 85*f*.
Gebert, W. See Tillmanns, E.
Gebhardt, Franz, and Horn, Heinz Behavior of ceramic-bonded chrome-magnesite brick in the regenerators of flat glass tanks (7) 147*j*.
Gebhardt, John C. Lightweight high-strength concrete and method for mfg., P (5) 107*i*.
Geck, Hans G., and Gelmer, Heinrich Destruction of refractories by methane-containing gases (5) 111*e*.
Geck, Hans G., Langhammer, Hans J., and Chakraborty, Asok Furnace for evaluation of thermal shock of refractories (5) 111*a*.
Gedanken, Aharon, Jortner, Joshua, Szoke, Abraham, and Raz, Baruch Electrical gas-discharge lamp, P (4) 88*b*.
Geddes, L. S. Gas burners, P (8) 173*g*.
Gedrjus, Vladislav A., and Yakovlev, Petr A. High-voltage capacitor, P (6) 132*c*.
Geel, C. See Piatti, G.
Geelen, J. Special screen printing machines for decoration of tableware (11) 229*e*.
Geffcken, Walter Partial dispersion of glasses: III (11) 224*e*.
Geguzin, Ya. E., and Dzyuba, A. S. Behavior of isolated pores in a crystal [NaCl] at high temp. and at isostatic pressure (5) 119*d*.
Geguzin, Ya. E., Dzyuba, A. S., Iudenbom, V. L., and Ovcharenko, N. N. Dislocations arising during sintering of solids (sintering rosettes) (3) 78*b*.
Geguzina, G. A. See Fesenko, E. G.
Gelmer, Heinrich See Geck, Hans G.
Geinen, K. See Carl, K.
Geinzel, August, Lohnert, Richard, and Foerster, Rudolf Agitator mill, P (10) 214*c*.
Gejyo, Tetsuo See Saito, Tadashi
Gejyo, Tetsuo, Saito, Tadashi, Minagawa, Shigekazu, Moriwaki, Keikichi, and et al. Method for growing lead conductors on planar transistors, P (7) 150*c*.
Gelbman, Lawrence F. Synthetic lightweight material and process and system for mfg., P (2) 37*f*.
Gelbwachs, Jerry A. See Birnbaum, Milton
Gel'd, P. V. See Frolov, A. A.
Gel'd, P. V., Zubkov, V. G., and Matveenko, I. I. Weak ferromagnetism of solid solutions of $Cr_{2-x}Ti_{2-x}O_3$ (1) 29*h*.
Gel'fand, Ya. E. See Vil'chevskii, N. O.
Gelin, Robert J., and Sanders, James E. Apparatus for handling linear elements, P (11) 225*a*.
Gell, Philip A. M., Merritt, Frederick M., and Steitz, William B. Protection of glassmelting furnace electrode, P (4) 89*f*.
Geindorf, Guenther See Braun, Manfred
Gemesi, Jozsef, and Bocsi, Katalin Important questions in the investigation of glassmelting tanks (4) 86*b*.
Gemmell, D. S., and Mikkelson, R. C. Channeling of protons in thin $BaTiO_3$ crystals at temps. above and below the ferroelectric Curie point (8) 174*b*.
Gendron, F. See Poindessault, R.
Genarich, Martin See Metzger, Claus
Genser, M. Doping of semiconductor surfaces, P (3) 70*g*.
Genson, Samuel B. Apparatus for chopping [glass] strand, P (10) 205*g*; Apparatus for winding strand material [glass], P (10) 205*h*. See Petersen, Svend A.
Gentaz, C., Bienvenu, G., and Bounsiba, A. Thermodynamic aspects of CaO-CaC_2-$CaCl_2$ and CaO-CaC_2-$CaCl_2$-NaCl melts: I, Solubility limits of CaO and CaC_2 in molten chlorides (pure $CaCl_2$ and mixtures of $CaCl_2$ and NaCl). II, CaO-CaC_2 interactions in melts CaO-CaC_2-$CaCl_2$ and CaO-CaC_2-$CaCl_2$-NaCl (6) 142*b*.
Gentilman, Richard L. Chemical vapor deposition of epitaxial films of YIG and Ga-substituted YIG and a thermodynamic analysis (1) 21*a*.
Genzel, L. See Rieder, K. H.
Geoffroy, A. See Lambert, B.
George, Richard A. Burners for chemical analysis [flame spectroscopy], P (9) 193*e*.
George, William L., and Price, James B. Controlled anisotropic etching process for fabricating dielectrically isolated FET, P (1) 13*i*.
Gerasimov, Y. M. See Kovda, A. V.
Gerasimov, Yu. M. See Berezhkova, G. V.
Gerber, J. A. See Sample, H. H.
Gerdeman, Dennis A., and Hecht, Norman L. Arc Plasma Technology in Materials Science, B (2) 58*j*.
Gerdzhikov, D., Konstantinov, M., Zhechkov, G., and Krunov, A. Production of face brick with sandblasted surface (10) 207*g*.
Gerin, F. L. Viscosity gaging device, P (3) 74*e*.
Gerlach, Otto, Meusel, Bernd, Heinz, Hans, Greiner-Baer, Gerhard, and et al. Jet plate for fibers, particularly of glass, P (8) 165*f*.
Germi, P. See Mollard, P.
Gerstein, B. C., and Habenschuss, M. Magnetic transitions in the insulator Ni squarate dihydrate, $NiC_4O_4.2H_2O$ (6) 139*i*.
Gerstel, A. W., and Luttekes, E. Homogenizing in blending beds (2) 45*b*.
Geschwind, S. See Brya, W. J.
Gesi, Kazuo Single-crystal preparation and domain structures of $AgNO_3$ (1) 27*i*; Polydispersive nature of dielectric relaxation in some ferroelectrics (8) 178*j*.
Gesmundo, F., and Rossi, P. F. EPR study of magnetic interactions in solid solutions between MgO and antiferromagnetic oxides: I, MgO-NiO. II, MgO-MnO (6) 138*h*.
Get'man, E. I. See Mokhosoev, M. V.
Getz, Ralph W. See Hansen, James H.
Getzendiner, Albert E. See Antczak, Stanley M.
Gewsic, J. E. See Bonner, W. A.
Gevaert, Lieven H. See Steele, Barbara A.
Geyer, Florian Determination of the adhesive strength of glass-metal seals (7) 152*c*.
Geynet, J. See Ferrand, B.
Ghafghaichi, Majid See Baker, Theodore H. ; Brack, Karl
Ghandhi, Sorab K. See Baliga, B. Jayant
Gher, R. See Giess, E. A.
Ghirga, Marcello See Piccolo, Luigi
Ghodsi, M. Metal-oxide interaction (10) 217*e*.
Ghose, S. S. Performance of basic roof refractories in Indian steel plants (1) 9*j*.
Ghose, Subrata See Okamura, Fujio Peter
Ghosh, Amal K., Lauer, R. B., and Addiss, R. R., Jr. Photoconductivity and photoluminescence kinetics associated with the luminescence center in rutile (TiO_2) (9) 197*e*.
Ghosh, D. K. See Bishui, B. M.
Gia Russo, D. P., and Kumar, C. S. Sputtered ferroelectric [$LiTaO_3$] thin-film electrooptic modulator (1) 13*j*.
Giallorenzi, T. G. See Montgomery, G. P., Jr.
Giallorenzi, T. G., West, E. J., Kirk, R., Ginther, R., and et al. Optical wave guides formed by thermal migration of ions in glass (11) 224*d*.
Gibaia, R. See Welsch, G.
Gibart, P. See Ortalli, I. ; Robbins, M.
Gibart, P., Robbins, M., and Lambrecht, V. G., Jr. New ferrimagnetic spinel compositions in the system $MCr_2S_{4-x}Se_x$ where M = Fe,Co,Mn (2) 54*g*.
Gibbon, Donald L., and Hughes, Ernest W. Continuous cleaning oven coatings—experimental observations on cleaning mechanisms (9) 183*h*.
Gibbons, Hugh P. See Beninga, Duane H.

Gibbs, D. F. See Edwards, B. P.

Gibby, R. L. See Ross, W. A.

Gibson, H., and Ballad, J. P. Effects of long-term dc stress on porcelain insulators operated at high temp. (6) 130*b*.

Gibson, James O., Schumacher, Robert L., and Gore, Thomas W. Refractory composites, P (3) 68*a*.

Gibson, James O., Schumacher, Robert L., and Myler, Kay L. Low-thermal-expansion composites, P (2) 39*b*.

Gibson, John See Hinley, John J.

Gibson, W. M. See Standley, R. D.

Giddings, D. G., and Murphy, D. D. Toughening of glass, P (6) 128*e*.

Giddings, David G. See Murphy, David D.

Giddings, Robert A. See Tremper, R. T.

Giddings, Robert A., and Gordon, Ronald S. Review of O activities and phase boundaries in wustite as determined by emf and gravimetric methods—correction (3) 81*i*.

Gidon, Marie C. See Girard, Rene F. V.

Gieliese, P. J. See Tsay, Y. F.

Giesfeldt, William O., and Pinnow, Roy L. Ohmic contact and composition, P (2) 43*e*.

Giess, E. A. See Lin, Y. S.

Giess, E. A., Crosemeyer, D. C., Ghez, R., Klokholm, E., and et al. Rotation effects on the isothermal growth of (Eu, $Y)_3(Fe,Ga)_5O_{12}$ magnetic bubble films by liquid phase epitaxy (1) 13*i*.

Giess, E. A., Guerci, C. F., Kuptsis, J. D., and Hu, H. L. Epitaxial Fe garnet films with submicron diameter magnetic bubbles (2) 40*g*.

Giffith, Terry L. See Klink, Jerome P.

Gigliotti, Michael F. X. See Walter, John L.

Gijbels, Martinus H. C. See Williams, Harold P.

Gilbert, Ronald E., and Monley, Richard L., Jr. Sandpaper [flexible], P (10) 201*h*.

Gilbert, T. L., Stevens, W. J., Schrenk, H., Yoshimine, M., and et al. Chemical bonding effects in the O *Ka* X-ray emission bands of SiO_2 (10) 215*j*.

Gilchrist, K. E., and Brocklehurst, J. E. Technique for measuring the strength of high-temp. reactor fuel particle coatings (9) 192*e*.

Gildea, C. T. Thermal conditioning of molten glass, P (1) 8*g*.

Giley, I. S. See Nemilov, S. V.

Gillissen, Robert E. M., Flipot, Alfred J., and Lecucq, R. Tentative Dy_2O_3-Al_2O_3 phase diagram and preparation of pure single-phase Dy aluminates (7) 158*j*.

Gillespie, L. F. See Horowitz, D. J.

Gilliam, O. R. See Madacsi, David P.

Gillott, J. E., Duncan, M. A. G., and Swenson, E. G. Alkali-aggregate reaction in Nova Scotia: IV, Character of the reaction (2) 31*j*.

Gilman, J. J. Flow via dislocations in ideal glasses (8) 164*i*; Hardness of pure alkali halides (10) 216*h*.

Gilmer, G. H., and Beanema, P. Simulation of crystal growth with surface diffusion (2) 55*f*.

Gilpatrick, L. O. See Toth, L. M.

Gilra, Narendra K. See Jones, Stephen J.

Ginberg, E. M. See Pashchenko, A. A.

Gimenez Gimenez, A., De Miguel Fernandez, E., and Nistal Hidalgo, O. Use of unshaped refractories in rotary kilns for enamels (3) 67*i*.

Gingerich, K. A. See Kordis, J.

Ginther, R. See Giallorenzi, T. G.

Ginzburg, V. A., and Rekhson, S. M. Change of optical stress coeff. during stabilization of window glass (8) 163*h*.

Ginzel, Severin See Silbereisen, Hermann

Giovanetti, Albert See Parish, William R.

Girard, Rene F. V., and Gidon, Marie C. Process for treating substrates to reduce the magnetic angular dispersion of thin ferromagnetic films deposited on such substrates, P (6) 132*h*.

Girgis, B. S. Activation energy evaluation of $Mg(OH)_2$ dehydration from conventional and isothermal DTA traces (8) 174*c*.

Girich, B. G. See Pelevin, O. V.

Girifalco, Louis A. Statistical Physics of Materials, B (7) 160*f*.

Giroud, G., Vitter, G., and Deportes, Ch. Growth and purification of stabilized ZrO_2 crystals by horizontal melting in a self-crucible (10) 216*g*.

Giroud-Garampon, Robert See Fabre, Pierre

Girshberg, Ya. G. See Shapkin, V. V.

Gitteins, G. J. Broad education best for ceramists (7) 159*e*.

Giuseppetti, G., and Tadini, Carla Refinement of the crystal structure of beryllonite, $NaBePO_4$ (10) 218*i*.

Gladis, Kiros See Dudareva, A. G.

Gladkov, Yu. K. See Bukrinskii, Anatoly M.

Gladun, A. See Frenzel, C.

Gladun, C. See Frenzel, C.

Glaeser, Hans J. Heating member, P (9) 186*j*.

Glaeser, R. See Annabi, F.

Glasbeek, M. See Lagendijk, A.

Glaser, John H. Apparatus for mfg. metal-coated glass, P (7) 146*h*.

Glaser, Walter Thermal insulation of glass tanks—construction and operating experience (1) 6*d*.

Glasgow, Lukman Throwing and using the hollow ring (9) 181*g*.

Glass, Alastair M. See Abrams, Richard L.

Glass, Alexander J., and Guenther, Arthur H. (Editors) Laser Induced Damage in Optical Materials: 1973, B (9) 200*e*; Laser-induced damage of optical elements—a status report (11) 224*f*.

Glass, J. See Doshi, P.

Glasser, F. P. See Gunawardane, R. P. ; Moir, G. K. ; Smart, R. M.

Glasser, L. S. D. See Ahmed, A. H. Moinuddin

Glasser, A. Chemical characterization of cement raw materials (9) 181*j*.

Glazov, A. I. Diffraction of light from grooves on crystals and its use in the practice of goniometry (10) 216*a*.

Glazyrin, M. P., Ivakin, A. A., and Gurevich, V. A. Crystal-optical properties of alkaline-earth metavanadates (4) 98*g*.

Gleim, Paul S. See Bean, Kenneth E.

Gleitzer, Ch. See Courrier, B.

Glembotskii, I. I., Karosiene, A., Kiselev, A., Savukynas, A., and et al. Theoretical aspects of the absorption of soft X rays by metallic La and Ce films (8) 169*e*.

Glemza, Rimantas See Acker, Ellsworth G.

Glendinning, William B., and Pharo, Wellington B. Method of continuously etching a Si substrate, P (3) 71*i*.

Glick, Herbert W., and Grantham, Daniel H. Moated substrate-holding pedestal, P (2) 43*d*.

Glicksman, Leon R. Prediction of the upper temp. limit for glass fiber spinning (11) 224*j*.

Gliemeroth, G. See Behr, W. J.

Gliemeroth, Georg Reversible optical density changes in composite layers (9) 185*a*.

Glinchuk, K. D. See Vorobkalo, F. M.

Glozzi, J. See Papazian, H. A.

Gloge, Detlef C. Photodetector delay equalizer, P (3) 72*a*; Low-dispersion optical fiber, P (5) 110*a*; OPtical fibers for communication (1) 224*c*; Semiconductor drift photodetector for equalization of optical fiber material dispersion, P (11) 231*g*.

Gloge, Detlef C., and Marcatili, Enrique A. J. Graded-index optical fiber, P (11) 225*h*.

Glosser, R. See Messick, L.

Glotov, V. A. See Ozhegov, P. I.

Glover, G. H. Electron energy relaxation times in GaAs and InP (8) 175*h*; Ionization rate in GaAs determined from photomultiplication in a Schottky barrier (10) 217*h*.

Glukhov, I. A. See Eliseev, S. S.

Glushkova, V. B. See Bondar, I. A. ; Krzhizhanovskaya, V. A.

Glushkova, V. B., Keler, E. K., Shcherbakova, L. G., and Shcherbovskii, E. Ya. Stability of solid solutions in the ZrO_2-lanthanide sesquioxide systems (1) 28*d*.

Glushoter, Harold J. See Rao, C. Prasada

Gluyas, M., Hughes, F. D., and James, B. W. Elastic constants of Ca tungstate, 4.2–300°K (9) 195*e*.

Glyan, P. See McSkimin, H. J.

Gnatyuk, A. M. See Anatychuk, L. I.

Gnecco, Rafael Semifinished porcelain teeth, P (2) 39*h*.

Goan, John C. Aminated C fibers, P (4) 91*a*. See Hill, James E.

Gobert, B. See Canaple, M.

Gocsa, S. See Motiu, A.

Godfrey, Richard H. Methods of mfg. of color picture tubes, P (6) 128*j*.

Godfrey, Thomas G. See Tennery, V. J.

Godich, Mike, Jr. See Henderson, David J.

Goebel, Klaus Color, form, and texture of the brick building structure (8) 166*b*.

Goecke, Wolfhart, Becherer, Gerhard, Herms, Gerhard, Bartenev, Georgij Michajlovic, and et al. Study of phase separation in an optical TiO_2 fluorosilicate glass by positron annihilation and microhardness testing (9) 185*f*.

Goehde, Hildegard, and Goehde, Wolfgang Device for automatic counting and measurement of suspended particles, P (11) 232*j*.

Goehde, Wolfgang See Goehde, Hildegard

Goehde, Wolfgang H. See Dittrich, Wolfgang M.

Goell, J. E. Ba silicate films for integrated optical circuits (10) 209*h*.

Goell, J. E., and Standley, R. D. Effect of refractive index gradients on index measurements by the Abeles method (10) 213*e*.

Goeress, Paul, and Pape, Heinz Method and apparatus for determining the location of the edge of a ribbon of glass under production in a metal flotation furnace, P (9) 186*c*.

Goettsch, Roger A. Three pottery workshops in England (4) 83*e*.

Gogadze, N. G., Ippolitov, E. G., and Zhigarovskii, B. M. Diagrams of the condensed state of the systems CaF_2-ErF_3 and CaF_2-YbF_3 (4) 99*c*.

Gold, Gerald See Duvall, Ronald N.

Goldberg, Arnold J. Using residence time distribution to obtain figures of merit for melter studies (1) 6*f*.

Gol'dberg, Ilya M. See Akhmedov, Rustam B.

Golden, F. G. See Harnden, John D., Jr.

Gol'dinshtein, N. S., Mazo, A. I., and Rybakov, A. F. Modernization of KRB-1 units (4) 85*g*.

Goldman, Arthur J., Rowe, D. Garth, and Jones, Cecil R. Fuel element with failure indicator, P (10) 212*f*.

Goldman, Richard L. Guard ring structure for microwave Schottky diode, P (11) 230*c*.

Goldner, R. B. See Serreze, H. B.

Goldsbrough, Keith See Hinley, John J.

Goldsmith, C. E. See Leavenworth, H. W., Jr.

Goldsmith, L. A., and Douglas, J. A. M. Thermal conductivity of Pu-U dioxide at temps. up to 1273°K (9) 192*f*.

Goldstein, Mark, and Keenan, A. G. Computer simulation of defects in ammonium perchlorate (3) 76*g*.

Golibersuch, David C. Method and apparatus for measuring small aspherical particles, P (10) 213*a*.

Golightly, James S. See Wagner, William E.

Golikova, T. G. See Kholopova, L. I.

Golius, Tamara E. See Bondarev, Konstantin T.

Gollenhofer, A., Drozdz, M., Strama, J., and Rychlicka, B. Experimental application of refractory concretes in glass furnaces (3) 66*d*.

Golovin, Yu. M. See Petrov, K. I.

Golovkin, B. G. See Fotiev, A. A.

Golub, A. M., and Nedil'ko, S. A. Vanadates of rare earth elements (11) 236*a*.

Golubeva, N. V. See Fedorov, N. F.

Gomes, John M., and Uchida, Kenji Electrolytic preparation of Zr and Hf diborides using a molten cryolite-base electrolyte, (3) 76*a*; Electrolytic preparation of Ti and Zr diborides using a molten Na salt electrolyte, P (4) 91*d*.

Gomez Garcia, V. Comparative statistical study of cold compression and bending tests of refractory materials (3) 66*i*.

Gommesen, Hans Cooler tubes for rotary kiln, P (10) 213*h*.

Goncharik, V. N. See Khomich, V. Kh.

Goncharov, A. D. See Sandulova, A. V.

Goncharov, G. N., and Tomilov, S. B. Determination of the ratio of Fe to S in pyrrhotines by the nuclear gamma resonance method (5) 120*c*.

Gondo, Yasuo See Kakuno, Keiichi

Gondrand, Michel See Fabre, Pierre

Gontar, K. V. See Vereshchagina, V. I.

Gontovoi, S. V. See Babushkin, V. I.

Gonzalez Pena, J. M. See Aleixandre Ferrandis, Vicente

Gonzalez Pena, J. M., and Alvarez-Estrada, D. Formation of mullite from natural Al silicates—electron microscopic study (6) 138*d*.

Gooch, Beverly R., and Schiller, Edward Magnetic head with protective pockets of glass adjacent the corners of the gap, P (10) 211*a*.

Good, R. H., Jr. See Kambara, T.

Gooden, Clarence E. See McCarthy, Gregory J.

Goodenough, J. B. Influence of atomic vacancies on the properties of transition-metal oxides: I, TiO_x and VO_x (7) 155*j*. See Hong, H. Y-P. ; Pierce, J. W.

Goodenough, J. B., Demazeau, G., Pouchard, Michel, and Hagenmuller, Paul $SrLaCuO_4$—a new Cu(III) phase (6) 141*e*.

Goodenough, J. B., and Hong, H. Y-P. Structures and a two-band model for the system $V_{1-x}Cr_xO_2$ (9) 199*b*.

Goodman, C. H. L. (Editor) Crystal Growth—Theory and Techniques, Vol. 1, B (2) 58*j*.

Goodman, Charles M. Brick—a timeless art (5) 105*e*.

Goodman, Dennis G. Method of making nonplanar semiconductor devices, P (1) 14*e*.

Goodwin, G. K. See Bryant, F. J.

Goodwin, Norman W. See Abbink, Henry C.

Goorissen, Jan See Nolteiris, Victor R.

Goosey, Benjamin F. Method of fabricating B suboxide articles, P (10) 209*b*.

Gopal, Ram See Jain, L. C.

Gopal, V. See Sharma, B. L.

Gopalakrishnan, J. See Palanisamy, T.

Gora, Thaddeus, Staley, Ralph, Rinnstidt, J. D., and Sharma, J. X-ray photoelectron spectrum of diamond (7) 159*a*.

Goranov, A. See Gancheva, G.

Goranov, Ya. See Shabatov, I.

Gorbachev, V. V. See Bartenev, G. M.

Gorban, I. S., and Slobodyanyuk, A. V. Line ir luminescence of rhombohedral α-SiC crystals (5) 121*c*.

Gordon, George S. Method of preventing inoperation of a component by loose particles of material, P (2) 42*h*.

Gordon, Norman R., and Pedersen, Herbert N. Method of making a molded piezoelectric transducer assembly, P (4) 94*c*.

Gordon, Ronald S. See Giddings, Robert A. ; Tremper, R. T.

Gore, Thomas W. See Gibson, James O.

Gorelik, V. S., Maksimov, O. P., Mitin, G. G., and Sushchinskii, M. M. Temp. dependence of second optical harmonic intensity in $BaTiO_3$ (2) 56*h*.

Gorelova, I. L., Lyubimova, T. Yu., Bykov, M. V., and Mikhailov, N. V. Crystal structure during hardening of portland cement and cement-sand mixtures studied by scanning electron microscopy (1) 2*b*.

Gorin, A. I. See Kats, S. M.

Gorle, F., Ooms, H., and Brabers, M. Preparation of UC: II, By reduction of fluoride (4) 95*g*.

Gorle, F., Timmermans, W., Ahmed, Mukhtar, and Brabers, M. Preparation of UC: I, By carbothermic reduction of oxide (4) 95*g*.

Gorman, Harold R. Method of liquid quenching of glass, P (8) 166*a*. See Michalik, Edmund R.

Gorn, Franz Use of novel electrolytes and binders in mfg. of stoneware components (9) 187*j*.

Gornall, Henry A. Endless furnace [porcelain enamel], P (9) 193*j*.

Gorni, J. See Barta, J.

Gorodetsky, G., Horareich, R. M., Yaeger, I., Plato, H., and et al. Magnetic structure of $ErFeO_3$ below 4.5°K (9) 196*j*.

Gorodetsky, G., Luethi, B., Moran, T. J., and Mullen, M. E. Magnetostrictive excitation of sound in magnetic materials (2) 53*f*.

Gorog, Istvan See Faughnan, B. W.

Gorokhovskii, V. A., Kroglus, E. A., Vlasov, V. A., and Dashkevich, T. B. Thermodynamic study of possible formation of Sn silicates (1) 29*d*.

Gorshkova, N. I. Cement with ash from electric power stations (4) 84*b*.

Gorsler, M. W. Rapid firing of stoneware pipes in Australia (1) 8*d*; Firing of super-refractories in a new type of periodic kiln (7) 147*d*.

Goryaga, A. N. See Belov, K. P.
Gossenberger, H. F. See Ban, V. S. ; Martinelli, Ramon U.
Goswami, A., and Goswami, Amit P. Ac behavior of vacuum-deposited Pr oxide films (11) 229*j*; Optical properties of Sb_2O_3 films (11) 235*i*.
Goswami, A., and Ojha, S. M. Electrical properties of Bi oxide films (11) 229*d*.
Goswami, Amit P. See Goswami, A.
Goto, Fumio, and Nagao, Masazumi Refractory catalyzer used in gas generation (10) 213*f*.
Goto, Seishi See Hosaka, Giko
Goto, Seishi, Daimon, Masaki, Kurata, Akio, and Kondo, Renichi Pore-size distribution of sintered MgO by the back diffusion method (7) 152*f*.
Goto, Yasumasa, Higashimoto, Michitake, and Takahashi, Katsuaki Preparation and characterization of polycrystalline $SrFe_{18}O_{27}$ (2) 55*d*.
Goto, Yasumasa, and Takahashi, Katsuaki Chemical composition of $SrO.(6-x)Fe_2O_3.xAl_2O_3$ crystals grown from glassy flux (2) 49*a*.
Goto, Yoshimasa See Sugiura, Masatoshi
Goto, Yukihiro See Yamashita, Tsutomu
Gotoh, Yoshio See Furuuchi, Shigemasa
Gott, O. See Behr, W. J.
Gotthelf, H., Klages, R., Kreutzer, H., Nursberg, K., and et al. Development of Fe metallurgy in Europe and examination of refractories problem (1) 9*g*.
Gottlieb, Milton See Roland, George W.
Gottschalk, Juergen Behavior of plastic porcelain bodies during forming by mechanical vibration (7) 148*i*.
Gottschalk, Juergen, and Dietzsch, Lothar Damping behavior of plastic ceramic bodies (8) 174*i*.
Gouda, George R. See Roy, Della M.
Gough, G. T. Mechanized casting of whiteware (5) 113*b*.
Gough, John R. C. See Sturge, Derek W. J.
Gould, R. W. See Loehman, R. E.
Gourlaouen, J. C. Sampling of materials in bulk—theoretical review; methods and equipment (1) 18*h*.
Goursat, P. See Tetard, D.
Govind, P. K., and Fraiker, F. J. Electron microprobe analysis of ion-implanted CdS (3) 78*c*.
Govorkov, V. G. See Berezhkova, G. V.
Graae, Johan E. A. See Anastasia, Louis J.
Graber, David A. Drying apparatus and method for particle materials, P (8) 172*e*.
Grabmueller, Vlastimil Effect of furnace setting on the quality of brick (1) 8*a*.
Graboer, Ludwig, and Wong, Eugene Y. Zeeman effect of no-phonon $^4A_{2g}$-$^4T_{2g}$ transition of Cr^{3+} in TiO_2 (9) 199*g*.
Grach'yan, A. N. See Ponomarev, I. F.
Grach'yan, A. N., Retych, N. V., and Sumin, E. E. Effect of oxides of some transition elements on the properties of white portland cement dependent on the nature of gas medium during clinker firing (7) 143*i*.
Grach'yan, A. N., and Volkova, G. P. Effect of sharp cooling in solutions of acetic acid on the structure of the Fe-containing part of white portland cement clinker (6) 125*i*.
Grach'yan, A. N., Zubekhin, A. P., Mandrykin, Yu. I., and Leonov, V. M. Catalytic action of water vapor on the process of mineral formation of a cement clinker (7) 143*f*.
Grach'yan, A. N., Zubekhin, A. P., Mandrykin, Yu. I., and Retych, N. V. EPR of the structure of the Fe-containing part of cement clinkers fired with chloride additives (7) 144*b*.
Grady, D. E. Shock-induced anisotropy in ferromagnetic material: I, Domain-theory analysis of single crystal behavior (2) 55*e*.
Grady, D. E., Duvall, G. E., and Royce, E. B. Shock-induced anisotropy in ferromagnetic material: II, Polycrystalline behavior and experimental results for YIG (2) 55*e*.
Graetz, Reinhard Extruding and release mechanism in the case of extruders with porous, water-logged molds (8) 166*c*.
Graf, Robert E. See Deeg, Emil W.
Graff, Eugene A., and Heytmeijer, Herman R. Y phosphate vanadate phosphor, P (6) 133*f*.
Graff, William A., and Kohut, Jaroslaw Glass seals [to Ta], P (3) 64*j*.
Graham, G. M. See Schlosser, W. F.
Graham, R. A. Determination of third- and fourth-order longitudinal elastic constants by shock compression techniques—application to sapphire and fused quartz (4) 99*b*.
Graham, R. A., and Ingram, G. E. Piezoelectric current from X-cut quartz subjected to short-duration shock-wave loading (2) 40*h*.
Gramann, Wolfgang Apparatus for liquid phase epitaxy, P (6) 131*f*.
Gramlich, V. See Lohmueller, G.
Grandits, Diane M. See Weller, Paul F.
Granier, B. See Coutures, J. P.
Granitzki, K. E., and Krebs, R. Testing the hot properties of refractory materials (3) 67*f*.
Granli, Kare, and Mikuch, Friedrich Norwegian substitute for D. F. stone (5) 113*c*.
Granoff, B., Pierson, H. O., and Schuster, D. M. C-felt, C-matrix composites—dependence of thermal and mechanical properties on fiber vol percent (2) 37*h*.
Granquist, W. T., Hoffman, George W., and Botzler, R. C. Clay mineral synthesis: III, Rapid hydrothermal crystallization of an alumina smectite (6) 137*e*.
Granquist, William T. See Hoffman, George W.
Grant, Clarence L. See Scammon, Lawrence W., Jr.
Grant, R. W. See Lind, M. D.
Grantham, Daniel H. See Glick, Herbert W.
Granzow, Wayne G. Water lubrication process for sheet metal forming (10) 203*g*.
Grapentin, Kurt See Preisler, Eberhard
Gras, Rene See Courcier, Francois
Grasser, Leo See Dathe, Joachim
Grasserbauer, M. Macroprobe analysis of oxide-carbide cermets (4) 90*a*.
Grassi, G. Borroni See Abbattista, F.
Grasso, M. See Kokta, M.
Grattan-Bellew, P. E. See Traetteberg, A.
Gravel, Charles L. See Kurtz, Anthony D.
Graves, Charles A., and Sopchak, Peter Process for the preparation of soda ash from trona ore, P (10) 214*j*.
Gray, Marion L., Jr. Method for making heat-exchange [tube] matrix by crystallization, P (3) 65*i*.
Grebenkina, V. G. See Samsonov, G. V.
Grebenshchikov, R. G. See Shitova, V. I. ; Sipovskii, D. P.
Grebenshchikov, R. G., and Parfenenkov, V. N. Phase diagram and crystalline phases in the system HfO_2-Y_2SiO_5 (1) 26*d*.
Grebenshchikov, R. G., and Shitova, V. I. Solid solutions in the quaternary reciprocal system $2CaO,2BaO||SiO_2,GeO_2$ (4) 102*g*.
Grechishkin, V. S. See Brekhovskikh, S. M.
Green, David J., Maki, Dennis R., and Nicholson, Patrick S. Microstructural development in partially stabilized ZrO_2 in the system CaO-ZrO_2 (4) 100*a*.
Green, David J., and Nicholson, Patrick S. Correlation of work-of-fracture and fracture toughness for ZrO_2 partially stabilized by CaO (3) 76*h*.
Green, David J., Nicholson, Patrick S., and Embury, J. David Fracture toughness of a partially stabilized ZrO_2 in the system CaO-ZrO_2 (1) 23*h*.
Green, F. L. Tube or rod bending machines, P (9) 187*g*.
Green, Lonzo F. See Davie, William R.
Green, Mino (Editor) Solid State Surface Science: Vol. II, B (1) 30*h*; (Editor) Solid State Surface Science: Vol. III, B (5) 124*f*. See Wexler, Geoffrey
Green, Mino, and Miles, R. E. Photoconductiyity in thin films of PbTe (2) 55*a*.
Green, N. See Stradling, G. N.
Green, R. E., and Colombo, A. F. Fe oxide superconcentrates by caustic leaching (4) 97*j*.
Greenberg, E. See Reisfeld, R.
Greenberg, H. J. Temp. measurement in the glass industry (11) 225*g*.
Greene, Joseph E. See Whelan, James M.
Greene, P. D. Kinetics of Si contamination of liquid Ga in SiO_2 boats (6) 139*c*.
Greenhalgh, W. O. Kinetic measurements for the carbothermic synthesis of UN, PuN, and (U,Pu)N (1) 15*j*.
Greenlay, Charles A., and Andreas, Ehrhardt Recovery of asbestos fibers from asbestos ore, P (6) 136*d*.
Greenough, R. D., and Palmer, S. B. Elastic constants and thermal expansion of single-crystal CdTe (2) 50*j*.
Greenspan, Jacob Use of alumina as a sintering aid in mfg. of hot-pressed BeO, P (2) 39*i*.
Greenwood, James Coated abrasive articles having a plasticized polyvinyl acetate supersize coat, P (7) 143*e*.
Grego, Peter, and Panzarino, Joseph N. Decorating glass-ceramic materials, P (4) 88*a*.
Gregor, Lawrence V., and Maissel, Leon I. Method for passivating semiconductor material and FET formed thereby, P (5) 115*c*.
Gregor, M. See Masar, J.
Gregory, W. D., Mathews, W. N., Jr., and Edelsack, E. A. (Editors) Science and Technology of Superconductivity, Vols. 1 and 2, B (2) 59*h*.
Greiner, E. S. See Ryden, W. D.
Greiner-Baer, Gerhard See Gerlach, Otto
Gremion, Andre Method of determining the hardness of gypsum plasters (5) 117*a*.
Grenier, Edward J. Brick and the energy crisis (5) 110*b*.
Greppi, Pierluigi Modular sanitary fixture, P (4) 92*c*.
Grenkovich, C. See Rosolowski, J. H.
Grenky, Alan T., Savolainen, Jouko E., McDuffee, William T., Jr., and Winchow, Russell P. Process for separation of Pa, Th, and U from neutron-irradiated Th, P (11) 231*h*.
Grewen, Ortwin See Majdic, A.
Grey, I. E., Reid, A. F., and Allpress, J. G. Compounds in the system Cr_2O_3-Fe_2O_3-TiO_2-ZrO_2 based on intergrowth of the α-PbO_2 and V_3O_5 structural types (4) 98*d*.
Grey, I. E., and Ward, J. X-ray and Moessbauer study of the $FeTi_2O_5$-Ti_3O_5 system (5) 123*j*.
Gribkov, V. N. See Portnoi, K. I.
Gribov, L. A. See Alekhina, L. G.
Gribova, E. I. See Novozhilov, A. L.
Gricius, A., Grigonis, A., Pranevicius, L., and Statkevicius, A. Autoelectronic field emission as a criterion for determining the state of a Si surface (8) 174*h*.
Gridin, V. A. See Ashmarin, I. I.
Griessauer, Heinrich Slit screen for X-ray apparatus used in determining crystal topography, P (6) 134*j*.
Griest, Edward M. Transparent Fe oxide microcircuit mask, P (11) 231*j*.
Griffin, James See Storms, Edmund K.
Griffith, James R. Method of making filament strand wound product, P (7) 146*f*.
Griffiths, R. Mechanical properties of ceramics: V (1) 17*i*.
Grigonis, A. See Gricius, A.
Grigor'ev, L. F. See Fedoseev, A. D.
Grigor'eva, A. S. See Baranov, S. P.
Grill, A. See Schieber, M.
Grill, William A. Method for depositing refractory metals, P (7) 149*j*.
Grim, G., and Peters, H. Practical experiences with electrostatic enameling (6) 126*d*.
Grimes, John H., and Lane, Edward S. Production of metal-containing materials from sols, P (4) 95*d*.
Grimes, N. W. Structural distortions in $MgCr_2O_4$ (1) 28*g*; "Off-center" ions in compounds with spinel structure (2) 54*a*; Specific heat of compounds with spinel structure: I, Ferrites; II, Zinc ferrite, a paramagnetic compound with magnetic ion occupying the octahedral site (11) 235*i*.
Grimone, Frank H. See Bingeman, Wilbur H.
Grindstaff, Lloyd I. See Whittaker, Mack P.
Gringras, Michel Granular free-flowing material for use in the mfg. of glass, P (10) 206*h*.
Grin'ko, V. A., Safonov, V. V., Ksenzenko, V. I., and Korshunov, B. G. Interactions of Te tetrabromide with the alkali metal bromides (1) 24*c*.
Grisafe, David A., and Fritsch, Carl W. Bi-activated Gd niobate phosphors, P (2) 41*e*.
Grishina, N. P. See Babosova, A. K.
Gries, Peter See Heimke, Guenther
Grizik, A. A. See Petrov, K. I.
Grjotheim, Kai See Dumas, D.
Grjotheim, Kai, Dhubanandana, S., and Krogh-Moe, J. Solution of alkaline earth metals in their molten halides: V, Magnetic susceptibility of melts in the system Sr-Sr chloride (3) 81*b*.
Grjotheim, Kai, Holm, Jan Luetzow, and Roetnes, Mikal Phase diagrams of the systems NaCl-$MgCl_2$ and KCl-$MgCl_2$ (3) 80*h*.
Grjotheim, Kai, Holm, Jan Luetzow, Lilleboen, B., and Oeye, Harald A. Surface tension of liquid binary and ternary chloride mixtures (2) 56*d*.
Groce, Irwin J. See Reed, Edward L.
Grochowski, Edward G. See Castrucci, Paul P. ; Gaier, Claude E.
Grodkiewicz, W. H., Singh, Shobha, and Van Uitert, L. G. Phosphor rare earth oxychloride compositions, P (11) 231*e*.
Groening, Franklin E. Preparation of TiC, P (2) 39*e*.
Groenvold, Fredrik High-temp. reaction calorimeter—enthalpy of formation of Fe selenides and Ni selenides at 1050°K (2) 46*h*; Heat capacities and thermodynamic properties of Cr_3Te_4 and Ni_3Te_4 from 298 to 950 K—structural order-disorder transitions (3) 79*d*. See Holm, Jan Luetzow
Groenvold, Fredrik, Kveseth, Nils Joergen, Dos Santos Marques, Fernando, and Tichy, Jiri Thermophysical properties of MnTe from 298–700 K—lattice constants, magnetic susceptibility, and antiferromagnetic transition (2) 57*b*.
Groenvold, Fredrik, Kveseth, Nils Joergen, and Sveen, Arvid $Ni_{1\pm x}Te_2$ phases—heat capacities in the range 298° to 900°K and transition behavior (2) 54*i*.
Grofe, Theodor See Schaefer, Harald
Groff, Donald W. (Editor) Quantitative Mineral Exploration, B (6) 142*h*.
Gromov, B. A. See Shapkin, V. V.
Groom, R. W. Assembly for location in a structural opening, more particularly a supplementary glazing arrangement, P (3) 64*d*.
Gropyanov, V. M., and Abbakumov, V. G. Kinetics of thermally activated nonisothermal processes (7) 156*e*.
Gropyanov, V. M., Kovalevskaya, T. A., and Yudin, B. F. Stability of oxycarbides in the system ZrC-ZrO_2 (8) 179*i*.
Gropyanov, V. M., Kovalevskaya, T. A., and Rasumovskii, S. N. Crystal structure of Zr oxycarbides in the system ZrC-ZrO_2 (8) 174*i*.
Grosholz, Rainer See Haraszti, Tegze
Gross, Josef, and Barkow, William H. Self-converging color image display system, P (8) 166*h*.
Grossman, Leonard N., and Brigham, Donald A. Process for controlling surface area of ceramic powders, P (2) 46*c*.
Grossman, Leonard N., and Packard, Douglas R. Method of detecting magnetic additives in nuclear fuel material by noting change in weight of material when weighed in a magnetic field, P (6) 133*c*.
Grossman, S. See Pomerantz, M.
Groszek, Aleksander J. See Cracknell, John R.
Groszek, Aleksander J., Pitkethly, Robert C., and Gesch, Charles J. Metal/graphite compositions, P (2) 39*c*.
Groth, Rolf Heat-reflecting windowpane [Au and ZnS], P (5) 109*i*.
Grove, Robert H., De Torre, Robert P., and Dahlberg, John R. Method and an apparatus for cutting glass, P (8) 165*h*.
Groves, G. W. See Hing, P.
Groves, Rees D., and Smith, Paulette B. Reactions of CuS minerals with chlorine in an aqueous system (6) 140*i*.
Groves, Warren O. See Craford, Magnus G.
Groznov, I. N., and Venevtsev, Yu. N. Solid solutions of $BaTiO_3$ with Ba niobates (1) 28*a*.
Groznov, I. N., Vinkov, A. S., and Petrov, V. M. Relaxation and ferroelectric properties of solid solutions in the system $BaTiO_3$-$SrNb_{0.6}O_3$ (1) 27*g*.
Gruen, D. M. See Liu, C. H.
Gruenewald, H. Casting ceramic slips under a pressure of up to 40 atm (11) 228*f*.
Gruenewald, Herbert Rheological properties of screening media and pastes for printing of tile (8) 168*c*.
Gruenfeld, V. See Alascio, B.
Gruenke, Bernard E., Jr. Method of etching glass [art], P (3) 65*f*.
Gruenling, Hermann W. See Hennicke, Hans W.
Gruijters, J. T., and Block, G. D. Orientation of segregated hematite phase in Mn-Fe spinels (2) 54*e*.
Grunberg, Georges, Meinick, Igor, and Lazzari, Jean P. Method of making a thin film having a high coercive field, P (6)

132*b*.

Grundy, P. J. See Lin, Y. S.

Grunin, V. S. EPR of V^{4+} in cristobalite and quartz glass (1) 4*c*. See Ioffe, V. A.

Grunin, V. S., Ioffe, V. A., and Zonn, Z. N. EPR study in the SiO_2 system (8) 176*g*.

Grutza, Zigmund R. Wear-resistant diamond coating and method of application, P (2) 31*j*.

Gruver, Robert M. See Kirchner, Henry P.

Gruver, Robert M., and Kirchner, Henry P. Effect of environment on penetration of surface damage and remaining strength of Al_2O_3 (6) 137*g*.

Gruver, Robert M., Platts, D. R., and Kirchner, Henry P. Strengthening SiC by quenching (9) 188*i*.

Grushkova, R. Ir spectra of Mn garnets with a germanate tetrahedron (3) 79*f*.

Gruber, R., and Urnes, Sigmund X-ray diffraction studies of glasses in the system Na_2O-SiO_2 (2) 35*i*.

Gubenko, A. Ya., Miller, M. B., and Konovykhina, N. A. Polythermal cross sections in the systems Ge-Au-Sb and Ge-Au-Ga (1) 26*b*.

Gudaitis, M. N., Desyatnik, V. N., Raspopin, S. P., and Trifonov, I. I. Binary systems containing $SrCl_2$, $BaCl_2$, and ThF_4 (4) 98*e*.

Guella, M. S., Rocchietta, C., and Rosignoli, D. Use of grinding promoting agents in large diameter grinding mills (3) 62*a*.

Guella, M. S., and Rosignoli, D. Chemical additives for raw materials in production technology (6) 133*h*.

Guenther, Arthur H. See Glass, Alexander J.

Guenther, Rudolf Model studies of natural gas burners for glass tanks (1) 5*c*.

Guerci, C. F. See Giess, E. A.

Guertler, H. C. Needle-felt filters of mineral fibers (5) 116*j*.

Guess, T. R., and Hoover, W. R. Fracture toughness of C-C composites (2) 38*f*.

Gueven, Necip Montmorillionite—electron-optical observations (2) 54*d*.

Guffey, Hoyt R. See Valant, Gary M.

Gugel, E. See Schuster, P.

Gugel, Ernst, and Leimer, Gerhard Ceramics in gas turbines (1) 9*a*.

Guilfrida, Philip See Metcalf, Arthur G. B.

Guillot, A., Canale, P., and Anthony, A. M. Electrical conductivity and ionic transport number of HfO_2 and ZrO_2 at 1200-1600°C (10) 216*g*.

Guinan, M., and Cline, C. F. Elastic properties of U mononitride at 298°K (8) 171*h*.

Guinet, Pierre See Wey, Raymond

Guinn, H. G. Determination of thermal-shock resistance: I, Theoretical considerations; II, Practical investigations (6) 129*a*.

Guldin, T. D. See Price, R. J.

Gul'ko, N. V. See Orlova, I. G.

Guletta, Joseph A. See Farabaugh, Aloysius W.

Gunasekera, S. P., and Holloway, D. G. Effect of loading time and environment on the indentation hardness of glass (2) 33*g*.

Gunawardane, R. P., and Glasser, F. P. Phase equilibria and crystallization of melts in the system Na_2O-BaO-SiO_2 (6) 139*i*.

Gundersen, Martin, and Faust, W. L. Resonance fluorescence in GaP (8) 179*b*.

Gundlach, K. H. See Kadlec, J.

Gundobin, N. V. See Petrov, K. I.

Gungle, Warren C., Koury, Frederic, and Waymouth, John F. High-pressure vapor-discharge lamp with Cs iodide, P (8) 165*e*.

Gunterdorfer, Max Method of making barrier-free semiconductor switching device, P (1) 14*c*.

Gunterdorfer, Max, and Kleinschmidt, Peter Depolarization protection for ceramic piezoelectric motor, P (1) 13*i*.

Gupta, C. K. See Mehra, O. K.

Gupta, O. P. See Kuczynski, G. C.

Gupta, P., Chatterji, S., and Jeffery, J. W. Effects of various additives on the hydration reactions of tricalcium aluminate: V, Mechanism of retardation of tricalcium aluminate hydration (1) 2*e*.

Gupta, R. P. See Myron, H. W.

Gupta, Y. M. See Asay, J. R.

Gurev, Harold S. See Black, James R. ; Crowe, William J.

Gurevich, L. Yu. See Galtykhin, V. M.

Gurevich, V. A. See Glazyrin, M. P.

Guryev, V. K., Kitaev, V. N., Kurbatov, L. V., and Dmitriev, I. N. Temp. dependence of one-magnon cross section of light scattering in antiferromagnets (9) 199*h*.

Gusainov, G. D., Seidov, F. M., Pashaev, A. M., Khalilov, Kh. Ya., and et al. System TlS-GaS (8) 179*e*.

Gusainova, S. G. See Rza-Zade, P. F.

Gusek, H., and Klein, B. Homogenization of granulated slag (2) 45*b*.

Gusev, A. I. See Pashchenko, A. A.

Gusev, E. S. See Matveev, L. V.

Gusev, V. M., Guseva, M. I., Ionova, E. S., Mansurova, A. N., and et al. Electrical properties and structure of B-implanted Ge (10) 216*h*.

Guseva, E. G. See Koshkin, L. I.

Guseva, M. I. See Gusev, V. M.

Guseyan, L. M. See Sonin, A. S.

Gustafson, Robert M. See Cass, Eugene E.

Gustavsson, Karl A. G. Particle sampling devices [for gas], P (4) 96*f*.

Gustlon, Robert A., Bernhardt, Harvey A., Barber, Eugene J., and Boston, Samuel T. Decontaminating U by reaction with ClF_3 and HF and volatizing the UF_6 product, P (11) 231*d*.

Guth, Jean L., Pereyron, Albert, and Wey, Raymond Preparation of faujasite-type zeolites, P (2) 48*c*; Direct synthesis of faujasite zeolites containing Na and Li, P (8) 173*e*.

Guthina, N. G., Kozhina, I. I., and Shmatok, L. K. Crystallization in the systems La_2O_3-GeO_2 and Ta_2O_5-GeO_2 (1) 21*j*.

Gutman, J. See Shiloh, M.

Gutsov, St., Sazmoeva, B., and Kostadinov, I. Granulating the glass charge for the production of medical glass (10) 204*d*.

Gutsov, Ivan Activity of nucleation centers in the catalyzed crystallization of glassy melts (8) 163*c*.

Guzynin, Ivan G. See Levina, Tatyana A.

Gwilliam, Ralph D. Drying of particulate materials, P (1) 16*h*.

Gyarmati, Erno, Nickel, Hubertus, and Wallroth, Carl F. Method and apparatus for the production of coated-particle fuel for nuclear reactors, P (11) 231*f*.

Gyorgy, E. M., Sturge, M. D., Van Uitert, L. G., Hellner, E. J., and et al. Growth-induced anisotropy of some mixed rare-earth Fe garnets (10) 216*e*.

Gyurk, Warren J. See Stetson, Harold W.

Haas, B. See Brueckner, R.

Haas, C. Warren Necessity for invoking a free-ion-like model for the super ionic conductors (2) 54*f*.

Haas, David J. X-ray powder camera having an external film magazine assembly and drive means, P (2) 47*c*.

Haas, Helmut See Langmaack, Juergen

Haas, Larry A. SO_2—its chemistry as related to methods for removing it from waste gases (3) 73*h*.

Haas, W. J. See Kambara, T.

Habenschuss, M. See Gerstein, B. C.

Habib, Jacques See Thirriot, Claude

Habinlak, S. See Muzylo, H.

Habrmanova, D. Semiconducting oxide glasses for electrodes of TV screens (2) 34*g*.

Hachbarth, Lowell E., and Crockett, Joseph T. Alkali metal aluminosilicates, methods for their production, and compositions thereof, P (5) 119*e*.

Hackett, W. H., Jr., Saul, R. H., Dixon, R. W., and Kammlott, G. W. SEM characterization of GaP red-emitting diodes (3) 70*i*.

Hackler, C. L. See Hackler, W. C.

Hackler, W. C., Chatfelter, T. E., Farley, J. M., Hackler, C. L., and et al. Statistics in sampling of bulk material (2) 47*e*.

Hackstein, Karl G. See Tillessen, Ulrich

Hackstein, Karl G., Kadner, Martin, and Foerster, Horst Process for the production of oxide- and carbide-containing nuclear fuel particles for high-temp. reactors, P (5) 116*e*.

Hadfield, C. D. See Dawson, P.

Hadni, Armand, and Thomas, Robert Ferroelectric memories and method of activating, P (10) 210*f*.

Haendle, Rainer See Frankfurth, Guenther

Haerter, Manfred See Cherdon, Egon

Haertling, Gene H., and McCampbell, C. B. New longitudinal display mode for ceramic electrooptic devices (4) 92*j*.

Hafner, Alice See Neuberger, Janine

Hagedorn, Erwin C. Opalizable glass compositions and methods of making articles therefrom, P (2) 36*g*. See Babcock, C. L.

Hagedorn, Erwin C., and Hall, Dallas P. Method of adding glass colorant composition, P (9) 186*b*.

Hagedorn, F. B. See Shumate, P. W., Jr.

Hagedorn, F. B., Tabor, W. J., and Van Uitert, L. G. Growth-induced magnetic anisotropy in seven mixed rare-earth Fe garnets (10) 216*f*.

Hagemann, Ludwig See Majdic, A.

Hagen, Klaus See Kuhlmann-Schaefer, Wilhelm H.

Hagenmuller, P. See Fabrichnyi, P. B.

Hagenmuller, Paul See Demazeau, Gerard ; Geodenough, J. B.

Hagiwara, Takaaki, Mizuno, Osamu, and Tanaka, Shoji Electron tunneling through Te-TeO_2-Pb junctions (6) 138*g*.

Hagspiel, W. Developments in production and manufacturing processes in cement plants in the 1970's—problems regarding refractories (1) 2*e*.

Hagston, W. E. See Bryant, F. J.

Hagy, Henry E. High-precision photoelastic and ultrasonic techniques for determining absolute and differential thermal expansion of TiO_2-SiO_2 glasses (11) 224*d*.

Hahn, C. G., and von Heidt, K. Heat exchangers, P (4) 97*d*.

Hahn, Frederick W., Jr. Method of mfg. magnetic transducers, P (2) 42*a*.

Hahne, Gerold, and Hennicke, Hans W. Effect of reaction zone on surface strains in earthenware tiles (1) 11*f*.

Hair, Michael L. See Filbert, Augustus M.

Haire, R. G., and Baybarz, R. D. Identification and analysis of Es_2O_3 by electron diffraction (3) 79*a*.

Haisma, J., and Stacy, W. T. Interference fringes due to magnetic domains in $FeBO_3$ (10) 217*f*.

Hajela, R. B. See Cole, W. F.

Hajela, R. B., Crook, D. N., and Tauber, E. Phosphate-bonded clay bodies (9) 189*b*.

Hakim, J. See Cable, M.

Hakim, R. M., and Uhlmann, D. R. Dielectric relaxation in Cs_2O-SiO_2 and Na_2O-SiO_2 glasses (5) 108*b*.

Hakki, B. W. See Paoli, Thomas L.

Halaby, Saul A., Kenny, Neal S., and Murphy, James A. Method of making a magnetic recording and storage device, P (7) 150*f*.

Halberschmidt, Friedrich, and Audi, Josef Apparatus and method for cutting glass, P (5) 109*a*.

Halberschmidt, Friedrich, Lindberg, Karl H., Roentgen, Paul, and Steffens, Hans Autoclave for glass laminates, P (10) 205*i*.

Haldas, Walter J., and Faust, Jesse A. [Hydraulic] cement compositions and methods, P (2) 32*i*; Additive [hydraulic] cement compositions and method, P (3) 62*c*.

Haldipur, A. See Ohring, Milton

Hale, James C. See Cushman, Charles R.

Hale, Thomas E. Abrasion-resistant cemented WC bonded with Fe-C-Ni-Co, P (10) 208*g*.

Hales, M. C. See Burgess, J. W.

Haley, Thomas E. See Vondra, Benedict L., Jr.

Hall, Dallas P. See Hagedorn, Erwin C.

Hall, E. T., Schweizer, F., and Toller, P. A. X-ray fluorescence analysis of museum objects—new instrument (10) 201*i*.

Hall, Elisha W., and Sheehan, Walter A. Abrasive means and method of mfg., P (3) 61*e*.

Hall, Howard T. Diamond-nondiamond C polycrystalline composites, P (10) 201*g*.

Hall, John N. Process for spreading a graphite fiber tow into a ribbon of graphite filaments, P (8) 168*g*.

Hall, Robert N. Improved Ge gamma detectors having nonideal contacts and deep level donor- or acceptor-inducing impurities therein, P (2) 41*e*; Method of improving electrical characteristics of high-purity Ge and Si, P (7) 150*c*.

Hall, Timothy P. P. See Henderson, Brian

Haller, H. Glass gripping devices, P (4) 88*f*.

Haller, P. Influence of the quality of walling bricks on wall stability and economic efficiency (5) 110*f*.

Haller, Wolfgang K. Porous material [glass] and method of making, P (1) 8*a*.

Haller, Wolfgang K., Blackburn, Douglas H., and Simmons, Joseph H. Miscibility gaps in alkali-silicate binaries—data and thermodynamic interpretation (4) 100*a*.

Hallewell, Raymond T. Method of making grinding members, P (3) 61*f*.

Halley, James W., and Mills, Norman T. Coated casting nozzles, P (9) 188*e*.

Halliburton, Larry E., Cowan, David L., Blake, W. B. J., and Wertz, John E. Mg-25 hyperfine confirmation of the localized-ground-state model of the V^- center in MgO (9) 196*h*.

Hallon, Joseph R., Jr. See Kurtz, Anthony D.

Halloran, John W., and Anderson, Harlan U. Influence of O_2 partial pressure on initial sintering of alpha Cr_2O_3 (4) 99*j*.

Halt, Ira E. See Collins, Neil E.

Halvorsen, Elmer F., and Byrd, Harold R. Liquid filter device, P (1) 16*j*.

Hama, Masaaki See Hashimoto, Hidehisa

Hamachi, Kazuo, Shimanaka, Hiroshi, Kawakami, Tatsuo, Irie, Toshio, and et al. Method of forming electric insulating coating on the surface of Si steel sheet with serpentine, P (2) 33*h*.

Hamada, Y., and Tanida, N. Grinding quartz glass, ceramics, and ferrites with diamond wheels (2) 31*e*.

Hamano, Kenya See Lee, Eung Sang

Hamano, Kenya, and Lee, Eung Sang Densification process of kaolin-quartz-feldspar triaxial porcelain bodies (5) 113*f*.

Hamano, Kenya, Tamura, Shinichi, and Narita, Miyuki Wettability of MgO by the melts of MgO-Al_2O_3-SiO_2 system and some interfacial phenomena (8) 167*i*; Wettability of MgO by melts of the system MgO-Al_2O_3-SiO_2 and some interfacial phenomena (11) 236*b*.

Hamano, Kenya, Udagawa, Shigekazu, Miyasaka, Keizo, Kimura, Shinichi, and et al. Microstructure and its related properties on C fiber composites (9) 187*h*.

Hamano, Yoshiteru See Kinoshita, Makoto

Hamasaki, Tatsuichi See Hashimoto, Takasu

Hamer, Colin A., and Loro, Alberto Fabrication of beam leads, P (1) 14*b*.

Hamielec, A. E. See Kim, S. M. ; Okongwu, D. A.

Hamilton, Frank A., and Calcott, Thomas G. Ball mills with superellipsoidal balls, P (4) 95*i*.

Hamilton, Harold E. Process for bending a glass sheet to a relatively sharp angle, P (2) 36*j*.

Hamilton, Harold E., Bamford, Robert P., and Pastorek, Paul V. Process for bending a glass sheet to a relatively sharp angle, P (2) 36*j*.

Hammond, Allen H. Mn nodules: I, Mineral resources on the deep seabed; II, Prospects for deep sea mining (5) 119*a*.

Hammond, Donald L., and Feltner, Hugo R. Best diffraction crystal with geometrical aberration compensation, P (4) 96*d*.

Hammond, Donald L., Knight, Larry V., Yoshida, Henry, and Peickii, Vasalie L. Crystal monochromator and method of fabricating a diffraction crystal employed therein, P (3) 74*j*.

Hammou, A. See Gauthier, M.

Hampshire, M. J. See Elliott, E.

Han, Ki Hyun See Lee, Sou Woo

Han, Ki Sung, Moon, Jeong Yeon, and Choi, Seung Hwan Effects of diatomaceous earth on the characteristics of portland cement (10) 202*i*.

Han, Sang Mok See Ahn, Young Phil ; Choi, Sang Heul

Hanafi, Z., and Khilla, M. A. Color problem of WO_3—ir measurements (10) 215*a*.

Hanazawa, Takashi Composite friction materials (2) 38*a*.

Hanchett, Loren B. Segmental grinding wheel, P (1) 1*e*.

Handa, Minoru See Kanazawa, Takafumi

Handy, S., and Radczewski, O. E. Importance of the rod-shaped particle for the workability of ceramic kaolins (1) 19*i*.

Haneda, Koichi, and Kojima, Hiroshi Intrinsic coercivity of substituted $BaFe_{12}O_{19}$ (1) 24*g*; Effect of milling on the intrinsic coercivity of Ba ferrite powders (3) 69*c*.

Haneda, Koichi, Miyakawa, Chuji, and Kojima, Hiroshi Preparation of high-coercivity $BaFe_{12}O_{19}$ (9) 190*h*.

Hanek, James R. See Fabian, Thomas R.

Hanfmann, Alexander M. Methods of mfg. thin-film components, P (2) 43*c*.

Hang, Kenneth W. See Carlson, David E.
Hanle, F. See Majling, J.
Hanke, E. Effects of grinding-ball weight loss on cement grinding (2) 32*b*.
Hann, B. F. See Garton, G.
Hannay, N. Bruce (Editor) Treatise on Solid State Chemistry: Vol. I, The Chemical Structure of Solids, B (9) 200*g*.
Hannay, N. Bruce, and Colombo, Umberto (Editors) Electronic Materials, B (5) 124*g*.
Hannestad, Gunnar See Gaudernack, Bjorn
Hanold, R. C. Frederick, III Process for making ceramic capacitors, P (10) 211*c*.
Hanscomb, J. R. See Fok, J. ; Moore, E. J.
Hansen, F. E., and Clausen, H. J. Dehydration of gypsum (9) 181*j*.
Hansen, George R. See LaBar, Richard G.
Hansen, James H., and Getz, Ralph W. High-temp.–high-strength alloy glass fiber feeder, P (3) 65*b*; High temp.-high strength alloy glass fiber-forming bushing, P (4) 88*b*.
Hansen, P. Spin configurations induced by strong anisotropic ions in YIG (2) 56*a*. See Winkler, G.
Hansen, P., and Krumme, J. P. Determination of the local variation of the magnetic properties of liquid-phase epitaxial Fe garnet films (9) 190*b*.
Hansen, P., Tolksdorf, W., and Schuldt, J. Anisotropy and magnetostriction of Ge-substituted YIG (5) 119*b*.
Hanson, W. F., Arakawa, E. T., and Williams, M. W. Optical properties of MgO and MgF_2 in the extreme uv region (2) 54*c*.
Hanusch, W., and Bergmann, G. Diamond tools in the machining of optical glass (9) 181*e*.
Hanykyr, Vladimir See Srbek, Frantisek
Hanzlik, Josef Modular apparatus for work in inert atm (1) 1*Eb*.
Haque, M. N. See Cook, D. J.
Hara, Haruichi See Ichihara, Shoichi
Hara, Hideki See Shimizu, Shozo
Hara, Kameyoshi See Kawamura, Junichi
Hara, Morihisa, Suzuki, Yoshiro, Ohta, Hiroomi, and Uemura, Michihiko Glass strengthened by ion exchange and method of preparing, P (3) 64*j*.
Hara, Tohru Method of deposition of Si by using pyrolysis of silane, P (11) 230*f*.
Hara, Toshito See Inoue, Kozo
Harada, Seiki, Nonogaki, Saburo, Oba, Yoichi, Saiki, Atsushi, and et al. Multilayer interconnected structure for semiconductor integrated circuit and process for mfg., P (8) 170*c*.
Harada, Yasuo See Tarui, Yasuo
Haradome, Miyoshi See Taketa, Yoshiaki
Harasrti, Tegze, and Grosholz, Rainer Method of producing an integrated solid-state circuit [MOS], P (6) 132*b*.
Harbeke, Guenther See Steigmeier, E. F.
Harbert, Francis C. Control of dryers by the temp. difference technique (1) 19*f*.
Hardin, George E. Set retarder and air-entrainer composition for mortar, P (3) 62*e*.
Harding, B. C. Diffusion of Be^{2+} in MgO up to 2340°C (3) 77*i*.
Harding, J. R., Laird, R. T., and Beech, D. G. Effect of rate of loading and type of packing on measured strength of bricks (10) 207*c*.
Hardy, Austin E. See Larach, Simon
Hardy, C. W. Resisting wear in the blast furnace—ceramic materials for the bosh and lower stack (1) 10*g*.
Hardy, J. R. See Boyer, L. L. ; Ullman, Frank G.
Hardy, John R. See Schulze, Paul D.
Hardy, Paul W., and Peterson, Orrin M. Low-density high-strength ceramic article, P (7) 147*g*.
Hardy, Walter N. See Silvera, Isaac F.
Hare, Gerald E., Thompson, Norman W., and Tanaka, Masahisa Method for the production of semiconductor thermoelements, P (4) 94*g*.
Hargreave, M. M. See Dawson, P. ; Katiyar, R. S.
Harland, Glen E., Jr., and Metzger, Robert W., Jr. Resistor isolation for double mesa transistors, P (1) 15*j*.
Harlow, Justin E., III, Swana, Richard C. G., Penton, Jack I., and Bakker, Martin B. Planar Si gate MOS process, P (2) 43*h*.
Harmer, A. L., Hayes, W., and O'Brien, M. C. M. Stark effect of the F^+ center in CaO (1) 28*f*.
Harms, Wolfgang Recent experience in fast firing ceramic products (6) 135*d*.
Harmsen, Lothar See Kutzer, Hans J.
Harnden, John D., Jr. Metal oxide varistor with laterally spaced electrodes, P (2) 42*b*; Potted metal oxide varistor, P (3) 72*c*; Metal oxide varistor with selectively positionable intermediate electrode, P (10) 211*b*.
Harnden, John D., Jr., Martzloff, F. D., Morris, William G., and Golden, F. G. Metal oxide varistor—a new way to suppress transients (5) 114*g*.
Harnisch, Heinz See Preisler, Eberhard
Haroun, N. A., and Aly, M. M. Reduction/sintering of ADU (5) 115*h*.
Harp, John Filter presses, P (1) 16*i*.
Harper, Charlie Temp. dependence of the damping of nonlinear lattice resonance in ionic crystals (7) 158*g*.
Harper, James G. See Bracken, Ronald C.
Harrap, Victor See Skaggs, Frank L.
Harre, Willi Behavior of Poroton external walls under summer and winter conditions (3) 65*i*.
Harrington, Francis E. See Sease, John D.
Harris, E. P. See Rutz, R. F.
Harris, Lawrence A. Multibeam CRT utilizing D.A.M. grid, P (4) 89*a*.
Harris, LeRoy S. Apparatus [compacting rolls] for agglomerating particulate material, P (5) 116*c*.
Harris, R. W. See French, I. E.
Harris, Ronald E., and Cullen, Darrel F. Process for laser scribing beam lead semiconductor wafers, P (11) 231*e*.
Harris, W. Burleigh High-SiO_2 resources of Clarke, Frederick, Page, Rockingham, Shenandoah, and Warren Counties, Virginia (6) 135*d*.
Harrison, G. G. Engineering management techniques in process industries (9) 199*h*.
Harrison, Maurice C., and Vancil, Donald O. Method of making NaF or NaF/AlF_3 involving the reaction of Na sulfate with fluosilicic acid, P (1) 20*j*; Method of preparing Na-Al fluoride, P (11) 233*f*.
Harrower, I. T. See Topping, J. A.
Hart, Arnold Arched lidded forms (9) 181*i*.
Hart, Frederick H. See Bryan, John
Hart, P. B. See Lidgard, G.
Hartline, S. D., Brodt, R. C., Richerson, David W., and Torti, M. L. Work-of-fracture and apparent yield correlation in Si_3N_4 (5) 123*i*.
Hartman, R. L. See Dean, P. J.
Hartmann, Jean See Verheyden, Albert
Hartmann, Peter See Knauf, A. N.
Harwood, Robert G. Coated ferrite filters having stamped and formed outer sleeves, P (5) 114*f*.
Hase, Takashi See Toshinai, Akio
Hasegawa, Hiromasa See Kano, Gota
Hasegawa, Hiroshi Method of making an abrasive wheel, P (7) 143*f*.
Hasegawa, Jun See Inoue, Touru
Hasegawa, Toshio See Okumura, Tomisaburo
Hasegawa, Yasushi See Watanabe, Akiteru
Haseltine, B. A., and Fisher, K. Testing of model and full-size composite brick and concrete cantilever wall beams (10) 207*i*.
Hashimoto, Hidehisa, Hama, Masaaki, and Shirasaki, Shiuichi Preferential diffusion of O along grain boundaries in polycrystalline MgO (4) 101*c*.
Hashimoto, Hiroshi, and Takashima, Susumu SEM with means to remove low-energy electrons from the primary electron beam, P (6) 134*j*.
Hashimoto, Tadahiro See Yoshida, Tetsuro
Hashimoto, Takasu, Hamanaki, Tatsuichi, Miyoshi, Taisuke, Soemono, Yasutaka, and et al. Spin echo investigation of $R_{0.3}Y_{2.7}IG$ [R = Nd,Sm,Eu,Gd,Ho,Er,Tm,Yb] (2) 56*b*.
Hashimoto, Takasu, Sato, Akio, and Fujiwara, Yasuki Nonlinear magnetic susceptibility of YIG in the hf magnetic field near the Curie temp. (9) 197*h*.
Haskell, Philip R. See Dawson, Chester H.
Hasikova, Eva Study of Sn_2O films on glass (11) 225*f*.
Hasselman, D. P. H. See Badaliance, R. ; Bertsch, B. E. ; Kipp, M. E. ; Larson, D. R.
Hasson, V. See Koen, J. G.
Hastings, Donald R. See Tamny, Simon Z.
Hastrup, Niels E. Method and apparatus for burning cement including atomizing dryer in cyclone preheater bypass, P (5) 107*j*.
Haszko, S. E. See Rozgonyi, G. A.
Hatano, Teiichi, and Sato, Masao Preparation of specimens for SEM by indirect Au deposition technique (8) 172*e*; Observation of grains of vacuum evaporated thin film by means of SEM (9) 190*g*.
Hatlberun, J. See Bora, M. N.
Hatlberun, J., and Mahanta, P. C. Thermal expansion of the oxides of Ce, Pr, and Er by X-ray diffraction (2) 57*e*.
Hatta, Ichior See Kashida, Shoji
Hattanda, Takatsugu, and Takeda, Akitsu Direct measurement of internal strains in liquid phase epitaxial garnet film on Gd Ga garnet (111) plane (4) 99*e*.
Hattori, Kenichi See Kitsuda, Toshiyuki
Haubenreisser, W. See Loeser, W.
Haubert, P. See Knauf, A. N. ; Kroenert, W.
Haubold, Guenther See Potocnik, Kurt
Haueisen, Donald Carl, and Mahr, H. Resonant second-harmonic generation in the exciton region of CuCl and ZnO (9) 198*b*.
Haus, Jan F. Apparatus for spraying refractory lining, P (8) 167*j*.
Hauser, J. J. Electrical and structural properties of amorphous metal-metal oxide systems (8) 175*f*.
Hauser, Victor E., Jr., Panousis, Peter T., and Wohlheiter, Vincent D. Removal of dielectric ledges on semiconductors, P (2) 43*d*.
Hausner, H. H. Application of the sintering theory in practice (6) 128*i*.
Hausner, Robert See Libal, Werner
Hausswolfl, Siegfried Sr formate nonlinear device, P (7) 151*g*; Method for obtaining a harmonic freq. using a K bromate nonlinear optical component, P (10) 211*h*.
Havens, William D., and Miller, Sol Method of protecting colloidal SiO_2 aquasols from bacterial degradation, P (10) 214*i*.
Haverstraw, Robert C., and Landis, George G. Electrode for arc welding in air, P (2) 33*g*.
Hawkins, Donald T. See Connolly, T. F.
Hawkley, B., and Paveley, A. J. Heat exchangers, P (8) 173*g*.
Hawrylo, Frank Z., and Pankove, Jacques I. Method of epitaxially depositing Ga nitride from the liquid phase, P (9) 191*g*.
Hawthorne, J. D. See Osterheld, R. K.
Hay, J. Douglas Apprenticeship—an old tradition revived (10) 201*h*.
Hay, J. M. See Nadeau, John S.
Hay, William J., Jr. Combined stain-retardant and separator interleaving material for glass sheets, P (8) 165*h*.
Hayakawa, H., Yoshisato, Y., and Mikoshiba, N. Carrier transport and current oscillation in $Bi_{12}GeO_{20}$ in the "relaxation semiconductor regime" (9) 194*h*.
Hayakawa, Shigeru Light-intensifying device, P (6) 132*e*. See Hikino, Tadashi ; Hirose, Namio ; Matsuo, Yoshihiro ; Wasa, Kiyotaka
Hayami, Hisaharu See Kawamura, Junichi
Hayanaka, Akio, and Taniguchi, Kenji Semiconductor device and a method of fabricating it, P (7) 151*d*.
Hayashi, Hideo See Takahashi, Akira
Hayashi, Hiromu, and Watanabe, Teiji Properties of thoria obtained by thermal decomposition of Th salts (7) 157*e*.
Hayashi, I. See Miller, B. I.
Hayashi, Izuo See Pinkas, E.
Hayashi, Kunio, Fukui, Masao, and Uei, Isao Apparatus for thermal conductivity measurement of refractory bricks by the hot wire method (10) 212*j*.
Hayashi, Mitsuhiko Shift of Curie temp. of $BaTiO_3$ due to two-dimensional pressure (7) 158*b*; Kinetics of domain wall motion in ferroelectric switching: I, General formulation; II, Application to $BaTiO_3$ (8) 177*i*.
Hayashi, Shinsuke, and Saito, Hajime Morphology and internal structure of MgO whiskers (10) 217*h*.
Hayashi, Takeshi, and Onuki, Masami Thin-film capacitor and method for the fabrication thereof, P (10) 211*g*.
Hayashi, Yutaka See Tarui, Yasuo
Hayashi, Yutaka, and Tarui, Yasuo High-freq. IGFET with protective diodes, P (7) 170*c*; Diffusion self-aligned MOSFET with pinch-off isolation, P (11) 230*i*.
Hayes, John C. Four-step procedure for regenerating a catalyst containing Pt, Re, and halogen, P (5) 119*f*. See Mitsche, Roy T.
Hayes, John C., and Sobel, Jay E. Making alumina fibers from a mixture of alumina sol and hexamethylenetetramine, P (10) 209*a*.
Hayes, W. See Harmer, A. L.
Hayman, Cecil See Lewin, Ronald H.
Haynes, Harold L. See Morrison, Albert R.
Hayns, Michael R. Semiempirical molecular-orbital treatment of the U band in LiF:H^- (7) 157*j*.
Hays, Robert G. Method of making ultrafine geometry planar semiconductor devices, P (2) 42*j*.
Hays, Robert G., Pennell, Ronald C., Reed, Edwin E., and Volk, Charles E. Method of doping semiconductor substrates, P (9) 191*f*.
Hayter, Sidney W. See Baker, Richard D.
Haywood, B. C. G., and Collins, M. F. Optical phonons in MnO (1) 25*j*.
Hazra, A. K. See Pal, D. K.
Heady, R. B., and Cahn, J. W. Experimental test of classical nucleation theory in a liquid-liquid miscibility gap system (3) 78*j*.
Heald, David L., and Hahn-Kennedy, James W. Switching transistor with memory, P (11) 231*i*.
Healy, G. W. See Brezny, Bohuslav
Heath, George E. Radiation-convection heating system, P (11) 233*g*.
Heath, Russel V. Method of dewaxing shell molds, P (3) 67*f*.
Heaton, Richard A. Pressurizer apparatus for glass ribbon machine, P (4) 89*c*.
Hecht, Norman L. See Gerdeman, Dennis A.
Heckel, Emil See Meyer-Simon, Eugen
Heckel, Klaus, and Maier, Horst R. Effect of stress concentration on the bending fracture of polycrystalline alumina (11) 234*i*.
Hecker, R. R. See Holmes, L. M.
Hedge, M. S. See Bhide, V. G.
Hedgecock, N. E. See Chow, S. L.
Hedvall, J. Arvid Effect of solid-state reactions at relatively high temps. on the production of ceramic materials (5) 116*b*.
Heetman, Jakobus Scratch resistance tester, P (5) 118*d*.
Hegarty, Brian A., and Trevall, Lewis H. High heat dissipation solder-reflow flip-chip transistor, P (11) 230*d*.
Hegenbarth, E. See Frenzel, C.
Hegyi-Pako, Julia Derivatographic study of hydrothermal rock transformations (6) 137*c*.
Hegyi-Pako, Julia, and Vitalis, Gyorgy Genetic types of raw materials for the Hungarian cement industry (1) 2*h*.
Heid, Kermit Thin-film high sheet resistivity material (10) 210*b*.
Heider, Gerald L. Control of industrial waste water (9) 183*i*.
Heidt, Guenther, and Heinzke, Guenther Kinetics and mechanism of solderless metal-to-ceramic seals (7) 149*d*.
Heilbraun, Roberto, Arribada, Jorge, and Vilaro, Josefina Anhydrite (10) 215*g*.
Heilner, E. J. See Gyorgy, E. M.
Heinzke, Guenther See Heidt, Guenther ; Kieffer, Richard
Heinzke, Guenther, Beisler, Walter, von Andrian-Werburg, Hanns, Grisz, Peter, and et al. Alumina ceramic bone implants (1) 11*b*.
Hein, Gary Electrostatic deposition of powdered frit (9) 183*j*.
Hein, Hilmar Goetz See Berthold, Hans Joachim
Heindl, Rudolf See Loriers, Jean
Heinicke, Gerhard See Skorik, Yu.
Heinonen, P. See Hukki, Risto T.
Heinss, Bruno F. Process for ceramic composites, P (3) 69*a*.
Heinz, Hans See Gerlach, Otto
Heinz, K. See Junker, K.
Heinze, Gerhard See Dorn, Ludwig
Heinze, Gerhard, Reiss, Gerhard, Schwuchow, Friedrich, and Ulrich, Gunter Zeolite adsorbents, P (3) 76*c*; Glass-fiber-reinforced zeolite granules, P (7) 153*e*.
Helbing, Clarence H. See Etzel, James E.

Heidt, Kurt, and Lappe, Hans Tunnel kiln, P (8) 173*a*.
Helfen, Ralph K. Method of mfg. piezoelectric resonators for controlling the coupling coeff. thereof, P (2) 42*b*.
Helger, Roland Agent and method for determination of Ca, P (8) 172*f*.
Heller, Adam See Silver, H. Graham
Heller, Harold L. See Eberl, James J.
Heller, Lawrence G. See Arnett, Patrick C.
Heller-Kallai, L., Yariv, S., and Riemer, M. Formation of hydroxy interlayers in smectites under the influence of organic bases (6) 138*c*.
Hellier, J. O., Keevert, J. E., Kelly, T. M., and Merrigan, J. A. Doping of Ag bromide by ion implantation (8) 175*f*.
Hellyer, Walter C. See Lapat, Philip E.
Helphrey, D. B. See Rao, K. J.
Helsen, J. See Vande Poel, D.
Helser, Jerry L. Slaking quicklime in aqueous Na/K silicate solution in mfg. of hydrous Ca silicate products, P (4) 85*j*.
Helser, Jerry L., and Shannon, Richard F. Method of producing Ca silicate hydrate insulation material devoid of asbestos, P (7) 148*c*.
Helsin, Thomas M. Effects of simulated solar radiation on the transmission of MgF_2 and cryolite thin films (7) 145*b*.
Helz, Rosalind Tuthill Phase relations of basalts in their melting range at P_{H2O} = 5 kbars as a function of O fugacity: I, Mafic phases (2) 54*j*.
Hemmat, Naim, and Wald, Fritz V. Method of producing Cd telluride crystals, P (3) 71*f*.
Hemphill, R. B. See Chivian, Jay S.
Hemseth, Klaus H. See Nesbitt, John D.
Henstreet, L. A., Jr., and Fong, C. Y. Electronic band structure and optical properties of 3C-SiC, BP, and BN (8) 175*i*.
Hench, L. L. See Clark, D. E. ; Pantano, C. G., Jr. ; Sanders, D. M.
Hench, L. L., and Sanders, D. M. Analysis of glass corrosion (7) 145*g*; Analysis of glass corrosion (8) 163*e*.
Henderson, B. See Tohver, H. T.
Henderson, Brian, and Bowen, D. H. Radiation damage in MgO: I, Dose dependence of reactor damage (1) 27*i*.
Henderson, Brian, Bowen, D. H., Briggs, A., and King, R. D. Radiation damage in MgO: II, Effect of preirradiation annealing in H (1) 27*j*.
Henderson, Brian, Chen, Y., and Sibley, W. A. Temp. dependence of luminescence of F^+ and F centers in CaO (8) 179*g*.
Henderson, Brian, Wertz, John E., Hall, Timothy P. P., and Downing, R. D. EPR study of vacancy-impurity association in MgO (1) 23*f*.
Henderson, David J., and Godich, Mike, Jr. Changing lift-out rolls supporting a continuous ribbon of glass, P (1) 7*a*.
Hendrickson, J. R., and Bray, Philip J. Theory for the mixed alkali effect in glass: II—correction (2) 35*f*.
Hendry, A. W. See Khoo, C. L. ; Morton, J.
Hendry, A. W., Sinha, B. P., and Maureubrecher, A. H. P. Full-scale tests on the lateral strength of brick cavity walls with precompression (10) 207*e*.
Henkel, Hanno, Zirngibl, Hans, and Rademachers, Jakob Production of TiO_2 concentrates from materials containing ilmenite, P (2) 48*g*.
Henker, Heinz Method of producing insulated semiconductor regions, P (4) 94*g*.
Hennequin, Francois M. Shaping rotating hollow bodies [parisons] of thermoplastic materials with fluid jets, P (10) 207*d*.
Heuney, John W., and Jones, James W. S. Si_3N_4 ceramics, P (9) 189*c*.
Heunicke, Hans W. See Hahne, Gerold
Heunicke, Hans W., and Gruenling, Hermann W. Process for the production of metal-ceramic [Al_2O_3] bond, P (7) 150*j*.
Heunicke, Hans Walter See Din, Ahmad
Heuning, J. C. M. See van Gorkom, G. G. P.
Heuning, J. C. M., den Boef, J. H., and van Gorkom, G. G. P. ESR spectra of nearest-neighbor Cr^{3+} pairs in the spinel $ZnGa_2O_4$ (8) 176*d*.
Heuning, J. C. M., and van den Boom, H. ESR investigations of nearest-neighbor Cr^{3+}-Cr^{3+} interactions in Cr-doped spinel $MgAl_2O_4$ (9) 196*b*.
Heuning, John C. M. See van den Boom, H.
Heuning, Stephen M. Fabrication of mesa diode with channel guard, P (9) 190*i*.
Heuning, Wolfgang, Von Hoerschelmann, Konstantin, Krueger, Ingo, and Weidlich, Herbert Method of producing a [Si_3N_4] semiconductor component, P (8) 170*a*.
Heuningen, T. See Hopkins, Richard H. ; Steinbruegge, K. B.
Heusler, Donald H., Ross, Alexander R., Steidel, Charles A., Trudel, Murray L., and et al. Technique for the fabrication of thin-film resistors, P (4) 94*h*.
Heusley, Eugene B. See Kappers, Lawrence A.
Heuson, C. T. See Baab, K. A.
Heutzchel, Hanspeter P. K. Vacuum-evaporated thin-film resistors, P (2) 44*g*.
Hepner, Leonard S. Catalytic cracking with catalyst of zeolite in weighted matrix, P (4) 97*c*.
Herbert, Stan Diamond adds precision to the ceramic component (4) 83*d*; Diamond adds precision to the ceramic component (8) 161*e*; British craftsmen's 95% saving (9) 181*e*; High-speed diamond helps take the discomfort out of dentistry (9) 181*f*; Vibrating diamond adds the fine detail (9) 181*g*.
Herchenbach, H. High-pressure gas burners for rotary kilns (8) 173*e*.
Hercules, David M. See Nichols, Gary D.
Herczog, Andrew See Asher, John W.
Herman, C. E. See Anderson, E. M.
Herman, Herbert (Editor) Treatise on Materials Science and Technology, Vol. 2, B (2) 60*b*.
Herman, Milos, and Weiss, Dalibor Determination of chlorides in rocks using the chloride ionically selective electrode after pyrolysis (11) 232*e*.
Hermosin, A. See Micheron, F.
Herms, Gerhard See Goecke, Wolfhart
Herndon, William H. See Schinella, Richard D.
Herrell, Dennis J. See Berkenblit, Melvin
Herron, R. H. See Ainsworth, J. H. ; Baab, K. A.
Hersey, Avon H. See Ceremsak, Richard J.
Herte, Lawrence F. See Lang, Albert, Jr.
Herzog, Arno H. See Craford, Magnus G. ; Keune, D. L.
Herzog, Arno H., Keune, D. L., and Craford, Magnus G. High-efficiency Zn-diffused GaAs electroluminescent diodes (2) 40*e*.
Hersog, Donald G. See Joy, Patrick F., Jr.
Hes, Lubos Application of electrical analogy to temp. relations during the mfg. of some glass products (11) 223*d*.
Hess, Martin S. See Castrucci, Paul P.
Hesse, E. See Leusden, C. O. P. ; Piltz, G.
Hesser, A. H. See Pletka, B. J. ; Wiederhorn, S. M.
Heurtel, Alain See Suran, Gabriel
Heverly, Harold R. See De Long, William T.
Heyerdahl, Norman E. Method of making IGFET, P (4) 94*c*.
Heylen, Paul R. See Wurm, Joseph
Heyman, Philip M. See Faughnan, B. W.
Heyse, Clarence A. Glass feeder shear mechanism, P (1) 7*f*; Glass feeder shear mechanism, P (3) 64*i*; Method of shearing molten glass, P (8) 166*b*. See Amberg, Stephen W.
Heynick, Louis N. See Spindt, Charles A.
Heynisch, Heinrich, Kellerer, Josef, and Schneider, Walter Disk-sealed electron discharge tubes, P (8) 165*j*.
Heytmeijer, Herman R. See Graff, Eugene A.
Heywood, A. E. Production of optical glass fibers—special fiber optic grade of Pt (1) 5*h*.
Hibbins-Butler, D. C. See Bell, R. J.
Hibino, Taizo See Miura, Eiji
Hick, Brian K. See Duncan, James H.
Hickernell, F. S. Dc triode sputtered ZnO surface elastic wave transducers (8) 168*i*.
Hickmott, T. W. Thermoluminescence and color centers in rf-sputtered SiO_2 films (3) 70*c*.
Hickok, Robert L. See Vincent, Thomas C.
Hicks, James C. See Farris, Robert E.
Hicks, John F. G., and Dikeman, Randi D. Densities of a molten Na-Zn borosilicate glass (4) 86*i*.
Hicks, John W., Jr. Method of forming composite fiber bundle, P (4) 88*e*.
Hidaka, Takehiko Theory of the piezoelectricity of Zn-blende-type and wurtzite-type crystals (7) 159*d*.
Hieber, K., and Meyer, A. Temp. coeff. of resistance of bulk Ta_2N (7) 158*f*.
Hierholzer, Frank J., and Ancona, John A. [Laser beam] method of making coherent shape of SiC, P (2) 39*a*.
Hiersant, J. P., Forler, R. P., and Van Cakenberghe, J. Influence of O on electron trapping by the surfaces of metal oxides [NiO, CuO, ZnO] (2) 52*h*.
Hiestand, David F. See Provenzano, Joseph C.
Hiester, A. E. See Cruz, J. E.
Higashi, Kazuhiro See Uekusa, Genzo
Higashi, Mikio See Hikino, Tadashi
Higashimoto, Michitake See Goto, Yasumasa
Higham, James B. See Shepherd, Gerald
Highberg, Carle W., and Roesch, George R. Sheet glass core drilling machine, P (10) 207*d*.
Higuchi, Hisayuki See Mori, Takaaki ; Nanba, Mitsuo
Higuchi, Izumi See Katsuzawa, Hideo
Hihara, Fumiaki See Toda, Masumi
Hikino, Tadashi, Mikoda, Masanari, Hayakawa, Shigeru, Higashi, Mikio, and et al. Method for making magnetic head composed of ferrite, P (9) 191*i*.
Hilbig, Gerhard The λ^{-4} law of light diffusion in glass (8) 165*d*.
Hilbig, M. Modern process automation in the cement plant (10) 202*f*.
Hildebrandt, Ulrich See Stannek, Wolfgang
Hildreth, Clarence L. Method of beneficiating ores, P (6) 136*h*.
Hilfman, Lee Hydrocarbon hydroprocessing catalyst, P (11) 233*e*.
Hilker, E. See Piltz, G.
Hill, D. E. See Wolfe, C. M.
Hill, Edward J., and Burgess, James H. Velocity measurements of microwave ultrasonic waves in quartz (8) 180*j*.
Hill, Guenter Strains in tiling (7) 148*h*.
Hill, Homer G. See Wong, Robert
Hill, Howard W., Kaznoff, Alexis I., and Marlowe, Mickey O. Ceramic fuel fabrication process providing controlled density and grain size, P (8) 171*i*.
Hill, James E., Goss, John C., and Prescott, Roger Properties of pultruded composites containing high modulus graphite fibers (9) 188*c*.
Hill, K. See Carlier, R.
Hill, O. F. See Brice, J. C.
Hilliard, Owen R. See Mercer, Alan C.
Hills, G. J., Schiffrin, D. J., and Thompson, J. Monolayer formation in the reduction of Ni and Ag ions from the LiCl-KCl eutectic (2) 54*d*.
Himmelstein, Paul See Krauth, Horst A. K.
Hinde, A. L. Review of real-time particle-size analyzers (3) 74*e*. See Bradley, A. A.
Hinder, J. W. Man-and-wife potters—Peter Zweifel and Sonngard Zweifel-Saenger (1) 1*h*; Modern German ceramics in Rotterdam (1) 1*j*; Great German ceramist Arno Lehmann dies at Hohensalzburg (5) 105*g*.
Hing, P., and Groves, G. W. Strength and fracture toughness of polycrystalline MgO containing metallic particles and fibers (6) 129*j*; Microstructure and fracture properties of MgO crystals containing a dispersed phase (7) 156*j*.
Hinley, John J., and Gibson, John Apparatus for the treatment of [inorganic] pigments, P (11) 233*d*.
Hinley, John J., and Goldsbrough, Keith Treatment of pigments, P (2) 48*i*.
Hinley, John J., Milne, David G., and Goldsbrough, Keith Pigments, P (9) 189*j*.
Hinteneberger, Karl Vacuum oven for firing ceramic facings, P (5) 118*j*.
Hinton, Jonathan W., and Williams, Claude L., Jr. Tests for extractable Pb in glaze slips (10) 209*b*.
Hinz, Paul See Dislich, Helmut
Hirabayashi, M. See Asano, H.
Hirabayashi, Makoto See Hiraga, Kenji
Hirabayashi, Masaya See Sugiura, Masatoshi
Hiraga, Kenji, and Hirabayashi, Makoto Long range ordering of interstitial O in V near V_4O (6) 139*f*.
Hirahara, Eiji See Nakai, Jun
Hirai, Tadaaki, Maruyama, Eiichi, and Inao, Kiyohisa Method of making photoconductive film, P (1) 14*e*.
Hirai, Yoshio See Seki, Masao
Hirakawa, Kinshiro, and Ikeda, Hironobu Investigations of two-dimensional ferromagnet K_2CuF_4 by neutron scattering (10) 217*g*.
Hirano, Masahiko See Ohno, Katsuhiro
Hirano, Shinichi See Sugai, Mikio
Hirao, Genyu Study of windshield glass fracture caused by flying objects on expressway (8) 165*a*.
Hiraoka, Genzo See Mori, Masasi
Hirashima, Hiroshi, and Yoshida, Tetsuro Freq. dependence of electrical resistance and the structure of molten oxide systems PbO-B_2O_3 and Na_2O-B_2O_3 (8) 176*f*.
Hirayama, Chikara Stress grading coatings for insulators, P (6) 130*i*; Glass-to-metal seals comprising relatively high expansion metals, P (9) 186*g*.
Hirche, D. See Nuernberg, H. W.
Hircq, Bernard Apparatus for atomic absorption spectrophotometry, P (6) 134*g*.
Hironaka, Hiroji See Matsushita, Hiroshi
Hirose, Namio, Matsuo, Yoshihiro, and Hayakawa, Shigeru Production of $BaTiO_3$ ceramics having a positive temp. coeff. of electrical resistance, P (9) 191*i*.
Hirotsu, Shunsuke See Sawada, Shozo
Hiruma, Eikyu See Toyonaga, Ryuya
Hisada, Eiichi See Yoshikawa, Takayuki
Hisatake, Keizo, Nakayama, Kaoru, and Ohta, Keizo Electrical breakdown phenomenon in ferrites (4) 92*i*.
Hisatake, Keizo, and Ohta, Keizo Low-freq. magnetic resonance observed in the thermal change of the permeability of ferrites (4) 92*g*.
Hjertea, Inger, and Nyberg, Birgit Crystal structure of $Tl_2Cu(SO_3)_2$ (3) 77*a*.
Hlawiczka, P., and Witcomb, M. J. Structure and flux penetration in superconducting Nb films sputtered on metallic substrates (8) 169*d*.
Ho, Irving T. See Doo, Ven Y.
Hoag, E. D. See Douglas-Hamilton, D. H.
Hoare, Raymond A., and McQuhae, Kenneth G. Mfg. of bipolar semiconductor devices, P (1) 14*i*.
Hobbs, B. S., and Tseung, A. C. C. Anodic oxidation of H on platinized W oxides: II, Mechanism of H_2 oxidation on platinized WO_3 electrodes (5) 113*j*.
Hobson, A. D. See Smith, Wilfred L.
Hochdahl, O. Effect of recycling rate in closed-circuit grinding on particle-size distribution and strength of cement (2) 32*a*.
Hochuli, Urs E. Seal [Au films] and method of making, P (4) 89*g*.
Hoda, Syed N., and Chang, Luke L. Y. Phase relations in the system Bi_2O_3-WO_3 (8) 178*f*.
Hodge, J. D. See Tremper, R. T.
Hodges, Frederick R. Method for forming a drinking receptacle, P (5) 110*b*.
Hodges, Robert J. Magnetic powder handling arrangement, P (4) 93*j*.
Hodgkinson, H. R. See Astbury, N. F. ; West, H. W. H.
Hoechli, U. T. Elastic constants and soft optical modes in Gd molybdate (8) 175*c*. See Boiteux, M.
Hoecker, K. H. Apparatus for the conduction or exchange of heat, P (5) 118*g*.
Hoefer, Gerhard See Baeumler, Peter ; Sakata, Tamio
Hoeffken, Erich See Abele, Karl-Heinz
Hoeffken, Erich, and Pflipsen, Heinz-Dieter Use and economics of combined converter linings (9) 188*a*.
Hoehle, Hans W., Koltermann, Manfred, and Scheel, Ruediger Experience with magnesite hot metal mixer brick of various compositions (5) 111*i*.
Hoehne, Reinhard See Storp, Klaus
Hoekstra, H. R., and Siegel, S. U trioxide-water system (3) 72*j*.
Hoekstra, James Method of depositing a high surface area alumina film on a relatively low surface area support, P (2) 48*a*; Method of catalyst mfg. by impregnating honeycomb-type support, P (5) 119*g*.
Hoeneisen, B. See Neville, R. C.
Hoens, M. F. A. Quality and costs with direct-on white (6) 126*d*.
Hofelich, I. See Kemmler-Sack, S.

Hofer, Hermann F., and Schmid, Alois Method for carrying out endothermic processes in a shaft furnace, P (3) 75*c*.
Hoffman, B. See Scheibe, Wolfgang
Hoffman, George W. See Granquist, W. T.
Hoffman, George W., and Granquist, William T. Kaolinite coated with synthesized layer-type silicate minerals, P (10) 214*f*.
Hoffman, Lewis C. Nonreducible partially crystallized cross-over dielectrics, P (10) 211*j*.
Hoffmann, Brigitte Influence of grinding aids on mechanical activation of MgO for sintering (7) 147*e*.
Hoffmann, H. Precoated steel sheets for direct-on white enameling (10) 203*b*.
Hoffmann, Hans Economic aspects for enameled wares (5) 107*d*.
Hoffmann, Hans, Troegel, Gerhard, Immel, Waldemar, and Knaak, Eberhard Process for pretreating steel plates for enameling, P (1) 3*i*.
Hoffmann, Heinz Mechanical activation of expanded clays (2) 45*c*.
Hoffmann, K. Grinding media of high wear resistance (2) 45*b*.
Hoffmann, Ladislav See Hoppe, Rudolf
Hofmann, Ulrich, and Untucht, Michael Mineral content of stoneware clays before and after firing (8) 177*i*.
Hofmann, Ulrich, and von Rappard, Elena Allevardite (2) 48*j*.
Hoge, C. E., and Park, J. A. Thermodynamics of solid state sintering (7) 159*g*.
Hogg, Walter R. Scanner element for Coulter particle apparatus, P (3) 74*d*; Pulse width stabilizing method and apparatus [particle size], P (10) 213*b*. See Coulter, Wallace H. ; Doty, Edward N. ; Klein, Robert I.
Hohlfeld, Harald See Schuller, Wolfgang
Hoinkes, H., Nahr, H., and Wilsch, H. Scattering of atomic O from (001) LiF (8) 179*b*.
Hoinkis, E. Surface interactions of iodine with Fe_3O_4 (2) 56*c*.
Holcombe, C. E., Jr. See Duerksen, Walter K.
Holcombe, C. E., Jr., and Powell, G. L. Fabrication of thermally stable oxide-coated metal crucibles and thin walled ceramic articles (1) 9*b*.
Holden, B. J. See Ullman, Frank G.
Holden, Jean, and Mellows, Frank W. Photoconductive ZnO coating containing calcined clay, P (8) 170*e*.
Holladay, J. R., and Wydeven, T. Plasma chemical synthesis of higher oxides of Cs and Rb (3) 81*a*.
Hollan, Laszlo Liquid solution method of epitaxially depositing a semiconductor compound, P (1) 14*h*.
Hollander, Edward F., Jr. Whisker oven and method, P (10) 209*g*.
Hollenbeck, Arthur J. Method and apparatus for detecting flaws in continuous length tubular glass, P (4) 88*b*.
Hollenbeck, T. M., Nagle, D. C., Walker, P. L., Jr., and Bradt, R. C. CVD infiltration strengthening of a molded graphite (10) 208*d*.
Holleck, Chr. See Wittmann, F. H.
Holley, C. E., Jr. See Baker, Floyd B. ; Fitzgibbon, George C.
Holley, Charles E., Jr. See Fitzgibbon, George C.
Hollingsworth, Elvin R. Apparatus for forming a blown bottle having a chime in the shoulder portion thereof, P (4) 87*f*.
Holloway, D. G. See Gunasekera, S. P.
Holloway, H. See Logothetis, E. M.
Holloway, J. R. See Kesson, S. E.
Holloway, John R., and Reese, Robert L. Generation of N_2-CO_2-H_2O fluids for use in hydrothermal experimentation: I. Experimental method and equilibrium calculations in the C-O-H-N system (10) 216*d*.
Holm, Birgit Jensen See Holm, Jan Luetzow
Holm, Jan Luetzow Enthalpies of formation of the solid compounds K_2MgCl_4, Rb_2MgCl_4, Cs_2MgCl_4, $KMgCl_3$, $RbMgCl_3$, and $CsMgCl_3$ (3) 78*e*; Structure of molten Na tetrafluoroaluminate, $NaAlF_4$ (3) 81*e*. See Grjotheim, Kai
Holm, Jan Luetzow, and Groenvold, Fredrik Enthalpy of fusion of SmF_3 (2) 51*e*; Enthalpy of fusion of $MgCl_2$ (3) 78*f*.
Holm, Jan Luetzow, Holm, Birgit Jensaen, and Roetnes, Mikal Thermodynamic and structural properties of solid and molten Na Mg fluoride (2) 57*j*.
Holm, Reiner See Noll, Walter
Holmberg, S. See Arnoldussen, T. C.
Holmes, Curtis L., and Brady, Lynn J. Electrically conductive element and method of making, P (4) 93*d*.
Holmes, L. M., and Van Uitert, L. G. Magnetoelectric effect and metamagnetic transitions in $DyAlO_3$ (7) 156*i*.
Holmes, L. M., Van Uitert, L. G., Hecker, R. R., and Hull, G. W. Magnetic behavior of metamagnetic $DyAlO_3$ (7) 156*h*.
Holm-Kennedy, James W. See Heald, David L.
Holonyak, N., Jr. See Macksey, H. M.
Holonyak, N., Jr., Sciffres, D. R., Macksey, H. M., and Dupuis, R. D. Long-wavelength shift in the operation of lightly doped semiconductor lasers (3) 70*c*.
Holowka, Jaroslaw A., and Lerner, Martin L. Etch-back screening, P (3) 64*g*.
Holst, P. See Winkler, G.
Holt, Albert C. See Ree, Francis H.
Holt, J. B. Thermal diffusivity of Be_4B, Be_2B, and BeB_6 (4) 164*a*.
Holton, W. C. See Riseberg, L. A.
Holtz, F. Determination of the MOS flat-band condition by electroreflectance and capacitance measurements (10) 213*d*.
Holtzapfel, W. B. See Syassen, K.
Holzer, Helmut, and Scherber, Werner Method of producing a semiconductor device, P (2) 42*j*.
Holzhauer, Rudolf Abrasive medium comprising short fibers in a synthetic resin binder, P (2) 31*g*; Abrasive medium, P (5) 105*i*.
Holzinger, Klaus, and Breslmair, Gert Reorganization of the clay transport system from the quarry at a brickworks (4) 95*g*.
Homan, Douwe M. See Visser, Reier
Homma, Isamu See Momoi, Toshimitu
Hommel, Ernest M. See Carini, George F.
Hommel, Richard O., and Berman, Gary W. Federal and state pollution regulations and their effect on heavy metals removal (10) 220*h*.
Homma, Masao See Otsuka, Hitoshi
Hong, H. Y-P. See Goodenough, J. B.
Hong, H. Y-P., Kafalas, J. A., and Goodenough, J. B. Crystal chemistry in the system $MSbO_3$ (10) 215*d*.
Hong, Yun Myung, Lee, Hee Seo, and Hyun, Sang Hoon Activated SiO_2 gel: II, Selective adsorption capacity of SiO_2 gel (10) 215*f*.
Honig, J. M. See Barros, H. L. ; Shin, S. H.
Honig, J. M., Van Zandt, L. L., Board, R. D., and Weaver, H. E. Study of V_2O_3 by X-ray photoelectron spectroscopy (8) 179*a*.
Honzo, Jiri Melting optical glasses in Pt pots (11) 224*j*.
Hoobler, Robert E. See Whitacre, John B., Jr.
Hooper, Henry O., and deGraaf, Adrian M. (Editors) Amorphous Magnetism, B (1) 30*e*.
Hoover, Herbert III See Armstrong, Ramsey C.
Hoover, Karl V. Properties and uses of Pennsylvania shales and clays, southeastern Pennsylvania (6) 135*j*.
Hoover, W. R. See Guess, T. R.
Hopkins, R. H. See Steinbruegge, K. B.
Hopkins, R. H., de Klerk, J., Piotrowski, P., Walker, M. S., and et al. Thermal and elastic properties of silicate oxyapatite crystals (9) 199*i*.
Hopkins, Richard H., Melamed, Nathan T., Heuningsen, T., and Roland, George W. Crystal growth and properties of $Ca\text{-}Y_4(SiO_4)_3O$, a new laser host for Ho^{3+} (2) 49*j*.
Hopkins, Richard H., Roland, George W., Steinbruegge, Kenneth B., and Partlow, William D. Ca-containing silicate oxyapatite lasers, P (5) 114*e*.
Hopkins, Richard H., and Seidensticker, R. G. Redistribution of Ho and Cr during Czochralski growth of fluorapatite (2) 55*a*.
Hoppe, Rudolf, and Hoffmann, Ladislav A^1LnO_2-type ternary oxides of the rare earths (A = Li-Cs), especially $NaGdO_2$ and $NaErO_2$ (9) 194*a*.
Hoppe, W. Devices for carrying out X-ray microstructure measurements on an anomalously scattering monocrystal, P (2) 47*i*.
Hopper, R. W., and Uhlmann, Donald R. Effects of electric fields on spinodal decomposition (2) 33*h*.
Horai, Kazumi See Saiki, Kunio
Hori, Makoto, Rokudo, Nerumitsu, and Ishiguro, Toshiyuki Liquid fuel burner, P (7) 153*f*.
Hori, Ryuzo See Shimizu, Shozo
Horio, Masakazu See Maeda, Takehisa
Horiuchi, Hiroyuki, Tokonami, Masayasu, Morimoto, Nobuo, and Nagasawa, Koichi Crystal structure of V_4O_7 (3) 77*a*.
Horiuchi, Takashi See Sakata, Tamio
Horn, George M. Right spherical segment glass shell to metal joint, P (1) 8*d*.
Horn, Heinz See Gebhardt, Franz
Horn, Larry L. Glass container handling apparatus, P (4) 88*f*.
Horn, William See Auskern, Allan
Horne, Otis J., Jr. See Smith, Wesley E.
Horner, J. T. See Sharp, M. R. G.
Horsreich, R. M. See Gorodetsky, G.
Hornstra, J., and Keulen, E. O parameter of the spinel $Zn\text{-}Ga_2O_4$ (1) 26*a*.
Horowitz, D. J. See Miller, J. E.
Horowitz, D. J., Gillespie, L. F., Miller, J. E., and Sharp, E. J. Lasing action of Nd^{3+} in a crystal [of] $Ba_2ZnGe_2O_7$ (3) 79*j*.
Horrigan, Marion F. See Miller, John B.
Horrocks-Taylor, J. P. Metric modular brickmaking problems (4) 89*f*.
Horsey, R. S. See Newnham, R. E.
Horsting, Carel W. See Freedman, Norman S.
Horton, Robert, and Williamson, William J. Interference patterns of a plane-polarized wave from a hollow glass fiber (9) 185*a*.
Horton, Robert A. Compositions and methods for making molded refractory articles, P (3) 67*a*; Semipermanent refractory [wollastonite] molds and mold parts, P (8) 168*h*; Method for forming ceramic shell molds, P (10) 209*b*.
Hosaka, Gihe, Daimon, Masaki, Goto, Seishi, and Kondo, Renichi Early strength of hardened alite mortars with 3CaO. Al_2O_3 and $CaSO_4.2H_2O$ (4) 84*g*.
Hosegood, Samuel B. See Lockett, George E. ; Shepherd, Leslie R.
Hoshi, Kinji See Suzuki, Toshihiko
Hoshino, M. See Yanagi, M.
Hoshino, Yoshio See Akimoto, Yasumasa ; Toide, Takashi
Hosokawa, Norio, and Kodera, Yokchi Anisotropic work hardening (6) 136*h*.
Hosokawa, Yoshihiro See Yamashita, Sadahiko
Hou, Kenneth C. Modification of C fiber surface characteristics, P (2) 39*d*.
Hou, S. L., Lauer, R. B., and Aldrich, R. E. Transport processes of photoinduced carriers in $Bi_{12}SiO_{20}$ (9) 199*c*.
Houdaille, J. C. Method and apparatus for producing sealed lengths of glass tubing, P (2) 36*d*.
Hough, Harold L. See Audesse, Emery G.
Houllihan, John F., and Roy, Rustum Lattice energies of Ti_nO_{2n-1} phases and the related homologs V_nO_{2n-1} and $Ti_nCr_2O_{2n-1}$ calculated from crystal-chemical parameters (6) 139*d*.
Houseman, D. H. Fusion-cast and composite refractories in the steel industry (5) 111*b*.
Housh, Lloyd M. See Paul, David E.
Houston, John M. Inverted-image multibeam CRT, P (4) 88*h*; X-ray image intensifier input phosphor screen and method of mfg., P (5) 118*e*.
Hovasse, Christian See Allemand, Pierre
Hovis, James E., and Fiske, Harry P. Adjustable flame burner, P (3) 74*i*.
Howard, David E. See Thompson, Michael R.
Howard, David Sanctuary Chinese Armorial Porcelain, B (9) 200*a*.
Howard, Richard L., and Sullivan, James K. Beneficiation and hot briqueting of phosphate ores by removing −400-mesh fines, P (3) 75*i*.
Howard, Roger See Eldridge, J. E.
Howat, D. D. See Rennie, M. S.
Howe, David G., and Meussner, Russell A. Method for enhancing V_3Ga thin-film growth, P (9) 191*f*.
Howell, Robert G. Electrical resistance material and method of making, P (7) 149*j*.
Howells, Norman C. Mold wash composition [$KZrF_5$], P (3) 67*g*.
Howes, M. J. See Morgan, D. V.
Howorth, Jonathan Rose Evacuated electron discharge tubes, P (5) 109*f*.
Hoyte, Alfred F. See Chung, David Y.
Hribar, J. A. See Schacht, C. A.
Hrma, Pavel, and Satava, Vladimir Model for strength of brittle porous materials (3) 80*i*.
Hrma, Pavel, and Sramkova, Alexandra Rate of dissolution of a solid body in liquid meniscus at free density convection (11) 235*d*.
Hruby, A. See Stourac, L.
Hruska, S. J., and Pocker, D. J. Application of cluster growth rates to heterogeneous nucleation theory (9) 194*e*.
Hsu, P. See Niyogi, A. K.
Hsu, Ta Lin See Poplawsky, R.
Hu, H. L. See Giess, E. A.
Hu, Shih-Ming Method for producing flat composite semiconductor substrates [groups III and V], P (11) 231*b*.
Huang, A. Ben, and Ducoffe, Arnold L. Electrostatic precipitating apparatus and method, P (5) 116*d*.
Huang, Wen H. Stabilities of kaolinite and halloysite in relation to weathering of feldspars and nepheline in aqueous solution (10) 219*e*.
Huang, Wen H., and Keller, Walter D. Gibbs free energies of formation calculated from dissolution data using specific mineral analyses: III, Clay minerals (5) 120*e*.
Huang, Wen H., and Kiang, Wen C. Gibbs free energies of formation calculated from dissolution data using specific mineral analyses: II, Plagioclase feldspars (5) 120*d*.
Hube, Francis, and Malkin, Irving Catalyst for oxidation of hydrocarbons and CO, P (10) 214*e*.
Hubbard, W. M. Double-reverse-scatter interference in optical fiber communication systems (10) 204*e*.
Hubble, D. H. See Kappmeyer, K. K.
Hubble, David H., and Lamont, John A. Method of making a removable bottom for a steelmaking furnace from preformed refractory shapes and resulting product, P (8) 168*d*.
Hubble, David H., and Yount, Joseph G., Jr. Coke-oven patching material, P (10) 208*h*.
Huber, D. L. Critical dynamics of the order-disorder transformation in ferroelectrics (8) 174*f*.
Huber, Elmer J., Jr. See Fitzgibbon, George C.
Huber, Michel See Bernard, Jean Luc
Huber, Willi See Braun, Franz
Huchital, D. A. See Smith, D. L.
Hudson, Ben A. Transfer mechanism for high-speed winders [fiber glass], P (10) 207*g*.
Hudson, Marshall C., and Kapron, Felix P. Metalized coupler for optical wave guide light source, P (1) 7*i*.
Hudson, Rupert O. (Editor) Proceedings. Australasian Vitreous Enamellers' Institute Convention (Vol. 3), B (2) 59*e*.
Hudson, Tom See Devlin, J. Paul
Hudson, Willard G. See Snellman, Donald L.
Huettinger, Klaus J., and Rouplech, Franek Electronic properties studied to explain the mechanism of formation of C during the pyrolysis of resins (1) 9*b*.
Huffcut, Harold W. Porcelain enamel for industrial heat exchangers (11) 223*a*.
Huffman, Tommie R. Method of making semiconductor [integrated circuit] devices, P (8) 170*i*.
Huggins, Maurice L. The structon theory applied to borate glasses (5) 109*j*.
Huggins, R. A., Bube, R. H., and Roberts, R. W. (Editors) Annual Review of Materials Science: Vol. 4, 1974, B (11) 236*c*.
Huggins, Robert A., Bube, Richard H., and Roberts, Richard W. (Editors) Annual Review of Materials Science: Vol. 3, 1973, B (7) 159*f*.
Huggler, A. H., and Weber, B. G. Hip joint prosthesis, P (2) 39*f*.
Hughan, R. R. Oxidation during firing of shale- and basalt-based bodies (9) 187*j*.
Hughes, A. E., and Webb, A. P. Vibronic properties of the F^+ center in SrO (5) 123*g*.
Hughes, D. M. See South, G.
Hughes, Ernest W. See Gibbon, Donald L.
Hughes, F. D. See Gluyas, M.
Hughes, Harry E., Jr., and Wachs, Meyer H. Semiconductor device fabrication using magnetic carrier, P (7) 151*b*.

Hughes, Michael E. Glass pulverizer, P (1) 7*f*.
Hujii, Tooru See Yoshikawa, Takayuki
Hukin, D. A. Crucibles, P (3) 67*b*.
Hukki, Risto T., and Heinonen, P. Closed fine grinding circuit (6) 133*h*.
Hulbert, S. F., Levine, S. N., and Moyle, D. D. (Editors) Materials and Design Considerations for the Attachment of Prostheses to the Musculoskeletal System, B (10) 220*f*.
Hulinsky, Vaclav, and Stanek, Jaroslav Corrosion of Mo electrodes by molten Sb (11) 223*i*.
Hull, Edward M. See Basi, Jagtar S. ; Boss, David W.
Hull, G. W. See Holmes, L. M.
Hulmes, Harold Semiconductor devices, P (5) 115*j*.
Hulse, Charles O., and Batt, John A. Directionally solidified refractory oxide eutectic, P (2) 38*j*.
Humphrey, Clyde W. Bloated fly ash aggregates, P (2) 37*e*.
Humpidge, Richard T. See Paul, Keith T.
Hundere, Ingleiv See Gaudernack, Bjorn
Hunsperger, R. G. See Barnoski, M. K.
Hunsperger, R. G., Wilson, R. G., and Jamba, D. M. Mg and Be ion implanted GaAs (2) 54*c*.
Hunt, Fern E. Plastics and porcelain enamel in refrigerators (9) 183*d*.
Hunter, James B. Preparation of structures with a coating of Al_2O_3/SiO_2 fibers bonded to Al_2O_3 for use as catalyst substrates, P (8) 173*h*.
Hunter, O., Jr. See Manning, W. R.
Hunter, O., Jr., Korklan, H. J., and Suchomel, R. R. Elastic properties of polycrystalline monoclinic Sm_2O_3 (7) 155*g*.
Hurley, Donald L., and Talmage, Charles R. Apparatus for compacting granular material, P (2) 45*f*.
Hurley, G. F. Short-term elevated temp. tensile behavior in O° sapphire filament (7) 158*c*.
Hurley, Thomas P. Multilayer ceramic capacitor and method of terminating, P (9) 191*d*.
Hurst, Vernon J. Viscosity reduction of kaolin by hydrothermal treatment, P (2) 48*j*; Hydrothermal transformation of kaolin, P (3) 76*b*.
Hurtle, Richard L. See Duvall, Ronald N.
Hurtmanns, Heinz See Decker, Hanns
Hurych, Z. See Wood, C.
Hush, Iain Diamonds beat transport on cost (5) 105*e*.
Hutchings, M. T., and Samuelsen, E. J. Measurement of spin-wave dispersion in NiO by inelastic neutron scattering and its relation to magnetic properties (8) 177*g*.
Hutchins, Alma A. Piercing of air suction holes in abrasive sheet material, P (6) 125*e*.
Hutchinson, D. L. See Raudkivi, A. J.
Hutson, Jearld L. High-voltage semiconductor device with plural grooves, P (11) 230*e*.
Hutson, Jerald L. Semiconductor switch devices having improved shorted emitter configurations, P (6) 133*c*.
Hwang, C. J., and Dyment, J. C. Dependence of threshold and electron lifetime on acceptor concentration in GaAs-$Ga_{1-x}Al_xAs$ lasers (10) 215*i*.
Hyde, B. G. See Andersson, Sten
Hyde, Garrett R., Dillon, R. O., Beale, H. A., Spain, Ian L., and et al. Shubnikov-de Haas effects in Bi_2Se_3 with high carrier concentrations (3) 81*j*.
Hyman, Sylvia Raku beads (6) 125*e*.
Hyodo, Shinichi, and Togami, Yuji Static hysteresis of glass fibers (9) 185*d*.
Hyslop, A. E. See Chu, T. L.
Hyun, Sang Hoon See Hong, Yun Myung ; Lee, Hee Soo

Iacconi, P. See Vinocekas, R.
Iacovazzi, Michael A., and Kulig, Constantine W. Glassware [bottles] reject apparatus, P (2) 36*d*.
Iammartino, Nicholas R. Cement's changing scene (10) 202*b*.
Iburuki, Satoru See Minami, Tsutomu
Iberall, E. R. See Adams, J. W.
Ichida, Toshio Moessbauer study of the thermal decomposition products of $BaFeO_4$ (3) 80*i*.
Ichihara, Izumi See Kimura, Shinji
Ichihara, M. See Mitsuhashi, Takefumi
Ichihara, Shoichi, Hara, Haruichi, and Ohara, Takashi Method for the production of an automotive exhaust gas catalyst, P (6) 136*j*.
Ieda, Nobuaki, Yoshimura, Hisanori, and Asaoka, Takashi High speed MOS memory (3) 69*i*.
Iglesias, Juan E., and Steinfink, Hugo Crystal structure of Gd_2Si_2 (6) 137*j*.
Ignat'ev, I. S., and Lazarev, A. N. Refinement of interpretation of vibrational spectra of $Sr_3Si_3O_9$ and $Sr_3Ge_3O_9$ and their solid solutions (9) 198*a*; Vibrational spectra of silicates and germanates with puckered X_3O_9-type rings (9) 199*f*.
Igo, Takeo See Zembutsu, Sakae
Iguchi, Shinichi See Akai, Shinichi
Ihara, Masayoshi See Nagai, Tadashi
Iida, Masanori See Takeda, Toshio
Iida, Yoshio See Masuyama, Takeshi ; Matsuoka, Michio
Iijima, Hiroshi See Toyoguchi, Mitsuru
Iijima, S. See Allpress, J. G.
Iijima, S., and Allpress, J. G. High-resolution electron microscopy of TiO_2-$7Nb_2O_5$ (2) 52*j*.
Iijima, S., Cowley, J. M., and Donnay, Gabrielle High-resolution electron microscopy of tourmaline crystals (10) 217*a*.
Iijima, Sumio See Buseck, Peter R.
Iijima, Yasuo Semiconductor pressure-sensitive transducer, P (1) 15*c*.
Iiyama, J. Toshinichi See Kodama, Hideomi
Iizuka, Matsuo See Kano, Gota
Iizuka, T. See Rozgonyi, G. A.
Ikawa, Katsuichi See Kobayashi, Fumiaki
Ikawa, Katsuichi, Kobayashi, Fumiaki, and Iwamoto, Kazumi Process for chemical vapor deposition of ZrC, P (9) 188*i*.
Ikawa, Tamio New approach to wafer dicing (1) 1*f*.
Ikeda, Heihichi See Kabaya, Yoshihiko
Ikeda, Hironobu See Hirakawa, Kinshiro
Ikeda, Shojiro See Nishi, Sunao
Ikeda, Takahide See Yoshida, Isao
Ikeda, Takuro See Nagai, Tatsuya
Ikeda, Yasuhiko Method of producing semiconductor device, P (7) 150*b*.
Ikeda, Yoshiro See Koizumi, Ken
Ikegami, Takayasu, Matsuda, Shinichi, and Suzuki, Hiroshige Heat of wetting of various BeO powders in water and their sinterability (10) 216*h*.
Ikegami, Takayasu, Mori, Yasumichi, Matsuda, Shinichi, and Suzuki, Hiroshige Surface structure of BeO powders obtained by calcination of sulfate (8) 179*b*; Heats of wetting of various BeO powders in water (10) 216*i*.
Ikezawa, M. See Rolfe, John
Ikonopisov, S., Andreeva, L., and Nikolov, Tz. Photoconductivity in anodic oxide films on Bi (5) 114*i*.
Ikushima, Akira See Kashida, Shoji
Ikuta, T., and Shimizu, R. Nonlinear variation with applied field of the mobility of magnetic domain walls in Y orthoferrite (2) 54*j*.
Il'chenko, L. N. See Mirgalovskaya, M. S.
Ilegems, Marc, Dingle, R., and Logan, R. A. Luminescence of Zn- and Cd-doped GaN (3) 80*b*.
Ilegems, Marc, and O'Mara, W. C. Diffusion of Be into GaP (2) 50*j*.
Ilenda, F. P. Silicate-CO_2 warm box process (5) 112*e*.
Iler, Ralph K. Process for increasing size of SiO_2 particles in aqueous SiO_2 sol, P (1) 20*d*; Mfg. of borosilicate glass powder essentially free of alkali and alkaline earth metals, P (2) 36*h*; Aqueous acidic polyvinyl alcohol-SiO_2 solution, P (3) 75*i*. See Daniels, Alma U.
Iles, Gerald S., and Selman, Gordon L. Resistance thermometer element, P (5) 118*c*.
Iliev, Ilya, and Djoglev, Dimiter Effect of small additions on the magnetic parameters of Li ferrite for magnetic memories (6) 137*i*.
Il'inskaya, E. P. See Deineka, G. F.
Il'inskaya, O. V. See Obraztsov, A. A.
Il'in, V. E., Kreuev, V. A., and Evdokimov, V. I. Thermal decomposition of Sm, Eu and Yb chloride hexahydrates (4) 103*j*.
Ilschner, Bernhard High-Temp. Plasticity—High-Temp. Strength and Workability of Metallic and Nonmetallic Materials, B (4) 104*b*.
Il'yashenko, E. I., and Kieparskii, V. G. Layer domain structures in thin orthoferrite plates (1) 25*d*.
Il'yasov, I. I., and Davranov, M. Complex formation in a ternary system composed of Na, Cd, and Rb chlorides (7) 154*i*.
Ilyukhin, V. V. See Emel'chenko, G. A. ; Lyutin, V. I. ; Nosyrev, N. A. ; Sizova, R. G.
Imagawa, Hiroshi Quantitative measurements of glass inhomogeneity by the Shelyubskii method (2) 34*e*.
Imai, Masaji See Kamimura, Seigoro
Imaizumi, Ichiro Double epitaxial method for fabricating complementary integrated circuit, P (2) 41*g*.
Imanaka, Osamu See Yasunaga, Nobuo
Imanov, A. M. Effect of chemical and mineralogical compositions of ash and trass on cement strength (9) 182*f*. See Fataliev, S. A.
Imbusch, G. F. See Larkin, J. P.
Imlach, B. V., and Taylor, H. F. W. Prolonged hydrothermal treatment of cement mixes: I–III (7) 144*d*.
Immel, Waldemar See Hoffmann, Hans
Imura, Toru See Nakano, Kikuo
Inagaki, Hirotake Thermoluminescence in natural quartz (6) 142*e*.
Inagaki, M. See Furuhashi, H.
Inagaki, M., Tanui, Y., Naka, S., and Kamiya, K. Densification of C beads by heat treatment under pressure (1) 9*e*.
Inagaki, Michio See Naka, Shigeharu
Inagaki, Yoneharu See Shimakawa, Koichi
Inamoto, Yoshiaki See Tsukawaki, Masahiro
Inao, Kiyohiro See Hirai, Tadaaki
Indelicato, B. A. See Baab, K. A.
Indenbom, V. L. Stresses and dislocations during crystal growth (4) 102*e*. See Geguzin, Ya. E. ; Meleshina, V. A.
Ingle, S. G. See Kulkarni, R. H.
Ingram, D. J. E. See Robson, D.
Ingram, G. E. See Graham, R. A.
Ingram, M. D. See Duffy, J. A.
Ingrey, S. J., and Westwood, W. D. Electron microprobe analysis of the Ta-O system (10) 216*j*.
Inns, David H., Bennett, William R., and Chambers, Arnold Improvements in the production of one-piece stemware from glass or the like, P (3) 65*c*.
Inomata, Yoshiro Synthesis of inclusion-free SiC single crystals (2) 56*d*.
Inomata, Yoshiro, Inoue, Zenzaburo, and Ota, Masatsune Synthesis of SiC single crystal (7) 158*c*.
Inoue, H. See Komeya, K.
Inoue, Isao See Watari, Yoshihiko
Inoue, Keiichi, and Okuda, Susumu Effect of absorbed monovalent cations on cristobalite formation from kaolinite (7) 154*j*; Hydrazine intercalation in dickite and kaolinite (8) 177*c*; Abnormal expansion of pyrophyllite and sericite compacts during dehydroxylation (10) 215*d*; Negative surface charges of unground kaolinites (10) 217*j*.
Inoue, Kiyoshi Apparatus for making abrasive articles, P (1) 1*j*.
Inoue, Kozo, Hara, Toshito, Kitazawa, Takeo, Yamamoto, Kazuyoshi, and et al. Glass useful for forming a reed switch sealing tube, P (10) 206*g*.
Inoue, Tadashi See Omoto, Tsunehiko
Inoue, Touru, Ohsato, Nobuyoshi, and Hasegawa, Jun Double ion exchange method for strengthening glass articles, P (8) 165*j*.
Inoue, Touru, and Terashima, Kenzi Process for producing tempered glass sheet, P (4) 89*e*.
Inoue, Yasukazu See Kakizaki, Katsunobu
Inoue, Zenzaburo See Inomata, Yoshizo
Intrator, Alexander M., and Adams, Norbert Process of making thermoelectrostatic bonded semiconductor devices, P (7) 150*g*.
Ioffe, V. A. See Grunin, V. S.
Ioffe, V. A., Grunin, V. S., Patrina, I. B., and Krymskii, Sh. Z. EPR spectra of Fe^{3+} ions in V_2O_5 (3) 78*i*.
Ioffe, V. M. See Kovalev, F. V.
Ionescu, Maria See Alvera, Violeta
Ionov, P. V. See Gabrielyan, V. T.
Ionov, V. I., Kolosov, O. A., Krestovnikov, A. N., and Reif'man, M. B. Coeff. of distribution of N in SiC single crystals (1) 21*b*.
Ionova, E. S. See Gusev, V. M.
Iordanov, I., and Sgurev, V. Efficiency of dumpers and dredgers operating in cement plant quarries (11) 222*e*.
Iordanova, M., and Tomova, E. Effect of rare earth oxides on the dielectric properties of Ba-Ti ceramics (10) 209*i*.
Iotsev, G. See Radev, R.
Ippolitov, E. G. See Gogadze, N. G.
Iqbal, M. Zafar, and Northrop, D. C. O concentration and efficiency in red-emitting GaP lamps (1) 13*g*.
Irani, Farhad A. Process for the preparation of large-particle SiO_2 sols, P (6) 136*c*.
Irie, Toshio See Hamachi, Kazuo
Irisova, N. A., Kozlov, G. V., Narytnik, T. N., Smirnyi, V. V., and et al. Dielectric properties of Sr/TiO_3 single crystals at 40–300°K in the short millimeter wave region (10) 216*a*.
Irlam, P. S., and Yale, B. Glass compositions, P (9) 186*e*.
Irlam, Philip S. See Gaskell, Philip H. ; Lythgoe, Stanley
Irland, Frank W. See Callies, Gerald A.
Irving, Ladas Harry Juniper—North Devon potter (11) 221*e*.
Isachev, O. See Zakhariev, V.
Isaikin, A. S. See Portnoi, K. I.
Isakova, M., and Konstantinova, L. Alkali and acid resistance of ceramic bodies containing Ba and Mg oxides (11) 226*a*.
Isakova, R. N. See Mokhosoev, M. V.
Iseki, Masafumi See Kakitani, Satoru
Isenburg, J. E., and Vanderhoff, J. W. Hypothesis for reinforcement of portland cement by polymer latexes (7) 144*g*.
Ishai, Ori See Cahn, David S.
Isherwood, Thomas Henry See Sargeant, Graham Kenwood
Ishida, Katsuhiko See Nishizawa, Junichi
Ishida, Toru See Shitaya, Takao
Ishido, Yoshihiko, and Fujii, Kinjiro Reaction of MgO with acetic acid (7) 157*h*.
Ishigame, M. See Rieder, K. H.
Ishigure, Ryoichi See Shimizu, Hiroshi
Ishiguro, Toshiyuki See Hori, Makoto
Ishii, Eiichi See Tabata, Hideyo
Ishii, Eiichi, Tabata, Hideyo, and Okuda, Hiroshi Formation of α-Al_2O_3 by vapor phase reaction of $AlCl_3$ and H_2O (8) 176*c*.
Ishii, Kumasaburo Improvement of kneading machine for preventing frost damage of smoked roofing tiles (4) 89*e*.
Ishii, Motohiko See Kimizuka, Noboru
Ishikawa, Akira, Mizuno, Fumio, Uchikawa, Yoshiki, and Marase, Susumu High-resolution and spectroscopic cathodoluminescent images in SEM (1) 24*b*.
Ishitobi, Y., Shimada, Masahiko, and Koizumi, Mitsue Fabrication of translucent $Pb(Zr_{0.4}Ti_{0.2}O_3$ ceramics by isostatic hot-pressing (11) 229*e*.
Ishizawa, Kenki See Kimura, Morihiro
Ishizuka, Toshio, Sunakawa, Hiroshi, and Tanaka, Kazuhiko Determination of Cu,Fe,Pb, and Zn in Y oxide and Y oxide sulfide by atomic absorption spectrometry (1) 17*b*.
Iskander, George R. Methods of [determining] thermal-shock resistance of refractories in international literature (7) 152*e*; Determination of physical and technological properties, thermal expansion, and structure of basic chrome-magnesite refractories with various chemical and mineralogical compositions (8) 167*c*.
Ismatov, A. A. Synthesis and physicochemical study of silicates of composition $Ca_{24-x}Ln_xAl_xSi_{24-x}O_{72}$ [Ln = La and Nd and x = 0–24] (6) 141*d*.
Iso, Fumio, and Sumiyoshi, Yoshihiro Improvement of physical properties of dolomite plaster with waste sludge from Al product factory (10) 202*e*.
Isomoto, Masaki See Kawamura, Junichi
Isphording, Wayne C. Discussion of the occurrence and origin of sedimentary palygorskite-sepiolite deposits (7) 154*e*.
Itakura, Gen See Matsuoka, Michio
Itazu, Masakatsu See Kubo, Tomoichi
Itin, V. I. See Panin, V. E.
Ito, Ryoichi Method and device for modulating directly a semiconductor laser, P (10) 211*c*.
Ito, Setsuro, Kokubo, Tadashi, and Tashiro, Megumi Formation of a metastable pyrochlore-type crystal in $K(Ta,Nb)O_3$-containing glasses and its relation to structure of the glasses (10) 204*b*.
Ito, Suketoshi See Naka, Shigeharu

Itoh, Hideaki See Takahashi, Takehiko

Itoh, Tadashi, Miyata, Norihiro, and Narita, Shinichiro Reflectivity of $CdCr_2Se_4$ near the Curie point (6) 140*b*.

Ioanoiu, Mircea See Tibad, Antal

Ivakin, A. A. See Glazyrin, M. P.

Ivan, E., Winter, Fr., and Becherescu, D. Electrical conductivity of bodies in the ZrO_2-CaO-NiO system (3) 72*f*.

Ivanov, D. See Levcheva, Khr.

Ivanov, I. A. See Negodaev, G. D.

Ivanov, Iv. See Shekerdzhiiska, M.

Ivanov, N. R. See Pel'ts, S. D.

Ivanov, N. R., and Galitskii, V. Yu. Phase transition, dielectric anomaly, and domain structure in hydrosodalite (5) 121*j*.

Ivanov, St. See Stefanov, G.

Ivanov, V. P. See Finkel, V. M.

Ivanova, I. I. See Fedorchenko, I. M.

Ivanova, K. N., and Voitsekhovskii, V. N. Morphology of crystals of $A^{II}B^{VI}$-type compounds grown by the hydrothermal method (4) 100*f*.

Ivanova, T. A. See Druzhinina, I. A.

Ivanova, V. I. See Berezhnoi, A. I.

Ivanova, V. P., Kasatov, B. K., and Moukaleva, V. N. Thermal analysis of serpentines on heating to 1400°C (4) 103*g*.

Ivanova, Z. V. See Fakeev, A. A.

Ivanov-Shits, A. K. See Strukov, B. A.

Ivanovskii, L. E., and Novikov, R. I. Production of Zr monobromide by electrolysis of melts (4) 101*d*.

Ivanovskii, V. D. See Smirnyi, V. V.

Ivensen, V. A. Simplified method for determining kinetic constants and calculating densification during sintering (7) 158*e*.

Ivleva, L. I. See Voronov, V. V.

Ivolilova, E. Kh. See Al'tshuler, N. S.

Iwai, Shinichi See Morikawa, Hideki ; Nukui, Akihiko ; Watanabe, Tetsuo

Iwaisako, Toshiyuki See Kominami, Naoya

Iwama, Masanori See Anzai, Shuichiro

Iwamoto, Kazumi See Ikawa, Katsuichi ; Kobayashi, Fumiaki

Iwamoto, Kenzo See Nishikawa, Tomozo

Iwamura, Hidetoshi See Sawada, Shozo

Iwasa, S. See Rockstad, Howard K.

Iwase, Sato See Nisenson, Peter

Iwasaki, Hiroshi See Miyazawa, Shintaro ; Sugii, Kiyomasa ; Uchida, Naoya ; Yamada, Tomoaki

Iwasaki, Hiroshi, Miyazawa, Shintaro, Koizumi, Hideo, Sugii, Kiyomasa, and et al. Ferroelectric and optical properties of $Pb_5Ge_3O_{11}$ and its isomorphous compound $Pb_5Ge_2SiO_{11}$ (6) 138*e*.

Iwasaki, Shigeo Brick press with means for withdrawing air from brick raw material, P (5) 110*j*; Vacuum brick press having movable loading and unloading means, P (7) 147*g*; Control device for brick press, P (8) 172*d*.

Iwase, Keizo, Takada, Toshio, and Kiyama, Masao Fine spinel-type [isotropic] ferrite particles featuring high dispersibility and the process of mfg., P (11) 230*b*.

Iwase, Tetsumi See Shimizu, Shozo

Iwata, Minoru See Sakai, Toshikazu ; Sato, Tadao ; Uemura, Yoichiro

Iwata, Yutaka, Koyano, Nobumitsu, and Shibuya, Iwao Neutron diffraction studies of ferroelectric $5PbO.3GeO_2$ above the Curie point (10) 217*j*.

Iwate, Minoru See Tanaka, Takaho

Iyengar, Leela See Rao, K. V. Krishna

Iyengar, M. S. See Borthakur, P. C.

Izatt, Jerald R. See Bean, Brent L.

Izatt, Jerald R., Bean, Brent L., and Daw, Harold A. High-resolution study of anomalous dispersion in the ruby *R* lines (8) 177*b*.

Izen, Edward H., Maze, R. M., and Kemp, James C. EPR and magnetic circular dichroism double resonance of the *V*-center in MgO (2) 51*j*.

Izergina, E. V., and Mikhailova, M. M. Ferrite material for use under hf conditions, P (2) 41*i*.

Izotova, O. E. See Fedorov, P. P. ; Tkachenko, N. L.

Izumi, Ryusuke See Takeda, Yuji

Izumitani, Tetsuro See Suzuki, Isao

Izumitani, Tetsuro, and Masuda, Isao Anomalous dispersion glass, P (5) 109*a*; Optical glass having anomalous dispersion properties, P (8) 166*d*.

Izumitani, Tetsuro, and Suzuki, I. Indentation hardness and lapping hardness of optical glass (2) 34*a*.

Jack, Alexander G. See Van Eijl, Antonie P. L.

Jack, D. H., and Jack, K. H. Structure of Z-phase NbCrN (2) 56*a*.

Jack, K. H. See Jack, D. H.

Jackson, B. Clays and aluminosilicate grogs (7) 147*a*.

Jackson, Edward L. Process and apparatus for reclamation of abrasive grit, P (8) 161*i*.

Jackson, Julius SiO_2-encapsulated Pb chromate pigment of the primrose yellow shade, P (8) 173*j*.

Jackson, Kenneth A. Fourteen different ways to look at surfaces reveal much data (2) 46*h*.

Jackson, Norman See Lane, Edward S.

Jackson, R. S. Melting point of Fe carbide, Fe_3C (2) 54*b*.

Jackson, Sydney, and Titterington, Joseph B. Mfg. of supports for semiconductor devices, P (2) 42*b*; Mfg. of [Pb] supports for use with semiconductor devices, P (3) 71*h*.

Jackson, Weldon H. Transducer formed in peripherally supported thin semiconductor web, P (1) 15*e*.

Jacob, Adir Process and material for mfg. semiconductor devices, P (7) 150*h*.

Jacob, Bernarr A. See Galasso, Francis S.

Jacob, Bernarr A., Douglas, F. C., and Galasso, Francis S. High strength and large diameter B fiber (2) 38*h*.

Jacobi, Richard See Wolff, Arnold

Jacobs, Bernardus A. J., and Kramer, Pieter Apparatus for aligning a mask with respect to a semiconductor substrate, P (9) 190*b*.

Jacobs, Jacobus H. See Van Esdonk, Johannes

Jacobs, Louis J. Bonding and forming inorganic materials, P (10) 208*g*.

Jacobs, Louis J., Fisher, Robert E., and Felice, Frank T. Insulating monolithic refractory, P (7) 148*a*.

Jacobs, P. W. M., and Ng, Wee Lam Thermal decomposition of ammonium perchlorate single crystals (10) 219*j*.

Jacobs, Stanley C. [Nitride-based] refractory for production of Al by electrolysis of $AlCl_3$, P (5) 112*f*.

Jacobsz, Roelof F. Bridge-operated late-phase firing circuit means for fuel burners, P (2) 48*a*.

Jacobus, William N., Jr., and Ku, Sun-Mei Method of forming integrated semiconductor devices with III-V compounds, P (10) 211*d*.

Jaddam, Abdulmunuih Y. Method of mfg. an *n*-channel MOS FET, P (6) 132*i*.

Jaderson, Vittorio See Sperandio, Claudio

Jaecklin, Andre, and Straessler, Siegfried Holder member for a disk-shaped semiconductor element, P (7) 149*d*.

Jaeger, R. E. See MacChesney, John B.

Jaeger, Ralph R. See Ciramella, Anthony F.

Jaffe, Joseph Hydrothermal method for mfg. a novel catalytic material, catalysts containing material, and processes using the catalysts, P (6) 136*f*; Hydrothermal method of mfg. novel catalytic materials, catalysts containing the material, and processes using the catalysts, P (7) 153*e*.

Jaffe, Philip M. See Suchow, Lawrence

Jagodzinska, Elzbieta, Oleszczuk, Wladyslawa, and Gajak, Mieczyslaw Nichrome films vacuum-deposited from the liquid phase (3) 70*e*.

Jain, Dilip C., Brown, Jesse J., Jr., and Kay, Carroll B. Study of thermal decomposition of kyanite using density measurements (11) 227*e*.

Jain, K. P., and Prabhakaran, A. K. Resonant phonon modes of Ag^+ and Au^+ in alkali halides (8) 179*b*.

Jain, K. P., Radhakrishna, S., and Prabhakaran, A. K. Raman-scattering studies in LiF crystals containing Mn (7) 157*g*.

Jain, L. C., Gopal, Ram, and Jain, S. K. Field scale trials on the prevention of lime blowing in bricks (1) 9*b*.

Jain, S. K. See Jain, L. C.

Jakimavicius, J., Butarunas, J., and Sirvaitis, A. Distribution of electron density and potential in cubic CdS (8) 175*f*.

Jakimavicius, J., Sirvaitis, A., and Butarunas, J. X-ray atomic scattering by cubic CdS (8) 180*a*.

Jamba, D. M. See Hunsperger, R. G.

James, B. W. See Gluyas, M. ; Morton N.

James, L. W. Parameters of electron transfer in InP (9) 197*b*.

Janakirama-Rao, Bh. V. Method of mfg. heat-absorbing glass, P (4) 88*g*.

Jang, S. D. See Brownell, W. E.

Jang, Sung Do, and Condrate, R. A., Sr. Ir spectra of a heat-treated Cu-montmorillonite-glycine complex (1) 24*j*.

Janiec, Marian Effect of some oxide additions to the liquid silicate phase on the contact angle (3) 78*g*; Wetting of some ceramic materials by modified feldspar (5) 123*h*.

Janke, Norman C. Sieve load equations and estimates of sample size (2) 47*e*.

Jankowski, Alfred S. See Duffek, Edward F.

Jannini, E. See Vande Poel, D.

Janoushova, O. See Fremunt, R.

Jansen, A. Abrasive element, P (2) 31*g*.

Janson, Alex G. [Portland] cement compositions containing soda-lime glass, P (11) 222*c*.

Jansen, Norbert Methods of testing slag attack on refractories (6) 129*d*. See Koenig, Paul

Jansson, B. G. Method and apparatus for separating finer particles from coarse particles suspended in a liquid, P (6) 134*c*.

Janssen, Johannes H. H. Hall element, P (11) 230*c*.

Jansson, Robert A., and Reese, Thomas J. Method of shaping glass sheets to sharp bends, P (7) 146*h*.

Jansson, Robert A., and Thomas, Dean L. Method of shaping glass sheets to sharp bends, P (7) 146*h*.

Jasnus, Czeslaw, Klysik, Andrzej, and Szymanski, Jacek Crystallographic (0001) axis misorientation in synthetic ruby single crystals (3) 76*j*.

Japan Society for the Promotion of Science Determination of B in MgO clinker (10) 208*d*.

Jarkovsky, Pavel See Stipek, Cestmir

Jarman, Hall E. See Bylander, Ernest G.

Jarrett, Robert L. See Wesson, Richard A.

Jarrett, Noel See Russell, Allen S.

Jarzebski, Z. M. Review of proposed defect structures in $LiNbO_3$ (6) 140*i*.

Jasutis, V. See Lisauskas, V. ; Paulavicius, A.

Jasutis, V. V. See Babonas, G. A.

Javed, N. A. Thermodynamic study of hypostoichiometric urania (9) 192*i*.

Javelas, R., Maso, J. C., and Ollivier, J. P. Preparation of ultrathin slides of cement for direct observation by TEM (7) 152*h*.

Javey, C. Principal raw material used in the ceramic industry (1) 20*b*.

Jeandot, G., and Murat, M. Hydration of hemihydrate plasters in the presence of phosphoric acid or of alkali or alkaline earth phosphates (6) 126*b*.

Jeannin, Y. See Barthelat, J. C.

Jebens, Aksel Forming cooling channels in hot thermally bloated ceramic block to facilitate cooling, P (1) 7*d*.

Jebsen-Marwedel, Hans Glass coins (8) 161*j*.

Jeck, R. K., and Krebs, J. J. First- and second-shell hyperfine interactions in Fe-group-doped perovskite fluorides (7) 155*j*.

Jeffers, P. E. Why plain-end pipe is catching on (1) 8*e*; Arizona's first clay pipe plant (1) 8*i*; Capitol Clay Products—a niche in American history (1) 8*j*; Surface mining—is its future in doubt? (1) 20*d*; Sleeves for stopper rods—a refractory specialty (2) 38*e*; Efficient system produces 65,000 tons of clay pipe per year (5) 110*c*; New plant adds 200,000 brick per day (5) 110*h*; Refractory product process—linking technology with production (5) 111*j*; Resurgence of coal as fuel (5) 118*c*; Energy action today (5) 124*c*; New plant streamlines production at Weblite (7) 144*c*; Masonry panels gain wide attention (7) 147*d*; Unveil automated brick plant in southeast (7) 147*e*.

Jeffery, J. W. See Chatterji, S. ; Gupta, P.

Jeltschko, W. See Barkley, J. R.

Jelenic, Ivanka See Jernejcic, Jernej

Jelenski, Andrzej See Andersson, Per O.

Jen, Chi-chin, and Benzel, J. F. Unidirectional solidification of the UO_2-Mo, UO_2-Nb, and UO_2-Ta systems (6) 133*a*.

Jen, Dian P. See Bochman, Raymond A.

Jen, Teh Sen See Chang, Chi Shih ; Doo, Ven Y.

Jendrek, E. F., Jr., Potoff, A. D., and Katz, L. Single-crystal study of eight-layer $Ba_4Nb_3LiO_{12}$ (10) 219*c*.

Jendrisak, Joseph E., and McKelvey, Harold E. Apparatus for seaming the edges of glass sheets, P (8) 165*g*.

Jenkins, M. S. See Turcotte, R. P.

Jenkins, R. Combination of the energy dispersion spectrometer with the powder diffractometer (10) 213*e*.

Jenkins, Robert, Mead, Carver A., and McCaldin, James Ohmic contact to ZnS devices, P (5) 115*f*.

Jensen, Bo N. See Rassing, Joergen

Jensen, F. R., Bushweller, C. H., and Beck, B. H. Simple, effective device for supplying a controlled temp. gas stream (1) 18*j*.

Jensen, Flemming E. Conveyor flights for rotary kiln, P (8) 173*f*.

Jensen, Frederick K. See Clausen, Claus

Jensen, Leo C. Graphite fiber composite covering employing multidirectional orientation of the fibers, P (3) 67*b*.

Jereb, Richard F. Nonmagnetized ceramic magnetic assembly, P (9) 191*e*.

Jernejcic, Jernej, and Jelenic, Ivanka Properties of autoclaved and thermally treated molds made from γ-Ca_2SiO_4 and quartz at C/S ratios 0.5 to 1.5 (6) 126*e*.

Jervis, T. R. Confirmation of the effect of field-dependent scattering centers on electron mobility in GaAs (9) 194*j*.

Jett, Vernon C. Effect of dyes on alkali-resistant properties of cover coat enamels (11) 222*g*.

Jimenez Calvo, I., and Alvarez-Estrada, D. Ceramic enamels opacified with TiO_2. Application to steel plates (7) 145*d*.

Jindra, Jiri Low-temp. Hg porosimetry (11) 232*i*.

Jirku, Emil Decomposition of minerals in cement raw mix and the formation of clinker minerals (1) 2*c*.

Jitianu, Georgeta See Solacolu, Serban

Jitianu, Gheorghe See Stanila, Luca

Jitsugiri, Yukio See Noshiro, Makoto

Joannes, Giuseppe Combustion heads for [oil] burners, P (10) 213*g*.

Jochens, P. R. See Reanie, M. S.

Jochim, Friedrich, Peetz, Dieter, Karla, Heinz, and Luersen, Hermann Electrically heated glass window, P (10) 206*c*.

Joe, Young Il See Lee, Hee Soo

Joffe, I. See Tillwick, D. L.

Johannigmeier, Charles E. Method and apparatus for controlling dust [on belt conveyor], P (5) 116*e*.

Johannsson, Paul See Landa, Torstein

Johansson, Georg, and Ohtaki, Hitoshi X-ray investigation of the hydrolysis products of tin(II) in solution (5) 123*j*.

Johari, Gyan P. Intrinsic mobility of molecular glasses (3) 63*e*.

John, G. See Vorobkalo, F. M.

Johnson, Calvin K., and Laitar, Robert A. Foundry core compositions, P (1) 10*j*.

Johnson, D. C. Measurement of low absorption coeffs. in crystals (10) 213*g*.

Johnson, D. L. See Kumar, P. ; Shannon, R. E.

Johnson, D. W. See Robbins, M.

Johnson, D. W., Jr. See Gallagher, P. K.

Johnson, D. W., Jr., Gallagher, P. K., Nitti, D. J., and Schrey, Frank Effect of preparation technique and calcination temp. on the densification of Li ferrites (4) 92*h*.

Johnson, David R. See Bon, Charles K.

Johnson, Don M., and Peterson, Dale Canteen forms adapted from stones (6) 125*f*.

Johnson, Frank C. See Turner, William N.

Johnson, H. See Wiederhorn, S. M.

Johnson, James R. Structural articles [honeycomb] and method of making, P (1) 12*d*; Thermochemical cleaning of glass fabrics, P (2) 37*e*.

Johnson, K. H. See Tossell, J. A.

Johnson, L. G., and Dresselhaus, G. Optical properties of graphite (8) 178*c*.

Johnson, O. W. See DeFord, John W. ; Ohlsen, W. D.

Johnson, O. W., DeFord, John, and Shaner, J. W. Experimental technique for the precise determination of H and D concentration in rutile (TiO_2) (10) 213*e*.

Johnson, O. W., DeFord, John W., and Myhra, Sverre Dielectric loss mechanism in rutile (TiO_2) (2) 40*d*.

Johnson, Peter D. High-intensity fluorescent lamp radiating ionic radiation in the range 1600–2300 A, P (4) 88*h*; Long-

lifetime Hg-metal halide discharge lamps, P (5) 110*a*; Fueled moderator composition [UO_2-BeO], P (11) 231*e*.

Johnson, R. Porosity of vitreous china (2) 39*d*.

Johnson, R. I. See Thornburg, D. D.

Johnson, Ralph T., Jr., and Quinn, Rod K. Thermally induced surface and bulk electrical effects in semiconducting $Ge_{15}Te_{80}As_5$ glasses (4) 87*b*.

Johnson, Ralph T., Jr., Quinn, Rod K., and Migliorico, C. J. Surface nucleated crystallization in $Ge_{15}Te_{80}As_5$ semiconducting glasses (9) 185*g*.

Johnson, Robert J. See Weiss, Harald H.

Johnson, S. M. See Faithful, D. B.

Johnson, W. C., Stein, D. F., and Rice, Roy W. Analysis of grain-boundary impurities and fluoride additives in hot-pressed oxides by Auger electron spectroscopy (9) 194*b*.

Johnson, W. J. See Rado, W. G.

Johnson, W. J., Rado, W. G., Crawley, R. L., and Amey, J. E. Carrier concentration profiles in Si-doped liquid-phase epitaxial $Ga_{1-x}Al_xAs$ (8) 168*b*.

Johnson, William A., North, James C., and Wolfe, Raymond Differential etching of garnet materials, P (9) 190*g*.

Johnson, William S. See Ahn, Junghi

Johnston, D. C., Prakash, H., Zachariasen, W. H., and Viswanathan, R. High-temp. superconductivity in the Li-Ti-O ternary system (1) 24*e*.

Johnston, Wayne S. See Cuevas, Ephraim A.

Johnston, William D. Metal oxide-coated glass blocks, P (4) 88*a*.

Jones, Cecil R. Nuclear control rod having embedded filaments, P (5) 116*e*. See Goldman, Arthur J.

Jones, David C electrical heaters in float glass apparatus and method of using, P (10) 205*j*.

Jones, Frank J. See Ehrman, Chester S.

Jones, G. R., Shaw, N., and Vere, A. W. Pyroelectric properties of Pb germanate (4) 93*b*.

Jones, George H. Magnetic separator having a plurality of inclined magnetic separation boxes, P (11) 232*a*.

Jones, Gordon, and Woods, J. Luminescence of Mn-doped ZnSe (6) 131*e*.

Jones, H. L. See Boxall, L. G.

Jones, I. G. See Wheeler, V. J.

Jones, J. T. See Krishnamachari, V. ; Rahman, S. F.

Jones, James W. S. See Henney, John W.

Jones, Jonathan Chirwell Ivan Martin—potter (11) 221*f*.

Jones, Rexford W., and Thompson, William B. Preparation of ceramics, P (1) 15*f*.

Jones, Robert A. Method for determining thermophysical properties of specimens, P (6) 134*i*.

Jones, Robert J., and Armani, Robert C. Novel mounting technique for glass-package diodes, P (1) 15*d*.

Jones, Stephen J., and Gilra, Narendra K. X-ray topographical study of dislocations in pure and HF-doped ice (5) 124*a*.

Jones, W. O., III Fast-drying technique (10) 201*d*.

Jongejan, A., and Wilkins, A. L. Liquidus determinations in the plane CaO.Nb_2O_5-CaO.SiO_2-TiO_2 within the quaternary system CaO-Nb_2O_5-TiO_2-SiO_2 (5) 121*d*; Liquidus determinations in the pseudoternary subsystem CaO.Nb_2O_5-CaO.TiO_2-SiO_2 of the quaternary system CaO-Nb_2O_5-TiO_2-SiO_2 (5) 121*e*; Liquidus determinations in the 15% SiO_2 plane of the quaternary system CaO-Nb_2O_5-TiO_2-SiO_2 (7) 156*g*.

Joo, Louis A., Martin, Thomas W., and McKee, John A. Process for vapor deposition on glassy-C substrate, P (9) 188*i*.

Joosen, Guido Study of the mixing action of a glass tank using tracers (1) 6*j*.

Jordan, Andrew S. See Weiner, M. E.

Jorissen, Karl O. I. Furnace plant for the drying or baking of coated arc welding rods, P (10) 203*g*.

Jortner, Joshua See Gedanken, Aharon

Josefowicz, J., and Smith, H. J. T. Tunneling in junctions with CdS barriers (9) 199*d*.

Joseph, Werner Seminar on plastics (6) 126*f*.

Joshi, R. V., and Kekan, N. L. Effect of exciting radiation on the thermal glow of NaCl:Sr (2) 50*d*.

Joshi, Vishnuprakash Method of mfg. a barrier layer FET, P (10) 211*g*.

Jouan, Claude See Espie, Jean Y.

Joubert, J. C. See Samaras, D.

Joy, David Charles, and Booker, Graham Roger Electron microscopes and microanalyzers, P (5) 117*h*.

Joy, Patrick F., Jr., and Herzog, Donald G. Thermally controlled crystalline lasers, P (5) 115*b*.

Jozefowski, John E. See Biller, Larry N.

Juerging, Klaus See Sieckmann, Werner

Juhasz, Z. See Boros, M.

Juhasz, Zoltan Effects of unit cell composition and mechanical activation on the dielectric constant of montmorillonite (6) 138*a*.

Jullano, Peter C. Fluorescent screens, P (6) 128*b*.

Jullien, M. Three-dimensional robot spray—system Trallfa-Binks (2) 45*d*.

Jun, C. K., and Shaffer, P. T. B. Elastic moduli of NbC and TaC at high temp. (5) 120*j*; Thermal expansion of NbC, HfC, and TaC at high temps. (5) 123*g*.

Jund, Christian Semiconductor strain gage device with FET symmetrical pairs. P (2) 43*j*.

Jung, Chang Ju, and Choi, Suk Jin Properties of Haenam and Kangjin clays (3) 81*g*.

Jung, Hermann Millions for antique wine vessels—Metropolitan Museum of New York has acquired a Euphronios wine vessel (1) 1*i*; Ceramics from Sybaris (3) 61*i*; First class work from the potters' wheel. Rhineland stoneware forms the core of a unique Dutch ceramic exhibition (5) 105*f*.

Jung, Hyung Jin, Kim, In Uk, Shim, Moon Taik, and Kang, Il Koo Alumina porcelain for semiconductor and integrated circuit electrical insulator (3) 68*d*.

Jungell, Hans A. Molded abrasives with a binder of a copolymer of an unsaturated polyester and an ethylenically unsaturated monomer, P (9) 181*h*.

Junker, K., and Heinz, K. Experimental examination of the field-enhanced thermal emission of holes in CdS (10) 216*c*.

Jurado Egea, J. R. Measurement of electrical conductivity on the surface of glasses (7) 145*g*.

Just, W. See Nickl, Julius J.

Justi, Eduard See Fischer, Horst

Justice, Benjamin See Adams, P. Bruce

Justus, Carl A. See Etzel, James E.

Kaae, J. L. See Price, R. J.

Kabun, G. P., and Anastasova, N. A. Advantages of two-side feed for rotary kiln (9) 181*h*.

Kabushima, Shigeharu See Mada, Yoichi

Kabuya, Yoshihiko, and Ikeda, Heishichi Production of semiconductor integrated-circuit devices, P (3) 72*g*.

Kacker, K. P., and Sastya, R. C. DTA in the development of building materials—a review (10) 207*a*.

Kadlec, J., and Gundlach, K. H. Transient phenomena and their effect on the insulator barrier in Al-(Al oxide)-Al structures—$T = 300°K$ (11) 236*j*.

Kadner, Martin See Hackstein, Karl G.

Kadomtseva, A. M. See Belov, K. P.

Kadomtseva, A. M., Lakina, M. M., Szymczak, R., and Kolakowski, B. Bubble domains in mixed orthoferrite $Dy_{0.3}Tm_{0.7}FeO_3$ (10) 215*i*.

Kadowo, Atsuro, Otani, Takeo, and Nobuhara, Keiichi Refractory practices of converter Cu refining industry (2) 38*d*.

Kadowo, Atsuro, and Sakurai, Shigeo Basic refractories for electric arc furnace roof lining (2) 37*g*.

Kadyrova, R. S. See Kravchenko, I. V.

Kaes, H. H. Glasses and glass-ceramics as electron-multiplier channels (5) 108*b*.

Kaes, Karl See Labrot, Guenter

Kafalas, J. A. See Hong, H. Y-P.

Kafedzhieva, S. See Stefanov, G. ; Vasilev, Sv.

Kahan, A. See Skolnik, L. H.

Kahn, A. H. See Candela, G. A.

Kai, H. See Nomura, T.

Kainarskii, I. S. See Natsenko, A. I.

Kainarskii, I. S., Natsenko, A. I., and Orlova, I. G. Thermal stability of corundum ceramics (1) 10*a*.

Kainuma, S., Tsuya, N., and Uno, R. X-ray diffraction experiments on nonstoichiometric Mg and Mg-Mn ferrites (2) 58*a*.

Kaira, M. See Laiho, R.

Kaiser, Guenter, Merz, Erich, and Riedel, Hans J. Method for reprocessing radioactive materials, P (9) 193*b*.

Kaiser, P. Drawing-induced coloration in vitreous SiO_2 fibers (11) 223*b*.

Kaiser, P., and Astle, H. W. Measurement of spectral total and scattering losses in unclad optical fibers (11) 232*i*.

Kaiser, P., Tynes, A. R., Astle, H.W., Pearson, A. David, and et al. Spectral losses of unclad vitreous SiO_2 and soda-lime-silicate fibers (9) 185*b*.

Kaiser, Reinhold Method of making a semiconductor device [transistor], P (1) 14*g*; Method of producing a semiconductor device, P (10) 211*h*; Methods of producing FETs having insulated control electrodes, P (10) 211*j*.

Kajimura, Takashi, and Nakamura, Michiharu Observation of doping profiles in Gunn diodes with a SEM using β-conductivity (6) 131*h*.

Kajiyama, Kenji In-Ga-P ternary phase diagram (3) 79*i*.

Kakegawa, Kazuyuki, Mori, Junichi, Shirasaki, Shinichi, Yamamura, Hiroshi, and et al. Dry synthesis of defect Pb titanates and their dielectric properties (7) 154*g*.

Kakehi, Toshihiro, Kobayashi, Jiro, Ebisawa, Isao, Nanba, Yasutoshi, and et al. Slinger process for ladle lining: II, Comparison of slung and brick ladle lining (2) 38*e*.

Kakiuchi, Jiro See Kume, Sanae

Kakita, Isamu See Funabashi, Wataru

Kakitani, Satoru Shigaraki clay and its clay minerals and the generating environment of clay deposits (5) 119*b*.

Kakitani, Satoru, and Iseki, Masafumi Geology and clay deposits in the Shigaraki District, Shiga Prefecture (8) 173*c*.

Kakizaki, Katsumobu, Kurakami, Osamu, and Inoue, Yasukazu Method of producing IGFET, P (2) 42*i*.

Kakuda, Hisashi, Takahashi, Shiro, and Aki, Junji Method for preparing glass batch, P (1) 7*f*.

Kakuno, Keiichi, and Gondo, Yasuo Early stage of high speed switching in magnetic thin films (9) 190*c*.

Kalade, J., Moustirmee, E., and Rakauskas, J. Discharge mechanism of Se electroradiographic layers during X irradiation (8) 175*d*.

Kaldis, Emmanuel High-temp. chemical transport (2) 52*a*. See Kordis, J.

Kalevald, E. W., Brunelinck, D. J., Dotman, J. P., and Blasse, George Ir investigation of the order on the larger cation sublattice of the perovskite structure (4) 100*a*.

Kalganova, T. A. See Eliseev, A. A.

Kalinichenko, A. M. See Matyash, I. V.

Kalinin, A. I. See Nikushchenko, V. M.

Kalinin, P. S., and Shevelevich, R. S. Structural differences in borate glasses and fibers studied by NMR method (1) 6*g*.

Kalish, David See Clougherty, Edward V.

Kalitsh, Adam F., and Sawyer, Edgar W., Jr. Pigment dispersions and use thereof, P (9) 189*i*.

Kalman, Z. H. See Steinberger, I. T.

Kalmykov, V. A. See Kurbatov, G. A.

Kalnov, N. I., and Tebiev, A. K. Phase diagram of the system $LiBiCl_4$-$NaBiCl_4$ (9) 197*b*; System $BiCl_3$-LiCl (11) 236*d*.

Kalyamin, A. V., Lur'e, B. G., Marshak, L. A., and Murin, A. N. Temp. dependences of parameters of Moessbauer spectrum in α-Al_2O_3-Fe_2O_3 system (4) 103*a*.

Kamada, Hitoshi See Nihei, Yoshimasa

Kamata, Kiichiro See Nakamura, Tetsuro ; Udagawa, Shigekazu

Kamath, G. Sanjiv SiC junction diode, P (2) 44*a*; SiC junction diode, P (3) 72*b*.

Kambara, T., Haas, W. J., and Spedding, F. H. Paramagnetoelectric effect in rare-earth garnets (8) 178*d*.

Kambara, T., Haas, W. J., Spedding, F. H., and Good, R. H., Jr. Theory of Zeeman effect for rare earth ions in crystal field with D_2 symmetry and application to rare earth garnets (5) 123*e*.

Kambulov, V. A., and Anisimova, E. G. Borogypsum—additive during clinker grinding (4) 83*i*.

Kameda, Satoshi, and Carr, William N. Self-excited luminescence in GaAs (9) 198*c*.

Kamei, Kazumi See Atsukawa, Masumi

Kamel, Abdel-Aziz H. High-pressure steam curing of high-slag cement: I, Composition of the hydrated cement (6) 125*j*; II, Strength of cement-sand mixes (6) 126*a*.

Kameneskaya, L. A., Konstantinov, V. I., and Matveev, A. M. Ternary system KF-NaF-K_2NbF_7 (4) 103*b*.

Kameyama, Hiroshi See Shimizu, Hiroyasu

Kamigaito, Osami See Doi, Haruo

Kamijo, Yoshimi See Ogasawara, Shoji

Kamimori, Tadatoshi See Furuuchi, Shigemasa

Kamimura, Seigoro, Imai, Mazuji, Azegami, Takeo, and Fujii, Youzi Cylindrical vacuum filter, P (10) 212*g*.

Kamin, George J., and Kiger, William T. Rare earth-SiO_2 refractory ceramic materials and method for producing, P (8) 168*g*.

Kaminaga, Yoichi See Furumi, Hirokazu

Kaminow, I. P. See Schmidt, R. V.

Kaminskii, A. A. See Bagdasarov, Kh. S.

Kamiya, K. See Inagaki, M.

Kamiya, Shigeru, Ohtsuka, Hitoshi, Ueda, Kensaku, and Saagen, Masashi Gas discharge tube with phosphor coating and elongate electrodes, P (10) 206*e*.

Kamiya, Shigeru, and Shibata, Haruo Fluorescent lamp of high color rendering, P (4) 88*c*.

Kamiya, Yoki See Shirakashi, Shigeru

Kamner, Paul A., and Duttera, Robert B. Tubular arc-welding electrode, P (6) 126*h*.

Kammlott, G. W. See Hackett, W. H., Jr. ; Sinclair, W. Robert

Kamoshida, M., Mitchell, I. V., and Mayer, J. W. Influence of heat treatment on Al_2O_3 films on Si (2) 40*e*.

Kamzina, L. S., Krainik, N. N., and Berezhnoi, A. A. Dispersion of electrooptic effect of Pb Mg niobate in visible spectral region (6) 137*f*.

Kan, Kh. S., and Kul'varskaya, B. V. Carbide emitters with enhanced thermoemissive ability (5) 119*h*.

Kanai, Hiromi See Yamazaki, Eiichi

Kanamaru, Fumikazu See Kume, Shoichi ; Takeda, Y.

Kanarek, K. B., Wyche, C. D., and Pine, A. S. Persistent photodielectric lens effect in CdS (2) 54*g*.

Kanatani, Keiichi See Yazaki, Takehito

Kanazawa, M. See Ohmura, Y.

Kanazawa, Takafumi See Monma, Hideki

Kanazawa, Takafumi, and Hands, Minoru Crystallization process of Mg high-polyphosphate glass (8) 164*a*.

Kanazawa, Takafumi, Nakai, Akira, and Fujitani, Masashi EPMA study of the crystallization process of CaO-MgO-P_2O_5-SiO_2 glass containing F (10) 204*b*.

Kanazawa, Takafumi, Nakai, Akira, and Kawazoe, Hiroshi Effect of addition of F on crystallization of CaO-MgO-P_2O_5-SiO_2 glass (3) 63*f*.

Kandler, Joachim See Schneider-Arnoldi, Alfred

Kandori, Toshio See Doi, Haruo

Kaneko, Yoichi See Takahashi, Susumu

Kaneno, Masayuki See Kobayashi, Kazuo

Kang, Il Koo See Jung, Hyung Jin

Kang, Won Ho See Park, Keum Churl

Kanij, J. B. W. Sol-gel processes (11) 233*b*.

Kanishcheva, A. S. See Salov, A. V.

Kano, Gota, Fujiwara, Shohei, Iizuka, Mutsuo, Hasegawa, Hiromasa, and et al. Schottky barrier semiconductor device having a substantially nonconductive barrier for preventing undesirable reverse-leakage currents and method for making, P (2) 43*e*; Schottky barrier pressure-sensitive semiconductor device with air space around periphery of metal-semiconductor junction, P (5) 115*h*.

Kano, Gota, and Kato, Hideomi Pressure-sensitive transistor having a Schottky barrier junction formed in the emitter, P (1) 15*f*.

Kano, Osamu See Kasanami, Toru

Kano, Tsuyoshi See Otomo, Yoshiro

Kanomata, Ichiro Analysis of solids by ion microanalyzer (2) 46*f*.

Kanter, Jerome J. Magnetic thermocouple device, P (4) 96*e*.

Kantor, P. I. See Schmid, F.

Kanzig, Herbert See Ranalder, Urs B.

Kapadia, C. M., and Leipold, Martin H. Grain growth in pure dense MgO (2) 52*c*.

Kaplan, Sam H. Image screen with single optically continuous filter, P (9) 186*a*.

Kaplin, V. V. See Bobudaev, A. Ya.

Kaplit, Michael, and Eddy, David S. Temp. dependence on the birefringence for PLZT 7/65/35 and an Nb-modified PZT (10) 210*a*.

Kaplow, Roy See Yasaitis, John A.

Kapolyi, Laszlo, Lazar, Ferenc, Galsauner, Bela, Dzsida, Laszlo, and et al. Method for processing of red mud, P (4) 97*f*.

Kapolyi, Laszlo, Lazar, Ferenc, Vamos, Gyorgy, and Galsauner, Bela Process for preparing self-disintegrating products containing dicalcium silicate, P (3) 67*h*.

Kappers, Lawrence A., and Hensley, Eugene B. $F^+ \rightarrow F$ center conversions on MgO (8) 176*a*.

Kappmeyer, K. K., Russell, C. K., and Hubble, D. H. Refractories for continuous casting (9) 188*d*.

Kappmeyer, K. K., and Shapland, J. T. Flo-Con sliding gate systems for continuous casting (2) 38*e*.

Kapralik, I., and Potancok, M. Coexistence of crystalline phases in the MgO-rich part of the system CaO-MgO-SiO_2-Na_2O-P_2O_5 (4) 98*j*.

Kapron, Felix P. See Hudson, Marshall C.

Kapron, Felix P., and Keck, Donald B. Optical wave-guide light source coupler, P (4) 89*c*.

Karamanov, Zh., Vodenicharova, Tsv., Paskov, D., Damyanov, N., and et al. Grinding and polishing of Pb crystal glass bodies with free and bonded abrasives (10) 204*e*.

Karamanova, Ts. See Radev, R.

Karastoyanova, E. See Stoicheva, V.

Karchoud, M. See Escoubes, M.

Karickhoff, S. W. See Bailey, George W.

Karickhoff, Samuel W., and Bailey, George W. Optical absorption spectra of clay minerals (1) 25*i*.

Karitani, Tadakazu See Tomita, Akio

Karklina, M. I., Ablova, M. S., and Sidorov, A. F. Effect of impurities on the homogeneity and dislocation structure of PbTe monocrystals (9) 195*j*.

Karklina, M. I., and Saidbekov, D. T. Etching of SiC (9) 196*c*.

Karkowski, Abdon, Nowak, Edmund, and Szromba, Roman Process for the production of lightweight expanded aggregate, P (8) 163*b*.

Karls, Heinz See Jochim, Friedrich

Karlsney, Robert Decorating large ceramic tiles (11) 221*j*.

Karlov, N. V. Laser-induced chemical reactions (10) 217*a*.

Karosiene, A. See Glembotskii, I. I.

Karpenko, A. A. See Matyash, I. V.

Karpisek, Jan, and Kral, Frantisek Quartz glass in Czechoslovakia (11) 225*c*.

Karpov, V. N., and Korotkevich, I. B. Systems WO_3-R_2O_3(R = Ga,In) (7) 158*e*.

Karpov, V. N., Korotkevich, I. B., Minkova, M. M., and Sorokina, O. V. Systems M_2WO_4-$In_2(WO_4)_3$[M = Li,Na,K] (11) 236*f*.

Karpov, V. N., and Sorokina, O. V. Systems M_2WO_4-$Sc_2(WO_4)_3$[M = Li,Na,K,Rb, or Cs] (11) 236*f*.

Karpov, V. N., Sorokina, O. V., Pakhomov, V. I., Fedorov, P. M., and et al. Double tungstates of Sc and alkali metals (11) 234*f*.

Karpovich, I. A., Chervova, A. A., Demidova, L. I., Leonov, E. I., and et al. Electric and photoelectric properties of monocrystals $TlGaS_2$, $TlGaSe_2$, and $TlInS_2$ (8) 169*e*.

Kartsev, V. E. See Kovalev, F. V.

Karyakina, N. F. See Tokarev, E. F.

Kasabov, Iv. Changes in the thermal conductivity of lattice brick during firing with pressed fuels and cooling (10) 207*j*; Effect of particle size on changes in the effective coeff. of thermal conductivity during the firing of refractory brick grogs (10) 208*f*.

Kasai, Junichi See Mori, Shigejiro

Kasai, Noboru See Uchikawa, Hiroshi

Kasai, Toshiaki See Misumi, Akira

Kasanami, Toru, and Kano, Osamu Electroconductive material containing PbO and RuO_2, P (4) 93*d*.

Kasano, Hiroyuki Optical semiconductor device [Ge] and method of mfg., P (11) 231*d*. See Kurata, Kazuhiro ; Ono, Yuichi

Kasatov, B. K. See Ivanova, V. P.

Kasberg, Alvin H. Spent nuclear fuel shipping casks, P (5) 116*g*.

Kase, Hiroaki See Masuda, Noboru

Kashida, Shoji, Hatta, Ichior, Ikushima, Akira, and Yamada, Yasunobu Ultrasonic velocities in $BaTiO_3$ (5) 114*c*.

Kashirin, G. F. See Andrievskii, A. I.

Kashkooli, Farajollah See Brand, Warren L.

Kashyap, Subhash C. See Sharma, S. D.

Kasparyan, R. M. See Fedorov, N. F.

Kasper, Andreas, and Dietze, Wolfgang Apparatus for the production of closed-end tubes of semiconductor material, P (7) 149*g*.

Kasper, Horst M., Shay, Joseph L., and Tell, Benjamin Group I-III-VI semiconductors, P (2) 41*b*.

Kass, J. L., and Campbell-Allen, D. Precision of early shrinkage measurements (5) 117*c*.

Kassebeer, Gerd Continuous monitoring of fluoride emission (8) 173*a*.

Kastner, Richard Silicone rubber as elastic model material for the porcelain and ceramic industry (7) 148*g*.

Kasuga, Akira See Akashi, Goro

Kas'yanova, G. N. See Volkov, V. V.

Katada, Takeshi See Akashi, Goro

Katanic-Popovic, J., and Petrovic, V. Strength dependence on microstructure characteristics of sintered UO_2 (5) 115*i*.

Kataoka, Keisuke See Watanabe, Makoto

Kataoka, Shozi, Tateno, Hiroshi, Kawashima, Mitsuo, Komamiya, Yuzuo, and et al. Method of controlling high electric field domain in bulk semiconductor, P (2) 42*c*.

Katayama, Saichi See Yokota, Katuhiro

Katcley, J. A., Tschetter, M. J., and Chiotti, P. Reaction of thoria with $ZrCl_2$ (7) 157*b*.

Katlyar, R. S., Dawson, P., Hargreave, M. M., and Wilkinson, G. R. Dynamics of the rutile structure: III, Lattice dynamics and ir and Raman spectra of SnO_2 (1) 22*a*.

Kato, Akio See Tanaka, Junji

Kato, Akio, and Ono, Yoshihiro Synthesis of ceramic whiskers by vapor phase reaction: III, Growth of Si_3N_4 crystals from vapor phase (7) 158*i*.

Kato, Daisuke Light coupling from a stripe-geometry GaAs diode laser into an optical fiber with spherical end (9) 190*g*.

Kato, Etsuro See Yamaguchi, Akira

Kato, Etsuzo See Takashima, Hiroo

Kato, Hideomi See Kano, Gota

Kato, Mahoto, and Minowa, Susumu Properties of slag at elevated temps.: I–V (1) 27*b*; Properties of slag at elevated temp.: VI, Relations between the viscosity and the conductivity of molten slag (9) 198*c*.

Kato, Taketeol, Umetsu, Masaharu, and Kobayashi, Toshio Process for producing metal-coated glass-ceramic articles, P (6) 128*c*.

Kato, Teruo See Sugita, Yoshimitsu

Katona, Imre History of the Telkibanya faience and china factory (1) 1*h*.

Katori, Kazuo Foundry molding methods (2) 45*j*.

Kats, S. M., Gorin, A. I., and Semenov, M. V. Physicomechanical properties of carbide fiber materials (8) 178*i*.

Katsnel'son, L. M. See Shatalova, G. E.

Katsumata, Masayuki See Kojo, Ichiro

Katsura, M. See Nomura, T.

Katsutoshi, Nakayama See Yasuhiro, Tomita

Katsuzawa, Hideo, Kobayashi, Junichi, and Higuchi, Izumi Pore structure of alumina catalyst and intraparticle diffusion (8) 178*j*.

Katyshev, S. F. See Desyatnik, V. N.

Katz, L. See Jendrek, E. F., Jr.

Katz, Lewis See Evans, Doletha M. ; Potoff, Alan D.

Katz, Norman H. Process for massively hydriding Zr-U fuel elements, P (4) 95*c*.

Kaufman, Rudolph See Thouret, Wolfgang E.

Kaufmann, Reinhard See Dislich, Helmut

Kausay, Tibor Granular characteristics of aggregates (11) 222*f*.

Kausch, Joachim C. Acid etching of crystal (glass) (1) 3*j*.

Kavaliauskas, J., and Sibelka, A. Electroreflectance spectra in InAs (9) 195*j*.

Kavaliauskiene, G. See Viscakas, J.

Kaw, Prodhiman See Sen, Abhijit

Kawabe, Tadashi Method of mfg. fused MgO, P (5) 112*e*.

Kawabe, Ushio, Kudo, Mitsuhiro, and Fukase, Shigeo Nb_3Ga-base superconducting materials, P (8) 170*d*.

Kawachi, Mamo See Abe, Masanori ; Nomura, Shoichiro

Kawachi, Mamo, Abe, Masanori, and Nomura, Shoichiro X-ray and Moessbauer studies of the O-deficient $SrFe_xMo_{1-x}O_{3-y}$ (6) 142*f*.

Kawada, Isao See Kimizuka, Noboru

Kawai, Shichio See Okamoto, Kimihiko

Kawakami, Tatsuo See Hamachi, Kazuo

Kawalier, S. I. Paint-on fireproofing (2) 38*j*.

Kawaminami, Masaru See Okazaki, Atsushi

Kawamoto, Takamichi See Moriya, Yoshiro

Kawamura, Junichi, Hara, Kameyoshi, and Kawasaki, Kenichi Survey for model of particle-size distribution and calculation of packing vol of multicomponent particle-size system in refractory batches (10) 208*e*.

Kawamura, Junichi, Hara, Kameyoshi, Oguri, Shigeo, and Kusunose, Hiroshi Particle-size distribution dependence of properties for MgO refractories (9) 188*a*.

Kawamura, Junichi, Isomoto, Masaki, and Miyake, Kenichiro Particle-size distribution dependence of the properties of SiC refractories (3) 66*h*.

Kawamura, Junichi, Nakanishi, Takeshi, and Hayami, Hisaharu Performance of high-alumina ramming materials used in electric furnace roof (11) 227*d*.

Kawamura, Manao See Tsukada, Toshihisa

Kawamura, Nobuo See Shinoda, Daizaburo

Kawamura, Susumu See Takagi, Kiyoshi

Kawana, Akio See Miyazawa, Shintaro

Kawano, Toshio Expansive cement additives and process for producing, P (5) 107*i*.

Kawarada, Hiroshi See Yamamoto, Ryoichi

Kawarada, Hiroshi, and Obashima, Nobumasa Dc EL [electroluminescent] materials and techniques for flat panel TV display (6) 130*d*.

Kawarazaki, S. See Rao, G. V. S.

Kawasaki, B. S. See Shewchun, J.

Kawasaki, Harumi Interferometer for *X-Y* measurement, P (6) 134*h*.

Kawasaki, Kenichi See Kawamura, Junichi

Kawase, Tsuyoshi See Kimura, Shinji

Kawashima, Mitsuo See Kataoka, Shozi

Kawauchi, Shiro See Kimura, Morihiro

Kawazoe, Hiroshi See Kanazawa, Takafumi

Kawecki, Wieslaw See Manitius, Andrzej

Kawiecki, Chester J. Spark-gap device, P (9) 192*d*.

Kay, Carroll B. See Jain, Dilip C.

Kayal, P. B. See Mukerji, J.

Kazak, V. F. See Lyutin, V. I.

Kazakov, Vladimir A. See Bukrinskii, Anatoly M.

Kazan, Benjamin Field-effect storage tube, P (11) 230*a*.

Kazmerski, L. L., Berry, W. B., and Allen, C. W. Role of defects in determining the electrical properties of CdS thin films: I, Grain boundaries and surfaces; II, Stacking faults (6) 131*b*.

Kazmoff, Alexis I. See Hill, Howard W.

Keck, D. B., and Tynes, A. R. Spectral response of low-loss optical wave guides (10) 205*a*.

Keck, Dieter See Buecker, Franz

Keck, Donald B. See Kapron, Felix P.

Keck, Donald B., and Maurer, Robert D. Method of forming optical wave guide fibers, P (4) 88*e*.

Keck, Donald B., Schultz, Peter C., and Zimar, Frank Optical wave-guide fibers, P (10) 206*c*.

Keck, James C. See Pagni, Patrick J.

Kedavicius, V., and Pipinys, P. Thermostimulated electron emission in Bi_2S_3 crystals (8) 180*d*.

Keefer, George E., and Pei, Yu E. Glass tube forming apparatus and method, P (1) 7*g*.

Keefer, George E., and Qualls, Paul J. Method and apparatus for producing hollow glass articles by module immersion technique, P (7) 146*d*.

Keeleric, George F. Method of making metal-bonded abrasives by electroless deposition, P (2) 31*i*.

Keeling, Rolland O., Jr. Moessbauer investigation of mechanically induced magnetic anisotropy in natural hematite (4) 100*c*; Moessbauer investigation of mechanically induced magnetic anisotropy in natural hematite--erratum (9) 197*g*.

Keenan, A. G. See Goldstein, Mark

Keenan, James P. See Bonazoli, Robert P.

Keenan, William A., Popoviak, Michael R., and Yeh, Tsu-Hsing Apparatus and method for detection of internal semiconductor inclusions, P (2) 41*d*.

Keesom, P. H. See Reed, Thomas Bennington ; Sjostrand, M. E.

Keeton, S. C. See Shelby, J. E.

Keeton, S. C., and Wilson, W. D. Vacancies, interstitials, and rare gases in fluorite structures (8) 180*h*.

Keevert, J. E. See Helling, J. O.

Keisenburg, R. Granulometric analysis of raw meal and cement with the sedimentation balance (10) 202*b*.

Keig, George A. Single-crystal oxide substrates (2) 41*b*.

Keinath, M. Moldable refractories in the cement industry (8) 167*b*.

Keisch, B. Moessbauer effect studies in the fine arts (10) 201*e*.

Keitel, Diethard, Weinhold, Heinz, and Scherlemer, Rold Method and device for photometrically sorting lumpy minerals, P (2) 48*a*.

Kekan, N. L. See Joshi, R. V.

Kelemen, Denis G. See Galli, Richard J.

Keler, E. K. See Glushkova, V. B. ; Tikhonov, P. A.

Keller, Harry N., and Pfahnl, Arnold Technique for the fabrication of an air isolated crossover, P (7) 151*h*.

Keller, R. See Reder, R.

Keller, Robert F. See Kessler, Sebastian W., Jr.

Keller, Walter D. See Huang, Wen H.

Keller, Wolfgang Method for controlled doping of semiconductor crystals, P (9) 191*e*. See Stut, Hans

Keller, Wolfgang, Kersting, Arno, and Reuschel, Konrad Apparatus for precipitating a layer of semiconductor material from a gaseous compound of the semiconductor material, P (5) 114*d*.

Kellerer, H. See Piatti, G.

Kellerer, Josef See Heynisch, Heinrich

Kelley, James C. See Parish, William R.

Kelley, James K. See Mashikian, Matthew S.

Kellner, Jordan D. Electrodeposition of coherent B (5) 114*f*.

Kelly, Edward J. See Soules, Thomas F.

Kelly, T. M. See Helling, J. O.

Keltner, Ned R. See Bickle, Larry W.

Kemlage, Bernard M. See Boss, David W.

Kemmler-Sack, S., and Hofelich, I. Perovskite phases in the system BaO-RE_2O_3-$(UO_2)_2$: I, Compounds with the composition $Ba_2RE_{0.67}UO_6$ and $Ba_2RE_{0.67}UO_{5.5}$ (6) 133*k*; II, Compounds with the composition $Ba_2(RE_{0.67}U_{0.33})UO_{6.17}$ (6) 133*i*.

Kemp, James C. See Izen, Edward H.

Kemp, R. C. Orthorhombic Fe centers in muscovite and phlogopite micas (1) 26*a*.

Kendall, Don L. Process for the fabrication of semiconductor materials, P (9) 191*h*.

Kendall, Ernest G. See Pepper, Roger T.

Kendall, K. Shrinkage and peel strength of adhesive joints (8) 164*j*.

Kendrick, Gary R. See Sauder, Robert A.

Kenmoku, Yoshihiro See Sugano, Izuru

Kennard, F. L., Bradt, R. C., and Stubican, V. S. Eutectic solidification of MgO-$MgAl_2O_4$ (1) 23*h*; Directional solidification of the ZrO_2-MgO eutectic (11) 234*e*.

Kennedy, Bobby W. Integrated circuit package with lead structure and method of preparing, P (4) 93*h*.

Kennedy, C. R., and Bradt, R. C. Softening of Al_2O_3 by solid solution of $MgO.TiO_2$ (1) 27*j*.

Kennedy, John D. See Farmer, Donald A.

Kennedy, John H., and Sammells, Anthony F. Conductivity of beta alumina and its dependence on Na and Mg content (1) 21*e*.

Kenner, G. H. See Frakes, J. T.

Kenney, Donald M. See Fitzgibbons, William A.

Kenny, D. S., and Navrotsky, A. Approximate activity-composition relations in the system MgO-ZnO at 1205° ± 5°C (1) 21*c*.

Kenny, Neal S. See Halaby, Sami A.

Kent, B. E. See Wilson, A. D.

Kent, Brian E. See Wilson, Alan D.

Kenworthy, R. Role of Na sulfate and As oxide in the fining of glass (1) 6*f*.

Keramidas, Vassilis G., and White, William B. Raman scattering study of the crystallization and phase transformations of ZrO_2 (2) 55*j*.

Kerkmov, I. G. See Rustamov, A. G.
Kern, Werner Glass-encapsulated semiconductor device, P (1) 14*d*.
Kervick, Jerry F. Thermal diffusivity of heterogeneous materials: I–II (2) 57*b*.
Kerschbaumer, H. Use of MgO brick in cement rotary kilns of high output (1) 10*f*.
Kersten, Walter Ni coloration in ceramic glazes (11) 229*a*.
See Fassbender, Bernd
Kerstetter, Donald R. See Benda, David ; Bingeman, Wilbur H.
Kersting, Arno See Keller, Wolfgang
Kertesz, Pal See Galos, Miklos
Kertesz, Pal, and Marek, Istvan Ultrasonics in rock testing (2) 47*f*.
Kervin, Paul W., and Lafon, Earl E. Application of bonding molecular orbitals to the valence bands of diamond (3) 76*h*.
Keshishian, Vahe Radioisotope fuel material and method, P (6) 133*f*.
Kessel, E. Construction of modern extrusion pug mills for stoneware pipes (11) 231*j*.
Kessl, W. Shaped articles containing SiC for cupolas, P (4) 91*c*.
Kessler, Sebastian W., Jr., and Keller, Robert F. Method of making an electrically insulating seal between a metal body and a semiconductor device, P (3) 71*b*.
Kesson, S. E., and Holloway, J. R. Generation of N_2-CO_2-H_2O fluids for use in hydrothermal experimentation: II, Melting of albite in a multispecies fluid (10) 216*e*.
Keulen, E. See Hornstra, J.
Keune, D. L. See Herzog, Arno H.
Keune, D. L., Craford, Magnus G., Herzog, Arno H., and Fitzpatrick, B. J. GaP high-temp. electroluminescent *p-n-p-n* switches and controlled rectifiers (4) 92*j*.
Keve, E. T., and Skapski, A. C. Crystal structure of triclinic β-$BiNbO_4$ (6) 137*a*.
Kevorkov, A. M. See Bagdasarov, Kh. S.
Keyser, David R. How accurate are thermocouples anyway? (6) 134*i*.
Khadzhi, V. E. See Tsinober, L. I.
Khalafalla, Dorothy, and Morrish, A. H. Ferrimagnetic Co-doped gamma-ferric oxide micropowders (2) 40*j*.
Khalil, Abdel Aziz A. Gypsum plasters: III, Preparation, constitution, and some properties of α-hemihydrate (8) 162*d*.
Khalil, S. M., and Ward, M. A. Influence of precuring on high-pressure steam hydration of portland cements (5) 106*f*.
Khalilov, Kh. Ya. See Guseinov, G. D.
Khan, R. A. See Worrall, W. E.
Kharchenko, L. Yu. See Klevtsov, P. V.
Khar'kova, A. M. See Eremenko, V. N.
Khattak, C. P. See Voorhoeve, R. J. H.
Khelfets, V. S. Interaction of Ti with fusible vitreous enamel (6) 126*b*.
See Romanenko, V. N.
Khilla, M. A. See Hanafi, Z.
Khint, I. A. See Pae, A. Ya.
Khitarov, Nikolai I. See Kirilishin, Vsevolod P.
Khlebopros, R. G., Zakharov, Yu. V., and Mankov, Yu. I. Temp. dependence of electrical resistance of ferromagnetics with domain structure (9) 199*g*.
Khliyan, T. M. See Bukhalova, G. A.
Khludkov, S. S. See Lavrishchev, T. T.
Khoi, Le Dang See Fruchart, D.
Kholopova, L. I., Golikova, T. G., and Penkin, V. I. Shungite as pigment for black cement (3) 62*g*.
Khomich, V. Kh., Kostovskii, D. A., Goncharik, V. N., Beuzar, V. K., and et al. Automatic control level of slurry in vertical basins (4) 83*g*.
Khoo, C. L., and Hendry, A. W. Strength tests on brick and mortar under complex stresses for the development of a failure criterion for brickwork in compression (10) 207*h*.
Khotinchenko, V. S. See Nikushchenko, V. M. ; Rumyantsev, P. F.
Khrunova, V. A. See Pavlova, I. S.
Khubovenski, N. See Pavlov, Tr.
Khudoiazhkin, V. O., Urusov, V. S., and Tobelko, K. I. Distribution of cations with respect to positions in the Ca,Sr,Ba apatite structure (5) 120*d*.
Khvorostenko, A. S. See Dembovskii, S. A.
Kiang, Wen C. See Huang, Wen H.
Kibler, Lyndon U. Temp.-sensitive fiber-optic devices, P (10) 207*g*.
Kichkina, E. S. See Abramson, I. G.
Kichkina, E. S., and Fraiman, L. S. Improvement in work of grate coolers (9) 182*j*.
Kidder, Gerald, and Reed, Lester W. Swelling characteristics of hydroxyaluminum interlayered clays (5) 123*b*.
Kido, Yasuji See Takenaka, Shigeo
Kiefer, W. See Zimmerer, N.
Kiefer, Werner Diffusion colors on glass (7) 145*i*.
Kieffer, R. See Schwetz, K.
Kieffer, Richard, Heinke, Guenther, Wrum, Werner, and Buchwald, D. Production of α-Al_2O_3 by pyrolysis and calcination of Al compounds (1) 20*e*.
Kiehl, Jean P. Mineral-filled fibrous composites—a new family of refractory products (1) 9*g*.
Kiel, A., Mims, W. B., and Massabr, G. J. Electric field effect in paramagnetic resonance for Mn^{2+} in $PbMoO_4$ (8) 175*h*.
Kienast, Gerhard See Langmesser, Paul W.
Kienast, Gerhard, Stuetgens, Herbert, and Zander, Hans G. Separation of magnetizable particles, P (1) 17*c*.
Kienow, Sigismund, and Traustel, Sergei Crack formation and stress distribution in cooled or heated refractory bricks, e.g. in regenerator checkerwork (5) 111*b*.
Kierzek-Pecold, E. See Synielnikowa, W.
Kietis, B. See Kudaba, V.
Kiewit, David A. Semiconductor vidicon and process for fabricating, P (6) 133*c*.
Kiffawi, I. See Steinberger, I. T.
Kiger, W. Terry, and Blodgett, William E. Polycrystalline abrasion-resistant alumina compositions, P (8) 170*f*.
Kiger, William T. See Kamin, George J.
Kijima, K., and Komatsu, H. Identification of the polar surfaces of SiC crystals (5) 120*i*.
Kikuchi, Makoto See Matsuda, A.
Kikuchi, T. See Kurasawa, T. ; Nasu, S. ; Watanabe, H.
Kilian, H. R. See De Lamotte, Emmanuel
Killmeyer, Charles W. See McWilliams, Donald E.
Kim, Bo Won See Choi, Jae Shi
Kim, Byung Hoon See Lee, Chong Keun ; Sohn, Eun San
Kim, Chang Eun See Lee, Hee Soo
Kim, Chang Soo, and Palmer, Gerald G. Composite integrated circuits with coplanar connections to semiconductor chips mounted on a single substrate, P (1) 13*h*.
Kim, Chong K. Back-to-back semiconductor hf device, P (1) 13*e*.
Kim, H. See Kimura, S.
Kim, H. C., and Matthews, F. L. Hysteresis behavior in CFRP [C fiber-reinforced plastic] (8) 167*f*.
Kim, Hwan See Kimura, Shiushichi
Kim, In Uk See Jung, Hyung Jin
Kim, Ki Soon See Choi, Sang Heul
Kim, L. A. See Dolgopolov, N. N.
Kim, Myun Sup, Kim, Young Choul, Eom, Tai Su, and Lee, Pyoung Jik Crystallization of Korean bentonite treated with aqueous NaOH solution under pressure (8) 173*b*.
Kim, S. M., La, W.-K., Nicholson, P. S., and Hamielec, A. E. Corrosion of aluminosilicate refractories in Fe-Mn alloys (9) 187*d*.
Kim, Y. M. See Bourgoin, J. C.
Kim, Young Choul See Kim, Myun Sup
Kimball, Stephen F. See Cohen, Sheppard
Kimizuka, Noboru See Noguchi, Masayasu
Kimizuka, Noboru, Ishii, Motohiko, Kawada, Isao, Saeki, Masanobu, and et al. V_2O_3 single crystals synthesized under various O partial pressures at 1500 K (10) 220*d*.
Kimpel, Robert F., and Lewis, Albert Production of colored coated glass fibers, P (10) 207*c*.
Kimura, Kikuo See Matuzawa, Kunihiro
Kimura, Kikuzi Method of spectra analytical filter paper dust sampling, P (3) 74*c*.
Kimura, Masakazu, Doi, Kikuo, and Nanamatsu, Satoshi Piezoelectric single crystal, P (7) 150*e*.
Kimura, Morihiro, Kawauchi, Shiro, Kyodea, Hiroshi, Shibuno, Masao, and et al. High-alumina refractories for blast furnace lining (3) 66*e*.
Kimura, Morihiro, Maruyama, Reizo, and Ishizawa, Keuki Long nozzle for steel casting (2) 38*h*.
Kimura, Morihiro, Otani, Takeo, and Ayuzawa, Nobuo High-purity MgO refractories (2) 38*g*.
Kimura, S. See Shimohira, T. ; Tagai, H.
Kimura, S., Kim, H., and Yasuda, E. Fabrication of MgO bicrystals (11) 234*f*.
Kimura, Shigeyuki Phase equilibria in the system NbO_2-Nb_2O_5—phase relations at 1300° and 1400°C and related thermodynamic treatment (2) 54*i*.
Kimura, Shinji, Ichihara, Izumi, and Kawase, Tsuyoshi Antihygroscopic arc-welding coated electrode and process for producing, P (5) 107*h*.
Kimura, Shinshichi See Hamano, Kenya
Kimura, Shinshichi, Yasuda, Eiichi, and Kim, Hwan Additive distribution and formation of internal stress in fired MgO (8) 167*a*.
Kimura, Takashi, and Awano, Yeji Method for making a sintered body [cermets] having integral portions of different density, P (8) 168*d*.
King, Alan G., and Logan, John C. Wear-resistant aluminous ceramic articles, P (5) 113*g*.
King, G. A., Ridge, M. J., and Walker, G. S. Salts in gypsum and calcined gypsum (7) 144*g*.
King, James L. Method for testing MOS memory store device, P (10) 211*j*.
King, P. J., and Loukkala, M. Subharmonic generation in quartz plates (4) 93*d*.
King, R. D. See Henderson, Brian
King, R. P. Analytical solution to the batch-comminution equation (3) 73*e*.
King, Roger P. Heat sink for tubular conveyor rolls, P (4) 88*g*.
Kingery, W. D. Plausible concepts necessary and sufficient for interpretation of ceramic grain-boundary phenomena: I, Grain-boundary characteristics, structure, and electrostatic potential (2) 55*b*; II, Solute segregation, grain-boundary diffusion, and general discussion (3) 81*a*.
Kinkade, William A., and Roe, Clyde B. Process for making gypsum board, P (10) 203*f*.
Kinney, Gordon See Petti, Edgar A.
Kinoshita, Joshyo See Roztoczy, Ferenc E.
Kinoshita, Makoto, Kose, Saburo, and Hamano, Yoshiteru Densification of MgO compacts during hot-pressing (7) 154*b*; Hot-pressing of alumina—analysis with several rate equations (7) 155*b*.
Kinser, D. L. See Friebele, E. J. ; Perry, C. H.
Kinsey, James L. Device for handling articles such as bottle or jar type containers, P (8) 165*i*.
Kinter, Malcolm L. See Antypas, George A.
Kipp, M. E., Krohn, D. A., and Hanselman, D. P. H. Effect of surface-compression strengthening vs reduction in flaw size on thermal-stress resistance of an Na_2O-CaO-SiO_2 glass (11) 223*f*.
Kirby, C. G. M. See McLaren, E. H.
Kirby, David B., and Kroesing, Roger D. Method of treating clay to improve optical properties, P (1) 20*a*.
Kirby, Russell B., Jr., and Wing, Stephen C. Precision molded refractory articles, P (11) 228*b*.
Kirch, William See Aboutboul, Henri A. ; Krekeler, Jerome H.
Kirchheim, Jean J. Apparatus for the production of sheets or mats from fibers of thermoplastic material, P (6) 127*g*.
Kirchheim, R. See Fromm, E.
Kirchner, Henry P. See Gruver, Robert M.
Kirchner, Henry P., and Gruver, Robert M. Elevated temp. flexural strength and impact resistance of alumina ceramics strengthened by quenching (11) 228*d*.
Kirchner, Henry P., and Walker, Ralph E. Method of strengthening alumina and spinel bodies, P (1) 12*c*.
Kirichenko, I. V. See Ugai, Ya. A.
Kirilenko, M. M. See Serednii, A. P.
Kirilenko, V. V. See Dembovskii, S. A.
Kirilishin, Vsevolod P., and Khitarov, Nikolai I. Method of obtaining chemical-resistant concrete, P (1) 3*j*.
Kirk, R. See Giallorenzi, T. G.
Kirkaldy, J. S. See Okongwu, D. A.
Kirkaldy, J. S., Bolze, G. M., McCutcheon, D., and Young, D. J. Phase constitution of the Ni-Cr-S alloy system between 600 and 850°C (10) 218*i*.
Kirkpatrick, R. James, and Steele, Ian M. Hexagonal $CaAl_2Si_2O_8$—a new synthetic phase (4) 99*f*.
Kirnas, I. G. See Litovchenko, P. C.
Kirpl, G. P. See Belyaev, I. N.
Kirsch, Jerry Method for vacuum pickup of porous materials, P (6) 134*c*.
Kiryaeva, E. E. See Kukolev, G. V.
Kisban, Gabor Rapid test to determine activity of fly ash (2) 47*d*.
Kisel, N. G. See Savos'kina, A. I.
Kiselev, A. See Glembotskii, I. I.
Kiselev, A. V., Zhuravlev, D. A., and Slavskii, E. M. Improvement in method of grinding coal for rotary furnaces with cooled grates (4) 85*d*.
Kiselev, Yu. M. See Spitsyn, V. I.
Kiser, Fred W. Method of machining ferromagnetic workpieces to true flatness, P (8) 170*h*.
Kishimoto, Shoichi, Matsuo, Terumoto, and Mori, Mikio Improved method of construction of electric furnace basic brick roof (11) 226*j*.
Kislova, A. I. See Larina, R. A.
Kislyi, P. S., and Kuzenkova, M. A. Relations governing activated sintering of refractory compounds (7) 157*e*.
Kissel, Roland R. Fluid-fuel burners, P (1) 19*e*.
Kissell, Ronald E. See Richards, David O.
Kit, Yuen Se Combined mixer and pourer, P (2) 45*h*.
Kitaev, V. N. See Gurylev, V. K.
Kiteva, V. F. See Aleksandrov, V. I.
Kitahara, Masahiro See Kojo, Ichiro
Kitahara, Shogo See Yamashita, Tsutomu
Kitaj, Walter Coated glass surface, P (8) 165*h*.
Kitamoto, Tatsuji See Akashi, Goro
Kitamoto, Tatsuji, and Akashi, Goro Process for treating ferromagnetic CrO_2, P (2) 43*b*.
Kitamoto, Tatsuji, and Yamada, Yasuyuki Ferromagnetic Cr-O_2 composition and magnetic recording medium containing it, P (10) 210*f*.
Kitamura, Tomoyasu See Ohba, Hiroshi
Kitano, Ichiro See Koizumi, Ken
Kitao, Michihiko, Mochizuki, Tohru, and Yamada, Shoji Variation of photoconductivity spectra of amorphous As_2Se_3 with light chopping freq. (4) 104*e*.
Kitazawa, K., and Coble, R. L. Chemical diffusion in polycrystalline Al_2O_3 as determined from electrical conductivity measurements (7) 154*i*; Electrical conduction in single-crystal and polycrystalline Al_2O_3 at high temps. (7) 155*g*; Use of stabilized ZrO_2 to measure O_2 permeation (9) 199*d*.
Kitazawa, Takeo See Inoue, Kozo
Kitsis, S. B. See Royak, S. M.
Kitsuda, Toshiyuki, Yamakawa, Choji, and Hattori, Kenichi Method for maintaining fluidity of cement compositions, P (6) 126*h*.
Kitzinger, Frank See Tarassoff, Peter
Kivala, John Castable refractories cut pipe production costs (9) 187*d*.
Kivlighn, H. D., Jr., and Rusnak, M. A. Formation of nepheline glass-ceramics using Nb_2O_5 as a nucleation catalyst (10) 204*d*.
Kivlighn, Herbert D., Jr. Novel glasses and processes for the preparation thereof, P (11) 226*d*.
Kiyama, Mamo See Iwase, Keizo
Kiyozumi, Kentaro See Owaki, Kenichi
Kjekshus, Arne Crystal structures of $ZrSb_2$ and α-$HfSb_2$ (2) 50*d*. See Brattas, Leif ; Donaldson, J. D. ; Fermor, J. H. ; Selte, Kari
Kjekshus, Arne, and Nicholson, D. G. ^{125}Te Moessbauer effect in $FeTe_2$, $CoTe_2$, and $RuTe_2$ (3) 81*g*.
Kjems, J. K., Shirane, G., Mueller, K. A., and Scheel, H. J. Soft-phonon response function—inelastic neutron scattering from $LaAlO_3$ (9) 198*d*.
Klages, Gerhard See Abele, Karl-Heinz
Klages, R. See Gotthelf, H.
Klar, Erich Apparatus for measuring the neutron flux in a nuclear reactor, P (4) 95*h*.
Klassen, V. K. See Luginina, I. G.

Klassen, V. K., Luginina, I. G., Luginin, A. N., and Matveev, A. F. Causes of clinker dusting and its elimination (9) 181*j*.

Klauminzer, G. K. See Fairbank, W. M., Jr.

Klecandr, Vlastimil Sizing of abrasive waste suspensions in glass plants (11) 225*e*.

Klein, A. Glazes of Islamic ceramics (11) 221*d*.

Klein, Gerald L., Moore, Robert A., and Payer, Stephen F. Minimum insertion loss YIG pulse compression filter transducer, P (11) 231*c*.

Klein, Joachim Influence of various melting parameters on the gas content of glasses (8) 164*a*.

Klein, Miles V. See Colwell, Priscilla J.

Klein, Miles V., Ganguly, B. N., and Colwell, Priscilla J. Theoretical and experimental study of Raman scattering from coupled LO[longitudinal optical]-phonon-plasmon modes in SiC (8) 179*h*.

Klein, P. B. See Song, Jin-Joo

Klein, Richard M. Preparation of chalcogenide glass sputtering targets, P (6) 132*h*.

Klein, Robert L., and Hogg, Walter R. Particle analyzing system for Coulter particle device and method, P (5) 118*b*.

Klein, Walter SiO_2 bricks, P (5) 112*i*.

Klein, Wolfgang Backscattering of electrons from GaAs (4) 98*c*.

Kleinert, Peter Chemical transport of oxidic metal compounds: IV, Transport of Fe, Co, and Mn spinels and Ni, Co, Mn, and Mg ferrites by HCl (9) 194*i*.

Kleinfelder, Walter J. See Ahn, Junghi

Kleinman, I. A., Lyubimova, T. A., Rabinovich, A. Z., and Reitberg, M. B. Thermal effects in Li metaniobate (5) 123*f*.

Kleinman, Leonard See Caruthers, Ed

Kleinschmidt, Peter See Guntersdorfer, Max

Klein, B. See Gusek, H.

Kleist, Dale, and Buchanan, Carl S. Method and apparatus for producing fibers from glass, P (1) 7*j*.

Klepatskii, V. G. See Il'yashenko, E. I.

Klepfer, Harold Holmes See De Hollander, William R.

Kleppa, O. J. See Charlu, T. V. ; Mueller, Fred ; Shearer, J. A.

Kleshchev, G. V., Bryzgalov, A. N., Butorin, P. P., Cherayl, L. N., and et al. Nature of V-shaped defects of optical homogeneity in synthetic quartz crystals (4) 100*h*.

Kleshnina, S. I. See Pribylov, K. P.

Klevtsov, P. V. See Klevtsova, R. F.

Klevtsov, P. V., Protasova, V. I., Kharchenko, L. Yu., and Klevtsova, R. F. Hydrothermal synthesis of a new crystal modification of Li-La molybdate, α-$LiLa(MoO_4)_2$ (3) 79*h*.

Klevtsov, P. V., Vinokurov, V. A., and Klevtsova, R. F. Double molybdates and tungstates of alkali metals with Bi, $M^+Bi(TO_4)_2$ (5) 120*f*.

Klevtsova, R. F. See Klevtsov, P. V.

Klevtsova, R. F., Kozeeva, L. P., and Klevtsov, P. V. Preparation and structure of $KEu(MoO_4)_2$ crystals (9) 197*i*.

Kleykamp, H., and Paneth, L. J. Gibbs energy of formation of IrO_2 (3) 79*b*.

Kleysteuber, W. K., and Miscoe, A. J. Undulatory conveyor tests and evaluation (7) 153*c*.

Klievoneit, Harold R. Method for fabricating a disk file, P (10) 211*d*.

Kline, Charles M. Agitating extensions for the central mixing auger of a grinder-mixer, P (5) 116*b*.

Kline, D. E. See Whiting, D. A.

Klinedinst, K. A., and Stevenson, D. A. Solid-electrolyte O gage for monitoring trace quantities of water vapor in H gas (1) 18*a*; Determination of the standard Gibbs energy of formation of β-Ga sesquioxide from emf measurements using an Y_2O_3-doped thoria electrolyte (2) 50*g*; Determination of the standard Gibbs energies of formation of In oxides from emf measurements using a solid oxide electrolyte technique (3) 77*g*.

Klingshirn, C. Spontaneous and stimulated emission of ZnO by two-quantum absorption (5) 122*c*.

Klink, Jerome P. See Thumm, J. Randall

Klink, Jerome P., Lyle, Phra D., and Giffith, Terry L. Apparatus for winding textile material, P (6) 127*g*.

Klink, Jerome P., Lyle, Phra D., Shape, Norman R., and Symberski, Alex P. Apparatus for winding thermoplastic strands, P (9) 186*c*.

Klinkova, L. A., and Medvedeva, Z. S. Transport of InP by iodine at 880–950°C (8) 180*f*.

Klipfel, L. See Brunisholz, G.

Klishanin, N. D. See Pankratov, V. L.

Klokholm, E. See Giess, E. A.

Klopfer, Howard J. See White, Dwain M.

Klose, H., Maronchuk, Yu. E., and Semochenko, O. V. Photocapacitance of the MIS structure Al-Si_3N_4-*n*-GaAs (10) 218*b*.

Kluska, Andrzej Fireclay refractories from clayey raw materials with addition of metallic aluminum (4) 90*i*.

Klosiika, Walter Method of connecting a contacting wire to a metal contact on the surface of a semiconductor element, P (6) 132*f*.

Klug, P., and Wittmann, F. H. Activation energy and activation vol of creep of hardened cement paste (11) 222*a*.

Klyzik, Andrzej See Januaz, Czeslaw

Klyucharov, Yu. V., and Gaenko, N. S. Effect of CaO on $MgO-Al_2O_3$ spinel (9) 187*e*.

Klyuchnikov, M. M. See Yakovlev, Yu. M.

Klyuev, Yu. A., Dudenkov, Yu. A., and Nepsha, V. I. Conditions of formation of diamonds in relation to the form of their growth and the distribution of admixtures of optically active centers (10) 215*b*.

Knecnik, Ronald A. See Patrick, Ralph E.

Knaak, Eberhard See Hoffmann, Hans

Knapp, Donald E., and Nagerosi, Lindo P. TiO_2 slurries having a high solids content, P (3) 76*e*.

Knauf, A. N., Kroesert, W., and Haubert, P. Electron scan microscopy as a supplementary method for the investigation of gypsums (2) 46*e*.

Knauf, Albrecht See Lehmann, Hans

Knauf, A. N., Hartmann, Peter, Schmidt, Adolf, and Wirsching, Franz Process for treating plaster of Paris, P (3) 62*d*.

Knavish, Leonard A. See Stultz, James C.

Knavish, Leonard A., and Schornhorst, James R. Apparatus for refining glass, P (4) 87*g*.

Knoechke, Goetz, and Reinhardt, Helmut Pore development in refractory chrome-magnesite sinters (8) 167*e*.

Knlepkamp, Hermann Method of producing Schottky contacts, P (10) 211*h*.

Knlga, M. V., Mikhaleva, T. G., and Rivkin, M. N. Interactions in the system $Y_2O_3-Al_2O_3$ (1) 24*b*.

Knlga, M. V., Rubinchik, Ya. S., and Zaretskaya, R. A. Effect of various cations on the reaction kinetics in the systems La_2O_3-NiO and Pr_2O_3-NiO (1) 22*j*.

Knight, D. J. E. See Blaney, T. G.

Knight, Diana J. See Bakos, Peter

Knight, Larry V. See Hammond, Donald L.

Knight, S., Buehler, E., and Camilbel, I. Current-controlled negative resistance in $CdSnP_2$ (3) 77*d*.

Knippenberg, Wilhelmus F., and Verspui, Gerrit Method of producing crystalline SiC whiskers, P (10) 209*b*.

Knipper, C. E. Ir and convection dryers—selection and application (11) 222*i*.

Knochel, William J., Werner, Leo C., and Lin, Francis C. M. Apparatus and method for eliminating microcracks in alumina ceramic discharge devices, P (4) 91*j*.

Knowlton, Keith L. Method and apparatus for making glass fiber sprays, P (1) 7*j*.

Knox, B. E., and Baker, E. H. Effect of O pressure on the liquid Ag-Al_2O_3 interface (6) 130*f*.

Knox, W. P. See Dishman, J. M.

Knudsen, James E. See Perrington, Kenneth J.

Knutson, Oliver J. See Church, Peter K.

Knyazev, A. S., Poplavko, Yu. M., Zakharov, V. P., and Alekseev, V. V. Soft mode in vibration spectrum of $CaTiO_3$ (6) 141*c*.

Knyazev, A. S., Zakharov, V. P., Mityureva, I. A., and Poplavko, Yu. M. Vibration spectra of rutile (5) 123*f*.

Knyazeva, L. D. See Dvornikova, L. M.

Knyaz'kova, I. S. See Cherkinskii, Yu. S.

Ko, Young Shin See Ahn, Young Phil

Kobayashi, Fumiaki See Ikawa, Katsuichi

Kobayashi, Fumiaki, Ikawa, Katsuichi, and Iwamoto, Kazumi Deposition of dense isotropic carbon from acetylene in fluidized bed (11) 229*b*.

Kobayashi, Hiroo, and Oyama, Takeji Effects of the addition of certain Cr compounds on some properties of zircon brick (10) 208*f*; Effect of additions of various complex oxides on sintering of zircon at 1500°C (11) 226*f*.

Kobayashi, Hiroshi, and Okada, Gero Clinker cooling apparatus, P (11) 233*f*.

Kobayashi, Isamu See Wakamiya, Kinji

Kobayashi, Jiro See Kakehi, Toshihiro

Kobayashi, Junichi See Katsuzawa, Hideo ; Morioka, Yoshio

Kobayashi, Kazuo See Yamamoto, Masayuki

Kobayashi, Kazuo, and Kaneno, Masayuki Utilizing mixtures of Y_2O_3, MgO, and La oxide in mfg. of transparent Al_2O_3, P (6) 130*i*.

Kobayashi, Keiji Photoelastic properties of glass hardened by liquid quenching (11) 224*h*.

Kobayashi, Masanobu, and Takahashi, Mitsuzo Al phosphate and a producing method therefor, P (8) 173*e*.

Kobayashi, Seihin, Torii, Michihiro, and Oshima, Katsuyuki Method for producing ferrite thin-film body, P (2) 42*h*.

Kobayashi, Toshio See Kato, Taketosi

Kobayashi, Yoshichika, and Yakeno, Kouzi Method for producing phosphor screen, P (1) 15*a*.

Kobayashi, Yoshikazu See Matsuoka, Michio

Kobayasi, Hiroyuki, and Akasaki, Isamu Apparatus for the liquid-phase epitaxial growth of multilayer wafers, P (5) 114*d*.

Kober, Harald Method of making laminated asbestos cement plates, P (1) 11*c*.

Kobetz, Paul See Frey, Frederick W., Jr.

Kobetz, Paul, and Niebylski, Leonard M. Crystalline Be hydride, P (5) 112*b*.

Kobilka, R. J., and Solin, S. A. Raman spectrum of vitreous As_2S_3 (10) 218*g*.

Kobrin, M. G., and Vinogradov, V. M. Improvement of intraplant transport (9) 182*i*.

Kobyakov, I. B. See Tokarev, E. F.

Kobycheva, T. A. See Andreeva, M. I.

Koch, Ernst Ruediger Design of structures with improved strength by the use of the photoelastic method [to reveal stress distribution] (2) 46*j*.

Koch, F. A., and Vook, R. W. Vapor epitaxy of CaF_2 on NaCl (9) 199*f*.

Koch, Sigurd Fixed data memory utilizing Schottky diodes, P (3) 71*a*. See Burker, Ulf

Kochepasov, I. I. See Panin, V. E.

Koch, Hendrikus G. See de Nobel, Dirk

Koch, Hendrikus G., de Nobel, Dirk, and Tijburg, Rudolf P. Methods of mfg. semiconductor devices, P (2) 43*b*.

Kocks, Friedrich [Drum] kilns, P (1) 19*d*.

Kodama, Hideomi, Ross, G. John, Iiyama, J. Toshimichi, and Robert, Jean-Louis Effect of layer charge location on K exchange and hydration of micas (10) 216*f*.

Kodama, Hisashi Establishment of quality standards for imported refractory materials (10) 208*h*.

Kodera, Etsuko See Kume, Sanae

Kodera, Yoichi See Hosokawa, Norio

Koehler, Bernd See Boenisch, Dietmar

Koehly, Gerard See Espie, Jean Y.

Koehne, V. See Bartha, P.

Koeller, Heinz See Lailach, Guenter

Koen, J. G., Ree, M. A., Hansen, V., Schneider, W., and et al. Concentration dependence of the decay time of excited-state absorption in Er silicate glass (9) 184*c*.

Koenig, C. J. Effect of Atm in Firing Ceramics, B (1) 30*f*.

Koenig, Paul, Schmitz, Karl-Heinz, and Jansen, Norbert Compositions and properties of blast furnace taphole mixes (6) 128*i*.

Koepke, B. G. See Bernal G., E.

Koepp, Ronald L., and Dudkowski, Stanley J. Method of growing mobile positive ion free SiO_2 films, P (6) 132*g*.

Koerner, Otto Permeable refractory products, P (1) 11*e*.

Koerner, Tamilo See Baeumler, Peter

Koester, David W. See Cornelius, Edward B.

Koetting, Jerome D. See Fox, Joseph S.

Koglin, B. Photometric study of agglomeration and dispersion in suspensions (1) 18*f*.

Kohane, Theodore See Patton, Carl E.

Kohler, Robert D. See Scherf, Gerald F.

Kohn, Alan N., Leonard, Jack K., Schlickman, Jay J., and Weagant, Robert A. Detector apparatus using semiconductor laminas, P (2) 41*f*.

Kohn, J. A. See van Landuyt, J.

Kohut, Jaroslaw See Graff, William A.

Koichev, T. See Vuchev, I.

Koizumi, Hideo See Iwasaki, Hiroshi ; Miyazawa, Shintaro

Koizumi, Ken, Ikeda, Yoshiro, Kitano, Ichiro, Furukawa, M., and et al. New light-focusing fibers made by a continuous process (11) 224*a*.

Koizumi, Ken, Ikeda, Yoshiro, and Yoshiyagawa, Mitsugi Continuous production of light-conducting glass fibers with ion diffusion, P (6) 127*j*.

Koizumi, Ken, and Yoshida, Motoaki Process for producing light-conducting glass fiber by molten bath heating, P (11) 226*e*.

Koizumi, Ken, and Yoshiyagawa, Mitsugi Process for producing light-conducting glass fiber by core and outer layer exchange, P (11) 226*d*.

Koizumi, Mitsue See Ishitobi, Y. ; Kume, Shoichi ; Takeda, Y.

Kojima, Fumiko See Nomura, Shoichiro

Kojima, Fumiko, and Nomura, Shoichiro Dielectric and electrooptic properties of $(K_{1/2}Pb_{1/2})(Zn_{1/6}Nb_{5/6})O_3$ (9) 195*e*.

Kojima, Hironao See Tsukioka, Masayuki

Kojima, Hiroshi See Haneda, Koichi

Kojo, Ichiro, Nakao, Eiichi, Katsumata, Masayuki, Kitahara, Masahiro, and et al. Method for feeding an unsymmetrical gob of glass, P (10) 206*c*.

Koksnev, N. F. See Chebukov, M. F.

Kokot, I. F. See Mokhosoev, M. V.

Kokta, M. Solubility enhancement of Nd^{3+} in Sc-substituted rare earth-Al garnets (4) 102*h*.

Kokta, M., and Grasso, M. New substituted Ga garnets containing trivalent La on dodecahedral crystallographic sites (7) 156*e*.

Kokta, Milan See Suchow, Lawrence

Kokubo, Tadashi See Ito, Setsuro

Kokubo, Tadashi, Yamashita, Keizo, and Tashiro, Megumi Effects of Al_2O_3 addition on glassy phase separation and crystallization of a $PbO-TiO_2-SiO_2$ glass (8) 164*d*; Effects of Al_2O_3 addition on glassy phase separation and crystallization of a $PbO-TiO_2-SiO_2$ glass (9) 184*j*.

Koknuov, Yu. V. See Nefedov, V. I.

Kokuta, H. Cement mixture for preparing a cement and a method for preparing the cement mixture, P (8) 162*j*.

Kolakowska-Rembertowicz, Hanna See Weychert, Stefan

Kolakowski, B. See Kadomtseva, A. M.

Kolali, A. A., and Gad, Gamal Talc-clay ceramic bodies (1) 12*i*.

Kolarov, M. See Cholakov, P.

Kolatac, Robert See Wahl, Eugene R.

Kolb, James M., and O'Leary, Kevin J. Co metatitanate-modified solid solution, P (4) 93*a*.

Kolbe, W., Edelstein, N., Finch, C. B., and Abraham, M. M. Zero-field splittings of Gd^{3+} and Cm^{3+} in CeO_2 and ThO_2 (5) 124*b*.

Kolesova, K. G., and Ryazin, V. P. Measures for reducing clinker dusting (9) 182*b*.

Kolesova, R. V. See Dudkevich, V. P. ; Spinko, R. I.

Kollberg, Erik L. See Andersson, Per O.

Kolodieva, S. V. See Fotchenkov, A. A.

Kolomiets, B. T. See Domoryad, I. A.

Kolomiets, B. T., and Rasspopova, E. M. Chaotic potential field in vitreous As_2Se_3 (8) 174*b*.

Koloutsova, E. V., Kuiago, E. E., and Tomilin, N. A. Radiation-induced phase transition in quartz (5) 122*c*.

Kolopus, J. L. See Abraham, M. M.

Kolosov, O. A. See Ionov, V. I.

Kol'ovski, V. See Vulkov, V.

Koltermann, Manfred See Hoehle, Hans W.

Komai, Saburo See Wada, Takeo

Komamiya, Yasuo See Kataoka, Shoei

Komarov, V. D., and Meichanova, R. A. Spontaneous fracture of ferroelectric ceramic [$BaTiO_3$] (1) 23*d*.

Komarova, L. A. See Leko, V. K.

Komaru, Isamu, Takeda, Kenzo, and Yuki, Kazuo Graphite-Al_2O_3-SiC base refractory, P (1) 11*a*.

Komatsu, H. See Kijima, K.
Komatsu, Susumu See Yamaguchi, Goro
Komeya, K., Inoue, H., and Tsuge, A. Role of Y_2O_3 and SiO_2 additions in sintering of AlN (10) 219*a*.
Komeya, Kotsutoshi See Tsuge, Akihiko
Kominami, Naoya, Iwaisako, Toshiyuki, and Ohki, Kusuo Catalyst compositions containing Pt and Pb and process for preparing them, P (5) 119*e*.
Kominarova, L. N. See Perova, E. B. ; Rozdin, I. A.
Komiya, Yoshio See Tarui, Tasudo ; Tarui, Yasuo
Komleva, G. P. Calculation of viscosity of Ti-containing glasses and enamels (1) 4*b*.
Komor, Joseph A. Air entrainment compositions for cement mortars, P (5) 107*h*.
Komova, E. M. See Mirgalovskaya, M. S.
Kompanichenko, N. M., Chaus, I. S., Sukhenko, V. D., Sheka, I. A., and et al. System In_2S_3-Sb_2S_3 (10) 219*f*.
Konaka, Masumi See Abe, Toshio
Konar, P. See Bishui, B. M.
Konarev, M. I. See Zaitseva, L. L.
Kondo, R. See Abo-El Enein, S. A.
Kondo, Reuichi See Goto, Seishi ; Hosaka, Giko
Kondo, Reuichi, and Yoshida, Kozaburo Distribution of TiO_2 in the phases of portland cement clinker (8) 161*h*.
Kondo, Yojiro Dispersion of refractive indices on a new ferroelectric single crystal, $PbO.2Nb_2O_5$ (10) 216*b*.
Kondrat'ev, S. N., and Mel'nikova, S. I. Reaction of S trioxide with Na borates (6) 140*h*.
Kondratov, O. I. See Alekhina, L. G.
Koningstein, J. A., and Gachter, B. F. Surface-scanning technique for Raman spectroscopy of highly colored crystals (9) 193*b*.
Konkin, A. A., and Kosnova, N. F. Carbon fibers (2) 37*i*.
Konno, Toshio See Mizuno, Hideaki
Konnova, N. F. See Konkin, A. A.
Kono, Akiro, and Nozawa, Yoshiharu Process for making a V_3Ga superconductive composite structure, P (4) 94*b*.
Konnoykhina, N. A. See Gubenko, A. Ya.
Konopicky, Kamillo See Majdic, A. ; Patzak, Ingeborg
Konopicky, Kamillo, Weckerle, H., and Kuenkele, R. Refractory products and their problems in the operation of modern steelworks (1) 10*c*.
Konorova, Elena L. See Kozlov, Stanislav F.
Konov, A. V. See Safonov, V. V.
Konrad, Franz See Clough, Euiwon
Konstantinov, M. See Gerdzhikov, D.
Konstantinov, V. I. See Kamenskaya, L. A.
Konstantinova, L. See Isakova, M.
Konstantinovic, J. See Negovetic, I.
Kontorovich, S. I., Malikova, Zh. G., and Shchukin, E. D. Effect of dehydration on the strength of the disperse porous structure of Mg hydroxide (11) 234*g*.
Kontz, Robert F. Overload arm for mold, P (2) 36*h*.
Konyaev, Yu. S. See Vereshchagin, Leonid F.
Koo, J. See Pomerantz, M.
Koo, Ronald C., and Shurgan, Joel Reduced impurity filament for electric lamps, P (9) 187*e*.
Kool, Ehe See Paffen, Maria M. M.
Kool, Ehe, and Appels, Johannes A. Method of making semiconductor devices with selective doping and selective oxidation, P (1) 14*g*.
Koon, N. C. See Friebele, E. J.
Koons, Edwin R. Metal-to-glass-to-ceramic seal, P (3) 62*i*.
Kopelman, Bernard Na-vapor lamp having a grooved Al_2O_3 arc tube, P (1) 8*e*. See Zack, Alexander T.
Koperles, B. M. See Baletskii, D. Yu.
Kopf, L. See van der Ziel, J. P.
Kopilevich, V. S. See Okorokov, S. D.
Koppang, Richard R., and Burge, Harland L., Jr. Burner assembly for providing reduced emission of air pollutant, P (6) 135*f*.
Koptyug, U. Kh., Smolyakov, B. P., and Sharipov, R. Z. Two-freq. measurement of phase relaxation in YIG (4) 104*b*.
Korabieva, S. I. See Al'tshuler, N. S.
Kordes, Ernst, and Navarrete, Jose Optical studies to clarify the molecular structure of Zn phosphate glasses and Cu^{2+} metaphosphate glass (7) 145*i*.
Kordis, J., Gingerich, K. A., and Kaldis, Emmanuel Heat of vaporization of EuN and its standard heat of formation (1) 23*j*.
Korenev, Yu. M., Sorokin, I. D., Chirina, N. A., and Novoselova, A. V. Vapor pressure of HfF_4 (1) 29*e*.
Korkian, H. J. See Hunter, O., Jr.
Korn, D. M., Pfae, A. S., Dresselhaus, G., and Reed, T. B. Ir reflectivity of paratellurite, TeO_2 (9) 196*j*.
Korn, Ronald, Seyd, Guenter, and Paulsen, Uwe Method for decontamination of surfaces of nuclear reactor components, P (4) 95*j*.
Korobka, E. I. See Larina, R. A.
Korotkevich, I. B. See Karpov, V. N.
Korotkina, M. N. See Roman, O. V.
Korotkov, S. N., and Mazur, E. S. Effect of temp. and moisture content of the atm on the deformation of concretes (11) 222*d*.
Korshunov, B. G. See Drobot, D. V. ; Grin'ko, V. A. ; Safonov, V. V.
Kortan, J. See Fremont, R.
Kortukova, E. I. See Aksenova, L. L. ; Distler, G. I.
Kosa, Yasunobu See Anzai, Norio ; Nishida, Sumio
Kosak, E. A., and El'tsova, V. I. Measuring the hardness of phases in small samples (5) 117*i*.
Kosarev, Yu. I., Leonidov, L. D., Shapovalova, M. P., Afanas'ev, V. M., and et al. Armor disks from abrasive materials for slurry pumps (4) 83*f*.
Kase, Saburo See Kinoshita, Makoto
Koseako, A. V. See Tovarov, V. V.
Koshkin, L. I., and Guseva, E. G. Rotational magnetic anisotropy in single-crystal films of Ni-Zn-Co ferrite (7) 157*e*.
Kosi, Vladimir Some properties of poly(methyl methacrylate) impregnated asbestos-cement materials (5) 107*c*.
Kosol, A. L., and Frank-Kamenetskii, V. A. Determination of the characteristics of filling atomic positions with isomorphous elements (3) 77*f*.
Kostadinov, I. See Gutsov, St.
Kostik, V. K. Mokra cement plant in Czechoslovakia (9) 182*d*.
Kostiner, E. See Rea, J. R. ; Steger, J.
Kostovskii, D. A. See Khomich, V. Kh.
Kostur, N. L. See Kostur, T. A.
Kostur, T. A., Kostur, N. L., and Psarev, V. I. Effect of double doping on the electrical properties of CdSb (9) 195*i*.
Kosugi, Hiroko See Morioka, Yoshio
Kosugi, Junichi See Araki, Tadashi
Kot, Francis Graduated Si-Ge alloy thermocouple, P (11) 232*j*.
Kotel'nikova, A. M. See Ksendzov, Ya. M.
Kotera, Nobuo, Nishikawa, Satoru, and Sakamoto, Hitoshi Radiothermoluminescence dosimeters and materials therefor, P (3) 72*h*.
Kotera, Yoshihide See Nishina, Takeo ; Ujiie, Seiichi
Kotharkii, M. M. See Belyaeva, A. I.
Kotlensky, W. V. See Bauer, D. W.
Kotler, Gerald, and Easwaran, Jairaj Porous refractory body impregnated with Mg, P (8) 168*f*.
Kotru, P. N. Microcrystals as nucleus centers on rhombohedral surfaces of cultured quartz (2) 54*c*.
Kotsmid, Frantisek, and Stefan, Jaroslav Temp. fields in flowing molten glass (11) 225*g*.
Kougiya, M. V. Isomorphous substitutions in the phosphate and silicate apatites of Ca and the lanthanides (1) 24*j*. See Toropov, N. A.
Koukoussas, J. D. See Nickl, Julius J.
Koumelis, Charilos, and Leventouri, Dora Surface-plasmon excitation in small spherical graphite particles by X rays (8) 179*b*.
Koury, Frederic See Gungle, Warren C.
Kouwenhoven, Herman W., and Cole, John Process for the preparation of mordenite, P (1) 20*f*.
Kovach, Stephen M. See Patrick, Ralph E.
Kovachev, I. T. See Kovacheva, T. S.
Kovachev, Iv. See Slavov, B.
Kovacheva, T., and Yanakieva, R. Crystalline glass materials in the system SiO_2-Al_2O_3-MgO-(CaO,K_2O,CaO + Na_2O) (11) 223*j*.
Kovacheva, T., Yanakieva, R., and Bakalov, Zi. Preparation of crystalline glass bodies from natural raw materials (11) 225*b*.
Kovacheva, T. S., and Kovachev, I. T. Sintering of compositions based on glass-ceramics and oxide ceramics (7) 158*e*.
Kovacs, P. See Buch, T.
Kovacs, P., Varga, L., and Lendvay, E. Growth of large dendritic ZnS crystals from the vapor phase (2) 52*e*.
Koval'chenko, M. S. Creep during hot-pressing of some refractory compound powders (7) 154*a*.
Kovalenko, V. F. See Kuts, P. S.
Kovalev, F. V., Kartsev, V. E., Ioffe, V. M., and Leonov, M. E. Fusibility in the systems K_2TaF_7-NaF-NaCl and K_2TaF_7-NaF-KCl (6) 138*h*; Systems K_2TaF_7-KCl-NaCl, K_2TaF_7-KCl-LiCl, and K_2TaF_7-KF-NaF (11) 236*e*.
Kovalev, N. N., and Sorokin, O. V. Electrical conductivity, thermal emf, and thermionic emission of BaO and SrO crystals (8) 175*e*.
Kovaleva, I. S. See Tarasevich, S. A.
Kovaleva, I. S., Medvedeva, Z. S., Tarasevich, S. A., and Antonova, L. I. Reactions in the system Ag-As-Se (6) 140*a*.
Kovalevskaya, T. A. See Gropyanov, V. M.
Koval'skii, V. V., and Cherskii, N. V. C isotope composition of diamonds (8) 161*e*.
Kovba, L. M. See Serezhkin, V. N. ; Shevchenko, N. N.
Kovba, L. M., Lykova, L. N., Paromova, M. V., and Shevchenko, N. N. Tungstates Ba_2WO_5 and Sr_2WO_5 (9) 199*c*.
Kovda, A. V. See Aksenova, L. L.
Kovda, A. V., Aksenova, L. L., Distler, G. I., Gerasimov, Y. M., and et al. Growth of monocrystalline CdS films on mica surfaces through amorphous interfacial layers of SiO and C by chemical transport reactions (11) 229*f*.
Kovtunenko, P. V. Experimental construction of a *p-T-x* diagram for nonstoichiometric BaO using directly determined values of stoichiometric deviation (9) 196*d*.
Kovtuni, R. N. See Savitskii, V. G.
Kowalczyk, L. N., and Condrate, R. A., Sr. Vibrational spectra of spodiosite analogs (3) 82*c*.
Koyano, Nobumitsu See Iwata, Yutaka
Kozaka, Setsuo See Tsuzuki, Kaoru
Kozeeva, L. P. See Klevtsova, R. F.
Kozhevnikov, P. B. See Zaitseva, L. L.
Kozhina, I. I. See Gutkina, N. G.
Kozhukharov, Ch., and Raichev, V. Production of bell-and-spigot pipes from basaltic rocks (11) 227*e*.
Kozik, Andrew F. See Dhaka, Vir A.
Kozina, G. K. See Samsonov, G. V.
Kozinski, David A., Kozinski, Joseph, Singel, Frank M., and Sneed, Robert G. Electrostatic spray gun apparatus, P (2) 45*h*.
Kozinski, Joseph See Kozinski, David A.
Kozlenkov, Alexandr I., and Bogdanov, Vladimir G. Apparatus for spectral analysis of specimens containing lightweight elements, P (4) 96*c*.
Kozlov, G. V. See Irisova, N. A.
Kozlov, I. V. See Aleksandrov, V. I.
Kozlov, Stanislav F., and Konorova, Elena L. Nuclear radiation detector [diamond crystal] and method of mfg., P (11) 231*g*.
Kozlova, I. R. Structural transformations in sprayed Al_2O_3 (1) 13*a*.
Kozlovskaya, E. P. See Berezhkova, G. V.
Kozlovskii, Viktor S. See Bondarev, Konstantin T.
Kozlowski, A. See Novak, D.
Kozlowski, Joseph J. Method and apparatus for maintaining constant moisture level in a wetted glass batch, P (2) 36*b*. See Scholes, Addison B.
Kozlowski, L., and Zarek, W. Influence of thermal treatment on the magnetic properties of $NiFe_{2-x}Al_xO_4$ (1) 24*i*; Magnetic method of studying the kinetics of cation transfer in the $NiFe_{2-x}Al_xO_4$ lattice (2) 53*a*.
Kozlowski, Theodore R. See Forker, Ray B., Jr.
Kozuka, Hirotsugu See Tokuyama, Takashi
Krabec, James A. See Provenzano, Joseph C.
Krachino, T. V. See Matskevich, T. L.
Kraemer, Fritz, Mueller-Warmuth, Werner, and Dutz, Hubert NMR investigations on glasses in the transformation range (8) 164*d*.
Kraemer, Stefan, Seger, Michael, and Seidl, Alois Lightweight structural concrete, P (10) 203*e*.
Kraft, M. See Spindler, H.
Krainik, N. N. See Kamzina, L. S.
Kral, Frantisek See Karpisek, Jan
Krambeck, Robert H. See Amelio, Gilbert F.
Kramer, Piet See Peretti, Enrico
Kramer, Pieter See Jacobs, Bernardus A. J.
Kraner, Hobart W. See Llacer, Jorge
Kranjcich, Edward W., and Masters, John R. High temp. refractory furnace, P (9) 186*a*.
Kraus, Maksymilian, and Mastalerz, Zbigniew Low-melting white, yellow, and red enamels, for the glass industry, based on oxides of heavy metals (3) 63*h*.
Krasnikov, A. S. See Berezhnoi, A. I.
Krasnikova, M. D. See Berezhnoi, A. I.
Kraus, Herbert, and Breazeale, Billy H. Surface passivation, P (8) 171*c*.
Kraus, I. P., Derevyankin, V. A., and Kuznetsov, S. I. Ir absorption spectra of Na Al silicate hydrates studied with the ir spectrophotometer UR 10 (8) 177*f*.
Kraus, John W. See Patil, Arvind S.
Kraus, Theodore C. Method for preparing nonsolvated Al hydride, P (10) 214*h*.
Kraus, Theodore C., and Mangold, Donald J. Preparation of nonsolvated Al hydride, P (1) 20*b*.
Krause, John T., and Kurkjian, Charles R. Ultrasonic devices using Ge-containing chalcogenide glasses, P (3) 72*e*.
Krause, U. Dust precipitation for pneumatic conveyor systems with greatly varying exhaust air rates (8) 172*b*.
Krause-Wichmann, J. War against pollution in the ceramic industry (1) 16*e*.
Krauss, Alan R., and Furdyna, Jacek K. Alfven-wave propagation and damping in pyrolytic and single-crystal graphite (8) 174*d*.
Kraut, E. A. See Wolfram, T.
Krauth, Axel, and Mueller, Norbert Nuclear fuel tablet containing U carbide, Pu carbide, and Pu nitride, sulfide, or phosphide, P (10) 212*g*.
Krauth, Horst A. K., Mueller, Norbert, and Himmelstein, Paul Production of a fuel carbide with a jacket of fuel nitride, sulfide, or phosphide, P (1) 16*g*.
Kravchenko, A. F. See Bobylev, B. A.
Kravchenko, I. V., Chistyakov, G. I., Dmitrieva, V. A., Kadyrova, R. S., and et al. By-products—as raw material for white portland cement (4) 83*j*.
Kravchenko, I. V., Tarnavutskii, G. M., Yudovich, B. E., Zablotskii, E. Z., and et al. Experimental production and use of high-strength portland cement of improved stability (4) 84*a*.
Kravchenko, V. V. See Petrov, K. I.
Kravitz, Lawrence C. Monolithic semiconductor display devices, P (11) 231*d*.
Krawczyk, M., Szymczak, H., Zbieranowski, W., and Zmija, J. Paramagnetic resonance in monocrystals of $CdCr_2Se_4$ and $CdCr_2S_4$ (8) 178*d*.
Krawitz, A., and Cohen, J. B. Phase relations at low temps. in the Fe-Mg-O system (5) 121*j*.
Krebs, J. J. See Jeck, R. K.
Krebs, R. See Granitzki, K. E.
Kreitman, M. M. See Yates, B.
Krekeler, Jerome H. See Aboutboul, Henri A.
Krekeler, Jerome H., Kirch, William, and Aboutboul, Henri A. Preparation of SiO_2 gels, P (8) 173*g*.
Krenev, V. A. See Il'in, V. K. ; Savel'ev, B. A.
Krenkel, T. G. See Varela, J. C.
Krentsis, R. P. See Frolov, A. A.
Krenzke, Leonard D. See Gallagher, James P.
Kressel, H., Nuese, C. J., and Ladany, I. Luminescence from $In_{0.5}Ga_{0.5}P$ prepared by vapor-phase epitaxy (10) 217*d*.
Kressel, Henry, and Nelson, Herbert Method of forming region of a desired conductivity type in the surface of a semiconductor body [GaAs], P (2) 42*f*.
Krestovnikov, A. N. See Ionov, V. I.
Kreutzer, H. See Gotthelf, H.
Kreutzer, Hans Wilhelm, Langner, Karl-Waldemar, Lutz, Harry, Unger, Klaus, and et al. Refractory lining of electric-arc furnaces in the Federal Republic of Germany (9) 188*g*.
Kriger, E. M., and Tret'yakov, Yu. D. Intensification of ferrite

formation in the system Li_2O-Na_2O-Fe_2O_3 (9) 196*b*.
Krijger, Willem, and Burger, Jacobus J. Process for the mfg. of dry material by crushing, grinding, or milling, P (5) 116*g*.
Krikorian, Nerses H. Reaction of selected lanthanide carbides with Pt and Ir (5) 122*c*.
Krimmel, Eberhard Film resistor and method of making, P (10) 210*g*.
Krings, Artur Insulation and cooling of flat glass tanks (1) 5*c*.
Krisuniger, Herbert, and Wiesner, Siegfried Device for nondestructively and separately determining concentrations of fissionable material in a test specimen, P (7) 152*a*.
Krinsley, D. H., and Smalley, I. J. Shape and nature of small sedimentary quartz particles (1) 27*h*.
Krishna, P., and Marshall, R. C. Direct transformation from the 2H to the 6H structure in single-crystal SiC (2) 50*a*; Structure, perfection, and annealing behavior of SiC needles grown by a VLS mechanism (2) 56*j*.
Krishna, Surinder See Davis, John R.
Krishna, Surinder, and Davis, John R. High-speed high-voltage transistor, P (3) 71*d*; Double-diffused high-voltage high-current *npn* transistor, P (4) 93*c*.
Krishnamoorthi, V., Jones, J. T., and Bell, H. Recovery of creep-resistant substructure of rutile in air and vacuum under reduced stress (1) 27*f*.
Krishnan, V. See Padalia, B. D.
Kristen, Klaus Temp.-measuring resistance, P (5) 110*g*.
Kristensen, I. K. Electrical transport properties of the alloy $(V_{0.3}Nb_{0.7})O_2$ (9) 195*g*.
Kritzler, A. See Brandt, H.
Krivlin, V. N., Tumanov, A. D., Stepanov, V. M., and Bednyakov, F. I. Movement of material in kilns (3) 62*c*.
Krivonos, V. N. See Oshchepkova, G. M.
Krivorotov, E. A. See Aleksandrov, L. N.
Krivovyazov, E. L., and Shutyi, L. L. Phase diagram of the system $Ni(PO_3)_2$-$NaPO_3$ (5) 121*e*.
Kriwanek, Franz Where and how to find clay (7) 143*e*.
Kroesert, W. See Knauf, A. N.
Kroesert, W., and Haubert, P. SEM of the hydration of α- and β-Ca sulfate hemihydrate (3) 62*g*.
Kroesert, W., and Wetzel, K. Reactions of alkaline earth hydroxides with clay minerals: I–IV (2) 55*a*.
Kroening, Roger D. See Kirby, David B.
Kroger, Harry High-freq. diode energy transducer and method of mfg., P (7) 149*c*.
Kroger, Harry, and Potter, Curtis N. Dual-mesa ring-shaped hf diode, P (2) 41*h*; High-freq. diode and method of mfg., P (10) 210*b*.
Krogh-Moe, J. See Grjotheim, Kai
Krogh-Moe, Jan Crystal structure of a Na triborate modification, β-$Na_2O.3B_2O_3$ (3) 77*j*. See Schultz, A. H.
Krogius, E. A. See Gorokhovskii, V. A.
Krogseng, Gerald P. See Borer, Albert
Krohn, D. A. See Badaliance, R. ; Kipp, M. E.
Krokhin, A. A. See Rabodzei, N. V.
Krokhin, V. A. See Krokhina, A. G.
Krokhina, A. G., Krokhin, V. A., and Morozov, I. S. Interactions in the system $FeCl_3$-UCl_4-KCl (11) 231*c*.
Krolikowski, Walter F. See Brown, William A. ; Chen, Charles Y.
Krolla, Hans G. See Mulfinger, Hans O.
Kromer, Heinrich, and Schueller, Karl Heinz Properties of kaolins used for ceramics and as fillers (2) 48*g*.
Kronenberg, Stanley See Maurer, Robert D.
Kropotov, V. S. See Domracheva, N. E.
Krotkus, A. See Vaskevicius, R.
Krouskop, Ned C. See Castellucci, Nicholas T.
Krueger, Iago See Henning, Wolfgang
Krueger, John K. Automatic feed apparatus for encapsulated semiconductor units, P (1) 13*e*.
Krueger, Manfred, and Meyer-Simon, Eugen Process of obtaining Si tetrahalides, P (1) 20*e*.
Krueger, Uwe, Pepperl, Ruediger, and Schuz, Uwe J. Electrooptic materials for digital light beam deflectors (3) 69*d*.
Krumme, J. P. See Hansen, P.
Krumov, A. See Gerdzhikov, D.
Krupka, D. C., and Mahoney, D. M. Electroluminescence and photoluminescence of thin films of ZnS doped with rare-earth metals (3) 69*c*.
Krupkin, Yu. S., and Evstrop'ev, K. S. Properties and structure of multialkali borogermanate glasses (1) 5*j*.
Krusse, Flemming See Damgaard-Iversen, Joergen
Krygier, Dennis A. See Forker, Ray B., Jr.
Krylov, E. I. See Dvoinin, V. I. ; Smirnov, S. V. ; Zuev, M. G.
Krymskii, Sh. Z. See Ioffe, V. A.
Krystak, Joseph E. See Sikra, James C.
Krysztafkiewicz, Andrzej See Szafnicki, Jozef
Krzhizhanovskaya, V. A., and Glushkova, V. B. Formation of solid solutions and compounds in the system Nd_2O_3-ZrO_2 (8) 176*d*.
Ksendzov, Yu. M., Kotel'nikova, A. M., and Makarov, V. V. Charge carrier mobility in *n*-type Y garnet (3) 76*c*.
Ksendzov, Yu. M., Melekh, B. T., Mosina, G. N., Sapozhnikova, L. M., and et al. Structure of epitaxial Cu films (8) 169*c*.
Ksenzenko, V. I. See Grin'ko, V. A.
Ku, San-Mei See Jacobus, William N., Jr.
Kubodinova, N. See Vulkov, V.
Kubo, Masaharu See Anzai, Norio
Kubo, Tomoichi, Itaya, Masakatsu, and Yamashita, Hirofumi Improved CRT having a glass envelope coated with crystallized glass, P (1) 7*h*.
Kubota, Takehiro, Morimoto, Tadashi, and Anzai, Shigeo Improvement of durability of converter mouth lining using pure graphite brick and tar-impregnated dolomite brick (11) 227*a*.
Kubuk, Leroy M. Abrasive disk [inserts], P (8) 161*h*.
Kuczynski, G. C. Shrinkage of interconnected pore system (7) 158*d*.
Kuczynski, G. C., and Gupta, O. P. Model experiments of sintering in the presence of a liquid phase (7) 156*b*.
Kudaba, V., Tarasenkis, E., Kietis, B., and Brazdzionas, P. Saturation and acoustoelectric oscillations of photocurrent in CdS and CdSe (8) 169*a*.
Kudelka, Deneene Clay deposit of the Solymar brick plant (2) 48*e*.
Kudman, Irwin, and Paff, R. J. Thermal expansion of $In_xGa_{1-x}P$ alloys (5) 123*g*.
Kudo, H. See Tsuge, Akihiko
Kudo, Mitsuhiro See Kawabe, Ushio
Kudrenko, I. A., Limar, T. F., Trosheva, V. N., and Dorokhov, Yu. G. Mechanism of the formation of Mg orthotitanate from nitrates (1) 25*i*.
Kudryashova, L. V. See Ordan'yan, S. S.
Kudryashov, N. S. See Belyaev, I. N.
Kudzin, A. Yu. See Zabara, Yu. V.
Kuech, F. Quality surveillance and control of the clays of Westerwald (6) 136*a*.
Kuehl, Donald K., Fanti, Roy, and Galasso, Salvatore F. Process for pyrolytic deposition of B on a metal substrate, P (9) 183*j*.
Kuehl, Guenter H. Hydrocarbon conversion process employing a crystalline aluminosilicate and method of preparing it, P (6) 136*f*.
Kuehnel, E. E. Dextrin (11) 228*b*.
Kuehnert, Herbert History of Glass and the Glass Industry in Germany, Vol. 3: Record of the History of the Glass Industry of Thueringen, B (5) 124*h*.
Kuenhole, R. See Konopicky, Kamillo
Kuenstle, M. Refractory and heat-insulating linings for preheaters of large rotary cement kilns (3) 62*f*.
Kueppers, Gerhard See Lehming, Guenter
Kugler, Tibor, and Silbiger, Jakob Apparatus for preparation of finely particulate Si oxides [plasma burner], P (10) 214*c*.
Kuhlman, William C., and Wuknick, Carl S. High-temp. thermocouple alloy systems, P (10) 213*a*.
Kuhlmann, H. G. See Schmidt, W.
Kuhlmann-Schaefer, Wilhelm H., Hagen, Klaus, Peters, Hans D., and Wolters, Guenther Electrically heated furnace utilizing ceramic heating elements, P (8) 168*a*.
Kuhn, Matthew See D'Asaro, Lucian A.
Kuhn, Wolfgang H. See Binder, Horst
Kuijt, H. R. See Bode, J. H. G.
Kukolev, G. V., and Klyueva, E. E. Intensification of firing and grinding of clinker (4) 85*e*.
Kukolev, G. V., Nemec, I. I., Semchenko, G. D., and Nestercov, A. I. Physicochemical characteristics of activated sintering of kaolin and periclase spinel (7) 157*b*.
Kukolev, G. V., and Skomorovskaya, L. A. Effect of some oxides on the electrical resistance of a porcelain body during firing (1) 11*f*.
Kukusheva, M. See Radkova, A.
Kulago, E. E. See Kolontsova, E. V.
Kuleshenko, A. Z. See Val'berg, G. S.
Kuleshov, I. M. See Spitsyn, V. I.
Kuleshov, I. M., Shakhova, N. F., and Chubarova, V. K. Anhydrous Sr ruthenite (10) 215*h*.
Kulig, Constantine W. See Iscovazzi, Michael A.
Kulikov, I. S. Thermodynamics of oxides of Ti, Zr, and Hf (1) 29*e*.
Kulikov, V. O. See Belopol'skii, G. M.
Kulikova, A. I. See Kuvakin, M. A.
Kulkarni, A. K. See Das, P.
Kulkarni, R. H., Chaudhari, R. M., and Ingle, S. G. Ferroelectric domains inside thick crystals of $KNbO_3$ (8) 176*j*.
Kulkarni, R. H., and Ingle, S. G. Nucleation of ferroelectric domains under the influence of very low electric fields (4) 101*c*.
Kul'varskaya, B. V. See Kan, Kh. S.
Kumada, Akio Observation of double hysteresis loops in $Gd_2(MoO_4)_3$ (10) 218*c*. See Aizu, Keiichiro
Kumagai, Henry Y., and McKnight, Hugh M. Solid capacitor, P (11) 231*i*.
Kumagai, Masahiro Development and application of new materials for high-speed railway cars (5) 111*e*.
Kumagawa, Masashi See Yamada, Shoji
Kumai, Hiroshi, Ochiai, Tsuneemi, and Shimizu, Hiroshi Test results on hot impact resistance of converter refractories (11) 227*f*.
Kumar, Binod, Dennis, Mahlon D., and Rindone, Guy E. Boundary layer in partially crystallized glass (1) 4*b*.
Kumar, Binod, and Rindone, Guy E. Strength and related characteristics of Li_2O-SiO_2 glasses crystallized after ion exchange (7) 146*d*.
Kumar, C. S. See Gia Russo, D. P.
Kumar, H. S. A. See Marlor, A. J.
Kumar, P., and Johnson, D. L. Sintering of CoO: I–II (3) 81*a*.
Kume, Makoto See Murakami, Yoshio
Kume, Sanae, Aikami, Tsuhiro, Kodera, Etsuko, and Kakinoki, Jiro Hollow crystals of ZnS obtained by the pulling sealed tube method (2) 52*c*.
Kume, Shoichi, Kanamaru, Fumikazu, Shibauchi, Yasuo, Koizumi, Mitsuo, and et al. Generation of high-pressure O and synthesis of $CoCrO_4$ with $CrVO_4$ type structure (1) 17*e*.
Kummer, J. T. See Radzilowski, R. H.
Kummer, Joseph T. See Dalla Betta, Ralph A.
Kunsou, Osamu See Osada, Mitsuo
Kump, Herbert J. Two-step photoetching method for semiconductors, P (2) 44*g*.
Kump, Herbert J., Lambert, Lloyd M., Jr., and Quinn, Robert M. High-performance FET, P (10) 210*i*.
Kunnah, C. A. See Rao, D. N. S.
Kunert, Heinz Shattering frangible objects, particularly plates, P (1) 8*e*.
Kunes, Karel See Srbek, Frantisek
Kung, J. K., and Spitzer, W. G. Effects of annealing on the carrier concentration of heavily Si-doped GaAs (8) 175*b*.
Kunii, Satoru See Nakai, Jun
Kunin, L. L. See Ofitserov, A. A.
Kunin, V. Ya., Tsikin, A. N., and Shturbina, N. A. Trapping levels in $SrTiO_3$ single crystals (7) 159*g*.
Kunkle, Gerald E. Method of making sheet glass, P (2) 36*f*.
Kuno, Hiroshi See Yamaguchi, Takashi
Kunugi, Masanaga See Ota, Rikuo
Kunz, Harold R., and Walsh, Myles A. Fuel cell utilizing fused Tl oxide electrolyte, P (4) 93*f*.
Kupca, S. See Searle, C. W.
Kuppermann, D. S., Chou, C. K., and Weinstock, H. Electrical resistivity of C films (11) 229*e*.
Kuprlyanov, M. F. See Fesenko, E. G.
Kuptsis, J. D. See Giess, E. A.
Kurakami, Osamu See Kakizaki, Katsunobu
Kurasawa, T., Watanabe, H., and Kikuchi, T. Transformation to U_2C_3 phase in UC-UC_2 and UC_2 phases (8) 171*f*.
Kurata, Akio See Goto, Seishi
Kurata, Kazuhiro See Ono, Yuichi ; Umeda, Junichi
Kurata, Kazuhiro, Kasano, Hiroyuki, Ogirima, Masahiko, Kusumoto, Hazime, and et al. Injection-type quaternary-compound light-emitting diode, P (8) 170*d*.
Kuratomi, Tatsuo Method of mfg. diamond crystals, P (3) 61*f*. See Yatsurugi, Yoshifumi
Kurbanov, K. R. See Ugai, Ya. A.
Kurbatov, G. A., and Kalmykov, V. A. Effect of solid phase–melt transition on the emission spectra of slags in the high-absorption region (6) 137*j*.
Kurbatov, L. V. See Gurylev, V. K. ; Shitikov, A. V.
Kurcynsz, Ewa See Manitius, Andrzej
Kurczyk, Heinz G. See Wuhrer, Josef
Kurdyumov, G. M. See Fedorov, P. I. ; Molochko, V. A.
Kurdyumov, G. M., Molochko, V. A., and Agureeva, L. K. Systems $SiBr_4$ and $GeBr_4$ with Al_2Br_6, $SbBr_3$, and $CuBr_2$ (1) 29*e*.
Kurdyumov, G. M., Molochko, V. A., and Tagunova, T. B. Systems of $GeCl_4$ with $AlCl_3$, $FeCl_3$, $ZrCl_4$, and VCl_4 (1) 29*b*.
Kuri, Takao, and Takahashi, Tadashi Hot repair of converter and formation of open-hearth bottom by vibrating system in the U. S. (1) 9*d*.
Kurick, James F. Glass shipping rack, P (9) 186*i*.
Kurihara, Haruki See Unno, Yoichi
Kurihara, K. See Niwa, Shohei
Kurik, M. V. See Babonas, G. A.
Kurilenko, Viktor G. See Ermakov, Boris N.
Kurilo, P. M. See Litovchenko, P. C.
Kurilova, Ludmila See Berka, Josef
Kurjat, J. See Bartha, P.
Kurkjian, C. R., and Peterson, G. E. EPR study of Ti^{3+}-Ti^{4+} in TiO_2-SiO_2 glasses (11) 224*a*.
Kurkjian, Charles R. See Krause, John T.
Kurosawa, Hiroyuki See Yasui, Itaru
Kurpiers, Peter See Lehmann, Hans
Kurti, Istvan See Galos, Miklos
Kurtz, Anthony D., Gravel, Charles L., and Halton, Joseph R., Jr. Method of making transducers employing integral protective coatings and supports, P (10) 211*f*.
Kurtz, Anthony D., and Mallon, Joseph R., Jr. High-temp. transducers and housing, including fabrication methods, P (8) 170*d*.
Kurtz, John A. See Chough, Euiwon
Kurtz, Leonard D. Plaster composition, P (3) 62*d*.
Kurtz, S. K. See Ballman, Albert A.
Kurtz, T. D. Finger pulls for sliding glass and other panels, P (2) 35*h*.
Kurtzig, A. J., and Dixon, M. Control of the magnetization of bubble garnets by annealing (3) 69*g*.
Kurtzig, Arjeh J. See Dixon, Melvyn
Kurz, Bruno F., Barron, Mark B., and Butler, Walter J. Dielectric strip isolation for JFET or MESFET depletion-mode bucket-brigade circuit, P (5) 114*g*.
Kurz, Bruno F., and Ferro, Armand P. Photodiode with patterned structure, P (9) 191*f*.
Kurz, M. See Sorge, G.
Kusano, Yuji See Watari, Yoshihiko
Kuse, Dieter Ferrimagnetic garnet corrected for temp. dependence of the Faraday effect and method for making, P (7) 149*a*.
Kushchevskii, A. E. See Tresvyatskii, S. G.
Kushida, Takashi See Oka, Yasuo
Kustov, E. F. See Arsen'ev, P. A.
Kusumoto, Hazime See Kurata, Kazuhiro ; Umeda, Junichi
Kusunose, Hiroshi See Kawamura, Junichi
Kuts, P. S., Kovalenko, V. F., and Ruban, V. A. Photoinduced change of magnetic properties of $Y_3Fe_{5-x}Si_xO_{12}$ (7) 157*a*.
Kutukov, Sergei S. See Shule, Edmund Kh.
Kutzendorfer, Jaroslav, and Sramek, Jiri Temp. dependence of electrical conductivity of nonstabilized ZrO_2 (11) 236*g*.
Kutzer, Hans J., Welzreich, Wolfgang, Harmsen, Lothar, and Fricke, Gerd D. Compound body nozzle for a container holding a liquid melt, P (8) 168*a*.
Kuvakin, M. A., and Evstifeev, E. N. Ternary reciprocal system composed of fluorides and chlorides of K and Al (7) 154*f*.
Kuvakin, M. A., and Novikova, Z. M. Ternary reciprocal sys-

tems composed of the fluorides and chlorides of K and Mg (11) 236*g*.

Kuvakin, M. A., Suzin, A. N., and Talanova, L. I. Ternary system of Na, Ba, and Al fluorides (4) 103*c*.

Kuvakin, M. A., Talanova, L. I., and Kulikova, A. I. Ternary system comprising the chlorides of Na, Ba and Al (10) 219*b*.

Kuwabara, Haruo See Fukui, Saburo

Kuwabara, Makoto See Yanagida, Hiroaki

Kuwabara, Makoto, Sawamura, Kentaro, and Yanagida, Hiroaki Three-step positive temp. coeff. of resistivity on (Ba-Sb)(TiZr)O_3 composite ceramics with a surface barrier layer (2) 57*c*.

Kuwabara, Makoto, and Yanagida, Hiroaki Capacitance-voltage characteristics of an La-doped $BaTiO_3$-Bi_2O_3 composite ceramic with surface barrier-layers (5) 114*b*.

Kuwano, Satoshi See Nagata, Takashi

Kuzel, R. See Touskova, J.

Kuzenkova, M. A. See Kislyi, P. S.

Kuz'menkov, M. I., Pechkovskii, V. V., and Buraya, I. T. Synthesis of Al polyphosphate (10) 219*d*.

Kuzmin, A. I. See Fabrichnyi, P. B.

Kuz'mina, I. P. See Tokarev, E. F.

Kuz'minov, Yu. S. See Sal'nikov, V. D. ; Voronov, V. V.

Kuznetsov, A. I., and Evstrop'ev, K. S. Electrical properties of liquating alkali-free aluminoborosilicate glasses (9) 184*d*.

Kuznetsov, A. K. See Tikhonov, P. A.

Kuznetsov, S. I. See Kraus, I. P.

Kuznetsov, V. A. See Nadezhina, T. N.

Kuznetsov, V. G. See Petushkova, S. M.

Kuznetsov, V. G., Petushkova, S. M., and Tananaev, I. V. X-ray diffraction study of the tripolyphosphates of Pr, Sm, and Gd (1) 29*j*.

Kuznetsov, V. Ya. See Andreeva, M. I.

Kuznetsova, L. G., Cherkinskii, Yu. S., Frolov, N. P., Zhavrid, S. S., and et al. Increasing durability of fiber-glass reinforcement (4) 86*i*.

Kuznetsova, M. G., and Evstrop'ev, K. S. Electrical properties of glasses in the system CaO-MnO-SiO_2 (9) 184*d*.

Kveseth, Nils Joergen See Groenvold, Fredrik

Kwan, Clarence C. Y. See Gavini, Anibal

Kwaters, Andrzej, and Pampuch, Roman Si layers on graphite (3) 66*j*.

Kwiatkowski, Jerome A. See Quinn, Richard M.

Kwok, Harry B., and Bube, Richard H. Thermoelectric and photothermoelectric effects in semiconductors—CdS single crystals (8) 180*d*.

Kyllo, Donald H., and Reiss, Thomas E. Bulk material nuclear moisture-gaging system, P (5) 117*h*.

Kynatov, P. B. See Bindler, I. A. ; Donis, V. K.

Kyoden, Hiroshi See Kimura, Morihiro

Kyosai, Syunsoku, Shimoda, Masao, and Okada, Yoshihiko Lime precipitation and P removal from waste water—reaction between phosphate and lime (3) 62*b*.

Kyri, Hans, Reiss, Albert, and Soess, Josef Glasslike coatings with oxidation-promoting properties, P (2) 33*h*.

La Placa, S. See Etourneau, Jean

LaBar, Richard G., and Hansen, George R. Siliceous bonded refractory, P (2) 39*h*.

LaBelle, H. E., Jr., and Pollock, J. T. A. Windowless port using the Bernoulli principle for high-temp. furnaces (1) 19*a*.

Laberge, N. L. See Moynihan, C. T.

Labrot, Guenter, and Kaes, Karl Float glass processing equipment, P (2) 35*i*.

Labuda, Edward F., and Ryden, William D. Method for neutralizing charge in semiconductor bodies and dielectric coatings induced by cathodic etching, P (6) 132*j*.

Labushkin, V. G., Faleev, N. N., and Figin, V. A. Scattering of coherent X radiation on magnetically ordered α-Fe_2O_3 and $FeBO_3$ crystals (7) 157*f*.

Lacchia, Adrien Method of protecting electrostatic spray nozzles from fouling, P (2) 46*a*.

Lachevy, P., and Carrie, J. P. Electric mold release (1) 16*a*.

Lachlison, David E., Annis, Alexander D., and Pearson, Ronald F. Photosensitive magnetic device, P (10) 211*b*.

La Combe, Donald J. Passivation of photoresist materials used in selective plasma etching, P (10) 211*a*.

LaCombe, Donald J., and Babcock, Guy L. Composite integrated circuits including semiconductor chips mounted on a common substrate with connections made through a dielectric encapsulator, P (9) 190*f*.

Lacombe, P. See Morin, F.

Lacour, C., and Paulus, M. Grain size dispersion and sintering (7) 155*d*.

LaCourse, W. C. See Pye, L. D.

LaCourse, Nicholas J. How to jet-slice glass (4) 86*f*.

Lacy, A. M. See Bandyopadhyay, G.

Ladany, I. See Kressel, H. ; Wittke, J. P.

Ladany, Ivan, and Wang, Chih Chun III-V compound on insulating substrate and its preparation and use, P (8) 171*d*.

Ladany, Ivan, and Wang, Chih Chun Two-stage epitaxial growth of GaAs E1 diodes on spinel (2) 41*b*.

Ladeur, Peter Hydrocracking process for lube oil over Ni-Mo and Ni-W on SiO_2-ZrO_2, P (4) 97*e*.

Laffitte, M. See Xuan, D. Phan

Lafitte, C. Wayne See Thompson, Thomas L.

Lafon, Earl E. See Kervin, Paul W.

Lagendijk, A., Glasbeek, M., and Van Voorst, J. D. W. Paramagnetic O centers in $SrTiO_3$ induced by light (2) 54*f*.

La Grouw, Coenraad M. Glass for CRTs for TV display, P (7) 146*a*. NiO- and CoO-containing glass for TV display CRT's, P (11) 226*c*.

Lagutin, Yu. V., and Shul'ga, V. V. Operation of electrofilters (9) 182*e*.

Lagutin, Yu. V., and Zvyagintseva, Z. Dust removal in production processes in the German cement industry (3) 61*g*.

Lahav, N., and Bresler, Ethel Exchangeable cation-structural parameter relations in montmorillonite (6) 138*i*.

Lahaye, J., Prado, G., and Dounet, J. B. Nucleation and growth of carbon black particles during thermal decomposition of benzene (11) 227*d*.

Lahet, G. See Cueilleron, J.

Lahey, M. A. J. Th. See Bode, J. H. G.

Lahiri, Durgadas See Majumdar, Rabindra Nath

Lahiri, Durgadas, Mukherjee, Balai, and Majumdar, Rabindra Nath Mechanism of interaction between two redox oxides in glass (9) 185*f*.

Lai, Y. P. See Wolfe, R.

Laibowitz, Robert B. See Cuomo, Jerome J.

Laidler, Thomas G., and Booth, Dennis Method of producing Ca silicate products, P (9) 183*f*.

Laiho, R., Natarajan, M., and Kaira, M. Electrical and optical studies in $CsCuCl_3$ crystals (11) 234*b*.

Lailach, Guenter, Rodl, Fritz, Bade, Heribert, and Koeller, Heinz Preparation of Fe oxide and hydrated Fe oxide pigments, P (1) 20*b*.

Laine, Norman R. See Block, Jacob

Laing, Nikolaus Cooling device for semiconductor components, P (4) 93*b*.

Laird, R. T. See Harding, J. R.

Laitar, Robert A. See Johnson, Calvin K.

Lake, William H. See Medendorp, Nicholas W.

Lakhani, Hussain G. See Paterno, Joseph J., Jr.

Lakin, J. R. Assessment techniques in refractories technology (1) 8*j*. See Leonard, L. A.

Lal, K., and Parshad, R. Permittivity of conductor-dielectric heterogeneous mixtures (7) 149*e*.

Lal, Pyare See Srivastava, S. K.

Lambert, B. See Buch, T.

Lambert, B., Buch, T., and Geoffroy, A. Optical properties of Mn^{2+} in pure and faulted cubic ZnS single crystals (9) 197*a*.

Lambert, Bernard See Ayel, Michel

Lambert, Lloyd M., Jr. See Kump, Herbert J.

Lambert, M. Industrial application of electrostatic enameling to parts in sheet steel and cooking equipment (8) 163*e*.

Lambert, Maurice C. Determination of hypophosphite ion concentration, P (10) 213*j*.

Lambert, Michael, Neuzy, Hubert, and Brichard, Claude Sheet glass drawing, P (8) 166*i*.

Lambert, Vernon L. See Wakefield, Shirley L.

Lambert-Andron, B. See Babot, D.

Lambrecht, V. G., Jr. See Gibart, P.

Lamont, John A. See Hubble, David H.

Lancaster, Earl B. See Scheve, John L.

Lancey, T. See van den Berg, T.

Lancon, R. See Sapriel, J.

Landa, Edward R., and Gast, Robert G. Evaluation of crystallinity in hydrated ferric oxides (1) 23*h*.

Landa, Torstein, Johannesson, Paul, and Engedal, Knud Press for treating products under high isostatic pressure, P (6) 134*d*.

Landingham, Richard L., and Cline, Carl F. Precompressed ceramic for light armor, P (7) 149*a*.

Landis, George G. See Haverstraw, Robert C.

Landman, Dirk, and Chadwick, Ronald Terminal housing for substrate, P (9) 192*e*.

Landolt, George R. See Argauer, Robert J.

Landsman, Arkady P. See Lidorenko, Nikolai S.

Landy, Richard A. See Brezny, Bohuslav

Lane, Arthur Style in Pottery, B (5) 124*h*.

Lane, Edward S. See Grimes, John H.

Lane, Edward S., and Jackson, Norman Preparation of solutions of mixed U and Pu nitrates, P (9) 193*c*.

Lane, Jack C. See Duffek, Edward F.

Lane, Richard L. Billet holder for cutting and slicing apparatus [crystals], P (8) 169*h*.

Lang, A. R. See Beswick, D. M. ; Moore, Morton

Lang, Albert, Jr., and Herte, Lawrence F. Rf sputter apparatus and method, P (2) 43*d*.

Langdon, Jack L. Process for fabricating passivated transistors, P (3) 72*d*; Construction of monolithic chip and method of distributing power therein for individual electronic devices constructed thereon, P (10) 210*d*.

Lange, F. F. High-temp. strength behavior of hot-pressed Si_3N_4—evidence for subcritical crack growth (3) 79*f*. See Terwilliger, G. R.

Lange, James N. Dynamic Jahn-Teller effect for Cr^{2+} in MgO—hypersonic attenuation (10) 216*d*.

Lange, Karl [Heat] recuperation as used in ceramic and glass industries (6) 135*e*.

Langecker, E. Centering device for annular extrusion dies for the mfg. of plastic material shapes, P (3) 73*b*.

Langenhoff, Ferdinand, Ternin, Erich, Lenz, Arnold, and Schinke, Georg Process for mfg. of $ZrCl_4$ in reactor of specific lining, P (1) 20*e*.

Langenslepen, R. A. See Tressler, R. E.

Langer, H. See Schuoecker, Dieter

Langer, Horst G. See Brady, Thomas P.

Langer, Sidney Method for separating particles, P (1) 16*c*.

Langhammer, Hans J. See Geck, Hans G.

Langley, Marcus (Editor) Carbon Fibers in Engineering, B (7) 160*b*.

Langmack, Juergen See Brachthauser, Kunibert

Langmack, Juergen, and Haas, Helmut Vibrating mill with introduction of refrigerants into the solid material being ground in the grinding chamber, P (5) 116*h*.

Langmesser, Paul W., Volz, Hans G., and Klenast, Gerhard Process leading to the production of TiO_2 pigments with a high degree of whiteness, P (1) 20*d*.

Langner, Kurt-Waldemar See Kreutzer, Hans Wilhelm

Langrod, Kasimir Method of preparing relatively low density oxide fuel for a nuclear reactor, P (9) 193*a*.

Langston, Perry R., Jr., Tummala, Rao R., and Wilson, Donald M. Sealing technique for gas panel, P (4) 89*h*.

Lankheet, Jay A. Method of spraying glass fiber and resins onto substrate which eliminates necessity of rolling, P (1) 7*h*.

Lants, N. I. Acid-resistance and fusibility of glasses of the system SiO_2-R_2O_3-R_2O as bases of enamels for equipment (7) 145*c*.

Lanzi, F. See Nicolini, L.

Lanzoni, E. See Gauzzi, F.

Lapage, Ruth See Smith, Sydney E.

Lapat, Philip E., and Hellyer, Walter C. Recovery of Rh from molybdenite, P (8) 173*j*.

Lapides, Jules S. Responding to environmental regulations (10) 203*d*.

LaPlante, Lionel J. See Edelman, Alfred E.

Lappe, Hans See Heldt, Kurt

Lapraz, D. See Visocekas, R.

Laqua, W., and Reuter, B. Kinetics of spinel formation of β-Ga_2O_3 with divalent oxides: I, Solid-state reactions of β-Ga_2O_3 with NiO (10) 217*i*.

Larach, Simon, and Hardy, Austin E. CRT phosphors—principles and applications (3) 69*d*.

Laramore, G. E., and Switendick, A. C. Low-energy-electron-diffraction intensity profiles and electronic energy bands for LiF (8) 177*b*.

Larina, R. A., Bergman, A. G., Kislova, A. I., and Korobka, E. I. Reciprocal system of the tungstates and metaborates of Li and Na (1) 27*e*; Ternary system Na|Cl,BO_2,WO_4 (7) 159*a*.

Larionova, T. N. See Afinogenov, Yu. P.

Larionova, Z. M. See Rabinovich, F. N.

Larkin, J. P., Imbusch, G. F., and Dravaleks, F. Optical absorption in MgO:Cr^{3+} (8) 178*b*.

LaRoche, E. A., Jr. See Robinson, Gilbert C.

LaRoy, B. C. See Tiller, C. O.

Larrick, Benjamin F. Electroionic method of strengthening glass, P (2) 35*f*.

Larsen, P. K., and Metselaar, P. Nonohmic currents in inhomogeneous polycrystalline YIG (2) 54*j*.

Larsen, Richard J. See McGuffin, Donald W.

Larson, D. R. See Bertsch, B. E.

Larson, D. R., Coppola, J. A., Hasselman, D. P. H., and Bradt, R. C. Fracture toughness and spalling behavior of high-Al_2O_3 refractories (11) 226*h*.

Larson, Daniel A. High-pressure Hg-Ti iodide discharge lamp with phosphor coating; High-pressure Hg-Cr iodide discharge lamp with phosphor coating, P (11) 225*h*.

Larson, T. R., Weisenberger, W. H., and Lucke, W. H. Effect of 80-keV Ne^+ ion implantation on acoustic surface wave attenuation in $LiNbO_3$ (2) 50*d*.

Larsson, Ragnar See Nyberg, Birgit

Lasjaunias, J. C. Thermal properties of vitreous systems at low temps. (1) 29*b*.

Latal, E. See Schlosser, W. F.

Lathouwers, Franciscus J. M., and De Groot, Jacob Method of adjusting the dimensions of sintered ferromagnetic cores, P (4) 93*j*.

Lau, Raymond T. Method of strengthening glass articles using powdered salts for ion exchange, P (6) 128*j*.

Laude, L. Direct enameling effluent purification (8) 163*d*.

Lauder, Ian See May, Henri B.

Lauer, H. V. See Wright, J. C.

Lauer, R. B. See Ghosh, Amal K. ; Hou, S. L.

Laughman, L., Davis, L. W., and Nakamura, Terutaro Raman-scattering line shape of the soft E polariton mode in $BaTiO_3$ (8) 178*h*.

Laulicht, I. Wavelength calibrator for a spectrometer with a photon counting detecting system (11) 232*i*.

Laveant, Paul Luminescence of rare earths (9) 196*h*.

Lavrinenko, I. A. See Naidich, Yu. V.

Lavrinenko, V. A. See Naydich, Ya.

Lavrishchev, T. T., and Khludkov, S. S. Diffusion of Si in GaAs (1) 22*h*.

Law, Harold B. See Feldstein, Nathan

Law, John M., Stricker, Alfred A., and Von Kaenel, Walter Automatic pin insertion and bonding to a metalized pad on a substrate surface, P (9) 190*c*.

Lawless, W. N. Low-temp. [$SrTiO_3$] glass-ceramic capacitance thermometer (1) 17*g*. See Rubin, L. G.

Lawless, W. N., Radebaugh, Ray, and Soulen, R. J. Studies of a [$SrTiO_3$] glass-ceramic capacitance thermometer between 0.025° and 2.4°K (1) 18*b*.

Lawrence, F. V., Jr. See Berger, R. L. ; Young, J. F.

Lawrence, F. V., Jr., Reid, D. A., and De Carvalho, A. A. TEM of hydrated dicalcium silicate thin films (4) 85*e*.

Lawrence, G. M. See Elias, Marlene

Lawrence, John Preferential etching of Si, P (1) 15*e*.

Lawrence, P. See Laws, V.

Lawrence, Walter F. See Freedman, Norman S.

Lawrence, Willis G., and Coffin, Leon B. Permeable wollastonite ceramic mass, P (11) 229*i*.

Lawrenson, J. See Loukes, D. G.

Lawrenson, Jack Glass mfg. methods, P (3) 64*i*; Mfg. of flat glass, P (6) 128*e*. See Robinson, Albert S.

Laws, V., Lawrence, P., and Nurse, R. W. Reinforcement of brittle matrices by glass fibers (1) 6*c*.

Lawson, A. C. Superconductivity of the fcc transition metals and of their alloys and fcc carbides (5) 122*i*. See Raub, Ch.

J.
Lawson, Gerald P. See Carlson, T. M.
Lawson, William M. See Wojcik, Gerald E.
Lax, B. See Shin, S. H.
Lax, M. See Nelson, D. F.
Laxminarainbaih, J. See Samadani, S. G.
Laycock, J. N. C. See Ray, N. H.
Layden, George K. Densification of Si_3N_4. P (11) 227*j*.
Layton, T. N. Temporal ordering of surface collected obsidian artifacts by hydration measurement (10) 201*g*.
Lazar, Ferenc See Kapolyi, Laszlo
Lazar, J. W. See Mavrodineanu, R.
Lazarev, A. N. See Ignat'ev, I. S.
Lazarev, V. B. See Salov, A. V. ; Shaplygin, I. S.
Lazarev, V. B., Luzinaya, N. P., Marenkin, S. F., Scherchenko, V. Ya., and et al. Reaction of Cd with As in the region of existence of Cd_2As_2 (6) 140*f*.
Lazarev, V. B., Salov, A. V., and Berul, S. I. Phase diagram of the system Na-Sb-S (5) 121*d*.
Lazarus, Martin See Szabo, Louis R.
Lazay, P. D. See Nelson, D. F.
Lazet, Frank J., and Ahern, John R. Method of preparing soluble silicate flakes or fibers. P (7) 146*h*.
Lazorina, E. I., and Soroka, V. V. Surface layer in crystalline quartz studied by an etching method (4) 103*c*.
Lazzari, Jean P. See Grunberg, Georges
Le Beuze, R. See de Keroulas, F.
Le Clerc, B. See Fruchart, D.
Le Clerc de Bussy, J. M. Y. Method for producing objects from a [stream of] molten ceramic product. P (10) 212*i*.
Le Dred, Ronan See Wey, Raymond
Le Duc, Jean M. See Mahieu, Marc
Le Roux, Guy See Morin, Denise
Le Vacon, Yannick See Pompei, Jean
Lea, Colin Field emission from C fibers (4) 99*a*.
Leach, Bruce E. Removal of residual C contaminates from Al_2O_3. P (3) 76*e*.
Leach, Sam L. Foamed ceramic material, P (2) 39*e*.
Lean, Eric G., and Pennington, Keith S. System for coupling light from a fiber-optic wave guide into a thin-film wave guide, P (6) 128*d*.
Leary, Joseph A. See Nance, Robert L.
Leait, P. J. See Atkinson, A.
Leavenworth, H. W., Jr., Dunning, B. W., Jr., Gabler, R. C., Jr., and Goldsmith, C. E. Rapid growth of metallic fibers by partitioning S in a Cu-Fe sulfide mineral (8) 178*i*.
Lebas, Dominique See Colaitis, Denise
Lebedev, V. N. See Spinko, R. I.
Lecuille, Claude See Colaitis, Denise
Le Can, Claude J. P. F., and Steinmaier, Walter Semiconductor device with isolated circuit elements, P (4) 94*e*.
Leclerc, Pierre Mosaic of MOS-type semiconductor elements, P (4) 94*a*.
Leclercq, Robert See Brichard, Edgard
Lecocq, R. See Gilissen, Robert E. M.
Lecourt, Jean A. Flotation process and apparatus for making glass, P (2) 35*i*.
LeCraw, Roy C. See Blank, Stuart L.
Lecrivain, L. New refractories for casting in steelworks (1) 9*i*; Progress in ceramics since 1955—methods of investigation (1) 18*k*.
Lecrivain, Lucien See Braun, Manfred
Lecrosnier, Daniel P. See Teszner, Stanislas
Ledbetter, W. B. See Sandstedt, C. E.
Ledneva, T. M. See Belov, K. P.
LeDoussal, H., and Provost, G. Creep behavior of refractory products under various atms (4) 90*e*.
Lee, Bennie, and Lewis, Don Making double-spouted pots on the wheel (9) 181*e*.
Lee, Charles M., Jr. See Crandall, William B.
Lee, Chong Keun, Park, Cheong Hyun, and Kim, Byung Hoon Sintering effect of sericite on pink kaolin (3) 68*e*.
Lee, David A. Comparison of centrifugal and nozzle atomization in spray dryers (4) 95*f*; Comparison of centrifugal vs nozzle atomization in spray dryer operations (10) 212*j*.
Lee, Eung Sang See Hamano, Kenya
Lee, Eung Sang, and Hamano, Kenya Densification process of kaolin-quartz bodies (3) 68*h*; Densification process of kaolin-feldspar bodies (7) 148*j*.
Lee, Hee Soo See Hong, Yun Myung
Lee, Hee Soo, Kim, Chang Eun, and Choy, Jin Ho Ceramic coating on cast iron: I, Effect of glossy ground coat (3) 62*f*.
Lee, Hee Soo, Kim, Chang Eun, Chung, Kuk Sam, and Chung, Yun Joong Synthesis of wollastonite and its use: I (9) 194*f*.
Lee, Hee Soo, Lee, Sang Moo, Joe, Young Il, and Hyun, Sang Hoon Activated SiO_2 gel: I (10) 215*f*.
Lee, Hichul, Lee, Jhun, and Chun, Sang Moon Kinetics of the dehydration reaction of domestic alunite ore (9) 194*e*.
Lee, Ho Myun See Chi, Ung Up
Lee, Jhun See Lee, Hichul
Lee, Kenneth See Street, G. Bryan
Lee, Kenneth, Sawatzky, Erich, and Saito, James C. Ferromagnetic material, P (7) 149*b*.
Lee, P. A. See Ahmed, S. ; Said, G.
Lee, P. C. Y., and Zelenka, J. Frequency temp. dependence of coupled extensional, flexural, and width-shear vibrations of rotated X-cut quartz plates (4) 86*e*.
Lee, Pyoung Jik See Kim, Myun Sup
Lee, Robert E., McDermott, Philip S., and Pan, Edward S. Ir-sensitive semiconductor device and method of mfg., P (4) 93*h*.
Lee, Soo Woo, Shin, Young Jo, Park, Hee Chan, and Han, Ki Hyun Cordierite formation and effect of Fe_2O_3 on its formation (8) 168*j*.
Lee, Stanley H. Easy engobes (9) 181*j*.
Lee, Sung Moo See Lee, Hee Soo
Lee, Warren E. See Turner, Dwight L., Jr.
Leger, Lucien, and Bray, Jules Heat-devitrifiable glass, P (10) 206*h*.
Leger, Lucien, Leloup, J., and Plenevaux, A. Heat transmission by radiation in semitransparent media—numerical calculation technique (1) 17*f*.
Legille, Edouard, and Mailliet, Pierre Clay guns for blast furnaces, P (2) 38*h*.
Legrand, E. Magnetic structure of Mn_2Hg_5 (11) 235*a*.
Lehany, Robert F. See DeWinter, John C.
Lehany, Robert F., Logan, Ralph A., Nahory, Robert E., and Shahlee, Kerry L. Lasers [GaP] in indirect-bandgap semiconductive crystals doped with isoelectronic traps, P (2) 41*i*.
Lehmann, Hans, and Knauf, Albrecht Development of a method for assessing the bloating ability of perlite rock (2) 46*b*.
Lehmann, Hans, Mathiak, Heinz, and Kurpiers, Peter Aging processes in freshly made gypsum plaster (1) 2*d*.
Lehmann, Hans, and Mehta, Satya Kumar Effect of the crystallite size on the physicochemical properties of various hemihydrates of $CaSO_4$ (5) 106*f*.
Lehmann, Hans, and Rieke, Klaus "Soluble" anhydrites of $CaSO_4$ (5) 107*a*.
Lehmann, Hans, and Rieke, Klaus Use of DTA for following the transformation processes in the system $CaSO_4$-H_2O (8) 180*i*.
Lehming, Guenter, and Kueppers, Gerhard Method of decorating ceramic wall and floor tiles, P (7) 148*j*.
Lehner, Leo L. Method of making electrical contacts for and passivating a semiconductor device, P (9) 191*h*.
Lehnert, Richard See Geissel, August
Lehrer, William I. Method of preparing cavity envelopes by means of thin-film procedures, P (6) 132*a*.
Leharese, Jean See Masotti, Robert
Leiber, Carl Otto Effect of impurities or additives on the dynamic behavior of an alumina matrix (1) 11*e*; Thermal shock behavior of brittle materials caused by anisotropic behavior of the single crystals in the sintered polycrystalline matrix (2) 57*f*.
Leigh, H. D., and McCartney, E. R. Redetermination of lattice parameter of ThO_2 (5) 122*f*.
Leimer, Gerhard See Gugel, Ernst
Leineweber, L., and Bentz, A. Oil-hydraulic toggle press with high capacity for the mfg. of dry-pressed refractory bricks (7) 147*f*.
Leipold, Martin H. See Kapadia, C. M.
Leisenberg, Manfred Conveying and drying apparatus for [pressed] ceramic members, P (4) 97*c*.
Leith, William C. Rotating concentric homogeneous turbulence electrostatic precipitation gas cleaner method, P (5) 116*h*.
Leitnaker, James M. See Oetting, Franklin L.
Leivo, William J. See Russell, Kenneth J.
Lejus, Anne Marie See Tueta, Roger
Leko, V. K., and Komarova, L. A. Induction period of crystallization of quartz glasses (1) 4*j*.
Lele, R. V. See Basu, M. K.
Leloup, J. See Leger, Lucien
Lemaire, Bernard J. Radiant burner and furnace for treating at high temp., P (8) 173*i*.
Lemaistre, Christopher W., and Diefendorf, Russell J. Origin of structure in carbonized PAN fibers (8) 167*d*.
Lemanov, V. V. See Esayan, S. Kh.
Lemanov, V. V., and Yushin, N. K. Nonlinear phenomena due to propagation of elastic waves in piezoelectric crystals (7) 156*g*.
Le Mat, Y. Problems in glass annealing (1) 5*g*.
Lemmens, Jan C. Preparation of granular aggregate for use in concrete objects and structures, P (8) 163*b*.
Lenczner, D. Creep in brickwork with and without damp-proof course (10) 207*a*.
Lendvay, E. Growth of structurally pure cubic and hexagonal ZnS single crystals (2) 52*g*. See Kovacs, P.
Lengweiler, K. See Levy, P. W.
Lenk, S. Present stage of development of shaping process in the fine ceramic industry (2) 45*c*.
Lennard, Jack K. See Kohn, Alan N.
Lento, Louis L., Jr. See Whitman, Robert H.
Lenz, Arnold See Langenhoff, Ferdinand
Lenz, Hans Insulated or uninsulated tanks? (1) 5*b*.
Lenz, R. Experience with large shuttle-car kilns (1) 19*j*.
Lenzo, P. V. Light- and electric-field-dependent oscillation of space-charge-limited current in $Bi_{12}GeO_{20}$ (2) 53*h*.
Leonard, Gerard C. Pyrolytic C nose for hypersonic vehicles, P (4) 91*b*.
Leonard, L. A., and Lakin, J. R. Role of vertical kilns in modern cast-iron production (1) 10*i*.
Leonidov, L. D. See Kosarev, Yu. I.
Leonov, E. I. See Karpovich, I. A.
Leonov, M. E. See Kovalev, F. V.
Leonov, V. M. See Grach'yan, A. N.
Leonovici, M. R. See Bunget, I.
Leontiev, Alexandr S. See Minachev, Khabib M.
Lepore, Donald A., Puttbach, Richard C., and De Stefano, Richard J. Simulated emerald gemstone, P (2) 48*h*.
Lepper, James M., Jr. Light-scattering particle analyzer, P (6) 134*h*.
Lepselter, Martin P. Schottky barrier diodes as impedance elements and method of making, P (3) 72*i*.
Lequin, Doris S. See Schoolar, Richard B.
Le Renard, J., and Mamy, J. Structure of the hydrated phase of altered phlogopites by Fourier one-dimensional projections (3) 81*d*.
Lerner, Martin L. See Holowka, Jaroslaw A.
Lescop, Pierre, Teyssevre, Pierre M., and Vigneau, Joel O. New process for improving the resistance of surfaces against erosion, P (9) 183*i*.
Lesh, Nathan G. See Feldman, David
Lesh, Nathan G., O'Day, Peter J., and Unger, Burton A. Technique for the fabrication of a bilevel thin-film integrated circuit, P (9) 192*e*.
Leshchinskii, V. I. See Raychenko, A. I.
Lesk, Israel A. See Price, James B.
Lessing, Peter, and Thomson, Robert D. Clays of West Virginia: I (6) 135*a*.
Lessmollmann, J. E. Importance of organizing brick transport for profitability of brickwork construction—transport inside the brickworks up to the site of building operations (5) 110*e*.
Letort, Pr. Y. Thermal shocks on a hot wall by sudden opening of a door (1) 10*j*.
Lettner, Kurt, and Finkenauer, Hans J. Welding substance and method for making, P (8) 163*b*.
Leung, L. K., Evans, B. J., and Morrish, A. H. Low-temp. Moessbauer study of a Ni-Zn ferrite: $Zn_xNi_{1-x}Fe_2O_4$ (9) 196*g*.
Leung, P. C., Skolnik, L. H., Allred, W. P., and Spitzer, W. G. Ir absorption study of Li-diffused Mg-doped GaAs (4) 100*a*.
Leusden, C. O. P. Causes of lamination and methods of control (6) 133*f*.
Leusden, C. O. P., and Heme, E. Moisture reabsorption of brick clays (2) 37*j*.
Leusden, C. O. P., and Reinders, R. Quality variation scatter in the firing of bricks in block settings (3) 66*c*.
Leutner, Bernd, Schwarzmann, Matthias, and Ohlinger, Manfred Ferromagnetic CrO_2 crystals, P (3) 70*j*.
Levcheva, Khr. See Vasilev, Sv.
Levcheva, Khr., Ribagin, S., Petkov, G., Ivanov, D., and et al. Clays from the Chukurovo deposit for the mfg. of faience tiles (11) 228*h*.
Levene, Leon Process for producing protective glass coatings, P (9) 187*e*; Method of preparing luminescent and photoconductive materials, P (10) 206*g*.
Levenson, M. D., Flytzanis, C., and Bloembergen, N. Interference of resonant and nonresonant three-wave mixing in diamond (8) 177*i*.
Leventouri, Dora See Koumelis, Christos
Levesque, M. Effect of combustion air temp. on the production capacity of glass tanks (2) 33*f*.
Lever, Reginald F. See Demsky, Herbert M.
Levin, Berton P. Edge improvement for window with electrically conductive layer, P (5) 109*f*.
Levin, Ernest M. System Y_2O_3-GeO_2 below 1700°C (5) 123*d*.
Levin, Robert E. Lamp unit with controlled-diffusion reflector and method of making the reflector [sag-molded glass], P (11) 225*h*.
Levina, Tatyana A., Serkh, Mikhail B., and Guzyuta, Ivan G. Flue gas dew point temp. transducer, P (5) 117*i*.
Levine, S. N. See Hulbert, S. F.
Levinos, Steven Production of luminescent screens, P (4) 89*e*.
Levinstein, Hyman J. Controlled epitaxial growth from supercooled nutrient-flux solution, P (6) 131*i*. See Blank, Stuart L.
Levinzon, D. I. See Sachkov, G. V.
Levinzon, D. I., Petrik, A. G., and Selin, V. V. Sintered SiO_2—new material for containers and dies for crystal-growth techniques (6) 129*h*.
Levy, P. W., Matteru, P. L., Lengweiler, K., and Bisbey, A. M. Studies on nonmetals during irradiation: V, Growth and decay of color centers in Ba aluminoborate glasses containing Ce (5) 109*g*.
Levy, Rachel, and Shainberg, I. Ca-Mg exchange in montmorillonite and vermiculite (5) 119*f*.
Lewek, Stanley S. See Bartholomew, Roger F.
Lewin, Ronald H., and Hayman, Cecil Formation of W and Mo carbides, P (10) 208*i*.
Lewis, Albert See Kimpel, Robert F.
Lewis, C. J. See Ray, N. H.
Lewis, Cyril J., Ray, Neil H., and Robinson, William D. V-containing alkali metal-lead phosphate glass, P (9) 187*h*.
Lewis, Don See Lee, Bennie
Lewis, Edward T. Piezoresistive bridge transducer, P (11) 231*e*.
Lewis, Gordon See Coyle, R. Tom, Jr.
Lewis, Homer D. See Baker, Richard D.
Lewis, J. T. See Abraham, M. M.
Lewis, Joseph E., Jr., and Roberts, George L., Jr. TiO_2 pigments, P (11) 233*i*.
Lewis, M. F., and Patterson, E. Microwave ultrasonic attenuation in topaz, beryl, and tourmaline (8) 177*h*.
Lewis, Michael J. See Brennan, Ambrose K., Jr.
Lewis, Nelrion F. See Morton, I. P.
Lewis, T. J. See Aris, F. C.
Lewis, Thomas J. Mfg. of SiC, P (1) 11*b*; Mfg. of SiC [whiskers], P (3) 67*e*.
Leyendecker, W. See Serrini, C.
Leyman, Edward See Whitman, Robert H.
Li, Tingye, and Standley, Robert D. Electrooptic thin-film diffraction loss modulator, P (9) 190*h*.
Li, Yuan See Chung, David Y.
Lias, A. See Bolotin, A.
Lihal, Werner, and Haenner, Robert Pore-size distribution and porosity in granular materials: I, Pore-size distribution; II, Grain porosity (2) 58*e*.

Liberman, Irving, Zollweg, Robert J., and Burnham, Walter J. Ceramic discharge lamp operable in air without an outer glass envelope, P (11) 230*h*.

Libershtein, I. L. See Donis, V. K.

Liberson, Lev A. See Filippov, Andrei N.

Libesat, Z. See Pampuch, Roman

Lichomski, Holger See Majdic, A.

Lidgard, G., Nicklin, R., and Hart, P. B. High-brightness yellow-light-emitting GaP diodes (1) 13*c*.

Lidorenko, Nikolai S., Landsman, Arkady P., Strebkov, Dmitry S., Zaitseva, Alla K., and et al. Semiconductor photoelectric generator and method of its mfg., P (7) 151*e*.

Liebau, F. See Schweinsberg, H.

Lieblich, N. See Reisfeld, R.

Liebman, Joel F. Regularities and relations among ionization potentials of nontransition elements (6) 140*c*.

Liebmann, Rita See Funke, Dieter

Liehn, Walther Design parameters for improving cooling and decreasing corrosion of fused-cast tank blocks (1) 9*e*.

Liekens, W., Michiels, L., and de Bock, A. Attenuation of longitudinal hypersonic waves in Z-cut quartz (1) 21*c*.

Lienemann, E. Measuring [vol] liquid slips from the level [in the container] (5) 117*i*.

Liese, Homer C. Ir absorption (435–250 cm^{-1}) and uv emission analyses of selected sulfides and sulfosalts—a correlative study (11) 232*h*.

Light, Thomas B. See Berkenblit, Melvin

Lightsey, P. A. Percolation view of transport properties in Na_xWO_3 (9) 197*b*.

Ligus, Elmer R., and Friley, Paul B. Fitting structure for pipe, P (11) 226*j*.

Ligtenberg, Martinus A. C., Stevels, Albert L. N., and DePauw, Agnes D. M. Luminescent screen having a mosaic structure, P (11) 225*i*.

Lilo, Derek L., and Collins, David A. Thin-film MIS storage diode, P (6) 133*e*.

Lillebuen, B. See Grjotheim, Kai

Lilly, A. C. See Tiller, C. O.

Linar, T. F. See Kudrenko, I. A. ; Savos'kina, A. I.

Linburg, Gunter Automatic plant to regulate plasticity (4) 95*f*.

Lin, Francis C. M. See Knochel, William J.

Lin, Kingso C. Glass fiber size composition, P (10) 206*f*.

Lin, Ruey Y. See Economy, James

Lin, S. C. H., and Pugacz-Muraszkiewicz, I. Local stress measurement in thin thermal SiO_2 films on Si substrates (2) 40*f*.

Lin, Y. S., Grundy, P. J., and Glass, E. A. Bubble domains in magnetostatically coupled garnet films (6) 130*a*.

Linberg, Karl H. See Halberschmidt, Friedrich

Lincoln, R. C. See Ruoff, Arthur L.

Lincoln, R. L. See Nafziger, R. H.

Lind, M. D., and Grant, R. W. Structural dependence of birefringence in the chalcopyrite structure. Refinement of the structural parameters of $ZnGeP_2$ and $ZnSiAs_2$ (5) 122*d*.

Linde, I. G. See Antonov, V. A.

Lindberg, James D., and Smith, Michael S. Visible and near-ir absorption coeffs. of kaolinite and related clays (10) 220*f*.

Lindberg, Leo H. Apparatus for press bending glass sheets, P (9) 186*b*.

Lindemer, Terrence B. Nuclear fuel for high-temp. gas-cooled reactors, P (8) 171*j*.

Lindenbeck, D. A. New technique for dressing diamond wheels (8) 161*f*; Diamond grinding wheels, P (8) 161*i*.

Lindmayer, Joseph Surface inversion solar cell and method of forming, P (3) 72*c*.

Lindquist, P. F., and Bube, R. H. Photocapacitance effects at a Cu_2S-CdS heterojunction (3) 70*g*.

Lindqvist, Oliver Crystal structure of $CuTeO_3$ (2) 50*b*; Redetermination of the crystal structure of $KTeO_3(OH)$ (5) 122*f*.

Lindsay, Maurice E. Body-controlled heat range and extended gap spark plug, P (11) 229*h*.

Lindsley, D. H. See Dowty, Eric

Lindsley, John F. Strike incorporation of molecular sieves for fluid cracking catalysts, P (1) 20*i*.

Lindson, John T. See Borri, Frank J.

Lindstroem, A. C. Resealable closure for bottles and other containers, P (2) 37*c*.

Liner, Jerome C. Device for preparing elemental C enriched in ^{13}C, P (7) 152*a*.

Linley, E. G. See Weightman, A. M.

Linzer, M. See Evans, A. G.

Liou, J. G. Synthesis and stability relations of epidote, $Ca_2Al_2FeSi_3O_{12}(OH)$ (6) 141*e*.

Lipp, A. See Schwetz, K.

Lipp, Alfred Sintered refractory material [BN], P (10) 209*g*. See Doerre, Erhard

Lippe, Herbert Possibility of predetermining the interior space climate (3) 66*c*.

Lippmann, Friedrich Sedimentary Carbonate Minerals, B (2) 59*i*.

Lippmann, Jean P. Method and apparatus for controlling the degree of preparation of raw material for cement, P (2) 32*j*.

Lisauskas, V., Jasutis, V., and Tolutis, V. Crystallization of Ga_2Te_4 thin films (8) 174*g*.

Lisauskas, V., and Tolutis, V. Some properties of GaTe thin films (8) 179*e*.

Lisbenko, L. G., Nazarova, T. S., Polyakov, Yu. I., and Rosen, A. A. Thermodynamic characteristics of the rare-earth triiodides (10) 220*b*.

Liskova, Alena (Compiler) Methods for Pore Structure Analysis. Selected Bibliography, B (5) 124*i*.

Lisov, N. I. See Burmistrova, N. P.

Lisovskii, F. V., and Shapovalov, V. I. Low-temp. anomalies of Faraday effect in Tb Fe garnet in weak fields of magnetic biasing (1) 234*j*.

Listerman, Paul L. Gage for determining the percentage by weight of moisture contained in a bulk material transported on a moving conveyor, P (2) 45*i*.

Litcanu, C. See Popescu, I. C.

Litcanu, C., and Popescu, I. C. Characterization of ceramic ion-selective membrane electrodes: III, Statistical study of the electrode potential-Ag concentration of the Ag sulfide membrane electrode (2) 49*h*.

Litinskii, A. See Bolotin, A.

Litovchenko, P. C., Lutsyak, V. S., Kiruss, I. G., Kurilo, P. M., and et al. Influence of O on the concentration dependence of electron mobility in Si (11) 234*h*.

Little, Roger Irving Mochaware (6) 125*i*.

Little, William S., Jr. Method of producing X-ray diffraction grating, P (4) 88*h*.

Littlefield, Edgar Are lead glazes dangerous? (4) 83*i*.

Litver, Semen I. See Mikhailov, Viktor V.

Litvinov, L. A. See Bagdasarov, Kh. S.

Liu, C. H., Zielen, A. J., and Green, D. M. Electrochemical generation and measurement of sulfide ion in molten LiCl-KCl eutectic (1) 23*d*.

Liu, S. H. See Myron, H. W.

Liu, Sie T. Pyroelectric detector, P (10) 211*c*.

Livanova, L. D. See Al'tshuler, N. S.

Ljamov, V. E. Nonlinear acoustical parameters of piezoelectric crystals (4) 93*a*.

Ljubimov, E. M. See Rabodzei, N. V.

Lincer, Jorge, and Kramer, Hobart W. Method of improving high-purity Ge radiation detectors, P (5) 115*b*.

Llewellyn, L. R. See Allan, J. W.

Llinares, C., Monteil, E., Bordure, G., and Paparoditis, C. Magnetic order effect on optical absorption and photoconductivity in EuO thin films (3) 70*c*.

Lloyd, Henry See Williams, Neville R.

Lloyd, Milton H. Solvent extraction process for producing low-nitrate and large-crystal-size PuO_2 sols, P (7) 152*d*.

Lloyd, P. J. See Bradley, A. A.

Lo, Vincent See Schoonmaker, Richard

Lo, W. C. See Pantanelli, G. P.

Lobachev, A. N. See Belokoneva, E. L. ; Emel'chenko, G. A. ; Mininzon, Yu. M. ; Tseitlin, M. N.

Lobachev, A. N., Belyaev, L. M., Sil'vestrova, I. M., Mel'nikov, O. K., and et al. Piezoelectric and elastic properties of hydroxylsodalite (9) 197*h*.

Lobanova, S. P. See Chebukov, M. F.

Lobeda, S. N. See Mokhosoev, M. V.

Loburetz, Yu. V. See Bobylev, B. A.

Lochmann, H. O., and Wolff, G. Using process computers in preheater-rotary kiln-cooler systems (5) 118*e*.

Locke, D. H. United Kingdom view of fuel densification and clad stability in oxide fuel pins (4) 95*g*.

Lockett, George E., and Hosegood, Samuel B. High-temp. nuclear reactors [design], P (4) 95*i*.

Lockwood, D. J. Lattice vibrations of $CdCl_2$, $CdBr_2$, $MnCl_2$, and $CoCl_2$–ir and Raman spectra (9) 196*f*.

Lockwood, Harry F. Method of providing a semiconductor body with piezoelectric properties, P (1) 15*b*; Method for depositing a semiconductor material on the substrate from the liquid phase, P (7) 149*j*.

Lockwood, Harry F., and Marinelli, Donald P. Method of depositing epitaxial semiconductor layers from the liquid phase, P (1) 14*a*.

Loebner, Egon E. Future of electroluminescent solids in display applications (3) 69*f*.

Loecsel, B. P. Determination of amount of AlF_3 required for the preparation of corundum or mullite from aluminosilicates using the reaction coordinate diagram (4) 90*f*; Melting behavior and conditions for melting glass-ceramics (6) 127*e*.

Loeffler, Johannes Surface tension, interfacial tension, and wetting in glass melts--two examples (8) 165*b*.

Loehlein, Erich Experience with the Minute dryer after 18 months' operation (8) 173*c*.

Loehman, R. E. See Shin, S. H.

Loehman, R. E., Armstrong, A. J., Firestone, D. W., and Gould, R. W. Composition and physical properties of amorphous bulk and thin film materials in the system Ge-Se-Te-As (10) 215*a*.

Loeser, W., Mattheck, C., and Hausbeureisser, W. Influence of the intrinsic thermistor effect in VO_2 coplanar switching devices (10) 210*d*.

Loewen, F. See Peters, E.

Loewenstein, Ernest V., Smith, Donald R., and Morgan, Robert L. Optical constants of far-ir materials: II, Crystalline solids (10) 218*d*.

Loewenstein, K. L. Mfg. Technology of Continuous Glass Fibers, B (2) 59*a*.

Logan, John C. See King, Alan G.

Logan, Joseph S. See Davidse, Pieter D.

Logan, Lloyd M. See Dybwad, Jens P.

Logan, R. A. See Ilegems, Marc

Logan, Ralph A. See Dyment, John C. ; Leheny, Robert F.

Logothetis, E. M., and Holloway, H. Photoconductivity in epitaxial $Pb_{1-x}Sn_xTe$ (2) 54*j*.

Logvinenko, N. V., Berger, M. G., and Remizov, V. I. Temp. of the main endothermal effect of kaolinite (10) 219*h*.

Lohmueller, G., Schmidt, G., Deppisch, B., Gramlich, V., and et al. Crystal structure of Y vanadate, Lu phosphate, and Lu arsenate (3) 77*c*.

Lohrbach, Werner Production apparatus for nuclear reactor fuel rods, P (1) 16*g*.

Lokken, R. C., McDonald, William J., and Duwell, E. J. Grinding stone and concrete with coated abrasives (11) 221*e*.

Lombard, L. See Pelissier, J.

Lomnes, R. K., and Weichman, F. L. Use of ultrasonic attenuation to study photoconduction and optical properties in CdS (2) 57*e*.

Long, J. L. See Bliss, G. W. H.

Long, Martin L., Jr. See Branovich, Louis E.

Longenecker, Levi S. Suspended roof and end wall construction for reverberatory furnace, P (6) 129*h*.

Longo, V. See Roitti, S.

Longo, Vittorio, and Minichelli, Dino X-ray characterization of $Ce_2Zr_3O_{10}$ (1) 29*i*.

Lootens, William F. Isolated heat-sink semiconductor device, P (2) 41*i*.

Lopato, L. M. See Tresvyatskii, S. G.

Lopato, L. M., Lugin, L. I., and Shevchenko, A. V. Phase diagram of the system Pr_2O_3-CaO (4) 101*i*.

Lopez, Arturo See Alascio, B.

Lopez-Gonzalez, J. de D., and Barrales-Rienda, J. M. Morphological changes in a Benahavis vermiculite induced by thermal and acid treatments (4) 100*d*; Properties of a Benahavis (Spain) vermiculite (4) 101*g*.

Lord, Leslie W. See Benbow, John J.

Lorenz, Gerhardt Method and apparatus for use in measuring particle-size distribution and/or concentration of particles in suspension in a gaseous dispersing medium, P (11) 233*a*.

Lorenzelli, Nicole, and Marcon, Jean P. Ternary systems U-C-rare earths (Ce,Nd,La) (6) 141*j*.

Lorlers, Jean, and Heindl, Rudolf Vitreous compounds with bistable electrical characteristics, P (4) 89*j*.

Lorimor, O. G. See Bachrach, R. Z.

Loro, Alberto See Hamer, Colin A.

Lortholary, P. See Tetard, D.

Loshmanov, A. A. See Yamzin, I. I.

Loss, Frank J. Using the *J* integral for evaluating fracture safety (1) 18*g*.

Lotgering, F. K., and Van Diepen, A. M. Valencies of Mn and Fe ions in cubic ferrites as observed in paramagnetic Moessbauer spectra (2) 57*f*.

Lott, K., and Varvas, J. Electrical conductivity of ZnS in additive coloration process (11) 234*b*.

Loukes, D. G. Mfg. of glass having desired surface characteristics, P (2) 36*j*; Production of molded glass articles, P (2) 37*b*. See Edwards, A. ; Robinson, Albert S.

Loukes, D. G., and Edwards, A. Surface treatment of glass, P (2) 37*d*; Production of glass having desired surface characteristics, P (6) 128*c*.

Loukes, D. G., and Lawrenson, J. Treatment of glass articles, P (8) 166*a*.

Loukes, D. G., and Maltman, W. R. Glass mfg., P (2) 36*d*.

Louzecky, Paul J. Self-cleaning spark plug [rotary engines], P (8) 168*f*.

Low, Philip F. See Ravina, Israela

Lowe, Arthur See Storms, Edmund K.

Lowe, J. Maintenance of the forehearth and feeder complex (9) 185*d*.

Lowes, Thomas See Michelfelder, Sigfrid

Lowndes, Robert P., and Perry, C. H. Molecular structure and anharmonicity in Tl iodide (3) 80*j*.

Loxley, Ted A., Wheaton, Harold L., and Webb, John M. Method of coating preformed ceramic cores, P (11) 228*a*.

Lozanov, I., and Sakhno, K. Determination of density of chemically stable enamel coatings with a VG-30 high-voltage generator (11) 222*f*.

Lu, W-K. See Kim, S. M. ; Nabi, G. ; Okongwu, D. A.

Lubinsky, A. R., Ellis, D. E., and Painter, G. S. First-principles calculation of the optical absorption in diamond (8) 176*b*.

Luca, E. See Rezlescu, Nicolae

Lucas, J. See Bernard, D.

Lucas, Joseph Variable resistors, P (2) 44*h*; Method of mfg. semiconductor devices, P (7) 150*j*; Transporting and testing device for use with semiconductor wafers, P (7) 151*i*.

Lucchini, E. See Batti, P.

Lucchini, Elio, Minichelli, Dino, and Sloccari, Giorgio X-ray characterization of $7SrO.5Fe_2O_3$ (2) 57*j*.

Lucke, W. H. See Larson, T. R.

Ludeke, R. See Dove, D. B.

Ludvik, S., and Quate, C. F. Amplification of surface shear-wave mode in GaAs (3) 76*h*.

Ludwig, Udo See Daerr, G. M. ; Mukherjee, Kishore ; Nuernberg, H. W.

Ludwig, Udo, and Moldan, Klaus MgO containing burnt limestones in lime-sand products (8) 162*i*.

Ludwig, Udo, and Ruckensteiner, Georg Combustibility of raw cement paste (7) 143*g*.

Luerssen, Hermann See Jochim, Friedrich

Luethi, B. See Gorodetsky, G.

Luft, B. D. See Porotikov, A. P.

Lugin, L. I. See Lopato, L. M.

Luginin, A. N. See Klassen, V. K. ; Luginina, I. G.

Luginina, I. G. See Klassen, V. K.

Luginina, I. G., Luginin, A. N., Klassen, V. K., and Matveev, A. F. Acid-base reaction during calcination of raw material (3) 61*f*.

Lugli, Gabriele, and Brandi, Gabriella U complexes and process for preparing, P (10) 212*h*.

Luishetty, C. T., and Ouseph, P. J. Valence states of Fe in photochromic Sr titanate by Moessbauer effect (3) 82*b*.

Luiten, Willem See Westendorp, Frans F.

Lukas, H. L. See Exner, H. E.

Lukashenko, G. M. See Eremenko, V. N.

Luke, Theodore E. See Cummins, Stewart E.
Luke, Theodore E., and Cummins, Stewart E. Birefringence read $Bi_4Ti_3O_{12}$ display and memory device, P (9) 190*d*.
Lukin, B. V. Determination of linear rate of formation of β-SiC (1) 22*e*. See Elchin, V. I.
Lukina, L. V. See Batsanova, L. R.
Lukina, M. M. See Kadomtseva, A. M.
Lundberg, Monica Crystal structure of Nb_2WO_8 (2) 50*d*.
Lunde, Reidar S. See Blaker, Ivar
Lundstroem, Hans T. Vertical tube furnace, P (9) 194*d*.
Lungu, S., Beleuta, I. L., and Popescu, F. Si solubility in Mo and refractory silicate melts—Mo crucible interaction (4) 102*e*.
Lusma, Warren L. See Emanuelson, Roger C.
Lupei, A. See Lupei, V.
Lupei, V., Lupei, A., and Ursu, I. Further EPR studies of forbidden hyperfine transitions of Mn^{2+} in calcite (8) 176*h*.
Lupeiko, T. G. See Belyaev, I. N.
Lur'e, B. G. See Kalyamin, A. V.
Lurio, Allen Far-ir dielectric dispersion in Ba Na niobate (3) 79*a*.
Luscher, Thomas W. See Datta, Ranajit K.
Lush, John S. Crack-off apparatus for glass articles, P (10) 206*a*.
Lustig, Karel Measuring the slipping properties of glass bottles (11) 224*i*.
Luth, William C. See Vogel, Thomas A. ; Warner, Richard D.
Luth, William C., and Fenn, Philip M. Calculation of binary solvi with special reference to the sanidine-high albite solvus (5) 119*h*.
Luther, Lars C. See Casey, Horace C., Jr.
Luthmann, Reinhardt F. See De Angelis, William M.
Lutsenko, L. N. See Dergunova, V. S.
Lutsyak, V. S. See Litovchenko, P. C.
Lutsyk, V. I. See Mokhosoev, M. V.
Luttekes, E. See Gerstel, A. W.
Lutz, Gerhard See Mosch, Willi
Lutz, Harry See Kreutzer, Hans Wilhelm
Lutz, William A. See Parish, William R.
Luukkala, M. See King, P. J.
Luukkala, M., and Surakka, J. Acoustic convolution and correlation and the associated nonlinearity parameters in $LiNbO_3$ (3) 76*g*.
Lux, Robert A. See Maurer, Robert D.
Luxenberg, P. See Nickl, Julius J.
Luzhnaya, N. P. See Lazarev, V. B.
Lyalikova, R. Yu. Calculation of kinetic parameters of $CdSiP_2$ dissociation (1) 21*h*.
Lyashenko, A. A. See Buravlev, T. T.
Lyasin, V. F. Flow of a SiO_2 melt (1) 4*e*.
Lykova, L. N. See Kovba, L. M. ; Shevchenko, N. N.
Lyle, Phra D. See Klink, Jerome P.
Lynch, D. W. See Weaver, J. H.
Lynch, D. W., Rosei, R., Weaver, J. H., and Olson, C. G. Optical properties of some alkali metal W bronzes from 0.1 to 38 eV (5) 121*d*.
Lynch, R. T., Jr., Dillon, J. F., Jr., and Van Uitert, L. G. Stress birefringence in ferrimagnetic garnets (8) 179*j*.
Lynch, W. T. Calculation of electric field breakdown in quartz as determined by dielectric dispersion analysis (3) 76*b*; Predicted effect of exponential charging profiles on photoinjected currents in SiO_2 (3) 81*d*.
Lyon, S. R. See Domagala, R. F.
Lyons, Donald Control design a vital key to automated handling systems (10) 212*a*.
Lyons, Mitchell Approach to inlay decoration (10) 201*i*.
Lyons, Vincent J. Simultaneous diffusion processing, P (8) 171*b*. See Basi, Jagtar S. ; Boss, David W.
Lysne, P. C. One-dimensional theory of polarization by shock waves—application to quartz gages (2) 54*c*; Dielectric breakdown of shock-loaded PZT 65/35 (8) 169*b*.
Lythe, Trevor W. See Briggs, Charles C.
Lythgoe, Stanley See Gaskell, Philip H.
Lythgoe, Stanley, and Irlam, Philip S. Method for making glass-ceramic materials, P (9) 186*i*.
Lyubimova, T. A. See Kleinman, I. A.
Lyubimova, T. Yu. See Gorelova, I. L.
Lyubutin, I. S., Dodokin, A. P., and Belyaev, L. M. Magnetically nonequivalent cation positions in substituted ferrite garnets (4) 100*j*.
Lyutin, V. I., Kazak, V. F., Ilyukhin, V. V., and Belov, N. V. Crystalline structure of $CaNaHSiO_4$ (6) 137*j*.
Lyutsedarskii, V. A. See Avgustinik, A. I.

Maas, Melvin L. Sampler, P (5) 118*d*.
Macarovici, Const. Ch., and Perte, Eugenia Binary system In_2O_3-TiO_2 (6) 137*a*.
MacArthur, Donald M., and Skurkis, Peter K. Gold etchant, P (10) 210*h*.
MacChesney, John B. See French, William G.
MacChesney, John B., Jaeger, R. E., Plonow, D. A., Ostermayer, F. W., Jr., and et al. Low-loss SiO_2 core-borosilicate clad fiber optical wave guide (2) 34*f*.
Macchi, F., and Orsi, A. Brichetto Analysis of stresses in the heads of large ball mills for cement factories (10) 212*i*.
MacDonald, D. J. See Nicks, Larry J.
Macedo, P. B. See Mahoney, R. ; Mecholsky, J. J. ; Sarkar, A. ; Simmons, Joseph H. ; Srinivasan, G. R.
Macedo, P. B., and Simmons, Joseph H. Theoretical analysis of miscibility gaps in the alkali borates (6) 127*b*.
MacGibbon, D. J., and McCartney, E. R. Potential of ceramics as prosthetic materials (9) 189*a*.
Macgregor, Ian D. System MgO-Al_2O_3-SiO_2—solubility of Al_2O_3 in enstatite for spinel and garnet peridotite compositions (6) 141*e*.
Machavariani, Z. I. See Bukhalova, G. A.
Machavariani, Z. N. See Bergman, A. G.
MacInnis, Cameron See Beaudoin, James J.
MacIntyre, John S. See Wiesler, Mordecai
MacIver, Bernard A. See McKinnon, Matthew C.
Mackenzie, D. W. See Baird, T.
MacKenzie, George D. Resistance material and electrical resistor made therefrom, P (6) 132*j*.
Mackenzie, John D. Method of making foamed glass products with excreta and glass batch, P (9) 186*h*.
Mackenzie, K. J. D. Simple high-temp. ir cell and its application to the dehydroxylation of kaolinite (10) 213*i*.
Mackey, Charles R., and Stein, Harold A. Free cutting internal diamond grinding wheel, P (2) 31*i*.
Mackey, Thomas S. Acid leaching of ilmenite into synthetic rutile (6) 135*j*.
Mackey, H. M. See Holonyak, N., Jr.
Macksey, H. M., Campbell, J. C., Zack, G. K., and Holonyak, N., Jr. Zn-diffused laser junctions in $In_xGa_{1-x}As$ and $InAs_xP_{1-x}$ grown from In solution at constant temp. (3) 82*d*.
Macleod, A. C. Enthalpy of $UO_{2.25}$ to 1600°K by drop calorimetry (2) 44*c*.
MacMaster, Kenneth J. G. See MacMaster, Malcolm J.
MacMaster, Malcolm J., and MacMaster, Kenneth J. G. Sledge crusher, P (5) 119*i*.
Macmillan, N. H. Review—the theoretical strength of solids (5) 112*d*.
MacPhail, Iain See Nicholas, Michael G.
MacRae, Alfred U., and Moline, Robert A. Semiconductor masking, P (2) 43*h*; Production of SiO_2 tapered films, P (3) 72*h*.
Mada, Yoichi, Kabashima, Shigeharu, and Okada, Toshihiro Second harmonic generation and ferrimagnetic resonance in YIG (2) 55*c*.
Madacsi, David P., Bartram, R. H., and Gilliam, O. R. Hyperfine, superhyperfine, and quadrupole interactions for V^{4+} in tetragonal GeO_2 (8) 177*d*.
Madan, M. P. Mode-Grueneisen parameters of alkali halides (8) 177*j*.
Maddocks, Fred S. See Davidse, Pieter D.
Madeley, J. D., and Richmond, R. C. Procedure for determining the concentration of OH groups on SiO_2 surfaces (9) 197*j*.
Maeda, Haruo See Tomii, Kaoru
Maeda, Takehisa, Horio, Masakazu, and Yamamoto, Ryuichi Pb release in fritted Pb glaze: I, Fe Mn-brown glaze (1) 11*j*; Pb release in fritted Pb glaze: II, Cu-green glaze (1) 12*a*.
Maeno, Norikazu Dielectric properties of KCl ice (2) 50*i*.
Magara, Kinji Compaction, ion filtration, and osmosis in shale and their significance in primary migration (6) 137*g*.
Magdalinski, G. Calibration of dust concentration measuring instruments (9) 193*j*.
Magdo, Ingrid E., and Magdo, Steven Integrated-circuit test transistor structure and method of fabricating, P (3) 71*e*; Method of forming dielectric isolation for high density pedestal semiconductor devices, P (7) 150*b*.
Magdo, Steven See Magdo, Ingrid E.
Magerkord, Claus See Bunte, Karl Joachim
Maggi, C. M. See Fagherazzi, G.
Magindry, Robert E. Fuel element for a nuclear reactor of the passive metal hydride control type, P (7) 152*b*.
Magnan, Regis Concretes and reinforced concretes with a low expansion coeff., P (6) 126*h*. See Chaurand, Patrice
Mahanta, P. C. See Bora, M. N. ; Hatibarua, J.
Maher, Caleb H. Low-temp. fired [glass-ceramic] electrical components and method of making, P (9) 186*b*.
Maher, Philip K. See Vaughan, David E. W.
Maheras, George See Castrucci, Paul P.
Mahieu, Marc See Andre, Elie
Mahieu, Marc, Andre, Elie, and Le Duc, Jean M. Method of obtaining Ga Al arsenide for an electroluminescent diode, P (2) 42*g*.
Mahoney, D. M. See Krupka, D. C.
Mahoney, R., Srinivasan, G. R., Macedo, P. B., Napolitano, A., and et al. Effect of subcritical microstructure on the viscosity of a Na borosilicate glass (9) 184*h*.
Mahoney, William P. Method for controlling [glass] furnace emissions, P (6) 128*g*.
Mahr, H. See Haueisen, Donald Carl
Maier, Horst R. See Heckel, Klaus
Mallen, James C., and Ferris, Leslie M. Separation of Cf from other actinides, P (2) 45*g*.
Maillet, Pierre See Legille, Edouard
Mairlot, H. Texture of ground glass surfaces (1) 1*g*.
Mainsel, Leon I. See Gregor, Lawrence V.
Maiocu, A. See Monfort, Y.
Maita, J. P. See McWhan, D. B.
Maiti, H. S. See Mehrotra, A. K.
Maja, M. See Abbattista, F.
Maja, M., and Abbattista, F. Thermodynamic characteristics of system FeO_x-MgO (10) 220*c*.
Majdic, A. See Fitzer, E.
Majdic, Aleksander See Braun, Manfred
Majdic, A., and Grewen, Ortwin Vibratory pressing for densification of refractories (6) 129*a*.
Majdic, A., Hagemann, Ludwig, and Lichomski, Holger Effect of finish of the surface of the test piece and roughness of the face of the platen on the cold compressive strength of refractory brick (8) 172*h*.
Majdic, A., and Nowak, A. E. Isostatic compaction of coarse-grained refractory mixes (8) 167*g*.
Majdic A., and Routschka, G. Refractory materials for the steel-melting electric-arc furnace as reflected in the literature (11) 227*h*.
Majdic, A., Routschka, Gerald, and Konopicky, Kamillo Properties of coked pitch-bonded magnesite refractories and changes when the C is burned out (6) 129*f*.
Majdic, M., and Wirth, G. Recrystallization behavior of Th oxide dispersion-hardened W-Re alloys compared to pure W (5) 122*e*.
Majling, J., and Hanic, F. Phase equilibria study in the system $Na_4P_2O_7$-$Mg_2P_2O_7$ (3) 80*i*.
Majumdar, A. J. Cement compositions containing glass fibers, P (5) 107*h*. Role of the interface in glass fiber reinforced cement (7) 144*f*. See De Vekey, R. C.
Majumdar, A. J., and Nurse, R. W. Glass fiber-reinforced cement (11) 222*f*.
Majumdar, A. S. Vortex shedding flowmeter (6) 134*f*.
Majumdar, M. K. See Adhikari, M.
Majumdar, Rabindra Nath See Lahiri, Durgadas
Majumdar, Rabindra Nath, and Lahiri, Durgadas Redox equilibrium and spectral absorption of some coloring oxides in Na metaphosphate glass (10) 205*g*.
Majumdar, S. K. Assessment of free SiO_2 by chemical methods (1) 17*g*.
Makariunas, K., Dragunas, A., and Adomynaite, M. Nuclear gamma resonance of ^{119}Sn and ^{125}Te and the electronic structure of ternary diamond-like semiconductors Cu_2SnS_3, Cu_2SnSe_3, and Cu_2SnTe_3 (8) 178*b*.
Makarov, V. N. See Postnikov, V. S.
Makarov, V. V. See Ksendzov, Ya. M.
Makarova, N. I. See Yudin, S. G.
Makarova, T. A. See Nesterchuk, N. I. ; Sipovskii, D. P.
Makaruk, A. F. Increased stability of work of gas analyzers of type MN-5106 (6) 134*j*.
Makeev, Kh. I. See Voronov, I. N.
Makhova, M. K. See Belotskii, D. P.
Maki, Dennis R. See Green, David J.
Maki, Iwao Morphology of the so-called prismatic phase in portland cement clinker (6) 126*c*.
Maki, Michiyoshi See Nanba, Mitsuo
Maki, Toshio, and Tashiro, Megumi Loss of Ag and Cl from photochromic glasses during melting in various atms (3) 63*f*; Effects of various mfg. conditions on darkening and fading of photochromic glasses (9) 184*b*; Loss of Ag and Cl from photochromic glasses during melting in various atms (9) 185*c*.
Makino, Hiroshi, and Matsumi, Koichi Method of producing a single crystal of orthoferrite and thin platelets thereof by means of the floating-zone method, P (8) 170*a*.
Makovets, S. E. See Tavadze, F. N.
Maksimov, A. See Shekerdzhiiska, M.
Maksimov, O. P. See Gorelik, V. S.
Maksina, N. V. See Ryutina, N. M.
Maksina, N. V., Sosnovskaya, L. K., Finkel'shtein, N. A., and Ryutina, N. M. Interaction of Rb, Na, and Ba chlorides in melts (10) 217*e*.
Makurin, Yu. N. See Smirnov, S. V.
Mal, M. Kumar See Ellis, John L.
Malakhovskii, A. V., Edel'man, I. S., Gavrilin, V. P., and Barinov, G. I. Optical and magneto-optical spectra of Li ferrite in the range 1.8–4.1 eV (9) 197*j*.
Malang, Siegfried Nuclear reactor fuel element, P (10) 212*h*.
Malarkey, Edward C., Natale, Michael R., and Ogland, Jon W. Method of preparing an uv-emitting phosphor, P (2) 42*g*.
Malaspina, L. See Piacente, V.
Maldonado, Juan R., and Fraser, David B. PLZT ceramic display devices for slow-scan graphic projection displays (3) 70*g*.
Male, G., and Trombe, F. Thermochemical hierarchy in carbides—application to the reaction between Ta and rare-earth carbides (5) 123*h*.
Malecak, Jan Foam glass production in Czechoslovakia (11) 224*b*.
Maley, James J., and Bartch, Donald W. CRT having conductive internal coating comprised of Fe oxide and graphite, P (6) 127*i*.
Malhotra, L. K. See Sharma, S. D.
Mali, M. See Blinc, R.
Malik, S. R., Durrani, S. A., and Fremlin, J. H. Comparative study of the spatial distribution of U and of TL [thermoluminescence]-producing minerals in archeological materials (11) 221*j*.
Malikova, Zh. G. See Kontorovich, S. I.
Malinin, A. Yu. See D'yachkova, N. N.
Malinin, A. Yu., Papkov, V. S., Chumak, V. D., and Vidanov, A. P. Internal stresses in MgO-Al_2O_3 spinel crystals (4) 100*c*.
Malinin, V. R., Evstrop'ev, K. K., and Tsekhomskii, V. A. Diffusion of Ag in some silicate and photochromic glasses (6) 126*j*.
Malinin, Yu. S. See Pankratov, V. L.
Malinowski, M. E. See Anderson, A. C.
Malkin, Irving See Huba, Francis
Mallard, W. C., and Crawford, J. H., Jr. Thermostimulated conductivity and trapping centers in irradiated MgO (3) 81*j*.
Mallon, Joseph R., Jr. See Kurtz, Anthony D.
Malloy, John F. Coated abrasive butt joint, P (2) 31*g*.
Malm, Robert N. Rounded-end halogen lamp with spiral exhaust tube and method of mfg., P (8) 166*g*.
Malmberg, Phillip R. See Evans, Bruce D.
Malmendier, Joseph W. See Dumbaugh, William H., Jr. ; Elmer, Thomas H.
Malova, N. S. See Denisov, Yu. N. ; Postnikova, O. N.
Maltby, Robert E., Jr., McComb, Walter D., and Schave, Richard D. Inspecting glass, P (6) 128*d*.

Maltman, W. R. See Loukes, D. G.

Mal'tsev, V. T. See Bergman, A. G. ; Bukhalova, G. A.

Mal'tsev, Yu. F. See Nikiforov, I. Ya.

Mamontov, Gleb See Braunstein, J.

Many, J. See Le Renard, J.

Many, J., and Gauthier, J. P. Application of measurements of electrical conductivity to the study of water bound by expanding layers (2) 76*i*.

Manapov, R. A. See Pribylov, K. P.

Mancini, M. See Cianchi, L.

Mandal, R. K. See Mitra, N. K.

Mandrykin, Yu. I. See Grach'yan, A. N.

Mandre, G. See Galante, F.

Mandre, Giovanni, and Vianello, Domenico Apparatus for making a glass-coated wire, P (6) 126*f*.

Manfredi, M., and Parecchini, C. High field conduction in CdF_2 crystals (10) 216*f*.

Mangal, P. S. See Swamy, R. N.

Manghnani, M. H. See Ferraro, J. R.

Manghnani, M. H., Ferraro, J. R., and Basile, L. J. Study of Na_2O-TiO_2-SiO_2 glasses by ir spectroscopy (11) 225*f*.

Manghnani, Murli H. See Ferraro, John R.

Mangold, Donald J. See Kraus, Theodore C.

Manigault, Edward L. Dense chrome refractory material, P (3) 67*b*; Mullite-chrome refractory, P (3) 67*h*; Zircon refractory compositions, P (6) 129*h*; Alumina refractory composition, P (9) 188*c*; Zircon refractory compositions, P (9) 189*d*.

Manitius, Andrzej, Kurcyusz, Ewa, and Kawecki, Wieslaw Mathematical model of the Al_2O_3 rotary kiln (9) 193*h*.

Mankov, Yu. I. See Khlebopros, R. G.

Manuel, S. K., and Fan, H. Y. Raman spectrum of $KTa_{0.64}Nb_{0.36}O_3$ (7) 157*h*; Absorption edge splitting in $KTa_xNb_{1-x}O_3$ (8) 174*b*.

Mann, Herbert See Broll, Arno

Manners, Paul Throwing square plates (11) 221*j*.

Manning, C. R., Jr. See Mathers, J. P.

Manning, John R. Impurity-correlation factors for diffusion in diamond-structure crystals (8) 177*e*.

Manning, P. G. Extinction coeffs. of Fe^{3+} spectral bands in oxides and silicates as indicators of local crystal composition (2) 46*g*.

Manning, W. R., and Hunter, O., Jr. Anomalous elastic behavior of polycrystalline Nb_2O_5 (1) 15*i*.

Mansingh, A., and Bawa, S. S. Dielectric properties of compressed Rochelle salt powders (10) 216*a*.

Mansmann, Manfred See Winter, Gerhard

Mansmann, Manfred, and Winter, Gerhard Producing novel SiO_2 fibers, P (11) 228*b*.

Mansurova, A. N. See Gusev, V. M.

Manthey, Kurt See Braun, Klaus J.

Manthorathil, J. See Ritter, J. E., Jr.

Manthorathil, J., Sikri, T. R., and Simmons, G. A. Simplified mathematical model simulating heat transfer in glass-forming molds (9) 185*a*.

Mantin, I. See Escard, J.

Manukhina, L. M. See Abramson, I. G.

Manzo, Jose See Angeleri, Frederico

Maple, T. Grant See Buchanan, Robert A.

Mar, Jerry Special masking method of fabricating a planar avalanche transistor, P (2) 44*c*.

Maraine-Giroux, Colette, Bouazis, Roger, and Perez, Guy Compounds $LiBO_2$ and $Li_6B_4O_9$ in the binary system Li_2O-B sesquioxide (3) 76*j*.

Marboe, E. C., and Weyl, W. A. Mechanism of homogenization and fining of Na_2O-CaO glasses (9) 185*f*.

Marcatili, E. A. J. Extrapolation of Snell's law to optical fibers (9) 184*f*.

Marcatili, Enrique A. J. Optical cable including a plurality of single-material fibers, P (10) 206*j*. See Cook, John S. ; Gloge, Detlef C.

Marcean, Joseph G. Brick extractor for electric furnaces, P (8) 173*e*.

Marcec, Ervin A. Method of mfg. refractory bottom rings, P (1) 11*c*.

Marchidan, D. I., Pandele, Liana, and Nicolescu, Ala Thermal properties of Al_2O_3 TA-600—heat content at high temp. (1) 29*a*.

Marcou, Jean P. See Lorenzelli, Nicole

Marcuse, D. Cutoff condition of optical fibers (9) 184*d*.

Mardirossova, I. V. See Bukhalova, G. A.

Mardix, S. See Steinberger, I. T.

Marek, Alois Bistable semiconductor device, P (3) 70*d*.

Marek, G. S. See Troyanov, S. I.

Marek, Istvan See Galos, Miklos ; Kertesz, Pal

Marenkin, S. F. See Lazarev, V. B.

Mares, Ivo See Bartuska, Miloslav

Marezio, M., McWhan, D. B., Dernier, P. D., and Remeika, Joseph P. Structural aspects of metal-insulator transition in V_4O_7 (2) 56*g*.

Marezio, M., McWhan, D. B., Remeika, Joseph P., and Dernier, P. D. Structural aspects of the metal-insulator transitions in Cr-doped VO_2 (7) 158*f*.

Margalit, S. See Neugroschel, A.

Margerie, J. C. Mfg. cast iron pieces to be enameled (8) 163*f*.

Margrave, J. L. See Zmbov, K. F.

Marie, Gerard, and Doujon, Jacques Single-crystal ferroelectrics and their application in light-valve display devices (6) 131*d*.

Marles, Keith, and Case, Derek F. Method of making magnetic head assembly having glass-ceramic-bonded parts, P (3) 71*d*.

Marlowe, John C. Durable seethrough photoresist mask, P (10) 210*d*.

Marlowe, J. C. Method of forming ohmic contacts to semiconductors [GaAs], P (3) 71*a*; Semiconductor [GaAs] devices and fabricating techniques, P (8) 171*a*.

Marinelli, Donald P. See Lockwood, Harry F.

Maringer, Robert, and Cordelle, Claude Mold mounting for making ceramic bathroom pieces, P (5) 113*g*.

Markhev, D. See Radev, R.

Marino, Amadeo D., and Ash, Clifford W., Sr. Apparatus for cladding polygonal cross-section laser rods, P (1) 6*h*.

Markov, M. See Dimitriev, Ya.

Marlon, Charles P., and Reynolds, Blake Fuel burner and process for gas mfg., P (1) 19*e*.

Mark, Peter See Baidyaroy, S.

Mark, Wanda Crystal structure of $Zr_4(OH)_6(CrO_4)_5H_2O$ (3) 77*c*; Order-disorder structure of $Zr(OH)_2CrO_4$ (3) 80*e*.

Markestad, S. A. Results and further experience with the paste method of determining the strength properties of cements (2) 32*c*.

Markosyan, E. A., Petrosyan, A. G., and Sharoyan, E. G. Spin-lattice relaxation of Mo^{3+} ions in YAG single crystals (3) 81*c*.

Markosyan, E. A., Petrosyan, A. G., Torosyan, O. S., and Sharoyan, E. G. EPR of Cr^{3+} in Lu Al garnet single crystals (11) 234*d*.

Markov, A. I., and Ustinov, I. D. Ultrasonic diamond drilling of nonmetallic materials (1) 1*h*.

Markov, M. See Vulkova, I.

Markovskii, L. Ya. See Neshpor, V. S.

Marks, Alvin M., and Marks, Mortimer Apparatus for coating TV viewing tubes, P (11) 225*a*.

Marks, H. R. See Mountvala, A. J.

Marks, Mortimer See Marks, Alvin M.

Markworth, Alan J. Vol-diffusion-controlled shrinkage of an isolated grain-boundary pore (9) 199*g*.

Marlor, A. J., Bergeron, Clifton G., and Kumar, H. S. A. X-ray diffraction data and enthalpy of fusion for $Cs_2B_6O_{10}$ (6) 142*f*.

Marlor, Alan J., Bergeron, Clifton G., and Gardner, J. Mechanism of corrosion of vitreous coatings (11) 222*j*.

Marlor, Guy A., and Mooney, John B. Process for making a sintered photoconductive body [CdS], P (1) 15*g*.

Marlowe, Mickey O. See Hill, Howard W. ; Packard, Douglas R.

Marouchok, Yu. E. See Klose, H.

Marouchok, Ernest J. Corrugated drainage pipe, P (8) 166*j*.

Marotta, A. See Buri, A.

Marotta, A., and Buri, A. Thermal behavior of glass-ceramics of melilitic composition (6) 127*d*.

Marquis, J. E., and Eppler, R. A. Leadless glazes for dinnerware (7) 148*d*; Leadless glazes for dinnerware--correction (8) 168*b*; Leadless glazes for dinnerware (10) 209*j*.

Marshak, L. A. See Kalyamin, A. V.

Marshall, B. J. See Miller, R. E.

Marshall, L. J. Mfg. of tiles, P (8) 168*f*.

Marshall, R. C. See Krishna, P.

Marshall, Robert C., Faust, John W., Jr., and Ryan, Charles E. (Editors) SiC--1973, B (9) 200*a*.

Marshall, S. A., and Nistor, S. V. ESR absorption spectrum of monovalent Fe in single-crystal Th oxide (8) 176*c*.

Marshall, S. A., Nistor, S. V., and Serway, R. A. Spin-lattice relaxation-time measurements of trivalent Fe in single-crystal calcite (8) 179*g*.

Marstrand, Joergen Fuel assembly for a nuclear reactor and a nuclear reactor core comprising such fuel assemblies, P (6) 133*h*.

Martel, Leslie B. See Deeg, Emil W.

Martelsonsen, E. C. Refractory plastics, granulates, and ramming mixes (8) 167*g*.

Martin, A. E. See O'Hare, P. A. G.

Martin, Albert E. See Squillace, Anthony S.

Martin, Barry F., and Roberts, Edward D. Methods of producing films comprising siliceous material and the article formed thereby, P (11) 231*c*.

Martin, Billy M. See Sloan, Benjamin J., Jr.

Martin, Brian R. See Frazee, John R.

Martin, Donald L. Sintered Co-Nd-Sm intermetallic product and permanent magnets produced therefrom, P (11) 231*h*. See Benz, Mark G.

Martin, Heinz See Mosch, Willi

Martin, Ivan See Martin, Kay

Martin, J. J. Furnace regulating device for regulating zonal forced draft air feeds, P (4) 97*d*.

Martin, K. W., and DeShazer, L. G. Indices of refraction of the biaxial crystal $YAlO_3$ (10) 217*c*.

Martin, Kay, and Martin, Ivan The Cricklade Pottery (4) 83*e*.

Martin, Michel Apparatus for treatment of glass sheets, P (9) 186*c*.

Martin, R. Aggregate and insulating refractory of new concept (1) 8*i*.

Martin, Richard M. Piezoelectricity (7) 149*f*.

Martin, Robert C. Hydraulic cement retarder composition, P; Aqueous hydraulic cement composition having improved retardation to set and use thereof in high-temp. environments, P (1) 3*i*.

Martin, T. P. Lattice dynamics of ionic microcrystals (8) 177*a*.

Martin, T. W. See Pearlman, D.

Martin, Thomas W. See Joo, Louis A.

Martin Vivaldi, J. L. See Galan Huertos, E.

Martin, W. R. See Copeland, G. L.

Martin, William E. Apparatus for remotely measuring the temp. and emissivity of a radiant object independent of the object's radiant surface property, P (3) 74*j*.

Martin, William W., Schell, Donald H., and Taub, James M. Method of making a carbide-graphite composite nuclear fuel, P (9) 193*a*.

Martincic, Paul W., and Moore, Curtis L. Cast condenser bushing, P (3) 68*i*.

Martinek, C. A. See Carniglia, S. C.

Martinelli, Ramon U., Schultz, M. L., and Gossenberger, H. F. Reflection and transmission secondary emission from GaAs (6) 140*b*.

Martinelli, Ramon U., and Wang, C. C. Electron-beam penetration in GaAs (10) 216*i*.

Martinez Palazon, R. Theory of glass drawing—practical importance (11) 225*g*.

Martinez Palazon, R. Principles of phase separation applied to Na-Ca glasses (5) 109*d*.

Martinonis, Virgil See Wiesler, Mordecai

Martinsen, W. E. See Smith, J. A.

Martin-Sonseca, M. F. Barba See Valle Fuentes, F. J.

Martiros, Paul Method for making one-piece multifocal lenses, P (10) 206*e*.

Martorana, D. See Amato, I.

Marty, Yvon See Duchenoy, Jacques

Martynenko, L. I. See Spitsyn, V. I.

Martynenko, M. A. See Fesenko, E. G.

Martyny, William C., and Olwert, Ronald J. Electric lamp envelope having clear protective coating and method of making, P (4) 88*a*.

Martzloff, F. D. See Harnden, John D., Jr.

Maruno, Fumiyuki See Yagi, Takehiko

Marunak, Francis J. See Adams, P. Bruce

Maruse, Susumu See Ishikawa, Akira

Maruska, Herbert P. See Stevenson, David A.

Maruyama, Eiichi See Asai, Shojiro ; Hirai, Tadaaki

Maruyama, Koichi See Takemoto, Takeo ; Yamazaki, Eiichi

Maruyama, Reizo See Kimura, Morihiro

Marzocchi, Alfred Glass-fiber-reinforced elastomers, P (2) 36*c*; Glass-fiber-reinforced elastomers, P (5) 109*h*; Treated glass fibers for glass fiber-elastomeric products and method, P (5) 110*i*; Glass fibers treated with alkaline compatible chromic complexes and reinforced elastomers produced therefrom, P (8) 165*b*; Method of making multifilament yarns, P (11) 226*b*.

Masar, J., and Gregor, M. DTA and ir spectra of Mg, Ca, Sr, and Ba montmorillonite (2) 46*c*.

Masar, Jozef, and Fajnor, Vladimir Dehydration of montmorillonite containing exchangeable Tl and Pb ions (11) 234*c*.

Mase, John R. See Sauder, Robert A.

Masetti, William R. Nuclear fuel element, P (1) 16*e*.

Mashkilian, Matthew S., Kelley, James K., and McMurray, William C. Capacitively graded electrical insulating devices, P (3) 68*h*.

Mashkovich, M. D., and Varshal, B. G. Dielectric properties of reduced glasses and glass-ceramics of the system BaO-Al_2O_3-SiO_2-TiO_2 (1) 4*h*.

Mashkoev-Shreder, Alexei A. See Minachev, Khabib M.

Maso, J. C. See Javelas, R.

Mason, Daniel W. High *K* dielectric printing pastes, P (4) 93*g*.

Mason, Daniel W., and Nester, Henry H. Dielectric materials, P (10) 206*a*.

Mason, Donald R. Heteroepitaxial structure [GaP], P (2) 41*c*.

Mason, G. Capillary bonds between grains in moist sand: I (7) 154*e*.

Mason, I. M. See Chambers, J.

Massotti, Robert, Rieux, Jean P., Borrel, Philippe, and Lebureau, Jean Laminating process including cathode sputtering of C substrate, P (10) 210*i*.

Massotti, Robert M. Process for the deposition of metals or oxides on a metallic support by cathodic sputtering and applications thereof, P (3) 72*d*.

Massad, R. B. Electrochemical grinding of carbide forms with diamond wheels (9) 181*e*.

Massey, N. W. D. Resources inventory of Botswana--industrial rocks and minerals (8) 180*e*.

Massies, Jean Claude See Vlasse, Marcus

Mastalerz, Zbigniew See Kranz, Maksymilian

Masters, John R. See Kranjcich, Edward W.

Mastrangelo, Sebastian V. R. Compositions of matter containing ferromagnetic particles and nonferromagnetic Al particles in an elastic material, P (2) 41*e*; Containing ferromagnetic particles with electrically insulative coatings and nonmagnetic Al particles in an elastic material, P (2) 41*f*.

Masuda, Isao See Izumitani, Tetsuro

Masuda, Noboru, Nishino, Yu, and Kase, Hiroshi Method for forming strips on semiconductor device, P (3) 71*a*.

Masuda, Yoichiro, and Wada, Masanobu Ferroelectric properties of W-bronze type $La_{0.1}Li_{0.1}NaBa_{1.8}Nb_5O_{15}$ single crystal (4) 99*a*.

Masuhr, G. J. See Kiel, A.

Masuoka, Fujio Field-effect semiconductor memory apparatus with a floating gate, P (11) 230*a*.

Masuyama, Takeshi See Matsuoka, Michio

Masuyama, Takeshi, Matsuoka, Michio, Iida, Yoshio, and Matsuura, Mikio High-temp. thermistor composition, P (2) 41*d*.

Masuyama, Takeshi, Nishi, Tsuyoshi, and Amemiya, Toshiaki Voltage nonlinear resistors, P (2) 44*h*.

Matejka, Josef Porcelain glazes: I, Determination of thermal expansion coeff. of hard porcelain glazes; II, Determination of suitable firing temp. for porcelain glazes (9) 189*f*.

Matesa, Joseph M., and Farabaugh, Aloysius W. Mfg. of float glass having controlled width, P (2) 36*i*.

Mather, Philip K. See McDaniel, Carl V.

Mathers, J. P., and Manning, C. R., Jr. Hot pressing of phosphate-bonded alumina (9) 187*f*.

Mathers, James E. See Mehalchick, Emil J.
Matheson, Wilfrid G. See Passmore, Edmund M.
Mathews, Harry E., Jr. See Schoolar, Richard B.
Mathews, W. N., Jr. See Gregory, W. D.
Mathiak, Heinz See Lehmann, Hans
Mathieu, A., and Schmitt, J. M. Correlation between hot flexural and hot torsional strengths of refractory concretes (4) 90*e*.
Mathieu, H. See Camassel, J.
Mathur, M. P., Deis, D. W., and Gavaler, J. R. Lower critical field measurements in NbN bulk and thin films (4) 92*g*.
Matisoo, Juri See Eldridge, Jerome M.
Matkovich, Vlado I. See Economy, James
Matlack, G. L. See Acres, G. J. K.
Matoonek, Milan, and Seaman, Zdenek Hydration of expansive cement on the basis of metakaolinite (6) 126*a*.
Matrai, Jozsef Properties and possible applications of a new perlite product [expanded perlite granules] in the building industry (1) 8*d*. See Toth, Kalman
Matskevich, T. L., and Krachino, T. V. Emission properties of high-melting metal alloys with ZrC (5) 111*g*.
Matsubara, Shohei See Nishimura, Teruo
Matsubara, Tetsujin See Sugano, Izuru
Matsuda, A., and Kikuchi, Makoto Photovoltage in Ag photodoping of amorphous As_2S_3 films (3) 70*g*.
Matsuda, Osaku, and Yamada, Hideo Mfg. of building material by carbonation of slaked lime (3) 62*c*.
Matsuda, Shinichi See Ikegami, Takayasu
Matsuda, Takashi, and Abe, Ryuji Nonlinear dielectric constants in $BaTiO_3$ (6) 139*d*.
Matsumi, Keiichi See Makino, Hiroshi
Matsumiya, Ritsuo Heating devices for mfg. semiconductor elements, P (3) 71*b*.
Matsumo, Suguru See Yamamoto, Yasuhiko
Matsumoto, Hideo See Takagi, Hiroyoshi
Matsumoto, Kenji Use of kira, the waste material of silica sand production (8) 162*h*.
Matsumoto, Osamu, and Miyazaki, Takashi Carbonization of Zr silicate with plasma arcs (7) 154*f*.
Matsumura, Isao See Niwa, Shohei
Matsumura, Kazuo See Yamaguchi, Takashi
Matsunaga, Kichinosuke Results obtained on unfired zircon brick used in ladle (11) 227*a*.
Matsunami, Hiroyuki See Suzuki, Akira
Matsuo, Koichi See Ushimaru, Yutaka
Matsuo, Masataka See Ohba, Hiroshi
Matsuo, Terumoto See Kishimoto, Shoichi
Matsuo, Yoshihiro See Hirose, Namio
Matsuo, Yoshihiro, Sasaki, Hiroomi, and Hayakawa, Shigeru Method of mfg. fine-grain ceramic $BaTiO_3$, P (2) 42*a*.
Matsuoka, Michio See Masuyama, Takeshi
Matsuoka, Michio, Kobayashi, Yoshikazu, Itakura, Gen, and Masuyama, Takeshi Voltage nonlinear resistors, P (9) 192*g*; P (4) 94*j*.
Matsuoka, Michio, Masuyama, Takeshi, and Iida, Yoshio Voltage nonlinear resistors, P (2) 44*h*.
Matsushima, Shogo See Saito, Masashi
Matsushita, Hiroshi, and Hirosaka, Hiroji Differential potentiometry by the use of an ion-selective electrode (8) 172*h*.
Matsuura, Mikio See Masuyama, Takeshi
Mattern, P. L. See Levy, P. W.
Matthieck, C. See Loeser, W.
Matthias, L. F. Electronic band structure of Nb nitride (7) 155*h*; Effect of the 110°K phase transition on the $SrTiO_3$ conduction bands (8) 175*a*; Energy bands for $KNiF_3$,$SrTiO_3$,$KMoO_3$, and $KTaO_3$ (8) 176*e*.
Matthews, Benjamin H., and Rhine, Jules W. Electronic switch module with ceramic case, P (2) 41*i*.
Matthews, F. L. See Kim, H. C.
Matthews, J. D. See Smith, M. A.
Matthews, R. B. Statistical aspects of fracture of irradiated graphite (6) 141*f*.
Mattin, James J. See Tecotzky, Melvin
Mattox, Douglas M. Mixed crystallization modes in glass-ceramic enamel (5) 107*f*.
Mattox, Robert J. See Black, James R.
Mattson, Gerald H. Process for preparing Li borohydride in an ether solution comprising Li Al hydride and Al hydride, P (10) 215*a*.
Mattson, Phillip A. See Franklin, Arley G.
Matsuami, Mutuo See Tuzi, Takateru
Matsuita, Kazumasa, and Tashiro, Megumi Effect of added oxides on the crystallization of $Li_2O.2SiO_2$ glasses (4) 86*j*.
Matuzawa, Kunihiro, Kimura, Kikuo, Sato, Ryo, Nakajima, Shigeji, and et al. Glass processing lathe, P (9) 186*h*.
Matveenko, I. I. See Bazuev, G. V. ; Gel'd, P. V.
Matveev, A. F. See Klassen, V. K. ; Luginina, I. G.
Matveev, A. M. See Kamenskaya, L. A.
Matveev, G. M., Agarkov, A. S., and Zhuravlev, A. K. Thermodynamic analysis of solid state reactions during the formation of Fe silicates in the system "FeO"-SiO_2 (8) 180*a*.
Matveev, L. V., Abramson, I. G., Cuzev, E. S., Sokkova, E. A., and et al. Unit for continuous measurement of moisture of material in furnace (4) 85*f*.
Matveichuk, G. S. See Rutman, D. S.
Matyash, I. V., Kalinichenko, A. M., Yakovlev, B. G., and Karpenko, A. A. State of water in vermiculite and its role in the swelling process according to proton magnetic resonance data (4) 102*a*.
Matyash, P. P. See Skakun, N. A.
Matyasi, Andrasj See Schroeder, Jerzy
Matyya, Ch. See Demyanyuk, M.
Matzek, Norman E., and Musinski, Donald F. Al hydride in hexagonal or rhombohedral crystalline form, P (10) 214*c*.
Matzke, Hj. See Nitzki, V.
Matzke, Hj., and Roschi, C. Crystallographic shear and ordered reduction of UO_2 (2) 44*c*.
Maude, Roger F. See Brown, William A.
Mangweiler, Gottfried Apparatus for compacting C bodies, P (1) 10*g*.
Maurenbrecher, A. H. P. See Hendry, A. W.
Maurer, Robert D. Glass fibers for optical communications (2) 34*a*; Method of producing glass for optical wave guides, P (6) 128*i*; Optical wave-guide light source, P (9) 187*c*; Method of forming an economic optical wave-guide fiber, P (10) 206*c*. See Keck, Donald B.
Maurer, Robert D., Schiel, Ernst J., Kronenberg, Stanley, and Lax, Robert A. Effect of neutron and gamma radiation on glass optical wave guides (11) 223*e*.
Maury, R. See Bloch, D.
Maus, Eugen See Bronger, Welf
Maute, Hans J. *Pn* junction semiconductor device provided with an insulating layer having two stable resistance states, P (7) 150*f*.
Mavel, M. G. See Escard, J.
Mavrodineanu, R. See Mielenz, K. D.
Mavrodineanu, R., and Lazar, J. W. Standard reference materials—standard quartz cuvettes for high-accuracy spectrophotometry (6) 134*b*.
Mavrodineanu, R., Shultz, J. I., and Menis, Oscar (Editors) Accuracy in Spectrophotometry and Luminescence Measurements, B (6) 142*a*.
Maxim, Gheorghe, and Moldovanu, Elena Directional order of ions of the octahedral sublattice of spinel ferrites (4) 99*d*.
Maximov, Leonid P. See Bukrinskii, Anatoly M.
May, Alexander See Terichow, Oleg
May, Donald L. Package for integrated-circuit chip, P (3) 71*j*.
May, Edwin R. W. Production of Si_3N_4 material components, P (10) 209*e*.
May, Henri B., Lauder, Ian, and Wollast, Roland O diffusion coeffs. in alkali silicates (6) 127*g*.
May, Henri B., and Wollast, Roland Interdiffusion coeffs. in SiO_2-K_2O melts (2) 34*d*.
May, Vernon B. See Brown, Patrick M.
Mayadas, Ashok F. See Cuomo, Jerome J.
Mayand, Edith E., and Pearlman, Samuel Method for printing negative tolerance matrix screen structure for a CRT, P (6) 128*i*.
Maycock, J. Norman See Skalny, Jan
Maycock, J. Norman, and McCarty, M., Jr. Crystal lattice defects in dicalcium silicate (4) 84*d*.
Maycock, J. Norman, and Skalny, Jan Carbonation of hydrated Ca silicates (5) 106*a*.
Mayer, J. H. See Anderson, E. M.
Mayer, J. W. See Kamoshida, M.
Mayeux, C. See Micheron, F.
Maynard, Robert N. Method of rapid differential flocculation of kaolin slurries, P (9) 194*h*.
Mazariegos, M. A. Antolin Inhomogeneities in industrial glasses: I–II (5) 108*i*.
Mazdiyasni, K. S., and Cooke, Charles M. Synthesis, characterization, and consolidation of Si_3N_4 obtained from ammonolysis of $SiCl_4$ (1) 28*d*.
Mazelsky, R. See Steinbruegge, K. B.
Mazhara, A. P. See Opalovskii, A. A.
Mazo, A. I. See Gol'dinshtein, N. S.
Mazo, R. M. See Izen, Edward H.
Mazur, E. S. See Korotkov, S. N.
Mazurin, O. V. See Rekhson, S. M.
McAdam, Will Tape thermocouple with insulation piercing junction means, P (10) 213*d*.
McBride, Lemuel R. See Carothers, David B.
McCaldin, J. O., and Somorjai, G. (Editors) Progress in Solid State Chemistry, Vol. 8, B (3) 82*h*.
McCaldin, James See Jenkins, Robert
McCampbell, C. B. See Haertling, Gene H.
McCarthy, Gregory J., and Gooden, Clarence E. Compound formation in the system Sr-Mo-O (4) 98*c*.
McCarthy, John J. See Desmond, Richard J.
McCarthy, Thomas F. Header assembly [semiconductor], P (4) 93*f*.
McCartney, Daniel E., and Mitsche, Roy T. Method of mfg. a Ge catalyst, P (6) 136*i*.
McCartney, E. R. See Leigh, H. D. ; MacGibbon, D. J. ; Thompson, M. A.
McCarty, M., Jr. See Maycock, J. Norman
McCaughan, Daniel V., and Murphy, Vincent T. Low-energy ion bombardment of SiO_2 films on Si (9) 190*g*.
McCauley, J. W. See Viechnicki, D.
McCauley, Ronald A. Ir-absorption characteristics of the pyrochlore structure (9) 196*i*.
McClelland, Roland H., Jr. Ceramic capacitor and method of forming, P (1) 13*f*.
McClusky, James K. See Wilhelm, Harley A.
McCoin, I. J. See Faithful, D. B.
McCoin, I. J., Colquhoun, I., and Clark, N. J. Cubic-tetragonal transformation in metal dicarbides: I, U-La and U-Ce dicarbide systems (1) 15*j*.
McCoin, I. J., Quigley, T. A., and Clark, N. J. Cubic-tetragonal transformation in metal dicarbides: II, Lanthanide dicarbides and some mixed lanthanide dicarbide solid solutions (3) 77*d*.
McComb, Walter D. See Maltby, Robert E., Jr.
McConnell, Duncan Apatite—Its Crystal Chemistry, Mineralogy, Utilization, and Geologic and Biologic Occurrences, B (1) 30*j*.
McCoy, J. C. See Steele, James W.
McCullough, J. M., and Rigby, G. R. Mechanical properties of refractory castables (8) 167*i*.
McCully, Joseph B. Annealing lehr, P (3) 64*j*.
McCurdy, K. G., and Stein, H. N. Suspension hydration of C_3S at constant pH: II, Effect of previously formed hydrates and of additives (2) 32*d*.
McCusker, J. H. See Perlman, S. S.
McCutcheon, D. See Kirkaldy, J. S.
McDaniel, C. L. Phase relations in the systems Na_2O-IrO_2 and Na_2O-PtO_2 in air (10) 218*j*.
McDaniel, Carl V. See Rundell, Clark A.
McDaniel, Carl V., Mather, Phillip K., and Pliato, Joseph M. Preparation of zeolites, P (9) 194*h*.
McDavid, James C., and Miles, Russell H., Jr. Glass cutting method and apparatus, P (1) 7*e*.
McDermott, Philip S. See Lee, Robert E.
McDonald, Glen E. Nuclear fuel elements [W-UO_2], P (1) 16*e*.
McDonald, William J. See Lokken, R. C.
McDonie, Arthur F., Faulkner, Richard D., and Rhoads, James L. Nonthermionic electron emissive tube comprising a ceramic heater substrate, P (4) 89*b*.
McDonnell, N. M. Mechanization and automatic inspection (9) 185*g*.
McDowell, D. W., Jr. See Mockridge, P. C.
McDuffee, William T., Jr. See Gresky, Alan T.
McEnaney, B. See Cox, M. G. C.
McEvoy, James E. See Cornelius, Edward B. ; Flank, William H.
McFadden, Allan L. See Dietz, Raymond L.
McFadgen, Robert N. Refractory [ramming] composition, P (2) 39*g*.
McGee, Thomas D. Artificial bone or tooth prosthesis material, P (6) 130*g*.
McGoury, Thomas E. See Baldyga, Henry
McGraw, Delford Armstrong Heat transfer at the glass-mold interface (1) 4*j*.
McGuffin, Donald W., Larsen, Richard J., Mitchell, Robert W., and Caruso, Bernard E. Apparatus for producing high-modulus graphite materials [fibers], P (9) 188*c*.
Mchedlov-Petrosyan, Otar P. See Shein, V. I. ; Volyak, P. M.
Mchedlov-Petrosyan, Otar P., Dubalitskii, V. Yu., and Chernyavskii, V. L. Thermodynamic investigation of the system $3CaO.Al_2O_3$-H_2O between 353 and 373°K (8) 180*b*.
McIlvaine, Robert W. Method and apparatus for removing particulates and oxides of S from gas, P (5) 118*i*.
McIntyre, John F. Closed-form sculpture (10) 201*i*.
McKay, William P. See Ansevin, Ronald W.
McKee, John A. See Joo, Louis A.
McKelvey, Harold E. See Jendrisak, Joseph E.
McKenna, John F. See Zack, Alexander T.
McKerreghan, Michael H. Glass dual-in-line header, P (7) 149*b*.
McKinley, Edward L. See Winger, Lawrence A.
McKinnon, Matthew C., and MacIver, Bernard A. Method of making semiconductor layers on high-purity alumina layers, P (2) 42*j*.
McKinnon, Neil A. See Stringer, Robert K.
McKinstry, Richard G. Muffle furnace for treatment of articles on conveyor, P (9) 194*b*.
McKnight, H. G. See Chow, K.
McKnight, Hugh M. See Kumagai, Henry Y.
McLagan, Erman R. Method [glass bead peening] of reducing stress concentration and cracking failures in carbide-tipped saws, P (11) 221*f*.
McLaren, E. H., Murdock, E. G., and Kirby, C. G. M. Method for the control and measurement of wire temp. in preparatory anneals on standard Pt–Pt10Rh thermocouples (1) 18*a*.
McLaughlin, John L. Planning a new facility to meet environmental needs (9) 183*c*.
McLaughlin, R. D. See Stacy, J. J.
McLaughlin, Joseph R. See White, Dwain M.
McMahon, Maurice T., Jr. Ac performance test for large-scale integrated-circuit chips, P (5) 114*c*; Semiconductor structure for testing of metalization networks on insulative substrates supporting semiconductor chips, P (8) 171*b*.
McMahon, William R. See Collins, Dean R.
McMahon, William Raymond, and Ramsey, Thomas Haliburton Thin-film metalization process for microcircuits, P (5) 115*b*.
McMann, F. C. See Brownell, W. E.
McMann, F. C., Brownell, W. E., and Crayton, P. H. Hot-pressing of face brick: II, Engineering of pilot scale process (7) 147*d*.
McMenamin, J. C. See Powell, R. A.
McMillan, P. W. Glass phase in glass-ceramics (11) 224*c*.
McMurdie, Howard F. See Swanson, Howard E.
McMurray, Nolan D., and Tumey, Murris J. Method of producing Zr diffusion barrier in Ti-SiC composite materials, P (4) 91*h*.
McMurray, William C. See Mashikian, Matthew S.
McMurtry, Carl H. See Bailey, Wallace O.
McNicol, B. D. See Pott, G. T.
McNish, T. G. Fibrous insulating materials, P (9) 188*f*.
McQuhae, Kenneth G. Modification of channel regions in IGFET, P (4) 94*a*. See Hoare, Raymond A.
McQuillin, J. D. R. See Craik, D. J.
McReynolds, James C., and Adams, William E. Glassware dimpling, P (9) 186*i*.
McSkimin, H. J., and Andreatch, Peter, Jr. Elastic moduli of diamond as a function of pressure and temp. (3) 78*a*.
McSkimin, H. J., Andreatch, Peter, Jr., and Glynn, P. Elastic

stiffness moduli of diamond (2) 51*a*.

McStrack, Darrel D. See Burrage, Lawrence M.

McStrack, Darrel D., and Schroeder, James E. Insulating coating for electrical devices [SiC]. P (10) 208*j*.

McTague, John P. See Silvera, Isaac F.

McVay, G. L., and Farnum, E. H. Anomalous effects of H_2O on Na diffusion in glass (2) 33*j*.

McVey, Charles I. See Collins, Byron R.

McWhan, D. B. See Marezio, M.

McWhan, D. B., Menth, A., Remeika, J. P., Brinkman, W. F., and et al. Metal-insulator transitions in pure and doped V_2O_3 (8) 177*g*.

McWhan, D. B., Remeika, J. P., Maita, J. P., Okinaka, H., and et al. Heat capacity of V oxides at low temp. (10) 216*h*.

McWhorter, A. L. See Oliver, M. R.

McWilliams, Donald F., Killmeyer, Charles W., and Ellerman, George E. Glass fiber size of curable, blocked polyurethane emulsion with aminosilane. P (8) 165*b*; Method of sizing glass fiber strand and articles produced therefrom, P (10) 206*i*.

Mead, C. A. See Neville, R. C.

Mead, Carver A. See Jenkins, Robert

Meade, Hazel W. See Blanco, Louis A.

Mecholsky, J. J., Rice, Roy W., and Freiman, Stephen W. Prediction of fracture energy and flaw size in glasses from measurements of mirror size (11) 224*j*.

Mecholsky, J. J., Srinivasan, G. R., Moynihan, C. T., and Macedo, P. B. Immiscibility and liquidus temps. in the pseudobinary chalcogenide system $PbSe\text{-}Ge_{1.5}As_{0.5}Se_3$ (8) 177*d*.

Mechtold, F. Vertical bucket elevator for hot material (4) 95*h*.

Medendorp, Nicholas W., and Lake, William H. Discharge lamp containing bridge rectifier. P (3) 64*f*.

Medicus, Guenther Complete analysis of alkali-lime-silicate glasses and raw materials for glass by atomic absorption (8) 163*i*.

Medney, Jonas Resin-bonded glass fiber fence. P (1) 8*d*.

Medowski, Glenn O. See Argyle, John F.

Medvedeva, Z. S. See Klinkova, L. A. ; Kovaleva, I. S. ; Tarasevich, S. A.

Mee, Jack E., and Besser, Paul J. Method for producing bubble domains in magnetic film-substrate structure, P (6) 132*a*.

Meehan, Charles A. See De Angelis, William M.

Meek, Harry W. See Miner, Robert J.

Meek, R. L., and Schumaker, N. E. Anodic dissolution and selective etching of GaP (1) 12*g*.

Meer, Winfried Method of producing planar double-diffused [Ge] semiconductor devices, P (1) 15*a*.

Meerlender, Gustav Viscosity-temp. relations of the DGG [German Glasstechnological Society] standard glass I (9) 185*i*.

Meese, J. M. See Elsby, C. N.

Megalopoulos, A. See Fitzer, E.

Megens, Hendrikus J. J. Method of mfg. a profiled grinding wheel, P (7) 143*f*.

Megumi, K., Yamoto, H., Ashida, S., Akiyama, S., and et al. Phase equilibrium diagram for the system $Gd_2O_3\text{-}MoO_3$ (8) 178*e*.

Mehalchick, Emil J. Process for producing rare earth oxide phosphors, P (1) 15*h*.

Mehalchick, Emil J., and Mathers, James E. Method of increasing brightness of Y_2O_2S:Eu luminescent material, P (7) 150*d*.

Mehlhorn, R. See Rajnak, K.

Mehra, O. K., Bose, D. K., and Gupta, C. K. Mo metal by the aluminothermic reduction of Ca molybdate (10) 214*e*.

Mehrotra, A. K., Maiti, H. S., and Subbarao, E. C. Electrical conductivity of pure and CaO-doped ThO_2 ceramics (2) 51*b*.

Mehta, D. A., Butler, Sidney R., and Feigl, F. J. Electronic charge trapping in chemical vapor-deposited thin films of Al_2O_3 on Si (4) 92*i*.

Mehta, Satya Kumar See Lehmann, Hans

Meier, H. See Bortfeld, D. P.

Meijer, Robert S. Pyrometer with digitalized linearizing correction, P (7) 153*d*.

Melling, G. S. Photochromism in Cd borosilicate glasses (10) 205*c*.

Meincke, P. P. M. See Schlosser, W. F.

Meinhold, H. See Waldecker, G.

Meissner, Bohumil, Meisnerova, Hana, and Sasek, Ladislav Temp. dependence of the electrical conductivity of glasses and glass melts from the standpoint of the free vol theory (8) 165*c*.

Meissner, Helmut E. See Elmer, Thomas H.

Meissner, Helmuth E., Orso, Francis L., Pierce, Timothy E., and Stiles, Janice L. Silicate binders, P (9) 189*b*.

Meisnerova, Hana See Meissner, Bohumil

Meitzler, A. H., and O'Bryan, H. M., Jr. Polymorphism and penferroelectricity in PLZT ceramics (3) 70*h*.

Mekhtiev, N. M. See Akhundov, G. A.

Melamed, N. T., Barros, F. de S., Viecaro, P. J., and Artman, J. O. Optical properties of Fe^{3+} in ordered and disordered $LiAl_5O_8$ (7) 156*h*.

Melamed, Nathan T. See Hopkins, Richard H.

Melchior, H. See Fraser, D. B.

Melekh, B. T. See Ksendzov, Ya. M.

Meleshina, V. A., Indrebom, V. L., Bagdasarov, Kh. S., and Polkhovskaya, T. M. Domain walls, antiphase boundaries, and dislocations in Gd molybdate single crystals (5) 120*e*.

Melling, Richard, and Pickard, John Method of toughening glass sheets [tempering]. P (4) 88*j*.

Mellottee, H., and Delbourgo, R. Deposition of Si_3N_4 films by pyrolysis of silane-ammonia mixtures—experimental study of deposition conditions (11) 229*c*.

Mellows, Frank W. See Holden, Jean

Melngailis, Ivars See Dimmock, John O.

Melnick, Igor See Grunberg, Georges

Mel'nikov, O. K. See Lobachev, A. N.

Mel'nikov, Yu. T. See Desyatnik, V. N.

Mel'nikova, S. I. See Kondrat'ev, S. N.

Melzer, Paul A. See Demsky, Herbert M.

Men, A. N. See Flyagin, M. Ya.

Menard, George Potter's wheel drive system, P (7) 152*j*.

Mencik, Z. See Varshneya, A. K.

Mendelson, Kenneth S. See Wu, Kung-Tung

Mendelson, Mel I., and Fine, M. E. Enhancement of fracture properties of wustite by precipitation (5) 120*b*.

Mendoza, Fausto C. Disk mill, P (2) 48*i*.

Mengel, Manfred See Dorn, Ludwig

Menikheim, Virginia C. Method for producing graphitizable substrates from acrylic fibers; Process for treating acrylic fibers to obtain carbonizable and graphitizable substrates, P (10) 209*c*.

Menil, F. See Morell, A.

Menis, Oscar See Mavrodineanu, R.

Menke, Andrew G. Method of applying coatings of Sn oxide on transparent substrates, P (1) 7*a*.

Menth, A. See McWhan, D. B.

Mentser, M., and Ergun, S. CO_2-C reaction by O exchange (1) 21*i*.

Menyailov, N. E. See Serednii, A. P.

Merca, V., and Munteanu, Gh. Method of calculating size of dryers for heavy clay products (1) 19*a*.

Mercer, Alan C., and Hilliard, Owen R. Piezoelectric burner igniters and systems, P (8) 173*h*.

Mercereau, James E. See Notarys, Harris A.

Merchant, Kamal Method of mfg. a semiconductor region, P (6) 132*j*.

Mercier, A. See Schmid, Ph.

Mergerian, Dickran See Bozanic, Donald A.

Merlakri, V. V. See Poplavko, Yu. M.

Merlakri, V. V., Poplavko, Yu. M., Ushatkin, E. F., and Pashkov, V. M. $BaTiO_3$ studied at submillimeter wavelengths (5) 119*d*.

Mering, J. See Alcover, J. F. ; Annabi, F. ; Besson, G.

Merkel, Hans, and Wolf, Hans J. Method for the mfg. of dislocation-free single-crystal GaAs rod, P (10) 211*f*.

Merker, Leon Method of preparing massive monocrystalline Y titanate, P (11) 231*a*.

Merkle, Frank P., Jr. Basic suspended roof construction for industrial furnaces, P (11) 227*i*.

Merlino, Stefano See Sartori, Franco

Merrick, Woodrow W. See Norris, Clarence G.

Merrigan, J. A. See Helling, J. O.

Merrin, Seymour Glass switching device using an ion-impermeable glass active layer, P (8) 165*d*; Junction device employing a glassy amorphous material as an active layer, P (8) 170*e*.

Merrin, Seymour, Silver, Melvyn D., and Soden, Edward M. Circuit structure, P (7) 149*i*.

Merritt, Frederick M. See Gell, Philip A. M.

Merz, Erich See Kaiser, Guenter

Merzlyakov, A. V. See Ozhegov, P. I.

Meschi, David J. See Munir, Zuhair A.

Meshcheryakova, L. M. See Myshlyaeva, V. V.

Messerschmidt, Juergen See Schimmer, Rigobert

Messick, L., Walker, W. C., and Glosser, R. Direct and temp.-modulated reflectance spectra of MnO, CoO, and NiO (8) 175*d*.

Messler, Russell, Sarkar, Asok K., and Roy, Rustum New metal-rich germanide and carbide noncrystalline solids (5) 121*a*.

Messing, Ralph A. Controlled-pore ceramics (9) 189*f*.

Messmer, R. P., and Watkins, G. D. Molecular-orbital treatment for deep levels in semiconductors—substitutional N and the lattice vacancy in diamond (10) 217*h*.

Metcalf, Arthur G. B., Guilfrida, Philip, and Bellows, Alfred H. Fuel burner supervisory system, P (11) 233*f*.

Metscher, Klaus See Bilal, Abdel-Latif

Metselaar, P. See Larsen, P. K.

Metz, William D. Phase changes—a universal theory of critical phenomena (1) 26*c*.

Metzger, Claus, Bauer, Helmut, and Genarich, Martin Sillimanite and mullite bricks in glassmelting furnaces (3) 66*j*.

Metzger, Robert W., Jr. See Harland, Glen E., Jr.

Meunel, Bernd See Gerlach, Otto

Meussner, Russell A. See Howe, David G.

Meyer, A. See Hieber, K.

Meyer, Frank G., and Tesitor, Charles N. Continuous Pu dissolution apparatus, P (7) 151*j*.

Meyer, Fred Constructing a figure (10) 201*j*.

Meyer, Jarold A. Hydrocarbon hydroconversion process using sieve in alumina-silica-magnesia matrix, P (2) 48*j*.

Meyer, R. See Pastor, H.

Meyer, Robert W., and Swanson, Robert G. Automatic casting machine, P (8) 168*e*.

Meyer, Ronald A. See Sheets, Herbert D., Jr.

Meyer, Wolfgang See Eberle, Herbert

Meyer zu Riemsloh, H. Installation of dust-extraction equipment in a newly built refractories plant (technology of trapping and removal of falling dust) (5) 116*i*.

Meyers, B. L. See Niyogi, A. K.

Meyer-Simon, Eugen See Broll, Arno ; Krueger, Manfred

Meyer-Simon, Eugen, Heckel, Emil, Doesing, Gerhard, and Renngardt, Franziska Process of making amorphous highly dispersed GeO_2 and product obtained thereby, P (7) 153*h*.

Mgeladze, Nodar V. See Bondarev, Vitaly P.

Miccioli, Bruno R. See Bailey, Wallace O.

Michael, Harold J. Cermet protective coating glass frit, P (3) 62*h*; Electrically conductive ceramic-metallic protective coating, P (11) 223*c*.

Michaelis, Walfried Method and device for the nondestructive analysis of nuclear fuels, P (2) 45*d*.

Michaelis, Walfried Method and apparatus for the nondestructive analysis of nuclear fuels, P (7) 152*c*.

Michalik, Edmund R. See Dahlberg, John R.

Michalik, Edmund R., and Gorman, Harold R. Method for thermally tempering glass sheet by liquid quenching, P (7) 146*h*.

Michard, F., Plicque, F., and Zarembowitch, A. Elastic and thermoelastic properties of Pb, Ba, and Sr nitrates (8) 175*d*.

Michaud, Ronald A. See Fitzgibbons, William A.

Michel, A., and Robert, M. Glazing of a low expansion cordierite body with glass-ceramic products (1) 11*h*.

Michel, D. Ordering in fluorite-type solid solutions in the system $ZrO_2\text{-}CaO$ at the composition $4ZrO_2\text{-}CaO$ (2) 54*d*.

Michel, K. H. Spin-lattice relaxation and molecular reorientations near T_C with application to NH_4Cl (3) 81*c*.

Michelfelder, Sigfrid, and Lowes, Thomas Radiation exchange in glass furnaces (1) 6*a*.

Michels, L. C., and Poeppel, R. B. In-pile migration of fission product inclusions in mixed-oxide fuels (8) 171*a*.

Micheron, F. Phenomenological interpretation of certain dielectric properties of polycrystalline $BaTiO_3$ (6) 131*i*.

Micheron, F., and Bismuth, G. Field and time thresholds for the electrical fixation of holograms recorded in $(Sr_{0.75}Ba_{0.25})Nb_2O_6$ crystals (2) 51*j*.

Micheron, F., Mayeux, C., Hermoula, A., and Nicolas, J. Holographic storage in quadratic PLZT ceramics (8) 169*h*.

Michiels, L. See Liekens, W.

Michoulier, J. See Gaite, J. M.

Middelhoek, Simon, and Sasso, Giovanni Procedure for making semiconductor devices of small dimensions, P (2) 43*j*.

Middleman, Stanley See Bigg, Donald

Middleton, B. K. Honeycomb domain structure (2) 52*d*.

Miekeley, W., and Felix, F. W. Effect of stoichiometry on diffusion of Xe in UO_2 (7) 151*e*.

Mielenz, K. D., and Mavrodineanu, R. Reflection correction for high-accuracy transmittance measurements on filter glass (5) 117*d*.

Mielke, James E. See Benford, Charles L., Jr.

Mietens, Gerhard See Preisler, Eberhard

Migitaka, Masatoshi See Takahashi, Susumu

Migitaka, Masatoshi, and Saito, Katutoshi Semiconductor diode laser device, P (2) 43*h*.

Migiani, S. See Das, A. R.

Migliorico, C. J. See Johnson, Ralph T., Jr.

Mikalkevicius, M. See Viscakas, J.

Mikami, Itsuo Induced anisotropy in magnetic spectra of Co-substituted Ni-Zn ferrites (2) 52*f*.

Mikeska, Alan J. Free-floating [graphite] rocket nozzle insert, P (3) 67*h*.

Mikhail, R. Sh., and Abo-El-Enein, S. A. Water and N adsorption on hardened cement pastes: II, Thermodynamics of adsorption (2) 32*f*.

Mikhail, R. Sh., and Oweimreen, G. A. Surface area and pore structure of compressed low-porosity cement pastes (2) 32*c*.

Mikhailina, K. A. See Gabrielyan, V. T.

Mikhailov, G. K. See Dolgopolov, N. N.

Mikhailov, N. V. See Gorelova, I. L.

Mikhailov, V. M. See Bindler, I. A.

Mikhailov, Viktor V., Litver, Semen L., Popov, Alexei N., and Popova, Valentina A. Method of producing stressing cement, P (4) 85*i*.

Mikhailova, L. G. See Drobot, D. V.

Mikhailova, M. M. See Izergina, E. V.

Mikhaleva, T. G. See Kniga, M. V.

Mikhalevich, V. G. See Aleksandrov, V. I.

Mikhelson, R. C. See Gemmell, D. S.

Mikoda, Masanari See Hikino, Tadashi

Mikos, J., and Szwabowski, J. Specific area of lightweight porous aggregates (4) 89*i*.

Mikoshiba, N. See Hayakawa, H. ; Ozaki, H.

Miksch, Friedrich See Granli, Kare

Milberg, M. E. See Blair, H. D. ; Varshneya, A. K.

Miles, M. H. See Asay, J. R.

Miles, R. E. See Green, Mino

Miles, Robert E. See Wexler, Geoffrey

Miles, Russell H., Jr. See McDavid, James C.

Milewski, John V. See Shyne, James J.

Mill, B. V. See Belokoneva, E. L. ; Dukhovskaya, E. L. ; Ronniger, G.

Miller, Alfred H., and Dean, George A. Apparatus for handling sheet material, P (4) 87*f*.

Miller, Anton J. Technique for correcting the crystallographic orientation angle of crystals by the formation of mesas and double face lapping, P (9) 192*d*.

Miller, B. I. See Casey, Horace C., Jr. ; Paoli, Thomas L. ; Pinkas, E. ; Shah, Jagdeep

Miller, B. I., Pinkas, E., Hayashi, I., and Capik, R. J. Reproducible liquid-phase-epitaxial growth of double heterostructure $GaAs\text{-}Al_xGa_{1-x}As$ laser diodes (3) 70*i*.

Miller, Charles G. Purging means and method for xenon arc lamps, P (3) 65*d*.

Miller, D. C. See Brandle, C. D.

Miller, David C. Technique for etch polishing single rare earth crystal synthetic garnet, P (1) 15*d*.

Miller, H. R., and Royds, K. Use of O in glassmaking furnaces (9) 185*h*.

Miller, Harold C. Method of forming a peripheral grinding wheel, P (1) 1*d*.
Miller, J. E. See Horowitz, D. J.
Miller, J. E., Sharp, E. J., and Horowitz, D. J. Optical spectra and laser action of Nd in a crystal $Ba_{0.25}Mg_{2.75}Y_2Ge_3O_{12}$ (2) 54*d*.
Miller, J. F., and Austin, A. E. Container materials for molten $SmCo_5$ (5) 119*f*.
Miller, John B., and Horrigan, Marion F. Glass polishing agent of Na Zr silicate, P (4) 88*g*.
Miller, John E. Miller number (10) 213*b*.
Miller, M. See Corsi, C.
Miller, M. B. See Gubenko, A. Ya.
Miller, R. E., Norwood, M. H., and Marshall, B. J. Ultrasonic attenuation studies in deuterated and undeuterated Cr K alum (4) 104*c*.
Miller, R. F. See Tolansky, S.
Miller, R. P. See Wilson, A. D.
Miller, Robert P. See Gaskell, Philip H.
Miller, Sol See Havens, William D.
Miller, Stewart E. Single material $[SiO_2]$ optical fiber structures including thin-film supporting members, P (10) 207*e*.
Miller, William A. See Sandmeyer, Karl H.
Miller, William A., and Sandmeyer, Karl H. Corrosion of refractories in electric glassmelting furnaces (11) 226*e*.
Miller, William A., and Weller, Henry R., Jr. High-chrome fused-cast refractories, P (1) 11*a*.
Millis, Edwin G. Plug-in-type sockets for testing semiconductors, P (2) 43*i*.
Mills, Donald See Caley, Raymond H.
Mills, Harry N., and Roll, Henry E. Feeding wet glass batch, P (11) 225*g*.
Mills, John J. Viscoelastic response of glass during forming (4) 87*d*.
Mills, K. C. Dissociation pressures and thermodynamic properties of Cu_2Te(c), Ag_2Te(c), $Ag_{1.9}Te$(c), and $Ag_{1.64}Te$(c) (2) 50*b*.
Mills, Norman T. See Halley, James W.
Mills, Susan A. See Simmons, Joseph H.
Milne, David G. See Hinley, John J.
Milne, W. I., and Anderson, J. C. Threshold switching in Ga telluride single crystals (9) 190*j*.
Milner, R. M., and Thorogood, R. P. Accuracy of load bearing brick construction and its structural implications (10) 207*i*.
Milrose, J. W. See Warren, C. J. L.
Mil'vidskii, M. G. See Pelevin, O. V.
Milyukov, E. M. See Shteinberg, Yu. G.
Mines, W. B. See Kiel, A.
Minachev, Khabib M., Mortikov, Evgeny S., Leontiev, Alexandr S., Masloboev-Shvedov, Alexei A., and et al. Method of preparing granulated zeolite catalysts and sorbents, P (2) 48*b*.
Minafra, A. See Catalano, I. M.
Minagawa, Shigekazu See Gejyo, Tetsuo
Minakov, Anatoly G. See Bondarev, Konstantin T.
Minakov, Vladimir A. See Bondarev, Konstantin T.
Minami, Hiroshi, Ando, Masao, and Obata, Yoshiharu CRT device, P (5) 109*d*.
Minami, Tsutomu, Iharaki, Satoru, and Tanaka, Masami Electrical resistance of As-S-Te-I glasses in relation to their inhomogeneous structure (8) 164*g*.
Minarik, Ronald W. See Bozanic, Donald A.
Minch, Elmer H. Dripproof water closet tank, P (11) 229*h*.
Mindess, S. See Nadeau, John S.
Miner, Robert J., and Meek, Harry W. Method [blowing] for making glassware, P (6) 128*f*.
Minford, W. J., and Stubican, V. S. Interdiffusion and association phenomena in the system NiO-Al_2O_3 (9) 196*c*.
Mingareev, Fedor M. See Akhmedov, Rustam B.
Minichelli, Dino FORTRAN program for least-squares refinement of lattice parameters (2) 52*a*. See Longo, Vittorio ; Lucchini, Elio
Minin'zon, Yu. M., Dem'yanets, L. N., Lobachev, A. N., and Shternberg, A. A. Solubility of synthetic sphalerite in aqueous solutions of H_3PO_4 (10) 219*d*.
Min'ko, N. I. Effect of degree of cation oxidation on 2-phase formation in silicate melts (1) 22*b*.
Minkova, M. M. See Karpov, V. N.
Minneman, Lester C. See Francel, Josef
Minnick, Leonard J., Webster, William C., and Smith, Charles L. Lime-fly ash-sulfite mixtures, P (5) 107*j*.
Mino, Masayuki, and Okano, Yukio Optical low-pass filter, P (1) 8*a*.
Minor, D. See Negas, T.
Minowa, Susumu See Kato, Makoto
Miottel, Norman O. Electrostatic powder spraying method and apparatus, P (5) 116*c*.
Mirak'yan, V. M., and Donskaya, R. I. Rapid method for determining Ca aluminates in clinker (4) 85*a*.
Mirenskii, A. V. See Miuskov, V. F.
Mirgalovskaya, M. S., and Komova, E. M. Ternary solid solutions based on GaSb (1) 29*f*.
Mirgalovskaya, M. S., Strel'nikova, I. A., and Il'chenko, L. N. Change in carrier concentration and thermal emf in *p* regions of *pn* junctions in GaSb (1) 21*j*.
Miringof, N. S. See Shubin, V. I.
Mironov, Konstantin E., Vasil'eva, Inga G., and Pritchina, Tamara G. Phosphides of the rare earths (9) 197*d*.
Mironov, S. A., Obrubov, O. P., Fitenko, V. V., and Shcherbakov, A. S. Propagation of magnetoelastic waves in YIG sphere (7) 157*d*.
Mirseyanov, V. N. See Dibrov, G. D.
Mis, F. Electrochemical grinding of tool tips of sintered carbides (2) 31*d*.
Miscoe, A. J. See Kleysteuber, W. K.
Misell, D. L. Image resolution in high-voltage electron microscopy (3) 74*b*.
Mishchenko, V. N. See Dorofeev, Yu. G.
Miska, Kurt H. Want tougher C and graphite? Try metal or ceramic impregnation (4) 90*i*; Honeycomb structures maintain strength while cutting weight (6) 130*d*; High cost rare earth metals give a lot for the money (6) 135*d*.
Miskin, M. K. See Gatehouse, B. M.
Miskinis, J. See Viscakas, J.
Miskolczy, Gabor, Shefulek, Paul K., and Brosens, Pierre J. Cement kiln and method, P (10) 203*d*.
Misson, Paul See Morris, W. David
Mistler, R. E. High strength alumina substrates produced by a multiple-layer casting technique (1) 13*d*; Executive viewpoint—possible trends in electronic ceramics (2) 40*h*.
Mistler, Richard E. See Shanefield, Daniel J.
Mistler, Richard E., Morzenti, Peter T., and Shanefield, Daniel J. Fine-grained alumina substrates: II, Properties (10) 210*b*.
Misumi, Akira, and Kasai, Toshiaki Postdeflection acceleration-type color CRT, P (10) 207*a*.
Mita, Yoh Light scanning device utilizing piezoelectric semiconductor material, P (1) 14*g*; Luminescence processes in Yb^{3+}-sensitized rare-earth phosphors (2) 53*a*.
Mita, Yoh, and Nagasawa, Eiji Quantitative elucidation of the ir-to-visible conversion processes in YF_3:Yb,Er phosphors (1) 27*h*.
Mitarai, Hajime, Nelson, Carroll E., and Youmans, Albert P. Semiconductor structure and method for lowering the collector resistance, P (10) 211*e*.
Mitchell, D. L. See Bishop, S. G.
Mitchell, Dean L., Bishop, Stephen G., and Taylor, P. Craig Thermally activated optical absorber, P (6) 128*d*.
Mitchell, I. V. See Kamoshida, M.
Mitchell, P. W. D., and Morgan, P. E. D. Direct precipitation method for complex crystalline chalcogenides (7) 154*e*.
Mitchell, Robert J. Thin oxide force-sensitive switches, P (6) 133*f*.
Mitchell, Robert W. See McGuffin, Donald W.
Mitchell, T. E. See Pletka, B. J. ; Welsch, G.
Mitchell, W. G. Illuminated displays, P (2) 41*e*.
Mitev, T. See Tomova, E.
Mitin, G. G. See Gorelik, V. S.
Mitkova, E. See Vasilev, Sv.
Mitoff, S. P., and Charles, R. J. Electrode polarization of ionic conductors (2) 51*e*.
Mitra, N. K., Pan, D., Mandal, R. K., and Roy, K. L. Role of alkaline earth exchangeable cations in the dehydration kinetics of aluminosilicate hydrogels (10) 219*a*.
Mitra, N. K., and Roy, K. L. Studies of alkali aluminosilicate hydrogel: I, Effect of experimental variable on gel formation; II, Light scattering studies on gelation in aqueous phase; III, Physicochemical characteristics of the synthetic hydrogels; IV, Cation exchange study in the synthetic hydrogel; V, Exchange characteristics of the synthetic hydrogel in the columnar process (10) 219*i*.
Mitra, S. S. See Tsay, Y. F.
Mitrev, L. See Zagorcheva, E.
Mitsche, Roy T. See McCartney, Daniel E.
Mitsche, Roy T., Hayes, John C., Wilhelm, Frederick C., and Rausch, Richard E. Multimetallic catalyst composite and uses thereof, P (11) 233*g*.
Mitsuhashi, Takefumi See Tsuda, Nobuo
Mitsuhashi, Takefumi, Ichihara, M., and Tatsuke, U. Characterization and stabilization of metastable tetragonal ZrO_2 (3) 76*c*.
Mitsuhata, Teruhisa Solid-state luminescence display device [GaAs], P (2) 44*b*.
Mitsui, Tadayasu See Endo, Shoichi
Mitsuki, Chikara Water adsorption of the various forms of $CaSO_4$ (10) 203*c*.
Mityureva, I. A. See Knyazev, A. S.
Miura, Eiji, Shimada, Tadashi, Oguchi, Shinichi, and Hibino, Taizo Effect of Mo oxide(VI) on the synthesis of zircon (7) 155*d*.
Miura, Kiyoshi, and Tomita, Yoshifumi Fluorescent screens for use in CRTs, P (2) 35*j*.
Miura, Nobuaki See Tanimura, Shigeru
Miuskov, V. F., Mirenskii, A. V., Shilin, Yu. N., and Gazanov, N. G. Two-crystal X-ray topographic spectrometer DTS-1 for studying defects in crystals (9) 193*c*.
Mix, Wolfram J. Method and apparatus for lining a grinding mill, P (8) 172*e*.
Miyahara, Kingo Liquid fuel burner, P (9) 194*b*.
Miyajima, Mikio See Ogasawara, Shoji
Miyakawa, Chuji See Haneda, Koichi
Miyakawa, Kenji See Yoshida, Mizuki
Miyake, Kenichiro See Kawamura, Junichi
Miyake, Shinichi, and Sakai, Kazunari Hermetic ceramic power package for hf solid state device, P (3) 71*c*.
Miyaoka, Souri Method of producing a striped CRT screen, P (4) 88*h*.
Miyasaka, Keizo See Hamano, Kenya
Miyata, Kenzi See Ogawa, Takuzo
Miyata, Norihiro See Itoh, Tadashi
Miyazaki, Eiichi See Tomii, Kaoru
Miyazaki, Hidetoshi Determination of small amounts of Ca sulfate dihydrate in its hemihydrate (3) 73*i*.
Miyazaki, Takao See Tokuyama, Takashi
Miyazaki, Takashi See Matsumoto, Osamu
Miyazawa, Kokichi See Yamada, Shigeki
Miyazawa, Shintaro See Iwasaki, Hiroshi ; Sugii, Kiyomasa
Miyazawa, Shintaro, and Iwasaki, Hiroshi Congruent melting composition of Li metatantalate (2) 49*d*; Stoichiometry and optical quality of $LiTaO_3$ single crystals (3) 70*j*.
Miyazawa, Shintaro, Kawana, Akio, Koizumi, Hideo, and Iwasaki, Hiroshi Single crystals in the Bi_2O_3-MoO_3 binary system—growth and optical properties (6) 141*c*.
Miyoshi, Ichiro, and Tokitsu, Tetsuya Longitudinally fired walking-beam furnace, P (11) 233*g*.
Miyoshi, Taisuke See Hashimoto, Takasu
Mizuki, Isaei, Baba, Nobuyoshi, and Tajima, Sakae Luminescence of Y_2O_3 films during anodization of Y (4) 100*i*.
Mizuno, Fumio See Ishikawa, Akira
Mizuno, Hideaki, and Akiyama, Naoki TV picture tube having an electron scattering prevention film, P (2) 37*e*.
Mizuno, Hideaki, Konno, Toshio, and Akiyama, Naoki Method of forming a black patterned portion on a phosphorus screen of a CRT for color TV sets, P (4) 88*d*.
Mizuno, Osamu See Hagiwara, Takaaki
Mizuno, Zenemon See Yoshida, Mizuki
Mizunuma, Tsutomu See Ono, Yoshizo
Mizushima, Yoshihiko See Suzuki, Toshimasa ; Takagi, Toru
Mizuta, Hiroyuki See Nishimura, Teruo
Mizutani, Takayuki Single crystal growing apparatus using ir heating (5) 116*a*.
Mizutani, Takayuki, and Yamamoto, Tsutomu Apparatus for producing single crystals including halogen lamps aligned with the common major axes of a spheroidal reflector pair, P (2) 41*d*.
Mochel, Ellen L. Alkali aluminosilicate glass article having an ion-exchanged surface layer, P (6) 127*e*.
Mochizuki, Tohen See Kitao, Michihiko
Mock, John A. Glass—the shape of things to come; it will be stronger, more functional (6) 127*c*.
Mockridge, P. C., and McDowell, D. W., Jr. Materials and corrosion problems in a fly ash scrubbing system (10) 208*j*.
Mocydlarz, Stefan See Szafnicki, Jozef
Modi, J. K. See Sharma, B. L.
Modine, F. A. Magnetic circular dichroism of the CaO *F* band (8) 177*d*; Magneto-optical study of a charge-transfer band in V-doped MgO (9) 197*a*. See Abraham, M. M.
Modry, S. (Editor) Porosimetry and Its Application, Vol. II, B (5) 124*a*.
Modry, Sylva (Editor) Pore Structure and Properties of Materials—Proceedings of the RILEM-IUPAC International Symposium, Prague, Sept. 1973, B (10) 220*g*.
Moehring, Hans Assessment of the utility of enameled household appliances and the problems of testing the enamel (1) 3*b*.
Moeller, C. W. See Sarkozy, R. F.
Moench, S. See Exner, H. E.
Moertl, G., Reiner, G., and Weidenmueller, Ch. Refractories for modern high-power electric furnaces (4) 90*d*.
Moertl, Guenther, Zednicek, Walter, Odding, Atse, and Rademaker, Simon Cornelis Behavior of basic bricks in regenerators of Pb glass tanks (7) 147*i*.
Moesti, K. Electron drift velocity and breakdown in AgCl (9) 195*h*.
Mogab, C. J. Use of stabilized ZrO_2 as a selective O leak source (1) 18*g*.
Mogilevskii, B. M., Romanov, V. N., Reiterov, V. M., Troflmova, L. M., and et al. Defect transport in pure and doped Ca fluoride (1) 22*c*.
Mogyorosi, Sandorne See Trager, Tamas
Mohan, Ashok, and Moorthy, V. K. Sintering of UO_2-ThO_2 mixtures (2) 44*f*; Solid solution formation in UO_2-ThO_2 system (2) 44*g*.
Mohapatra, S. K., and Paul, A. Ligand field theory and the absorption spectra of Fe(III) and Fe(II) in glasses (10) 204*g*.
Mohn, Heinrich See Baeumler, Peter
Moir, G. K., and Glasser, F. P. Phase equilibria in the system Na_2SiO_3-$CaSiO_3$ (11) 224*f*.
Moisan, J. Y. See Bernard, D.
Moiseenko, Zh. G. See Akopov, E. K.
Moiseenko, Zh. G., Akopov, E. K., and Paaleva, L. A. Ternary system Li,K,Cs||Cl (6) 141*i*.
Moiseeva, L. S. See Plotkin, S. S.
Mokerov, V. G. Photoelectric properties of V_2O_5 single crystals (3) 80*i*.
Mokhosoev, M. V. See Pavlova, S. A. ; Pitsyuga, V. N. ; Slobodin, B. V.
Mokhosoev, M. V., Get'man, E. I., Alekseev, F. P., and Loboda, S. N. Reaction of rare earth oxides with Mo trioxide (9) 198*i*.
Mokhosoev, M. V., Get'man, E. I., Isakova, R. N., and Pavlova, S. A. Interactions of Al tungstate with Li tungstate (1) 24*a*.
Mokhosoev, M. V., Kokot, I. F., and Lutsyk, V. I. Binary systems Rb_2SO_4-MoO_3 and Cs_2SO_4-MoO_3 (5) 119*e*; Reactions of rare earth molybdates with alkali metal sulfates in melts (6) 140*j*.
Mokhosoeva, L. V. See Nakhodnova, A. P.
Mokievskii, V. A. See Dolivo-Dobrovol'skaya, G. I.
Moklebust, Olav Method for the selective recovery of metallic Fe and Ti oxide values from ilmenites, P (2) 48*c*.
Mokritskaya, L. P. See Babushkin, V. I.
Molbert, Robert A. Method of making fiber glass thermoplastic sheets, P (10) 206*e*.
Molchanova, R. A. See Komarov, V. D.
Moldan, Klaus See Ludwig, Udo
Moldovanu, Elena See Maxim, Gheorghe
Moline, Robert A. See MacRae, Alfred U.
Mollard, P., de Bergevin, F., Gerusi, P., Figlarz, M., and et al. Physical properties of cobaltous oxide prepared at low temp.--comments (9) 197*f*.

Mollenauer, L. F., and Pan, S. Dynamics of the optical-pumping cycle of *F* centers in alkali halides--theory and application to detection of electron spin and electron nuclear double spin resonance in the relaxed-excited state (8) 175*g*.
Molnar, Laszlo Art problems of Herend and its European connections (1) 1*f*.
Molochko, V. A. See Fedorov, P. I. ; Kurdyumov, G. M.
Molochko, V. A., Kurdyumov, G. M., and Sokhanova, T. N. Systems of GeI_4 with SiI_4, TiI_4, ZrI_4, and SnI_4 (1) 29*d*.
Molodyan, I. P. See Radautsan, S. I.
Momoi, Toshimitsu See Ono, Minoru
Momoi, Toshimitu, and Honma, Isamu Semiconductor device having channel-preventing structure, P (7) 151*c*.
Mondegarian, Rostam See Suchow, Lawrence
Monfore, G. E. See Ost, Borje W.
Monfort, Y., Maincon, A., Allais, G., Deschanvres, A., and et al. Structure and morphology of Nb suboxides (11) 236*b*.
Monley, Richard L., Jr. See Gilbert, Ronald E.
Monma, Hideki, and Kanazawa, Takafumi Reaction of fluorapatite with $AlCl_3$ (5) 119*a*.
Mons, W. See Raub, Ch. J.
Monteil, E. See Llinares, C.
Monteith, Philip See Smithberger, Earl
Montfort, Y. See Studer, F.
Montgomery, G. P., Jr., and Gialiorenzi, T. G. Experimental and theoretical study of parametric and polariton scattering in $LiIO_3$ and $LiNbO_3$ (9) 196*d*.
Montrimas, E. See Kalade, J.
Montrimas, E., and Petretis, B. Structure of vacuum-evaporated Se layers (11) 236*c*.
Moodie, A. F., and Warble, C. E. Electron microscopic investigations of MgO morphology and surfaces (2) 51*i*.
Moon, J. R. See Beynon, T. D.
Moon, J. R., and Beynon, T. D. Thermal neutron transport near a moderator discontinuity using the mehtod of weighted residuals: II, Cold neutron sources (10) 212*b*.
Moon, Jeong Yeon See Han, Ki Sung
Mooney, John B. See Marlor, Guy A.
Moore, A. R., and Davenport, J. W. Acoustoelectric domains in GaAs—on and off axis (4) 92*e*.
Moore, Arthur H. Wafer spreader, P (2) 44*h*; Semiconductor wafer fracturing technique employing a pressure-controlled roller, P (6) 133*c*.
Moore, C. Bradley, and Zittel, Paul F. State-selected kinetics from laser-excited fluorescence (4) 102*a*.
Moore, Curtis L. See Martincic, Paul W.
Moore, E. J., and Hanscomb, J. R. High-field current transients in KCl (3) 79*e*.
Moore, Earl P., Jr. Refractory laminate based on negative sols or silicates and polycationic organic compounds, P; Based on negative sols or silicates and nonpolymeric organic cationic N-containing compounds, P (1) 11*g*; Particulate refractory material coated with a negative SiO_2 sol setting agent, P (2) 39*d*; Stabilization of positive sol-refractory grain slurries, P (2) 39*i*.
Moore, Earl P., Jr., and Sewards, Donald M. Monolithic inorganic $[SiO_2]$ structures, P (1) 11*d*.
Moore, George E. Combustion process for producing high-surface-area SiO_2, P (3) 75*j*.
Moore, Gordon E. Method of making a semiconductor device wherein film cracking is prevented by formation of a glass layer, P (11) 230*i*.
Moore, Henry All-electric melting--economic evaluation (8) 163*d*.
Moore, J. H. See Dickens, P. G.
Moore, James E. See Fraas, Lewis M.
Moore, Morton, and Lang, A. R. Internal structure of natural diamonds of cubic habit (2) 53*a*.
Moore, N. T. See Chatterji, S.
Moore, R. L. See Chiao, T. T.
Moore, Robert A. See Klein, Gerald I.
Moore, Ted C., Jr. Method of randomly distributing grains for microscopic examination (2) 46*j*.
Moore, William J. See Bishop, Stephen G.
Moorthy, V. K. See Anandan, N. S. ; Das, P. ; Mohan, Ashok ; Roy, S. K.
Mopsik, Frederick I. Quasi-harmonic approximation and a generalized Grueneisen equation of state (2) 55*i*.
Moran, T. J. See Gorodetsky, G.
Morell, A., Tanguy, B., Menil, F., and Portier, J. New oxyfluoride ferrites of Y and Gd with the garnet structure (5) 121*c*.
Morello, B., DeGregorio, P., and Savastano, G. Spectrographic determination of trace elements in ferrous materials (11) 232*g*.
Moretti, P. See Cianchi, L.
Morettini, L., Armigliato, A., and Ruffini, G. Preparation of Au-SiO_2 rf cosputtered films and combined electron microscopic microanalysis (10) 210*e*.
Morgan, C. S. Material transport by dislocation motion in sintering (5) 121*f*.
Morgan, D. V., and Howes, M. J. Threshold and memory switching in Si oxide films (11) 230*f*.
Morgan, David C. See Almoguera, Antonio L.
Morgan, David W. Glasses containing Cd sulfide as a colorant, P (3) 65*a*.
Morgan, P. E. D. See Mitchell, P. W. D.
Morgan, Peter E. See Willats, Donald J.
Morgan, Robert L. See Loewenstein, Ernest V.
Mori, Hideki See Akai, Shinichi
Mori, Junichi See Kakegawa, Kazuyuki
Mori, Masasi Effects of circulation of slurry on gypsum in the mfg. of wet-process phosphoric acid by the hemihydrate-dihydrate process (3) 75*g*.
Mori, Masasi, Hirooka, Genzo, and Suzuki, Yoshio Hydration of hemihydrate obtained in the mfg. of phosphoric acid by the wet process (3) 75*d*.
Mori, Mikio See Kishimoto, Shoichi
Mori, Shigejiro, Shimoda, Masao, and Kasai, Junichi Study of mechanism of hydration of CaO by electron microscopy (4) 85*d*.
Mori, Shigejiro, Uchikawa, Hiroshi, and Uchida, Shunichiro Rapid-hardening portland cement clinker composition, P (2) 33*b*.
Mori, Takashi See Tokuyama, Takashi
Mori, Takashi, Higuchi, Hisayuki, and Uehara, Keijiro Washed emitter method for improving passivation of a transistor, P (1) 15*g*.
Mori, Yasumichi See Ikegami, Takayasu
Morisanez, M. See Bridoux, E.
Morikawa, Hideki, Nukui, Akihiko, and Iwai, Shinichi Texture of chalcedony (8) 179*b*.
Morikawa, Mitsuaki Dispersion-type electroluminescent elements, P (4) 93*c*.
Morimoto, Nobuo See Horiuchi, Hiroyuki
Morimoto, Tadashi See Kubota, Takehiro
Morin, Denise, Colin, Jean Paul, Le Roux, Guy, Pateau, Lucien, and et al. Phase equilibria and dielectric characterization of mixed niobates of Sr and Na (2) 54*h*.
Morin, F., Berenger, G., and Lacombe, P. Experimental studies of Nernst-Einstein relation—electrical transport in FeO (1) 23*a*.
Morin, F. J. See Wolfram, T.
Morin, F. J., and Oliver, J. R. Energy levels of Fe and Al in $SrTiO_3$ (9) 195*j*.
Morioka, Yoshio, Kosugi, Hiroko, Takeuchi, Yasuyuki, Kobayashi, Junichi, and et al. Effects of heat treatment for phase separation on the pore structure of porous glasses (4) 86*b*.
Morisawa, Takao See Yasima, Teturo
Morishita, Hirosada, Sasaki, Ryusei, Sakashita, Kiyoshi, and Yasui, Eiji Printed circuit [fiber composite] plate, P (8) 170*g*.
Morita, Akira See Anzai, Shuichiro
Moriwaki, Keikichi See Gejyo, Tetsuo
Moriya, Kunihiko See Toyoguchi, Mitsuru
Moriya, Taro See Yamane, Masayuki
Moriya, Yoshiro Composition of Ag halide crystals precipitating in the alkali aluminoborosilicate glasses containing Ag, Cl, and Br (10) 203*j*.
Moriya, Yoshiro, Kawamoto, Takamichi, Tanaka, Hiroshi, and Ueno, Tsutomu Ag halide-containing variable-transmittance borosilicate glass, P (7) 146*j*.
Morosin, B. See Peercy, P. S. ; Samara, G. A. ; Schirber, J. E.
Morozov, I. S. See Krokhina, A. G.
Morrell, Albert M. Methods of mfg. color picture tubes, P (6) 128*j*.
Morris, Marlene C. See Swanson, Howard E.
Morris, W. David, and Misson, Paul Experimental investigation of mass transfer and flow resistance in the Kenics static mixer (10) 212*b*.
Morris, William G. See Harnden, John D., Jr.
Morrish, A. H. See Coey, J. M. D. ; Khalafalla, Dorothy ; Leung, L. K.
Morrison, Albert R., and Haynes, Harold L. Size-coated glass fibers, P (7) 146*j*.
Morrison, Wilson G. See Bracken, Ronald C.
Morrow, Margaret K. See Duerksen, Walter K.
Morselli, G. Problems concerning refractories in the ceramic tile industry (1) 9*j*.
Mortikov, Evgeny S. See Minachev, Khabib M.
Mortlock, A. J., and Price, D. M. Diffusion of Sr^{2+} in single crystal MgO (3) 77*j*.
Morton, I. P., and Lewis, Neirion F. Effect of Fe impurities on the thermal conductivity of MgO single crystals below room temp. (6) 137*h*.
Morton, J., and Hendry, A. W. Theoretical investigation of the lateral strength of brick walls with precompression (10) 207*j*.
Morton N., James, B. W., Wostenholm, G. H., Pomfret, D. G., and et al. Superconductivity of Mo and W carbides (5) 122*j*.
Morton, Ralph B. See Frye, James A.
Morzentl, Peter T. See Mistler, Richard E.
Mosch, Willi, Lutz, Gerhard, and Martin, Heinz Method of making semiconductor component with sheet metal connector leads, P (11) 230*i*.
Moser, A. See Petzi, F.
Moser, M. Microstructure of Al_2O_3- and SiC-based ceramic materials (3) 66*g*.
Moshinskii, A. S. Double sulfate $Zn_3Al_4(SO_4)_7{\cdot}36H_2O$ (6) 137*f*.
Mosina, G. N. See Ksendzov, Ya. M.
Moskaleva, V. N. See Ivanova, V. P.
Moss, S. C., and de Neufville, John P. Thermal crystallization of selected Te-based sputtered thin films (10) 219*j*.
Mostetzky, Heinz Movement of liquids in polycapillary materials when the supply of liquid is impeded: II, Slip casting as a primary example of impeded fluid movement (7) 148*e*.
Mostoller, Mark, and Wood, R. F. Symmetry-dependent effective force-constant changes around impurities in ionic crystals (8) 179*b*.
Motiu, A., Stanescu, L., Gocan, S., and Ardelean, I. Structural study of NiO-CoO-CuO semiconducting system (2) 56*g*.
Moto, Y. See Saito, Y.
Motnak, Ya. F. See Naydich, Ya.
Mott, N. F. Conduction in noncrystalline materials (10) 215*b*.
Moulson, A. J. See Atkinson, A.
Mountvala, A. J., and Marks, H. R. Dielectric behavior of ceramic grain boundaries by electron-beam scanning (9) 195*d*.
Mousson, Jean Furnace for the thermic treatment of products supported by a gas cushion, P (10) 213*i*.
Mowat, Zelda Salt glazing (7) 143*j*.
Moya Corral, J. S., and Garcia Verduch, A. Electrical properties of β-eucryptite obtained from kaolin and Li_2CO_3 (10) 216*g*.
Moyle, D. D. See Hulbert, S. F.
Moynihan, C. T. See Mecholsky, J. J.
Moynihan, C. T., Boesch, L. P., and Laberge, N. L. Decay function for the electric field relaxation in vitreous ionic conductors (10) 204*c*.
Mras, Raymond J. See Dahlman, Frederick A.
Mrazek, F. C. See O'Hare, P. A. G.
Mroczek, Werner, and Scherber, Werner Method of mfg. an $[Si_3N_4]$ planar device, P (8) 170*j*.
Mrowec, Stanislaw, and Stoklosa, Andrzej Defect structure and self-diffusion of Cu in cuprous oxide (4) 98*j*.
Muckelroy, William L. Ceramic inductor, P (9) 190*d*.
Mudge, John L., Zimmer, Jerry W., and Taft, Keith G. Semiconductor integrated-circuit structures, P (10) 211*e*.
Muehlbauer, Alfred See Reuschel, Konrad
Mueller, Elmar See Weimann, Klaus
Mueller, Franz Measurement of thermochemical parameters in oxide systems by inductive microcalorimetry (2) 54*a*.
Mueller, Fred, and Kleppa, O. J. Thermodynamics of formation of chromite spinels (6) 142*d*.
Mueller, Gerd, and Neuroth, N. Glass-ceramic--a new laser host material (9) 184*h*.
Mueller, Gerd, and Scheidler, Herwig Strength of β-spodumene glass-ceramics containing ZnO (9) 185*d*.
Mueller, K. A. See Kjems, J. K. ; Von Waldkirch, Th.
Mueller, Norbert See Krauth, Axel ; Krauth, Horst A. K.
Mueller, Wolfgang See Dathe, Joachim
Mueller, Wolfgang, and Dathe, Joachim Method of doping a Si crystal by indiffusing B or P from a layer produced on the Si surface, P (2) 42*d*.
Mueller-Buschbaum, Hauskarl, and Scheunemann, K. Information on Nd_2TiO_5 (3) 79*d*.
Mueller-Buschbaum, Hk. See Deiseroth, H. J.
Mueller-Glodde, H. Transport in brickworks at the ZAT '72 Exhibition in Essen (2) 37*d*; Use of gas in brick kilns—experience in the North German coastal area (2) 47*j*; Fuels and fuel additives in kiln firing (5) 118*i*.
Mueller-Warmuth, Werner See Kraemer, Fritz ; Scheerer, Joachim
Muis, R. P. See Cordfunke, E. H. P.
Mukaseev, A. A. See Portnoi, K. I.
Mukerjee, S. N. See Sharma, B. L.
Mukerji, J., and Kayal, P. B. Reaction of $CsNO_3$ and $RbNO_3$ with SiO_2 and metakaolin (6) 133*j*.
Mukherjee, A. D. See Donaldson, J. D.
Mukherjee, Balai See Lahiri, Durgadas
Mukherjee, D. K., and Roy, S. Effect of heat on Indian talc (10) 216*f*.
Mukherjee, D. K., and Roy, S. Effect of dry grinding on the base exchange capacity of some Indian talc (1) 16*a*.
Mukherjee, Kishore, and Ludwig, Udo Effect of $CaCl_2$ and $CaSO_4$ on the rate of hydration of C_3S and β-C_2S (5) 106*d*.
Mukherjee, Mrityunjay, and Chatterjee, Manas Kumar Effect of crystallization on the hydraulicity of synthetic slags in the system CaO-Al_2O_3-SiO_2 (2) 31*j*.
Mulder, Elzo See Toussaint, Robert
Mulfinger, Hans O., Dutz, Hubert, and Krolla, Hans G. Method of producing vitreous layers on substrate materials, P (8) 170*b*.
Mullen, J. G. Reply to comments "Physical properties of cobaltous oxide prepared at low temp." (9) 197*f*. See Anand, H. R.
Mullen, M. E. See Gorodetsky, G.
Muller, Olaf, and Roy, Rustum Major Ternary Structural Families, B (11) 236*f*.
Mullins, Lawrence J. See Nance, Robert L.
Mulroy, Bernard Casting and the mechanics of the casting process (1) 16*i*.
Mumford, Eustace H. Blank mold spray, P (10) 205*j*.
Mund, Konrad, Richter, Gerhard, and Wenzel, Magdalena Method for the mfg. of powdered WC-containing electrode material, P (6) 129*e*.
Munir, Zuhair A., Benavides, Margaret E., and Meschi, David J. Thermodynamic stabilities of the arsenides of Zn (9) 199*a*.
Must, Hartwig Method for producing small contacts of uniform thickness for thick-film circuits, P (1) 15*b*.
Munteanu, Gh. See Merca, V.
Murakami, Hisayoshi Heat transfer between glass and mold inner surface during glass container forming operation (5) 108*f*.
Murakami, Yoshio, and Kume, Makoto Phototropic glass, P (2) 36*i*.
Muramoto, Takao EPR in optically excited state $\bar{E}$ (^2E) of Cr^{3+}:Al_2O_3 in the case of $H \| c_3$ (10) 216*b*.
Muranaka, Tsuneo Device for detachably supporting glass bulb molds, P (4) 88*a*.
Muraoka, Hisashi, Ohashi, Taizo, and Yasui, Toshiko Method for mfg. a semiconductor integrated circuit isolated by dielectric material, P (1) 14*i*.
Muraoka, Hisashi, Ohashi, Taizo, Yasui, Toshiko, and Fujii, Akihiro A semiconductor photosensitive device, P (2) 42*e*.

Murat, M. Thermal evolution of bauxites—comparison of results obtained by DTA and dilatometry (1) 29*a*; Internal morphology of a fiber-reinforced cement (8) 162*f*. See Escoubes, M. ; Jeandot, G.

Murat, M., and Arnaud, Y. Morphology and crystal structure of natural and synthetic Ca sulfates: I, Investigations of fibrous gypsums (5) 121*h*.

Murata, Yoshio See Takata, Masanobu

Muratova, L. N. See Finkel, V. M.

Murdock, E. G. See McLaren, E. H.

Murguzov, M. I. See Safaraliev, G. I.

Murib, Jawad H., Schott, Stuart, and Bonecutter, Charles A. Purification of Be hydride, P (5) 112*i*.

Murin, A. N. See Kalyamin, A. V.

Murphy, D. D. See Giddings, D. G.

Murphy, David D., and Giddings, David G. Toughened glass, P (4) 89*i*.

Murphy, J. See Wagner, G. R.

Murphy, James A. See Halaby, Sami A.

Murphy, Norman A. Extraction of gases from the molten bath of a float glass operation, P (7) 146*j*.

Murphy, Vincent T. See McCaughan, Daniel V.

Murr, L. E. Ordered lattice defects in colored fluorite—direct observations (4) 101*e*; Measurement of interfacial energy and energy of adhesion by SEM (6) 139*j*.

Murr, Lawrence E. See Staudhammer, Karl P.

Murray, Haydn H. Fundamentals of clay in relation to rheology (10) 203*i*. See Bundy, Wayne M.

Murray, Joseph J. Simplified method for bonding ferrite cores, P (10) 211*f*.

Murray, M. J. See Tauber, E.

Murray, Ransome J. Synthetic aggregates, P (5) 107*b*.

Murthy, M. K. Properties of glasses in the system PbO-In_2O_3-GeO_2 (11) 225*b*. See Topping, J. A.

Muratov, M. I. See Voitsekhovskii, V. N.

Muschong, Peter W. See Farmer, Donald J.

Muscheck, Horst See Diepers, Heinrich

Musinski, Donald F. See Matzek, Norman E.

Muska, Willis M. Dielectric circuit forming process, P (7) 149*j*.

Musket, R. G. See Bauer, Walter

Musser, John J. Designing and building furnace structures with single-size brick, P (6) 135*g*.

Muta, Akinori, Noro, Takanobu, Toda, Gyoso, and Yamazaki, Chieko Transparent sintered alumina and process for preparing, P (3) 69*c*.

Muta, Akinori, and Tsukuda, Yasuo Method for sintering very pure yttria compacts to transparency, P (2) 39*g*.

Mutchler, Paul A. Postpurge system for gas burners, P (8) 173*i*.

Muvek, Lenin Kohazsti Heat-insulating compositions, P (3) 67*c*.

Muzart, R., Vernois, J., Arapaki-Strapellas, H., Dartige, J. M., and et al. Hydrated Ta oxide precipitate (3) 79*g*.

Muzylo, H., and Habiniak, S. Production technology of clinkerless binder from fly ashes (3) 62*e*.

Myagchenkov, Alexei A. See Shule, Edmund Kh.

Myers, Charles F. Method of making a high-speed shallow junction semiconductor device, P (7) 150*e*.

Myers, G. See Craik, D. J.

Myhra, Sverre See Johnson, O. W.

Myler, Kay L. See Gibson, James O.

Myron, H. W., Gupta, R. P., and Lin, S. H. Study of the electronic structure of ReO_3 and its pressure dependence by the Korringa-Kohn-Rostoker method (9) 199*b*.

Myskiyaeva, V. V., and Meshcheryakova, L. M. Thermometric method of analysis with Hungarian instrument "Direktermom" (3) 62*j*.

Mysyrowicz, A. See Rustagi, K. C.

Naberhuis, S. L., Sundberg, M. N., and Fong, Francis K. Spectroscopic determination of ion-defect pair energies in KCl: Sm^{2+} (3) 81*b*.

Nabi, G., and Lu, W. K. Reactivity of artificial hematite specimens during reduction (1) 27*c*.

Nadeau, John S. Subcritical crack growth in vitreous C at room temp. (8) 179*a*.

Nadeau, John S., Mindess, S., and Hay, J. M. Slow crack growth in cement paste (3) 62*h*.

Nadezhina, T. N., Kuznetsov, V. A., Pobedimskaya, E. A., and Belov, N. V. System Na_2O-SrO-Al_2O_3-H_2O—phase formation under hydrothermal conditions (10) 219*f*.

Nadkarni, G. S., and Simmons, J. G. Determination of the defect nature of MoO_3 films using dielectric-relaxation currents (3) 77*g*; The ac electrical properties and *I-V* characteristics of MoO_3 film under dc bias (4) 93*f*.

Nadobaikov, M. N. See Rabodzei, N. V.

Nafziger, R. H., Lincoln, R. L., and Riazance, N. High-temp. thermal analysis of the systems LaF_3-YF_3, SrF_2-YF_3, and MgF_2-YF_3 (3) 79*g*.

Nafziger, Ralph H. System CaF_2-CaO-Al_2O_3 under one-third atm of He (8) 179*d*.

Nagai, Tadashi, and Ihara, Masayoshi Crystal structure of distrontium boroaluminate, $2SrO.Al_2O_3.B_2O_3$ (3) 77*c*.

Nagai, Tatsuya, and Ikeda, Takuro Pyroelectric and optical properties of K-Li niobate (1) 27*e*.

Nagano, Katsuo See Ouchi, Hiromu

Nagano, Kentaro, and Saoyama, Yoshihiko Steel wire for reinforcing glass and method of production, P (1) 8*e*.

Naganuma, H. Gas burner with flashback-prevention arrangement, P (1) 19*f*.

Nagao, Hiroyuki Light-sensible semiconductor device, P (10) 211*a*.

Nagao, Masazumi See Goto, Fumio

Nagao, Yukio, and Fukazawa, Chiaki Surface inspecting apparatus, P (8) 172*h*.

Nagarajan, Arunachala See Barile, Conrad A.

Nagasawa, Eiji See Mita, Yoh

Nagasawa, Koichi See Horiuchi, Hiroyuki

Nagashima, Naoyuki Structure analysis of SiO_2 films formed by oxidation of silane (4) 102*h*; Erratum: Structure analysis of SiO_2 films formed by oxidation of silane (8) 176*g*.

Nagata, Minoru See Nomura, Masayoshi

Nagata, Takashi, Kuwano, Satoshi, and Sasaki, Reiichi Method of making an encapsulated piezoelectric ceramic resonator device, P (9) 191*h*.

Nagata, Yasushi Method of *mfg.* thermistor, P (11) 231*a*.

Nagel, Suzanne R., and Bergeron, Clifton G. Crystallization of $Na_2B_4O_7$ from its melt (4) 86*i*.

Nageroni, Lindo P. See Knapp, Donald E.

Nagle, D. C. See Hollenbeck, T. M.

Nagy, Rudolph Preparation of halophosphate phosphors using digestion-formed apatite, P (1) 15*f*.

Nahmani, A. See Buisson, R.

Nahory, Robert E. See DeWinter, John C. ; Leheny, Robert F.

Nahr, H. See Hoinkes, H.

Naidich, Yu. V., Lavrinenko, I. A., and Evdokimov, V. A. Densification during liquid-phase sintering in diamond-metal systems: I, Free sintering (9) 195*c*.

Naito, Ryuichi See Sugai, Mikio

Naka, Hideaki See Yamada, Shigeki

Naka, S. See Furuhashi, H. ; Inagaki, M.

Naka, Shigeharu, Inagaki, Michio, and Tanaka, Tatsuo Formation of solid solution in $Co_{3-x}Mn_xO_4$ system (7) 155*a*.

Naka, Shigeharu, Ito, Saketoshi, and Inagaki, Michio Kinetic studies of transitions from amorphous SiO_2 and quartz to coesite (6) 139*d*.

Nakada, Ichiroh, and Akaba, Ryoichi Growth depression on the surface of $(Sm,Tb)FeO_3$ (1) 23*h*.

Nakada, O. See Nakashima, H.

Nakagawa, Koji Process for producing cement-expanding agents, P (8) 163*b*.

Nakagawa, Kuniyoshi See Takatsu, Manabu

Nakagawa, Takehiko See Abe, Masanori

Nakagome, Minoru See Asada, Eiichi

Nakai, Akira See Kanazawa, Takafumi

Nakai, Jun, Kunii, Satoru, and Hirahara, Eiji Antiferromagnetic resonance of Eu telluride (5) 114*b*.

Nakajima, H. See Tamka, T.

Nakajima, Shigeji See Matuzawa, Kunihiro

Nakamura, Michiharu See Kajimura, Takashi ; Sato, Hitoshi

Nakamura, Shigeji See Yamanaka, Toshio

Nakamura, Terutaro See Laughman, L.

Nakamura, Tetsuro, Kamata, Kiichiro, Cheng, Wu Hui, and Sata, Toshiyuki Prediction of valency pair (Bi^{3+},Sb^{5+}) in ordered perovskite Ba_2BiSbO_6 (8) 178*a*.

Nakanishi, Takeshi See Kawamura, Junichi

Nakano, Kikuo, Imura, Toru, and Takeuchi, Shin Hardness anisotropy of single crystals of IVB diborides (1) 23*h*.

Nakano, Masaki See Otomo, Yoshiro

Nakano, Masaru See Takagi, Hiroyoshi

Nakano, Tomoyasu See Yamashita, Sadahiko

Nakao, Eiichi See Kojo, Ichiro

Nakao, Kazutoshi Apparatus for crushing fragile material, P (10) 212*g*.

Nakashima, H., Chinone, N., Taguchi, Y., and Nakada, O. Effects of composition profile on characteristics of GaAs-$Ga_{1-x}Al_xAs$ double-heterostructure lasers (9) 195*d*.

Nakayama, Akira See Araki, Yoshitoshi

Nakayama, Kaoru See Hisatake, Keizo

Nakayama, Norihiko See Owaki, Kenichi

Nakazawa, Yasuro See Uetsuki, Toru

Nakhodnova, A. P., Volosbina, T. D., and Mokhosoeva, I. V. Some properties of hydrated vanadates of Nd (1) 28*c*.

Nakken, A. J. New method of preheating annular continuous kilns (11) 233*d*.

Namekishi, Naoyuki Korean roseki, with special reference to deposits, mineral structure, and physicochemical characteristics of Kanto roseki (1) 9*e*.

Nanamatsu, Satoshi See Kimura, Masakazu

Nanbo, Mitsuo, Takano, Yukio, Higuchi, Hisayuki, and Maki, Michiyoshi Method of making semiconductor device using [Si] polycrystal thin film for impurity diffusion, P (7) 150*g*.

Nanbo, Yasutoshi See Kakehi, Toshihiro

Nance, Robert L., Leary, Joseph A., and Mullins, Lawrence J. Preparation of $^{238}Pu^{16}O_2$, P (8) 172*a*.

Nandi, A. K. See Bishui, B. M.

Nandi, D. N. Steel plant refractories and CGCRI [Central Glass & Ceramic Research Institute] (1) 10*j*.

Naoumidis, A. See Schneider, F. H.

Napier, John M., and Caputo, Anthony J. Method for providing metallic carbide coatings on graphite, P (5) 112*f*.

Napoli, Louis S., and Reichert, Walter F. Semiconductor devices having closely spaced contacts, P (2) 43*h*.

Napolitano, A. See Mahoney, R.

Napolitano, Albert See Simmons, Joseph H.

Napolitano, Albert, Simmons, Joseph H., Blackburn, D. H., and Chidester, R. E. Analysis of low-temp. viscosity data for three NBS standard glasses (11) 223*d*.

Narsoka, Kiyotake See Ono, Yuichi

Narasimhan, K. S. See Sastri, S. R. S.

Narasimhan, V. See Rajagopalan, P. R.

Narayan, J. Subgrain boundaries in MgO (1) 28*c*.

Narayan, J., and Washburn, J. Pipe diffusion in MgO (1) 26*g*; Self-climb of dislocation loops in MgO (2) 55*d*.

Narayan Rao, C. V. S. H., and Rouff, Arthur L. High-temp. creep of Li fluoride (2) 52*a*.

Narayana, P. A., and Sastry, K. V. L. N. EPR studies of NH_4Br:Cu^{2+} (3) 78*j*.

Narayanamurti, V. See Dynes, R. C.

Narita, Miyuki See Hamano, Kenya

Narita, Shinichiro See Itoh, Tadashi

Narita, Takamichi See Abe, Toshio

Naruse, Akira See Abe, Yoshihiro

Narytnik, T. N. See Irisova, N. A.

Nascher, Reinold See Schmid, Eduard

Nash, Arthur J. See Thompson, Robert R.

Nash, D. Gas burners, P (6) 135*g*.

Nash, F. R., Turner, E. H., Bridenbaugh, P. M., and Dziedzic, J. M. Measurements of second-harmonic generation and the variations in the free and clamped values of the dielectric constants and electrooptic coeffs. in Ba Na niobate (2) 53*i*.

Naslain, Roger See Etourneau, Jean

Nasledov, D. N. See Emel'yanenko, O. V.

Nasledov, D. N., and Shevchenko, V. Ya. Semiconducting $A^{II}B^{V}$ compounds (11) 230*e*.

Nasonova, S. N., and Serebrennikov, V. V. Reaction of Tb_4O_7 with Bi_2O_3 (11) 235*f*.

Nassar, A. M. A. Thermal expansion of some cabal glasses (3) 64*h*.

Nassau, Kurt See Abrahams, S. C.

Nassau, Kurt, Cooper, A. S., Shiever, J. W., and Prescott, B. E. Transition metal iodates: III, Gel growth and characterization of six cupric iodates (5) 123*j*.

Nassau, Kurt, Shiever, J. W., and Prescott, B. E. Transition metal iodates: I, Preparation and characterization of the 3*d* iodates (2) 57*d*.

Nasu, S., Shiozawa, K., and Kikuchi, T. Electron-microscope observation of epitaxial UO_2 films (7) 151*f*.

Nasu, S., Takahashi, T., and Kikuchi, T. Anisotropy ratio of thermal diffusivity in pyrolytic graphite over the temp. range 300–1600°C (8) 171*g*.

Nasu, Takeo See Otajima, Tomiji

Natale, Michael R. See Malarkey, Edward C.

Natarajan, M. See Laiho, R.

Nath, Dilip K., and Wolk, John R. Product and process for Eu-activated rare earth phosphor, P (8) 170*h*.

Nath, P. See Tyagi, B. S.

Nathan, M. I. See Smith, J. E., Jr.

National Academy of Sciences Materials and Man's Needs—Materials Science and Engineering, B (7) 160*i*.

National Technical Information Service Handbook of the Optical, Thermal, and Mechanical Properties of Six Polycrystalline Dielectric Materials, B (4) 104*g*.

Natsenko, A. I. See Kainarskii, I. S.

Natsenko, A. I., Kainarskii, I. S., and Orlova, I. G. Dimensional analysis of thermal stability of corundum-based ceramics (9) 195*f*.

Naumbaum, Irving Glass cutting device, P (10) 206*f*.

Navacchia, E. See Nicolini, L.

Navarrete, Jose See Kordes, Ernst

Naveh, Oved See Yacoby, Yizhak

Navrotsky, A. See Kenny, D. S.

Nawrath, Friedrich Brickwork and prefabricated wall panels—a study of their problems, technical limitations, and future (2) 37*i*.

Naydich, Yu., Lavrinenko, V. A., Evdokimova, V. A., and Motsak, Yu. F. Densification processes during liquid phase sintering in diamond-metallic systems (7) 154*d*.

Nazarov, A. S. See Opalovskii, A. A.

Nazarova, T. S. See Lishenko, L. G.

Neale, Ronald G. Film-deposited circuits and devices therefor, P (4) 93*e*; Film-deposited semiconductor devices, P (10) 210*g*.

Neathery, Thornton L., Clarke, Otis M., Jr., Smith, W. Everett, Szabo, Michael W., and et al. Mineral resources of Calhoun County, Alabama (6) 135*f*.

Nebelung, Hermann H., and Foster, Thomas V. Pneumatic selective glass gob distribution system, P (4) 89*c*.

Nedelcu, Stelian, and Captuseac, Aurelia Molding of porcelain on semiautomatic machines (11) 228*g*.

Nedelec, Maurice, and Petticolin, Jean M. Bending of flat glass on a mold with vacuum, P (4) 87*h*.

Nedeogio, D. D. See Emel'yanenko, O. V.

Nedev, V. See Radkova, A.

Nedil'ko, S. A. See Golub, A. M.

Nedyalkov, P. See Stefanov, G.

Neelmani, Mr., and Verma, G. S. Phonon conductivity of CdTe:Fe^{2+} and MgO:Fe^{2+} (8) 178*f*.

Neely, J. E. See Carniglia, S. C.

Neely, Joseph E., and Brown, Sidney F. Refractory shape with prereacted grain, P (8) 168*h*.

Nefedov, V. I., Kokunov, Yu. V., Buslaev, Yu. A., Porai-Koshits, M. A., and et al. X-ray electron study of the inner levels of fluorides (10) 220*g*.

Negas, T., Roth, R. S., Parker, H. S., and Minor, D. Subsolidus phase relations in the $BaTiO_3$-TiO_2 system (10) 219*a*.

Negas, Taki System $SrMnO_{3-x}Mn_3O_4$ (2) 56*f*. See Candela, G. A.

Negas, Taki, Roth, R. S., Parker, H. S., and Brower, W. S. Crystal chemistry of Li in octahedrally coordinated structures: I, Synthesis of $Ba_5(M_5Li_2)O_{24}$ (M = Nb, Ta) and $Ba_{10}(W_5Li_4)O_{30}$. II, Tetragonal bronze phase in the system BaO-Nb_2O_5-Li_2O (4) 98*e*.

Negishi, Satoshi Light controllable charge transfer device, P (6) 132*d*.

Negodaev, G. D., Ivanov, I. A., and Evstrop'ev, K. K. Cationic diffusion of alkali elements in some binary alkali silicate melts (9) 184*b*.

Negovetic, I., and Konstantinovic, J. Critical behavior of spontaneous magnetization in antiferromagnetic NiO (3) 76*h*.

Negro, A. See Amato, I.

Negro, A., and Amato, I. Sintered materials in the systems titania-cordierite glass and zirconia-cordierite glass (4) 87*j*; Sintered materials in the system cordierite glass-Cr_2O_3 (5) 122*a*; ZrO_2-Gd_2O_3 system (7) 159*d*.

Negro, A., and Staffieri, L. Dehydration kinetics of various types of dihydrate gypsum (9) 182*b*.

Neild, D. J. See Dickens, P. G.

Neill, W. J., Jr. Pipe still furnace refractory problems and corrective action (10) 208*a*.

Nelson, G. F. Small-angle X-ray scattering study of complex particle growth in an MgO-Al_2O_3-ZrO_2-SiO_2 glass (4) 87*j*.

Nelses, Helmut Dry mixtures for producing acid-resistant cement and mortar compositions, P (10) 203*d*.

Nekrasov, K. D., Tarasova, Alexandra P., Biyusin, Alfred A., and Avdeeva, Tamara P. Method of preparing mix for producing refractory gas concrete [Cr_2O_3-Al_2O_3 slag] and the product obtained, P (5) 112*e*.

Nelson, Carroll E. See Mitarai, Hajime

Nelson, D. F., Lazay, P. D., and Lax, M. Brillouin scattering in anisotropic media—calcite (8) 174*j*.

Nelson, Herbert See Kressel, Henry

Nemec, I. I. See Kukolev, G. V.

Nemec, Lubomir Determination of OH group concentration in Eutal-type glass (11) 223*a*; Hydroxyl groups in SiO_2-B_2O_3-CaO-Na_2O glasses (11) 224*e*.

Nemes, Simona See Surdeanu, Tudor

Nemilov, S. V. Systematic study of the effect of Na_2O impurities on the viscosity of vitreous GeO_2 (7) 146*d*.

Nemilov, S. V., and Gliev, I. S. Effect of liquation of borate glasses on their mechanical and viscous properties (9) 184*f*.

Nepsha, V. I. See Klyuev, Yu. A.

Nergadze, N. G. See Gabadadze, T. G.

Nesbitt, John D., and Fejer, Mark E. Process for pretreating and melting glassmaking materials, P (6) 128*b*.

Nesbitt, John D., Hemmeth, Klaus H., and Vereecke, Frank J. Flat flame burner having a low air-to-gas ratio, P (5) 118*h*.

Neshpor, V. S., Vekshina, N. V., Nikitin, V. P., and Markovskii, L. Ya. Physical properties of borocarbides of Be, Cr, and La (1) 26*f*.

Nester, Henry H. See Mason, Daniel W.

Nesterchuk, N. I., and Makarova, T. A. Hydrothermal synthesis of sepiolite (4) 99*i*.

Nestercov, A. I. See Kukolev, G. V.

Nesteruk, Edward P. Method of applying a hot luster coating to glass by electrostatic means, P (9) 186*e*.

Netting, David I. Hollow spheres consisting of alkali metal silicate and a polysalt, P (7) 153*e*.

Neuberger, Janine, Hafner, Alice, and Olteanu, Doina Study of the structure of porcelain by microscopic techniques (7) 153*a*.

Neuer, Bernd See Oeters, Franz

Neufeld, P., and Ali, H. O. Influence of anions on the structure of porous anodic Al_2O_3 films grown in alkaline electrolytes (10) 217*d*.

Neugroschel, A., Margalit, S., and Bar-lev, A. Interface properties of oxidized Ge-doped Si (6) 131*d*.

Neuringer, L. J. See Sample, H. H.

Neuroth, N. See Mueller, Gerd

Neuroth, Norbert Method for beam heating of glass, P (1) 7*b*.

Neuzy, Hubert See Lambert, Michael

Nevander, Lars Erik Avoiding moisture penetration in brickwork facings (2) 37*h*.

Neve, J. M., and Coble, Robert L. Initial sintering of Cr_2O_3 (7) 156*b*.

Neville, R. C., Hoeneisen, B., and Mead, C. A. Permittivity of Sr titanate (3) 80*f*; Anomalous resonance of Sr titanate (6) 136*d*.

Neville, R. C., and Mead, C. A. Surface barrier energies on Sr titanate (4) 103*b*.

New, Robert V. Method of reducing environmental pollution by utilizing stack gases, resulting from the burning of fossil fuels, and water, including seawater and waste water, to mfg. hydrocarbon energy fuel, potable water, and other commercial products, P (11) 232*b*.

Newby, Billie J., and Rhodes, Donald W. Method of repressing the precipitation of Ca fluoziroconate, P (5) 116*d*.

Newby, R. L. Hot-gas cooler, P (9) 194*b*.

Newlove, Brian Fiber-glass molding process, P (2) 35*g*.

Newman, F. C., and Rowan, L. G. Fourier-transform electron-nuclear double resonance of V^{4+} in TiO_2 (7) 155*a*.

Newman, Harold See Savage, George

Newnham, R. E., Wolfe, R. W., and Darlington, C. N. W. Prototype structure of $Pb_2Ge_2O_{11}$ (2) 55*g*.

Newnham, R. E., Wolfe, R. W., Horsey, R. S., Diaz-Colon, F. A., and et al. Crystal structure of $(Sr,Ba)Bi_2Ta_2O_9$ (2) 50*d*.

Ng, Wee Lam See Jacobs, P. W. M.

Nguen Ngok Kuan, Sandler, R. A., Vasil'kova, I. V., and Ryabov, E. N. Thermal analysis of the ternary system $MoCl_3$-$TiCl_3$-NaCl (10) 219*i*.

Nguen Ngok Kuan, Sandler, R. A., Ryabov, E. N., Vasil'kova, I. V., and et al. Phase diagram of the system $MoCl_3$-NaCl (4) 101*g*.

Nguyen Ngoc Anh See Teoreanu, I.

Niblock, Walter K. See Wall, Ernst L.

Nicastro, Carmine A., Jr., Vander Noordaa, Roelant S. L., and Ward, William A. Firing vitreous SiO_2 articles while supported on a perforated thin-walled graphite mandrel, P (2) 35*h*; Mfg. of vitreous SiO_2 bodies, P (4) 88*a*.

Nichkov, I. F. See Desyatnik, V. N.

Nicholas, J. Blair, Tumosa, Charles S., and Ache, Hans J. Thermal annealing of radiation damage in NaCl crystals studied by positron annihilation techniques (8) 179*i*.

Nicholas, Keith H., Ford, Ronald A., and Beale, Julian R. A. Junction-isolated integrated-circuit resistor with crystal damage near isolation junction, P (7) 149*g*.

Nicholas, Michael G., and MacPhail, Iain Mfg. composite articles, P (4) 91*g*.

Nicholls, J. E. See Garlick, G. F. J.

Nichols, Gary D., Hercules, David M., Peek, Roy C., and Vaughan, Dennis J. Application of X-ray photoelectron spectroscopy to the study of fiber glass surfaces (11) 232*c*.

Nicholson, D. G. See Donaldson, J. D. ; Kjekshus, Arne

Nicholson, P. S. See Kim, S. M.

Nicholson, Patrick S. See El-Shiekh, Ahmed M. ; Green, David J. ; Shackelford, James F.

Nickel, H. See Schneider, F. H.

Nickel, Hubertus See Gyarmati, Erno

Nickerson, John D. See Darwin, Charles D.

Nickl, J. See Seeber, B.

Nickl, Julius J., and Just, W. Growth of GaAs crystals by the VLS mechanism (2) 40*c*.

Nickl, Julius J., and Koukoumas, J. D. Transport reactions and single-crystal growth of silicides of group IVA-VIA metals (5) 123*a*.

Nickl, Julius J., and Reichle, M. Chemical vapor deposition in the Ti-C system (5) 119*j*.

Nickl, Julius J., Schweitzer, K. K., and Luxenberg, P. Gas-phase deposition in the Ti-Si-C system (8) 176*i*.

Nickl, Julius J., and Vesper, Roediger Morphology of vapor-phase deposition of the TiC-graphite systems (5) 121*i*.

Nickl, Julius J., and Von Braunmuehl, Christine Gas phase deposition in the Si-C system (5) 120*c*.

Nicklin, Keith Indian wheel (6) 125*g*.

Nicklin, R. See Lidgard, G.

Nicklin, R. C., Poole, Charles P., Jr., and Farach, Horacio A. EPR of Mn^{2+} in As-S-I and As-Te-I glasses (3) 63*h*.

Nicklow, R., Wakabayashi, N., and Smith, H. G. Lattice dynamics of pyrolytic graphite (7) 156*f*.

Nicks, Larry J., and MacDonald, D. J. Catalytic activity of rare-earth oxides for the oxidation of H (4) 98*g*.

Nicolae, I. See Tanasoiu, Constantin

Nicolaides, Ruth Temp.-insensitive doped amorphous thin-film switching and memory device, P (10) 211*g*.

Nicolaou, Michael C. Material for direct thermoelectric energy conversion with a high figure of merit, P (5) 115*a*.

Nicolas, J. See Micheron, F.

Nicolau, P. See Bunget, I.

Nicolescu, Ala See Marchidan, D. I.

Nicoletta, C. A., and Eubanks, A. G. Effect of simulated space radiation on selected optical materials (10) 204*e*.

Nicolini, L., and Lanzi, F. Properties of an alunitic mineral in view of its complete technological use (6) 140*e*.

Nicolini, L., Lanzi, F., and Navacchia, E. Densimetric method of checking the rheological properties of industrial slips (1) 17*b*.

Nicoll, F. H. High-intensity injection luminescence in CdS single-crystal optical cavities (4) 99*g*.

Nidola, Antonio E. See Bianchi, Giuseppe

Niebylski, Leonard M. See Kobetz, Paul

Niebylski, Leonard M., and Brendel, Gottfried J. Process for making a Li-doped Be hydride composite, P (9) 191*h*.

Nielsen, William C. See De Loach, Bernard C., Jr.

Nielsen, Erling J. Machine for grinding and polishing metallographic and mineralogic samples, P (2) 47*j*.

Nielsen, J. W. See Brandle, C. D.

Nielsen, Lange Fuglsang Rheological properties of an isotropic composite material (5) 106*j*.

Niemyski, T. See Piekarczyk, W. ; Synielnikowa, W.

Nienhuis, Harry See Van Eijl, Antonie P. L.

Nienhuis, Rijkert J., and Bonselaar, Cornelis A. Planar semiconductor device with scribe lanes and channel stopper, P (3) 72*a*.

Nier, Thomas J. Process of stirring molten glass with bubbles from electrolysis, P (9) 187*d*. See Ernsberger, Fred M.

Nigol, Olaf High-voltage electrical insulator having an insulator body the entire surface of which is covered by a semiconductive glaze, P (10) 209*f*.

Nihei, Yoshimasa, and Kamada, Hitoshi Recent developments in surface analysis (4) 96*a*.

Nilharo, Koichi, and Yajima, Seishi Preparation and crystal structure of ternary rare earth borides, RCo_3B_2 (7) 157*c*.

Nilkura, Ikuo, Watanabe, Hideo, and Wada, Masanobu Unusual photoresponse in dye-sensitized ZnO thin films (1) 13*b*.

Nilseki, Nobukazu See Yamada, Tomoaki

Nilseki, Nobukazu See Ohmachi, Yoshiro ; Uchida, Naoya

Nikanorov, S. P. See Burenkov, Yu. A.

Nikiforov, A. E. See Flyagin, M. Ya.

Nikiforov, I. Ya., and Maf'tsev, Yu. F. Study of $BaTiO_3$ single crystals using a two-crystal spectrometer (1) 28*a*.

Nikiforov, I. Ya., Maf'tsev, Yu. F., and Borodin, V. Z. Study of ferroelectric crystals using 3-crystal X-ray spectrometer (4) 103*a*.

Nikiforov, Ya. V. See Shevyakov, A. I.

Nikitin, V. P. See Neshpor, V. S.

Nikitin, V. V. See Bershtein, V. A.

Nikitina, L. V. See Rabinovich, F. N.

Nikkawa, Hisashi See Ohmae, Kenji

Nikoladzhvili, A. A. See Tavadze, F. N.

Nikolina, G. P. See Yudin, D. M.

Nikolov, Ts. See Ikonopisov, S.

Nikol'skii, Boris P., Shul'ts, Mikhail M., Plesarevskii, Alexandr M., Belyustin, Anatoly A., and et al. Electron-conductive glass, P (3) 64*g*.

Nikushchenko, V. M. See Rumyantsev, P. F.

Nikushchenko, V. M., Khotimchenko, V. S., Rumyantsev, P. F., and Kalinin, A. I. Determination of the standard free energies of formation of Ca hydroaluminates (2) 31*i*.

Nikushchenko, V. M., Khotimchenko, V. S., Rumyantsev, P. F., and Udalov, Yu. P. Effect of external factors on the kinetics of $12CaO.7Al_2O_3$ hydration (1) 22*e*.

Nilsson, Henry O. How to insure accuracy of electrical measuring instruments (6) 134*i*.

Nimmagadda, R. See Raghuram, A. C.

Ninagawa, Chikayoshi, Ashizaki, Shigeya, and Okamoto, Masahiro Method and apparatus for making color CRT, P (2) 36*b*.

Ninomiya, Hisato See Yoshida, Hideo

Nisbet, John L., and Woodall, Hubert C., Jr. Glass fabric suitable for casts, bandages, and the like, P (6) 128*b*.

Nisbet, John L., and Woodall, Hubert C., Jr. Method of forming glass fabric suitable for casts, bandages, and the like, P (7) 146*e*.

Nisenson, Peter, and Blackman, Elliot S. Optical device for characterizing the surface or other properties of a sample, P (5) 118*b*.

Nisenson, Peter, and Iwasa, Sato Real-time optical processing with $Bi_{12}SiO_{20}$ PROM (10) 205*f*.

Nishi, Masatsugu, and Shimizu, Sakae Change in the decay constant of $^{99}Tc^m$ in $BaTiO_3$ by the ferroelectric transition (7) 154*f*.

Nishi, Sunao, Ikeda, Shojiro, and Torii, Takayoshi Exothermic composition for hot tops, P (1) 10*i*.

Nishi, Tsuyoshi See Masuyama, Takeshi

Nishida, I. Semiconducting properties of nonstoichiometric Mn silicides (7) 157*j*.

Nishida, Masamitsu See Ouchi, Hiromu

Nishida, Shinji, and Otsuka, Takashi Industrial robots in firebrick production works (2) 38*h*.

Nishida, Sumio See Takei, Ichiro

Nishida, Sumio, and Kosa, Yasunobu IGFE device, P (6) 132*d*.

Nishida, T. See Sato, T.

Nishida, Toshihiko See Nishikawa, Tomozo

Nishihara, Akira See Furuuchi, Shigemasa

Nishikawa, Sakura, and Egami, Akira Use of high-pressure pump in furnace construction (1) 10*f*.

Nishikawa, Satoru See Kotera, Noboru

Nishikawa, Tomozo, Nishida, Toshihiko, Iwamoto, Kouzo, Shomon, Hiroshi, and et al. Grain boundary diffusion-controlled creep of polycrystalline Ni-Zn ferrite (7) 155*b*.

Nishikawa, Yasuo, Okamoto, Noboru, and Takahashi, Hirokuni Characteristics and performance of hot-gunning refractories developed by Kyushu Firebrick Co., Ltd., for converter (11) 226*d*.

Nishikawa, Yasuo, Okamura, Takeo, and Okamoto, Noboru Results obtained on B.L.B. special basic brick used in ladle for desulfurization (11) 227*j*.

Nishimatsu, Shigeru See Yoshida, Isao

Nishimoto, Tatsuya See Osada, Mitsuo

Nishimura, Nobuhiro See Shirakashi, Shigeru

Nishimura, Tatsuo, Tsuchiya, Michiyo, and Akiyama, Masaru Sintered alumina (4) 90*g*.

Nishimura, Teruo, Mizuta, Hiroyuki, Matsubara, Shohei, Takagi, Jiro, and et al. Stoneware body for table use (1) 12*h*.

Nishina, Takeo, Yonemura, Michiko, and Kotera, Yoshihide Behavior of Co oxide during calcination of mixture of Al_2O_3 and Co oxide (1) 21*f*.

Nishino, Yu See Masuda, Noboru

Nishioka, Michihiro See Tachibana, Kanichi

Nishiwaki, Minoru Measures adopted at Kimitsu Steel Mill to reduce trouble caused by refractories during continuous casting (11) 227*c*.

Nishiyama, Goro See Takagi, Hiroyoshi

Nishizawa, Junichi Method and device for controlling optical conversion in semiconductor, P (9) 191*f*. See Okuno, Yasuo ; Suto, Ken

Nishizawa, Junichi, and Sasaki, Ichiemon Method for producing a semiconductor device having a very small deviation in lattice constant, P (7) 150*b*.

Nishizawa, Junichi, Shinozaki, Satoshi, and Ishida, Katsuhiko Properties of Sn-doped GaAs (9) 198*d*.

Nissen, Rudolf F. See Tilles, Edward B.

Nisule, T. R., and Babcock, C. L. Stress-optical coeff. as related to glass composition (1) 6*g*.

Nistal Hidalgo, O. See Gimenez Gimenez, A.

Nistor, S. V. See Marshall, S. A.

Nitti, D. J. See Gallagher, P. K. ; Johnson, D. W., Jr.

Nitts, V. V. See Niziol, S.

Nitzki, V., and Matzke, Hj. Stopping power of 1–9-MeV He^{2+} ions in UO_2, (U,Pu)O_2, and ThO_2 (9) 198*g*.

Niwa, Shohei, Matsumura, Isao, and Watanabe, Takashi Materials of plate refractories used for sliding nozzle (11) 227*b*.

Niwa, Shohei, Oki, Kazuo, Takahashi, Shoichi, Kurihara, K., and et al. Results obtained on long stopper used in tundish (11) 227*a*.

Niwano, Kazuhisa See Tanaka, Minoru

Nix, W. D. See Cannon, W. R.

Nixon, F. See Dickinson, George A.

Niyogi, A. K., Hsu, P., and Meyers, B. L. Influence of age at time of loading on basic and drying creep (2) 32*e*.

Nizlol, S., Nitts, V. V., Ozerov, R. P., and Yakovlev, A. A. Magnetic structure of hematite (3) 80*b*.

Nobuhara, Keiichi See Kadono, Atsuro

Noca, Joseph A. See Seymour, Samuel L.

Noda, Tokiti, and et al. Scientific Papers of Dr. Tokiti Noda and His Collaborators, B (8) 180*j*.

Noden, J. D. Gd burnable poison for high-temp. reactors (4)

95*e*.

Noerbohm, A. Cooling by spraying water into cement mills (10) 202*f*.

Nofziger, Nell B. See Francel, Josef ; Salisbury, Charles W.

Noguchi, Eiji See Shiroyama, Masaharu

Noguchi, Kazuo See Amagi, Yasuo

Noguchi, Masayasu, Kimizuka, Noboru, Chiba, Toshinobu, and Tsuda, Nobuo Lifetime spectra of positrons in V_2O_3 (6) 139*e*.

Noguchi, Satoshi See Sakata, Hironobu

Noguera Rojas, Francisco, and Dyment, Isaac Pilot plant for nuclear fuels (11) 231*c*.

Nogues, Marc, and Poix, Paul Cooperative Jahn-Teller effect in the system Mn_3O_4-Mn_2SnO_4 (10) 215*d*.

Nohmi, Kazumasa See Otsuka, Hitoshi

Nolander, Bertil See Norin, Rolf

Nolander, Bertil, and Norin, Rolf Crystal structure of *T*-Nb_2O_5 and of an isostructural high-temp. Zr-Nb oxide (3) 77*a*.

Noll, Dale A. Method of joining [packaging]. P (8) 166*a*.

Noll, Walter, Holm, Reiner, and Born, Liborius Mn-black decoration, a technique for coloring ancient ceramics (8) 161*j*.

Nomicos, C. D. See Euthymiou, P. C.

Nomicos, C. D., and Euthymiou, P. C. Magnetophotoconductivity of semi-insulating GaAs and its behavior on electron bombardment (6) 139*j*.

Nomura, Masayoshi See Ono, Yuichi

Nomura, Masayoshi, Nagata, Minoru, and Saida, Hiroji Method for fabricating a semiconductor component for a semiconductor circuit, P (2) 42*f*.

Nomura, Masayoshi, Saida, Hiroji, Shimura, Yoshio, Sano, Hisumi, and et al. Method of dividing semiconductor layer into a plurality of isolated regions, P (1) 14*b*.

Nomura, Shoichiro See Abe, Masanori ; Kawachi, Masao ; Kojima, Fumiko

Nomura, Shoichiro, Arima, Hideo, and Kojima, Fumiko Quadratic electrooptic effect in the system Pb-$(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$ (1) 27*g*.

Nomura, Shoichiro, Kawachi, Masao, and Kojima, Fumiko Physical properties of $Pb(Fe_{2/3}U_{1/3})O_3$ and its solid solutions (9) 197*f*.

Nomura, Shoichiro, and Kojima, Fumiko Dielectric relaxation and thermally stimulated current in $(K_{3/4}Bi_{1/4})(Zn_{1/6}Nb_{5/6})O_3$ and its solid solutions (1) 22*f*.

Nomura, T., Katsura, M., Sano, T., and Kai, H. Formation of UC-UN solid solutions (9) 192*a*.

Nonogaki, Saburo See Harada, Seiki

Norin, Rolf See Nolander, Bertil

Norin, Rolf, Arbin, Claes Goran, and Nolander, Bertil Phase composition of the MgO-Nb_2O_5 system (3) 80*g*.

Normantas, E. S. See Filipavicius, V. S.

Noro, Takanobu See Muta, Akinori

Noroski, William J. See Scott, Stanley J.

Norris, C. B., Barnes, C. E., and Beezhold, W. Depth-resolved cathodoluminescence in undamaged and ion-implanted Ga-As, ZnS, and CdS (10) 215*i*.

Norris, Clarence G., and Merrick, Woodrow W. Apparatus for applying a metal plate to a refractory brick, P (5) 112*a*; Refractory brick having a metal casing, P (9) 189*a*.

Norris, Peter E., and Shaw, Joseph M. Method of making MOS transistors, P (2) 42*h*.

North, J. C. See Dyment, John C. ; Spitzer, S. M. ; Wolfe, R.

North, James C. See Johnson, William A.

Northrop, D. C. See Iqbal, M. Zafar

Northway, Clarence E. Porous substrate for fibrous graphite structure produced by addition of degradable material, P (7) 143*d*.

Norton, F. H. (2nd Edition) Elements of Ceramics, B (7) 160*d*.

Norwitz, George See Chasan, David E.

Norwood, M. H. See Miller, R. E.

Nose, Hiroshi See Terada, Michiko

Nosek, Roy F. See Bisinella, Angelo J.

Noshiro, Makoto, and Jitsugiri, Yukio Determination of Na in ceramics using a Na-ion-responsive glass electrode (3) 73*j*.

Nosyrev, N. A., Dem'yanets, L. N., Ilyukhin, V. V., and Belov, N. V. System ZrO_2-GeO_2-KF-H_2O under hydrothermal conditions (10) 219*g*.

Notarys, Harris A., and Mercereau, James E. Multilayered thin-film superconductive device and method of making, P (8) 170*c*.

Noteleirs, Victor R., and Goorissen, Jan Lamp with opaque screen, P (5) 109*j*.

Noth, Michael R. Interpretation of kinetics of final-stage pressure sintering of NiO by deformation-mechanism maps (7) 156*e*. See Urick, Paul A.

Novak, D., and Kozlowski, A. Granulometric composition and strengths of cements from different grinding plants (10) 202*c*.

Novikov, R. I. See Ivanovskii, L. E.

Novikov, V. N., Tallerchik, B. A., and Shustrov, B. A. Magnetic phase diagram of $(V_{1-x}Cr_x)_2O_3$ solid solutions (2) 53*b*.

Novikova, Z. M. See Kuvakin, M. A.

Novokhatskii, D. F., Proselkov, Yu. M., and Sidorenko, Yu. I. Determination of setting time of plugging cements (4) 84*e*.

Novosadov, V. K. See Ostchepkova, G. M.

Novoselova, A. V. See Korenev, Yu. M.

Novotny, M. See Doshi, P.

Novotny, Slavomil Ventilator fans accelerate drying of ceramic products, especially of bricks (11) 233*e*.

Novozhilov, A. I., Gribova, E. I., and Devyatkin, V. N. Solubility of HCl in molten chlorides of the alkaline earth metals (4) 102*i*.

Nowak, A. E. See Majdic, A.

Nowak, Edmund See Karkowski, Abdon

Nowak, Edward A., and Pahl, Philip P. Method of making glassware [parison blowing]. P (7) 146*g*.

Nowik, I. See Schieber, M.

Nowok, J., Precht, W., and Zebala, K. TEM study of antiphase boundaries (APB) in ZnO whiskers (9) 199*b*.

Nowok, J., and Zdanowicz, W. Microscopic study of extended defects related to nonstoichiometry in ZnO single crystals (9) 197*c*.

Nozawa, Yoshiharu See Kono, Akiro

Nozik, Arthur J. Cd stannate yellow pigment and method of preparation, P (3) 75*j*; Optical and electrical properties of Cd_2SnO_4, a defect semiconductor (8) 178*c*; Light-transmitting electrically conducting Cd stannate and methods of producing, P (9) 191*c*; Ir windows and optical coatings for them derived from Cd_2SnO_4, P (10) 210*i*.

Nuehring, Donald E. Method for applying an internal coating to a CRT, P (6) 128*f*.

Nuernberg, H. W., Wolff, G., Hirche, D., and Ludwig, Udo Physical-chemical aspects of the alkali-silica reaction and its importance for the expansion (bloating) phenomena of concrete (8) 162*j*.

Nuese, C. J. See Kressel, H.

Nugent, Adam, Jr. See Baker, Ralph W.

Nukui, Akihiko See Morikawa, Hideki

Nukui, Akihiko, Iwai, Shinichi, and Tagai, Hideo Gas flame heating equipment providing up to 2300°C for an X-ray diffractometer (1) 17*e*.

Numata, Masahiro See Uchikawa, Hiroshi

Nunziante Cesaro, S. See Spoliti, M.

Nurnberg, K. See Gotthelf, H.

Nurse, R. W. See Laws, V. ; Majumdar, A. J.

Nussbaum, Manfred See Doerre, Erhard

Nyberg, Birgit See Hjerten, Inger

Nyberg, Birgit, and Larsson, Ragnar Ir absorption spectra of solid metal sulfites (3) 79*e*.

Nye, John D. Process for producing hard ferrites, P (7) 150*i*.

Nygren, Mats See Ekstrom, Thommy

Oakes, James A. Geometry for a *pnp* Si transistor with overlay contacts, P (2) 41*a*.

Oakes, Martin See Degenkolb, Robert S.

Oba, Yoichi See Harada, Seiki

Obata, Yoshiharu See Minami, Hiroshi

Obenreder, Robert J. System for determining the nature of optical distortion in glass, P (7) 146*j*.

Obenshain, George R. See Yakubek, Louis P.

Oberbacher, Boulfaz See Bloechl, Walter

Obomaya, L. I. See Ovechkin, E. K.

Obraztsov, A. A. Phase diagram of the system $GeSe_2$-Te (9) 197*b*. See Pazin, A. V.

Obraztsov, A. A., Borisova, Z. U., and Il'inskaya, O. V. Kinetics of dissolution of glasses of the system As-Se-Te in alkaline solutions (7) 145*d*.

Obraztsov, A. A., and Orlova, G. M. Crystallization of glasses in the system As-Se-Te (1) 4*f*.

O'Brien, J. K., and Corelli, J. C. Photoconductivity of Cr-compensated GaAs after irradiation by 0.8-MeV electrons (9) 197*d*.

O'Brien, M. C. M. See Harmer, A. L.

O'Brien, T. E., and Chaklader, A. C. D. Effect of O on the reaction between Cu and sapphire (9) 190*d*.

O'Brien, W. E. Grinding replaces scarfing (1) 1*f*.

Obrubov, O. P. See Mironov, S. A.

O'Bryan, H. M., Jr. See Meitzler, A. H.

O'Bryan, H. M., Jr., Thomson, John, Jr., and Plourde, J. K. New BaO-TiO_2 compound with temp.-stable high permittivity and low microwave loss (11) 229*g*.

Obst, K. H., and Stradtmann, J. Effect of Ca oxide products formed during a new steelmaking procedure on the formation of dicalcium silicate (2) 38*c*.

Obukhov, A. P., Sokolova, T. V., and Bartenev, S. S. Decreasing porosity of ceramic materials by impregnation with salt solutions (8) 175*a*.

O'Carroll, B. T. G. ANSI/FEPA screening brings important benefits to diamond abrasives industry (8) 161*d*.

Ochi, Osamu See Takagi, Toru

Ochiai, Tsuneomi See Kumai, Hiroshi

Ockers, S. T. See Westlake, D. G.

O'Connor, Eugene F. See Eppler, Richard A.

O'Day, Peter J. See Lesh, Nathan G.

Odding, Atse See Moertl, Guenther

O'Dell, T. H. Dynamics of magnetic bubble domain arrays (3) 78*e*.

Oden, Laurance L., Babitzke, Herbert R., and Sanker, Philip E. Phase relations in the alkaline earth fluoride-Y_2O_3 systems: III, SrF_2-Y_2O_3 phase diagram and information on the SrF_2-SrO system (8) 178*e*.

Odler, Ivan, and Skalny, Jan Hydration of tricalcium silicate at elevated temps. (7) 144*f*.

O'Donnell, Thomas P. See Austin, Lewis M. ; Farrow, Tom J.

Oestvold, Terje Determination of the change in chemical potential of NaCl on mixing in the ternary system $MgCl_2$-NaCl-$CaCl_2$ by emf measurements (2) 50*g*; Emf measurements for the determination of partial Gibbs energies and entropies of mixing of the alkali chlorides in liquid mixtures with $MnCl_2$ (2) 51*b*. See Dutt, Yag ; Sabet, Violette

Oeters, Franz, and Neuer, Bernd Reactions between dolomite bricks and steelmaking slags (2) 38*a*.

Oetting, Franklin L., and Leitnaker, James M. Chemical thermodynamic properties of nuclear materials: I, UN (2) 44*b*.

Oeye, H. A. See Dumas, D.

Oeye, Harald A. See Grjotheim, Kai

Ofitserov, A. A., Sokolov, L. N., Baldov, V. V., and Kunin, L. L. Determination of surface concentrations in melts of Ca-O-Al_2O_3-SiO_2 (1) 17*c*.

Ogasawara, Shoji, Aizawa, Hideo, Kamijo, Yoshimi, Miyajima, Mikio, and et al. Printed circuit resistor, P (2) 43*j*.

Ogasawara, Takayuki See Ogawa, Yutaka

Ogawa, Masanobu See Takenaka, Shigeo

Ogawa, Takuzo See Yatsuo, Tsutomu

Ogawa, Takuzo, Miyata, Kenzi, Yagi, Hideyuki, and Sasaki, Takeshi Integrated semiconductor device having functional regions isolated by *pn* junctions therebetween, P (7) 149*f*.

Ogawa, Yutaka, Ogasawara, Takayuki, and Seike, Shoji Method of producing semiconducting glaze compositions, P (7) 148*j*.

Ogihara, Masahiko See Kurata, Kazuhiro ; Ono, Yuichi

Ogino, Katumi Method of mfg. semiconductor devices utilizing simultaneous deposition of monocrystalline and polycrystalline regions, P (6) 132*i*.

Ogland, Jon W. See Malarkey, Edward C.

Ogle, Pearl R., Jr. Separation of U isotopes by chemical exchange, P (7) 152*d*.

Ogorodnikov, V. V. Thermodynamic analysis of the sintering process (5) 123*i*; Thermodynamic analysis of the sintering process (6) 142*b*.

Ogorodnikova, A. A. See Tresvyatskii, S. G.

Ogura, Hirokatsu, Takizawa, Tatsuo, Ono, Yoshiko, and Taketsume, Yukuo Expansive additive for lime cement and process for preparation, P (8) 162*j*.

Oguri, Shigeo See Kawamura, Junichi

Ogushi, Shinichi See Miura, Eiji

O'Hara, Martin J. See Sheets, Herbert D., Jr.

Ohara, Takashi See Ichihara, Shoichi

O'Hare, P. A. G., Shinn, W. A., Mrazek, F. C., and Martin, A. E. Thermodynamic investigation of trisodium U(V) oxide (Na_3UO_4): I, Preparation and enthalpy of formation (2) 44*h*.

Ohashi, Haruo See Okamura, Fujio Peter ; Sato, Yoichiro

Ohashi, Taizo See Muraoka, Hisashi

Ohashi, Yoshikazu, and Burnham, Charles W. Clinopyroxene lattice deformations—the roles of chemical substitution and temp. (4) 98*i*.

Ohashi, Yoshiu See Yamamoto, Masayuki

Ohata, Keiichi, Sasaie, Junji, and Tanaka, Tetsuro Phase diagram of the CdS-CdTe pseudobinary system (4) 101*f*.

Ohba, Hiroshi, and Kitamura, Tomoyasu Various usages of mortar (1) 10*f*.

Ohba, Hiroshi, Sugita, Kiyoshi, and Fukuoka, Hiromi Hardness of ladle lining constructed by slinger process (11) 226*i*.

Ohba, Hiroshi, Sugita, Kiyoshi, Shimada, Kohei, and Matsuo, Masataka Results of test on MgO brick lining (11) 227*e*.

Ohki, Kuzuo See Kominami, Naoya

Ohlberg, Stanley M. See Patel, I. S.

Ohlberg, Stanley M., and Orr, Leighton E. Thermal tempering of glass having short strain point-to-softening point interval, P (1) 8*g*.

Ohlinger, Manfred See Leutner, Bernd

Ohlsen, W. D. ESR studies of Mo^{6+}, Mo^{5+}, Mo^{4+}, and Mo^{3+} in rutile (9) 195*j*.

Ohlsen, W. D., and Johnson, O. W. "Vacuum reduction" of rutile (9) 199*e*.

Ohmachi, Yoshiro Refractive index of vitreous As_2Se_3 (9) 198*a*.

Ohmachi, Yoshiro, and Uchida, Naoya Acousto-optic property of single-crystal $5PbO.3GeO_2$ (3) 76*g*.

Ohmachi, Yoshiro, Uchida, Naoya, and Niizeki, Nobukazu Acoustic wave propagation in TeO_2 single crystal (6) 136*e*.

Ohmae, Kenji, Shinada, Hidehiro, and Nikkawa, Hisashi Electric flashbulb for use as indicator, P (11) 225*f*.

Ohmura, Y., Zohta, Y., and Kanazawa, M. Shallow donor formation in Si produced by proton bombardment (11) 235*g*.

Ohnemueller, W. Flow behavior of powdered quicklime (8) 162*b*.

Ohno, Katsuhiro, and Hirano, Masahiko New photochromic solid solution system $Pb(Ti,Zr)O_3$ modified with Pb-$(Li_{1/4}Sb_{1/4}Mo_{1/2})O_3$ (1) 25*b*.

Ohnuki, Tatsumasa See Yamamoto, Ryoichi

Ohoshima, Nobumasa See Kawarada, Hiroshi

Ohsumi, Yukihiko See Amagi, Yasuo

Ohta, Hironori See Hara, Morihisa

Ohta, Keizo See Hisatake, Keizo

Ohtaki, Hitoshi See Johansson, Georg

Ohtsuka, Atsushi Formation and color of spinel solid solutions in the CoO-ZnO-Al_2O_3-Cr_2O_3-Fe_2O_3 system (5) 113*h*.

Ohtsuka, Hitoshi See Kamiya, Shigeru

Ohtsuki, Takashi See Tomita, Akio

Oishi, Yasumichi See Ando, Ken

Ojha, S. M. See Goswami, A.

Oka, Yasuo, and Kushida, Takashi Resonance Raman scattering in CdS and ZnO by tunable dye laser (6) 140*r*.

Okabe, Taro, and Tasikawa, Eiki Method of mfg. semiconductor devices, P (2) 42*c*.

Okada, Goro See Kobayashi, Hiroshi

Okada, Takashi See Okazaki, Takeo

Okada, Toshihiro See Mada, Yoichi

Okada, Yoshihiko See Kyosai, Syunsoku

Okada, Yuji See Yoshida, Tetsuro

Okajima, Yasuharu See Furuuchi, Shigemasa

Okamoto, Eiichi See Sato, Shigehiko

Okamoto, Hiroshi, Sakata, Seizo, and Sakai, Kazuo Depth

profile of a concentration of deep-level impurities in vapor-phase epitaxial GaAs grown under various As vapor pressures (3) 69*i*; Depth profile of concentration of deep-level impurities in vapor-phase epitaxial GaAs grown under various As vapor pressures (8) 168*j*.

Okamoto, Kimihiko, and Kawai, Shichio Electrical conduction and phase transition of Cu sulfides (4) 99*j*.

Okamoto, Masahiro See Ninagawa, Chikayoshi

Okamoto, Noboru See Nishikawa, Yasuo

Okamoto, Toyoshige See Fukushige, Yasuo

Okamura, Fujio Peter, Ghose, Subrata, and Ohashi, Haruo Structure and crystal chemistry of Ca Tschermak's pyroxene, $CaAlAlSiO_6$ (10) 219*g*.

Okamura, Hisataka See Otajima, Tomiji

Okamura, Takeo See Nishikawa, Yasuo

Okano, Yokio See Mino, Masayuki

Okazaki, Atsushi, and Kawaminami, Masaru Accurate measurement of lattice constants in a wide range of temp.—use of white X rays and double-crystal diffractometry (2) 46*e*.

Okazaki, Kiyoshi, Takahashi, Koji, Suzuki, Hirosuke, and Toda, Koji Thermal diffusion of impurities injected into ceramic dielectrics (3) 70*a*.

Okazaki, Takeo, Sakakibara, Naotaka, and Okada, Takashi Hexagonal ferrites, P (3) 71*c*.

O'Keeffe, M. Ionic conductivity of Y fluoride and Lu fluoride (1) 24*h*.

Oki, Kazuo See Niwa, Shohei

Okinaka, H. See McWhan, D. B.

Okongwu, D. A., Lu, W.-K, Hamielec, A. E., and Kirkaldy, J. S. Diffusion interactions in glasses arising from discontinuities in anion concentration (3) 63*e*.

Okorokov, S. D., Sudakas, L. G., and Kopilevich, V. S. Thickening and setting of belite slurry under static conditions of storage (4) 85*e*.

Okrepkie, John, and Swiatek, Henry J. Low stretch sectional abrasive belts, P (6) 125*e*.

Okrusch, Martin, Strunk-Lichtenberg, Gustl, and Gabriel, Baldur Prehistoric pottery from Tibesti (Sahara): I, Raw materials; II, Technological development (6) 125*j*.

Okuda, Hiroshi See Ishii, Eiichi ; Tabata, Hideyo

Okuda, Susumu See Inoue, Keikichi

Okumura, Tomisaburo, Tsuchitani, Akira, and Hasegawa, Toshio IGFET with punch-through effect element, P (2) 41*g*.

Okun, L. S. See Egorov, L. P.

Okuno, Yasuo, Sato, Ken, and Nishizawa, Junichi Deep levels in GaP (8) 175*b*.

Olbricht, R. See Schellberg, F.

O'Leary, Kevin J. See Kolb, James M.

Olechowska, Anna See Popowicz, Marian

Oleszczuk, Wladyslaws See Jagodzinska, Elzbieta

Oliver, Bennie F. See Clark, Grady W.

Oliver, D. S. See Feinleib, J.

Oliver, David W. Method for producing crystal boules with extensive flat, parallel facets, P (7) 150*a*.

Oliver, J. R. See Morin, F. J.

Oliver, John C. Porcelain enamel's role ahead in the appliance market (9) 183*d*.

Oliver, M. R., Dimmock, J. O., McWhorter, A. L., and Reed, T. B. Conductivity studies in Eu oxide (7) 154*j*.

Oliver, Robert K., and Ford, George L. Calciner-preheater [rotary], P (1) 19*d*.

Olivier, James P., and Bennett, Paul S. Particle size-shape relations in Georgia sedimentary kaolins: II (7) 156*i*.

Olivier, J. P. See Javelas, R.

Olmo Gaillen, L. Del See Garcia Verduch, A.

Olsen, E. A. R. Hot-air furnaces, P (9) 194*a*.

Olsen, L. C. Electrical transport properties of graphite assuming lattice scattering (8) 175*g*.

Olson, B. L. Addition of heat recovery equipment to existing furnaces (5) 118*g*.

Olson, C. G. See Lynch, D. W.

Olson, Donald R., and Waddell, Eugene P. Division head curtain for compartmented grinding mill, P (1) 16*b*.

Olson, Eugene E. See Clendenen, Ronald L. ; Schlaudt, Charles M.

Oltenau, Doina See Neuberger, Janine

Olvert, Ronald J. See Martyny, William C.

Omar, Mohammed H. See Bishay, A. M.

O'Mara, W. C. See Ilegems, Marc

Omelova, L. F., and Troflmova, A. A. Sintering of thin 80% Ni-20% Cr alloy films (10) 210*a*.

Omori, Takao Glass used for face panels of color TV picture tubes, P (9) 186*i*.

Omoto, Tsunehiko, Inoue, Tadashi, and Aizawa, Hironori Process for the mfg. of gypsum board, P (3) 62*d*.

Omoto, Tsunehiko, Inoue, Tadashi, and Yazaki, Takanori Process for recovering Na fluosilicate from wet-process phosphoric acid, P (8) 173*i*.

Onder, Harald Device for hot-pressing of ceramic materials, P (8) 172*d*.

Ondrey, John A., and Swift, Harold E. Oxidant-catalyst mixture of Bi oxide and CrO_3-Al_2O_3, P (3) 76*b*; Metal-Te-O glass compositions and method of making, P (4) 88*a*.

O'Neill, John S., and Silverstone, Calvin E. Production of refractory artifacts, P (7) 148*f*.

O'Neill, John S., Surrall, Alan J., and Silverstone, Calvin E. Rotary heat exchangers, P (11) 228*b*.

O'Neill, Raymond J. Apparatus and method for cooling a refractory lining, P (4) 91*b*.

Onesto, E. J. See Bortz, S. A.

Ong, A. Sy, and Ellenson, T. S. Diffusion and trapping of rare gas Xe in CaF_2 single crystals (5) 115*e*.

Ong, L. A., and Pukapuu, T. R. Thyristor converter for main drive of rotary furnace (3) 62*a*.

Ono, Akira See Fujiki, Yoshinori

Ono, Mikiya See Tachibana, Kanichi

Ono, Minoru Semiconductor device having a surface parallel to the {100} plane and a channel stopper parallel to the {111} plane, P (8) 170*i*.

Ono, Minoru, and Momoi, Toshimitsu Si_3N_4 on Si oxide coatings for semiconductor devices, P (6) 133*d*.

Ono, Yoshihiro See Kato, Akio

Ono, Yoshizo See Ogura, Hirokatsu

Ono, Yoshizo, and Mitsuzuna, Tsutomu Cement expanding agent, P (10) 203*c*.

Ono, Yuichi, Ogirima, Masahiko, Kasano, Hiroyuki, and Kurata, Kazuhiro Method of preventing autodoping during the epitaxial growth of compound semiconductors from the vapor phase, P (3) 71*e*.

Ono, Yuichi, Ogirima, Masahiko, Shinoda, Toshimitu, and Kurata, Kazuhiro Method of making a hf light-emitting $GaAs_{1-x}P_x(0<X<0.6)$ diode, P (1) 14*d*.

Ono, Yuichi, Saida, Hiroji, Nonura, Masayoshi, and Naraoka, Kiyotake Method of forming a semiconductor circuit element in an isolated epitaxial layer, P (5) 115*a*.

Onoda, G. Y., Jr. See Freiman, Stephen W.

Onodera, Yutaka See Saito, Y. ; Yamashita, Tsutomu

Onuki, Kota See Uchida, Naoya

Onuki, Masami See Hayashi, Takeshi

Onbu, Tatsuo See Urabe, Kazuyori

Oomen, Joris J. C. See Vermeulen, Cornelis G.

Oonn, H. See Gorle, F.

Oosterbuis, W. T. See Viccaro, P. J.

Opalovskii, A. A. See Battanova, L. R.

Opalovskii, A. A., Fedorov, V. E., Mazhara, A. P., and Cheremisina, I. M. Reaction of Mo bromides with chalcogens (6) 140*g*.

Opalovskii, A. A., Nazarov, A. S., and Uminskii, A. A. Lamellar compounds of graphite with HF (1) 25*c*.

Opalovskii, A. A., Nazarov, A. S., Uminskii, A. A., and Chichagov, Yu. V. Lamellar compound of graphite with BrF_3 and IF_5 (4) 100*e*.

Oravitz, James L., Jr. See Dahlberg, John R.

Ordun'yan, S. S., Kudryasheva, L. V., and Avgustinik, A. I. Microhardness of nonstoichiometric solid solutions based on Zr and Nb carbides (1) 25*b*.

Ordun'yan, S. S., Vil'k, Yu. N., and Avgustinik, A. I. Structure of alloys in the system Nb-C-Re at 2000°C (9) 199*a*.

Orlin, N. A., and Petrov, K. I. Spectroscopic study of Dy perrhenate tetrahydrate (8) 179*f*.

Orlov, I. I. See Osipov, K. A.

Orlov, M. S. See Aizenberg, I. B.

Orlova, G. M. See Obraztsov, A. A.

Orlova, I. G. See Kainarskii, I. S. ; Natsenko, A. I.

Orlova, I. G., Shapiro, Ya. Z., and Gal'ko, N. V. Effect of some oxides on the crystallization of corundum whiskers from the gas phase (1) 22*i*.

Ormesher, Edward R. See Robinson, Albert S.

Ormesher, Edward R., and Yates, John A. Mfg. of flat [float] glass, P (8) 165*b*.

Ormont, B. F. See Shkol'nikov, E. V.

Orning, A. A. See Spencer, F. E., Jr.

Orr, Leighton E. See Ohlberg, Stanley M.

Orr, Robert F. Semiconductor wafer processing apparatus, P (3) 72*b*.

Orsi, A. Brichetto See Macchi, F.

Orsini, P. Giordano See Buri, A.

Orso, Francis L. See Meissner, Helmuth E.

Ortalli, I., Fano, V., and Gibart, P. ^{125}Te Moessbauer studies of some binary magnetic M_2Te-3-type semiconductors [M=Fe,Co,Ni] (11) 235*g*.

Orth, W. H. Let's give ceramic wall tile a new look (10) 209*j*.

Orthuber, Richard K. Image intensifier and method of making an electron multiplier therefor, P (6) 128*c*.

Ortmann, Erhard See Funke, Dieter

Orton, Brian Skill and knowledge sell handmades (4) 89*i*.

Orton, J. W. Measurement of geometrical transverse magnetoresistance effect in *n*-type GaAs at high temps. (2) 53*h*.

Osada, Mitsuo, Kunou, Osamu, and Nishimoto, Tatsuya Ferroelectric and piezoelectric composition, P (2) 41*j*.

Osaka Glass Industry Association Glassmelting in pot furnace by town gas combustion (4) 96*j*.

Osakabe, Kuniharu See Takata, Masanobu

Osazowski, John F. Reflectance and optical constants for Cer-Vit from 250 to 1050 A (11) 225*c*.

Osborne, Darrell W., and Flotow, Howard E. Thermodynamic investigation of trisodium U(V) oxide (Na_3UO_4): II, Heat capacity, entropy, and enthalpy increment from 5°–350°K Gibbs energy of formation at 298.15°K (2) 44*i*.

Osborne, G. A. See Bird, B. D.

Osroff, S. B., and Calvo, R. Temp. dependence of the spin-lattice interaction for Gd^{3+} in ThO_2 and CeO_2 (7) 158*h*.

Oshcherpkova, G. M., Novosadov, V. K., and Krivonos, V. N. Rapid determination of SO_3 in cement (4) 85*j*.

Oshima, Hirotoshi Study of the nonstoichiometric compounds V_2O_{3+x} (7) 158*g*.

Oshima, Katsuyuki See Kobayashi, Seihin

Oshin, V. V. See Aleksandrov, V. I.

Oshin, Vyacheslav V. See Alexandrov, Vladimir I.

Oslowski, A. Study of the hydration of a bond by measurement of the dielectric properties of the paste (1) 3*e*.

Osipenko, Nikolai T. See Dymova, Tatyana N.

Osipov, Edward V. See Pilat, Izrail M.

Osipov, K. A., Borovick, T. L., and Orlov, I. I. Films of alumina obtained by electron-beam method (2) 40*b*.

Osuka, Joyo See Urabe, Kazuyori

Ost, Borje W. Optimum sulfate content of portland cements (10) 202*g*.

Ost, Borje W., and Monfore, G. E. Penetration of chloride into concrete (10) 202*g*.

Osterheld, R. K., and Hawthorne, J. D. Liquidus diagram for the Na orthophosphate-Pb orthophosphate system (2) 53*h*.

Ostermayer, F. W., Jr. See Danielmeyer, H. G. ; MacChesney, John B.

Osteryoung, R. A. See Boxall, L. G.

Ostrikov, M. S. See Dibrov, G. D.

Ostroff, Norman See Shomitz, Nicholas

Ostrowski, Czeslaw Investigation of gypsums by NMR (7) 144*j*.

Ota, Chisato Quality of MgO clinkers (1) 10*a*.

Ota, Masatsune See Inomata, Yoshizo

Ota, Rikuo, and Kunugi, Masanaga Thermal expansion coeff. and glass transition temp. for As-Se glasses (10) 205*e*.

Ota, Rikuo, Soga, Naohiro, and Kunugi, Masanaga Elastic properties of As-Se glasses (8) 164*f*.

Otajima, Tomiji, Oya, Koichi, Nasu, Takeo, and Okamura, Hisataka Frequency discriminator with ceramic oscillator, P (3) 71*a*.

Otake, Takeshi, Toyama, Shigeki, and Uchida, Kunio Mfg. of artificial lightweight aggregate from the mud eliminated from crushed stone plants (8) 166*e*.

Otanaka, Shinichiro Chinese refractory material (aluminous shales)—record of importation and results of chemical analysis (1) 9*c*.

Otani, Sugio, and Oya, Asao C products prepared from variant pitch materials: VIII, Preparation of isotropic pitch C with a high density (7) 151*a*.

Otani, Takeo See Kadono, Atsuro ; Kimura, Morihiro

Oteo Mazo, Jose Luis See Aleixandre Ferrandis, Vincente ; Fernandez Navarro, Jose Maria

Otko, A. I., and Pelikh, L. N. EPR of Ge^{3+} in $KY(MoO_4)_2$ and $KLu(MoO_4)_2$ (11) 234*d*.

Otomo, Yoshiro, Yamamoto, Hajime, Nakano, Masaki, and Kano, Tsuyoshi Ir-excitable rare-earth oxyfluoride luminescent materials, P (2) 41*f*.

Otsuka, Hitoshi, Nohmi, Kazumasa, and Homma, Masao 40-watt fluorescent lamp, P; 20-watt fluorescent lamp, P (4) 88*d*.

Otsuka, Nozomu See Shiraki, Yoichi

Otsuka, Takashi See Nishida, Shinji

Ott, Albert Thickness measuring device for indicating the mean value of a preset number of measurements of the thickness of a layer, P (9) 193*f*.

Ott, Carl W. Welding for applications requiring porcelain enameling (10) 203*g*.

Ott, John N. Fluorescent lamp with shielded electrodes, P (2) 35*j*.

Ott, Robert E. Controlling aging and set stability in pyrolytic ground coats (11) 222*f*.

Ott, W. R. See Ganzala, Gary W.

Ottenheym, Adrian See Wuhrer, Josef

Otterson, Richard W. Fuel—now a major factor in brick supply (5) 118*j*.

Ouchi, Hiromu Raw materials for electroceramics (6) 131*j*.

Ouchi, Hiromu, Nishida, Masamitsu, and Nagano, Katsuo Piezoelectric ceramic compositions, P (3) 72*a*; Piezoelectric ceramic compositions, P (4) 94*b*.

Ouesanga, A., and Dode, M. O solubility in ZrC at 1555°C with free C in thermodynamic equilibrium (10) 218*h*.

Ouseph, P. J. See Luiskutty, C. T.

Ovcharenko, N. N. See Geguzin, Ya. E.

Ovcharenko, V. E. See Panin, V. E.

Ovechkin, F. K., Shevtsova, L. N., Voltsekhovskii, A. E., Oborneva, L. I., and et al. System Na_2S-NaOH (10) 219*g*.

Owaki, Kenichi, Kiyozumi, Kentaro, and Nakayama, Norihiko Method of mfg. of display device utilizing gas discharge, P (6) 132*h*.

Owczarek, Zdzislaw, and Woznisk, Kazimierz Synthesis of SiC in Acheson resistance furnace (3) 67*c*.

Owelmreen, G. A. See Mikhail, R. Sh.

Owen, Alan F., and Robertson, John M. Electronic conduction and switching in chalcogenide glasses (4) 86*e*.

Owen, Alex B. Resistor and method of making and trimming, P (3) 72*i*.

Owen, M. J., and Bishop, P. T. Fatigue properties of glass-reinforced plastics containing a stress concentrator (9) 184*f*.

Owens, J. M. See Adam, J. D.

Oxley, D. P., Thurstans, R. E., and Wild, P. C. Pulse experiments on electroformed MIM structures (11) 230*c*.

Oya, Asao See Otani, Sugio

Oya, Koichi See Otajima, Tomiji

Oyama, Takeji See Kobayashi, Hiroo

Oyama, Yoichi Solid solution in the system Si_3N_4-Ga_2O_3-Al_2O_3 (1) 28*a*.

Ozaki, H., Furuya, N., and Mikoshiba, N. Unified treatment of acoustoelectric instabilities in CdS (3) 82*b*.

Ozawa, Kazunori, and Takahashi, Katsumasa Single-crystal ferrite magnetic head, P (3) 192*b*.

Ozawa, Toshio Spectrophotometric determination of V with Stilbazo (1) 18*b*.

Ozeki, Yoshiharu, and Saito, Shinroku Sinter-joining of ceramic to graphite using a vibratory hot press (8) 167*h*.

Ozer, A. M. See Garlick, G. F. J.

Ozerov, R. P. See Niziol, S.

Ozhegov, P. L., Glotov, V. A., Merzlyakov, A. V., Surkov, Ye. A., and et al. Change in valence state of Fe in basalt during vaporization in a vacuum (10) 215*i*.

Pacak, Josef Batch chargers for glass tank furnaces (11) 223*g*.

Pacault, Adolphe Along the C way (11) 229*j*.

Pach, Ladislav DTA apparatus for studying equilibria of reactions $A(s) \rightleftarrows B(s) + H_2O(g)$ (11) 232*f*.

Pachevskaya, G. N. See Postnikov, V. S.

Packard, Douglas R. See Grossman, Leonard N.

Packard, Douglas R., and Marlowe, Mickey O. Ceramic defluorination and reduction process, P (9) 192*j*.

Packard, James R., Campbell, Donald A., Talt, William C., and Diersen, Gunther H. Electron beam laser, P (1) 14*a*.

Pacque, C. See Dequenne, J.

Padalia, B. D., Krishnan, V., Patni, M. J., Radhakrishnan, N. K., and et al. X-ray spectroscopic investigation of some spinel structures (1) 29*j*.

Paddock, Arnold D. See Bracken, Ronald C.

Padkova, A. See Slavkov, B.

Pado, G. S. See Tokarev, E. F.

Padovani, Piero, and Boerio, Sergio Ir burner, P (6) 135*h*.

Pae, A. Ya., Ulbo, L. Ya., and Khist, I. A. Effects during disintegrator dispersion of quartz (2) 50*h*.

Paek, Un-Chul See Saifi, Mansoor A.

Paff, R. J. See Kudman, Irwin

Paffen, Maria M. M., Appels, Johannes A., Verkuijlen, Wilhelmus H. C. G., and Kool, Else Method of mfg. a semiconductor device and device mfg. by using such a method, P (7) 150*i*.

Pagano, M. See Carrie, J. P.

Page, Derrick J. Thin-film high-voltage switch, P (7) 151*h*.

Pages, Monique, and Freundlich, W. Phases of scheelite structure in the Np molybdate and Na or Li molybdate systems (1) 26*c*.

Pagni, Patrick J., and Keck, James C. Diffusion theory for adsorption and desorption of gas atoms at surfaces (3) 77*j*.

Pahl, Philip P. See Nowak, Edward A.

Painter, G. S. See Lubinsky, A. R.

Pajaczkowska, A., and Dziuba, E. Z. Solubility of HgS, HgSe, and HgTe in Hg (2) 55*i*.

Pajares, J. A. See Albella, J. M.

Pakhomov, V. I. See Karpov, V. N.

Pal, A. K. Mechanical response of a nonuniform piezoelectric transducer with elastic compliances having damping characteristics (1) 25*i*.

Pal, D. K., and Hazra, A. K. Cutting performance of mechanically clamped throwaway square carbide tips (1) 1*d*.

Palac, Kazimir Method of processing a color CRT, P (6) 128*i*.

Palaniswamy, T., Gopalakrishnan, J., and Sastri, M. V. C. Preparation and studies of a new ammonium vanadium bronze, $(NH_4)_xV_2O_5$ (10) 218*d*.

Palatnik, L. S., Petrenko, L. G., and Volkov, Yu. A. Crystal-chemical mechanism of effect of O and PbS single-crystal film thickness on change in type of conductivity (2) 49*f*.

Palermo, Blasey T. See Duvall, Ronald N.

Palicka, Richard J. See Taylor, Kenneth M.

Pallo, John M. Rotor cooling system for a centrifugal rotary fiberizing unit, P (4) 89*g*.

Palma, G. E. See Peterson, C. W.

Palmer, Gerald G. See Kim, Chang Soo

Palmer, S. B. See Greenough, R. D.

Palombarini, G. See Poli, G.

Palz, H. See Schick, F. T.

Pammer, Erich Method of producing coatings to be used as masking, passivation, contacting, and doping layers on semiconductor surfaces, P (7) 150*a*.

Pampuch, Roman See Kwatera, Andrzej

Pampuch, Roman, Librant, Z., and Piekarczyk, J. Factors affecting sinterability of MgO powders obtained by thermal decomposition (7) 155*j*.

Pampus, Gottfried See Weisbeck, Roland

Panenkov, A. See Vulkov, V.

Pan, Edward S. See Lee, Robert E.

Pan, S. See Mollenauer, L. F.

Panagiotopoulos, N. Ch., and Brown, Ian D. Crystal structure of β-$Na_2Cr_2O_7$ (3) 77*a*.

Panasyuk, A. D. See Samsonov, G. V.

Panasyuk, P. V., and Tretyak, I. D. Thermal conductivity and thermal expansion of Li molybdate single crystals (7) 159*d*.

Panczyk, J. See Synielnikowa, W.

Pandele, Liana See Marchidan, D. I.

Pandey, S. W. Disintegration characteristics of basic steel slag—scope of its utilization (1) 2*e*.

Paneth, L. J. See Kleykamp, H.

Panieva, L. A. See Akopov, E. K. ; Moiseenko, Zh. G.

Panin, A. L. Prospective method of grinding material (4) 85*i*.

Panin, V. E., Itin, V. I., Duderev, E. E., Ovcharenko, V. E., and Kochepasov, I. I. Interdependence of activated sintering and activated recrystallization with electron structure (7) 156*b*.

Panish, M. B. Ga-As-Ge-Sn system—800°C liquidus isotherm and electrical properties of Ge-Sn–doped GaAs (9) 196*j*; Phase equilibria in the system Al-Ga-As-Sn and electrical properties of Sn-doped liquid-phase epitaxial $Al_xGa_{1-x}As$ (9) 197*c*; System Ga-As-Sn—incorporation of Sn into GaAs (9) 199*f*. See Cho, A. Y.

Panitz, P. New drying technology applied to light refractory products obtained through foaming (1) 9*h*.

Panitkin, N. V. See Voronov, I. N.

Pankove, J. I. See Yim, W. M.

Pankove, Jacques I. Electroluminescent semiconductor [Ga-N] device capable of emitting light of three different wavelengths, P (5) 114*h*. See Hawrylo, Frank Z.

Pankratov, V., Vulkova, L., and Dagnadzhieva, R. Hydraulic properties of granulated Bo-Mn blast furnace slags from the Kremikovtzi metallurgical plant (10) 202*c*.

Pankratov, V. L., Mallain, Yu. S., Ailmova, N. V., and Klishanin, N. D. Hydraulic properties of Ti blast-furnace slags (9) 182*h*.

Pankratz, John M., and Bean, Kenneth E. Liquid crystal display using a moat, integral driver circuit, and electrodes formed within a semiconductor substrate, P (2) 41*j*.

Pannetier, J. See Bernard, D.

Panouris, Peter T. See Hauser, Victor E., Jr.

Panova, S. See Stefanov, G.

Pant, A. K. See Cowley, E. R.

Pantanelli, G. P., and Lo, W. C. Optical method for measuring density of high-purity alumina ceramics (4) 96*j*.

Pantano, C. G., Jr., Clark, A. E., and Hench, L. L. Multilayer corrosion films on bioglass surfaces (10) 204*j*.

Panteleev, V. V. See Akulenok, E. M.

Panti, B. N. See Banerjee, J. C.

Panzarino, Joseph N. See Forker, Ray B., Jr. ; Grego, Peter

Paoli, Thomas L., Hakki, B. W., and Miller, B. I. Zero-order transverse mode operation of GaAs double-heterostructure lasers with thick waveguides (8) 180*a*.

Papadopoulos, K. Solubility of SO_3 in soda-lime-silica melts (2) 34*j*.

Paparoditis, C. See Llinares, C.

Paparizos, H. A., Pizzolato, P. J., and Gliozzi, J. Stabilities of some silicate minerals under approximate Venusian surface conditions (2) 56*d*.

Pape, Heinz See Goerens, Paul

Pape, Heinz, and Reinsmold, Heinz J. Apparatus for cutting [sheet] glass, P (8) 165*f*.

Pape, Juergen See Weimann, Klaus

Papen, Edward L. J. Antidirt sleeve for isostatic press, P (4) 95*h*.

Papkov, V. S. See Malinin, A. Yu.

Papkunkas, A. B. See Ryabov, V. A.

Paracchini, C. See Manfredi, M.

Parameswaran, T., and Ellis, D. E. Photoelectron and optical spectra of $TiCl_4$ and VCl_4 (3) 80*j*.

Parekh, J. P., and Ponnaqi, S. R. Dielectrically induced surface wave on a YIG substrate (8) 169*b*.

Paret, G. Use of plate-lining machines (11) 229*f*.

Parfenenkov, V. N. See Grebenshchikov, R. G.

Parfenova, N. N. See Petrov, A. A.

Parikh, Lao J., Dye, Cloyde G., and Yarsa, Frank J. Glass mfg., P (8) 165*c*.

Paris, R. A. See Cueilleron, J.

Parish, William R., Kelley, James C., Giovanetti, Albert, and Lutz, William A. Process for producing anhydrous HF from fluosilicic acid, P (1) 20*g*.

Park, Cheol Won See Sohn, Eun San

Park, Cheong Hyun See Lee, Chong Keun

Park, Hee Chan See Lee, Sou Woo

Park, Im Keun Production of pervious low-density C fiber-reinforced composite articles, P (4) 91*a*.

Park, Keum Churl Extraction of MgO from dolomite: I–III (3) 75*i*.

Park, Keum Churl, Kang, Won Ho, and Park, Suh Ho Reaction and characteristics of stabilized dolomite clinker (10) 202*j*.

Park, Suh Ho See Park, Keum Churl

Park, Young S., and Pekosh, Raymond J. Method and apparatus for grading the screen of a black surround color tube, P (2) 36*b*.

Park, Young Wan Method of leaching high-silica glass having 0.5–2.0% P_2O_5, P (5) 110*b*.

Parkash, S. Adsorption of weak and nonelectrolytes by activated C (11) 233*j*.

Parker, B., Barry, R. J., and Rutherford, J. S. Optical glass, P (4) 89*b*.

Parker, Charles C., Pulleys, Rhodes W., and Vranka, Joseph S. Method of mfg. magnetic alloy [Co-P] particles having selective coercivity, P (1) 14*h*.

Parker, Earl R. See Pickus, Milton R.

Parker, H. S. See Negas, T. ; Negas, Taki ; Waring, J. L.

Parker, J. G. Optical absorption in glass—investigation using an acoustic technique (11) 224*b*.

Parkes, J. See Elliott, E.

Parkinson, Michael J. Measuring density by beta-particle absorption, P (2) 47*a*.

Parkinson, Richard G. Ceramic disk faucet, P (9) 189*h*.

Parks, Howard L. Method of fabricating a multiwafer electrical circuit structure, P (4) 94*b*.

Parks, T. C., and Bevan, D. J. M. Mixed oxides of the type MO_2 (fluorite)-$MO_{1.5}$: VI, Phase relations in the systems CeO_2-$SmO_{1.5}$ and CeO_2-$NdO_{1.5}$ (9) 197*e*; VII, Tensimetric study of the system $PrO_{1.5}$-O_2 at low pressures (9) 197*f*.

Parnaby, J. Design of stockpile and pneumatic homogenizing systems for the control of raw meal quality (2) 45*h*.

Paromova, M. V. See Kovba, L. M.

Paros, Jerome M. Absolute pressure transducer, P (5) 117*h*.

Parris, Joseph N. Pressure molding of glass article apparatus, P (10) 207*b*.

Parshad, R. See Lal, K.

Parsons, James E. See Darwin, Charles D.

Parsons, Joseph R., and Rechter, Harold L. Refractory composition comprising coarse particles of clay or bauxite and C, P (9) 189*a*.

Parsons, Marshall F. Preheater for lime kiln, P (2) 33*a*; Vertical kiln system and process, P (2) 48*d*.

Parsons, Samuel J. See Bowles, Andrew D.

Parsons, William F. See Carnall, Edward, Jr.

Partlow, William D. See Hopkins, Richard H.

Paschal, Forrest A. See Stuart, Gerald L.

Pashaev, A. M. See Guseinov, G. D.

Pashchenko, A. A., Popov, I. V., Gimburg, E. M., and Gusev, A. I. Formation of protective coating and bonding with lining of furnace (3) 61*i*.

Pashchenko, A. A., Popov, I. V., Volovik, I. A., Ginburg, E. M., and et al. Free lime content of clinker (4) 84*c*.

Pashchenko, V. P. See Arkharov, V. I.

Pashkov, V. M. See Meriakri, V. V.

Pask, J. A. See Hoge, C. E.

Pask, Joseph A. Nature, state, and selection of ceramic materials (3) 82*d*. See Aksay, Ilhan A.

Paskov, D. See Karamanov, Zh.

Passarelli, Richard E., Jr., Chessin, Henry, and Vonnegut, Bernard Ice nucleation by solid solutions of Ag-Cu iodide (1) 24*f*.

Passmore, Edmund M., and Matheson, Wilfrid G. Method of making an improved refractory boat for metal vaporization, P (9) 188*h*.

Pastoor, Willem See Garbe, Siegfried A. E.

Pastor, H., and Meyer, R. Effect of metal silicide additions on the sintering behavior and oxidation resistance at high temp. of Ti and Zr borides (11) 226*g*.

Pastorek, Paul V. See Hamilton, Harold E.

Pate, Rayford L. Apparatus for mfg. simulated aged bricks and the like, P (1) 8*f*.

Pateau, Lucien See Morin, Denise

Patel, A. R., and Bhat, H. L. Growth of barite group crystals by the flux evaporation method (2) 52*c*; Growth of single crystals of $BaSO_4$ and $SrSO_4$ from gels (2) 52*f*.

Patel, A. R., and Patel, T. C. Some observations on network patterns on dodecahedral faces of diamond (5) 105*f*.

Patel, I. S., Schmidt, Paul W., and Ohlberg, Stanley M. Small-angle X-ray scattering study of phase separation in glasses (2) 34*i*.

Patel, Narendra, and Roberts, Bernard J. Method of forming clay articles around a compressible mandrel, P (1) 8*g*.

Patel, T. C. See Patel, A. R.

Patel, Vinod A. See Ruh, Robert

Paterno, Joseph J., Jr., Remmer, Norton S., and Lakhani, Hussain G. Segmental cutoff grinding wheel, P (7) 143*g*.

Paterson, William C. See Chapman, Dennis R.

Patil, Arvind S., Rice, Rip G., and Kraus, John W. Process for preparing vermiculite permselective membranes, P (6) 136*c*.

Patino, C. See Ferro, C.

Patni, M. J. See Padalia, B. D.

Patrick, Lyle Kohn-Luttinger interference effect and location of the conduction-band minima in 6H SiC (7) 156*f*; Interpretation of Dean and Hartman's 6H SiC magnetooptical data—comments (8) 177*i*.

Patrick, Lyle, and Choyke, W. J. Photoluminescence of radiation defects in ion-implanted 6H SiC (7) 157*a*; Efficient luminescence centers in H- and D-implanted 6H Sic (9) 195*d*.

Patrick, Ralph E., Kanecak, Ronald A., and Kovach, Stephen M. H transfer catalyst, P (11) 233*e*.

Patrina, I. B. See Ioffe, V. A.

Patterson, E. See Lewis, M. F.

Patterson, J. W. See Choudhury, N. S.

Patterson, M. M. Coated abrasives replace pickling (5) 107*c*.

Patton, Carl E., and Kohane, Theodore Ultrasensitive technique for microwave susceptibility determination down to 10^{-5} (1) 18*e*.

Patton, Carl E., and Van Hook, H. J. Microwave loss in ultra-low-linewidth substituted garnets (3) 80*g*.

Patzak, Ingeborg, and Konopicky, Kamillo Study of structure, inversions, and thermal expansion characteristics of tridymite based on the concept of lattice disorder (1) 28*b*.

Patzias, T. Statistical quality control (4) 104*b*.

Pauillac, Andre See Prost, Lucien

Paul, A. Fe-Se black glass (5) 109*a*. See Banerjee, Subrata ; Mohapatra, S. K.

Paul, A., and Tiwari, A. N. Optical absorption of Pt(IV) in Na_2O-B_2O_3 and Na_2O-NaCl-B_2O_3 glasses (4) 87*g*.

Paul, D., and Takano, S. Anharmonic vibrational properties of impurities in alkali halide crystals (7) 154*d*.

Paul, David E., and Hough, Lloyd M. Method of making alumina refractory grain, P (7) 148*b*.

Paul, Keith T., Gale, George M., and Humpidge, Richard T. Apparatus for determining the processing characteristics of plastic-type materials, P (8) 172*c*.

Paulavicius, A., Tolutis, V., and Jaustis, V. Electron-microscopic and electron diffraction studies of the formation of $CdIn_2Te_4$ thin films (8) 176*a*.

Paulin, R. See Cousnot, Gerard

Paulsen, Uwe See Korn, Ronald

Paulus, M. See Lacour, C.

Pautrat, J. L. See Caplain, A.

Pavelay, A. J. See Hawkley, B.

Pavlik, Norman M. Nonreactive refractory separating coatings [Al_2O_3] for electrical steels, P (7) 145*f*.

Pavlov, Tr., Dafov, G., Khubavenski, N., Tsonev, Ts., and et al. Production of high-quality clinker from Bulgarian raw materials for the mfg. of refractory bodies (11) 227*f*.

Pavlov, V. I. See Zil'bershtein, A. Kh.

Pavlov, Vl., Smoleva, D., and Punevski, Iv. Physical and mechanical properties of ceramic-grade vermiculite (11) 235*a*.

Pavlova, I. S., and Khranova, V. A. Mfg. of glass mosaic plates by powder pressing (1) 5*g*.

Pavlova, S. A. See Mokhosoev, M. V.

Pavlova, S. A., and Mokhosoev, M. V. Double tungstates of Ga with Rb and Cs (7) 154*f*.

Pavlova, Yuliya See Borisov, Ivan

Pavlovski, B. See Shapunov, P.

Pavlushkin, Nikolai M. See Bondarev, Konstantin T.

Pavlyuchenko, M. M. See Prokudina, S. A.

Pavone, D. See Baker, Floyd B.

Payer, Stephen F. See Klein, Gerald I.

Payne, Richard S., and Scavuzzo, Robert J. Bipolar transistors

and method of mfg., P (1) 13*e*.

Pazin, A. V., and Borisova, Z. U. Effect of low-temp. annealing on electroconductivity of glasses of the systems Sb(As)-Ge-Se (9) 184*g*.

Pazin, A. V., Obraztsov, A. A., and Borisova, Z. U. Glasses in the system Ge-Se-Te (9) 184*i*.

Pazin, N. A. See Andreev, A. Ya.

Pencor, D. R. See Evans, B. J.

Penk, D. See Weigel, C.

Pearce, Reginald J. See Thompson, Michael R.

Pearlman, D., Carnall, E., Jr., and Martin, T. W. Preparation of hot-pressed chalcogenide spinels (2) 40*h*; Chalcogenide spinel powders, P (3) 70*e*; Preparation of hot-pressed chalcogenide spinels: II, Stoichiometry and optical transparency in $CdCr_2S_4$ and $CoCr_2S_4$ (10) 210*f*.

Pearlman, Donald See Carnall, Edward, Jr.

Pearlman, Samuel See Mayaud, Edith E.

Pearne, Frank S. Clay pipe fitting (Y) molding apparatus, P (1) 8*g*.

Pearse, Thomas R., and Allison, John S. Tiling of roofs, P (2) 37*f*.

Pearson, A. David See French, William G. ; Kaiser, P.

Pearson, G. L. See Brehm, G. E.

Pearson, Ronald F. See Lacklison, David E.

Pebler, Alfred R. See Yannopoulos, Lymperios N.

Pechkin, O. Ya. See Dibrov, G. D.

Pechkovskii, V. V. See Berezina, M. I. ; Kuz'menkov, M. I.

Peckham, G. E. See Saunderson, D. H.

Pecoraro, George A. Method of making float glass, P (9) 186*g*.

Pedersen, Herbert N. See Gordon, Norman R.

Pedrini, C., Boulon, G., and Gaume-Mahn, F. Bi^{3+} and Pb^{2+} centers in alkaline earth antimonate phosphors (11) 234*a*.

Peek, Roy C. See Nichols, Gary D.

Peeles, J. G. J. Microstructural influences on the optical properties of ceramic materials (11) 235*d*.

Peercy, P. S. See Samara, G. A.

Peercy, P. S., and Morosin, B. Pressure and temp. dependences of the Raman-active phonons in SnO_2 (8) 178*d*.

Peetz, Dieter See Jochim, Friedrich

Pehkonen, S. Diffusion of Br^- ions in KCl-KBr mixed crystals (2) 50*j*; Spinodal decomposition of equimolar NaCl-KCl mixed crystals (2) 56*c*.

Pei, Yu. K. Method for forming glass-ceramic articles, P (9) 186*g*; Apparatus [mold] for forming glass-ceramic articles, P (10) 205*h*; Method of making glass-ceramic pump parts, P (10) 206*e*. See Keefer, George E.

Peichil, Vasalie L. See Hammond, Donald L.

Pekosh, Raymond J. Method for cleaning the sealing land of a CRT faceplate panel, P (1) 7*h*. See Park, Yong S.

Peleg, M., and Alcock, C. B. Mechanism of vaporization and the morphological changes of single crystals of Al_2O_3 and MgO at high temps. (9) 197*c*.

Pelevin, O. V., Voronkov, V. V., Girich, B. G., and Mil'vidskii, M. G. Interaction of impurities in GaAs at the melting point (8) 177*h*.

Pelikh, L. N. See Otko, A. I.

Pelissier, J., Silvestre, G., and Lombard, L. Neutron irradiation behavior of the compound U_3Si—electron microscopy and diffraction (8) 171*d*.

Pellett, Fred G., Richards, Raymond S., Rough, Robert R., St. John, Douglas F., and et al. Method [shearing and centrifuging] for rapidly melting and refining glass, P (10) 206*h*.

Pelous, Gerald P. See Teszner, Stanislas

Pelton, A. D., and Schmalzried, H. Geometrical representation of phase equilibria (2) 52*c*.

Pel'ts, S. D., Sbrvalov, L. A., Ivanov, N. R., and Chingina, Yu. A. Pyroelectric effect in $LiH_3(SeO_3)_2$ and $LiD_3(SeO_3)_2$ crystals (9) 198*d*.

Peltz, Hanns H. Method of contacting a semiconductor body having a plurality of electrodes utilizing sheet metal electric leads, P (7) 149*i*.

Pelyashek, I. See Demyanyuk, M.

Pendleton, Frank P. Apparatus for classification of particulate materials, P (9) 194*g*.

Peng, Syd S. See Thill, Richard E.

Penkin, V. I. See Kholopova, L. I.

Penkova, V. G. See Slobodin, B. V.

Pennachetti, John T., and Boux, Joseph F. Process for the treatment of fly ash, P (3) 62*e*.

Pennell, A. R., and Watson, D. Design and performance of continuous blending systems for the homogenization of cement raw materials (2) 31*i*.

Pennell, Ronald C. See Hays, Robert G.

Pennington, Fred A. Apparatus for removing samples of particulate materials from an endless belt conveyor, P (6) 134*h*.

Pennington, Keith S. See Lean, Eric G.

Penquite, Charles R. See Roth, James F.

Pentagova, M. V. See Tomashpol'skii, Yu. Ya.

Penton, Jack I. See Harlow, Justin E., III

Pepper, Michael Memory elements [FAMOS], P (3) 71*i*. Electron injection into SiO_2 from an avalanching *pn* junction (9) 190*f*.

Pepper, Roger T., and Kendall, Ernest G. Metal-impregnated graphite fibers and method of making, P (3) 67*e*.

Pepperl, Ruediger See Krueger, Uwe

Peppler, Richard B., and Ronkopf, Philip A. Cement set accelerator, P (2) 32*h*; Portland cement and additives therefor, P (5) 107*a*.

Pepplinkhouse, H. J. See Tauber, E.

Percival, H. J., Duncan, J. F., and Foster, P. K. Interpretation of the kaolinite-mullite reaction sequence from ir absorption spectra (3) 79*i*.

Pere, Gerard Supports for large-diameter drums and drive means to rotate the drums, P (10) 213*i*.

Perekalina, T. M., Zheludev, I. S., Smirnovskaya, E. M., Fontos, S. S., and et al. Effect of strong electric field on magnetic anisotropy of Y ferrite garnet (9) 195*c*.

Perelyaev, V. A. See Zubkov, V. G.

Pereman, Gordon F. [Sheet] glass cutting device, P (8) 166*h*.

Perepelitsyn, V. A. See Bron, V. A.

Peresaid, P. P. See Rollefson, R. J.

Peretti, Enrico, and Kramer, Piet Electric incandescent lamp for serial connection provided with a short-circuit mechanism acting as a fuse at the same time, P (7) 146*j*.

Pereverseva, L. P., and Poplavko, Yu. M. Dispersion of the dielectric constant of triglycine sulfate near the phase transition (3) 78*c*.

Pereyron, Albert See Guth, Jean L.

Perez, Guy See Maraine-Giroux, Colette

Perfilova, R. V. See Fedorov, P. I.

Perlaet, G. See Fabre, M.

Perkins, Kenneth D. See Eccleston, William

Perlman, I. See Bowman, H. R.

Perlman, S. S., and McCusker, J. H. Adaptive ferroelectric transformers with improved temp. characteristics (5) 113*h*.

Perlstein, Jerome H. See Fogle, William

Perova, E. B., Samoilenko, A. A., Spiridonov, F. M., and Komissarova, L. N. Phase equilibria in the system HfO_2-Yb_2O_3 (4) 101*j*.

Perrington, Kenneth J., Vogelgesang, Peter J., and Knudsen, James K. Dual-layer magnetic recording tape, P (2) 41*g*.

Perrotta, A. J., and Young, J. E., Jr. SiO_2-free phases with mullite-type structures (10) 219*b*.

Perry, Anthony J. See De Lamotte, Emmanuel

Perry, C. H. See Lowndes, Robert P.

Perry, C. H., Wilson, L. K., and Kleser, D. L. Quantitative determination of oxidation state in binary transition-metal-oxide glasses (6) 127*j*.

Perry, Harry Coal conversion technology (10) 213*e*.

Perry, J. R., and Duridge, R. W. Influence of microstructure on the strength of alumina (2) 52*g*.

Perry, Jack I. Apparatus for selecting the release point in a 90° sweepout for a glass-forming machine, P (7) 146*i*.

Perry, Walter M. Forming unit [centrifugal] for fine mineral fibers, P (5) 109*f*.

Perry, Walter M., and Perry, Walter S. Bypass fiber collection system, P (11) 225*c*.

Perry, Walter S. See Perry, Walter M.

Persbin, S. V. See Breusov, O. N.

Persin, A. See Persin, M.

Persin, M., Persin, A., Popovic, S., and Celustka, B. Properties of GaSe thin films formed by the three-temp. method (11) 230*a*.

Person, W. B. See Sanders, D. M.

Persson, Eric J. See Chayka, George A.

Perte, Eugenia See Macarovici, Const. Ch.

Pervozvanskii, A. A. See Vil'chevskii, N. O.

Pesigan, Josefa S. See Pigao, Concepcion G.

Peters, Arnd Glass ampoules (7) 145*c*.

Peters, E., and Loewen, F. Pressure leaching of Cu minerals in perchloric acid solutions (10) 214*g*.

Peters, Frank G., and Schwartz, Newton Capacitor with anodized electrode of Ta-Si alloy, P (5) 114*e*; Thin-film resistor comprising sputtered alloy of Si and Ta, P (6) 133*f*.

Peters, H. See Grim, G.

Peters, Hans D. See Kuhlmann-Schaefer, Wilhelm H.

Peters, Thomas E. Tb-activated Y silicate phosphors, P (1) 15*d*.

Petersen, P. E. Photoeffects in K tantalate (8) 178*h*.

Petersen, Svend A. Binder applicator movable support apparatus and method [glass fiber], P (10) 205*j*.

Petersen, Svend A., and Gesson, Samuel R. Apparatus for processing wound strand from filament-forming materials, P (3) 64*b*.

Petersen, Walter A. Welding material, P (3) 63*a*.

Peterson, C. W., and Palma, G. E. BeO as a window in the vacuum uv (9) 194*e*.

Peterson, Dale See Johnson, Don M.

Peterson, G. E. See Kurkjian, C. R.

Peterson, Orrin M. See Hardy, Paul W.

Peterson, Warren S. See Gamble, Elton S.

Petitt, G. A., and Forester, D. W. Moessbauer study of Co-Zn ferrites (6) 139*b*.

Petkov, G. See Levcheva, Khr.

Petkovic, J., and Ristic, M. M. Influence of the specific surface area on the sintering of alumina powders (2) 52*i*; Role of the surface in initial sintering stage (7) 157*e*.

Petrak, D. R., Ruh, Robert, and Atkins, G. R. Mechanical properties of hot-pressed B suboxide and B (10) 208*a*.

Petrakovskii, G. A. See Protopopova, L. M.

Petraru, P. See Rezlescu, Nicolae

Petreuko, L. G. See Palatnik, L. S.

Petretis, B. See Montrimas, E.

Petri, L. See Dragomir, C.

Petrik, A. G. See Levinzon, D. I.

Petrillo, G. Theoretical-practical considerations of the arc furnace operating system (3) 67*g*.

Petro, James See Rively, Clair M.

Petroff, Y. See Yu, Peter Y.

Petros, Jiri See Rejc, Rudolf

Petrosyan, A. G. See Markosyan, E. A.

Petrov, A. A., Petrov, M. P., Smolenskii, G. A., and Parfenova, N. N. Nuclear transverse relaxation of rare-earth ions in some garnet ferrites (2) 54*a*.

Petrov, G. T. See Shapkin, V. V.

Petrov, K. I. See Fomichev, V. V. ; Orlin, N. A.

Petrov, K. I., Golovin, Yu. M., Abdullina, N. G., Gritik, A. A., and et al. Vibration spectra of the rare earth thiosulfates (1) 29*h*.

Petrov, K. I., Golovin, Yu. M., Varfolomeev, M. B., and Remennik, E. M. Ir spectra of the rare-earth selenites (7) 156*a*.

Petrov, K. I., Gundobin, N. V., Kravchenko, V. V., and Plotkin, S. S. Ir spectra of the rare earth orthotantalates (9) 196*j*; Ir spectroscopic study of the rare-earth orthoniobates (10) 217*e*.

Petrov, M. P. See Petrov, A. A.

Petrov, R. A. See Protopopova, L. M.

Petrov, V. M. See Groznov, I. N.

Petrova, A. See Dochev, Ya.

Petrova, M. See Babachev, G.

Petrovic, V. See Katanic-Popovic, J.

Petrovskaya, M. L. See Yudin, D. M.

Petruzella, James Smoothly beveled semiconductor device with thick glass passivant, P (9) 192*c*.

Pett, Edgar A., and Kinney, Gordon Process for the mfg. of microcrystalline fused abrasives, P (5) 105*j*.

Pettee, George H. See Bosma, Robert W.

Pettersen, Howard E. Ratios of strain-optical constants of alkali halides by an ultrasonic technique (9) 198*f*.

Petticrew, Richard W. Art of producing inorganic bodies having at least a surface layer which is semicrystalline, P (1) 6*j*.

Petitcollin, Jean M. See Nedelec, Maurice

Petushkova, S. M. See Kuznetsov, V. G.

Petushkova, S. M., Kuznetsov, V. G., Tananaev, I. V., and Samoilova, S. X-ray study of the tripolyphosphates of Er and Yb (4) 104*g*.

Petzi, F., and Moser, A. Kilns for firing ceramically bonded grinding wheels (1) 19*a*.

Petzow, G. See Exner, H. E.

Pfahnl, Arnold See Keller, Harry N.

Pfaue, Johannes, and Schmidt, Jochen High-pressure metal vapor discharge lamp [of Al_2O_3] with tubular current Pb including filler release construction, P (11) 230*d*.

Pfeiffer, E. See Rossman, H.

Pfeiffer, John C. Device for testing semiconductors and other electrical components, P (11) 230*i*.

Pfister, J. C. See Caplain, A.

Pflipsen, Heinz-Dieter See Hoeffken, Erich

Pfuhl, H. Mfg. of flatware in the fine ceramic industry (11) 228*g*.

Phaneuf, Roland A. Apparatus for forming a doubly clad glass monofiber element having a low-viscosity outer cladding, P (1) 6*i*; Method for forming a doubly clad glass monofiber element having a low-viscosity outer cladding, P (1) 7*e*.

Pharo, Wellington B. See Glendinning, William B.

Phatak, D. B. See Athani, V. V.

Phelps, G. W. Colloidal chemistry of ceramic clays (6) 137*f*.

Philadelpheus, A. Th. See Euthymiou, P. C.

Philander, Herbert C. Removable refractory furnace cover, P (4) 91*c*.

Phillips, J. C. Chemistry of high-temp. superconductivity in the NbN family (3) 76*d*.

Phillips, J. Craig See Cahn, David S.

Phillips, K. See De Lamotte, Emmanuel

Phillips, L. F. See Ferguson, A. M.

Phillips, Richard A. See Chern, Mao-Jin

Piacente, V., Bardi, G., Malaspina, L., and Desideri, A. Dissociation energy of CeO_2 and Ce_2O_2 molecules (8) 175*e*.

Pialoux, A. X-ray diffraction study of UO_2 reduction by C (10) 212*d*.

Piatti, G., Kellerer, H., and Geel, C. Nucleation and growth of strain-induced voids during the high-temp. creep of Al-Al_2O_3 (3) 80*b*.

Picard, Joseph A. Material coating with programmable robots (11) 222*i*.

Piccolo, Luigi, and Calcagno, Benedetto Process for preparing Al trichloride, P (1) 20*f*.

Piccolo, Luigi, Calcagno, Benedetto, and Ghirga, Marcello Method for preparing $TiCl_4$, P (6) 136*j*; Process for the mfg. of TiO_2 pigments, P (9) 194*i*.

Pickar, Kenneth A. See Amelio, Gilbert F.

Pickard, J. See Cartledge, T.

Pickard, John See Melling, Richard

Pickard, John, and Cartledge, Thomas Press bending of glass sheets, P (1) 8*b*.

Pickert, Paul E. Hydrocarbon conversion processes using supersiliceous zeolites as catalysts, P (2) 48*j*.

Pickus, Milton R., Parker, Earl R., and Zackay, Victor F. Method of mfg. a ductile superconductive material, P (10) 211*g*.

Piconi, C. See Ferro, C.

Piekarczyk, J. See Pampuch, Roman

Piekarczyk, W., Gazda, S., and Nieuwski, T. Growth of ZnO crystals by chemical transport method (2) 52*g*.

Pieper, Christian See Fischer, Wilhelm A.

Pieper, Th. Environmental protection and industry (8) 180*b*.

Pierce, J. W., and Goodenough, J. B. Structure of orthorhombic $V_{0.95}Cr_{0.05}O_2$ (7) 158*g*.

Pierce, Joe T., and Stephens, Craig P. Process for fabricating vidicon tube target having a high-resistance sputtered semi-insulating film, P (2) 43*a*.

Pierce, Richard H. Process for preparation of agglomerated hydrated alkali metal silicate glass particles, P (5) 110*e*.

Pierce, Timothy E. See Meissner, Helmuth E.

Pierson, H. O. See Granoff, B.

Pigao, Concepcion G., and Pesigan, Josefa S. Production of MnO_2 from Mn ores (10) 214*i*.

Pihlajavaara, S. E., and Pihlman, Esko Effect of carbonation

on microstructural properties of cement stone (7) 143*h*.

Pihlman, Esko See Pihlajavaara, S. E.

Pike, G. E. Ac conductivity of Sc oxide and a new hopping model for conductivity (8) 174*b*.

Pilat, Izrail M., Samoilovich, Anatoly G., Sollichuk, Kornel D., and Osipov, Eduard V. Zn-Cd antimonide single-crystal anisotropic thermoelement, P (5) 115*d*.

Pilato, Joseph M. See McDaniel, Carl V.

Pillard, Marcel T. Burners for liquid or gaseous fuels; Burning liquid fuels, P (4) 97*b*.

Piltz, G. Possible processing of clays with gas-forming components for the mfg. of ceramic building materials (2) 37*a*; Use of optimum firing curve for ceramic firing (3) 74*g*; Influence of raw clay components on the quality characteristics and potential applications of brick and tiles (8) 166*d*.

Piltz, G., and Hesse, E. Research into the effect of wet and dry slip coating and of the density of the clay slip suspension on the frost resistance levels of clay roofing tiles (3) 66*d*; Suitability of colliery wastes for the production of expanded clay (8) 162*f*.

Piltz, G., and Hilker, E. Suitability of colliery wastes as a raw material for brickmaking: I–II (8) 166*h*; Suitability of colliery wastes as a raw material for brickmaking: III (9) 187*i*.

Piltz, G., and Schmidt, Heinz Effect of various minerals on frost resistance of brick and tile (3) 65*j*.

Pimper, Stanislav Bending of horizontal Mo electrodes in glass melts (11) 223*g*.

Pinaev, G. F. See Berezina, M. I.

Pincoffs, Peter H. See Bozanic, Donald A.

Pincus, Alexis G. See Ali, Mir Akbar ; Freiman, Stephen W.

Pinczuk, A. "Soft" optical phonons and the morphotropic phase transition of the $Pb(Ti_{1-x}Zr_x)O_3$ system (1) 27*j*.

Pine, A. S. See Kanarek, K. B. ; Korn, D. M.

Pine, A. S., and Dresselhaus, G. Raman scattering in paratellurite, TeO_2 (7) 157*g*.

Pings, C. J. See Wignall, G. D.

Pinkas, E. See Casey, Horace C., Jr. ; Miller, B. I.

Pinkas, E., Miller, B. I., Hayashi, Izuo, and Foy, P. W. GaAs-$Al_xGa_{1-x}As$ double heterostructure lasers—effect of doping on lasing characteristics of GaAs (3) 69*g*.

Pinnow, Douglas A. See Buhite, Paul H. ; See MacChesney, John B.

Pinnow, Douglas A., Van Uitert, L. G., and Williams, John C. Optical transmission line, P (4) 89*b*.

Pinnow, Roy L. See Giesfeldt, William O.

Pinto, H. See Gorodetsky, G.

Piotrowski, P. See Hopkins, R. H.

Pipinys, P. See Kedavicius, V.

Pirlon, B. Survey on emission factors (5) 123*a*.

Pirk, Hans See Tillessen, Ulrich

Pirooz, Perry P. Glass-ceramic and method for making, P (4) 88*e*; Glasses suitable for production of Cu-coated glass-ceramics, P (8) 165*e*.

Pirs, J. See Blinc, R.

Pisarevskii, Alexandr M. See Nikol'skii, Boris P.

Pisarevskii, Yu. V., and Sil'vestrova, I. M. Light scattering by elastic waves of optically biaxial crystals (4) 100*f*.

Pishchik, V. V. See Bagdasarov, Kh. S.

Pitkethly, Robert C. See Groszek, Aleksander J.

Pitocco, P. Standard operating costs and production budget for a firm mfg. sanitary ware (7) 148*h*.

Pitsyuga, V. N., Mokhosoev, M. V., Zayats, M. N., and Frantsuzova, T. E. Tungstates of Mn(II) (11) 236*j*.

Pitt, Richard E. Method and means for strand filament dispersal, P (2) 36*f*.

Piva, Roland Self-cleaning enamels (8) 163*j*.

Pizzarello, Frank Investigation of the surface acoustic wave properties of heteroepitaxial ZnO layers on Al_2O_3 (4) 92*f*.

Pizzolato, P. J. See Papazian, H. A.

Plakhov, G. F. See Tseitlin, M. N.

Planey, William B. Guard ring mesa construction for low- and high-voltage *npn* and *pnp* transistors and diodes and method of making, P (3) 71*b*.

Plank, Charles J., and Rosinski, Edward J. Process for preparing a crystalline aluminosilicate zeolite, P (10) 215*a*.

Plank, David C. See Shaffer, Paul D.

Plankenhorn, W. J. Test methods and standards for porcelain enamel products (11) 223*b*.

Plassmann, J. Profitability of prefabrication plant installations for prefabricated brickwork construction (5) 110*i*.

Platon, F. See Boisson, J.

Platonov, A. N. See Tarashchan, A. N.

Platt, Richard O. Weighed charge system for a brick press, P (9) 189*c*.

Platter, Sandford See Wesson, Richard A.

Platter, Sanford Nonrotational constant film thickness, complete step coverage evaporation system, P (7) 150*d*.

Platts, D. R. See Gruver, Robert M.

Platts, Dennis R. Method of sintering fused-silica ceramic for strengthening it, P (5) 110*c*.

Platzoeder, Karl Thyristor with short-circuiting ring, P (1) 15*e*. See Voss, Peter

Platzoeder, Karl, and Voss, Peter Thyristor with means for internal breakthrough, P (3) 72*d*.

Plenevaux, A. See Leger, Lucien

Plenkaev, I. A. See Sonin, A. S.

Pletka, B. J., Mitchell, T. E., and Heuer, A. H. Dislocation structures in sapphire deformed by basal slip (10) 216*b*.

Plicque, F. See Michard, F.

Ploog, K. See Amberger, Eberhard

Ploog, K., and Amberger, Eberhard C induced lattices in B: I-tetragonals $(B_{12})_4B_2C$ and $(B_{12})_4B_2C_2$ (5) 119*i*.

Plotkin, S. S. See Petrov, K. I.

Plotkin, S. S., and Plyushchev, V. E. Reaction of Nb_2O_5 with sesquioxides of Ga and In (9) 198*i*.

Plotkin, S. S., Plyushchev, V. E., and Moiseeva, L. S. Reaction of Nb_2O_5 with trivalent Tl oxide (1) 27*b*.

Plourde, J. K. See O'Bryan, H. M., Jr.

Pluchery, M. X-ray diffraction measurement of anisotropy of pyrocarbon on fuel particles for high-temp. reactors (6) 133*a*.

Plumat, E. Fabrication of curved glass sheets, P (1) 7*d*; Nonoxide glass, P (3) 65*a*; Surface coating of chemically tempered vitreous bodies, P (5) 110*g*; Glass progress in Belgium: I–II (6) 127*b*. See Brichard, Edgard

Plumat, E., Schottey, Jean, and Bandin, Pol [Chemical tempering] method of making flexed glass composite article, P (11) 225*d*.

Plumat, E., van Laethem, Robert, and Toussaint, Francois Fabrication and chemical tempering of vitreous products, P (3) 64*h*.

Plumat, Emile, and Toussaint, Francois Method for preparing vitreous body by diffusion of ions through a coating layer, P (10) 206*g*.

Plyushchev, V. E. See Fomichev, V. V. ; Plotkin, S. S.

Plyushkin, M. Z. See Buravlev, T. T.

Pobedimskaya, E. A. See Nadezhina, T. N.

Poch, Wingolf Hardness tests on gypsum materials using a ball-impact tester (5) 117*g*.

Pocius, Z. See Viscakas, J.

Pocker, D. J. See Hruska, S. J.

Podkletnov, Evgeny N. Method and device for drying enamel slip on inner surfaces of pipes, P (10) 203*h*.

Podoserskaya, E. A. See Andreeva, M. I.

Podschus, Ernst Process for the mfg. of colloidal fibrous boehmite, P (6) 136*b*.

Podurets, M. A. See Al'tshuler, L. V.

Poeppel, R. B. See Michels, L. C.

Poferl, David J., Gardner, Nelson C., and Angus, John C. Growth of B-doped diamond seed crystals by vapor deposition (9) 196*f*.

Pegge, Hans B. See Boss, David W.

Poindessault, R., Gendron, F., Auzary, C., and Bataillet, G. Influence of ir illumination on moving high field domains in single-crystal films of ZnSe(Cu,Ga) (11) 234*h*.

Poix, Paul See Nogues, Marc

Pokhodenko, V. N., Fedoryako, L. L., Tselik, I. N., and Sheka, I. A. Properties of basic Zr carbonate (4) 101*f*.

Polata, Bohumil High-voltage planar diode structure and method, P (2) 41*d*.

Poli, Albert A. See Bossart, Clayton J.

Poli, G., Zappacosta Girondi, F., and Palombarini, G. Determination of thickness and refractive index of nonabsorbing films over absorbing substrates—SiO_2-Si system (10) 209*i*.

Polidoro, A. Nonatmospheric gas burners, P (4) 97*f*.

Polishchuk, A. V. See Shorina, L. L.

Politan'ska, U. See Vol'ski, V.

Polk, D. E. Dense random packing of hard spheres of two different sizes (8) 175*c*. See Turnbull, D.

Polkhovskaya, T. M. See Esayan, S. Kh. ; Meleshina, V. A.

Pollard, Kenneth R. See Probst, Richard O.

Pollard, Leslie J. See Stewart, Donald F.

Polleys, Rhodes W. See Parker, Charles C.

Pollifrone, G. G., and Ravaglioli, A. Clays--genetic, mineralogical, and physicochemical characteristics (8) 173*b*.

Pollitzer, Ernest L. Hydrocarbon conversion catalyst, P (2) 48*j*.

Pollock, E. Kears, and Umbel, Forrest K. Controlled glass mfg. process, P (4) 87*i*.

Pollock, J. T. A. See LaBelle, H. E., Jr.

Polozok, N. V. See Alekseeva, Z. D.

Polyakov, Evgeny V. See Vereshchagin, Leonid F.

Polyakov, V. V. See Ryabov, V. A.

Polyakov, Yu. I. See Lishenko, L. G.

Polyanskaya, T. M., Borisov, S. V., and Belov, N. V. Role of analysis of intercationic distances in O compounds with heavy cations (high atomic numbers) (5) 122*j*.

Polzikov, S. D. See Smirnova, N. L.

Pomerantz, M., Grossman, S., and Koo, J. Temp. dependence of attenuation of 3- and 9-GHz ultrasound in rutile (TiO_2) (9) 199*g*.

Pomfret, D. G. See Morton N.

Pompei, Jean, and Le Vacon, Yannick Method of determining the thickness of a layer of dielectric material during its growth, P (4) 94*a*.

Ponangi, S. R. See Parekh, J. P.

Ponomarev, I. F., Grach'yan, A. N., Rotych, N. V., and Tararin, V. K. Influence of nitrite-nitrate additions on clinker formation and the properties of white portland cements (7) 144*h*.

Ponichour, Chaon See Anugul, Surang

Poole, Charles P., Jr. See Nicklin, R. C.

Poole, D. M. See Bishop, H. E.

Pooley, F. D. See Prasad, N. A.

Pope, Alfred H. Trouble shooting cleaning operations (10) 203*f*.

Pope, Bill J. Plural molded diamond articles and their mfg. from diamond powders under high temp. and pressure, P (10) 201*g*.

Pope, J. M., and Radford, K. C. Blending of UO_2-ThO_2 powders (10) 211*i*.

Popescu, C. See Croitoru, N.

Popescu, F. See Lungu, S.

Popescu, I. C. See Liteanu, C.

Popescu, I. C., Liteanu, C., and Clovirnache, V. Characterization of ceramic ion-selective membrane electrodes: IV, Influence of conditions for obtaining Ag_2S membrane on the working of the Ag^+-selective membrane electrode (2) 49*j*.

Popescu-Hus, D. See Solacolu, S.

Popkov, A. F. See Zvezdin, A. K.

Poplavko, Yu. M. See Knyazev, A. S. ; Meriakri, V. V. ; Pereverzeva, L. P.

Poplavko, Yu. M., Meriakri, V. V., Aleshechkin, V. N., Tsykalov, V. G., and et al. Dielectric spectrum of Li niobate (2) 50*i*.

Poplawsky, R., Showalter, Alan, Wang, S., and Hsu, Ta Lin Spin standing waves and magnetic anisotropy in YIG (2) 56*d*.

Popma, T. J. A., van Diepen, A. M., and Robertson, J. M. Pb substitution in YIG (8) 177*a*.

Popolitov, V. I. See Tseitlin, M. N.

Popoviak, Michael R. See Keenan, William A.

Popov, Alexei N. See Mikhailov, Viktor V.

Popov, E. S. See Dontsova, L. I.

Popov, I. V. See Pashchenko, A. A.

Popov, V. V. See Safronov, G. M.

Popova, El. See Bozadzhiev, L.

Popova, Ek., and Berova, S. Complexometric determination of ZnO in K crystal glass (10) 203*j*; Titrimetric determination of ZnO in K crystal glass (11) 225*h*.

Popova, O. S. See Barvinok, M. S.

Popova, Valentina A. See Mikhailov, Viktor V.

Popovic, D., Stamenkovic, I., Eric, T., Budimir, I., and et al. Firing process in the mfg. of magnesite and chrome-magnesite refractories (5) 111*j*.

Popovic, S. See Persin, M.

Popovics, Sandor Numerical approach to the complete stress-strain curve of concrete (2) 32*g*.

Popowich, Michael J. Compositions for stable low-resistivity resistors, P (10) 210*c*.

Popowicz, Marian, Berak, Josef M., and Olechowska, Anna Preparation and properties of active alumina (5) 121*j*.

Porai-Koshits, E. A. (Editor) Structure of Glass, Vol. 8: Phase-Separation Phenomena in Glasses, B (6) 142*h*.

Porai-Koshits, M. A. See Nefedov, V. I.

Poroshina, I. A. See Berger, A. S.

Porotikov, A. P., and Luft, B. D. Crystallization of Se films under the action of organic substances (1) 12*h*.

Porst, Alfred See Burtscher, Joachim ; Voss, Peter

Porta, P., and Valigi, M. Magnetic and optical investigation of Mg_6MnO_8 (2) 53*b*.

Porter, R. J. See Burgess, J. W.

Porter, Vernon R., and Dyer, Lawrence D. Method of producing semiconducting monocrystalline Si on spinel substrates, P (7) 150*b*.

Portier, J. See Morell, A.

Portier, Josik See Tanguy, Bernard

Portnoi, K. I., Gribkov, V. N., Shchetsnov, B. V., Umantsev, E. I., and et al. Mechanism of the growth and etching of Al nitride whiskers (1) 25*j*.

Portnoi, K. I., Mukaseev, A. A., Gribkov, V. N., Isaikin, A. S., and et al. Growth of SiC whisker crystals by the vapor-liquid-solid mechanism (10) 210*c*.

Portnoi, K. I., Timofeeva, N. I., Salibekov, S. E., and Romanovich, I. V. Synthesis and study of properties of complex oxides of rare-earth elements and Zr (9) 199*e*.

Portnoi, V. K. See Tret'yakov, Yu. D.

Porto, S. P. S. See Williams, P. F.

Ports, David W. See Argyle, John F.

Posen, H. See Bowen, H. K.

Posse'eva, G. D. See Dergunova, V. S.

Postma, Fred W., Jr. See Ferguson, James E.

Postnikov, V. S., Makarov, V. N., Baloshov, Yu. S., Pschevskaya, G. N., and et al. Effect of structural heterogeneity on the relaxation characteristics of Na silicate glasses (1) 4*j*.

Postnikova, O. N., Denisov, Yu. N., Fedorov, P. I., Malova, N. S., and et al. System TlI-InI (11) 236*d*.

Postupack, Dennis S. Method of fabricating transparent electroconductive window, P (3) 65*g*.

Potapaika, V. I. See Vasina, N. A.

Potancok, M. See Kapralik, I.

Potemkin, A. I. See Buntushkin, V. P.

Potocnik, Kurt, and Haubold, Guenther Refractory burned brick assembly for suspended roofs of furnaces, P (2) 39*f*.

Potoff, A. D. See Jendrek, E. F., Jr.

Potoff, Alan D., Chamberland, B. L., and Katz, Lewis Single-crystal study of eight-layer $BaMnO_3$ (5) 122*a*.

Pott, G. T., and McNicol, B. D. Luminescence of Cr^{3+} ions in ordered and disordered $LiAl_5O_8$ (2) 53*j*.

Potter, Curtis N. See Kroger, Harry

Potter, Ralph A., and Tennery, V. J. Process for the preparation of U nitride powder, P (1) 16*f*.

Potter, Ralph M. Cathodoluminescence measurements on a SiC light-emitting diode (2) 49*g*.

Potter, Ralph M., and Sattele, J. H. Induction-heated furnace for growth of α-SiC (2) 46*i*.

Potvin, A. J. See Quon, H. H.

Potzel, W., Wagner, F. E., and Wappling, R. Moessbauer study of Ru borides and phosphides (10) 217*g*.

Pouchard, Michel See Demazeau, Gerard ; Goodenough, J. B.

Pouillon, Emile R. J. Method and apparatus for separating mixtures of fine-grain materials, P (1) 17*a*.

Poutsma, Marvin L. See Rabo, Jule A.

Powell, Elizabeth Pennsylvania German pottery—tools and processes (4) 83*d*.

Powell, G. L. See Holcombe, C. E., Jr.

Powell, J. Anthony, and Will, Herbert A. Low-temp. solid-state phase transformations in 2H SiC (2) 53*i*.

Powell, John E., and Richards, Peter H. Production of toughened and bent glass sheets [quenching], P (5) 110*e*.

Powell, R. A., Spicer, W. E., and McMenamin, J. C. Photoem-

istion studies of wurtzite ZnO (8) 178*i*.

Powell, R. W., and Touloukian, Y. S. Thermal conductivities of the elements (2) 57*b*.

Powell, Robert L. See Childs, Gregg E.

Powers, Earle M. See Aellig, Milton J.

Pozela, J. See Bagocinnaite, R. ; Brazis, R.

Pozela, J., Shmena, J., and Simulyte, E. CdTe microwave detectors and their applications (8) 168*h*.

Pozharskii, B. G. See Bondar, I. A.

Pozin, M. E. See Zinyuk, R. Yu.

Poziomek, Edward J. See Baker, James A.

Prabhakaran, A. K. See Jain, K. P.

Prabhu, Ashok, Fuller, Gary L., and Vest, R. W. Solubility of RuO_2 in a Pb borosilicate glass (10) 205*a*.

Pradelli, G. See Borlera, M. Lucco

Pradere, F. See Rustagi, K. C.

Pradhan, B. R. See Saxena, A. P.

Prado, G. See Lahaye, J.

Prakash, H. See Johnston, D. C.

Prakash, Jai See Rajagopalan, P. R.

Pranevicius, L. See Gricius, A.

Prangel, R. D. (Compiler) Pore Structure of Building Materials in Relation to Their Properties. A Bibliography of Building Research Station Publications, B (5) 124*j*.

Prasad, N. A., and Pooley, F. D. Characteristics of amphibole asbestos dust surfaces in aqueous media with reference to quartz (7) 154*f*.

Prasad, R. K., and Prasad, R. S. Dielectric properties of some glasses at radio frequencies (2) 33*e*.

Prasad, R. S. See Prasad, R. K.

Prasad, Rameshwar See Sinha, Devendra Prasad

Pratt, W. P. See Brobst, D. A.

Precht, W. See Nowok, J.

Preis, Lothar See Weisbeck, Roland

Preisler, Eberhard, Grapentin, Kurt, Harnisch, Heinz, and Mietens, Gerhard Process for the mfg. of artificial MnO_2, P (3) 76*c*.

Preist, Donald H. Simultaneous measurement of the size distribution of aerosol particles and the number of particles of each size in a flowing gaseous medium, P (2) 47*c*.

Preobrazhenstsev, Konstantin A., and Shvarov, Vsevolod S. Method of obtaining contact between electrode metal and semiconductor material, P (2) 42*f*.

Presby, H. M. Refractive index and diameter measurements of unclad optical fibers (11) 232*c*.

Prescott, B. E. See Nassau, Kurt

Prescott, Roger See Hill, James E.

Prewitt, Charles T. See Brown, Gordon E.

Pribylov, K. P., Kleshnina, S. I., and Manapov, R. A. Thermal dehydration of $FeCl_2.6H_2O$ (8) 179*j*.

Price, D. C. See Coey, J. M. D.

Price, D. M. See Mortlock, A. J.

Price, James B. See Cheskis, Eugene M. ; George, William L.

Price, James B., and Lesk, Israel A. Semiconductor strain gage and method of fabricating, P (8) 171*a*.

Price, James E. See Schleifer, Ronald H.

Price, R. J., Golden, T. D., and Kase, J. L. Comments on "Pyrocarbon- and SiC-coated oxide particles for gas-cooled fast reactor application" (7) 151*b*.

Priddle, John E. See Birchall, James D.

Primak, William Mechanism for the radiation compaction of vitreous SiO_2 (3) 63*h*; Expansion, crazing, and exfoliation of Li niobate on ion bombardment and comparison results for sapphire (6) 138*a*; Threshold for radiation effects in SiO_2 (8) 180*e*.

Prisyazhnyi, V. D. See Baranov, S. P.

Prichard, E. Liquid fuel burners and control systems therefor, P (4) 97*e*.

Prichina, Tamara G. See Mironov, Konstantin E.

Probst, Richard O., Pollard, Kenneth R., and Stockton, Frank R. [Electrostatic] spray apparatus and method, P (4) 95*j*.

Procharka, Svante, and Charles, R. J. Strength of B-doped, hot-pressed SiC (2) 38*g*.

Proctor, Frank Hanslow Electrical insulator having sheds arranged at an angle to its axis, P (5) 113*f*.

Proctor, Stephen G. See Conner, William V.

Prud'homme, M. See Fernandez Arroyo, G.

Prohofsky, E. W. See Purdom, R. C.

Prokhorov, V. S. See Galimov, E. M.

Prokhorova, I. V. See Samsonov, V. P.

Prokhorovich, A. V. See Vorobkalo, F. M.

Prokhortseva, T. M. See Shaldin, Yu. V.

Prokudina, S. A., Rubinchik, Ya. S., and Pavlyuchenko, M. M. Formation of Sm chromite during the reaction of Sm salts with Cr oxide (9) 196*e*.

Pronkin, A. A. See Seregin, P. P.

Proselkov, Yu. M. See Novokhatskii, D. F.

Prost, Lucien, and Pauillac, Andre Hydraulically setting refractory compositions, P (8) 168*c*.

Prost, R. Ir spectra of the water in attapulgite and sepiolite (3) 79*g*.

Protskov, M. E. See Pyrina, V. K.

Protas, I. M. See Zakharov, V. P.

Protsova, V. I. See Klevtsov, P. V.

Protopopova, L. M., Petrakovskii, G. A., Smokotin, E. M., and Petrov, R. A. Magnetoelastic coupling of Co^{2+} ions in Y ferrite-garnet structure (7) 156*i*.

Protsukh, P. F. See Savitskii, V. G.

Provenzano, Joseph C., Hiestand, David F., and Krabec, James A. Apparatus for testing stress-sensitive semiconductor transducer, P (1) 13*d*.

Provost, G. See LeDoussal, H.

Prowse, D. B., Vas, A., and Cushion, J. D. Single-line compounds for ^{155}Gd Moessbauer spectroscopy (2) 55*h*.

Proemmer, Rolf Explosive-force compaction of ceramic and metal powders and their mixtures (2) 45*h*.

Pruniaux, Bernard R. Methods for making transistor structures, P (2) 43*a*.

Pruniaux, Bernard R., Riley, Terence J., Ryder, Robert M., and Waggener, Herbert A. FET structures and methods, P (11) 230*a*.

Prymelski, Franz See zur Verth, Joachim

Psarev, V. I. See Kostur, T. A.

Puchander, Willi See Fischer, Horst

Pshinkina, A. M., and Zvyagin, A. I. EPR of dipole-coupled ion pairs in orthorhombic K Y molybdate (3) 78*i*.

Ptushkina, M. N. See Barvinok, M. S.

Pugacz-Muraszkiewicz, I. See Lin, S. C. H.

Puig Montraveta, J., and Sanchez Pirez, F. Al_2O_3 cements and their refractory applications (11) 226*c*.

Puhl, V. P. See Baikova, L. G.

Pukayon, T. R. See Ong, L. A.

Pulfrey, David L. See Shousha, Abdel Halim M.

Pulsifer, Allen H. See Beeson, Justin L.

Punevski, Iv. See Pavlov, Vl.

Punglia, J. See Tolansky, S.

Purdom, R. C., and Prohofsky, E. W. Noncollinear attenuation of transverse acoustic waves in Al_2O_3 (7) 156*g*.

Purton, M. J. Effect of sand grading on the Ca silicate brick reaction (5) 106*b*; Composition of the binding material in Ca silicate bricks (10) 202*d*. See Walker, R. C.

Puskar, Victor Production of calcined clay pigment from paper wastes, P (2) 48*e*.

Putin, E. Continuous automatic plant for the drying, firing, stacking, and tying of brobst, D. A.

Putman, R. E. J. Basic control strategies for optimizing grinding circuit performance (10) 212*j*.

Putman, Richard E. J. Control system and method for a reversed ball mill grinding circuit, P (4) 95*i*.

Puttbach, Richard C. See Lepore, Donald A.

Pyatenko, Yu. A. See Voronkov, A. A.

Pye, Donald G. Magnetic recording member comprising alumina-coated CrO_2 particles, P (8) 170*f*.

Pye, L. D. Glass science programs at Alfred University (1) 4*i*.

Pye, L. D., Stevens, H. J., and LaCourse, W. C. (Editors) Introduction to Glass Science, B (3) 82*a*.

Pyper, Alan S. Glass breaking, P (10) 206*e*.

Pyrina, V. K., and Protskov, M. E. Reaction of La oxide with K tetrafluoroborate (9) 198*h*.

Pytte, E. Theory of perovskite ferroelectrics (7) 159*c*.

Quail, J. W. See Audette, R. J.

Qualls, Paul J. See Keefer, George E.

Quate, C. F. See Ludvik, S.

Queck, Robert, and Werner, Hugo Device for passing a conductor through the cover of an electrical precipitation apparatus, P (1) 16*g*.

Queyroux, Francine See Touret, Daniel

Quick, C. R. See Gaylord, T. K.

Quick, S. M., and Bank, G. ESR of Cu^{2+} in tarbuttite mineral (2) 51*a*.

Quigley, T. A. See McColm, I. J.

Quilliam, R. M. See Bunton, Geof V.

Quinn, Richard M., and Kwiatkowski, Jerome A. Glass-forming [blowing] machine having an automatic control system, P (2) 36*c*.

Quinn, Robert M. See Kump, Herbert J.

Quinn, Rod K. See Johnson, Ralph T., Jr.

Quirk, Virgil P. Method of making electrical resistance devices and articles made thereby, P (6) 132*g*.

Quittkat, W. Jet classifier, an efficient space-saving device for highly selective classifying (4) 95*g*.

Quon, H. H., and Potvin, A. J. Effect of volatilization loss in flux crystallization of $YFeO_3$ or $Y_3Fe_5O_{12}$ (2) 50*g*.

Quon, H. H., Shing, Y. H., and Walsh, D. Ferrimagnetic damping of epitaxial garnet film $Yb_{1.7}Eu_{1.3}Ga_{0.5}Fe_{4.5}O_{12}$ (3) 69*f*.

Raabe, Gerhard, Eckstein, Dieter, Sauermann, Heinz, and Winkler, Gerhard Method of mfg. a semiconductor capacitance diode, P (2) 42*b*.

Rabatin, Jacob G. X-ray image converters utilizing La and Gd oxyhalide luminous materials activated with Tm, P (7) 151*i*.

Rabinovich, A. Z. See Kleinman, I. A.

Rabinovich, Eafir S. See Bakul, Valentin N.

Rabinovich, F. N., Nikitina, L. V., Volkov, O. S., and Larionova, Z. M. Phase transitions and changes in structure of aluminous cement concrete (1) 3*c*.

Rabo, Jule A., Poutsma, Marvin L., and Skeels, Gary W., Jr. Crystalline metal aluminosilicates having halide and certain other salts irreversibly occluded therein, P (10) 214*e*.

Rabodzei, N. V., Ljubimov, E. M., Nadobnikov, M. N., and Krokhin, A. A. X-ray TV measuring microscope, P (4) 96*g*.

Rabot, R. See Fourie, M. T.

Rabson, T. A. See Gaylord, T. K.

Rabut, Eugene W. Arrangement for mounting semiconductive devices to heat sinks, P (4) 93*j*.

Raby, J., and Collins, R. A. Potential distribution and hot electron attenuation measurements in MIMIM [metal-insulator-metal-insulator-metal] thin-film triodes (11) 235*b*.

Racheva-Stambolieva, T. M., Dragieva, I. D., Dzhoglev, D., Chistyakov, Yu. D., and et al. Preparation of CdSe epitaxial layers by the vapor transport method (10) 210*f*.

Rachus, John J., Skilbeck, John P., and Szkudlapski, Alfons H. Nonuniformly treating articles [transistors] and supporting them therefor, P (10) 211*a*.

Radautsan, S. I., Molodyan, I. P., Bulyarskii, S. V., Syrbu, N. N., and et al. Photoelectrical properties of an Au-$CdIn_2S_4$ surface-barrier diode (10) 218*b*.

Radautsan, S. I., Syrbu, N. N., Tezlevan, V. E., Sherban, K. F., and et al. Optical and photoelectrical properties and band structure of single crystals of solid solutions of the system $(CdS)_{2x}$-$(In_2S_3)_{1-x}$ (11) 235*h*.

Radczewski, O. E. See Handy, S.

Radebaugh, Ray See Lawless, W. N.

Rademachers, Jakob See Henkel, Hanno

Rademaker, Simon Cornelis See Moertl, Guenther

Radev, R., Karamanova, Ts., Iotsev, G., and Markakev, D. Use of computer technology in glass and ceramic industries (11) 231*j*.

Radford, K. C. See Pope, J. M. ; Terwilliger, G. R.

Radford, K. C., and Terwilliger, G. R. High temp. deformation of ceramics: II, Specific behavior (8) 180*c*.

Radhakrishna, S. See Jain, K. P.

Radhakrishnan, N. K. See Padalia, B. D.

Radjy, Fariborz Fracture of hardened cement paste in relation to surface forces and porosity (3) 62*a*.

Radkova, A., Kukusheva, M., and Nedev, V. Microstructure of glazes for sanitary porcelain (10) 209*a*.

Rado, W. G. See Johnson, W. J.

Rado, W. G., Johnson, W. J., and Crawley, R. L. Effect of Al on the amphoteric behavior of Si in $Ga_{1-x}Al_xAs$ (3) 78*f*.

Radun, D. V., Al'bats, B. S., and Umanskii, Yu. V. Effect of thermal conditions on the firing of material (9) 193*f*.

Radway, Jerrold E. See Strong, Herbert W.

Radzilowski, R. H., and Kummer, J. T. Simple X-ray method for finding the compressibility of a solid and its application to β-Al_2O_3 (1) 18*j*.

Rafizadeh, Hamid A. See Ahmadieh, Aziz A.

Ragaller, Klaus Plasma-spray burner and process for operating, P (8) 173*i*.

Raghuram, A. C., Nimmagadda, R., Bunshah, R. F., and Wagner, C. N. J. Structure and microhardness relations in Ti, Zr, and Hf-3Zr carbide deposits synthesized by activated reactive evaporation (11) 236*b*.

Ragozin, R. M. See Druzhinina, I. A.

Rahman, S. F., and Jones, J. T. Strengthening of sapphire rods by BaO (1) 28*g*.

Rai, Mohan See Garg, S. P.

Raichev, V. See Kozhukharov, Ch.

Rajagopalan, P. R., Prakash, Jai, and Narasimhan, V. Correlation between ultrasonic pulse velocity and strength of concrete (6) 125*g*.

Rajnak, K., Mehlhorn, R., and Edelstein, N. Calculation of the crystal field splittings of Sm^{3+} levels in $LaCl_3$ with inclusion of J mixing (3) 76*b*.

Rajoria, D. S. See Bhide, V. G.

Rakauskas, J. See Kalade, J.

Ralston, J. M. Detailed light-current-voltage analysis of GaP electroluminescent diodes (9) 190*b*.

Ram, Michael J., Rosenthal, Arnold J., and Clarke, Charles M. Carbonization/graphitization of polyacrylonitrile fibers containing residual spinning solvent, P (4) 91*c*.

Ramachandran, V. S. See Feldman, R. F. ; Traetteberg, A.

Ramachandran, V. S., and Feldman, R. F. Hydration characteristics of monocalcium aluminate at a low water/solid ratio (4) 84*j*; Significance of low water-solid ratio and temp. on the physicomechanical characteristics of hydrates of tricalcium aluminate (7) 144*i*.

Ramakrishnan, P. Influence of powder characteristics on the hot-pressing of alumina (7) 155*j*; Alumina cutting tools (10) 201*d*.

Ramaswamy, Vellayan [Optical] switch for fiber-optic transmission systems, P (3) 65*b*; Method of making epitaxial film optical devices, P (9) 186*g*.

Ramaswamy, Vellayan, and Standley, Robert D. Switch for thin-film optics, P (8) 171*d*.

Rambousek, Vladimir See Fator, Jaroslav

Rambousek, Vladimir, Fator, Jaroslav, and Stefek, Vojtech Use of electron microscopy for evaluation of porcelain structure (11) 232*h*.

Ramdas, A. K. See Tekippe, V. J. ; Venugopalan, S.

Ramdas, S., Shukla, A. K., and Rao, C. N. R. Mechanism of ion movement in alkali halides (9) 197*b*.

Ramesam, K. See Banerjee, J. C.

Ramge, Dennis L. Control for glass marble feeding, melting, and fiber-forming unit, P (4) 87*i*.

Ramsey, Thomas Halliburton See McMahon, William Raymond

Ranalder, Urs B., Kanzig, Herbert, and Wild, Urs P. Computer-controlled double beam absorption spectrophotometer (11) 232*d*.

Rand, M. J., and Standley, R. D. Si oxynitride films on fused SiO_2 for optical wave guides (10) 205*j*.

Rand, Myron J., and Schmidt, Paul F. Radiation-resistant coatings for semiconductor devices, P (2) 43*c*.

Ranieri, A. See Aliprandi, G.

Rankin, D. H. Vacuum techniques in the quartz crystal industry (2) 45*e*.

Rankl, Josef Multipart mold with means for aligning mold parts, P (4) 89*a*.

Ranninger, J. Heat-pulse propagation in ionic lattices (7) 155*f*.

Rao, C. N. R. (Editor) Solid State Chemistry, B (7) 160*c*. See Bhide, V. G. ; Ramdas, S.

Rao, C. N. R., Rao, G. Rama, and Rao, G. V. S. Semiconductor-metal transitions in NbO_2 and $Nb_{1-x}V_xO_2$ [x = 0.0—0.5] (2) 55*e*.

Rao, C. Pramda, and Glushoter, Harold J. Occurrence and

distribution of minerals in Illinois coals (6) 135*f*.
Rao, D. N. S., Wycherley, K. E., and Kumaah, C. A. Kinetics of dissolution of Fe from bauxite slimes (3) 75*g*.
Rao, G. Rama See Bhide, V. G. ; Rao, C. N. R.
Rao, G. V. S. See Rao, C. N. R.
Rao, G. V. S., Shafer, M. W., Kawarazaki, S., and Toxen, A. M. Superconductivity in alkaline earth metal and Yb intercalated group VI layered dichalcogenides (10) 219*b*.
Rao, K. J., Helphrey, D. B., and Angell, C. A. Thermodynamic properties of M(I)-M(II) mixed nitrate glasses and supercooled liquids (2) 35*f*.
Rao, K. V. Krishna, and Iyengar, Leela X-ray studies on the thermal expansion of TeO_2 (7) 159*c*.
Rao, K. V. S. Rama See Rogers, Max T.
Rao, Ramesh P. Method for improving the cellular structure of rigid low-density silicate foams, P (1) 7*e*.
Rao, Velliyur N. P. See Druin, Melvin L.
Rao, W. Raja, and Cutler, Ivan B. Effect of Fe oxide on the sintering kinetics of Al_2O_3 (1) 22*e*.
Rapkin, Edward, and Thomas, Edward W. Gamma spectrometry system for sample analysis, P (4) 96*e*.
Rapmund, Leonard H. See Van Noord, Jacobus A. J. M.
Rapos, M., and Calderwood, J. H. Dielectric loss in NaCl single crystals under the simultaneous action of ac and dc voltages (2) 50*b*.
Rapp, Charles F. See Baak, Tryggve
Rapp, J. E. Glasses of the Na_2O-K_2O-Nb_2O_5-SiO_2 system and glass-ceramics made therefrom: Glasses, glass-ceramics, and process for making, P (5) 109*h*.
Rasch, Rudolf Trends in the development of the linings of power-plant boiler furnaces (1) 10*b*.
Rashid, M. S. Method for coating graphite filaments with refractory metal carbides, P (11) 228*a*.
Rashkovich, L. N. See Evlanova, N. F.
Rasneur, B. Isothermograph—an automatic apparatus for measuring specific surface and pore-size distribution in finely divided or porous solids from the isothermal adsorption (6) 134*j*.
Raspopin, S. P. See Desyatnik, V. N. ; Gudaitis, M. N.
Raspopova, E. M. See Kolomiets, B. T.
Rasring, Joergen, and Jensen, Bo N. New method of measuring ultrasonic velocity (3) 74*b*.
Rastogi, Anil K. See Rynd, J. Patrick
Rasumovskii, S. N. See Gropyanov, V. M.
Ratier, Jean L. See Cayol, Andre
Ratinen, H. Luminescent properties of lanthanide ions in alkaline-earth oxide films prepared by rf sputtering (10) 217*d*.
Ratnam, D. V., and Buessem, W. R. Angular variation of coercive force in Ba ferrite (2) 49*b*.
Ratte, Patrice See Barry, Claude
Ratto, A. See Aliprandi, G.
Rau, Frank J., and Staahl, Joseph R., Jr. Thermal conditioning of molten glass, P (9) 187*g*.
Rau, H. Thermodynamics of the reduction of Fe oxide powders with H (2) 57*b*.
Rau, Karlheinz Quartz glass elements [diffusion tubes], P (3) 65*d*.
Raub, Ch. J., Moss, W., and Lawson, A. C. Superconductivity of solid solutions of Rh with Mo_2C (7) 158*h*.
Rauckhorst, William H., and Feuchel, Henry Low-temp. specific heat of Nd Mg nitrate (8) 177*d*.
Raudkivi, A. J., and Hutchison, D. L. Erosion of kaolinite clay by flowing water (11) 234*e*.
Raub, E. G. See Ackermann, R. J.
Rausch, Richard E. See Mitsche, Roy T.
Rauschert, Dieter See Dosse, Erhard
Rauthort, A. E. See Elchin V. I.
Ravaglioli, A. Pollution prevention in 1972 (3) 82*f*. See Pollifrone, G. G.
Ravaglioli, A., and Vecchi, G. Susceptibility of ceramic tile to frost cracking (6) 130*f*.
Raveau, B. See Choisnet, J. ; Deschanvres, A. ; Desgardin, G. ; Studer, F.
Raveau, B., and Studer, F. Structural evolution of new nonstoichiometric perovskite-type compounds $Gd_{x-y}Y_y(Ta_{3x}W_{1-3x})O_3$ (9) 198*h*.
Ravina, Israels, and Low, Philip F. Relation between swelling, water properties, and *b* dimension in montmorillonite-water systems (5) 122*g*.
Rawal, B. S. See Christensen, N. H.
Rawson, Eric G. Measurement of the angular distribution of light scattered from a glass fiber optical wave guide (10) 204*h*.
Rawson, H. See Scott, B. ; Wright, S.
Rawson, Harold, and Turton, Geoffrey Effect of coatings in reducing damage to glass surfaces (7) 145*j*.
Ray, D. K. See Borg, M.
Ray, D. K., and Sangster, M. J. L. Modifications of the Raman relaxation of Ni^{2+}, Cr^{3+}, and V^{3+} ions in MgO crystals due to substitutional effects (8) 177*i*.
Ray, N. H., Laycock, J. N. C., and Robinson, W. D. Oxide glasses of very low softening point: II, Preparation and properties of some Zn phosphate glasses (2) 34*c*.
Ray, N. H., and Lewis, C. J. Effect of combined water on the transformation temp. of a phosphate glass (5) 108*e*.
Ray, N. H., Lewis, C. J., Laycock, J. N. C., and Robinson, W. D. Oxide glasses of very low softening point: I, Preparation and properties of some Pb phosphate glasses (2) 34*b*.
Ray, Neil H. See Lewis, Cyril J.
Ray, T. Dynamical Jahn-Teller effects for a V^{3+} ion in an MgO crystal (7) 154*i*.
Raychenko, A. I., Burenkov, G. I., and Leshchinskii, V. I. Theoretical analysis of the basic principles of electric discharge sintering (7) 159*c*.
Rayl, M. See Abrahams, M. S.
Rayle, Brian J., Fisher, Lester, and Smith, Harvell M. Collection chamber for making mats of inorganic fibers, P (6) 127*j*.
Raymond, Fernand See Fabre, Pierre
Raymond, Jan W., and Whetstone, Clay N. Method of fabricating a composite superconductor, P (7) 150*a*.
Rayner, J. H., and Brown, G. Crystal structure of talc (1) 22*a*.
Rayner, R. M. See Frye, E. R.
Raz, Baruch See Gedanken, Aharon
Razinger, J., and Fryer, G. M. Effect of Li and F ions on the pressure sintering of MgO (8) 175*a*.
Rea, J. R., and Koettner, E. Crystal structure of *α*-Cu vanadate (2) 50*b*; Crystal structure of $CuVO_3$(II), a high-pressure ilmenite phase (2) 50*c*.
Read, G. W., Jr., and Venter, F. M. Corrosion-resistant linings and mortars for incinerators and chimneys (10) 208*b*.
Reade, Richard F. Method of making glass-ceramic articles, P (10) 206*e*.
Rearick, Edward W. See Carothers, David B.
Reboul, Jean P. Gas-discharge display panels, P (8) 170*b*; Gas discharge display panels, P (10) 206*d*.
Rebrova, N. A. See Smirnova, N. L.
Recaseens, Joseph, Blanchet, Pierre, and Duchenoy, Jacques Refractory members for use in thermal regenerators or recuperators, P (4) 97*f*.
Rechter, Harold L. See Parsons, Joseph R.
Rechtin, M. D., and Averbach, B. L. Short-range magnetic order in CoO (7) 158*c*; Long-range magnetic order in CoO (8) 177*b*.
Recker, Kurt, and Wallrafen, Franz Investigation of the binary systems CaF_2-YF_3 and CaF_2-NdF_3 (2) 53*b*.
Reddappa, G., and Sastry, B. S. R. Apparatus for the continuous classification of abrasive powders in the subsieve range (2) 46*g*.
Reddig, Horst What does thick film technology offer? (8) 169*g*.
Reddy, P. Narasimha, and Ganguly, A. C. Effect of Fe oxide and bentonite on the tensile strength of shell molding sand (1) 9*a*.
Reder, R., Keller, R., and Taferner, E. Semiautomatic raw meal titration (2) 47*e*.
Redfield, David, and Burke, William J. Fundamental absorption edge of $SrTiO_3$ (8) 176*h*.
Redifer, Michael W., and Wilson, John S. Computer program for calculating equilibrium composition of high-temp. combustion products (6) 134*f*.
Redington, Rowland W., and Blumenfeld, S. Morry Antireflection coating for semiconductor diode array targets, P (1) 13*c*.
Redmond, A. D. See Copley, G. J.
Redwanz, James O. Semiconductor interconnecting system using conductive patterns bonded to thin flexible insulating films, P (4) 94*g*.
Ree, Francis H., and Holt, Albert C. Thermodynamic properties of the alkali-halide crystals (9) 199*a*.
Reeber, M. D. See Buchanan, R. C.
Reed, Edward L., and Groce, Irwin J. Coating for thermoelectric materials, P (9) 190*e*.
Reed, Edwin E. See Hays, Robert G.
Reed, Lester W. See Kidder, Gerald
Reed, T. B. See Banus, M. D. ; Korn, D. M. ; Oliver, M. R. ; Shapira, Y.
Reed, Thomas Bensington, Banus, M. D., Sjostrand, M., and Keesom, P. H. Superconductivity in cubic and monoclinic "TiO" (3) 81*f*.
Reed, W. A. See Ryden, W. D.
Reed, Wallace D., and Stoltz, Richard A. Methods for fabricating ceramic circuit boards with conductive through holes, P (8) 170*c*.
Reedy, Carl D., Jr. Chemical vapor deposition coatings on Ti, P (9) 190*e*.
Reedy, G. J. See Gabelnick, S. D.
Reedy, G. T., and Chasanov, M. G. Total pressure of U-bearing species over molten urania (7) 151*i*.
Reese, C. R. See Robinson, Gilbert C.
Reese, Robert L. See Holloway, John R.
Reese, Thomas J. See Jansson, Robert A.
Reetz, Teja Vacuum-tight Na-proof seal between ThO_2 ceramics and metal (9) 190*a*.
Regan, Martin, and Drake, Cyril F. Delay time measurement in transition metal oxide glass [CuO_x-CaO-P_2O_5] devices (4) 86*i*.
Regan, Philip R. See Selover, Theodore B.
Rehwald, Walther Anomalous ultrasonic attenuation in $Bi_{12}GeO_{20}$, $Bi_{12}SiO_{20}$, and $Bi_{12}(Ge_{0.5}Si_{0.5})O_{20}$ (10) 215*h*.
Reichert, Samuel F. See Delott, Richard B.
Reichert, Walter F. See Napoli, Louis S.
Reichle, M. See Nickl, Julius J.
Reid, A. F. See Grey, I. E.
Reid, C. N. Deformation Geometry for Materials Scientists, B (5) 124*f*.
Reid, D. A. See Lawrence, F. V., Jr.
Reid, Robert B. Method of coating cathode heaters, P (2) 42*b*.
Reifman, M. B. See Ionov, V. I.
Reim, Thomas E. See Kylin, Donald H.
Reinberg, Alan R., and Fish, John G. Process of fabricating Si photomask, P (10) 211*c*.
Reinders, R. See Leusden, C. O. P.
Reiner, G. See Moertl, G.
Reinhardt, Helmut See Kneschke, Goetz
Reinhart, Friedrich Development of refractory linings for blast furnaces (6) 129*b*.
Reinmold, Heinz J. See Pape, Heinz
Reinfeld, R. See Velapoldi, R. A.
Reinfeld, R., and Eckstein, Y. Intensity parameters of Tm^{3+} and Er^{3+} in borate, phosphate, and germanate glasses (3) 63*e*.
Reinfeld, R., Greenberg, E., and Biron, E. Energy transfer between Gd^{3+} and Sm^{3+}. Effect of Gd^{3+} on quenching of Sm^{3+} and intensity parameters of Sm^{3+} in borate glasses (10) 204*g*.
Reinfeld, R., and Lieblich, N. Optical spectra and relaxation of Eu^{3+} in germanate glasses (4) 87*h*.
Reins, Albert See Kyri, Hans
Reins, Gerhard See Heinze, Gerhard
Reiss, H. Preparation of glasses for electron microscopy (11) 225*b*.
Reiterov, V. M. See Mogilevskii, B. M.
Reitmayer, F., and Schuster, E. Homogeneity of optical glasses (10) 204*f*.
Reitmayer, Franz See Ritze, Willy
Rejc, Rudolf, and Petros, Jiri Automation of the procedure for estimating heat resistance under load (1) 17*g*.
Rekhson, S. M. See Ginzburg, V. A.
Rekhson, S. M., and Mazurin, O. V. Stress and structural relaxation in Na_2O-CaO-SiO_2 glass (8) 165*a*.
Rekov, A. I. See Elchin, V. I. ; Samsonov, V. P.
Remelka, J. P. See McWhan, D. B.
Remelka, Joseph P. See Marezio, M.
Remennik, E. M. See Petrov, K. I.
Remizov, V. I. See Logvinenko, N. V.
Remmer, Norton S. See Paterno, Joseph J., Jr.
Remper, John A. See Russell, Allen S.
Rempes, Paul E., Jr. See Westenkirchner, Frank A.
Renault, J. P. Rapid-firing kilns (1) 19*c*.
Renkl, Hans D. Apparatus for producing hollow glass objects, P (8) 165*g*.
Renngardt, Franziska See Meyer-Simon, Eugen
Rennie, M. S., Howat, D. D., and Jocheus, P. R. Effects of Cr, Fe, and Ca oxides on the liquidus temps., viscosities, and electrical conductivities of slags in the system MgO-Al_2O_3-Si-O_2 (3) 78*f*.
Reuning, Joachim See Wolf, Friedrich
Reynolds, Philip J. P-modified ferromagnetic CrO_2, P (9) 191*f*.
Reppich, B., and Streb, G. Steady-state deformation and dislocation structure of pure and Mg-doped LiF single crystals: I, Analysis of steady-state deformation (11) 236*a*.
Repsas, K. See Vaskevicius, R.
Res, M. A. See Koen, J. G.
Reshamwala, A. S. See Shaikh, M. S.
Reshina, I. I., and Zolotarev, V. M. Surface vibrations in *α*-quartz (6) 141*c*.
Ressel, Franz, and Ritter, Andreas Method of mfg. diodes, P (7) 150*h*.
Retzloff, Russell C. See Callies, Gerald A.
Reumann, Otto Causes and elimination of defects in ceramics, especially in porcelain (6) 130*a*.
Reuschel, Konrad See Keller, Wolfgang
Reuschel, Konrad, Dietze, Wolfgang, Muehlbauer, Alfred, and Sandmann, Herbert Method of producing homogeneous rods of semiconductor material, P (5) 115*d*.
Reuter, B. See Laqua, W.
Reuter, Herbert See Berthold, Hans Joachim
Reuter, James L. See Brown, William A.
Reuter, James L., and Sandhu, Jagtar S. Semiconductor substrate with a planar metal pattern and anodized insulating layers, P (2) 44*a*.
Revay, Miklos Use of aluminous cements in the building industry (1) 3*f*; Transformation processes of Ca monoaluminate and the properties of bauxite concretes predictable therefrom (5) 107*e*.
Revcolevschi, A. See Dhalenne, G.
Reynolds, Blake See Marion, Charles P.
Reynolds, Carl D. See Ardary, Zane L.
Reynolds, John H. [Etching] method of making a semiconductor device having tunnel oxide contacts, P (1) 14*b*.
Rezek, J. See Chow, S. L.
Rezlescu, Nicolae, Condurache, D., Petrariu, P., and Luca, E. Resistivity and Curie point of Li-Zn ferrites (2) 55*b*.
Reznikov, G. T. See Ermakov, S. S.
Rhine, Jules W. See Matthews, Benjamin H.
Rhines, Walden C. See Stevenson, David A.
Rhoades, Vaughan W. U solution mining process, P (7) 152*e*.
Rhoads, James L. See McDonie, Arthur F.
Rhoads, Stanley C. K_2HfF_6-K_2ZrF_6-1.25% HF system at 40°C with other solubility curves from 25° to 70°C (2) 53*d*.
Rhodes, C. St. L., and Salamo, C. A. T. Determination of the lifetime from thermal generation and optical injection in a pulsed MOS capacitor (8) 168*j*.
Rhodes, Donald W. See Newby, Billie J.
Riazance, N. See Nafziger, R. H.
Ribagin, S. See Levcheva, Khr.
Ribnitz, Peter See Braun, Franz
Rice, R. W. See Becher, P. F.
Rice, Rip G. See Patil, Arvind S.
Rice, Roy W. See Johnson, W. C. ; Mecholsky, J. J. ; Walker, Basil E., Jr.
Richards, David O., Beeson, Robert J., and Kinsell, Ronald E. Tubular fibrous body and method and apparatus for forming, P (2) 37*e*; Method for forming a tubular fibrous body, P (7) 146*e*.
Richards, Peter H. See Powell, John E.
Richards, Raymond S. See Pellett, Fred G.
Richards, Raymond S., Rough, Robert R., and St. John, Douglas

F. Method for refining molten glass, P (1) 7*g*.

Richardson, D. W., and Brown, R. R. Enthalpy of formation of malachite $[Cu_2(CO_3)(OH)_2]$ (8) 176*g*.

Richardson, Donald A. See Cohen, Sheppard

Richardson, James W. See Soules, Thomas F.

Richerson, David W. See Hartline, S. D.

Richman, D. See Tietjen, James J.

Richman, Marc H. See Sproul, William D.

Richmond, R. C. See Madeley, J. D.

Richmond, W. J. See Wolf, J. D.

Richter, Gerhard See Muad, Konrad

Rideout, Vincent L. See Dumke, William P.

Ridge, M. J. See King, G. A.

Riebling, E. F. Process for making metal spheres in oxide glasses, P (2) 36*j*; Ir study of polymerization in Ag, Tl, and Tl aluminogermanate glasses (5) 108*g*; Polymer mixtures in $Na_2O.Sb_2O_3.GeO_2$ glasses (10) 205*d*.

Rieck, G. D. See Gruijters, J. T.

Riedel, Hans J. See Kaiser, Guenter

Riedel, W. Corrosion resistance in solutions of Mg salts (10) 202*f*.

Rieder, K. H., Ishigame, M., and Genzel, L. Ir absorption by coupled surface-phonon-surface-plasmon modes in microcrystals of CdO (8) 177*f*.

Riehl, J. W., Wang, Richard, and Bernard, H. W. Magnetic resonance and relaxation in NH_4ClO_4 (3) 80*b*.

Rieke, Klaus See Lehmann, Hans

Riemann, E., and Young, L. Conduction, permittivity, internal photoemission, and structure of electron-beam-evaporated Y_2O_3 films (8) 168*i*.

Riemer, M. See Heller-Kallai, L.

Ries, H. B. Preparation of fine ceramic bodies in the countercurrent intensive mixer with high-energy vortex stirrer (6) 134*a*; Pelletizing of ceramic raw materials and bodies (10) 212*e*.

Rieser, Raymond G., and Chabal, Joseph Method for laminating plastic to glass employing glass mold, P (9) 186*g*.

Riess, Dean See Bloss, F. Donald

Rieux, Jean P. See Masotti, Robert

Rigby, G. R. Effect of expansion mismatch on the mechanical properties of ceramic materials (10) 216*e*. See McCullough, J. M.

Riggert, Marvin C. See Anticzak, Stanley M.

Riggs, Darius O. Phase compensated multiple moving head inspection apparatus, P (8) 166*e*.

Rightmire, Robert A. See Selover, Theodore B.

Riley, Robert E., and Taub, James M. TaC-Ta fiber composite material, P (4) 91*d*.

Riley, Terence J. See Pruniaux, Bernard R.

Rimstidt, J. D. See Gora, Thaddeus

Rincon Lopez, J. M. Separation of phases in glass (5) 109*e*.

Rindone, Guy E. See Kumar, Binod ; Sproull, James F.

Ring, Charles M. Efficient power Darlington device configuration, P (10) 210*e*.

Rinkevicius, V. See Viscakas, J.

Rioult, Jean P. Method of providing internal connections in a semiconductor device, P (6) 132*c*.

Ripley, Charles C. Nuclear fuel assembly, P (2) 45*f*; Method of mfg. a nuclear fuel assembly spacer, P (6) 133*c*.

Risbud, Subhash Nucleation and crystallization in glassy Cd-$GeAs_2$ (7) 149*e*.

Riseberg, L. A., Brown, R. M., and Holton, W. C. New class of intermediate-gain laser materials—mixed garnets (2) 47*b*.

Riseberg, L. A., and Holton, W. C. Nd ion site distribution and spectral line broadening in YAlG:Lu,Nd laser materials (2) 54*f*.

Riseman, Jacob See Duffy, Michael C.

Risen, W. M., Jr. See Exarhos, G. J.

Riggin, Ojars, and Szeles, Donald M. Dc electronic apparatus for ir radiation temp. measurement, P (4) 96*d*.

Ristic, M. M. See Petkovic, J.

Ritchie, I. G., Rosinger, H. E., and Shillinglaw, A. J. Measurement of dynamic Young's modulus during four-point bend tests (11) 235*b*.

Ritchie, Kim Liquid diffusion dopant source for semiconductors, P (6) 132*e*. See Crowe, William J.

Ritter, Andreas See Ressel, Franz

Ritter, George F., Jr. Apparatus for conveying and heat-treating hot glass with a roller conveyor, P (4) 87*e*.

Ritter, J. E., Jr., and Mantharuthil, J. Static fatigue of silicate glasses (2) 35*c*.

Ritz, Victor H., and Attix, Frank H. Fast-neutron dosimetry using *F* centers in MgO (2) 51*j*.

Ritze, Willi Steep-edge absorption filter, P (1) 8*f*.

Ritze, Willy, and Reitmayer, Franz Fluoride borosilicate glass having low refraction, and optical path independent of temp., and an elevated dispersion, P (2) 35*j*.

Riveiro, Manuel Crystal cutting and polishing (11) 221*d*.

Rively, Clair M., and Petro, James Apparatus for sculpturing an indicia or decorative design in the surface of an article with a beam of corpuscular energy, P (3) 64*c*.

Rivkin, M. N. See Kniga, M. V.

Robbie, J. C., and Beck, A. H. Scanning electron diffraction studies on Cs antimonide photocathodes during formation (6) 131*b*.

Robbins, Harry Fe-containing ferromagnetic Cr oxide, P (4) 93*i*.

Robbins, John D., and Wanner, Louis R. Tricolor CRT employing a shadow mask having elongated apertures, P (4) 89*i*.

Robbins, M. See Gibart, P.

Robbins, M., Gibart, P., Johnson, D. W., Sherwood, R. C., and et al. Phase relations and some magnetic properties of spinels in the systems $M_{1-x}Ni_xCr_2S_4$ (M = Mn,Fe,Co) (10) 218*j*.

Roberson, Cletis L. See Thumm, J. Randall

Robert, Jean-Louis See Kodama, Hideomi

Robert, M. See Michel, A.

Roberts, A. L. Abrasion of refractory materials at high temps. (5) 111*b*; Mechanical properties of refractories at working temps.; Properties and thermal behavior of ceramic fibers (5) 111*i*; Study of refractories under a temp. gradient (5) 112*f*; Development of testing methods (5) 117*d*.

Roberts, Bernard J. See Patel, Narendra

Roberts, Edward D. See Martin, Barry F.

Roberts, Elwyn See Bratton, Raymond J.

Roberts, George L., Jr. See Lewis, Joseph E., Jr.

Roberts, George L., Jr., and Rowland, John D. Rutile TiO_2 slurries, P (1) 20*i*.

Roberts, John S. Encapsulated light-activated semiconductor device, P (7) 149*j*.

Roberts, R. W. See Huggins, R. A.

Roberts, Richard W. See Huggins, Robert A.

Robertson, B. E. See Audette, R. J.

Robertson, J. M. See Popma, T. J. A.

Robertson, James A., Tunison, David W., and Fong, Andrew O. C. Method of forming granular alkaline earth carbonates, P (8) 165*j*.

Robertson, John A. Apparatus and method for electrical precipitation, P (5) 116*c*.

Robertson, John M. See Owen, Alan E.

Robertson, R. See Denny, P. J.

Robic, Gabriel Fuel burner, P (3) 74*j*.

Robija, Pierre Destructive processes of high-alumina and clay brick in the regenerator chambers of glass furnaces (7) 147*b*.

Robins, J. L. See Robinson, V. N. E.

Robins, Robert G., and Edenborough, Barry W. Process for the reduction of uranyl salts, P (8) 172*b*.

Robinson, Albert S., Lawrenson, Jack, and Ormesher, Edward R. Mfg. of glass having desired surface characteristics, P (4) 88*j*.

Robinson, Albert S., Loukes, D. G., and Lawrenson, Jack Mfg. of wired glass on molten metal bath, P (3) 65*e*.

Robinson, Arthur L. Glassy metals—no longer a lab curiosity (4) 86*e*.

Robinson, Charles C. See Shaw, Robert R.

Robinson, Charles C., and Shaw, Robert R. Nd glass laser having an output at 904 nm, P (9) 187*a*.

Robinson, Ernest B., Ehrlich, Sheldon, and Bishop, John W. Apparatus for burning [solid] S-containing fuels, P (2) 47*j*.

Robinson, Gilbert C., Reese, C. R., and LaRoche, E. A., Jr. Determination of thermally induced acoustic emissions of ceramics (8) 169*b*.

Robinson, Kenneth B. Lamps [mfg.], P (9) 186*a*.

Robinson, Max C. Capacitance thermometer, P (1) 19*b*.

Robinson, Morton, and Devor, Donald P. CaF_2-rare earth fluoride fluorescent compound useful as a laser crystal, P (3) 70*e*; Laser materials from Ca fluoride-rare earth fluoride expanded lattice structures, P (5) 114*j*.

Robinson, Paul H., and Wance, Richard O. Chemical polishing of sapphire, P (1) 13*f*; Method of polishing sapphire and spinel, P (9) 191*c*.

Robinson, V. N. E., and Robins, J. L. Nucleation kinetics of Au deposited onto ultrahigh vacuum cleaved surfaces of NaCl and KBr (11) 235*f*.

Robinson, W. D. See Ray, N. H.

Robinson, W. R. Crystal structures of Ti_2O_3, a semiconductor, and $(Ti_{0.9}V_{0.1})_2O_3$, a semimetal (10) 215*f*.

Robinson, William D. See Lewis, Cyril J.

Robson, D., Assabghy, F. Y. L., Cooper, E. G., and Ingram, D. J. E. Electronic properties of high temp. C fibers and their correlations (8) 175*i*.

Robson, Wayne K. See Budd, Joseph P.

Roccasecca, D. D. See Saul, R. H.

Rocchietta, C. See Guella, M. S.

Rocco, William A. See Wentorf, Robert H., Jr.

Roche, William F. See Stern, George

Roche, William J. Low-pressure uv lamp, P (10) 206*j*.

Rockar, Evelyn M. See Wild, R. L.

Rockstad, Howard K. Amplification in an amorphous semiconductor diode (2) 39*j*.

Rockstad, Howard K., Flasck, Richard, and Iwasa, S. Seebeck coeff. in amorphous chalcogenide films (10) 219*b*.

Rodgers, J. W. See Standley, R. D.

Rodi, Fritz See Lailach, Guenter

Rodriguez, Sergio See Tekippe, V. J.

Rodriguez-Reinoso, F., Thrower, P. A., and Walker, P. L., Jr. Kinetic studies of the oxidation of highly oriented pyrolytic graphites (11) 234*j*.

Roe, Clyde B. See Kinkade, William A.

Roelofs, Henry M. Ceramic articles [foundry cores], P (10) 208*h*.

Roentgen, Paul See Halberschmidt, Friedrich

Roesch, George R. See Highberg, Carle W.

Roest, Erling See Akesson, Gunvor

Roethlein, Richard J. Effect of metaphosphate and temp. on Ag deposition (5) 114*c*.

Roetnes, Mikal See Grjotheim, Kai ; Holm, Jan Luetzow

Rogusch, Klaus P. See Braun, Klaus J.

Rogers, Andrew J. See Carmellini, Andrew E.

Rogers, Bryant C. Method for sealing an enclosure for an electronic component, P (3) 71*g*.

Rogers, Donald B. See Aykan, Kamran

Rogers, E. H. See Cruz, J. E.

Rogers, Max T., and Rao, K. V. S. Rama Pure quadrupole resonance spectra of perrhenates and periodates (8) 178*f*.

Rogers, Philip S., and Williamson, James Devitrified glass with fibrous crystals in parallel relation, P (8) 165*i*.

Rogers, Ronald R. See Ciramella, Anthony F.

Rohatgi, A., Viveritto, T. R., and Slack, L. H. Electrical and optical properties of Sn oxide films (7) 149*c*.

Rohr, Franz Fuel sphere pile reactor, P (7) 152*b*.

Roitberg, M. B. See Kleinman, I. A.

Roitti, S., and Longo, V. Electronic and ionic conduction in CeO_2-ZrO_2 based solid electrolytes (2) 51*g*.

Rokhlenko, D. A. See Sokol, V. A.

Rokosz, Ferdinand, and Soussville, Joseph W. Novel discharge lamp and coating, P (11) 226*c*.

Rokudo, Nerumitsu See Hori, Makoto

Rokujo, Kazuo See Yamamoto, Yasumichi

Roland, G. W. See Feichtner, J. D.

Roland, George W. See Hopkins, Richard H.

Roland, George W., and Feichtner, J. D. Nonlinear optical crystal $[Tl_3AsSe_3]$ and devices, P (6) 132*f*.

Roland, George W., Feichtner, J. D., and Gottlieb, Milton Tl_3AsS_4 crystals and acoustooptical systems, P (8) 171*e*.

Rolfe, John, Ikezawa, M., and Timusk, T. Phonon sidebands in the emission spectrum of O_2^- in alkali-halide crystals (8) 178*g*.

Roll, Franz Melt behavior of chrome ores of varying origin in soda-lime-silica glass (8) 164*c*.

Roll, Henry E. See Mills, Harry N.

Rolla, A. Rapid drying or traditional drying? (3) 68*a*.

Rollefson, R. J., and Peressini, P. P. Low-temp. specific heat of RbCl, RbBr, and RbI (2) 53*j*.

Rollwitz, William L. Spectroscopic apparatus, P (2) 47*c*.

Roman, O. V., Dubrovskaya, G. N., Dvorechaya, M. A., and Korotkina, M. N. Effect of metal powders containing refractory compounds on production methods and sintering (6) 129*c*.

Romanenko, V. N., and Khelfets, V. S. Phenomena arising during the interruption of crystal growth (6) 140*b*.

Romano, William See Angeleri, Frederico

Romanov, V. N. See Mogilevskii, B. M.

Romanova, G. I. See Voitsekhovskii, V. N.

Romanovich, I. V. See Buntushkin, V. P. ; Portnoi, K. I.

Romberg, Hendrik Glass shear, P (10) 206*g*.

Romick, Thomas A., and Roth, Robert J. Effects of milling and after-milling additives on electrostatic sprayability (9) 183*j*.

Ronchi, C. See Matzke, Hj.

Ronniger, G., and Mill, B. V. New ions in garnet structure (1) 25*f*.

Ronniger, G., Mill, B. V., and Sokolov, V. I. Growth and magnetic properties of single crystals of some V garnets (10) 210*c*.

Ronzi, Giancarlo Process for producing discrete semiconductor devices or integrated circuits, P (7) 150*h*.

Roos, Heinz Ensuring profitability of a brickwork plant: I–II (2) 37*j*.

Root, Floyd A., and White, Robert C. Method of forming Ti metal-glass hermetic seals, P (9) 191*g*.

Ropp, R. C. Rare earth niobate composition, P (1) 15*j*.

Ropp, R. C., and Carroll, B. Dimorphic La orthovanadate (3) 78*a*.

Rosasco, Gregory J., and Simmons, Joseph H. Investigation of gas content of inclusions in glass by Raman scattering spectroscopy (11) 224*f*.

Rosback, Donald H. Method for preparing Cu-exchanged type X zeolite, P (1) 20*j*.

Roschina, Mariya S. See Dymova, Tatyana N.

Rose, Ralph E. Semiconductor structure with bumps, P (11) 231*h*.

Rosei, R. See Lynch, D. W.

Rosen, Erik, and Wittung, Lennart Thermodynamic studies of high-temp. equilibria: IV, Experimental study of the equilibrium reaction $5PbO(s) + 1/2S_2(g) + 3/2O_2(g) = 4PbO.PbSO_4(s)$ (2) 57*a*.

Rosen, Goran E. See Carlsson, Hilding A. G.

Rosenbauer, Hans Guenter See Aignesberger, Alois

Rosenberg, Philip E. Pyrophyllite solid solutions in the system Al_2O_3-SiO_2-H_2O (10) 218*d*.

Rosenberg, Robert See Cuomo, Jerome J.

Rosenblatt, Gerd M. See Behrens, Robert G.

Rosenbloom, M., and Teale, R. W. Ferromagnetic resonance in Co-doped Mg and Mn ferrites (1) 13*b*.

Rosenkrantz, L. J. GaAs diode-pumped Nd:YAG laser (4) 92*j*.

Rosenthal, A. See Shaulov, A.

Rosenthal, Arnold J. See Ram, Michael J.

Roshchina, A. V. See Fedorov, P. I.

Rosignoli, D. See Guella, M. S.

Rosinger, H. E. See Ritchie, I. G.

Rosinski, Edward J. See Plank, Charles J. ; Rubin, Mae K.

Rosolowski, J. H., and Greskovich, C. Analysis of pore shrinkage by vol diffusion during final stage sintering (9) 194*c*.

Ross, Alberta B. See Anbar, Michael

Ross, Alexander R. See Hensler, Donald H.

Ross, Edward A. See Banyas, John D.

Ross, G., and Birley, A. W. Optical properties of polymeric materials and their measurement (2) 54*d*.

Ross, G. John See Kodama, Hideomi

Ross, J. S. See Farley, J. M.

Ross, Robert G. See Baes, Charles F., Jr.

Ross, Sigmund L. Cryothermal process for fracturing rock formations, P (1) 20*h*.

Ross, W. A., and Gibby, R. L. Polymorphic transformation of Eu_2O_3 by abrasion (2) 55*c*.

Rossat-Mignod, J. See Abbas, Y.

Rossell, H. J. See Allpress, J. G.

Rossi, Eugene F. Nozzle for rotary kiln, P (5) 118*i*.

Rossi, Giulio Effect of the addition of Y_2O_3 on the microstructure of sintered Al_2O-3 (7) 154*i*.
Rossi, Giulio, and Burke, Joseph E. Influence of additives on the microstructure of sintered Al_2O_3 (1) 24*h*.
Rossi, J. A., and China, S. R. Efficient optically pumped InP and $In_{1-x}Ga_xAs$ lasers (4) 92*h*.
Rossi, Natalia I. Clay deposit in Neuquen, Argentina (10) 214*a*; Argentine clays and kaolins (11) 233*j*.
Rossi, P. F. See Gesmundo, F.
Rossier, Dominique See Cornet, Jean
Rossini, Angel R. See Cohen Arazi, Salomon
Rosskopf, Philip A. See Peppler, Richard B.
Rossman, H., and Pfeifer, E. Fully automatic glazed floor tile production (2) 38*f*.
Rossol, F. C. See Bonner, W. A.
Rostoker, David Alpha wollastonite pins and setters, P (5) 112*a*; Foamed glass body, P (7) 146*a*; Light-diffusing clay coatings for lamps, P (7) 146*c*.
Roszteczy, Ferenc E. See Antypas, George A.
Roszteczy, Ferenc E., Casas, Celestin J., and Kinoshita, Joshyo Method of making GaAs semiconductive devices, P (3) 71*c*.
Roth, James F., Gambell, James W., and Penquite, Charles R. Process of treating auto exhaust with shrinkage-resistant Cu aluminate-rare earth catalysts, P (5) 119*h*.
Roth, R. S. See Allpress, J. G. ; Galy, Jean ; Negas, T. ; Negas, Taki ; Waring, J. L.
Roth, Robert J. See Romick, Thomas A.
Roth, Thomas A. Dielectric relaxation of ZaF_2:LiF (8) 175*d*.
Rothenberg, Polly Electroformed enamels (5) 105*f*; Raku murals of Paul Rayar (7) 143*i*; Textured slab bottles (10) 201*h*.
Rothert, Manfred See Weise, Eberhard
Rotych, N. V. See Grach'yan, A. N. ; Ponomarev, I. F.
Rouff, Arthur L. See Narayan Rao, C. V. S. H.
Rough, Robert R. See Pellett, Fred G. ; Richards, Raymond S.
Roulet, R. See Brunisholz, G.
Roundy, C. B., and Byer, R. L. Sensitive $LiTaO_3$ pyroelectric detector (8) 169*b*.
Roup, Rolland R. Improved ceramic compositions for high-stability capacitors, P (4) 93*h*.
Routaskka, Gerald See Majdic, A.
Rouvaen, J. M. See Bridoux, E.
Rowan, L. G. Microwave dielectric loss of V^{4+}-doped TiO_2 at low temps. (7) 156*a*. See Newman, F. C.
Rowe, D. Garth See Goldman, Arthur J.
Rowe, George E. Apparatus for making glassware by a press-and-blow technique, P (2) 35*b*; Method and apparatus for treating newly formed ware, P (2) 36*d*.
Rowland, C. A., Jr. Large grinding mills [for cements and minerals] (10) 212*c*.
Rowland, John D. See Roberts, George L., Jr.
Rowley, J. Liquefied petroleum gas and the brick industry (1) 8*c*.
Roy, D., Basu, A. N., and Sengupta, S. Dielectric properties and different models of ionic crystals (7) 154*d*.
Roy, Della M., and Gouda, George R. High-strength generation in cement pastes (4) 84*d*.
Roy, Donald W. See Sellers, David J.
Roy, Hrishikesh Coagulation of H-clay suspension containing binary mixtures of kaolinite and montmorillonite (2) 39*a*; Interaction of clay minerals in dilute H-clay suspensions (2) 39*c*.
Roy, K. L. See Mitra, N. K.
Roy, Maurice M. See Gaier, Claude E.
Roy, Rustum See Houlihan, John F. ; Messier, Russell ; Muller, Olaf ; Takamori, Takeshi
Roy, Rustum, and Theokritoff, Sergius Crystal growth of metastable phases (2) 49*g*.
Roy, S. See Mukherjee, D. K.
Roy, S. B., and Som, S. K. Indian lepidolite in whiteware bodies (2) 39*b*.
Roy, S. K., and Moorthy, V. K. Development of high-alumina bodies (2) 38*b*.
Roy, Soumyen See Banerjee, S. K.
Royak, S. M., Kitsis, S. B., and Zhovtaya, V. N. Raw material mixture with addition of Cu slag (4) 85*a*.
Royak, S. M., Sokhatskaya, G. A., Shubin, V. I., and Tishkova, K. S. Periclase-belite refractory for the sintering zone of rotary furnaces (4) 85*i*.
Royce, Damon V., Jr., and Drown, Harold L. Process for the crystallization of Al nitrate nonahydrate, P (9) 194*i*.
Royce, E. B. See Grady, D. E.
Royds, K. See Miller, H. R.
Royer, James J. Rectangular AT-cut [quartz] crystal plate, P (6) 132*i*.
Royere, C. High-temp. reduction of oxides by H-Cr_2O_3 (5) 120*h*.
Rozdin, I. A., Spiridonov, F. M., Sotnikova, M. N., Komissarova, L. N., and et al. Phase equilibria in the system Ga_2O_3-TiO_2 (1) 26*i*.
Rozen, A. A. See Lisbenko, L. G.
Rozenberg, L. A. See Avdeev, A. L.
Rozgonyi, G. A., and Saul, Robert H. Effect of substrate preparation on the perfection of GaP liquid-phase epitaxy layers (2) 40*e*.
Rozgonyi, G. A., Von Neida, A. R., Ilzuka, T., and Haszko, S. E. Defect studies of GaP crystals pulled from nonstoichiometric melts—dislocation and "saucer" etch pits (3) 77*e*.
Rozhdestvenskii, F. A. See Dvoinin, V. I. ; Smirnov, S. V. ; Zuev, M. G.
Rozploch, Franek See Huettinger, Klaus J.
Ruban, V. A. See Kuts, P. S.
Rubin, J. A. See Dutta, S. K.
Rubin, L. G., and Lawless, W. N. Studies of a $[SrTiO_3]$ glass-ceramic capacitance thermometer in an intense magnetic field at low temps. (1) 18*c*.
Rubiz, Mae K., and Rosinski, Edward J. Hydrocarbon conversion with novel zeolite, P (5) 119*f*.
Rubinchik, Ya. S. See Kniga, M. V. ; Prokudina, S. A.
Rubinek, Wilfred D. See Scott, Stanley J.
Rubinoff, G. W. Far-uv reflectance spectra and the electronic structure of ionic crystals (7) 155*j*.
Ruby, S. L. Moessbauer studies of glasses and supercooled liquids (10) 217*g*.
Ruch, H. Measurement and control engineering in lime burning (10) 202*f*.
Ruckenstein, Georg See Ludwig, Udo
Rudmann, Jerald J. See Squillace, Anthony S.
Rudol'f, P. See Sandulova, A. V.
Rudy, Erwin Carbide alloys suitable for cutting tools and wear parts, P (4) 91*b*.
Rudy, George J. See Chumbres, Louis G.
Rueb, F. Dryers for ceramic raw materials (1) 19*g*.
Ruedl, E. Quantitative TEM of bubbles in Al and Al-Al_2O_3 alloys (5) 122*b*.
Ruettiger, Karl Method of producing a drawing and deep drawing steel resistant to aging, particularly for single-coat enameling, P (7) 145*f*.
Ruff, Bruce J. See Baldwin, Richard R.
Ruff, John K. See Wold, Aaron
Ruffa, A. R. Theoretical model for X-ray emission and absorption, bond breaking, and point-defect production in SiO_2 (4) 103*d*.
Ruffini, G. See Morettini, L.
Ruggiero, Edward M. Thermal displays using air-isolated integrated circuits and methods of making, P (2) 44*e*.
Ruh, Robert See Domagala, R. F. ; Petrak, D. R. ; Sikra, James C.
Ruh, Robert, and Patel, Vinod A. Proposed phase relations in the HfO_2-rich portion of the system Hf-HfO_2 (1) 27*d*.
Ruie, A. R., and Blake, H. E., Jr. Recovery of F from low-grade calcareous fluorspars—preliminary studies (10) 214*j*.
Ruie, A. R., Clark, C. W., and Butler, M. O. Flotation of carbonate minerals from unaltered phosphate ores of the Phosphoria formation (10) 214*d*.
Rullier, Robert Double glazing unit bonded together by a blend of resins, P (11) 225*f*.
Rumbold, Bernhard C., and Cartwright, John E. Heat-insulating antipiping compositions, P (9) 188*g*.
Rummel, Theodor Initiating the pulling of a crystalline body from a molten stock, P (1) 14*e*.
Rumyantsev, P. F. See Nikushchenko, V. M.
Rumyantsev, P. F., Khotimchenko, V. S., Nikushchenko, V. M., and Udalov, Yu. P. Reaction of $CaO.Al_2O_3$ and 12Ca-O.7Al_2O_3 single crystals with water (2) 32*j*.
Rundell, Clark A., and McDaniel, Carl V. Process for the preparation of zeolitic aluminometallo silicates, P (3) 76*c*; Process for preparing zeolitic bodies having high strength characteristics, P (4) 97*h*.
Rundqvist, Stig See Anugul, Surang
Runoff, Arthur L. See Ching, L. S. ; Day, J. Paul
Runoff, Arthur L., Lincoln, R. C., and Chen, Y. C. New method of absolute high-pressure determination (4) 96*i*.
Rupprecht, Hans S., and Woodall, Jerry M. Preparation of semiconductor ternary compounds of controlled composition by predetermined cooling rates, P (3) 72*c*.
Rusbee, William Manual for the Potter, B (4) 104*i*.
Ruseva, V. Films made of alkaline glass fibers for glass fiber-reinforced plastics (10) 204*i*.
Russ, Malcolm J., and Coats, Edwin Diffusion process for compound semiconductors, P (1) 13*j*.
Russak, M. A. See Kivlighn, H. D., Jr.
Russell, Allen S., Jarrett, Noel, Bruno, Marshall J., and Remper, John A. Method for C impregnation of alumina, P (9) 188*g*.
Russell, C. K. See Kappmeyer, K. K.
Russell, Kenneth J., and Leivo, William J. High-field magnetoresistance of semiconducting diamond (8) 177*a*.
Russell, R. H. See Bacon, F. R.
Russell, Richard H. See Crawford, James E.
Russell, Robert G. Method and apparatus for processing glass and forming fibers therefrom [quenching], P (4) 88*d*.
Russell, Stanley K. Cooling means for forming glass fibers, P (1) 7*b*.
Rustagi, K. C., Pradere, F., and Mysyrowicz, A. Two-photon absorption in Cu_2O (9) 199*d*.
Rustamov, A. G., Kerimov, I. G., Valiev, L. M., and Babaev, S. Kh. Electrical properties of single-crystal Ni chalcogenides (1) 23*c*.
Ruszczyk, James F., and Secrist, Duane R. Method for molding an air-bearing magnetic head with a glass slider body, P (9) 186*j*.
Rutherford, J. S. See Parker, B.
Rutman, D. S., Toropov, Yu. S., Galkin, Yu. M., and Matveichuk, G. S. Effect of degree of component homogenization on the formation of a CaO solid solution in ZrO_2 (1) 22*c*.
Rutt, Truman C. Method for forming electrodes and conductors, P (3) 71*a*; $BaTiO_3$-MgO-Nb_2O_5 dielectric ceramic compositions and method, P (6) 131*f*.
Rutt, Truman C., and Stynes, James A. Fabrication of multilayer ceramic capacitors by metal impregnation (6) 130*h*.
Rutz, R. F., Harris, E. P., and Cuomo, Jerome J. AlN switchable memory resistor capable of a 20 MHz cycling rate and 500 picosecond switching time (1) 12*e*.
Ruzek, Josef Defining the initial state for solid phase reactions (8) 175*b*.
Ruzicka, Josef Disintegration of minerals such as mica in gas, products therefrom, and apparatus therefor, P (2) 48*i*.
Ryabov, E. N. See Nguen Ngok Kuan ; Sandler, R. A.
Ryabov, E. N., Vasil'kova, I. V., Starikova, L. P., Sandler, R. A., and et al. Thermal analysis of the system $AlCl_3$-$TiCl_3$-NaCl (1) 29*h*.
Ryabov, V. A., Semenov, N. I., Papiaushas, A. B., Polyakov, V. V., and et al. Reaction of steam-water flow with glass (9) 185*j*.
Ryan, C. E. See Berman, I.
Ryan, Charles E. See Marshall, Robert C.
Ryan, John R. See Searight, Charles E.
Ryan, Robert J. Multilayer circuit board techniques, P (1) 15*d*.
Ryazin, V. P. See Kolenova, K. G.
Rybakov, A. F. See Gol'dinshtein, N. S.
Rybakova, T. P., and Trunov, V. K. Phase diagrams of some molybdate systems (7) 156*j*.
Rybarova, A. Z., Todorovic, M., and Vukanovic, V. Influence of matrix anion on characteristics of the arc plasma and on spectrochemical determinations (11) 232*g*.
Rychlicka, B. See Gollenhofer, A.
Ryden, W. D., Reed, W. A., and Greiner, E. S. High-field magnetoresistance of IrO_2 (8) 177*a*.
Ryden, William D. See Labuda, Edward F.
Ryder, Robert M. See Pruniaux, Bernard R.
Rying, Stanley Vapor deposition method, P (8) 171*e*.
Rynd, J. Patrick, and Rastogi, Anil K. Auger electron spectroscopy—a new tool in the characterization of glass fiber surfaces (11) 232*d*.
Ryskin, Ya. I., Stavitskaya, G. P., and Shirvinskaya, A. K. Ir spectrum and structure of the hydrogermanate α-2CaO.Ge-$O_2.H_2O$ (9) 196*a*.
Rytvin, Evgeny I. See Shule, Edmund Kh.
Ryutina, N. M. See Maksina, N. V.
Ryutina, N. M., Maksina, N. V., and Fiskel'shtein, N. A. Interaction of Na and Cs chlorides and sulfates in melts (10) 217*f*.
Rza-Zade, P. F., Guseinova, S. G., Ganf, K. L., Abdullaev, G. K., and et al. Pseudobinary system $NaBO_2$-Ga_2O_3 (1) 27*d*.

Saakyan, E. R. See Bakhchisaraitseva, S. A.
Saaremets, Virl See Dilaktorski, Nikolai
Sabaliauskas, J. Neutron absorption by nuclei of Cd, Ag, and Au atoms in solutions (8) 178*a*.
Sabathy, W. See Schuoecker, Dieter
Sabet, Violette, and Oestvold, Terje Determination of the thermodynamic functions of NaBr in NaBr-KBr mixtures from concentration cell measurements (3) 77*h*.
Sachkov, G. V., Tatarchenko, V. A., and Levinzon, D. I. Control of capillary shaping process for single crystals grown from the melt (4) 98*d*.
Sachse, Herbert B. Stoichiometry limits in NiO and Fe_2O_3 (6) 141*f*.
Sack, Milton Preparation of Na percarbonate, P (8) 173*g*.
Sack, Werner Glass compositions of low inherent radioactivity, P (5) 109*g*.
Sadahiro, Takeshi See Yamaya, Susumu
Sadjian, Harry Pyrometer using a passive line shape spectral filter, P (3) 74*d*.
Saeki, Masanobu See Kimizuka, Noboru
Safaraliev, G. I., and Murguzov, M. I. Effect of doping elements on the physical properties and nature of chemical bonds in GaSb (8) 175*h*.
Safdar, M., Frischat, G. H., and Salge, H. Etching of Al_2O_3 surfaces with molten V_2O_5 (3) 66*c*.
Safonov, V. V. See Grin'ko, V. A.
Safonov, V. V., Abramova, E. A., and Kershunov, B. G. Fusibility in the systems MCl_n-ICl (7) 155*b*.
Safonov, V. V., Fakeev, A. A., Abramova, E. A., Allakhverdov, G. R., and et al. Interactions of the tetrachloroiodates of Rb and Cs (1) 24*e*.
Safonov, V. V., and Kenov, A. V. Phase diagrams of $TeCl_4$-CCl_4 and $TeCl_4$-$GeCl_4$ (6) 139*h*.
Safonov, V. V., Korshunov, B. G., and Tsyganova, O. S. Systems CsCl-KCl-$TeCl_4$ and CsCl-RbCl-$TeCl_4$ (1) 29*b*.
Safonov, V. V., Zakgeim, A. Yu., and Bocharova, S. M. System $CoCl_2$-NaCl-$TeCl_4$ (11) 236*d*.
Safronov, G. M., and Popov, V. V. Solubility of quartz in aqueous solutions of NH_4F (9) 198*d*.
Sagatov, M. A., Boltaks, B. I., Vasil'yev, L. N., and Sergin, P. P. Charge exchange of Sn impurity atoms in As selenide at the crystal-glass transition (9) 184*c*.
Sahagun, Armen N. Method [diffusion] for producing improved *pn* junction, P (2) 42*d*; Method to produce high concentrations of dopant in Si, P (4) 94*f*.
Sahm, Peter R., and Speidel, Markus O. (Editors) High-Temp. Materials in Gas Turbines, B (9) 200*c*.
Said, G., and Loe, P. A. Electrical conduction mechanism in Sn disulfide (11) 234*j*.
Saida, Hiroji See Nomura, Masayoshi ; Ono, Yuichi
Saidbekov, D. T. See Karklina, M. I.
Saifi, Mansoor A., and Paek, Un-Chul Scribing glass with pulsed and Q-switched CO_2 laser (1) 6*g*.
Saiki, Atsushi See Harada, Seiki
Saiki, Kunio, Horai, Kazumi, and Yoshioka, Hide Equilibrium spin configuration and antiferromagnetic resonance of KMn-F_3 in the low T_N phase (10) 216*c*.
St. Cyr, Lewis A., and Young, Loren H. Prevention of air pollution by using solid adsorbents to remove particulates <0.5 μm in size from flue gases, P (2) 48*c*.
Saito, Takao See Yoshida, Mizuki

Saito, Hajime Possible development of ceramics as a new class of polymers (4) 104*i*. See Abe, Yoshihiro ; Hayashi, Shinsuke ; Takashima, Hiroo ; Takusagawa, Nobuo
Saito, Katutoshi See Migitaka, Masatoshi
Saito, Kazutoshi See Adachi, Eiichi
Saito, M. See Yanagi, M.
Saito, Masashi, Yanagi, Masamitsu, and Matsushima, Shogo Measurement of longitudinal wave velocity through hardened cement paste (8) 162*g*.
Saito, Shinroku See Ozeki, Yoshiharu
Saito, Shoichi See Uchida, Naoya
Saito, Shozo See Watanabe, Yoshiyuki
Saito, Tadashi See Gejyo, Tetsuo
Saito, Tadashi, and Gejyo, Tetsuo Method for forming C coating and composite article with a carbonaceous coating thereon, P (3) 62*j*.
Saito, Y., Anayama, T., Moto, Y., and Onodera, Yutaka Anisotropies in the critical currents of NbN films (4) 92*f*.
Saito, Yoshio Steelmaking refractories currently in use at Aichi Steel Works (10) 208*e*.
Sakai, Kazunari See Miyake, Shinichi
Sakai, Kazuo See Okamoto, Hiroshi ; Watanabe, Tetsuo
Sakai, Toshikazu See Tanaka, Takaho
Sakai, Toshikazu, and Iwata, Minoru Effect of Fe on the sintering rate of Al nitride under pressure (8) 175*j*.
Sakaino, Teruo See Yamane, Masayuki
Sakakibara, Naotaka See Okazaki, Takeo
Sakakibara, Shunsaku See Shimizu, Hiroshi
Sakamoto, Hitoshi See Kotera, Noboru
Sakamoto, Michio, and Tanaka, Masao Reed switch mechanism making use of heat-sensitive ferrite, P (9) 191*i*.
Sakamoto, Sadao See Yazaki, Takehito
Sakashita, Kiyoshi See Morishita, Hirosada
Sakata, Hironobu, Noguchi, Satoshi, and Uemura, Michihiko Automatic rotating cylinder viscometer (7) 152*a*.
Sakata, Kimiko See Sakata, Tamio
Sakata, Makoto See Terada, Michiko
Sakata, Seizo See Okamoto, Hiroshi
Sakata, Tamio, Sakata, Kimiko, Hoefer, Gerhard, and Horiuchi, Takashi Preparation of NbO_2 single crystals by chemical transport reaction (2) 55*d*.
Sakhno, Al. See Sakhno, K.
Sakhno, K. See Lozanov, I.
Sakhno, K., and Sakhno, Al. New compositions for colored Ti enamels (10) 203*a*.
Saks, N. S. See Barbe, D. F.
Saka, Tadashi See Uchida, Naoya
Sakuda, Tametaro See Unoki, Hiromi
Sakuraba, Toshiaki See Yamaguchi, Yuji
Sakurai, Shigeo See Kadono, Atsuro
Sakurai, Takeshi See Shigemasa, Junichiro
Salama, C. A. T. See Rhodes, C. St. L.
Salaneck, William R. Temp.-dependent ferroelectric domain alignment in PLZT ceramic (4) 93*f*.
Sale, Howard J., Delgado, Alberto, and Doyle, Carroll F. Process for preparing SiO_2 hydrogel, P (8) 173*h*.
Salge, H. See Safdar, M.
Salibekov, S. E. See Portnoi, K. I.
Salim, A. See Banerjee, J. C.
Salisbury, Charles W., Schepman, Jon D., and Nofziger, Neil B. Supporting a glass substrate during electronic device preparation, P (2) 37*d*.
Salkan, I. M. H. See El-Kolali, A. A.
Sal'nikov, V. D., Kuz'minov, Yu. S., and Venevtsev, Yu. N. Dielectric and structural properties of ferroelectrics with diffuse phase transitions (1) 22*g*.
Sal'nikov, V. D., Stefanovich, S. Yu., Chechkin, V. V., Tomashpol'skii, Yu. Ya., and et al. Properties of ferroelectric $Pb_3Ge_2O_7$ single crystals (9) 198*a*.
Salomon, S. N. See Bobylev, B. A.
Salov, A. V. See Lazarev, V. B.
Salov, A. V., Berul, S. I., Lazarev, V. B., and Kanishcheva, A. S. Interactions in the Na-Sb-S system along the sections Na_3Sb-S, Na_3S-Sb; Na_2S_2-Sb, and $Na_{0.27}S_{0.73}$-Sb (6) 139*b*.
Salsburg, Jose B. See Fraas, Lewis M.
Sam, Ahmad Method for making abrasive articles, P (5) 105*j*.
Samadani, S. G., Laxminarsimhaih, J., and Ali, Abde Preparation and phase changes of amorphous alumina (10) 214*f*.
Samara, G. A., and Morosin, B. Anharmonic effects in $KTaO_3$—ferroelectric mode, thermal expansion, and compressibility (9) 194*d*.
Samara, G. A., and Peercy, P. S. Pressure and temp. dependence of the static dielectric constants and Raman spectra of TiO_2 (rutile) (8) 178*d*.
Samaras, D., Collomb, A., and Joubert, J. C. Structural determinations of two new ferrites, $BaLa_2Fe_2O_7$ and $SrTb_2Fe_2O_7$ (5) 122*e*.
Sammells, Anthony F. See Kennedy, John H.
Samoilenko, A. A. See Perova, E. B.
Samoilova, S. See Petushkova, S. M.
Samoilovich, Anatoly G. See Pilat, Izrail M.
Samouel, Maurice See de Kozak, Ariel
Sample, H. H., Neuringer, L. J., Gerber, J. A., and deNeufville, John P. Superconductivity and structural features of the Te-Ge-As system (10) 219*b*.
Sams, Robert H. Hydrated alkali metal silicate glass particles with sequestering agents, P (2) 36*j*.
Samsonov, G. V., Grebenkina, V. G., Yusov, Yu. P., Vlasov, L. G., and et al. Variable resistors based on refractory compounds (1) 13*b*.
Samsonov, G. V., Panasyuk, A. D., Kozina, G. K., and D'yakonova, L. V. Contact reaction of refractory compounds with liquid metals: I, Reaction of carbides of subgroup-IVa metals with the Fe-group metals (8) 174*e*; II, Reaction of carbides of subgroup Va and VIa metals with liquid transition metals (9) 194*j*.
Samsonov, G. V., and Upadkhaya, G. Sh. Properties of ZrC in the homogeneity region (1) 27*c*.
Samsonov, V. P., Fedotova, L. I., Rekov, A. I., Prokhorova, I. V., and et al. Structure of a material based on Ti-doped SiC (2) 56*i*.
Samsonova, T. I. See Berger, A. S.
Samuelsen, E. J. See Hutchings, M. T.
Samuseva, B. See Gutsov, St.
Sanada, Yuzo Carbonization and graphitization--formation of carbonaceous mesophase through carbonization (9) 187*c*.
Sanchez, Moises G. See Triggiani, Leonard V.
Sanchez Pirez, F. See Puig Montraveta, J.
Sand, Leonard B., and Sand, Michael L. Synthetic zeolite, P (1) 20*j*.
Sand, Michael L. See Sand, Leonard B.
Sanders, Jiri Method of Pt diffusion, P (5) 115*c*.
Sanders, D. M. See Hench, L. L.
Sanders, D. M., Person, W. B., and Hench, L. L. Quantitative analysis of glass structure with the use of ir reflection spectra (11) 225*c*.
Sanders, H. P. Pore-size distribution determination in Neolithic, Iron Age, Roman, and other pottery (11) 221*g*.
Sanders, James E. See Gelin, Robert J.
Sanders, Joseph Strawberry Fields Pottery (9) 181*g*.
Sanders, Nell H. See Fritz, William B.
Sanders, Thomas J. Fabrication of thin-film resistor crossovers for integrated circuits, P (4) 93*e*; High-freq. [npn] transistor fabrication, P (7) 149*c*.
Sanders, W. M. See Clinard, F. W., Jr.
Sandhu, Jagtar S. See Reuter, James L.
Sandler, R. A. See Nguen Ngok Kuan ; Ryabov, E. N.
Sandler, R. A., Ryabov, E. N., Vasil'kova, I. V., and Cherepanova, E. A. Thermal analysis of the system VCl_3-$TiCl_3$-KCl (6) 142*a*.
Sandmann, Herbert See Reuschel, Konrad
Sandmeyer, Karl H. See Miller, William A.
Sandmeyer, Karl H., and Miller, William A. Lab studies of the glass furnace refractory structure (8) 167*h*.
Sandstede, Gerd See Binder, Horst
Sandstedt, C. E., Ledbetter, W. B., and Gallaway, B. M. Prediction of concrete strength from the calculated porosity of hardened cement paste (8) 162*b*.
Sandulova, A. V., Goncharov, A. D., and Rudol'f, P. Doping of semiconductor layers produced by melt compression (9) 195*g*.
Sang, Ki Nam See Ahn, Young Phil
Sangen, Masashi See Kamiya, Shigeru
Sangster, M. J. L. Calculation of the phonon sideband of the R line in MgO:Cr^{3+} (8) 174*a*. See Ray, D. K.
Sangwal, K. Selective etchants for Pb sulfide single crystals (2) 55*d*.
Sanker, Philip E. See Oden, Laurance L.
Sanner, Richard D. Novel glass compositions and CRTs made therefrom, P (10) 206*j*.
Sano, Hisumi See Nomura, Masayoshi
Sano, Shiro Sintering of MgO at low temp. (10) 208*d*.
Sano, T. See Nomura, T.
Santos, E. See Enriquez, F.
Santos, Emilio, and Villagra, Antonio Thomas-Fermi calculation of the interlayer force in graphite (8) 180*e*.
Sasayama, Yoshihito See Nagano, Kentaro
Sapozhnikov, Yu. L. See Yakovlev, Yu. M.
Sapozhnikov, Yu. L., and Titova, A. G. Primary crystallization fields in the PbO-PbF_2-B_2O_3 system during synthesis of YIG monocrystals (8) 178*e*; Regions of primary crystallization in the system Y_2O_3-Fe_2O_3-50PbO.40PbF_2.10B_2O_3 (9) 198*b*.
Sapozhnikova, L. M. See Ksendzov, Ya. M.
Sapriel, J., and Lancon, R. Elastic and piezoelectric properties of α-HgS (3) 78*b*.
Sapunov, P. See Stamboliev, H. T.
Sarale, Junji See Ohata, Keiichi
Saralidze, A. L., and Efremidi, A. L. High-voltage semiconductor rectifier unit, P (4) 93*g*.
Sargeant, Graham Kenwood, Isherwood, Thomas Henry, and Atthis, Peter William Synthetic mullite, a modern refractory material for the glass industry (abstract) (3) 67*d*.
Sarkar, A., Srinivasan, G. R., Volterra, V., and Macedo, P. B. Electron microscope observations of the kinetics of composition fluctuations in SiO_2-B_2O_3-Na_2O-Al_2O_3 glass (10) 204*f*.
Sarkar, Asok K. See Messier, Russell
Sarkisov, S. E. See Bagdasarov, Kh. S.
Sarkozy, R. F., Moeller, C. W., and Chamberland, B. L. Characterization of Ca Ir oxides (10) 215*j*.
Sartori, Franco, Franzini, Marco, and Merlino, Stefano Crystal structure of a $2M_2$ lepidolite (3) 77*g*.
Sasaki, Hiromu Visible diffusion phenomena in ceramics (8) 180*j*. See Matsuo, Yoshihiro
Sasaki, Ichiemon See Nishizawa, Junichi
Sasaki, Katsuyoshi See Takei, Ichiro
Sasaki, Reiichi See Nagata, Takashi
Sasaki, Ryusei See Morishita, Hirosada
Sasaki, Takeshi See Ogawa, Takuzo ; Shima, Kenzo
Sasek, Ladislav See Meissner, Bohumil
Sasek, Ladislav, Bartuska, Miloslav, and Van Thong, Vu Use of mathematical statistics in silicate research: II, Determination of mathematical relations for calculation of crystallization properties from chemical composition of sheet and container glass (11) 225*j*.
Saukhat, S. R., and Vedam, K. Hardening of CaF_2 single-crystal surfaces due to contamination by atmospheric O (4) 99*f*.
Sasso, Giovanni See Middelhoek, Simon
Sastri, M. V. C. See Palanisamy, T.
Sastri, S. R. S., and Narasimhan, K. S. Estimate makeup ball size for grinding (3) 73*g*.
Sastry, B. S. R. See Reddeppa, G.
Sastry, K. V. L. N. See Narayana, P. A.
Sata, Toshiyuki See Nakamura, Tetsuro
Sata, Toshiyuki, and Yokoyama, Takeshi Vaporization rate of MgO from spinel single crystal in vacuum (7) 159*h*.
Sataris, V. I., Val'berg, G. S., and Avramenko, O. I. Modernization of furnace grate coolers (4) 85*g*.
Satava, Vladimir Equilibrium in the system $CaSO_4$.$2H_2O$-CaSO_4.$1/2H_2O$-H_2O (10) 202*a*. See Hrma, Pavel
Satiya, R. C. See Kacker, K. P.
Sato, Akio See Hashimoto, Takasu ; Sato, Shigehiko
Sato, H., and Shinozaki, S. Microsyntaxy and polytypism in SiC (8) 177*h*.
Sato, Hiroshi See Shinozaki, S.
Sato, Hisanao See Shitaya, Takao ; Yamamoto, Ryoichi
Sato, Hitoshi See Takahashi, Susumu
Sato, Hitoshi, Tanaka, Mitsuo, Nakamura, Michiharu, Takahashi, Susumu, and et al. Package for mounting semiconductor device in microstrip line, P (5) 115*f*.
Sato, Kanzo See Abe, Toshio
Sato, Ken Electrical charging of photoconductive CdS powders (2) 51*b*.
Sato, Masao See Akimoto, Yasumasa ; Hatano, Toichi ; Toide, Takashi
Sato, Ryo See Matuzawa, Kunihiro
Sato, Shigehiko, Sato, Akio, and Okamoto, Eiichi SiO_2-Ta_2O_5 thin-film capacitor (4) 93*c*.
Sato, T., Nishida, T., and Yamatake, M. Extraction of U(VI) and Th(IV) from nitric acid solutions by tri-*n*-octyl phosphine oxide (10) 211*i*.
Sato, Tadao, and Iwata, Minoru Preparation of Al nitride by electric arc method (8) 167*e*.
Sato, Taichi Preparation of gelatinous Al hydroxide (9) 197*i*; Thermal transformation of gelatinous Al hydroxide (9) 199*j*.
Sato, Yoichiro, Ohashi, Haruo, and Setaka, Nobuo Formation of graphitizable C from polyfurfuryl alcohol under high pressure (4) 97*i*.
Satou, Minoru See Yamazaki, Yootarou
Satou, Sumio Mfg. of synthetic minerals using self-fluxing mineralizers (10) 208*i*.
Sattele, J. H. See Potter, Ralph M.
Sauder, Robert A., Kendrick, Gary R., and Mase, John R. High-temp. insulation module, P (10) 208*j*.
Sauermann, Heinz See Raabe, Gerhard
Saul, R. H. See Hackett, W. H., Jr.
Saul, R. H., and Roccanecca, D. D. Surface morphology of liquid-phase epitaxial layers (9) 199*c*.
Saul, Robert H. See Rozgonyi, G. A.
Sauman, Zdenek See Matousek, Milan
Saunders, G. A. See Farley, J. M.
Saunders, James H. Careers in Industrial Research and Development, B (5) 124*e*.
Saunders, M. J. Optical fiber breaking stress distributions obtained by a cantilever method (1) 18*e*.
Saunderson, D. H., and Peckham, G. E. Lattice dynamics of CaO (1) 25*c*.
Sausville, Joseph W. See Rokosz, Ferdinand
Sauvageot, R. See Wehrer, P.
Savage, George, and Newman, Harold Illustrated Dictionary of Ceramics, B (7) 160*f*.
Savage, J. A. Glass-forming region and DTA survey of some glasses in the Si-Ge-As-Te threshold switching glass system (5) 108*d*.
Savastano, G. See Morello, B.
Savchkov, V. K. See Vil'chevskii, N. O.
Savekov, I. See Dimitriev, Ya.
Savel'ev, B. A., Krenev, V. A., and Evdokimov, V. I. Reaction of B tribromide with elemental B (11) 235*d*.
Savino, Antonio See Sperandio, Claudio
Savitskii, V. G., Kovtuni, R. N., Alekseyuk, V. E., and Protsakh, P. F. Temp. dependence of the width of the forbidden band of $Ba_{0.5}Sr_{0.5}Nb_2O_6$ single crystals in the phase transition region (7) 158*h*.
Savolainen, Jouko E. See Gresky, Alan T.
Savos'kina, A. I., Limar, T. F., and Kisel, N. G. Hydrated Ba tetratitanate (4) 99*i*.
Savranskaya, E. S., Tret'yakov, Yu. D., and Erastova, A. P. Ferrite formation in powder mixtures of Y_2O_3 and hematite (8) 176*i*.
Savukynas, A. See Glembotskii, I. I.
Savut, Maria See Szabo, A.
Sawada, Shozo, Hirotsu, Shunsuke, Iwamura, Hidetoshi, and Shiroishi, Yoshihiro Ferroelectric type of hysteresis loop observed in BeO (10) 210*a*.
Sawaguchi, E., and Cross, L. E. Spontaneous polarization of $Gd_2(MoO_4)_3$ (9) 198*f*.
Sawamoto, Hiroshi High pressure synthesis of ilmenite-type $MnCrO_3$ and its magnetic properties (1) 24*a*.
Sawamura, Kentaro See Kuwabara, Makoto
Sawatzky, Erich See Lee, Kenneth ; Street, G. Bryan
Sawatzky, Erich, and Street, George B. Ferromagnetic material, P (3) 71*a*.
Sawatzky, G. A. See Coey, J. M. D.
Sawchuk, Loris G. See Araujo, Roger J.
Sawyer, Edgar W., Jr. See Kaliski, Adam F.
Sawyer, J. O. Crystal structure of $\alpha SrUO_{4.000}$ (1) 15*i*.
Sawyer, James, Caro, Paul, and Eyring, Leroy Hydroxycarbo-

nates of the lanthanide elements (9) 196*h*.

Saxena, A. P., and Pradhan, B. R. Experimental technique for determining the dynamic Young's modulus of conducting and nonconducting materials (2) 46*g*.

Saxena, E. R. See Anees uddin, Mir

Sayers, James A. [Glass tube] matrix and method of making, P (3) 65*a*.

Sayko, Augustus J. Fabrication of GaAs devices, P (2) 41*i*.

Scafe, D. W. Bentonite characteristics from deposits near Rosalind, Alberta (8) 174*i*.

Scala, E. Composite Materials for Combined Functions, B (2) 58*e*.

Scammon, Lawrence W., Jr., Grant, Clarence L., and Wilks, Phillip H. Processing of silicate ores and product thereof [zircon], P (9) 194*j*.

Scandaletos, Lazare Abrasion tools, P (1) 1*i*.

Scarisbrick, R. M. Electrically conducting mixtures (9) 190*e*.

Scarmozzino, R. Photovoltaic properties of ZnS crystals and a comparative study with luminescence (4) 101*a*.

Scarrone, Arnaldo, and Formoso, Milton L. L. Technological properties of red clays of the Esteio-Gravatai area, Rio Grande do Sul, Brazil (7) 158*f*.

Scavuzzo, Robert J. See Payne, Richard S.

Schacht, C. A., and Hribar, J. A. An elastic analysis of a refractory sprung arch (9) 187*c*.

Schaefer, David P. Acid or mineral anion stabilization of SiO_2 sols, P (11) 233*c*.

Schaefer, Harald, Grofe, Theodor, and Trenkel, Marita Chemical transport of Mo and W and of their dioxides and sulfides (4) 98*i*.

Schaefer, Manfred Gas chromatographic investigation of foam glass samples (8) 172*a*.

Schaefer, Robert S. See Belue, James C.

Schaefer, Wolfgang See Will, Georg

Schaefer, Wolfgang, and Will, Georg Neutron diffraction study of antiferromagnetic $DyAsO_4$ (1) 25*e*.

Schaerfeicie, Frithjof Behavior of isostatically pressed tank blocks (8) 167*b*.

Schafer, Horst See Flohrs, Peter

Schaffer, Robert S., and Fitzgerald, John W., Jr. Apparatus for packaging [glass fiber] linear material, P (2) 35*b*.

Scharf, Hans Ceramic nuclear fuel or breeder material tablets and method of producing, P (8) 171*i*.

Schauer, Alois Method of producing pure alpha Ta films by cathode sputtering, P (9) 191*d*.

Schave, Richard D. See Maltby, Robert E., Jr.

Scheel, H. J. See Kjems, J. K.

Scheel, Ruediger See Hoehle, Hans W.

Scheer, H. G. New knowledge in the mfg. of screen-printing stencils for the porcelain, ceramic, and earthenware industry (11) 228*i*.

Scheerer, Joachim, Mueller-Warmuth, Werner, and Dutz, Hubert NMR study of alkali borosilicate glasses (7) 145*h*.

Scheib, Louis See Ehrman, Chester S.

Schelbe, Wolfgang, Hoffman, B., and Dombrowe, H. Problems of formulating grinding aids in the cement industry (8) 162*c*.

Scheidler, H. Mfg. and properties of glass-ceramic materials (2) 34*f*.

Scheidler, Herwig See Mueller, Gerd

Schell, Donald H. See Martin, William W.

Schellbach, G. Building with brick prefabricated wall panels—an alternative to brick masonry construction (2) 37*i*; Provisions of the new German Standard Specification for Brickwork DIN 1053 and of the regulations for high-stress brickwork—their importance for the brick and tile industry (5) 110*i*.

Schellberg, F., Wieland, K., and Olbricht, R. Moldable refractory materials for use in the cement industry (8) 167*c*.

Schellmann, W., and Fastabend, H. Lab investigations of the evaluation of expanded clays (2) 48*f*.

Schenkels, Ferdinand J. M. Method of mfg. a pinch in a quartz tube, P (8) 166*a*.

Schenkels, Ferdinand J. M., and Verboven, Ghislain F. A. A. Method of mfg. gas-filled lamps, P (6) 128*h*.

Schepman, Jon D. See Salisbury, Charles W.

Scherber, Werner Method of mfg. an FET, P (4) 94*d*; Method of mfg. an MNOS storage element, P; An FET, P (6) 132*i*; Method of mfg. a FET, P (11) 230*j*. See Holzer, Helmut ; Mroczek, Werner

Scherf, Gerald F., and Kohler, Robert D. Apparatus and method for displaying the minimum thickness of a dielectric member measured by a radio-freq. thickness gage [glass container], P (5) 109*b*.

Scherpereel, Donald E. Structural observations on continuous cleaning materials (9) 183*g*.

Schesnemann, K. See Mueller-Buschbaum, Hanskarl

Shevchenko, V. Ya. See Lazarev, V. B.

Scheve, John L., Abraham, William H., and Lancaster, Earl B. Simplified continuous viscometer for non-Newtonian fluids (9) 193*a*.

Schiavone, L. M. See Shay, Joseph L.

Schick, F. T., and Palz, H. Ceramic burners for blast furnace stoves (6) 135*a*.

Schickedanz, G. Composite materials, P (2) 38*i*.

Schieber, M. See Avigal, Y.

Schieber, M., Grill, A., Nowik, I., Wanklyn, Barbara M., and et al. Magnetocrystalline anisotropy of rare-earth manganites (9) 196*f*.

Schiel, Ernst J. See Maurer, Robert D.

Schieritz, Martin K. Continuously operating agitator ball mills, P (2) 48*i*.

Schiers, Winfried Semiconductor arrangement, P (5) 115*h*.

Schiffrin, D. J. See Hills, G. J.

Schilliasi, S. Economical prefabrication of clay tile floors and ceilings in Italy (3) 65*j*.

Schiller, Edward See Gooch, Beverly R.

Schilt, Stephen J. Method of glazing greenware with an ambient epoxy resin curing composition, P (3) 68*j*.

Schilz, W. Spin-wave propagation in epitaxial YIG films (1) 13*j*.

Schimmer, Rigobert, and Messerschmidt, Juergen Method for producing stable [polymer] surface protection for semiconductor components, P (6) 132*c*.

Schindler, H. Experience in production and marketing of prefabricated clayware unit floors and floor slabs according to German Standard Specification DIN 4159 (5) 110*d*.

Schinella, Richard D., and Herndon, William H. Methods for forming metal/metal silicide semiconductor device interconnect system, P (4) 94*i*.

Schink, Norbert Method for indiffusing or inalloying a foreign substance into a semiconductor body, P (7) 150*d*.

Schinke, Georg See Langenhoff, Ferdinand

Schinker, Martin G. Plastic deformation of K chloride single crystals due to 5-MHz ultrasonic waves (8) 178*j*.

Schipper, D. J. See Bolwijn, P. T.

Schirber, J. E., Morosin, B., Anderson, J. R., and Stone, D. R. Effect of pressure on the Fermi surface of ReO_3 (7) 155*f*.

Schively, Dixon P. Fuse for nuclear reactor, P (7) 152*b*.

Schlaffer, Walter G. Catalyst preparation method, P (7) 153*d*.

Schlam, Elliot Electroluminescent phosphors (3) 69*d*.

Schlapp, W. See Schmidt-Bruecken, H.

Schlauch, Richard M. See Beach, William A.

Schlauch, Charles M., Clendenen, Ronald L., and Olson, Eugene E. Process for preparing a ductile metal ferrite, P (2) 43*b*.

Schlegel, D. Rheology of plastic ceramic bodies (1) 12*d*.

Schleifer, Ronald H., Price, James E., and Bowden, Henry J. Abrasive powder of fused alumina containing V_2O_4, P (7) 143*e*.

Schlesinger, M. See Chow, S. L.

Schlickman, Jay J. See Kohn, Alan N.

Schlinkert, Cl. Controlled firing system requirements (8) 173*b*.

Schloemann, Ernst Domain walls in bubble films: I, General theory of static properties; II, Static properties of thick films (9) 195*g*.

Schlosser, W. F., Latal, E., Meincke, P. P. M., Graham, G. M., and et al. Low-temp. thermal expansion and magnetostriction of Kovar (4) 100*g*.

Schlotterhausen, Christian See Bardash, Irwin

Schmalzried, H. See Pelton, A. D.

Schmid, Alois See Hofer, Hermann F.

Schmid, Anthony P. Coaxially conducting element and process for mfg., P (1) 13*g*; Conducting element having bundled substantially parallel crystalline conductors and process for mfg., P (11) 225*e*.

Schmid, Eduard, Bruttel, Beat, Nascher, Reinold, and Egli, Rene Separation process for solid particles of differing shape, P (2) 46*d*.

Schmid, F. See Viechnicki, D. J.

Schmid, F., and Viechnicki, D. J. New approach to high temp. crystal growth from the melt (10) 212*d*.

Schmid, F., Viechnicki, D. J., and Kantor, P. I. Reaction of MgO in $MgAl_2O_4$ spinel with Mo crucibles during crystal growth (9) 198*h*.

Schmid, Franz Experience with tilting table prefabrication and guidance to pallet-type production flow (5) 110*d*.

Schmid, Louis Analytical method for the rapid determination of the oxides of Si,Fe,Al,Ca, and Mg in [high-strength] building brick raw materials (1) 17*e*.

Schmid, Ph., Voitchovsky, J. P., and Mercier, A. Impurity effects on low-temp. photoluminescence of GaSe (10) 217*b*.

Schmidt, Adolf See Knauf, A. N.

Schmidt, Albrecht Closed system neutron generator tube, P (5) 116*b*.

Schmidt, Alfred I. Gas discharge lamp and method for making, P (2) 36*a*.

Schmidt, Donald L., Cooper, Ronald H., and Brandt, Gerald H. Cementitious compositions containing phosphoric acid, P (7) 145*a*.

Schmidt, Ernst Prevention of limestone damage by the addition of chlorides and other methods (2) 37*a*; Reduction of air-pollutant fluoride emissions by means of pulverized hydrate of lime (2) 45*d*.

Schmidt, G. See Lohmueller, G. ; Sorge, G.

Schmidt, Guenther Method of soldering a conductor to a semiconductor, P (6) 132*d*.

Schmidt, Hans, Eggert, Erwin, and Shuckle, Gert Small axial thermocouple [with cut Taylor], P (10) 213*c*.

Schmidt, Heinz Mineral content of brick clays (3) 66*b*; Data on raw clays for various types of product in the brick and tile industry (8) 166*c*. See Piltz, G.

Schmidt, Jochen See Pfaue, Johannes

Schmidt, John G. Fabrication of semiconductor devices [diodes], P (8) 170*a*.

Schmidt, P. H. See Spencer, E. G.

Schmidt, Paul F. See Rand, Myron J.

Schmidt, Paul W. See Patel, I. S.

Schmidt, R. V. See Shank, C. V.

Schmidt, R. V., Kaminow, I. P., and Carruthers, J. R. Acousto-optic diffraction of guided optical waves in $LiNbO_3$ (6) 136*f*.

Schmidt, Uwe J. See Krueger, Uwe

Schmidt, W., Kuhlmann, H. G., and Schroeter, H. Use of continuous proportioning devices for the feed of powdered materials (2) 45*e*.

Schmidt, Warren H. D. Process for fiber drawing by fluid means, P (3) 65*c*.

Schmidt-Bruecken, H., and Schlapp, W. Bonding of metallic Al to alumina ceramic (2) 40*a*.

Schmitt, Charles R. Method for preparing hollow metal oxide microsphere, P (6) 136*i*. See Benton, Samuel T.

Schmitt, Dieter See Baumer, Wilhelm

Schmitt, J. M. See Mathieu, A.

Schmitt, Traugott See Bronger, Welf

Schmitter, Detlev, Ulrich, Hans, and Woelfle, Rudolf Method of producing soft solderable contacts for installing semiconductor components into housings, P (2) 42*j*.

Schmitz, Karl-Heinz See Koenig, Paul

Schneider, F. H., Naoumidis, A., and Nickel, H. Formation of U_2C_3 from the decomposition of U dicarbide (5) 171*j*.

Schneider, Hans Process for making a metallurgically slow reacting mold [Mg_2SiO_4], P (10) 209*d*.

Schneider, J. See Andlauer, B.

Schneider, Samuel J. See Wachtman, J. B., Jr.

Schneider, W. See Koen, J. G.

Schneider, W. C. See Vedam, K.

Schneider, Walter See Heynisch, Heinrich

Schneider-Arnoldi, Alfred, Goebler, Helmut, and Kandler, Joachim Hydraulic binder [P slag], P (11) 222*c*.

Schnell, Walter Domestic heat and power supply at a brick plant (10) 207*b*.

Schoeff, John A. Method for fabricating polycrystalline structures [Si] for integrated circuits, P (11) 230*h*.

Schoen, Kurt Particle counting apparatus [fluid suspension], P (3) 74*d*.

Schoenberger, Edward T. Ceramic fountain made from hand-built sections (9) 181*j*.

Schoenbrunn, Guenther Study of stress and expansion of glass containers under static and dynamic load (1) 6*b*.

Schoenfeld, Irena Advantages of using Ag oxide as an additive in spectrochemical analyses (11) 232*c*.

Schofield, C. J. Siting and costs in the design of a glasswork (9) 185*a*.

Scholes, Addison B., and Kozlowski, Joseph J. Method for [metallic oxide] treating vitreous surfaces, P (10) 206*f*.

Scholl, Ronald F., and Bieha, William P., Jr. CdS thin-film sustained conductivity device with cermet Schottky contact, P (9) 190*d*.

Scholpp, Martin Method of making metal-C brushes for electrical motors, P (2) 42*h*.

Schoolar, Richard B. Method of varying the carrier concentration of Pb-Sn sulfide epitaxial films, P (7) 150*c*.

Schoolar, Richard B., Lequin, Doris S., Mathews, Harry E., Jr., and Culpepper, Ronald M. Plastic mounting of epitaxially grown IV-VI compound semiconducting films, P (3) 72*b*.

Schoonmaker, Richard, and Lo, Vincent Mechanism of condensation: I, Direct determination of the coeffs. for condensation of molecular beams of NaCl on oriented single crystals of NaCl (3) 80*f*.

Schoonover, Randall M. See Bowman, Horace A.

Schorlemer, Reid See Keitel, Diethard

Schornhorst, James R. See Knavish, Leonard A.

Schott, Stuart See Murib, Jawad H.

Schottey, Jean See Plumat, E.

Schraemli, Werner See Gebauer, Juraj

Schramm, Ruediger, and Gaitsch, Erhard Optimization of length-to-diameter ratio of ball mills (7) 152*e*.

Schrank, Martin P. Method of suppressing H absorption in W filaments, P (3) 65*j*.

Schrawder, Paul A. Reciprocating grate conveyor [cement clinker] with drive balance mechanism, P (8) 163*c*.

Schreiber, Charles L. See Abeel, Joseph A.

Schreiber, Edward See Dickson, Robert W.

Schrenk, H. See Gilbert, T. L.

Schrewelius, Nils G. Heat-resistant electrical insulating heating unit, P (5) 112*d*.

Schrey, Frank See Gallagher, P. K. ; Johnson, D. W., Jr.

Schrieffer, J. R. Macroscopic quantum phenomena from pairing in superconductors (1) 25*f*.

Schroecke, Helmut Fundamentals of Magmatic Deposition, B (4) 104*d*.

Schroeder, James E. See McStrack, Darrel D.

Schroeder, Jerzy, Matynia, Andrzej, and Zielinski, Stefan Temp. determination of the equilibrium transition $CaSO_4.2H_2O \rightarrow \alpha\text{-}CaSO_4.0.5H_2O$ as a function of composition of the phosphoric acid solution (9) 182*k*.

Schroeder, Kurt Automatic production of stemware (2) 33*a*.

Schroeter, H. See Schmidt, W.

Shroth, P. H. See Shultz, R. L.

Schubert, Wolfgang C. Apparatus for use in semiconductor cleaning and transferring processes, P (1) 13*d*.

Schuele, Donald See Andeen, Carl ; Fontanella, John

Schueler, K. Present economics of the M ferrites as permanent magnets (1) 13*h*.

Schueller, Karl Heinz See Doerre, Erhard ; Kromer, Heinrich

Schull, Roelof E. Luminescent alkaline earth sulfate phosphor and method of preparation, P (2) 41*j*.

Schuldt, J. See Hansen, P.

Schuller, W. H. W. Method and apparatus for the mfg. of glass-fiber bodies, P (8) 165*i*.

Schuller, Wolfgang, and Hohlfeld, Harald Process for mfg. endless fiber webs from inorganic fiber suspensions, P (2) 37*a*.

Schulte, Joseph B. Apparatus for the mfg. of contour asbestos sheet, P (2) 38*h*.

Schultz, Klaus Refractoriness under load of SiO_2 bricks for the glass industry (8) 167*f*.

Schultz, A. H., Bieker, B., and Krogh-Moe, Jan Phase equilibrium in the system BaF_2-AlF_3 (2) 54*h*.

Schultz, M. L. See Martinelli, Ramon U.

Schultz, Peter C. Use of SiO_2-Nb_2O_5 and/or Ta_2O_5 glasses as uv filters, P (5) 110*j*; Optical absorption of the transition elements in vitreous SiO_2 (8) 164*e*. See Flamenbaum, Joel S. ; Keck, Donald B.

Schultz, Peter C., and Voorhees, Francis W. Method of producing glass, P (8) 166*b*.

Schulz, David A., and Turner, Charles L. Metal carbide spherules encapsulated in a pyrolytic C shell, P (8) 171*i*.

Schulz, Guenter Noise control in factory planning (8) 180*d*.

Schulz, H. Thermal expansion of beta eucryptite (8) 180*a*.

Schulze, Ernst Glass container industry of the future—marketing, technical, and sociopolitical aspects (1) 4*f*.

Schulze, Manfred See Weise, Eberhard

Schulze, Paul D., and Hardy, John R. Schottky defects in alkali halides (7) 157*h*; Frenkel defects in alkali halides (8) 176*e*.

Schumacher, Robert L. See Gibson, James O.

Schumaker, N. E. See Meek, R. L.

Schumann, D. Technological behavior of moisture in hydrophobic cement-based porous plaster (9) 182*i*.

Schumann, Paul A., Jr. See Duffy, Michael C.

Schuoecker, Dieter Thermal switching in thin glass films triggered by a control electrode (8) 169*f*.

Schuoecker, Dieter, Sabathy, W., and Langer, H. Pulse response of the conducting channel in thermally switching glass films (3) 64*b*.

Schurr, Karl Cables count in resistance thermometry (6) 134*e*.

Schuster, D. M. See Granoff, B.

Schuster, E. See Reitmayer, F.

Schuster, P., and Gugel, E. Source and nature of black discoloration of porcelain during firing with SiC kiln furniture (1) 12*e*.

Schuster, Stanley E. See Critchlow, Dale L.

Schutt, Hans U. Zeolite L catalyst preparation method, P (7) 153*j*.

Schwabl, F. Microscopic theory for the central peak [in the dynamic form factor] in $SrTiO_3$ (3) 80*g*.

Schwartz, Albert B. Treatment of colloidal zeolites, P (5) 119*j*.

Schwartz, Bertram Electrolytic oxidation of Ga containing compound semiconductors, P (8) 170*a*. See Dyment, John C.

Schwartz, Carl H. Patching method, P (11) 229*i*.

Schwartz, James W. Method of forming sheet glass color tube face panel with pleated skirt, P (11) 226*a*.

Schwartz, Newton See Peters, Frank G.

Schwarz, Josef Brick gripping apparatus [tongs], P (11) 226*j*.

Schwarzkopf, Henry, and Bouvier, John J. Diamond abrasive cutoff wheel, P (2) 31*i*.

Schwarzmann, Matthias See Leutner, Bernd

Schweden, K. Requirements applicable to the properties of the intermediate products in lime plants—hydrate from soft-burned lime (10) 203*a*.

Schweig, Bruno Mirrors—A Guide to the Mfg. of Mirrors and Reflecting Surfaces, B (3) 82*f*.

Schweinsberg, H., and Liebau, F. Preparation and crystallographic data on $K_2Si_2O_5$, $KHSi_2O_5$(I), and $K_2Si_4O_9$ (6) 127*g*.

Schweitzer, K. K. See Nickl, Julius J.

Schweitzer, F. See Allan, J. W. ; Hall, E. T.

Schwesdener, H. Economical production in the ceramic industry by isostatic pressing (1) 16*j*.

Schwetz, K., Ettmayer, P., Kieffer, R., and Lipp, A. Hectaboride phases of lanthanides and actinides (7) 155*f*.

Schwochow, Friedrich See Heinze, Gerhard

Schwuttke, Guenter H. Method for fabricating semiconductor structures with minimum crystallographic defects, P (11) 230*h*.

Scifres, D. R. See Holonyak, N., Jr.

Scilla, Salvatore J. See Boss, David W.

Scola, Daniel A. See Basche, Malcolm

Scott, B., and Rawson, H. Techniques for producing low loss glasses for optical fiber communication systems (5) 109*h*.

Scott, Bruce A. See Burns, Gerald

Scott, Charles Reed handles (11) 221*h*.

Scott, H. G. See Allpress, J. G.

Scott, Jack T., and Browne, William H. Method of fabricating, using, and reconditioning apparatus for forming optical-quality articles from molten glass and forming elements for use therein, P (7) 146*e*.

Scott, R. A. M. Temp. distribution in $ZnWO_4$ crystals during growth from the melt (2) 56*i*.

Scott, Stanley J., Noroski, William J., and Rublack, Wilfred D. Contrast-enhancing picture tube faceplate and process for producing, P (10) 206*a*.

Scott, V. D. See Cox, M. G. C.

Scotter, D. G. Wave-vector dependence of rare-earth relaxation in YIG (4) 104*f*.

Searight, Charles E., Ryan, John R., and Brasfield, Steven H. Method of increasing chemical durability of glass, P (10) 206*d*.

Searle, C. W. See Davis, J. H.

Searle, C. W., Kupca, S., and Davis, J. H. NMR study of tightly pinned domain walls in α-Fe_2O_3 (7) 156*g*.

Sears, James H., and Vucish, Paul M. Apparatus for severing and depositing glass fibers, P (3) 64*c*.

Sease, John D. See Stradley, James G.

Sease, John D., and Harrington, Francis E. Nuclear fuel element with axially aligned fuel pellets and fuel microspheres therein, P (4) 95*b*.

Seaton, C. C. Technique for determining T_c of thermally shocked ceramics (2) 47*f*.

Seaton, C. C., and Dutta, S. K. Effect of grain size on crack propagation in thermally shocked B_4C (6) 137*h*.

Secrist, Dunne R. See Ruszczyk, James F.

Sedakova, M. T. See Aronchik, E. M.

Seddon, William L. See Bellas, Michael

Sedgwick, Thomas O. See Aboaf, Joseph A.

Sedykh, A. I. See Bron, V. A.

Seeber, B., and Nickl, J. Progress in single-crystal growth of V_3Si (11) 235*c*.

Seeman, Thomas A. Coating for surfaces which contact hot glass, P (5) 109*d*.

Seetharaman, S., and Abraham, K. P. Upgrading of low-grade chromite ores of Mysore State (6) 136*b*.

Sefton, Robert C. Additive for cementitious mixtures, P (10) 203*c*.

Seger, Michael See Kraemer, Stefan

Segnit, E. R., and Anderson, C. A. SEM of fired illite (7) 157*f*.

Segre, Joseph P. Slab laser system with means to overcome the positive lens effect caused by the thermal gradient in the laser rod, P (8) 166*i*.

Sehgal, H. K. See Garg, A. K.

Seidel, G. See Choh, Sung Ho

Seidel, Hans G. See Becker, Kurt

Seidel, Thomas E. See De Loach, Bernard C., Jr.

Seidensticker, R. G. See Hopkins, Richard H.

Seidig, Klaus D. See Wolf, Friedrich

Seidl, Alois See Kraemer, Stefan

Seidov, F. M. See Guseinov, G. D.

Seifert, Franz Piezoelectric semiconductor devices in which sound energy increases the breakdown voltage and power of capabilities, P (6) 132*g*.

Seifert, W. Growth of ruby for lasers by an improved verneuil process (2) 40*d*.

Seike, Shoji See Ogawa, Yutaka

Seitz, J. R. M. See Douglas-Hamilton, D. H.

Sejbal, Josef, and Cura, Frantisek Diamond grinding layer for honing segments, P (11) 221*e*.

Seki, Masao, Shimizu, Makoto, Yamamoto, Yoshimi, and Hirai, Yoshio Development of IHI-SF cement clinker burning process (6) 125*g*.

Sekigawa, Toshihiro See Tarui, Yasuo

Sekime, Mitsuo See Furumi, Hirokazu

Sekowski, Stefan See Biestek, Tadeusz

Selders, M. See Callender, R. H. ; Song, Jin-Joo

Selenina, M. Ni zeolite supported catalysts: I, Preparation and characterization of Ni zeolite supported catalysts (6) 135*g*.

Selenina, M., and Wencke, K. Ni zeolite supported catalysts: II, Hydrogenation of benzene in the gas phase on Ni zeolite supported catalysts (6) 135*h*.

Seleznikh, A. B. See Bogomolov, B. N.

Selin, V. V. See Levinzon, D. I.

Sellers, David J., and Roy, Donald W. Method for making heat-resistant transparent optical elements, P (3) 65*i*.

Sellevold, Erik J. Hg porosimetry of hardened cement paste cured or stored at 97°C (9) 182*c*. See Bray, Walter H.

Selman, Gordon L. See Iles, Gerald S.

Selover, Theodore B., Rightmire, Robert A., and Regan, Philip R. Process for producing BN felt, P (10) 209*d*.

Selte, Karl, Kjekshus, Arne, and Andresen, Arne F. Magnetic structure and properties of FeAs (3) 80*c*; Structural and magnetic properties of VP and VAs (5) 122*f*.

Seltmann, H. Method and apparatus for making and attaching handles for cups, pots, or the like, P (4) 92*b*.

Seltveit, Arne See Flood, Haakon

Selyuk, B. V. Surface levels in ferroelectric crystals (10) 219*c*.

Seman, J. A., and Wiley, J. D. Scanning device for measurement of doping homogeneity in GaP (3) 74*f*.

Semchenko, G. D. See Kukolev, G. V.

Semenchev, A. F. See Fesenko, E. G.

Semenov, M. V. See Kats, S. M.

Semenov, N. I. See Ryabov, V. A.

Semenov, Oleg A. See Bogrets, German N.

Semenov, V. I. See Zubrinov, I. I.

Semler, Charles E. Lime silicophosphate cement, P (9) 183*e*.

Sen, Abhijit, and Kaw, Pradhiman Resonant absorption method of laser modulation (9) 190*i*.

Sen, Biswanath Method for reducing sulfide odors from Kraft mill lime kiln stacks, P (7) 152*i*.

Senba, Kinio See Furumi, Hirokazu

Sengupta, S. See Basu, A. N. ; Roy, D.

Sennett, Paul S. See Olivier, James P.

Senoshenko, O. V. See Klose, H.

Sens, Fred T. See Siefert, August C.

Sens, P. F. Kinetics of pore movement in UO_2 fuel rods (9) 192*b*.

Senulis, F. See Viscakas, J.

Serebrennikov, V. V. See Angapova, L. E. ; Nasonova, S. N.

Serebryakov, I. V. Accelerated selection of load content for ball mills (3) 61*e*.

Sereda, P. J. See Beaudoin, James J.

Seredoll, A. P., Kirilenko, M. M., Menyailov, N. E., Tychina, I. I., and et al. X-ray and electron-microscope study of crystallization of vitreous $CdGeP_2$ (1) 6*g*.

Seregin, P. P., Vasil'ev, L. N., and Pronkin, A. A. Nuclear gamma resonance spectra of alloys of systems As-S-Sn, P-S-Sn, and P-Se-Sn (9) 185*h*.

Sereshkin, V. N., Kovba, L. M., and Trunov, V. K. Crystal structure of U_2MoO_8 (1) 22*b*; Structure of the double oxide α-$U_3Mo_{20}O_{64}$ (4) 102*i*; Structure of the double oxide $UMo_{10}O_{32}$ (10) 219*b*.

Sergeeva, L. V. See Fedorov, P. I.

Sergeys, Francis J. Porous ceramic exhaust oxidation catalyst, P (1) 20*a*.

Sergin, P. P. See Sagatov, M. A.

Serikh, Mikhail B. See Levina, Tatyana A.

Serra-Valls, A. See Gago-Bousquet, C.

Serreze, H. B., and Goldner, R. B. Wavelength dependence of optically induced birefringence change in undoped $LiNbO_3$ (2) 57*i*.

Serrini, C., and Leyendecker, W. Determination at semimicro level of free Si, free or combined SiO_2, and total and free C in SiC (8) 172*g*.

Serway, R. A. See Marshall, S. A.

Setaka, Nobuo See Sato, Yoichiro

Sethares, J. C. See Slobodnik, Andrew J., Jr.

Settino, Frederick A. Method of roll forming a ribbon of glass at high temp., P (2) 36*g*.

Seufert, Ludwig E. Alumina fiber, P (9) 188*b*.

Severi, M. See Gabilli, E.

Sevost'yanov, M. A. See Tomashpol'skii, Yu. Ya.

Seward, W. D., and Taylor, D. J. Thermal conductivity of sintered EuS, EuTe, and EuSe (1) 29*i*.

Sewell, Graham See Buddy, Michael G.

Sewell, Michael See Buddy, Michael G.

Seyd, Guenter See Korn, Ronald

Seymour, R. J. See Dalisa, A. L.

Seymour, Samuel L. Method of liquid quenching glass sheets, P (2) 36*e*; Controlling the shape of a sheet of glass during cooling, P (4) 87*i*; Glass sheet press shaping apparatus, P (10) 206*g*.

Seymour, Samuel L., and Noca, Joseph A. Tempering glass sheets, P (11) 226*g*.

Sfez, G., and Adolphe, C. Crystal structure of CeAsS (1) 22*a*.

Sgurev, V. See Iordanov, I.

Shabanov, V. I. See Shubin, V. I.

Shabatov, L., and Goranov, Ya. Transparency of marbles (11) 225*i*.

Shackelford, James F., Nicholson, Patrick S., and Smeltzer, W. W. Initial sintering of MnO_{1+x} (6) 139*a*.

Shackelford, James F., Studt, Perry L., and Fulrath, Richard M. Solubility of gases in glass: II, He, Ne, and H_2 in fused SiO_2 (2) 34*j*.

Shafer, James F. Insulator assembly having load distribution support, P (10) 209*f*.

Shafer, M. W. See Rao, G. V. S. ; Title, R. S.

Shafer, Tom John Glick—the Plum Tree Pottery (10) 201*e*.

Shafer, Tom, and Shafer, Yvonne Pottery in Manises (9) 181*e*.

Shafer, Yvonne See Shafer, Tom

Shaffer, Francis N. SiO_2-modified Ca tungstate phosphor composition, P (6) 133*d*.

Shaffer, J. C. See Wood, C.

Shaffer, P. T. B. See Jun, C. K.

Shaffer, Paul D., and Plank, David C. Apparatus for press bending an apertured glass sheet, P (10) 205*h*.

Shah, Jagdeep, Miller, B. I., and DiGiovanni, A. E. Photoluminescence of $Al_xGa_{1-x}As$ (3) 80*j*.

Shah, Jagdeep C. See DeWinter, John C.

Shaikh, M. S., Reshamwala, A. S., and Tendolkar, G. S. Significance of grain boundary width, *b*, and effective surface layer, δ, on sintering kinetics with special reference to activated sintering (5) 122*j*.

Shainberg, I. See Levy, Rachel

Shakhova, N. F. See Kuleshov, I. M. ; Spitsyn, V. I.

Shaklee, Kerry L. See Leheny, Robert F.

Shaldin, Yu. V., Belogurov, D. A., and Prokhortseva, T. M. Anisotropy of nonlinear refractive index in Gd and Tb molybdate single crystals (2) 49*c*.

Shalnenko, N. I. See Tyul'kin, V. A.

Shalygin, A. N. See Chetkin, M. V.

Shamp, Donald E. Suspending device for [C] sidewall fenders, P (10) 207*f*.

Shamrei, L. M. See Bershtein, V. A.

Shanefield, Daniel J. See Mistler, Richard E.

Shanefield, Daniel J., and Mistler, Richard E. Fine grained alumina substrates: I, Mfg. process (7) 149*d*.

Shaner, J. W. Grueneisen γ of rutile (TiO_2) (10) 216*h*. See Johnson, O. W.

Shank, C. V., and Schmidt, R. V. Optical technique for producing 0.1 μm periodic surface structures [on glass] (1) 5*e*.

Shanker, R., and Singh, R. A. Analysis of the exchange parameters and magnetic properties of NiO (8) 174*e*.

Shankoff, Theodore A. See Chandross, Edwin A.

Shannon, John M. Methods of mfg. semiconductor devices, P (2) 43*b*.

Shannon, R. D. See Franco, M. A. Alario

Shannon, R. E., Johnson, D. L., and Fine, M. E. Precipitation hardening of spinel with excess MgO (7) 157*b*.

Shannon, Richard F. Strong lightweight bonded porous aggregate, P (9) 187*f*. See Heiser, Jerry L.

Shape, Norman R. See Klink, Jerome P.

Shapira, Y., Foner, S., Aggarwal, R. L., and Reed, T. B. EuO: II, Dependence of the insulator-metal transition on magnetic order (9) 196*c*.

Shapira, Y., Foner, S., and Reed, T. B. EuO: I, Resistivity and Hall effect in fields up to 150 kOe (9) 196*c*.

Shapiro, V. Ya. See Shubin, V. I.

Shapiro, Ya. Z. See Orlova, I. G.

Shapkin, V. V., Gromov, B. A., Petrov, G. T., Girshberg, Ya. G., and et al. Spin-lattice relaxation in $BaTiO_3$ single crystals near the ferroelectric phase transition (2) 56*b*.

Shapland, J. T. See Kappmeyer, K. K.

Shaplygin, I. S., and Lazarev, V. B. Reaction of Rh oxide with the Pb oxides (7) 157*i*.

Shapovalov, V. I. See Lisovskii, F. V.

Shapovalova, M. P. See Kosarev, Yu. I.

Shapovalova, N. F. See Abdrakhmanov, R. S.

Shapunov, P., and Pavlovski, B. Mfg. of lightweight SiO_2 refractories with hydrosilicate bond (1) 9*f*.

Sharipov, D. See Suvorov, A. V.
Sharipov, R. Z. See Kopvillem, U. Kh.
Sharma, B. L., Gopal, V., Mukerjee, S. N., and Modi, J. K. Phosphosilicate glass films on GaP (11) 229*j*.
Sharma, Bhim S. See Cahill, John G.
Sharma, J. See Gora, Thaddeus
Sharma, K. K. Quantitative determination of alunite, kaolinite, and quartz by X-ray phase analysis (11) 232*a*.
Sharma, K. K., and Ganguli, D. Crystallization of phenacite structures with Zn-Be and Mg-Be substitutions (6) 137*a*.
Sharma, S. D., and Kashyap, Subhash C. Growth of ZnO hollow needles (2) 52*g*.
Sharma, S. D., and Malhotra, L. K. Growth of single crystals of Cd sulfide in evacuated ampoules (2) 52*f*.
Sharma, Shiv K. See Chopra, K. L.
Shareyan, E. G. See Markosyan, E. A.
Sharp, Donald J., and Sutch, Richard D. Anodized cermet film components and their mfg., P (9) 190*b*.
Sharp, E. J. See Horowitz, D. J. ; Miller, J. E.
Sharp, M. R. G., and Horner, J. T. Theoretical analysis of the freq. dependence of domain wall spacing in a ferromagnetic sheet (9) 190*i*.
Shatalova, G. E. See Filip'ev, V. S.
Shatalova, G. E., Filip'ev, V. S., Katsnel'son, L. M., and Fesenko, E. G. Spontaneous deformation of Pb zirconate (10) 219*e*.
Shaulov, A., Rosenthal, A., and Simhony, M. Pyroelectric voltage response to short ir laser pulses in triglycine sulfate and Sr-Ba niobate (4) 93*c*.
Shaulov, A., and Simhony, M. Pyroelectric voltage response to rectangular ir signals in triglycine sulfate and Sr-Ba niobate (2) 55*h*.
Shaw, Bernard Bulb-making method, P (6) 127*h*.
Shaw, Clyde C. Liquid borne particle sensing method using aerosolizing techniques, P (2) 47*j*.
Shaw, Don W. Faceted defects in GaAs epitaxial layers (2) 40*j*.
Shaw, Gordon B. Electrodes [ceramic] for glass furnaces, P (10) 206*c*.
Shaw, Joseph M. See Norris, Peter E.
Shaw, Julian Profiting from potting: I (11) 221*h*.
Shaw, Milton C. Segmented grinding wheel, P (4) 83*h*.
Shaw, N. See Jones, G. R.
Shaw, R. D. Compacting refractory particles having a surface coating of gelled silica sol, P (4) 91*d*.
Shaw, Robert R. See Robinson, Charles C.
Shaw, Robert R., and Robinson, Charles C. Nd glass laser having room-temp. output at wavelengths shorter than 1060 nm, P (11) 226*c*.
Shaw, Roger W. See Craford, Magnus G.
Shay, Joseph L. See Kasper, Horst M.
Shay, Joseph L., Schiavone, L. M., Buehler, Ernest, and Wernick, Jack H. Spontaneous- and stimulated-emission spectra of $CdSnP_2$ (5) 122*c*.
Shchepetkin, A. A., Antonov, V. K., Dubrovina, I. N., and Chufarov, G. I. Equilibrium conditions during dissociation of Ni ferrite-Ni orthotitanate solid solutions (1) 23*f*.
Shchepetkin, A. A., and Chufarov, G. I. Dissociation of solid solutions of oxides in the systems M-Fe-O under equilibrium conditions (1) 22*i*.
Shcherbakov, A. S. See Mironov, S. A.
Shcherbakova, L. G. See Glushkova, V. B.
Shcherbovskii, E. Ya. See Glushkova, V. B.
Shchetanov, B. V. See Portnoi, K. I.
Shchukin, E. D. See Kontorovich, S. I.
Sheard, John L. Process for making capacitors and capacitors made thereby, P (7) 150*g*.
Shearer, J. A., and Kleppa, O. J. Enthalpies of formation of $MgAl_2O_4$, $MgSiO_3$, Mg_2SiO_4, and Al_2SiO_5 by oxide melt solution calorimetry (3) 78*d*.
Shearing, Herbert J. Hydraulic cement with polyisocyanate and aliphatic polyepoxide, P (2) 32*j*; Cement [floor] compositions, P (6) 126*g*.
Sheehan, Walter A. See Hall, Elisha W.
Sheets, Herbert D., Jr., Meyer, Ronald A., and O'Hara, Martin J. Phosphate-bonded grinding wheel, P (3) 61*f*.
Shefsiek, Paul E. See Miskolczy, Gabor
Shegurova, G. A. See Bukhalova, G. A.
Shehata, A. M. See Ashour, G. M.
Shein, V. I. See Volyak, P. M.
Shein, V. I., and Mchedlov-Petrosyan, Otar P. Correlation of activity of cements (4) 84*d*.
Sheiretova, Evg. See Stavrakeva, D.
Sheka, I. A. See Kompanichenko, N. M. ; Pokhodenko, V. N.
Shekerdzhiiska, M., Dyakovska, Tsv., Maksimov, A., and Ivanov, Iv. Suitability of Bulgarian kaolin for the production of refractories (10) 208*e*.
Shelby, J. E. He migration in glass-forming oxides (4) 86*f*; Diffusion of He isotopes in vitreous SiO_2 (6) 137*d*; He diffusion and solubility in K_2O-SiO_2 glasses (7) 145*d*; Viscosity and thermal expansion of alkali germanate glasses (11) 225*j*.
Shelby, J. E., and Keeton, S. C. Pressure dependence of He permeation through vitreous SiO_2 (2) 34*e*.
Shelef, Mordecai See Dalla Betta, Ralph A.
Shelestak, John Apparatus for marking flat glass [defects], P (7) 146*h*.
Shelepot, D. V. See Zubrinov, I. I.
Shelton, John W. Dielectric anisotropy and grain orientation—discussion (2) 46*c*.
Shen, Y. R. See Yu, Peter Y.
Shendrik, A. V. See Yudin, D. M.
Shennan, J. D. See Ford, Lionel H.
Shepelev, Yu. F. See Smolin, Yu. I.
Shepherd, Gerald, and Higham, James B. Mfg. of welded glazing units, P (7) 146*d*.
Shepherd, Leslie R., and Hosegood, Samuel B. Neutron absorbers, P (3) 73*b*.
Sheppard, Jon C. See Agnone, John L.
Sherban, K. F. See Radautsan, S. I.
Sherlock, John W. See Daubman, Edward A.
Sherwood, R. C. See Abrahams, S. C. ; Robbins, M.
Shevchenko, A. V. See Lopato, L. M. ; Tresvyatskii, S. G.
Shevchenko, N. N. See Kovba, L. M.
Shevchenko, N. N., Lykova, L. N., and Kovba, L. M. X-ray diffraction study of Ba-Sr zirconates (11) 236*b*.
Shevchenko, V. Ya. See Nasledov, D. N.
Shevelevich, R. S. See Kalinin, P. S.
Shevtsova, L. N. See Ovechkin, E. K.
Shevyakov, A. L., Tarlakov, Yu. P., Andreev, V. V., and Nikiforov, Yu. V. Structural state of blast-furnace slag base (5) 107*d*.
Shewchun, J., Garside, B. K., Kawasaki, B. S., and Efthymiopoulos, T. Lasing action in electron-beam-pumped ZnO (2) 53*g*.
Shibasaki, Katsutami Apparatus for supporting filter medium for filter press, P (2) 45*g*.
Shibasaki, Yasuo See Kume, Shoichi
Shibata, Akira Graphite-containing ferrous TiC composition, P (5) 112*c*.
Shibata, Haruo See Kamiya, Shigeru
Shibata, Keizo Method for mfg. semiconductor device, P (1) 14*h*.
Shibayama, Kinzo See Yamanouchi, Kazuhiko
Shibuno, Masao See Kimura, Morihiro
Shibuya, Iwao See Iwata, Yutaka
Shichijo, Yuzo, Asano, Gyoichi, and Takasu, Eizo Process for producing ferrites, P (4) 94*c*.
Shidlovsky, Igal Cathodochromic image screen and method for preparing cathodochromic sodalite for the image screen, P (3) 64*d*. See Faughnan, B. W.
Shields, Michael A., and Andrews, Robert W. Semiconductor structure with fusible link and method, P (4) 94*g*.
Shiever, J. W. See Nassau, Kurt
Shiga, Kazumasa Magnetosensitive device having *pn* junction, P (9) 191*d*.
Shigaeva, S. M. See Yudin, S. G.
Shigemasa, Junichiro, Sakurai, Takeshi, and Tani, Zenpei Light-emitting four-layer semiconductor device, P (1) 14*g*.
Shigley, Donald G. Facilities modernization for refrigerator liner production (11) 222*h*.
Shih, Kwang K. See Blum, Joseph M.
Shiiki, Zenya See Amagi, Yasuo
Shikama, Sukejiro See Watanabe, Makoto
Shikano, Hiroshi See Furumi, Hirokazu
Shilin, Yu. N. See Miuskov, V. F.
Shilling, N. K. See Zinyuk, R. Yu.
Shillingiaw, A. J. See Ritchie, I. G.
Shiloh, M., and Gutman, J. Growth of ZnO single crystals by chemical vapor transport (2) 52*h*.
Shim, Moon Taik See Jung, Hyung Jin
Shima, Kenzo, Suzuki, Kensuke, Yoshimura, Tatuo, and Sasaki, Takeshi High-voltage semiconductor rectifying device, P (9) 191*a*.
Shimabara, Tatsutoshi See Takenaka, Shigeo
Shimada, Hachiro History and future of electric melting of glass: I (2) 34*a*.
Shimada, Kinji See Fukushige, Yasuo
Shimada, Kohei See Ohba, Hiroshi
Shimada, Masahiko See Ishitobi, Y. ; Takeda, Y.
Shimada, Noburo, and Takahashi, Tadaaki Wear of tar-impregnated fired dolomite brick on charge side of converter: I, Mechanism of wear in converter linings, use of radioisotope to measure rate of wear, and structure, physical properties, and changes in chemical composition of the brick used (11) 227*h*.
Shimada, Segao See Yamamoto, Yasuhiko
Shimada, Tadashi See Miura, Eiji
Shimakawa, Koichi, Inagaki, Yonekazu, and Arizumi, Tetsuya Thermal switching in chalcogenide glass semiconductors (4) 93*f*.
Shimakura, Keiichi, and Tsunemitsu, Hideo IGFE semiconductor device having low and stable gate threshold voltage, P (9) 191*b*.
Shimamura, Hiroyuki, Watanabe, Yoshiaki, and Takashima, Hisashi Structural characteristics of rotary nozzle (11) 227*d*.
Shimanaka, Hiroshi See Hamachi, Kazuo
Shimizu, Hiroshi See Kumai, Hiroshi
Shimizu, Hiroshi, Sakakibara, Shunsaku, and Ichigure, Ryoichi Method and apparatus for producing watch crystals, P (10) 206*a*.
Shimizu, Hiroyasu, Umeno, Masayoshi, Wakita, Koichi, Kameyama, Hiroshi, and et al. Brillouin scattering in $Ca_2Sr(C_2H_5CO_2)_6$ (6) 137*c*.
Shimizu, Kazuo, Yoshida, Ohio, Terakawa, Kazuo, and Aihara, Satoshi Process for preparing a layer of compounds of groups II and VI, P (7) 150*h*; Photoconductor comprising Cd selenide, P (10) 211*b*.
Shimizu, Makoto See Seki, Masao
Shimizu, Masao Method of polarizing piezoelectric elements, P (2) 42*g*.
Shimizu, R. See Ikuta, T.
Shimizu, Ryosuke Proposal for waste processing for conservation of resources (4) 104*a*.
Shimizu, Sakae See Nishi, Masatsugu
Shimizu, Shozo, Iwase, Tetsumi, Hara, Hideki, Hori, Ryuzo, and et al. Process for producing a catalyst, P (10) 215*b*.
Shimoda, Masao See Kyosai, Syunsoku ; Mori, Shigejiro
Shimohira, T., Tagai, H., Kimura, S., and Yasuda, E. Grain growth during hot-pressing (7) 155*c*.
Shimohira, Takajiro Geometrical models of grains and voids in polycrystalline materials (10) 208*i*.
Shimokawa, J. See Ugajin, M.
Shimony, Y. See BenDor, L.
Shimura, Yoshio See Nomura, Masayoshi
Shin, S. H., Aggarwal, R. L., Lax, B., and Honig, J. M. Raman scattering in Ti_2O_3-V_2O_3 alloys (9) 198*e*.
Shin, S. H., Chandrashekhar, G. V., Lochman, R. E., and Honig, J. M. Thermoelectric effects in pure and V-doped Ti_2O_3 single crystals (9) 199*b*.
Shin, Shigemitsu See Udagawa, Shigekazu
Shin, Young Jo See Lee, Sou Woo
Shinada, Hidehiro See Ohmae, Kenji
Shinagawa, Kohsei See Takeuchi, Hiroshi
Shinagawa, Kohsei, Takeuchi, Hiroshi, and Taniguchi, Satoshi Pb-substituted YIGs and their anomalous Faraday rotation (1) 25*e*.
Shindo, Ryuichi See Yasukawa, Shigeru
Shindo, Yasuhiro See Wada, Toshio
Shing, Y. H. See Quon, H. H.
Shinn, W. A. See Battles, J. E. ; O'Hare, P. A. G.
Shinoda, Daizaburo, and Kawamura, Nobuo Schottky barrier-type FET, P (2) 43*f*.
Shinoda, Toshimitu See Ono, Yuichi
Shinoda, Wataru See Yasukawa, Shigeru
Shinozaki, S. See Sato, H.
Shinozaki, S., and Sato, Hiroshi Cleaving of MgO inside an electron microscope (2) 46*h*.
Shinozaki, Satoshi See Nishizawa, Junichi
Shintaku, Yasuyuki See Tokitsu, Tetsuya
Shiozawa, K. See Nasu, S.
Shiraishi, Hirofumi Fluorescent lamp providing visible light and Dorno rays, P (2) 35*i*.
Shiraishi, Seigo Physicochemical characteristics of Korean kaolin chamotte (1) 26*g*.
Shirakashi, Shigeru, Kamiya, Yoki, and Nishimura, Nobuhiro Promoting efficiency in construction of large-size ladles by use of table lifter (1) 10*a*.
Shiraki, Yoichi Industrial uses of clays (6) 135*e*.
Shiraki, Yoichi, and Otsuka, Nozomu Studies on roseki: III, Dense spodumene bodies from roseki (pyrophyllite)-Li carbonate systems (9) 189*f*.
Shirane, G. See Comes, R. ; Dorner, B. ; Kjems, J. K.
Shirasaki, Shinichi See Hashimoto, Hidehisa ; **Kakegawa,** Kazuyuki
Shirasuka, Kouhei, and Yamaguchi, Goro Orientation of spinel formed by MgO-Al_2O_3 solid state reaction between 1400 and 1600°C (10) 218*f*.
Shirn, George A. Method of making a heat sinked resistor, P (7) 150*e*.
Shiroishi, Yoshihiro See Sawada, Shozo
Shiroyama, Masaharu, and Noguchi, Eiji Zr oxide series spraying material, P (1) 21*a*.
Shirvinskaya, A. K. See Ryskin, Ya. I.
Shishako, N. A. See Spitsyn, V. I.
Shishkov, P. See Cholakov, P.
Shitaya, Takao, Ishida, Toru, and Sato, Hisanao Method of making light-emitting diode with good brightness characteristic, P (7) 150*f*.
Shitikov, A. V., Balakhonov, N. F., and Kurbatov, L. V. Surface electromagnetic waves in anisotropic ferroelectric (3) 81*f*.
Shitova, V. I. See Grebenshchikov, R. G.
Shitova, V. I., and Grebenshchikov, R. G. Isomorphism in the system Sr orthogermanate-Ba orthosilicate (1) 24*i*; Solid solutions in the system Sr orthosilicate-Ba orthogermanate (6) 141*d*.
Shkol'nikov, E. V., and Ormont, B. F. Control of crystallization of vitreous AsSe (8) 174*e*.
Shmatok, L. K. See Gutkina, N. G.
Shomitz, Nicholas, and Ostroff, Norman Preparation of alumina extrudates by hydrogel extrusion, P (9) 189*j*.
Shomon, Hiroshi See Nishikawa, Tomozo
Shopov, N. See Cholakov, P.
Shorina, L. L., and Polishchuk, A. V. Formation of Li ferrite from Li nitrate and ferric oxide (1) 23*e*.
Short, John P. See Davidsohn, Uryon S.
Short, Oliver A. Novel glasses, Ag compositions, and capacitors therefrom, P (1) 7*j*.
Short, R. V. Nonaerated natural gas burners, P (8) 173*h*.
Short, S. H. Lining teeming ladles by sand-slinging (7) 147*f*.
Shoulders, Kenneth R. See Spindt, Charles A.
Shoup, Robert D. See Block, Jacob
Shousha, Abdel Halim M., Pulfrey, David L., and Young, Lawrence Filamentary thermal breakdown in thin dielectrics (2) 40*a*.
Showalter, Alan See Poplawsky, R.
Shpakova, V. M. See Bukhalova, G. A.
Shrivastava, R. P. See Ehrenberg, W.
Shteinberg, Yu. G., Milyukov, E. M., and Tyura, E. Yu. Opacity mechanism of Ce dioxide in Sr-Mg glazed glasses (6) 127*f*.
Shtcr, G. E. See Burmistrova, N. P.
Shterenberg, A. A. See Mininzon, Yu. M.
Shturbina, N. A. See Kunin, V. Ya.
Shubin, V. I. See Royak, S. M.
Shubin, V. I., Miringof, N. S., Shapiro, V. Ya., Shabanov, V. L., and et al. Increase in effectiveness of rotary furnaces (4) 85*d*.
Shuckie, Gert See Schmidt, Hans
Shugurov, V. K. See Basin, V. M.
Shukla, A. K. See Ramdas, S.
Shule, Edmund Kh., Kutukov, Sergei S., Rytvin, Evgeny L.,

Myagchenkov, Alexei A., and et al. Apparatus for producing [glass] fibers from melts, P (2) 35*c*.
Shul'ga, V. V. See Lagutin, Yu. V.
Shull, H. Eugene, and Vedam, K. Nonlinear variation of the induced birefringence of vitreous SiO_2 with uniaxial stress to 7 kbars (4) 87*f*.
Shul'ts, M. M. See Bobrov, V. S.
Shul'ts, Mikhail M. See Nikol'skii, Boris P.
Shultz, J. I. See Mavrodineanu, R.
Shultz, R. L. Refractories for slide gates (1) 10*a*.
Shultz, R. L., and Schrock, P. H. Refractories for tundish applications (1) 10*b*.
Shumate, P. W., Jr. Annealing-induced mobility changes in rare-earth orthoferrite (2) 49*c*.
Shumate, P. W., Jr., Smith, D. H., and Hagedorn, F. B. Temp. dependence of the anisotropy field and coercivity in epitaxial films of mixed rare-earth Fe garnets (8) 169*d*.
Shumeikov, L. I. See Afinogenov, Yu. P.
Shumyatskaya, N. G. See Sizova, R. G.
Shur, Ya. S. See Dmitrieva, N. V.
Shurgan, Joel See Koo, Ronald C.
Shurginov, E. A. See Belyaev, I. N.
Shurshakov, A. N. See Dergunova, V. S.
Shustrov, B. A. See Novikov, V. N.
Shutak, Paul N. See Califano, Frank L.
Shutt, Thomas C. Mullite formation, P (2) 39*g*.
Shutyi, L. L. See Krivovyazov, E. L.
Shuvalov, L. A. See Pel'ts, S. D.
Shvarov, Vsevolod S. See Preobrazhentsev, Konstantin A.
Shveikin, G. P. See Bazuev, G. V. ; Borukhovich, A. S. ; Zhilyaev, V. A. ; Zubkov, V. G.
Shveikin, G. P., and Bazuev, G. V. Reactions of Y_2O_3 with Ti and V sesquioxides (7) 157*d*.
Shying, M. E. Oxide dissolution mechanisms: III. Surface activation in the system UO_2-sulfuric acid (4) 101*f*.
Shyne, James J., and Milewski, John V. High-shear-strength fiber-reinforced composite body, P (6) 129*d*.
Sibieude, Francois Evolution of the *A* form of lanthanide sesquioxides with the addition of ThO_2 (2) 51*h*.
Sibley, W. A. See Henderson, Brian
Sidochenko, I. M., and Babak, G. V. Automated system of control [in the Ukrainian cement industry] (9) 181*i*.
Sidorenko, F. A. See Frolov, A. A.
Sidorenko, Yu. I. See Novokhatskii, D. F.
Sidorko, V. R. See Eremenko, V. N.
Sidorov, A. F. See Karklina, M. I.
Sidorov, S. K. See Dubinin, S. F.
Sidorov, T. A. See Brekhovskikh, S. M.
Sidorov, Yu. G. See Aleksandrov, L. N.
Sieckmann, Werner, Juerging, Klaus, and Zwach, Jan Method of enameling strips and sheets of steel, P (3) 62*j*.
Siefert, August C., and Sens, Fred T. Method of making glass-metal fiber composites, P (7) 146*g*.
Siegel, S. See Hoekstra, H. R.
Siegel, W., and Ziegler, E. Analysis of Hall measurements on $ZnSiP_2$ (10) 215*f*.
Siegmund, Walter P. Method of making fiber optical multifibers and devices formed thereof, P (2) 36*e*.
Siffert, B., and Dennefeld, F. Effect of strong mineral acids on the synthesis of kaolinite from a gibbsite-amorphous SiO_2 mixture (3) 78*h*.
Sigal, M. A. Heterogeneous types of domain magnetization oscillations in magnetoplumbite crystals without an external field (2) 52*h*.
Sigrist, Willy Method and apparatus for measuring the weight of solid particles suspended in a carrier gas, P (6) 134*h*.
Sigula, N. I. See Davidovich, R. L.
Sihling, Aarne See Stein, Karl U.
Sikra, James C., Kryniak, Joseph E., Eklund, Phillip R., and Rub, Robert Friction and wear characteristics of selected ceramics (10) 208*i*.
Sikri, T. R. See Manthuruthil, J.
Silber, L. M. Anisotropy of the magnetogyric ratio in hexagonal ferrites (9) 194*d*.
Silbereisen, Hermann, Winterberg, Felix, and Ginzel, Severin Hydraulic metal powder press, P (6) 134*b*.
Silbiger, Jakob See Kugler, Tibor
Silelka, A. See Kavaliauskas, J.
Silelka, A. Yu. See Babonas, G. A.
Silley, Roy S. Sesble fiber package comprising overlying wraps of a fibrous tape [graphite], P (5) 112*j*.
Silver, Gary L. See Deaton, Ronald L.
Silver, H. Graham, Heller, Adam, Gardner, Phillip J., and Argue, Gary R. Electrode discharge device with electrode-activating fill, P (3) 64*f*.
Silver, Melvyn D. See Merrin, Seymour
Silvera, Isaac F., Hardy, Walter N., and McTague, John P. Precision frequency calibrator for Raman spectrometers (1) 18*g*.
Silverberg, Carl G. See Deeg, Emil W.
Silverstone, Calvin E. See O'Neill, John S.
Silvestre, G. See Pelissier, J.
Sil'vestrova, I. M. See Lobachev, A. N. ; Pisarevskii, Yu. V.
Simakov, G. V. See Al'tshuler, L. V.
Simashkevich, A. V. See Bochkareva, L. V.
Simatupang, M. H. See Broeker, F. W.
Simches, Frances Building large boxes (10) 201*i*.
Simeonov, I., and Dzhabarov, N. Strength increase in cement by additional ettringite formation (8) 162*d*.
Simhony, M. See Shaulov, A.
Simko, Gabriel Glass distortion scanning system, P (8) 165*a*.
Simkovich, G. See Brezny, Bohuslav
Simmingshoeld, Bo K. W., and Carbol, Vlastimil Process for pelletizing Pb and potash glass batches (1) 5*g*; Process for making pelletized glass batches, P (2) 37*a*.
Simmons, G. A. See Manthuruthil, J.
Simmons, George A. Glass-ceramic and process therefor, P (2) 36*b*.
Simmons, J. G. See Nadkarni, G. S.
Simmons, Joseph H. See Haller, Wolfgang K. ; Macedo, P. B. ; Napolitano, Albert ; Rosasco, Gregory J.
Simmons, Joseph H., Macedo, P. B., and Volterra, Vittorio Analysis of composition fluctuation lifetimes in a critical oxide mixture by vol relaxation spectroscopy (8) 174*e*.
Simmons, Joseph H., Mills, Susan A., and Napolitano, Albert Viscous flow in glass during phase separation (4) 87*e*.
Simmons, Joseph H., Mills, Susan A., Napolitano, Albert, Blackburn, Douglas H., and et al. Investigations of viscous flow in glass during phase separation (1) 5*c*.
Simmons, Marion I. See Adams, Anthony L.
Simms, Douglas L., Toth, Norman H., and White, Clark W. Method for doping semiconductor bodies by neutral particle implantation, P (6) 132*g*.
Simon, Liboslav, and Sok, Vilem Determination of flow velocity of a kaolin suspension by radioactive tracers (11) 232*e*.
Simonfi, Paul, and Cristea, Viorel Method of making Cu ruby glass, P (4) 88*e*.
Simonov, M. A. See Belokoneva, E. L.
Simpkin, G. T. See Bye, G. C.
Simpson, A., and Stuckes, A. D. Thermal conductivity of highly oriented pyrolytic BN (1) 29*i*.
Simpson, G. Acoustic surface waves on paratellurite (6) 136*e*.
Simpson, L. A. Discrepancy arising from measurement of grain-size dependence of fracture energy of Al_2O_3 (1) 22*i*; Use of the notched-beam test for evaluation of fracture energies of ceramics (5) 123*d*.
Simpson, W. A. See Dodd, C. V.
Simulyte, E. Low-resistivity CdTe films forming a dc emf in an ac field (8) 169*j*. See Pozela, J.
Sinclair, W. Robert, Kamnlott, G. W., and Fastnacht, R. A. Structure of NaCl films deposited onto a leading edge on fused SiO_2 (1) 28*h*.
Singel, Frank M. See Kozinski, David A.
Singewald, Arno Process for flotation of large-size mineral particles, P (7) 153*g*.
Singh, Jag J. Moessbauer spectrometer radiation detector, P (5) 118*a*.
Singh, K. See Deshmukh, K. G.
Singh, R. A. See Shanker, R.
Singh, R. E., and Upadhyaya, K. S. Crystal dynamics of MgO (8) 174*g*.
Singh, R. N. See Bowen, H. K.
Singh, S. See van der Ziel, J. P.
Singh, Shobha See Grodkiewicz, W. H.
Singhal, Subhash C. See Weinstein, Martin
Singleton, R. Mfg. of double glazing units, P (2) 36*i*.
Sinha, A. K. Catastrophic Au-Si eutectic formation in certain W/Au metalizations on oxidized Si wafers (11) 229*a*.
Sinha, B. P. See Hendry, A. W.
Sinha, Devendra Prasad, and Prasad, Rameshwar Synthetic preparation and lattice structure of thorite $[ThSiO_4]$ (4) 103*f*.
Sinnott, George A. Bibliography of ion-molecule reaction rate data (4) 98*c*.
Sinyakov, E. V., Flerova, S. A., and Arkhipov, V. N. Effect of one-dimensional mechanical stresses on the domain structure of $BaTiO_3$ single crystals in orthorhombic phase (1) 22*f*.
Sinyakov, E. V., Flerova, S. A., Gavrilishina, A. I., and Astrelina, E. A. Effect of one-dimensional mechanical stresses on the induced phase transition in $BaTiO_3$ ceramics (1) 22*g*.
Sipila, J. See Tikkanen, M. H.
Siporskii, D. P., Grebenshchikov, R. G., and Makarova, T. A. New chemical compound—fibrous amphibole-like germanate (5) 121*j*.
Siqui, Richard H., and Cohen, Harvey M. Resin-bonded abrasive tools with metal fillers, P (4) 83*g*.
Sirosi, G. See Fagherazzi, G.
Sirosi, Giuseppe See Soverini, Arrigo
Sirvaitis, A. See Jakimavicius, J.
Sis, L. B. See Sorenson, S. C.
Sis, L. B., Brown, Sherman D., Van, Tran Buo, and Wirtz, G. P. Polymorphic phases in anodic-spark-deposited coatings of Al_2O_3 (2) 55*b*.
Sivertsen, David R. Multilayer microelectronic circuitry techniques, P (6) 132*e*.
Sizov, R. A. Magnetic structure of $Ba_{0.4}Sr_{1.6}Zn_2Fe_{12}O_{22}$ ferrite in a magnetic field (9) 196*i*.
Sizova, R. G., Voronkov, A. A., Shumyatskaya, N. G., Ilyukhin, V. V., and et al. Crystalline structure of $Na_4Zr_2(SiO_4)_3$ (5) 120*c*.
Sjostrand, M. See Reed, Thomas Bennington
Sjostrand, M. E., and Keesom, P. H. Low-temp. specific heat of metallic V-doped Ti_2O_3 (8) 177*c*.
Skaggs, Frank L., Harrap, Victor, and Bean, Kenneth E. Method of forming dielectrically isolated Si diode array vidicon target, P (9) 191*g*.
Skakun, N. A., Dikii, N. P., Matyash, P. P., and Svetashev, P. A. Amorphous layers on single crystals studied by elastic scattering of channeling accelerated ions (5) 119*b*.
Skalny, Jan See Maycock, J. Norman ; Odler, Ivan
Skalny, Jan, and Maycock, J. Norman SEM of industrial cement clinkers (7) 144*h*.
Skapski, A. C. See Keve, E. T.
Skeels, Gary W., Jr. See Rabo, Jule A.
Skelly, H. M., and Dixon, C. F. Zr-refractory alloys (5) 124*b*.
Skilbeck, John P. See Rackus, John J.
Skinner, D. K. See Willis, R. F.
Skinner, P. Selection of refractory raw materials (7) 147*g*.
Skipper, Clementine Weekend workshop at the Art Barn (9) 181*g*.
Skolnik, L. H. See Leung, P. C.
Skolnik, L. H., Spitzer, W. G., Kahan, A., Euler, F., and et al. Localized vibrational mode absorption of ion-implanted Si in GaAs (3) 80*a*.
Skomorovskaya, L. A. See Kukolev, G. V.
Skorik, Yu., and Heinicke, Gerhard Chemical methods for changing surface properties of silicates (8) 174*d*.
Skripko, G. G. See Babosova, A. K.
Skrobach, B. N. See Galkin, N. P.
Skucas, J. See Bagociunaite, R. ; Pozela, J.
Skuciene, A. See Bagociunaite, R.
Skurkiss, Peter K. See MacArthur, Donald M.
Skvara, Frantisek Effect of Na lignosulfonate on the properties of α-hemihydrate aqueous suspensions (11) 222*c*; Evaluation of kinetic data from nonisothermic thermal analysis—computer program (11) 234*e*.
Slack, L. H. See Frankson, R. W. ; Rohatgi, A.
Sladek, R. J. See Chi, T. C.
Slavkov, B., and Padkova, A. Structure of coatings formed during the application of some lubricants on the working surface of cast-iron molds for glass (10) 205*c*.
Slavov, B., and Kovachev, Iv. Hot molding of α-alumina products (11) 228*e*.
Slavskii, E. M. See Kiselev, A. V.
Sleggs, Alton C. Fused cast refractories for electric tanks (6) 129*c*.
Slegten, J. Specific surface and its relation to strength development and power requirement of cement (10) 203*b*.
Slegten, Pierre A. Method of controlling the amount of material in a grinding compartment of a tube mill, P (8) 172*f*.
Sleight, A. W., and Brixner, L. H. New ferroelastic transition in some $A_2(MO_4)_3$ molybdates and tungstates (2) 54*i*.
Sleight, Arthur W. See Aykan, Kamran; Brixner, L. H.
Slezov, V. V. Theory of dislocation mechanism of growing and sticking of voids and cracks under load (11) 236*h*.
Sliney, H. E. High temp. solid lubricants: I, Layer lattice compounds and graphite; II, Polymers and fluoride coatings and composites (11) 233*d*.
Sloan, Benjamin J., Jr., Martin, Billy M., Clevenger, Loyd H., and Dunn, Roger S. Integrated-circuit process utilizing orientation-dependent Si etch, P (3) 71*e*.
Sloat, Robert J. See Dada, Abdul G.
Slobodin, B. V., Mokhosoev, M. V., and Peskova, V. G. Sequence of phase transformations in the system V_2O_5-$NaNO_3$ (7) 158*a*.
Slobodnik, Andrew J., Jr., and Budresu, A. J. Acoustic surface wave loss mechanisms on $Bi_{12}GeO_{20}$ at microwave frequencies (3) 76*g*.
Slobodnik, Andrew J., Jr., and Sethares, J. C. Elastic, piezoelectric, and dielectric constants of $Bi_{12}GeO_{20}$ (2) 51*a*.
Slobodnik, Andrew J., Jr., and Szabo, T. L. Ultralow-diffraction acoustic-surface-wave propagation on $Bi_{12}GeO_{20}$ [single crystals] (4) 93*g*. Minimal diffraction cuts for acoustic surface wave propagation on $Be_{12}GeO_{20}$ (10) 217*g*.
Slobodyanyuk, A. A., Tret'yakov, Yu. D., and Besonov, A. F. Thermodynamic stability of the gallates and titanates of Cu (1) 29*c*.
Slobodyanyuk, A. V. See Gorban, I. S.
Sloccari, Giorgio See Lucchini, Elio
Slovyanskikh, V. K. See Ellert, G. V.
Slyusarev, V. A., and Burakhovich, I. A. Calculation of thermodynamic functions of ideal crystal lattice (6) 137*c*.
Slyusarov, I. T. See Buravlev, T. T.
Smalley, I. J. See Krinsley, D. H.
Smarina, E. I. See Fedorov, P. I.
Smart, R. M., and Glasser, F. P. Compound formation and phase equilibria in the system PbO-SiO_2 (10) 215*a*.
Smead, Robert G. See Kozinski, David A.
Smeltzer, W. W. See Shackelford, James F.
Smerd, Peter G. See Bratton, Raymond J.
Smeykal, Karel Gas melting of Pb crystal glass batches (11) 224*b*.
Smirnov, B. I. See Andreev, G. A.
Smirnov, S. V. See Dvoinin, V. I.
Smirnov, S. V., Rozhdestvenskii, F. A., Makurin, Yu. N., and Krylov, E. I. Paramagnetism of Nd, Sm, and Eu orthotantalates (1) 26*b*.
Smirnova, N. I., Polzikov, S. D., and Rebrova, N. A. Relation of structural types--new representatives of homologous classes of corundum, spinel, and amesite (8) 178*j*.
Smirnovskaya, E. M. See Perekalina, T. M.
Smirnyi, V. V. See Irisova, N. A.
Smirnyi, V. V., and Ivanovskii, V. D. Method of mfg. articles from fusible particulate materials, P (1) 17*b*.
Smith, A. W. Optical storage in VO_2 films (4) 93*a*.
Smith, B. L. Au-(*n*-type) InP Schottky barriers and their use in determining majority carrier concentrations in *n*-type InP (4) 92*g*.
Smith, Baynard R. Composition and method of bonding Au to a ceramic substrate and a bonded Au article, P (8) 169*i*; Au composition for bonding Au to a ceramic substrate utilizing Cu oxide and Cd oxide, P (8) 170*c*.
Smith, Bradford K. Method for coating only the convex major surface of an apertured mask for a CRT, P (9) 186*e*.
Smith, Bruce E. See Dunkley, James L.
Smith, Charles L. See Minnick, Leonard J.

Smith, D. H. See Bonner, W. A. ; Shumate, P. W., Jr. ; Vella-Coleiro, G. P.
Smith, D. L., and Hachtel, D. A. Adsorption kinetics of Cs on GaAs (3) 76*h*.
Smith, D. Y. Spin-orbit effects in the *F* and *K* bands of colored alkali halides (8) 179*h*.
Smith, Donald R. See Loewenstein, Ernest V.
Smith, Everett C. See Southwick, Russell D.
Smith, Floyd O. Shackle for kiln chain, P (9) 194*d*.
Smith, G. P. See Braunstein, J.
Smith, George E. See Boyle, Willard S.
Smith, H. G. See Nicklow, R.
Smith, H. J. T. See Josefowicz, J.
Smith, Harvell M. See Rayle, Brian J.
Smith, J. A., and Martinsen, W. E. Surface concentration of Mg in 6061 Al by Auger electron spectroscopy (1) 3*g*.
Smith, J. C. See Avery, R. C.
Smith, J. E., Jr., Brodsky, M. H., Crowder, B. L., and Nathan, M. I. Raman scattering in amorphous Si, Ge, and III-V semiconductors (10) 218*g*.
Smith, J. H. See Dodd, C. V.
Smith, J. Lynn Surface damage of GaAs from 0.694 and 1.06 μm laser radiation (4) 103*b*.
Smith, James S. See Chiola, Vincent
Smith, James W. Adding Pb Mg niobate to Pb titanate/Pb zirconate to aid hot-pressing to transparency, P (4) 93*i*.
Smith, Jana C. See Wild, R. L.
Smith, Joseph E., De Troyer, Georges D., and De Santis, Raymond P. Powder compacting apparatus, P (4) 96*b*.
Smith, L. C. See Christ, B. W.
Smith, Laurence M. See Birchall, James D.
Smith, Luther W., Jr. Method and apparatus for inspecting surface-treated ophthalmic lenses, P (9) 186*d*.
Smith, M. A. See Gaze, M. E.
Smith, M. A., and Matthews, J. D. Conduction calorimetric studies of the effect of sulfate on the hydration reactions of portland cement (5) 106*c*.
Smith, M. B. Modern techniques in firing whiteware (5) 113*b*.
Smith, M. Howe See De Angelis, William M.
Smith, Michael S. See Lindberg, James D.
Smith, P. A. See Bartels, R. A.
Smith, P. J. F. See Vecht, Aron
Smith, Paulette B. See Groves, Rees D.
Smith, R. G. Optical power handling capacity of low-loss optical fibers as determined by stimulated Raman and Brillouin scattering (10) 205*b*.
Smith, R. H. Basal spacing hysteresis in CSH(1) (4) 83*h*.
Smith, R. T. See Yim, W. M.
Smith, Richard L. See Finn, Lawrence R.
Smith, Robert E. Ultrasonic elastic constants of C fibers and their composites (3) 67*g*.
Smith, S. H. See Garton, G.
Smith, Sidney L., and Carlson, William A. Method of controlling crystallization of glass, P (4) 88*d*.
Smith, Sydney E., Lepage, Ruth, and Garrett, Keith H. Processes for recovering U values from ores, P (9) 193*d*.
Smith, Terrance M. Refractory pouring tube, P (5) 112*i*.
Smith, W. Everett See Neathery, Thornton L.
Smith, Wesley E., and Horne, Ottis J., Jr. Method for increasing the C yield of indene-derived C precursors, P (6) 129*e*.
Smith, Wilfred L., and Hobson, A. D. Structure of Co oxide, Co_3O_4 (5) 122*h*.
Smith, William M., Jr. FET integrated circuit and memory, P (9) 190*j*.
Smithard, M. A. Size effect on the optical and paramagnetic absorption of Ag particles in a glass matrix (3) 64*d*.
Smithberger, Earl, and Mousteith, Philip Flow coating of direct-on cover coats (11) 222*h*.
Smitherman, John B. Pollution control apparatus for smoke emitter, P (5) 118*i*.
Smits, Bernhard J. Rotor for use in impact crushers, P (4) 98*a*.
Smokotin, E. M. See Protopopova, L. M.
Smolenskii, G. A. See Petrov, A. A.
Smoleva, D. See Pavlov, Vl.
Smolin, Yu. I., and Shepelev, Yu. F. Structural mechanism of a phase transition in $Er_2Si_2O_7$ (1) 28*g*.
Smolyakov, B. P. See Kopvillem, U. Kh.
Smorodina, T. P. See Fedorov, N. F.
Smrckova, Olga Measuring the reaction heats of glass by differential diathermic calorimetry (11) 224*h*.
Smucker, Clayton A. See Fargo, Harland E.
Smyser, Clarence M. Process of making thermal-shock-resistant ceramic ware; Thermal-shock-resistant clay, P (10) 209*g*.
Smyth, D. M. See Burn, I.
Smyth, Joseph R. Experimental study on the polymorphism of enstatite (10) 216*d*.
Snavely, Carol J. See Apfel, Joseph H.
Snelling, E. C. Ferrites for linear applications: I, Properties; II, Performance requirements (4) 92*j*.
Snellman, Donald L., and Hudson, Willard G. Glass fiber cable, method of making, and its use in the mfg. of track vehicles, P (9) 186*f*; Constant length composite glass fiber cable under varying temp. conditions, P (11) 225*e*.
Snethorst, Adrianus C. J. M. Preparation of reactive precursors for phosphors by controlled precipitation (11) 229*j*.
Snook, Carl T. See Clisbem, Thomas A.
Snow, Gary S. Elimination of porosity in $Pb(Zr,Ti)O_3$ ceramics by liquid-phase sintering (7) 149*c*.
Snow, Jerry D., and Faust, William D. Adherence mechanisms in direct-on continuous cleaning coatings (9) 183*g*.
Snow, Roland B. Subhearth construction for metallurgical furnaces, P (11) 228*c*.
Snyder, Herbert C. Apparatus for spraying cylindrical articles [bottles], P (11) 225*c*.
Snyder, Herbert C., and De Santis, Urbano J. Apparatus for introducing measured vol of gases to interiors of glass containers, P (6) 127*f*.
Snyder, Thomas P. See Tarnopol, Milton S.
Soane, A. J. M. Design of medium rise load-bearing brickwork structures to the Fifth Amendment (10) 207*a*.
Sobel, Jay E. See Hayes, John C.
Sobolev, B. P. See Fedorov, P. P.
Sobolev, B. P., Garashina, L. S., Fedorov, P. P., Tkachenko, N. L., and et al. Polymorphism and crystallographic characteristics of trifluorides of rare earth elements including Y (3) 81*b*.
Sobolieva, S. V. See Zhukhlistov, A. P.
Sobon, Leon E. See Buchanan, Robert A.
Societe Francaise de Ceramique (Editor) Science of Ceramics, Vol. 7: Proceedings of the Seventh International Conference Held under the Auspices of the European Ceramic Association at Juan-les-Pins, France, September 1973, B (9) 200*i*.
Society of Glass Technology Measurement of faint colors in glass (5) 109*b*; Study of the finish used for measurement of extracted alkali in a chemical durability test (5) 109*h*.
Sockel, H. G. Growth of multiple silicate layers by solid-state reaction (2) 52*e*.
Soga, Naohiro See Ota, Rikuo
Sohler, W. Light-wave coupling to optical wave guides by a tapered cladding medium (9) 196*g*.
Soho, Eun Soo, Kim, Byung Hoon, and Park, Cheol Won Characteristics of Hampyeong clay (8) 174*c*.
Sojka, Vaclav Metallic powder coatings on molds and plungers used in glass mfg. (11) 224*j*.
Sok, Vllem See Simon, Liboslav
Sokhanova, T. N. See Molochko, V. A.
Sokhatskaya, G. A. See Royak, S. M.
Sokhor, M. I. See Zaretskaya, G. M.
Soklova, E. A. See Matveev, L. V.
Sokol, V. A., Rokhlenko, D. A., and Bromberg, A. V. Effect of conditions of synthesis of Fe oxide powders on their activity during sintering (1) 22*a*.
Sokolov, L. N. See Ofitserov, A. A.
Sokolov, V. I. See Ronniger, G.
Sokolova, N. A. See Fedorov, N. F.
Sokolova, T. V. See Obukhov, A. P.
Solacolu, S., and Popescu-Han, D. Mineralizing action of F ions in glass-ceramic structures of the Na_2O-MgO-Al_2O_3-Si-O_2 system on vol effects (1) 5*a*.
Solacolu, Serban, Balta, Petru, Jitianu, Georgeta, Barbulescu, Eva, and et al. Glass for welding with metals (10) 203*j*.
Solichuk, Kornel D. See Pilat, Izrail M.
Solin, S. A. See Kobliska, R. J.
Solmecke, Rolf See Bardenheuer, Friedrich
Solomon, Raymond Push-pull method for solution epitaxial growth of III-V compounds, P (1) 15*i*.
Solov'eva, A. E. See Gavriah, A. M.
Solov'eva, T. V. See Vydrik, G. A.
Soltyk, V. E. See Vladimirtseva, L. A.
Som, S. K. See Roy, S. B.
Somiya, Shigeyuki Definition of direct-bonded basic brick in the U.S.A. and England (10) 208*d*. See Sugai, Mikio ; Yamanouchi, Toshiyoshi
Sommer, Alfred Method of mfg. a magnetic recorder head, P (2) 42*a*.
Sommer, Ivan Crystal growth of Sb_2Te_3 by chemical transport (2) 50*a*.
Somerjai, G. See McCaldin, J. O.
Soncini, G. See Gabilli, E.
Song, Jin-Joo, Klein, P. B., Wadsack, R. L., Selders, M., and et al. Raman-active phonons in Al, Ga, and Fe garnets (9) 150*e*.
Senin, A. S., Gusevaa, L. M., and Pleshakov, I. A. Spontaneous electrooptical effect of absorption in $BaTiO_3$ single crystals (9) 198*f*.
Sopchak, Peter See Graves, Charles A.
Sorenson, S. C., Wronkiewicz, J. A., Sin, L. B., and Wirtz, G. P. Properties of $LaCoO_3$ as a catalyst in engine exhaust gases (7) 149*g*.
Sorge, G., Schmidt, G., and Kurz, M. Dielectric, elastic, and piezoelectric properties of $NaH_3(SeO_3)_2$ crystals near the α-β transition (10) 215*j*.
Soria, J. A. See Albella, J. M.
Soroka, V. V. See Lazorina, E. I.
Sorokin, I. D. See Korenev, Yu. M.
Sorokin, O. V. See Kovalev, N. N.
Sorokin, V. V., Zaitsev, O. S., and Tret'yakov, Yu. D. Swelling during ferrite sintering (9) 199*d*.
Sorokina, O. V. See Karpov, V. N.
Sorrell, Charles A. Oxidation of tetragonal PbO in air (1) 26*a*.
Sorriaux, A. P. See Djerassi, H.
Sosbee, Richard W. Efficient red-emitting electroluminescent semiconductor [GaAsP], P (6) 131*j*.
Sosnovskaya, L. E. See Maksina, N. V.
Sotnikova, M. N. See Rozdin, I. A.
Soules, R. J. See Lawless, W. N.
Soules, Thomas F., Kelly, Edward J., Vaught, David M., and Richardson, James W. Energy-band structure of $SrTiO_3$ from a self-consistent-field tight-binding calculation (8) 176*f*.
Sourisa, Daniel Method and device for the use of high-temp. heat energy, in particular of nuclear origin, P (2) 45*d*.
South, G., and Hughes, D. M. Effects of adsorbed O and H on the electrical properties of high-purity CdS films (11) 234*j*.
Southgate, P. D. Role of ionization inhomogeneities in the *S*-type characteristic of moderately heavily doped *n*-GaAs (2) 55*c*.
Southwick, Russell D. See Augustsson, Bengt O.
Southwick, Russell D., and Smith, Everett C. Method for applying an inorganic tin coating to a glass surface, P (10) 206*b*.
Soverini, Arrigo, Sironi, Giuseppe, and Arezzi, Raffaele Process for the preparation of synthetic rutile starting from ilmenite, P (4) 97*g*.
Sowards, Donald M. Refractory materials and process for making, P (1) 11*h*. See Moore, Earl P., Jr.
Sowman, Harold G. Al borate and Al borosilicate articles, P (7) 147*j*; Refractory fibers of ZrO_2 and SiO_2 mixtures, P (7) 148*g*.
Spain, Ian L. See Hyde, Garrett R.
Spalvins, Talivaldis Deposition of alloy films [CVD], P (3) 70*g*.
Spann, J. Richard See Walker, Basil E., Jr.
Spanoudis, Louis Method of making glass lasers [Li_2O] of increased heat dissipation capability, P (4) 88*f*. See Wengert, P. R.
Sparks, M. See Duthler, C. J.
Spasovski, N. See Stefanov, G.
Spear, W. E., and Tannhauser, D. S. Hole transport in pure NiO crystals (8) 177*c*.
Spears, D. L. See Wolfe, C. M.
Spedding, F. H. See Kambara, T.
Speidel, Markus O. See Sahm, Peter R.
Speigel, Kenneth Method of fabricating a color CRT, P (11) 226*a*; Process for removing coating from a CRT mask member, P (11) 226*e*.
Speigel, Kenneth, and Wilson, Robert F. Phosphor suspension for dipcoating metallic segments, P (2) 43*g*.
Speight, W. L. Flourishing South Africa ceramic industry (2) 5*d*.
Speller, John R. T. See Beeson, Eric J. G.
Spence, Wendell Stored charge transducer, P (7) 151*g*.
Spencer, D. R. F. Refractory [MgO] substance, P (3) 68*b*. Basic refractory raw materials (7) 147*h*.
Spencer, D. R. F., and Wooldridge, David C. Refractory MgO, P (9) 189*b*.
Spencer, E. G., and Schmidt, P. H. Ion machining of diamond (3) 79*j*.
Spencer, F. E., Jr., and Orning, A. A. Algorithm for calculating multiphase chemical equilibrium (6) 136*h*.
Sperandio, Claudio, Boscolo, Carlo, Jaderosa, Vittorio, and Savino, Antonio Autothermic process for the production of Al trifluoride, P (1) 20*j*.
Speranskaya, E. I. System MgO-V_2O_5 (1) 28*j*.
Spetzler, H. A. See Fancher, D. L.
Spicer, W. E. See Powell, R. A.
Spiker, Robert C., Jr., and Andrews, Lester Matrix reactions of Li atoms with N_2O—ir spectra of LiO and Li_2O (3) 80*f*.
Spindler, H., and Krafft, M. Dispersity of Pt in Pt-Al_2O_3 catalysts: I, Determination of Pt dispersity by X-ray diffraction and O-H titration (10) 209*j*.
Spindt, Charles A., Shoulders, Kenneth R., and Heynick, Louis N. Field emission cathode structures, devices utilizing and methods of producing such structures, P (6) 132*b*.
Spinko, R. I., Lebedev, V. N., Kolesova, R. V., and Fesenko, E. G. Growing and investigation of crystals of double Cd oxides with the perovskite-type structure: I, Hafnate of Cd (3) 79*c*; Growing and investigation of crystals of double Cd oxides with the perovskite-type structure: II, Stannate and zirconate of Cd (5) 120*e*.
Spiridonov, F. M. See Perova, E. B. ; Rozdin, I. A.
Spirina, S. D. See Danilova, N. P.
Spitsyn, V. I. See Zelentsov, V. V.
Spitsyn, V. I., Kiselev, Yu. M., and Martynenko, L. I. Synthesis of TbF_4 by the reaction of XeF_2 with TbF_3 (10) 219*e*.
Spitsyn, V. I., Kuleshov, I. M., Shishkin, N. A., and Shakhova, N. F. Structure and thermal stability of Sr ruthenite (10) 219*h*.
Spitzer, S. M., and North, J. C. Electrical and optical properties of proton-bombarded GaP (8) 175*f*.
Spitzer, Stuart M. See D'Asaro, Lucian A.
Spitzer, W. G. See Kung, J. K. ; Leung, P. C. ; Skolnik, L. H.
Spoliti, M., Nunziante Cesaro, S., and Coffari, E. Ir spectrum and thermodynamic functions of matrix-isolated TeO_2 (2) 52*j*.
Sponseller, Harold P. Precision glass pressing mold and method of molding glass, P (7) 146*i*.
Spooner, Peter See Dollimore, David
Sprackling, M. T. Dislocation mobility and work hardening in NaCl (3) 78*b*.
Spremulli, Paul F. See Boettner, George B.
Spriggs, Edward Plant experiences in electrostatic applications of continuous cleaning coatings (9) 183*c*.
Springthorpe, Anthony J. Apparatus for growing of epitaxial layers, P (9) 190*b*.
Sproul, William D., and Richman, Marc H. Reversible microstructural control of electrical properties of WSe_2 (6) 140*i*.
Sproull, James F., and Rindone, Guy E. Effect of melting history on the mechanical properties of glass: I, Role of melting time and atm (5) 108*h*.
Squillace, Anthony S., Martin, Albert E., and Rudmann, Jerald J. Si_3N_4-Si oxide etchant, P (9) 192*h*.
Squires, Arthur M., and Yerushalmi, Joseph Clean fuel from coal (8) 172*j*.
Sramek, Jiri See Kutzendorfer, Jaroslav
Sramkova, Alexandra See Hrma, Pavel
Srbek, Franciscek, Kunes, Karel, and Hanykyr, Vladimir Effect of various fluxes on the properties of alumina-enriched porcelain materials (11) 228*c*.
Srinivasan, G. R. See Mahoney, R. ; Mecholsky, J. J. ; Sarkar, A.

Srinivasan, G. R., Colella, R., Macedo, P. B., and Volterra, V. Small-angle X-ray scattering study of spinodal decomposition in the B_2O_3-PbO-Al_2O_3 system (5) 109*e*.
Srinivasan, M., and DeWerd, L. A. Effect of plastic deformation on the thermoluminescence of LiF (TLD[thermoluminescence dosimetry powder]-100) single crystals (9) 195*a*.
Srinivasan, M., and Stoebe, T. G. Dynamic strain aging in MgO single crystals (4) 99*h*.
Srivastava, B. N., and Agarwal, R. K. Photoconductivity of a CdTe:Cu,O,S photoconductor (7) 149*f*.
Srivastava, S. K., and Lal, Pyare Electrical memory in Al-Cd-S-Au diodes (6) 130*f*.
Sroka, J. Certain features of $BaTiO_3$ (9) 190*a*.
St. John, Douglas F. See Pellett, Fred G. ; Richards, Raymond S.
Staehl, Joseph R., Jr. See Rau, Frank J.
Stacy, J. J., Edelstein, N., McLaughlin, R. D., and Conway, J. G. Optical Zeeman spectra of Am^{3+}, Cm^{3+}, and Nd^{3+} in CaF_2 (3) 80*d*.
Stacy, W. T. See Haisma, J.
Stadler, Karl Quartz glass pinch seal of increased compressive strength, P (4) 89*f*.
Staebler, D. L., and Amodei, J. J. Coupled-wave analysis of holographic storage in $LiNbO_3$ (2) 49*d*.
Staebler, David L. See Amodei, Juan J.
Staedler, Ludwig, and Costa, Harald Origin of distribution of mass in glass containers during forming in feeder blow machines (8) 164*e*.
Staffansson, Lars Ingvar Phase diagram [of the system] Li_2SO_4-Na_2SO_4 (2) 54*g*.
Staffieri, L. See Negro, A.
Stahli, A. W. Machine for grinding or lapping mutually parallel surfaces of workpieces, P (5) 116*e*.
Stalego, Charles J. Method and apparatus for processing glass and controlling the thermal pattern in a stream feeder, P (9) 186*e*.
Staley, Ralph See Gora, Thaddeus
Stalter, Thomas L. Considerations in developing specific porcelain enamel coatings (11) 222*e*.
Stambolliev, H. T. Na hydrosilicate aggregate similar to expanded perlite (1) 8*d*.
Stambolliev, H. T., and Sapunov, P. Perlite deposits in Macedonia/Yugoslavia (1) 20*a*.
Stamenkovic, I. See Popovic, D. ; Vlajic, M.
Stamenov, St., Traikova, M., Vachev, D., Dyakova, V., and et al. Accelerating the setting time of concrete mixes by gamma-ray irradiation (11) 222*a*.
Stancin, Virgil V. Apparatus for molding ceramic cores and wax or plastic patterns, P (11) 227*i*.
Standley, R. D. See Goell, J. E. ; Rand, M. J.
Standley, R. D., Gibson, W. M., and Rodgers, J. W. Properties of ion-bombarded fused quartz for integrated optics (10) 210*g*.
Standley, Robert D. See Li, Tingye ; Ramaswamy, Vellayan
Stanek, Jaroslav See Hulinsky, Vaclav
Stanescu, L. See Motiu, A.
Stang, Paul F. Ferrite broad-band seminotch antenna, P (3) 70*j*.
Stanila, Luca, and Jitianu, Gheorghe Automation of glass-melting furnaces (10) 203*h*.
Stankiewicz, Lucyna Continuous analysis of gases in the cement industry (10) 202*e*.
Stannek, Wolfgang, and Hildebrandt, Ulrich Concentration changes of K in glasses during electron microprobe analysis (8) 163*j*.
Stanyon, Horace E. See Beeson, Eric J. G.
Stapper, Charles H., Jr. See Arnett, Patrick C.
Starikova, L. P. See Ryabov, E. N.
Starkov, A. A. See Dolgopolov, N. N.
Starliper, Aaron G. See Cochran, Andrew A.
Starr, Carrol D., and Wang, Teh Po Thermocouple with Ni-Si-Mg alloy negative element, P (4) 96*f*.
Starr, Eugene W. High-temp. apparatus for conditioning glass, P (3) 65*b*.
Startl, Jan Methods of introducing an electric current into glassmelts and the choice of appropriate sources of electricity (11) 224*j*.
Staryos, Frances Balloon forms from buttered clay (4) 83*i*.
Stass, Merrill L. See Blakemore, J. S.
Stasiukevicius, A. See Gricius, A.
Staub, Hans R. See Thalmann, Eduard
Staudhammer, Karl P., and Murr, Lawrence E. Atlas of Binary Alloys--A Periodic Index, B (7) 159*j*.
Staut, Ronald Hydration resistance for dolomite grain, P (1) 11*b*; Effect of lime-silica ratio on physical properties of MgO-chrome ore mixes (4) 90*h*.
Stavitskaya, G. P. See Ryskin, Ya. I.
Stavrakeva, D., Tsonev, Ts., and Shebretova, Evg. Phase and structural changes in chrome-magnesite brick of regenerative systems in glass tank furnaces (11) 224*h*.
Steadman, Wilfred A. Mounted abrasive point, P (4) 83*g*.
Stearns, Charles A. Ultrasonic apparatus and method for analyzing defects in material, P (3) 74*e*.
Stecura, S. Recovery and determination of crystallographic modifications of K_3TaO_4 and K_3NbO_4 (5) 122*d*.
Steele, Barbara A., and Gevaert, Lieven H. Identification of remnants of mold-releasing agents on glass containers, P (10) 206*i*.
Steele, Bernard R. Production of porous ceramic nuclear fuel employing dextrin as a volatile pore former, P (9) 193*d*.
Steele, Ian M. See Kirkpatrick, R. James
Steele, James W., McCoy, J. C., and Frye, E. B. Spiral wrap—a technique for fabricating thick-wall C composites (5) 112*e*.
Steele, Richard E. Self-supporting fusible pyrometric device, P (1) 19*d*.
Steele, W. C. See Wuensch, B. J.
Steen, W. J. See Thomas, E. A.
Steen, William J. Refractory articles for use with molten ferrous metals, P (1) 11*f*.
Stefan, Jaroslav See Kotsmid, Frantisek
Stefanov, G. Effect of CaF_2 on the properties of raw porcelain glazes (11) 228*j*.
Stefanov, G., Boyadzhieva, P., Kafedzhieva, S., and Panova, S. Properties, enrichment, and uses of Bulgarian kaolins for the ceramic industry (11) 229*d*.
Stefanov, G., Nedyalkov, P., Spasovski, N., Ivanov, St., and et al. Production of household and hotel china (11) 229*d*.
Stefanovich, S. Yu. See Sal'nikov, V. D.
Stefek, Vojtech See Rambousek, Vladimir
Steffan, L. See Claus, R.
Steffens, Hans See Halberschmidt, Friedrich
Steger, H. F. Mechanism of the adsorption of trace Cu by bentonite (8) 177*g*.
Steger, J., and Kostner, E. Moessbauer and magnetic investigation of point defects in Fe-doped CdF (8) 177*j*.
Steidel, Charles A. Thin-film resistors, P (5) 115*c*. See Hensler, Donald H.
Steigmeier, E. F., Anderset, H., and Harbeke, Guenther Critical opalescence in $SrTiO_3$ (1) 21*g*.
Steinbach, A. A., Anderson, E. E., and Arajs, S. Magnetization of Lu Fe garnet near the critical point (2) 53*e*.
Steiner, A. See Voigt, O.
Stein, Alfred See Baumer, Wilhelm
Stein, D. F. See Johnson, W. C.
Stein, H. N. Reactions of tricalcium aluminate during cement hardening—facts and problems (11) 222*a*. See Corstanje, W. A. ; McCurdy, K. G.
Stein, Harold A. See Mackey, Charles R.
Stein, Karl U. Integrated-circuit electrical capacitor, particularly as a storage element for semiconductor memories, P (9) 191*c*.
Stein, Karl U., and Sihling, Aarne Semiconductor memory having single transistor storage elements and flip-flop circuit for the evaluation and regeneration of information, P (3) 72*a*.
Stein, William W. See Antypas, George A.
Steinberg, Meyer Ungraded glass to sewer pipe (6) 127*d*.
Steinberger, I. T., Kiflawi, I., Kalman, Z. H., and Mardix, S. Stacking faults and partial dislocations involved in the structure transformations of ZnS crystals (5) 122*d*.
Steinbiss, E. Present position and development of clinker coolers (3) 62*d*.
Steinbruegge, K. B., Henningsen, T., Hopkins, R. H., Mazelsky, R., and et al. Laser properties of Nd^{3+}- and Ho^{3+}-doped crystals with the apatite structure (10) 217*c*.
Steinbruegge, Kenneth B. See Hopkins, Richard H.
Steiner, Karl Color tube having funnel shield attached to shadow mask frame, P (11) 225*d*.
Steinflink, Hugo See Iglesias, Juan E.
Steinmaier, Walter Method of producing IGFET devices having outdiffused regions and the product thereof, P (2) 42*i*. See Le Can, Claude J. P. F.
Steitz, William R. See Gell, Philip A. M.
Steitz, William R., Bradley, Robert O., and Waterworth, Thomas H. Electric glass furnace structure, P (1) 7*c*.
Steldt, Frank R., and Varlashkin, Paul G. Systematic angular-correlation studies of positronium formation in SiO_2 powders (7) 158*e*.
Stelter, Manfred K. Deposition of single or multiple layers on substrates from dilute gas sweep to produce optical components, electrooptical components, and the like, P (9) 190*f*.
Stenfoort, C. F. See Van Kemenade, A. W. C.
Stenico, A. See Banterla, G.
Stepan, Ivan E., Allard, Norman F., and Suter, Carl R. Nondestructive analysis of fuel pins, P (1) 16*d*.
Stepanov, S. A. Magnetic properties of glasses of the system Na_2O-Fe_2O_3-TiO_2-SiO_2 (1) 5*f*. See Vargin, V. V.
Stepanov, V. A. See Bershtein, V. A.
Stepanov, V. M. See Kriulin, V. N.
Stepanova, I. A. See Bron, V. A.
Stephan, J. Volumetric determination of Ti in products made from TiO_2 (1) 18*j*.
Stephens, Craig P. See Pierce, Joe T.
Stephens, H. P., and Beauchamp, E. K. Calorimetric technique for measuring strain energy release in the dicing of stressed glass and glass-ceramics (4) 96*g*.
Stephens, P. J. See Bird, B. D.
Stephens, Paul F. Refractory sand molds and cores, P (6) 129*g*.
Stephenson, Michael J. See Anderson, Lowell W.
Stephenson, N. C. See Allpress, J. G.
Sterckx, Anthony The Studio (4) 83*e*.
Sterling, S. A. High-vacuum codeposition of Nb nitride (3) 69*j*.
Stern, George, and Roche, William F. Shaped nuclear fissionable bodies, P (11) 231*i*.
Stern, Kurt H., and Flinn, D. R. Electrochemical properties of K silicate glasses (11) 223*h*.
Stetin, P. Equilibrium diagram of PbS-CdS system (11) 234*d*.
Stetson, Harold W., and Gyurk, Warren J. Use of menhaden oil to deflocculate dry ground alumina in mfg. of substrates, P (4) 94*j*.
Stevanovic, M. Contribution to the study of vol changes of pores interacting with grain boundaries (5) 120*a*.
Stevels, Albert L. N. See Ligtenberg, Martinus A. C.
Stevels, J. M. See Corstanje, W. A.
Stevens, E. H., and Yee, S. S. Electron mobility in heavily doped GaAs (8) 176*a*.
Stevens, H. J. See Pye, L. D.
Stevens, W. J. See Gilbert, T. L.
Stevenson, D. A. See Klinedinst, K. A.
Stevenson, David A., Rhines, Walden C., and Maruska, Herbert P. Ga nitride metal-semiconductor junction light-emitting diode, P (10) 210*h*.
Stevenson, Gary E. See Boebel, Carl P.
Stevenson, J. S. Electrolytic pretreatment of steel prior to vitreous enameling (4) 86*b*.
Stewart, Donald F., and Pollard, Leslie J. Process for producing metallic Fe concentrates and Ti oxide concentrates from titaniferous ores, P (10) 215*b*.
Stewart, Murray Structural studies in C fibers--a review (9) 188*i*.
Stewart, Robert D. Process for mfg. Sb trichloride, P (6) 136*b*.
Stewart, Robert F. Charge density study of diamond (8) 174*c*.
Stewart, W. F., and Edwards, S. F. Calibration of small-gage thermocouples (1) 17*h*.
Stibbs, Donald, Thompson, Raymond, and Young, Oswald W. J. Inhibiting grain growth in ceramic materials, P (9) 189*i*.
Stickler, Roland See Brecher, Lee E.
Stigler, Anton Particulate material [isostatic] pressing apparatus, P (11) 232*b*.
Stiles, Janice L. See Meissner, Helmuth E.
Stillman, G. E. See Wolfe, C. M.
Stillman, Neil W. See Bungs, Janis A.
Stine, P. A. Sheet metal formability analysis (10) 203*e*.
Stipek, Cestmir, and Jarkovsky, Pavel Calorimetric determination of cement binding power (11) 222*b*.
Stirn, Margit See Wolf, Friedrich
Stock, Anna Use of ion-exchange resins in the instrumental analysis of portland cement: IV (3) 74*g*.
Stockdale, George F. See Carlson, David E.
Stockton, Frank R. See Probst, Richard O.
Stoebe, T. G. See Srinivasan, M.
Stoeckmann, Helmut See Decker, Hanns
Stoemenos, J., and Economou, N. A. Nucleation and growth of GeTe films on KCl and SnTe substrates (11) 229*j*.
Stofko, E. J. See Yim, W. M.
Stoicheva, V., and Bulakiev, St. Axial-flow lab agitator for homogenizing glass (11) 223*f*.
Stoicheva, V., and Karastoyanova, E. Borosilicate glasses for use in the electronics industry (10) 203*i*; Glasses for soldering W and Mo (11) 224*c*. Mechanical homogenization of optical glass under lab conditions (11) 224*i*.
Stoicovici, Eugen, and Voiculescu, Lucian Research concerning the use of quartz sand in the glass industry (11) 225*d*.
Stoklosa, Andrzej See Mrowec, Stanislaw
Stoll, M. Methods of mfg. glass-enclosed electrical devices, P (4) 89*a*.
Stoll, Wolfgang Method for the mfg. of Pu-containing nuclear fuel rods, P (4) 95*j*.
Stolov, A. L. See Aizenberg, I. B. ; Al'tshuler, N. S.
Stoltz, Andries J. Apparatus for positioning bricks [in mortar], P (5) 110*j*.
Stoltz, Richard A. See Reed, Wallace D.
Stone, D. R. See Schirber, J. E.
Stone, J., and Burrus, C. A. Nd-doped SiO_2 lasers in end-pumped fiber geometry (4) 92*j*.
Stone, Julian Liquid core multimode optical wave guide, P (10) 206*j*.
Stone, Louis E. Epitaxial solution growth of ternary III-V compounds [Ga Al arsenide], P (5) 114*i*.
Stoneham, D. See Fleming, S. J.
Stoner, Charles L. Protective carrier for semiconductor chips, P (11) 231*f*.
Storms, Edmund K. Vaporization behavior of defect carbides: II, Y-C system (8) 180*h*.
Storms, Edmund K., and Griffis, James Thermodynamic and phase relations of the Zr-U-C system (8) 180*c*; Vaporization behavior of defect carbides: IV, Zr-C system (8) 180*i*.
Storms, Edmund K., Lowe, Arthur, Baca, Ernest, and Griffis, James Vaporization behavior of defect carbides: III, Va-C system (8) 180*i*.
Storms, Edmund K., and Wagner, Paul Thermal conductivity of substoichiometric ZrC and NbC (8) 179*j*.
Storp, Klaus, and Hoehne, Reinhard Activated C catalyst impregnated with SiO_2, P (6) 136*d*.
Stourac, L., Abraham, A., Hruby, A., and Zavetova, M. Electronic properties of glassy As_2Te_3 (10) 216*a*.
Stoy, Artur, and Urbanova, Renata Method of protecting glass against fogging, P (4) 88*h*.
Strack, Hans A., and Clark, George D. Fabrication of junction laser devices having mode-suppressing regions [GaAs], P (7) 149*a*.
Stradley, James G., and Sease, John D. Mfg. of bonded-particle nuclear fuel composites, P (2) 45*c*.
Stradling, G. N., Green, N., and Fletcher, M. A. Effect of foodstuffs and related compounds on the durability of glazes containing natural Th and natural or depleted U (8) 168*a*.
Stradtmann, J. See Obst, K. H.
Straka, Emil R. Method for fabrication of precision miniature glass circuits, P (3) 65*g*.
Strakhov, L. P. See Abramov, N. P.
Strana, J. See Gollenhofer, A.
Strassler, Siegfried See Jaecklin, Andre
Stratton, R. W. Ceramic-fuels compressive-creep rig (4) 95*d*.
Strauss, A. J. See Banus, M. D.
Strauss, Alan J. See Dimmock, John O.
Strauss, Konrad History of ceramics in Alt-Livland (1) 1*g*;

Ceramics from Soufflenheim (Alsace) (3) 61*g*.

Streb, G. See Reppich, B.

Strebkov, Dmitry S. See Lidorenko, Nikolai S.

Street, George B. See Sawatzky, Erich

Street, G. Bryan, Sawatzky, Erich, and Lee, Kenneth Magnetic properties of vapor grown crystals of hexagonal Cr telluride (2) 53*c*. Mg Ga germanide—a new ferromagnetic material (8) 169*j*.

Strehlow, Wolfgang H. Apparatus for chemically polishing crystals, P (2) 41*c*.

Streiff, R. See Dupre, B.

Strel'nikova, I. A. See Mirgalovskaya, M. S.

Strepkoff, Serge Method and device for mfg. SiC, P (1) 11*b*.

Stricker, Alfred A. See Law, John M.

Strijbos, S. Mfg. of C-film resistors employing fluidized-bed technology (1) 13*f*.

Stringer, Robert K., McKinnon, Neil A., and Williams, Lloyd S. Mo silicide-bonded B_4C, P (3) 67*h*.

Stringfellow, G. B. Importance of lattice mismatch in the growth of $Ga_xIn_{1-x}P$ epitaxial crystals (3) 79*b*.

Strnad, Z., and Douglas, R. W. Nucleation and crystallization in the soda-lime-silica system (2) 34*j*.

Stroback, Carl G. Water heater tank requirements (11) 223*b*.

Strocher, Rolf Experience with the thermo intense-heat dryer (8) 173*d*.

Strom, John R. Material handling system for vibratory mills, P (9) 193*h*.

Strong, Herbert W., Radway, Jerrold E., and Cook, Henry A. Cyclical process for recovery of elemental S from waste gases, P (5) 118*g*.

Stroud, J. E., Bransky, I., and Tallan, N. M. Pressure dependence of the electrical conductivity of NiO at high temps. (3) 81*e*.

Stroud, J. E., Tripp, W. C., and Wimmer, J. M. Defect structure of Ta_2O_5 (5) 120*c*.

Strozyk, John W. Lu:Nd:YAG laser system and material, P (2) 41*j*.

Strukov, B. A., and Garland, K. V. Ultrasonic relaxation in $BaTiO_3$ crystals near the Curie point (10) 220*c*.

Strukov, B. A., and Ivanov-Shits, A. K. Thermal capacity of single-crystal $BaTiO_3$ near the electrical critical point (5) 123*f*.

Strunk-Lichtenberg, Gustl See Okrusch, Martin

Stuart, Gerald L. Brick conveyor, P (4) 90*c*.

Stuart, Gerald L., and Paschal, Forrest A. Brick regrouping apparatus, P (4) 90*b*.

Stuart, John R. See Flank, William H.

Stubican, V. S. See Brun, M. ; Kennard, F. L. ; Minford, W. J.

Stuckes, A. D. See Simpson, A.

Studer, F. See Raveau, B.

Studer, F., Montfort, Y., and Raveau, B. New nonstoichiometric perovskites $Y_x(Ta_{3x}W_{1-3x})O_3$ (3) 80*a*.

Studt, Perry L. See Shackelford, James F.

Stuetgens, Heribert See Kienast, Gerhard

Stultz, James C. See Capellman, John J.

Stultz, James C., Capellman, John J., and Knavish, Leonard A. Continuously skimming viscous glass, P (3) 64*e*.

Stumpf, K. Saving on fuel costs by simple means (5) 118*d*.

Stupperich, F. R. Optimization of setting in [brick] dryers (8) 166*f*.

Sturge, Derek W. J., and Gough, John R. C. Nuclear fuel compacts of coated particle fuel, P (1) 16*d*.

Sturge, M. D. See Gyorgy, E. M.

Sturgess, G. L. See Thorp, J. S.

Stut, Hans Method for crucible free zone melting, P (1) 14*a*.

Stut, Hans, and Keller, Wolfgang Apparatus and method for floating-zone melting of a semiconductor rod, P (3) 70*d*.

Stuve, J. M., and Ferrante, M. J. Low-temp. heat capacity and high-temp. enthalpy of $TiAl_3$ (8) 177*c*.

Stynes, James A. See Rutt, Truman C.

Subbarao, E. C. See Mehrotra, A. K.

Subbotina, N. A. See Zelentsov, V. V.

Suber, Leon How to visually determine Borazon wheel problems (4) 83*e*.

Subramanian, P. K., and Danke, P. S. Tributyl phosphate for use as air-entraining agent in heavy concrete (9) 183*c*.

Subramanyam, K. N. Neutron and X-ray diffraction studies of certain doped Ni ferrites [$NiFe_{2-x}Mn_xO_4$, $x = 0.02, 0.05$] (1) 25*e*.

Suchomel, R. R. See Hunter, O., Jr.

Suchow, Lawrence, Flynn, Vincent J., and Jaffe, Philip M. Role of Ga_2O_3 in the preparation of $Y_2O_3:Eu^{3+}$ phosphor from the oxides (6) 140*i*.

Suchow, Lawrence, and Kokta, Milan Proposed resolution of contradiction in reported mechanisms of solubilization of Nd in YAG (2) 55*f*.

Suchow, Lawrence, and Mondegarian, Rostam Reflectance spectra of garnets containing two rare earths (5) 122*g*.

Sudakas, L. G. See Okorokov, S. D.

Suden, Edward M. See Merrin, Seymour

Sueling, Carlhans See Weisbeck, Roland

Suemune, Yasutaka Photochromic rare-earth orthoniobates (1) 26*e*. See Hashimoto, Takasu

Suenaga, M., and Garber, M. Low-loss Nb-Sn compounds for superconducting ac power transmission applications (8) 169*i*.

Sueno, Shigeho See Brown, Gordon E.

Suess, Josef See Kyri, Hans

Suga, Katsunori See Akeyoshi, Kazuyuki

Suga, Yoshizo Temp. control system for rotary kilns, P (11) 233*h*.

Sugai, Mikio, Fujimori, Keiichi, Naito, Ryuichi, Hirano, Shinichi, and et al. Effects of TiO_2 addition on sintering of zircon bodies (8) 167*d*.

Sugai, Mikio, Naito, Ryuichi, Hirano, Shinichi, and Soeiya, Shigeyuki Phase relations in the system ZrO_2-SiO_2-TiO_2, especially the system $ZrSiO_4$-TiO_2 (8) 178*f*.

Sugano, Izuru, Kenmoku, Yoshihiro, Akashi, Tsuneo, Matsubara, Tetsujin, and et al. Mn-Zn ferrite materials, P (3) 71*g*.

Sugarman, A. C., and Blachere, J. R. Control of grain growth in MgO by a fine dispersion of C (10) 215*c*.

Sugawara, Katsuro See Sugita, Yoshimitsu

Sugaya, T., Takeuchi, Y., and Watanabe, O. Ir transmission of tetragonal B filaments (4) 100*b*; Morphology of tetragonal B filaments (11) 235*e*.

Sugaya, T., and Watanabe, O. Morphology of B_4C single crystals (6) 139*b*.

Sugii, Kiyomasa See Iwasaki, Hiroshi

Sugii, Kiyomasa, Iwasaki, Hiroshi, and Miyazawa, Shintaro Crystal growth and optical properties of Pb Ge oxide single crystals (2) 49*i*.

Sugino, Tetsuo See Arai, Yasuo

Sugita, Kiyoshi See Ohba, Hiroshi

Sugita, Yoshimitsu, Kato, Teruo, Sugawara, Katsuro, and Tamura, Masao Semiconductor device with a Si monocrystalline body having a specific crystal plane, P (11) 231*g*.

Sugiura, Masatoshi, Hirabayashi, Masaya, and Goto, Yoshimasa Ceramic composition, P (6) 131*g*.

Sults, James C. See Lee, Kenneth

Sukharevskii, B. Ya. See Gavrish, A. M.

Sukhenko, V. D. See Kompanichenko, N. M.

Sulaiman, A. M. A. See Cosgrove, M. E.

Sulcs, Juris See Collins, Byron R.

Sullivan, C. Larry, Zehe, Michael J., and Carlson, K. Douglas Heats of reaction for gaseous species in the vaporization of solid Sb_2Te_3 (9) 196*g*.

Sullivan, Cornelius J. Air wire electrode for stainless steel welding, P (2) 33*e*.

Sullivan, J. L. Ultrasonic investigation of diffusion of noble metals in CdS (2) 57*d*.

Sullivan, James C. See Coakley, Thomas A.

Sullivan, James K. See Howard, Richard I.

Sumikawa, Sadao, and Arakawa, Yoshiaki Heat flow meter for remote measurement [rotary kilns], P (11) 233*a*.

Sumin, E. E. See Grach'yan, A. N.

Sumita, Suguru See Tanaka, Minoru

Sumiyoshi, Yoshihiro See Iso, Fumio ; Usio, Masumi

Sumoto, Takao See Uekusa, Genzo

Sunagawa, Shozo See Takeda, Toshio

Sunahara, Hiroshi See Ishizuka, Toshio

Sundahl, Robert C., Jr. Method for producing thin-film circuits on high-purity alumina substrates, P (6) 132*c*.

Sundberg, M. N. See Naberhuis, S. L.

Sundermann, Erich Apparatus for mfg. ceramically bonded shaped bodies from granules of inflatable mineral material, P (7) 147*f*.

Sundermann, Erich, and Viedt, Johanna Apparatus for mfg. bodies of bulking clay, P (9) 187*a*.

Sundstrom, Roy N., and Wisner, William R. Method for simultaneously forming rim and parison, P (4) 88*j*.

Sunin, A. N. See Kuvakin, M. A.

Supkis, Stanley J., and Swiatek, Henry J. Process for using coated abrasive products, P (9) 181*i*.

Surakka, J. See Luukkala, M.

Suran, Gabriel, and Heurtel, Alain Preparation and microstructural properties of $NiFe_2O_4$ thin polycrystalline films (2) 40*h*.

Surdeanu, Liana See Gagea, Lucia

Surdeanu, Tudor Use of high-purity calcined alumina in the production of high-alumina porcelain (10) 209*c*.

Surdeanu, Tudor, Ardelean, Ion, and Nemes, Simona Influence of the admixture of certain metallic oxides on the sintering of high-alumina porcelain (9) 189*g*.

Surin, Yu. V. See D'yachkova, N. N.

Surkov, Yu. A. See Ozhegov, P. I.

Surmava, G. G. See Tavadze, F. N.

Surowiak, Z. Deposition of polycrystalline thin films of ferro- and antiferroelectrics on metallic substrates (3) 69*h*.

Surrall, Alan J. See O'Neill, John S.

Surratt, G. T., Eszenne, R. N., and Wilhite, D. L. Hartree-Fock lattice constant and bulk modulus of diamond (9) 196*g*.

Suryanarayana, S. V. See Deshpande, V. T.

Susshchinskii, M. M. See Gorelik, V. S.

Suski, W. Magnetic properties of U chalcogenides with composition close to UY_2 (3) 72*i*.

Suslov, G. I. See Zil'bershtein, A. Kh.

Sussman, S. S. See Callender, R. H.

Sutch, Richard D. See Argyle, John F. ; Sharp, Donald J.

Suter, Carl R. See Stepan, Ivan E.

Suto, Ken See Okuno, Yasuo

Suto, Ken, and Nishizawa, Junichi Paramagnetic resonance and Hall coeffs. in Fe-doped *n*-type GaP (3) 80*f*.

Suvorov, A. V., and Sharipov, D. Phase diagram of the system $TiBr_4$-$POCl_3$ (10) 218*i*.

Suzuki, Akira, Matsunami, Hiroyuki, and Tanaka, Tetsuro Photoluminescence of 4*H*-SiC single crystals [undoped and B-doped] grown from Si melt (4) 101*a*.

Suzuki, Hiroshige See Ikegami, Takayasu

Suzuki, Hirosuke See Okazaki, Kiyoshi

Suzuki, I. See Izumitani, Tetsuro

Suzuki, Isao, and Izumitani, Tetsuro Indentation hardness of optical glass (3) 63*c*.

Suzuki, Joji, and Tanaka, Keiharhiro Laminated windshield structure, P (8) 165*f*.

Suzuki, Kensuke See Shima, Kenzo

Suzuki, Kiyoko See Yamada, Tamotsu

Suzuki, Takeyuki, and Anthony, Anne-Marie Rapid quenching on the binary systems of high-temp. oxides (10) 218*g*.

Suzuki, Toshihiko, Hoshi, Kinji, and Tamate, Yasuo Apparatus for pulling up semiconductor crystals, P (11) 230*g*.

Suzuki, Toshimasa, and Mizushima, Yoshihiko Semiconductor device and apparatus using it, P (9) 191*j*.

Suzuki, Y. See Ugajin, M.

Suzuki, Yoshio See Mori, Masasi

Suzuki, Yoshiro See Hara, Morihisa

Svanstrom, Elis K. A. Method for producing W in oxidic form from W ore, P (2) 48*b*.

Svec, J. J. For porcelain enameling spray still No. 1 application method (1) 3*d*; Innovation key to Vesta success (1) 3*f*; Hall China adds shuttle kiln (1) 11*j*; Nelson McCoy—four generations of quality (1) 12*c*; Anatomy of electronic ceramics (2) 39*j*; Construction and clay products—foundation for prosperity (5) 110*b*; Hondonin sets 40 in. tile automatically (5) 110*e*; Leiti-Werke—first continuously operating plant (5) 110*g*; Modern brick industry emerges in five years (5) 110*h*; Victorije emphasizes high production (5) 110*i*; Fuel for refractories—key to maintaining our economy (5) 118*a*.

Sveen, Arvid See Groenvold, Fredrik

Svejda, H. Determination of Mg in glasses and glazes by absorption spectrometry (1) 4*g*.

Svendsen, Sven R. Decomposition pressures and standard enthalpy of formation for FeSe, Fe_7Se_8, Fe_3Se_4, and $FeSe_2$ (3) 77*e*; Enthalpy of Fe diselenide from 300 to 853 K by drop calorimetry (3) 78*g*.

Svetashev, P. A. See Skakun, N. A.

Sviridov, V. V. See Vereshchagin, A. L.

Swallow, H. T. S. Rapid processing with calcined clays (4) 89*h*.

Swamy, R. N., and Mangat, P. S. Theory for the flexural strength of steel fiber reinforced concrete (8) 162*g*; Influence of fiber geometry on the properties of steel fiber reinforced concrete (9) 182*j*.

Swann, Richard C. G. See Harlow, Justin E., III

Swanson, Howard E., McMurdie, Howard F., Morris, Marlene C., Evans, Eloise H., and et al. Standard X-ray diffraction powder patterns (6) 134*c*.

Swanson, Robert G. See Meyer, Robert W.

Swaroop, B. H annealing effect on Si-insulator(s) interface states (4) 92*c*.

Swartz, George A., and Chamberlain, Richard E. Encapsulated semiconductor device assembly, P (5) 114*h*.

Sweany, Louis P. Piezoelectric transducer and noisemaking device utilizing it, P (10) 211*b*.

Sweet, Larrie H. Adjustable [ceramic] anchor device for furnace walls, P (3) 67*j*.

Sweet, Palmer C. Analyses of clay, shale, and related materials—southern counties [Virginia] (6) 135*j*.

Sweetman, Donald H. John Novy demonstrates centering with a leather strap (5) 105*h*.

Swenson, E. G. See Gillott, J. E.

Swet, Charles J. Fiber optical solar collector, P (5) 109*f*.

Swiatek, Henry J. See Okrepkie, John ; Supkis, Stanley J.

Swietek, Donald J. See Dorler, Jack A.

Swift, Harold E. See Ondrey, John A.

Switendick, A. C. See Laramore, G. E.

Sworzil, Adolf Heat exchanger with nests of tubes, P (5) 112*d*.

Syassen, K., and Holzapfel, W. B. Effect of pressure and temp. on the magnetic hyperfine interaction of Fe(II) in CoO (9) 195*b*.

Sychev, M. M. See Fedorov, N. F. ; Volkov, V. V.

Symborski, Alex P. See Klink, Jerome P.

Symersky, Bohuslav Method of mfg. a semiconductor device having a pattern of conductors and device mfg. by using the method, P (11) 231*a*.

Syniewlkowa, W., Nieznyski, T., Paszyk, J., and Kierzek-Pecold, E. Vapor-phase crystallization and some physical properties of TiN (5) 123*e*.

Syrbu, N. N. See Radautsan, S. I.

Syritskaya, Z. M. See Abdrakhmanov, R. S.

Szabo, A. See Dragomir, C.

Szabo, A., Barbulescu, Elena, and Savut, Maria Effect of raw materials quality on the quality of Mg refractory products (3) 66*c*.

Szabo, Louis R., and Lazarus, Martin Novel ICI corrected phototransducer for measuring light output of photoflash items, P (9) 187*b*.

Szabo, Michael W. See Neathery, Thornton L.

Szabo, T. L. See Slobodnik, Andrew J., Jr.

Szadkowski, A., and Zareba, A. Field effect in β-rhombohedral B (11) 234*g*.

Szafnicki, Josef, Krysztafkiewicz, Andrzej, and Mocydlarz, Stefan Raw materials for the mfg. of mineral wool and their physicochemical properties (10) 208*c*.

Szeles, Donald M. See Risgin, Ojars

Szkudlapski, Alfons H. See Rackus, John J.

Szoke, Abraham Bistable optical device, P (10) 210*c*. See Gedanken, Aharon

Szromba, Roman See Karkowski, Abdon

Szumachowski, Edwin R. See De Long, William T.

Szwabowski, J. See Mikos, J.

Szymanska, Irena See Wolkenberg, Andrzej

Szymanski, Jacek See Janusz, Czeslaw

Szymczak, H. See Krawczyk, M.

Szymczak, R. See Kadomtseva, A. M.

Tabata, Hideyo See Ishii, Eiichi

Tabata, Hideyo, Okuda, Hiroshi, and Ishii, Eiichi X-ray topographic observation of stacking fault in stoichiometric Mg-Al_2O_4 spinel single crystals (1) 30*b*.
Taber, W. J. See Hagedorn, F. B. ; Wemple, S. H.
Tachibana, Kanichi, Nishioka, Michihiro, and Ono, Mikiya Nonlinear resistors, P (2) 43*e*; Method for mfg. nonlinear resistors, P (7) 150*h*.
Tacken, Jan M. M. See Van Noord, Jacobus A. J. M.
Tadini, Carla See Giuseppetti, G.
Tadokoro, Yoshihiro See Yasukawa, Shigeru
Taferner, E. See Reder, R.
Taft, Keith G. See Mudge, John L.
Tagai, H. See Shimohira, T.
Tagai, H., Kimura, S., Yasuda, E., and Tanaka, H. Wetting of glass as a function of crystal orientation in carbons (3) 64*i*.
Tagai, Hideo See Nukui, Akihiko
Tagunova, T. B. See Kurdyumov, G. M.
Taguchi, Y. See Nakashima, H.
Taft, W. C. See Weiher, R. L.
Tait, William C. See Packard, James R.
Tajima, Sakae See Mizuki, Issei
Takabayashi, Hitoshi Apparatus for interferometric measurement of displacements, P (7) 153*b*.
Takada, Toshio See Iwase, Keizo ; Yamamoto, Naoichi
Takagi, Hiroyoshi, Nishiyama, Goro, Nakano, Masaru, and Matsumoto, Hideo Stabilization of ZrO_2 by CaO and MgO (11) 235*j*.
Takagi, Jiro See Nishimura, Teruo
Takagi, Kiyoshi, Kawamura, Susumu, and Fujii, Hiroshi Method for sealing glass, metal, or ceramics with mixture of PbO glass and β-eucryptite—containing glass, P (4) 88*i*.
Takagi, Sadaaki, and Yoshida, Masamichi Method of mfg. semiconductor devices, P (2) 42*c*.
Takagi, Shigehide, and Yamaguchi, Goro Characterization of ceramics with applied ion probe mass analyzer (10) 213*b*.
Takagi, Toru, Ochi, Osamu, and Mizushima, Yoshihiko Semiconductor granules for use in acoustic-electro converting devices, P (10) 211*d*.
Takagi, Takeshi See Anzai, Norio
Takahashi, Akira, and Hayashi, Hideo Process for producing xonotlite-type hydrous Ca silicate, P (9) 194*i*.
Takahashi, Hirokuni See Nishikawa, Yasuo
Takahashi, Katsuaki See Goto, Yasumasa
Takahashi, Katsumasa See Ozawa, Kazunori
Takahashi, Koji Apparatus for forming and finishing ceramic ware foot, P (4) 91*j*. See Okazaki, Kiyoshi
Takahashi, Masao See Tsubouchi, Norio
Takahashi, Masutake, and Fine, M. E. Magnetic behavior of quenched and aged $CoFe_2O_4$-Co_3O_4 alloys (4) 100*j*.
Takahashi, Mitsuzo See Kobayashi, Masamitsu
Takahashi, Nobuo See Akai, Shinichi
Takahashi, Ryoichi See Amagi, Yasuo
Takahashi, Sakari Method of producing IGFE semiconductor device having a channel stopper region, P (11) 231*b*.
Takahashi, Shiro See Kakuda, Hisashi
Takahashi, Shiro, and Asao, Takeshi Method of detecting defects in transparent and semitransparent bodies, P (10) 206*b*.
Takahashi, Shoichi See Niwa, Shohei
Takahashi, Susumu See Sato, Hitoshi
Takahashi, Susumu, Sato, Hitoshi, Kaneko, Yoichi, Migitaka, Masatoshi, and et al. Semiconductor device [GaAs] suitable for IMPATT diodes or varactor diodes, P (10) 211*d*.
Takahashi, T. See Nasu, S.
Takahashi, Tadashi See Shimada, Noburo
Takahashi, Tadashi See Kuri, Takao ; Yamamoto, Mitsuo
Takahashi, Takehiko, and Itoh, Hideaki Chemical vapor deposition of W carbide dendrites (2) 49*a*.
Takaishi, Tetsuo See Yatsurugi, Yoshifumi
Takama, Eizo See Shichijo, Yuzo
Takamiya, Saburo High speed response phototransistor and method of making, P (7) 149*d*.
Takamizawa, Hideo, and Yotsuyanagi, Keiichi Ca-V ferrimagnetic garnets, P (2) 41*e*.
Takamori, Takeshi Form birefringence in a Na borosilicate glass (7) 145*c*.
Takamori, Takeshi, and Roy, Rustum Rapid crystallization of SiO_2-Al_2O_3 glasses (1) 6*b*.
Takano, Yukio See Nanba, Mitsuo
Takashima, Hiroo, Kato, Etsuzo, and Saito, Hajime Studies on phase separation in glaze containing ZnO by ir reflection method (8) 168*c*.
Takashima, Hisashi See Shimamura, Hiroyuki
Takashima, Susumu See Hashimoto, Hiroshi
Takashio, Haruo Alumina ceramic-to-metal seals by the Mo process (5) 113*i*.
Takata, Masanobu, Osakabe, Kuniharu, and Murata, Yoshio Luminescent screen for flying-spot CRT, P (10) 206*j*.
Takatsu, Masabu, Asano, Jun, and Nakagawa, Kuniyoshi Thermal fatigue testing of tunnel kiln shelves (5) 118*d*.
Takeda, Akitsu See Hattanda, Takatsugu
Takeda, Kenzo See Komaru, Isamu
Takeda, Toshio, Akiba, Yukio, Sunagawa, Shozo, and Iida, Masamori Measurement of local potential distribution in amorphous semiconductor [As-Te-Ge-Si] (4) 92*i*.
Takeda, Y., Shimada, Masahiko, Kanamaru, Fumikazu, and Koizumi, Mitsue Synthesis of 12 layer modification of hexagonal $BaFeO_3$ under high O pressure (2) 56*e*.
Takeda, Yuji, and Izumi, Ryosuke Use of diamond blade in the dry cutting of brick (1) 1*i*.
Takei, Ichiro, Sasaki, Katsuyoshi, and Nishida, Sumio Semiconductor element having surface coating [SiN and SiO] and method of making, P (6) 133*b*.
Takei, W. J. See Francombe, M. H.
Takemoto, Susumu See Watanabe, Yoshiyuki
Takemoto, Takeo, and Tomita, Yoshifumi Method for making a phosphor screen of a CRT, P (4) 88*f*.
Takemoto, Takeo, Yamazaki, Eiichi, Maruyama, Koichi, and Ueda, Toshio Method and apparatus for mfg. color picture tubes, P (5) 110*b*.
Takenaka, Shigeo, Kido, Yasuji, Shimabara, Tatsutoshi, and Ogawa, Masanobu Oxidation catalyst for oxidation of olefins to unsaturated aldehydes, P (4) 97*g*.
Takeno, S. See Paul, D.
Takeshima, Masumi Auger recombination in InAs, GaSb, InP, and GaAs (4) 98*b*.
Taketa, Yoshishi, and Haradoume, Miyoshi Hf-discharge trimming of RuO_2-based thick-film resistors: I, Affecting factors (4) 92*a*; II, Mechanism of resistance change (4) 92*b*.
Taketsune, Yukuo See Ogura, Hirokatsu
Takeuchi, Hiroshi See Shinagawa, Kohsei
Takeuchi, Hiroshi, Shinagawa, Kohsei, and Taniguchi, Satoshi Faraday effect of Bi-substituted rare-earth Fe garnet (1) 23*b*.
Takeuchi, Shin Model of the yielding of single crystals due to inhomogeneous deformation (9) 197*f*. See Nakano, Kikuo
Takeuchi, Syuzo Ultrasonic delay line glass, P (8) 166*a*.
Takeuchi, Y. See Sugaya, T.
Takeuchi, Yasuyuki See Morioka, Yoshio
Takizawa, Tatsuo See Ogura, Hirokatsu
Takizawaga, Noboo, and Saito, Hajime Crystalline phases in the crystallized glasses having the chemical composition of fluor-richterite containing Al ions (3) 63*d*.
Talaber, Jozsef Some comments on aluminous cement (1) 3*e*.
Talaikin, S. N. See Baikova, L. G.
Talmova, L. I. See Kuvakin, M. A.
Tallan, N. M. See Stroud, J. E.
Tallan, Norman M. (Editor) Electrical Conductivity in Ceramics and Glass, Part A, B (10) 220*j*.
Tallerchik, B. A. See Novikov, V. N.
Talmage, Charles R. See Hurley, Donald L.
Talmo, Robert E. Method of making a transducer, P (9) 191*a*.
Talmo, Robert E., and Brady, Edward R. Method of making a [strain gage] transducer, P (4) 94*d*.
Tamada, Koshi See Yamada, Shigehiko
Tamai, Y. See Inagaki, M.
Tamas, Ferenc, and Fabry, Maria Change in reactivity of silicate anions during the hydration of Ca silicates and cement (1) 2*f*; Change in reactivity of silicate anions during the hydration of Ca silicates and cement (4) 84*c*.
Tamas, Ferenc, and Vertes, Attila Moessbauer study on the hydration of brownmillerite ($4CaO.Al_2O_3.Fe_2O_3$) (2) 32*f*.
Tamate, Yasuo See Suzuki, Toshihiko
Tanaka, T., and Nakajima, H. Controlling the continuous mixing of particles (1) 17*a*.
Tamm, Rolf G. A. See Braun, Klaus J.
Tanny, Simon Z., Hastings, Donald R., and Wilhelm, Frederick R. Electrostatic spray apparatus and method, P (7) 152*h*.
Tamura, Fumio See Araki, Tadashi
Tamura, Masao See Sugita, Yoshimitsu
Tamura, S. High-pressure phase research on Nb_2O_5 (7) 155*g*.
Tamura, Shinichi See Hamano, Kenya
Tanaka, H. See Tagai, H.
Tanaka, Hajime, and Tohgoh, Hiroshi Essential properties and chemical application of Japanese colloidal earth: VIII, Chemical removal of Fe_2O_3 included in Japanese colloidal earth (allophane) (3) 75*h*.
Tanaka, Hideo Results obtained by using sand slinger in ladle construction at Yawata Iron & Steel Works (1) 10*h*.
Tanaka, Hiroshi See Moriya, Yoshiro
Tanaka, Junji, and Kato, Akio Preparation of finely divided SiO_2 by vapor phase reaction between Si tetrachloride and O (8) 178*b*.
Tanaka, Kaichiro See Uetsuki, Toru
Tanaka, Kazuhiko See Ishizuka, Toshio
Tanaka, Keihachiro See Suzuki, Joji
Tanaka, Koji See Uemura, Yoichiro
Tanaka, Masahisa See Hare, Gerald E.
Tanaka, Masami See Minami, Tsutomu
Tanaka, Masao See Sakamoto, Michio
Tanaka, Mitoru, and Niwano, Kazuhisa Ag luster development of roofing tile glaze from Fe oxide (9) 189*b*.
Tanaka, Minoru, and Sumita, Suguru Photothermoelastic studies on the thermal fracture of roofing tiles during cooling in a tunnel kiln (8) 166*f*; Thermal properties and thermal fracture of clay bodies of roofing tiles during firing (8) 166*h*.
Tanaka, Mitsuo See Sato, Hitoshi
Tanaka, Shoji See Hagiwara, Takaaki
Tanaka, Shunichi Nippon Kokan's rotary nozzle system for teeming and continuous casting (2) 38*j*; Structure of rotary nozzle and service test results (11) 227*e*.
Tanaka, Takabo, Sakai, Toshikazu, and Iwate, Minoru Effect of O impurity on high temp. thermal conductivity of AlN (8) 175*b*.
Tanaka, Takashi See Fujimura, Kenichi
Tanaka, Tatsuo See Naka, Shigeharu
Tanaka, Tetsuro See Ohata, Keiichi ; Suzuki, Akira
Tanaka, Yukio Far-ir heating and its application to ceramics (4) 96*h*.
Tananaev, I. V. See Kuznetsov, V. G. ; Petushkova, S. M.
Tanasoiu, Constantin, Nicolae, I., and Florescu, Viorel Vibrating magnetometer for determining the magnetic parameters of ferro- and ferrimagnetic materials (1) 18*h*.
Tangonan, G. See Barnoski, M. K.
Tanguy, B. See Morell, A.
Tanguy, Bernard, Vlasse, Marcus, and Portier, Josik Nonstoichiometry in the system Eu-O-F (9) 197*j*.
Tani, Zenpei See Shigemasa, Junichiro
Tanida, N. See Hamada, Y.
Taniguchi, Kenji See Hayasaka, Akio
Taniguchi, Satoshi See Shinagawa, Kohsei ; Takeuchi, Hiroshi
Tanikawa, Eiki See Okabe, Taro
Tanimura, Shigeru See Uekusa, Genzo
Tanimura, Shigeru, Miura, Nobuaki, Asano, Osamu, and Yamamura, Nobuyuki Humidity-sensitive semiconductor device, P (6) 132*c*.
Tannenberger, Helmut See Charbonnier, Jean C.
Tanner, B. K. See Fathers, D. J.
Tanner, John A. See Anderson, Royal P.
Tanner, Theodore F. Colored cement [clinker], P (8) 162*j*.
Tannhauser, D. S. See Spear, W. E.
Tantalo, P. See Adduci, F.
Tapia, Leonard G. See Burch, Nathan L.
Taplin, John H. Kinetic models for the setting of plaster of Paris [gypsum plaster] (1) 3*a*; Index of reaction—a unifying concept for the reaction kinetics of powders (4) 99*i*; Index of reaction—a unifying concept for the reaction kinetics of powders—correction (10) 217*c*.
Tararin, V. K. See Ponomarev, I. F.
Tarasevichis, E. See Kudaba, V.
Tarasevich, S. A. See Kovaleva, I. S.
Tarasevich, S. A., Medvedeva, Z. S., Kovaleva, I. S., and Antonova, L. I. Interactions in the ternary system Ag-As-Se in the Ag_2Se-As_2Se_3 cross section (1) 24*d*.
Tarasenkan, A. N., and Platonov, A. N. Isomorphism and valence transformations of rare-earth ions in natural anhydrites (according to luminescence date) (10) 217*i*.
Tarasova, Alexandra P. See Nekrasov, K. D.
Tarassoff, Peter, and Kitzinger, Frank Apparatus for determining the amount of magnetic material in a sample, P (9) 193*d*.
Tardieu, Andre Mfg. of [frozen] concretes or mortars, P (10) 203*f*.
Tarkanic, Ladislav Effect of Separan NP 10 and Na polymethacrylate on pressure filtration of a kaolin suspension (9) 189*g*.
Tarkan, Stuart E. See Ellis, John L.
Tarkiov, Yu. P. See Shevyakov, A. I.
Tarn, William H. Process for simultaneous diffusion of group III-group V intermetallic compounds into semiconductor wafers, P (7) 150*j*.
Tarnarutskii, G. M. See Kravchenko, I. V.
Tarnopol, Milton S., and Sayder, Thomas P. Applying electroconductive heating circuits to glass, P (3) 64*d*.
Tarshis, Andrew L., and Wachs, Daniel Technique of sample preparation for petrographic investigation by electron microscopy (6) 134*d*.
Tarui, Tasuo, and Komiya, Yoshio Integrated circuits comprising lateral transistors and process for fabrication thereof, P (2) 41*g*.
Tarui, Yasuo See Hayashi, Yutaka
Tarui, Yasuo, Komiya, Yoshio, and Harada, Yasuo Compound semiconductor device having undercut oriented groove, P (10) 210*c*.
Tarui, Yasuo, Sekigawa, Toshihiro, and Hayashi, Yutaka Transistors and production thereof, P (2) 44*f*.
Tashiro, Megumi See Ito, Setsuro ; Kokubo, Tadashi ; Maki, Toshio ; Matusita, Kazumasa ; Yamamoto, Tokuji
Tasker, G. William See French, William G.
Tassara, Piao Apparatus for coloring articles, for instance lenses for spectacles, P (8) 165*f*.
Tatarchenko, V. A. See Sachkov, G. V.
Tatarintsev, Vladimir M. See Alexandrov, Vladimir I.
Tateno, Hiroshi See Kataoka, Shoei
Tatsuke, U. See Mitsuhashi, Takefumi
Tatsuno, Takashi Revision of hygienic test of ware and food packaging materials and its background (4) 96*a*.
Tattersall, H. G. Ultrasonic pulse-echo technique as applied to adhesion testing (1) 18*f*.
Taub, James M. See Martin, William W. ; Riley, Robert E.
Taube, P. R. See Vernigorova, V. N.
Tauber, E. See Hajela, R. B.
Tauber, E., Pepplinkhouse, H. J., and Murray, M. J. Stoneware bodies based on pyrophyllite (9) 189*e*.
Tauber, Richard N. See Caffrey, Robert E.
Tauc, J. See Wihl, M.
Taunbeck, Russell W. Dolly for lifting, transporting, and installing large sheets of flat glass and other flat sheet products, P (2) 35*e*; Tiltable glass cutting table, P (6) 128*d*.
Tauster, Samuel J. Catalyst impregnation technique, P (6) 136*e*.
Tavadze, F. N., Surmava, G. G., Nikolaishvili, A. A., and Makovets, S. E. Mechanical properties of Al nitride whiskers (1) 25*h*.
Taverna, A. Automatic loading and unloading of tiles [at the tunnel kiln] (3) 73*e*.
Taylor, Abraham, and Doyle, Norman J. Method of producing cubic BN with Al-containing catalyst, P (3) 67*g*.
Taylor, D. J. See Seward, W. D.
Taylor, H. E. Polycell's DIY tile making and mosaics (4) 91*i*.
Taylor, H. F. W. See Imlach, B. V.
Taylor, J. See Edmunds, D. M.
Taylor, Kenneth M., and Pulcha, Richard J. Dense carbide composite for armor and abrasives, P (2) 38*i*; Dense carbide composite bodies and method of making, P (7) 148*a*.
Taylor, N. See Alexander, S. J.
Taylor, P. C. See Bishop, S. G.
Taylor, P. Craig See Mitchell, Dean L.
Taylor, R. I. See Cheetham, A. K.
Taylor, Richard A. Method of producing Si_3N_4 articles, P (4)

91*h*.

Taylor, Richard F., and Dimitriou, Christos Control mechanism for rock-cutting equipment, P (4) 97*d*.

Taylor, Robert C. See Chicotka, Richard J.

Tazawa, Eiichi See Yasima, Teturo

Tcheichvili, L. Behavior of pigments obtained with the coloring ion Cr^{3+} in a perovskite-type host network of Mg and Ca orthostannates in various ceramic enamels (3) 68*f*; Phase relations in the systems $BeO-SnO_2-Cr_2O_3$, $MgO-SnO_2-Cr_2O_3$, $CaO-SnO_2-Cr_2O_3$, and $SnO_2-Cr_2O_3$ (6) 139*j*.

Tchoubar, C. See Besson, G. ; Gatineau, L.

Te Velde, Ties S. Method of mfg. electronic devices, in particular semiconductor devices, P (7) 150*h*.

Teague, Walter D., Jr. Gas burner having a diffuser for mixing combustion air and gas, P (3) 75*b*.

Teale, R. W. See Rosenbloom, M.

Tebiev, A. K. See Kaloev, N. I.

Tecotzky, Melvin, and Mattis, James J. Phosphors for multicolor displays, P (6) 132*f*.

Teder, Mai See Dilaktorski, Nikolai

Teisen, Knud New designs in recuperative tanks (1) 5*e*.

Tekippe, V. J., Ramdas, A. K., and Rodriguez, Sergio Piezospectroscopic study of the Raman spectrum of α-quartz (9) 197*h*.

Tell, Benjamin See Kasper, Horst M.

Teller, Aaron J. Process for recovering gaseous HF from gaseous effluents, P (3) 73*g*.

Tel'nykh, T. F. See Zhukovskii, V. M.

Tendolkar, G. S. See Shaikh, M. S.

Tennery, V. J. See Potter, Ralph A.

Tennery, V. J., Godfrey, Thomas G., and Bomar, Edward S. Sintering of compacts of UN, (U,Pu)N, and PuN, P (2) 45*g*.

Teoreanu, I., and Nguyen Ngoc Anh Correlations between corroding effect of salt solutions and the nature of their ions for the hardening of Ca silicates (2) 31*e*.

ter Vrugt, J. W. See Verstegen, J. M. P. J. ; Wanmaker, W. L.

Terada, Kiyoshi Derivation of the mathematical expressions for thermotechnologically calculating the principal quantities for a fuel-fired lime shaft kiln as a function of decarbonation temp. of limestone (3) 61*f*.

Terada, Michiko, Sakata, Makoto, and Nose, Hiroshi Ferromagnetic resonance in thin films of Mn_5Ge_3 (6) 130*j*.

Terada, Toshio, Ando, Tsuyoshi, and Uchiyama, Shoichi Repairing furnace walls by forced introduction of unshaped refractories (1) 10*d*.

Terakawa, Kazuo See Shimizu, Kazuo

Terao, Motoyasu Optical memory device [amorphous chalcogenide], P (8) 170*d*.

Terashima, Kenzi See Inoue, Touru

Tereayi, Olga Cristobalite-containing technical porcelain (1) 11*c*.

Terichow, Oleg, and May, Alexander Electrophoresis and coagulation studies of some Florida phosphate slimes (6) 135*b*.

Ternin, Erich See Langenhoff, Ferdinand

Terrani, M. See Banteria, G.

Terrell, F. R. Potters' wheels and control for such devices, P (2) 39*h*.

Terry, Louis E., and Wilson, Richard W. Method of forming metalization backing for Si wafer, P (7) 150c.

Terunuma, Yukio See Arai, Eisuke

Terwilliger, G. R. Properties of sintered Si_3N_4 (2) 55*g*. See Radford, K. C.

Terwilliger, G. R., and Lange, F. F. Hot-pressing behavior of Si_3N_4 (2) 52*d*.

Terwilliger, G. R., and Radford, K. C. High temp. deformation of ceramics: I. Background (4) 104*i*.

Tesarik, Bohumil Determination of fluorine in etching solutions (11) 232*f*; Spectrochemical determination of trace amounts of Fe in pure SiO_2 (11) 232*g*.

Teslow, Charles N. See Meyer, Frank G.

Teszner, J. L., and Boccon-Gibod, D. Dependence of Gunn threshold on transverse magnetic field in coplanar epitaxial devices (11) 229*b*.

Teszner, Stanislas Field-effect gridistor-type transistor structure, P (10) 210*g*.

Teszner, Stanislas, Lecrosnier, Daniel P., and Pelous, Gerald P. Ion-implantation field-effect semiconductor devices, P (2) 41*h*.

Tetard, D., Lortholary, P., Gournat, P., and Billy, M. Si nitrides—oxidation kinetics of Si_3N_4 powder (4) 102*c*.

Teutenberg, J. Laboratory automation in cement works (1) 3*b*; Automation in the cement plant (8) 161*f*.

Teyssеyre, Pierre M. See Lescop, Pierre

Tezikov, B. B. See Galtykhin, V. M.

Tezlevan, V. E. See Radautsan, S. I.

Thach Lan Tran, and Bonnetin, Alain Ionic penetration of vitreous objects, P (3) 65*d*.

Thalmann, Edward, and Staub, Hans R. Process for the production of SiC whiskers, P (4) 91*j*.

Thaulow, Nells S-impregnated concrete, SIC (8) 162*g*.

Theil, Sven E. Rotary kiln, P (7) 153*h*; Cooler tubes for rotary kilns, P (9) 193*i*.

Theisen, Alfred J., Bergfelt, Nils H., and Eufusia, Eugene A. Coating method utilizing two coating materials, P (8) 165*h*.

Thelen, Edmund See Eberl, James J.

Theokritoff, Sergius See Roy, Rustum

Thery, J. See Boilot, J. P.

Thevenot, F. See Cueilleron, J.

Thiel, N. W. Dry grinding of WC/steel combinations with diamond wheels (5) 105*e*; Wet grinding of WC/steel combinations with diamond wheels (9) 181*g*.

Thies, Gebhard Improvement of temp. control in a large end port tank by use of an analog computer (8) 164*j*.

Thill, Richard E., and Peng, Syd S. Statistical comparison of the pulse and resonance methods for determining elastic moduli (7) 152*j*.

Thirriot, Claude, and Habib, Jacques Effect of heterogeneities on filtration of water through clays (3) 73*g*.

Thoelen, A. R. See Easterling, K. E.

Thoma, Roy E. High-temp. phase equilibriums in Li, Na, and Th fluoride mixtures (1) 24*d*; Binary systems of the lanthanide trifluorides with the alkali fluorides (9) 194*f*.

Thomann, Helmut Rayleigh waves on periodically polarized piezoelectric ceramic (2) 40*i*.

Thomas, B. W., and Walsh, D. Anneal characteristics of ion-implanted ZnO (1) 12*f*; Metal-insulator-semiconductor electroluminescent diodes in single-crystal ZnO (6) 131*g*.

Thomas, C. B., Carew-Jones, R., and Bonnell, J. Thermal analysis of preswitching characteristics of a thin film amorphous chalcogenide switch $[Ge_{14}Te_{81}S_4]$ (5) 114*b*.

Thomas, Dean L. See Jansson, Robert A.

Thomas, E. A., Steen, W. J., and Froehlich, G. Evaluation of corrosion of refractories by glasses (5) 111*h*.

Thomas, Edward W. See Rapkin, Edward

Thomas, Howard Hardness testing of building plasters in the lab and at the building site (5) 106*b*.

Thomas, Ian M. Method of preparing P_2O_5-SiO_2 products, P (2) 36*f*; Preparation of ultrapure compounds corresponding to the formula $CaAl_2O_4$ and $MgAl_2O_4$, P (5) 112*g*; Method for producing glass-ceramics, P (6) 128*j*; Method for producing glass precursor compositions and glass compositions therefrom, P (8) 166*b*.

Thomas, J. H., III Transient photodepopulation measurements of electron trap distributions in thin SiO_2 films on Si (8) 169*f*.

Thomas, J. M. See Franco, M. A. Alario

Thomas, Martha J. B. See Bouchard, Andre C.

Thomas, Robert See Hadni, Armand

Thomas, W. F. Investigation of the factors affecting the strength of glass fiber strand: V (4) 87*b*.

Thompson, G. H. Major redevelopment of an existing glass-works site (9) 185*e*.

Thompson, George H. B. Laser to optical fiber coupling, P (1) 14*f*; Ga arsenide lasers, P (4) 93*f*; GaAs laser fiber coupling, P (8) 170*b*.

Thompson, Henry C. Mg oxychloride fireproofing, P (4) 85*h*.

Thompson, J. See Hills, G. J.

Thompson, Kenneth R. Mass spectrometric determination of the atomization energies of AlSiO(g) and $Al_2O(g)$ (7) 152*e*.

Thompson, M. A., Young, D. R., and McCartney, E. R. Influence of precipitating atm on sintering of ZrO_2 + 12 mol% Y_2O_3 (1) 24*i*.

Thompson, Michael R., Pearce, Reginald J., and Howard, David E. [Venturi-type] fuel burner assemblies, P (3) 75*e*.

Thompson, Norman W. See Hare, Gerald E.

Thompson, Raymond See Stibbs, Donald

Thompson, Robert R., Duschatko, Robert W., and Nash, Arthur J. Critical carbonate minerals in geochemical prospecting, P (8) 172*f*.

Thompson, Thomas L., and Lafitte, C. Wayne Batch weighing system, P (8) 172*d*.

Thompson, William B. See Jones, Rexford W.

Thomson, J. K., Wickramasinghe, H. K., and Ash, E. A. Fabry-Perot acoustic surface vibration detector—application to acoustic holography (1) 17*d*.

Thomson, John, Jr. Chemical preparation of PLZT powders from aqueous nitrate solutions (7) 149*b*. See O'Bryan, H. M., Jr.

Thomson, Robert D. See Lessing, Peter

Thorland, R. H., Garrison, A. K., and DuVarney, R. C. Stark shift of nuclear spin levels in ^9Be in BeO (7) 158*f*.

Thornburg, D. D., and Johnson, R. I. Thermal fringing at turnover in an amorphous chalcogenide thin-film sandwich structure (11) 230*f*.

Thorogood, R. P. See Milner, R. M.

Thorp, Harold E. Basic Pottery for the Student, B (7) 160*a*.

Thorp, J. S. See Farley, J. M.

Thorp, J. S., Sturgess, G. L., and Brown, G. Field-dependent spin-lattice relaxation of Cr^{3+} in Al_2O_3 (6) 138*b*.

Thouret, Wolfgang E., and Kaufman, Rudolph Electric lamps of the vibrating filament type having a conductive coating, P (10) 206*b*.

Thring, Meredith W., Caderin, Dante, and Ducato, Aldo Process for producing pigment-quality TiO_2, P (2) 43*e*.

Thrower, P. A. See Rodriguez-Reinoso, F.

Thuemmler, Fritz See Engel, Waldemar

Thuler, Oscar Apparatus and process for subdividing sealed glass tube containing radioactive gas, P (10) 205*i*.

Thumm, J. Randall, Roberson, Clelis L., and Klink, Jerome P. Method and apparatus for producing perturbations while winding glass fibers, P (10) 206*a*.

Thun, W. Automatic plant for bulk cement dispatch at the Bomke & Bleckmann portland cement works at Beckum (8) 161*f*.

Thurtame, R. E. See Oxley, D. P.

Tibad, Antal, and Ioanutia, Mircea Application of work studies in hand shaping of cups (10) 209*h*.

Tichy, Jiri See Groenvold, Fredrik

Tick, Paul A. Method for forming amorphous [chalcogenide glass] semiconductors, P (11) 230*h*.

Tiemann, Jerome J. See Engeler, William E.

Tiemann, Jerome J., Engeler, William E., and Brown, Dale M. Method of transferring a desired pattern in Si to a substrate layer, P (3) 71*g*.

Tien, Ping King See Ballman, Albert A. ; Blank, Stuart L.

Tietjen, James J. See Ban, V. S.

Tietjen, James J., Enstrom, R. E., Ban, V. S., and Richman, D. Vapor-phase growth of several III-V compound semiconductors (2) 41*c*.

Tiffany Studios List of Tiffany Windows, B (3) 82*c*.

Tijburg, Rudolf P. See Kock, Hendrikus G.

Tikhonov, P. A., Kuznetsov, A. K., and Keler, E. K. Formation, stability, and electrical properties of fluorite-like solid solutions in the system ZrO_2-MgO-Y_2O_3 (1) 23*f*.

Tikhonova, G. A. See Volkov, V. L.

Tikkanen, M. H. Application of the sintering theory in practice (6) 128*i*.

Tikkanen, M. H., and Siplia, J. Formation of WC-TiC solid solutions (6) 138*f*.

Tiley, John W. Method and system for threading glass connectors and connector, P (1) 7*h*. See Fritz, William B.

Tiller, C. O., Lilly, A. C., and LaRoy, B. C. Ionic conduction in LaF_3 thin films (9) 196*d*.

Tiller, William A. See Abraham, Farid F.

Tilles, Edward B., and Nissen, Rudolf F. Application of electrically conductive coatings $[In_2O_3]$ to insulating tubes of switching magnets for particle accelerators, P (11) 230*g*.

Tillessen, Ulrich, Engel, Karl H., Pirk, Hans, Hackstein, Karl G., and et al. Process and apparatus for the recovery of nuclear fuel material from fuel elements of graphite-moderated high-temp. reactors, P (1) 16*e*.

Tilley, Brian P. See Gaskell, Philip H.

Tilley, R. J. D. Electron microscope study of some Ti sulfides (2) 51*h*.

Tillmanns, E., Gebert, W., and Baur, W. H. Computer simulation of crystal structures applied to solution of the superstructure of cubic Si diphosphate (2) 49*b*.

Tilloca, G. Compound formation between Nb_2O_5 and some divalent and trivalent elements, especially La oxides (4) 98*a*.

Tillwick, D. L., and Joffe, I. Precipitation and magnetic hardening in sintered WC-Co composite materials (6) 140*c*.

Tilmans, Stephen E. Effect of grain orientation on Fourier shape analysis (2) 50*e*.

Timashev, V. V. See Butt, Yu. M.

Timbrell, V. Alignment of C and other man-made fibers by magnetic fields (4) 92*f*.

Timfoldgyar, Almasfuzitoi Process and apparatus for the leaching of soluble materials from slurries, P (3) 73*f*.

Timmermans, W. See Gorle, F.

Timofeeva, N. I. See Buntushkin, V. P. ; Portnoi, K. I.

Timusk, T. See Rolfe, John ; Ward, R. W.

Tinkle, Marvin C. Cryochemical method for forming spherical metal oxide particles from metal salt solutions, P (4) 95*h*.

Tiriocq, J. See Fierens, P.

Tischer, Richard E. See Elmer, Thomas H.

Tishkova, K. S. See Royak, S. M.

Titarenko, A. D. Effect of recrystallization of pyrites on their composition and thermoelectric properties (5) 120*h*.

Tite, M. S. Methods of Physical Examination in Archaeology, B (6) 142*b*.

Tite, R. S., and Shafer, M. W. EPR studies on As acceptors in natural (2*H*) and synthetic (3*R*) MoS_2 crystals (9) 195*h*.

Titova, A. G. See Sapozhnikov, Yu. L.

Tittel, F. K. See Gaylord, T. K.

Titterington, Joseph B. See Jackson, Sydney

Tiwari, A. N. See Paul, A.

Tjaden, James S. Glass cutting mechanism, P (11) 225*g*.

Tkachenko, E. V. See Volkov, V. L.

Tkachenko, N. L. See Sobolev, B. P.

Tkachenko, N. L., Garashina, L. S., Izotova, O. E., Aleksandrov, V. B., and et al. Phase equilibria in BaF_2-$(Y,Ln)F_3$ systems (5) 121*g*.

Tkachenko, V. D. See Tresvyatskii, S. G.

Tkachev, V. V. Technology of grinding raw material (3) 62*i*.

Tkacheva, Z. S., and Yakovlev, L. K. Reaction of eucryptite with Li_2CO_3 (9) 198*g*.

Tobelko, K. I. See Khudolozhkin, V. O.

Tobin, J. Martin, and Adelsberg, Lee M. Forming dense carbide [NbC] articles from molten refractory metal contained in carbonaceous mold, P (1) 10*j*.

Tobolsky, Arthur V. Molecular theory of the glass transition phenomenon (3) 63*i*.

Tochio, Yukihiro See Ushimaru, Yutaka

Tochon, Jean P. Vitroceramics, P (3) 65*g*.

Tod, Jack H. Porcelain Insulators—Guide Book for Collectors (Unipart Pin Types). Supplements A and B, B (3) 82*g*.

Toda, Gyuzo See Muta, Akinori

Toda, K. , Propagation characteristics of surface elastic waves on $Ba(Ti_{0.95}Zr_{0.05})O_3$ ceramic plates (2) 55*f*.

Toda, Koji See Okazaki, Kiyoshi

Toda, Masumi, and Hibara, Fumiaki Monolithic refractories for incinerators (2) 38*i*.

Toda, Sakae H as a new fuel (6) 135*b*.

Todorova, L. See Vulkov, V.

Todorovic, M. See Rybarova, A. Z.

Togami, Yuji See Hyodo, Shinichi

Tohgoh, Hiroshi See Tanaka, Hajime

Tolver, H. T. See Abraham, M. M.

Tolver, H. T., Henderson, B., Chen, Y., and Abraham, M. M. Optical and EPR studies in $[Na]^0$ and $[Li]^0$ centers in CaO (7) 156*h*.

Tolde, Takashi, Utsunomiya, Taizo, Sato, Mamo, Hoshino, Yoshio, and et al. Preparation of La sulfides using C disulfide as a sulfurizing agent and the change of these sulfides on heating in air (8) 178*b*.

Tokarev, E. F., Karyakina, N. F., Kobyakov, I. B., Kas'mina, I. P., and et al. Elastic and electrical properties of zincite at

4.2°–700°K (6) 138*d*.

Tokarev, E. F., Pado, G. S., Cherozatonskii, L. A., and Drachev, V. V. Effect of temp. and conductivity on elastic and piezoelectric properties of CdSe with wurtzite structure (2) 50*g*.

Tokii, V. V., and Zaitsev, V. I. Effect of hydrostatic pressure on dislocations (3) 78*f*.

Tokitsu, Tetsuya See Miyoshi, Ichiro

Tokitsu, Tetsuya, and Shintaku, Yasuyuki Double insulating system in skid pipe of continuous furnace (11) 226*e*.

Tokman, I. A. See Drobasheva, T. I.

Tokonami, Masayasu See Horiuchi, Hiroyuki

Tokuyama, Takashi See Yoshida, Isao

Tokuyama, Takashi, and Mori, Takaaki Method of producing semiconductor devices, P (5) 115*d*.

Tokuyama, Takashi, Mori, Takaaki, Koruka, Hirotsugu, Miyazaki, Takao, and et al. Method of making semiconductor devices, P (2) 42*i*.

Tokuzawa, Yukimichi See Anbe, Toshi

Tolansky, S., Miller, R. F., and Punglia, J. Changes in orientation of etch pits produced on the cubic faces of diamond (2) 49*h*.

Tolk, Norman H. See Simms, Douglas L.

Tolkudorf, W. See Andlauer, B. ; Hansen, P.

Toller, P. A. See Hall, E. T.

Tolliver, Donald L. See Barone, Frank J.

Tolutis, V. See Lisauskas, V. ; Paulavicius, A.

Tomashpol'skii, Yu. Ya. See Sal'nikov, V. D.

Tomashpol'skii, Yu. Ya., and Pentagova, M. V. Ferroelectric behavior of Pb germanate vacuum condensates (2) 40*j*.

Tomashpol'skii, Yu. Ya., and Sevost'yanov, M. A. Nature of spontaneous deformation in vacuum condensates of $BaTiO_3$ (5) 121*j*.

Tombs, Terence L. Method of mfg. ceramic magnets containing Sr or Ba ferrite, P (9) 191*a*.

Tomii, Kaoru, Miyazaki, Eiichi, and Maeda, Haruo CRT having prism-shaped fiber optic faceplate, P (7) 146*i*.

Tomilin, N. A. See Kolontsova, E. V.

Tomilov, S. B. See Goncharov, G. N.

Tomisaburo, Okumura IGFET, P (7) 149*e*.

Tomita, A. Catalysis by graphite oxide (11) 234*b*.

Tomita, Akio, Kuritani, Tadakazu, and Ohtsuki, Takashi Apparatus for inspection of ampoules, P (9) 186*b*.

Tomita, Chuji Method for producing W whiskers, P (8) 168*f*.

Tomita, Yoshifumi See Miura, Kiyoshi ; Takemoto, Takeo

Tomita, Yoshifumi, and Akeyama, Masamoto Method of mfg. shadow masks, P (6) 128*h*.

Tomiwa, Hiroshi Chip-shaped nonpolarized solid-state electrolytic capacitor and method of making, P (6) 131*h*; Method of mfg. chip-shaped solid-state electrolytic capacitors, P (7) 150*g*.

Tomlinson, R. D. See Elliott, E.

Tomlinson, Walter J., and Weber, Heinz P. Integrated optical circuit devices employing optical gratings, P (10) 206*i*.

Tomova, E. See Iordanova, M.

Tomova, E., and Mitev, T. Ferroelectric ceramic materials for use at high temps. (10) 210*a*.

Tomozawa, M. Liquid phase separation and crystal growth in Li_2O-SiO_2 glass (10) 204*g*.

Ton That, Thuan Tank furnace for glassmaking, P (7) 147*a*.

Tonglorgi, L. See Berti, G.

Tooper, B. See Whittaker, A. Greenville

Topilin, Sergei See Filippov, Andrei N.

Topil'skii, G. V., and Butt, Yu. M. Electrokinetic properties of Ca hydrosilicate hydrosol formed during hydration of portland cement (1) 2*g*.

Topor, Letitia Thermodynamic study of alkali halide vapors [chlorides, bromides, and iodides of Na, K, and Rb] in equilibrium with the liquid phase (2) 57*a*.

Topping, J. A. Elastic properties of glasses in the system PbO-GeO_2 (11) 223*f*.

Topping, J. A., Fuchs, P., and Murthy, M. K. Properties and structure of glasses in the system PbO-GeO_2-SiO_2 (6) 127*j*.

Topping, J. A., Harrower, I. T., and Murthy, M. K. Properties and structure of glasses in the system PbO-GeO_2 (6) 127*i*.

Topping, J. A., and Murthy, M. K. Electrical resistivity of PbO-SiO_2 and PbO-GeO_2-SiO_2 glasses (7) 145*b*.

Topshinoeva, Z. N. See Bukhalova, G. A.

Tordjman, E. Dry decalcomania, P (1) 12*a*.

Tordoff, A. J. Fiberwall-lined kilns have potential in the ceramics industry (3) 74*f*.

Torii, Michihiro See Kobayashi, Seihin

Torii, Takayoshi See Nishi, Sunao

Toropov, N. A., and Kougiya, M. V. Phase relations in the system Nd_2O_3-SiO_2 (1) 26*a*.

Toropov, Yu. S. See Rutman, D. S.

Toroyan, O. S. See Markosyan, E. A.

Tortet, Jean See Boutaine, Jean L.

Torti, M. L. See Hartline, S. D.

Toshinai, Akio, and Hase, Takashi Method of preparing phosphors for ir-to-visible conversion, P (5) 115*c*.

Tossell, J. A., Vaughan, D. J., and Johnson, K. H. Electronic structure of rutile, wustite, and hematite from molecular orbital calculations (10) 216*a*.

Toth, Kalman Disintegration of perlite grains during bloating (1) 8*a*; Micromethod for determining the strength of expanded perlite products (2) 46*j*. See Balint, Pal

Toth, Kalman, and Matrai, Jozsef Development and new results of research in the Hungarian perlite industry (1) 9*h*.

Toth, L. M., and Gilpatrick, L. O. Equilibria of U carbides in the molten fluoride solutions of UF_3 and UF_4 contained in graphite at 850°K (3) 72*h*.

Totta, Paul A. See Baker, Theodore H.

Touchy, Wolfgang Method of producing a Ga arsenide crystal from a solution of GaAs in Ga doped with Si or Ge, P (1) 14*j*.

Touloukian, Y. S. See Powell, R. W.

Touret, Daniel, and Queyroux, Francine Reactivity with water of Ln oxide and of some Ln oxide-based refractory materials (4) 90*b*.

Tounkova, J., and Kuzel, R. Rectifying contacts on *n*-type CdTe (11) 230*c*.

Toussaint, Francois See Boffe, Maurice ; Plumat, E. ; Plumat, Emile

Toussaint, Robert, and Boonen, Henry Process and apparatus for drawing a continuous ribbon of glass, P (8) 166*e*.

Toussaint, Robert, and Mulder, Elzo Method for monitoring the configuration of an upwardly drawn ribbon of glass, P (3) 65*i*.

Tovar, Theo See Flohrs, Peter

Tovar, Theodor Electrically connected semiconductors forming a high-voltage rectifier, P (6) 131*j*.

Tovarov, V. V., and Kosenko, A. V. Effect of temp. on the wet grinding of raw material (3) 61*h*.

Tovmas'yan, I. K., and Tsushba, T. M. Reciprocal system of the chlorides and bromides of Na, Rb, and Cs (4) 101*j*.

Townsend, P. D. See Bayly, A. R.

Toxen, A. Ed. See Rao, G. V. S.

Toyama, Shigeki See Otake, Takeshi

Toyoguchi, Mitsuru, Iijima, Hiroshi, and Moriya, Kunihiko Making C fibers from solvent-extracted and airblown vacuum distillation residues of petroleum, P (2) 39*b*.

Toyonaga, Ryuya, and Hiruma, Eikyu Method for mfg. vapor-deposited electrode, P (10) 211*h*.

Toyuki, Hiroshi, and Akagi, Saburo EPR and optical spectra of VO^{2+} ion in xKF-$(1-x)B_2O_3$ glasses (11) 223*i*.

Traetteberg, A., and Ramachandran, V. S. Microstructural and hardening behavior of tricalcium silicate pastes in the presence of $CaCl_2$ (11) 222*h*.

Traetteberg, A., Ramachandran, V. S., and Grattan-Bellew, P. E. Microstructure and hydration characteristics of tricalcium silicate in the presence of $CaCl_2$ (7) 144*b*.

Trager, Tamas, and Mogyorosi, Sandorne Application of reference samples in silicate analysis (2) 46*g*.

Trahan, Albert J. Neck ring arms for glassware forming machine, P (1) 7*j*.

Trailkova, M. See Stamenov, St.

Trambarulo, Ralph F. See Braun, Frank A.

Tramposch, Ralph F. Method for improving perfection of epitaxially grown Ge films, P (7) 150*d*.

Trap, Hendrikus J. L. Glass, P (4) 88*e*; Li-borovanadate glass for use in a secondary electrode, P (4) 88*i*; Method of treating a glass body, P (10) 206*i*.

Traustel, Sergei See Kienow, Sigismund

Traverse, J. P. See Berjoan, R.

Tremblay, R. See Angers, R.

Tremper, R. T., Giddings, Robert A., Hodge, J. D., and Gordon, Ronald S. Creep of polycrystalline MgO-FeO-Fe_2O_3 solid solutions (11) 234*b*.

Tresch de Freitas, Clauer Sintering of U oxides in a reducing atm (6) 133*j*.

Trenkel, Marita See Schaefer, Harald

Tressler, R. E., and Barber, D. J. Yielding and flow of *c*-axis sapphire filaments (2) 58*c*.

Tressler, R. E., Langenslepen, R. A., and Bradt, R. C. Surface-finish effects on strength-vs-grain-size relations in polycrystalline Al_2O_3 (6) 141*b*.

Tresvyatskii, S. G., Lopato, L. M., Kushchevskii, A. E., and Shevchenko, A. V. Phase diagrams of the systems Y_2O_3-SrO and Yb_2O_3-SrO (1) 26*f*.

Tresvyatskii, S. G., Lopato, L. M., Ogorodnikova, A. A., and Shevchenko, A. V. Phase diagrams of the systems Er_2O_3-MgO, Yb_2O_3-MgO, and Y_2O_3-MgO (1) 26*e*.

Tresvyatskii, S. G., Tkachenko, V. D., and Garmash, E. P. Strength and structure of porous inorganic materials with skeletal structure (1) 28*f*.

Tretyak, I. D. See Panasyuk, P. V.

Tret'yakov, Yu. D. See Kriger, E. M. ; Savranskaya, E. S. ; Slobodyanyuk, A. A. ; Sorokin, V. V.

Tret'yakov, Yu. D., Fadeeva, V. I., and Portnoi, V. K. Structural realization of O nonstoichiometry in Ni-Zn ferrite (7) 158*g*.

Trevail, Lewis H. See Hegarty, Brian A.

Tribes, Rene Method of mfg. a FET, P (3) 71*d*.

Triboulet, R. See Camassel, J.

Tricker, M. J. See Donaldson, J. D.

Triebel, Wolfgang, and Duerr, Manfred Rotary kiln with a plurality of cooling pipes, P (4) 97*g*.

Trifonov, I. I. See Desyatnik, V. N. ; Gudaitis, M. N.

Trigg, Desmond T. Reducing the costs of quality control (2) 58*f*.

Trigiani, Leonard V. See Block, Jacob

Trigiani, Leonard V., and Sanchez, Moises G. Process for preparing multicomponent nuclear fuels [U-Pu], P (6) 133*d*.

Trimble, L. E. See Voorhoeve, R. J. H.

Tripp, W. C. See Stroud, J. E.

Trischuk, Ronald W. Al_2O_3 pressure blasting abrasives and method of making, P (2) 31*g*.

Troegel, Gerhard See Hoffmann, Hans

Troemel, M. Formation of some Sn spinels by chemical transport reactions (6) 138*f*.

Troendle, A. Method and apparatus for raising deposits, especially gravel, P (7) 153*f*.

Troflimova, A. A. See Ometova, L. F.

Troflimova, L. M. See Mogilevskii, B. M.

Trojer, Felix See Bergmann, Karl

Troland, Edwin P. Vortex-type slurry separator, P (1) 17*d*.

Trombe, F. See Male, G.

Tron'ko, V. D. See Babko, V. A.

Trosheva, V. N. See Kudrenko, I. A.

Troutman, Ronald R. Method for making self-aligning structure for charge-coupled and bucket brigade devices, P (9) 191*j*.

Troyanov, S. I., Marek, G. S., and Tsirel'nikov, V. I. Synthesis and crystal structure of Zr monobromide (7) 158*b*.

Truzzi, Norman K. Apparatus for determining air flow to a gas burner, P (2) 48*a*.

Trudeau, Urban P. Apparatus for handling mold charges of molten glass, P (11) 225*b*.

Trudel, Murray L. See Hensler, Donald H.

Truhlarova, Marie Dissolution of Al_2O_3 in Na_2O-SiO_2 glass-melt under conditions of free convection (11) 223*a*; Dissolution of Al_2O_3 single crystals in a melt containing 40 CaO, 40 SiO_2, and 20 wt% Al_2O_3 at 1550°C (11) 234*e*.

Trunin, A. S. See Burmistrova, N. P.

Trunin, R. F. See Al'tshuler, L. V.

Trunov, V. K. See Efremov, V. A. ; Rybakova, T. P. ; Serezhkin, V. N.

Trunov, V. K., and Evdokimov, A. A. Systems $Na_2R(WO_4)_2$-$R_2(WO_4)_3$ (R = La,Nd,Tb,Er) (1) 29*e*.

Trussler, J. W. A. See Wight, D. R.

Tsang, Frederick Polycrystalline Si fusible links for programable read-only memories, P (6) 132*g*.

Tsao, K. Y. See Chou, Y. T.

Tsay, Y. F., Ananthanarayanan, K. P., Gielisse, P. J., and Mitra, S. S. Electrical conductivity of heavily doped diamond (3) 78*b*.

Tschetter, M. J. See Kateley, J. A.

Tseitlin, M. N., Plakhov, G. F., Lobachev, A. N., Popolitov, V. I., and et al. Crystallization in the hydrothermal system GeO_2-Sb_2O_3-KF-H_2O (3) 76*i*.

Tseitlin, P. A. See Bondar, I. A.

Tsekhomskii, V. A. See Malinin, V. R.

Tselik, I. N. See Deineka, G. F. ; Pokhodenko, V. N.

Tseung, A. C. C. See Hobbs, B. S.

Tsikin, A. N. See Kunin, V. Ya.

Tsinober, L. I., and Khadzhi, V. E. Water in synthetic quartz crystals (5) 123*g*.

Tsinzerling, E. V., and Voi'skaya, O. B. Noncrystalline shear of quartz (4) 101*a*.

Tsirel'nikov, V. I. See Troyanov, S. I.

Tsivinskii, S. V. Relation between relaxation of thermal stresses and dislocation densities in pure crystals grown from the melt by the Czochralski, Stepanov, Kyropoulos, and verneuil methods and by floating zone melting (6) 140*e*.

Tsonev, Ts. See Pavlov, Tr. ; Stavrakeva, D.

Tsu, R. Luminescence of GaP at high excitation (10) 217*c*.

Tsubouchi, Norio, and Takahashi, Masao Piezoelectric ceramics, P (2) 43*h*.

Tsuchimoto, Takashi Method for fabricating semiconductor device having semiconductor circuit element in isolated semiconductor region, P (3) 71*j*.

Tsuchitani, Akira See Okumura, Tomisaburo

Tsuchiya, Michiyo See Nishimura, Tatsuo

Tsuda, Nobuo See Noguchi, Masayasu

Tsuda, Nobuo, Chiba, Toshinobu, and Mitsuhashi, Takefumi Positron annihilation in single-crystal Al_2O_3 (10) 218*c*.

Tsuge, A. See Komeya, K.

Tsuge, Akihiko, Kudo, H., and Komeya, Kotsutoshi Reaction of Si-$3N_4$ and Y_2O_3 in hot-pressing (7) 157*b*.

Tsukada, Toshihisa, Umeda, Junichi, and Kawamura, Masao Semiconductor laser device and method for mfg., P (7) 151*e*.

Tsukawaki, Masahiro, and Inamoto, Yoshiaki Process for refining Al_2O_3, P (1) 20*g*.

Tsukioka, Masayuki, and Kojima, Hironao ESR of Cr^{3+} at tetrahedral sites in phenacite (Be_2SiO_4) single crystals (9) 195*i*.

Tsukiyama, Koichi See Uchikawa, Hiroshi

Tsukuda, Yasuo See Muta, Akinori

Tsunemitsu, Hideo See Shimakura, Keiichi

Tsuneyoshi, Nikushi See Atsukawa, Masumi

Tsuruta, Yasuhiko See Yasima, Teturo

Tsushba, T. M. See Tovmas'yan, I. K.

Tsushima, Kuniro See Yamaguchi, Tsuyoshi

Tsuya, N. See Kainuma, S.

Tsuzuki, Kaoru, and Kozaka, Setsuo Electric insulators having noncorona and antipollution properties, P (8) 168*e*.

Tsvetkov, G. See Zakhariev, V.

Tsyganov, A. D. See Bartenev, G. M.

Tsyganova, O. S. See Safonov, V. V.

Tsykalov, V. G. See Poplavko, Yu. M.

Tueta, Roger, and Lejus, Anne Marie Properties of Nd oxide single crystals connected with structural anisotropy (9) 198*b*.

Tuinstra, F. See Van den Berg, A. J.

Tumanov, A. D. See Kriulin, V. N.

Tumey, Morris J. See McMurray, Nolan D.

Tummala, Rao R. See Foster, Betty J. ; Langston, Perry R., Jr.

Tummers, Leonard J. Transistor, P (1) 15*f*.

Tumosa, Charles S. See Nicholas, J. Blair

Tunik, T. A. See Fedorov, N. F.

Tunison, David W. See Robertson, James A.

Turcotte, R. P., Chikalla, Thomas D., and Eyring, L. ^{248}Cm oxide system (3) 76*e*.

Turcotte, R. P., Jenkins, M. S., and Eyring, L. Pseudophase behavior in the and regions of the Pr oxide-O system (5) 122*b*.

Turetskii, A. M. See Eenmaa, T. E. ; Egorov, G. B.

Turnbull, D., and Polk, D. E. Structure of amorphous semiconductors (10) 219*g*.

Turner, C. W. See Chambers, J.

Turner, Charles L. See Schulz, David A.

Turner, Dwight L., Jr., and Lee, Warren E. Method of making

molds, P (8) 168*d*.
Turner, E. H. See Nash, F. R.
Turner, Warren H. Photoluminescence of color filter glasses (11) 224*i*.
Turner, William N., and Johnson, Frank C. Method of mfg. C articles [fibers]. P (2) 39*d*.
Turner, William R. Ultrasonic imaging tube, P (9) 192*f*.
Turton, Geoffrey See Rawson, Harold
Turyanitsa, I. D. See Baletskii, D. Yu. ; Bentsa, V. M.
Tusunian, Georgy V. See Bondarev, Vitaly P.
Tuzi, Takateru, Awane, Katunobu, and Matunami, Mutuo Method for mfg. [transistor] semiconductor device, P (3) 71*e*.
Twigger, James R. See Carini, George F.
Tyagi, B. S., and Nath, P. Cr^{3+}-Cr^{6+} equilibrium in binary and ternary aluminoborate glasses containing oxides of Zn, Cd, and Pb (10) 204*a*; Cr^{3+}-Cr^{6+} equilibrium in ternary silicate glasses (10) 204*b*.
Tychina, I. I. See Serednii, A. P.
Tykachinskii, Isai D. See Bondarev, Konstantin T.
Tymczak, Romuald W. Electrical heater, P (5) 112*b*.
Tynes, A. R. See Kaiser, P. ; Keck, D. B.
Tynkacheva, G. Sh. See Volkov, V. L.
Tyul'kin, V. A. Structure of glasses of the systems MgO-SiO_2 and CaO-SiO_2 according to data from a study of their radiation color centers (1) 6*b*; Radiation-produced centers of paramagnetic and optical absorption in glasses of the systems SrO-SiO_2 and BaO-SiO_2 (8) 164*f*.
Tyul'kin, V. A., and Shalunenko, N. I. Structural characteristics of vitreous GeO_2 and the "germanate anomaly" (2) 35*d*.
Tyuva, E. Yu. See Shteinberg, Yu. G.

Uchida, Kenji See Gomes, John M.
Uchida, Kunio See Otake, Takeshi
Uchida, M. Bottle molding, P (1) 7*a*.
Uchida, Naoya Acoustic attenuation in TeO_2 (3) 76*f*; Two-oscillator description of optical properties of O-octahedra ferroelectrics (9) 199*d*. See Ohmachi, Yoshiro
Uchida, Naoya, and Niizeki, Nobukazu Acoustooptic deflection materials and techniques (3) 69*d*.
Uchida, Naoya, and Saito, Shoichi Elastic and photoelastic constants of α-ZnS (2) 50*i*; Elastic constants and acoustic absorption coeffs. in MnO, CoO, and NiO single crystals at room temp. (6) 138*b*.
Uchida, Naoya, Saku, Tadashi, Iwasaki, Hiroshi, and Onuki, Kots Electrooptic properties of ferroelectric $5PbO.3GeO_2$ single crystal (6) 138*g*.
Uchida, Shunichiro See Mori, Shigejiro ; Uchikawa, Hiroshi
Uchida, Teiji Method of making optical lines in dielectric body, P (10) 206*f*.
Uchikawa, Hiroshi See Mori, Shigejiro
Uchikawa, Hiroshi, and Kasai, Noboru Process for mfg. a rapid-hardening portland cement, P (10) 203*g*.
Uchikawa, Hiroshi, and Numata, Masahiro X-ray spectroscopy for chemical bonding in O, Cr, and Mn compounds (7) 159*a*.
Uchikawa, Hiroshi, and Tsukiyama, Koichi Physicochemical approach to the properties of concrete (2) 32*h*.
Uchikawa, Hiroshi, and Uchida, Shunichiro Influence of additives on the hydration of the mixture of $11CaO.7Al_2O_3.CaF_2$, $3CaO.SiO_2$, and $CaSO_4$ at 20°C (2) 32*d*; Cement set retarding composition and method, P (5) 107*i*.
Uchikawa, Yoshiki See Ishikawa, Akira
Uchino, Kenji See Abe, Masazaori
Uchiyama, Shoichi See Terada, Toshio
Udagawa, Shigekazu See Hamano, Kenya
Udagawa, Shigekazu, Shin, Shigemitsu, and Fumoto, Yoshizumi Effect of high O pressure in the system $(Ba_xSr_{1-x})FeO_{3-\delta}$ (8) 175*i*.
Udagawa, Shigekazu, Shin, Shigemitsu, and Kamata, Kiichiro Synthesis of a new perovskite, $Pb(Li_{1/4}Nb_{3/4})O_3$ (2) 56*e*.
Udalov, Yu. P. See Nikushchenko, V. M. ; Rumyantsev, P. F.
Udalova, L. V. See Volynets, F. K.
Udy, D. J. See Easteal, A. J.
Ueda, Fumio Electroluminescent panel, P (5) 114*h*.
Ueda, Ichiro See Yamaka, Eiso
Ueda, Joichi Spectrophotometric determination of Zr with methylxylenol blue (1) 18*b*.
Ueda, Kensaku See Kamiya, Shigeru
Ueda, S. Crystal growth and dielectric properties of $Ba_{0.97}Sr_{0.03}TiO_3$ (9) 190*a*.
Ueda, Toshio See Takemoto, Takeo ; Yamazaki, Eiichi
Uehara, Keijiro See Mori, Takaaki
Uei, Isao See Hayashi, Kunio
Ueksa, Genzo, Tanimura, Shigeru, Higashi, Kazuhiro, and Sumoto, Takao Semiconductor device and method of making, P (9) 192*a*.
Uematsu, Yutaka Nonlinear optical coeffs. of $KNbO_3$ single crystal (4) 101*b*.
Uemura, Michihiko See Hara, Morihisa ; Sakata, Hironobu
Uemura, Yoichiro, Tanaka, Koji, and Iwata, Minoru Properties of thin Al nitride films formed in a glow discharge (11) 235*c*.
Ueno, Tsutomu See Moriya, Yoshiro
Uetsuki, Toru, Tanaka, Kaichiro, and Nakazawa, Yasuro Effects of minor additions of various oxides on the dissociation of zircon (5) 120*i*.
Uffner, William E. Glass-fiber-reinforced elastomers, P (1) 7*f*.
Ufimtsev, V. M. See Chebukov, M. F.
Ugai, V. A. See Chikanov, N. D.
Ugai, Ya. A., Kirichenko, I. V., and Kurbanov, K. R. Structure of defect layer in Ge, Si, and GaAs crystals (9) 199*a*.
Ugajin, M., Suzuki, Y., and Shimokawa, J. System U-Pu-W-C (9) 192*d*.
Ugorets, M. Z. See Akhmetov, S. F.
Uher, Joseph F. See Biller, Larry N.
Uhland, H. Edward See Burkert, George M.
Uhlig, Albert R. Method for blow molding, P (2) 36*e*.
Uhlmann, D. R. See Calvert, P. D. ; Hakim, R. M.
Ulbo, L. Ya. See Pae, A. Ya.
Ujlle, Sellchi, and Kotera, Yoshihide Growth of cubic ZnS crystals by the chemical tranpsort method (2) 52*d*.
Ukai, Nobuo Glass bottles coated with multilayer protective films, P (11) 225*g*.
Ulhmann, Donald R. See Hopper, R. W.
Ulisch, Guenter See Heinze, Gerhard
Ullman, F. G. See Zeidler, James R.
Ullman, Frank G., Holden, B. J., Ganguly, B. N., and Hardy, J. R. Raman spectrum of Gd molybdate above and below the ferroelectric transition (9) 198*f*.
Ullrich, Hans See Schmitter, Detlev
Ulmer, W. Forming of ceramic substrates by lasers (8) 169*g*.
Umanskii, Yu. V. See Radun, D. V.
Umantsev, E. I. See Portnoi, K. I.
Umbaugh, Charles W. Circuit chips having beam leads attached by film strip process, P (4) 93*a*.
Umbel, Forrest K. See Pollock, E. Kears
Umeda, Junichi See Tsukada, Toshihisa
Umeda, Junichi, Aiki, Junio, Kurata, Kazuhiro, and Kusumoto, Haxime Light-emitting diodes of the injection type, P (10) 210*j*.
Umeno, Masayoshi See Shimizu, Hiroyasu
Umetsu, Masakazu See Kato, Taketosi
Umeya, K. Hot-press molding method, P (1) 16*j*.
Uminskii, A. A. See Opalovskii, A. A.
Umyarova, R. S. See Urusov, V. S.
Unger, Burton A. Mfg. and testing of thin-film circuitry, P (6) 132*f*. See Lesh, Nathan G.
Unger, Klaus See Kreutzer, Hans Wilhelm
Union Scientifique Continentale du Verre (Editor) Proceedings of the Symposium on Glassmaking--Melting and Fining, B (9) 200*h*.
U. S. Bureau of Mines Minerals Yearbook, 1971: Vol. II, Area Reports: Domestic; Vol. III. Area Reports: International, B (5) 124*j*; Minerals Yearbook, 1971: Vol I, Metals, Minerals, and Fuels, B (9) 200*g*.
Unno, Yoichi, Yamamoto, Motoyuki, and Kurihara, Haruki Method for the liquid-phase epitaxial growth of semiconductor crystals, P (2) 42*g*.
Uno, R. See Kainuma, S.
Unoki, Hiromi, and Sakudo, Tunetaro Electric field effect on the ESR spectrum of Fe^{3+} in $SrTiO_3$ (10) 216*i*.
Untermyer, Samuel Method and apparatus for nuclear fuel assay with a neutron source and coincident fission neutron detectors, P (5) 116*d*.
Untucht, Michael See Hofmann, Ulrich
Unz, M. Corrosion control on borehole water pumps (4) 86*a*.
Upadhyaya, K. S. See Singh, R. K.
Upadkhaya, G. Sh. See Samsonov, G. V.
Updegrove, Louis B. Method and apparatus [cyclone] for drying particulate materials, P (4) 96*a*.
Upton, Lee O. Pb borosilicate optical glass adaptable to fusion with photochromic glass to produce multifocal lens, P (8) 165*f*.
Urabe, Kazuyori, Ooba, Tatsuo, Yamada, Hisao, and Onuma, Joyo Formation of kaolinite from fluorphlogopite (8) 176*d*.
Urabe, Tetsuaki See Fukui, Saburo
Urbain, G. Viscosity and structure of liquid aluminosilicates: I, Method of measurement and experimental results (10) 220*d*.
Urban, Stephen F. Electrodes for ceramic bodies, P (4) 93*d*.
Urbanova, Renata See Stoy, Artur
Urbanowicz, C. See Bailey, J. E.
Urick, Paul A., and Notis, Michael R. Final-stage densification during pressure-sintering of CoO (1) 23*c*.
Urnes, Sigmund See Guaker, R.
Ursu, I. See Lupei, V.
Ursulyak, N. D. See Belitskii, A. V.
Urusov, V. S. See Khudolozhkin, V. O.
Urusov, V. S., Umyarova, R. S., and Vorob'ev, A. F. Thermochemical investigation of heterovalent solid solutions of LiCl-$MgCl_2$ (10) 220*a*.
Urusovskaya, L. N. Refraction and specific vol of fluoaluminophosphate glasses (6) 127*j*.
Uryvaeva, G. D. Classification of mineral binders (9) 181*j*.
Urychev, V. P. See Volynets, F. K.
Ushatkin, E. F. See Meriakri, V. V.
Ushimaru, Yutaka, Matsuo, Koichi, and Tochio, Yukihiro Catalyst for use in conversion of gases and method for preparing, P (11) 233*e*.
Usio, Masumi, and Sumiyoshi, Yoshihiro Synthesis of large single industrial crystals: III, Growth rate of each plane of synthetic emerald single crystal by V_2O_5 flux method; IV, Surface observation of synthetic emerald single crystals grown by the V_2O_5 flux method; V, Growth of monoclinic ZrO_2 single crystals by Na_3AlF_6 flux method (8) 179*c*.
Usmanov, R. Sh. See Domracheva, N. E.
Uspenskaya, S. I. See Eliseev, A. A.
Uspenskaya, S. I., and Eliseev, A. A. Crystal symmetry and morphology of crystals of NdS_{2+x} (4) 98*h*.
Ustinov, I. D. See Markov, A. I.
Usuda, Koji Semiconductor device with high-conductivity and high resistivity collector portions to prevent surface inversion, P (11) 231*f*.
Uvitskii, M. B. Dynamics of crystallization of glasses studied from thermal analysis curves (1) 4*i*.
Utsunomiya, Taizo See Toide, Takashi
Utsurg, A. I. See Bron, V. A.
Vablshchevich, G. N. Design of multifunctional control systems for the cement industry (9) 182*c*.
Vaccari, John A. Piezoelectric ceramics—novel engineering materials (2) 40*g*.
Vachev, D. See Stamenov, St.
Vaipolin, A. A. Specific structure defects of $A^2B^4C_2^5$ compounds (2) 55*j*.
Vaishnoras, R. A. See Belyaeva, A. I.
Vaitkus J. See Viscakas, J.
Vakulenko, O. V. Nonequivalent positions of substitution impurities in SiC (4) 101*a*.
Valacka, K. See Bakutis, J.
Valant, Gary M., and Guffey, Hoyt R. Method of growing 1-0-0 orientation high-perfection single-crystal Si by adjusting a focus coil, P (4) 94*b*.
Val'berg, G. S. See Sataria, V. I.
Val'berg, G. S., Kuieshenko, A. Z., Vygodskii, A. I., Drepin, N. F., and et al. Movement of material in heavy-duty kilns at increased speeds of rotation (9) 182*d*.
Valdez, E. G., Dean, K. C., and Warner, L. L. Use of P furnace slag in ceramic wall and floor tile (7) 147*e*.
Valentino, A. J. See Brandle, C. D.
Valiela, Jose Method for printing on ceramic tableware, P (1) 12*c*.
Valiev, L. M. See Rustamov, A. G.
Valigi, M. See Porta, P.
Vallade, M. See Dolino, G.
Vallbona, G. See Bonet, C.
Valle Fuentes, F. J., and Martin-Sonseca, M. F. Barba Comparative methods for the determination of Fe oxide in refractory materials (10) 213*d*.
Vamos, Gyorgy See Kapolyi, Laszlo
Van Basten, Leo E. F. See Van Laar, Jacobus
Van Buren, Charles E. See Arendt, Ronald H.
Van Cakenberghe, J. See Hiernaut, J. P.
Van Cakenberghe, Jean L. Plasma deposition of thin layers on substrates, P (8) 170*f*.
Van Crueynest, A. See de Keroulas, F.
van Daal, Hans Apparatus for the mfg. of bricks, P (3) 66*f*.
van de Graaf, M. A. C. G., de Vries, K. J., and Burggraaf, A. J. Influence of heat treatment on the optical absorption of glasses containing Fe and Ti oxides (2) 34*b*.
Van den Berg, A. J., Tuinstra, F., and Warczewski, J. Modulated structures of some alkali molybdates and tungstates (6) 139*a*.
van den Berg, T., and Lancey, T. Filter selection—control of corrosion products in power plant waters (5) 116*h*.
van den Boom, H. See Henning, J. C. M.
van den Boom, H., and Henning, John C. M. Orthorhombic Cr-center in the spinel $MgAl_2O_4$ (1) 26*a*.
van den Boom, P. F. J. See de Minjer, C. H.
van den Broek, Franciscus J. Device for sealing electric filament lamps or discharge tubes, P (9) 186*d*.
van der Marel, J. A. Preparation of TiO_2 (11) 233*b*.
van der Meulen, Yde J. See Cahill, John G.
van der Ziel, J. P. Dispersion-like line shape in the Eu^{3+} absorption spectrum of Pt-doped $Eu_3Ga_5O_{12}$ (3) 78*d*.
van der Ziel, J. P., Bonner, W. A., Kopf, L., Singh, S., and et al. Laser oscillation from Ho^{3+} and Nd^{3+} ions in epitaxially grown thin Al garnet films (1) 13*e*.
van der Ziel, J. P., and Van Uitert, L. G. Antiresonance in the optical spectrum of Eu^{3+} in $Eu_3Ga_5O_{12}$:Pt (9) 194*d*; Cooperative absorption and luminescence in Cr^{3+}-doped $EuAlO_3$ (9) 195*a*.
Van Diepen, A. M. See Lotgering, F. K. ; Popma, T. J. A.
van Doorn, C. Z. See Bolwijn, P. T.
Van Duuren, Kars, and Verhoeven, Adrianus C. J. Method of interconnecting glass parts by passing through electric current, P (10) 206*d*.
Van Dyken, Harold B., II, and Brandt, Denard A. Method and apparatus for dislodging accumulated dust from dust-collecting elements, P (1) 16*j*.
Van Eijl, Antonie P. L., Jack, Alexander G., and Nienhuis, Harry High-pressure gas discharge lamp containing Ge and Se, P (2) 36*e*.
Van Esdonk, Johannes Method of applying a satisfactorily adhering, poorly reflecting, conductive layer to an insulating surface and electric discharge tube having a layer applied by the method, P (10) 211*b*.
Van Esdonk, Johannes, and Jacobs, Jacobus H. Method of mfg. a light-conductive perforated plate, P (1) 7*f*.
Van Gool, W. Structural aspects of anomalously fast ionic conductivity in solids (2) 56*f*; (Editor) Fast Ion Transport in Solids—Solid State Batteries and Devices, B (2) 58*j*.
Van Gool, W., and Bottelberghs, P. H. Domain model for anomalously fast diffusion (2) 50*c*.
Van Gordon, Don Pollution control at lower cost (7) 146*b*.
van Gorkom, G. G. P. Doubly excited Cr^{3+} pairs in $ZnGa_2O_4$ (9) 195*h*. See Henning, J. C. M.
van Gorkom, G. G. P., Henning, J. C. M., and van Stapele, R. P. Optical spectra of Cr^{3+} pairs in the spinel $ZnGa_2O_4$ (9) 197*a*.
Van Haaren, Wilhelmus P. J. See Visser, Reier
van Hecke, M. C., and Bartlett, R. W. Kinetics of sulfation of Atlantic Ocean Mn nodules (10) 217*j*.
Van Hook, H. J. See Patton, Carl E.
Van Kemenade, A. W. C., and Stemfoort, C. F. Formation of β-SiC from pyrolysis of CH_3SiCl_3 in H (2) 52*a*.
van Kenlen, J. Frost resistance (3) 65*j*.
van Konijnenburg, J. T. Monolithic refractories in the steel industry (11) 227*c*.
van Konijnenburg, Jan T. Measurement of the thermal conductivity of C products at 50°–1000°C (1) 17*g*.

Van Kuppevelt, Gerardus A. See De Lange, Robert G.

Van Laar, Jacobus, and Van Basten, Leo E. F. Metallurgical shaft furnace lined by refractory elements and filler spacers, P (9) 188*g*.

Van Laethem, Robert Glass laminate and method of mfg., P (8) 165*c*. See Plumat, E.

Van Laethem, Robert, and Baudin, Pol Multiple glazing panel and mfg. method, P (8) 166*d*.

van Landuyt, J., Amelinckx, S., Kolm, J. A., and Eckart, D. W. Multiple beam direct lattice imaging of the hexagonal ferrites (10) 217*i*.

Van Noord, Jacobus A. J. M., Rapmund, Leonard H., and Tacken, Jan M. M. Microscope and tool for mechanically and/or electrically connecting a semiconductor device to a substrate, P (2) 43*c*.

van Stapele, R. P. See van Gorkom, G. G. P.

Van Steenbergen, Teunis W., and De Waal, Jan A. G. Schottky junction in a cavity, P (4) 94*d*.

Van Thong, Vu See Sasek, Ladislav

van Tonder, S. J. See du Plessis, P. de V.

Van, Tran Bao See Sin, L. B.

Van Uitert, L. G. See Butler, M. A. ; Finkman, E. ; Grodkiewicz, W. H. ; Gyorgy, E. M. ; Hagedorn, F. B. ; Holmes, L. M. ; Lynch, R. T., *Jr.* ; Pinnow, Douglas A. ; van der Ziel, J. P. ; Vella-Coleiro, G. P.

Van Vlack, Lawrence H. Materials and man's needs (8) 180*c*.

Van Vleck, J. H. See Foglio, M. E.

Van Voorst, J. D. W. See Lagendijk, A.

Van Zandt, L. L. See Honig, J. M.

Van Zandt, L. L., and Eklund, P. C. Resistivity and "one dimensionality" in Ti_2O_3 (8) 179*a*.

Vance, E. R. X-ray study of neutron-irradiated diamonds (1) 30*a*.

Vancil, Donald O. See Harrison, Maurice C.

Vande Poel, D., Cloos, P., Helsen, J., and Jannini, E. Behavior of benzine adsorbed on cupric montmorillonite (6) 137*a*.

Vander Jagt, Adrian D. Apparatus for fragmenting glass, P (10) 205*h*.

Vander Noordaa, Roelant S. L. See Nicastro, Carmine A., *Jr.*

Vanderhoff, J. W. See Isenburg, J. E.

Vanderpool, Clarence D. See Chiola, Vincent

Vanduch, Vaclav Improvement of the apparatus Flow-Point-KZ69 for determining the flow point of glass (11) 232*g*.

VanNostrand, Brian, and VanNostrand, Montie Using local clays (11) 221*j*.

VanNostrand, Montie See VanNostrand, Brian

Vanyutin, L. A. See D'yachkova, N. N.

Varela, J. C., and Krenkel, T. G. Thixotropic structure of some slow-setting gels (5) 123*i*.

Varfolomeev, M. B. See Petrov, K. I.

Varga, L. See Kovacs, P.

Vargin, V. V., Zarubina, T. V., and Stepanov, S. A. Magnetochemical study of glasses containing Mn(II) ions (7) 145*f*.

Varina, T. M. See Boksha, O. N.

Varker, Charles J. Method for the investigation of thin films on a semiconductor substrate in a SEM, P (3) 71*b*.

Variakhin, Paul G. See Steldt, Frank R.

Varma, S. Prakash See Bensted, J.

Varnia, V. P. See Galimov, E. M.

Varshal, B. G. See Mashkovich, M. D.

Varshneya, A. K. Empirical relation between self-diffusion and electrical conduction in mixed-alkali glasses (2) 33*j*; Empirical relation between self-diffusion and electrical conduction in mixed-alkali glasses—correction (6) 127*a*.

Varshneya, A. K., and Mencik, Z. Application of iterative deconvolution technique to ion-exchange study of glass (5) 107*j*.

Varshneya, A. K., and Milberg, M. E. Ion exchange in Na borosilicate glasses (5) 108*j*; Ion exchange in Na borosilicate glasses—correction (9) 185*b*.

Varvas, J. See Lott, K.

Vas, A. See Prowse, D. B.

Vasil'ev, L. N. See Seregin, P. P.

Vasilev, Sv., Levcheva, Kbr., Mitkova, E., and Kafedzhieva, S. Increasing the efficiency of automated drying during glazed tile production (11) 228*f*.

Vasilev, Sv., and Mitkova, El. Recent trends in the development and artistic shaping of ceramic facing tile (10) 207*h*.

Vasil'eva, Inga G. See Mironov, Konstantin E.

Vasil'eva, Z. V. Definition of the chemical composition of some rare-earth boronilicates (4) 98*j*.

Vasilik, A. V. See Banit, F. G.

Vasil'kova, I. V. See Nguen Ngok Kuan ; Ryabov, E. N. ; Sandler, R. A.

Vasilos, T. See Wuensch, B. J.

Vasilos, T., and Dutta, S. K. Low temp. hot pressing of B_4C and its properties (7) 147*f*.

Vasil'yev, L. N. See Sagatov, M. A.

Vasina, N. A., and Posypaiko, V. I. Five-component reciprocal systems of nine salts based on elementary matrices (4) 99*b*.

Vaskevicius, R., Krotkus, A., and Repsas, K. Galvanomagnetic effects of *p*-type Ge in strong electric fields (8) 169*g*.

Vasnilevsky, Anatole N. Lightweight high-strength cement compositions using hydrolyzed organic material[MgO, $MgSO_4$, $CaCl_2$]. P (10) 203*e*.

Vassilieff, L. See Bacquet, G.

Vaughan, D. J. See Tossell, J. A.

Vaughan, David E. W. See Albers, Edwin W.

Vaughan, David E. W., Maher, Philip K., and Albers, Edwin W. Amorphous inorganic gel, P (4) 97*b*.

Vaughn, Dennis J. See Nichols, Gary D.

Vaughn, Raymond C. Apparatus for producing fibers, P (2) 38*h*.

Vaught, David M. See Soules, Thomas F.

Vauther, Claude, and Carles, Daniel Band gap models in amorphous semiconductors (1) 21*e*.

Venter, F. M. See Read, G. W., *Jr.*

Vecchi, G. See Ravaglioli, A.

Vecht, Aron, Werring, N. J., Ellis, R., and Smith, P. J. F. Direct-current electroluminescence in ZnS [ZnS:Mn, Cu]—state of the art (3) 69*a*.

Vedam, K. See Sashital, S. R. ; Shull, H. Eugene

Vedam, K., and Schneider, W. C. Variation of the refractive index of boric oxide glasses with hydrostatic pressure to 7 kbars (4) 87*c*.

Vedrine, Alain, Besse, Jean Pierre, and Capestan, Michel Systems $A^1_2LiCrF_6$-WO_3 (A^1 = Cs,Rb,K,Na,Li) (1) 29*a*.

Vegh, Bertalan J., and Coates, Alfred E. Triode sputtering apparatus, P (4) 96*e*.

Velkhina, N. V. See Neshpor, V. S.

Velupoldi, R. A., Reinfeld, R., and Boehm, L. Quantum efficiencies and transition probabilities of Eu^{3+} in silicate glasses (10) 205*e*.

Velasco, Gonzalo See Croset, Michel

Velev, Dimitar S. Cylindrical furnace for continuous production of reinforced and nonreinforced seamless pipes of foam glass, P (2) 35*e*.

Velichko, A. V., and Zaitseva, L. L. Fusibility diagram of the system $Pr_2(SO_4)_3$-Li_2SO_4 (4) 99*c*.

Velikov, I. A. See Vulkov, V.

Vella-Coleiro, G. P., Smith, D. H., and Van Uitert, L. G. Resonant motion of domain walls in Y Gd Fe garnets (3) 81*h*.

Velonic, Harold S. Method for making an intermetallic contact to a semiconductor device, P (1) 14*d*.

Venevtsev, Yu. N. See Groznov, I. N. ; Sal'nikov, V. D.

Venkloviene, R. See Bakutis, J.

Venugopalan, S., and Ramdas, A. K. Raman spectra of Bi Ge and Bi Si oxide (7) 157*g*; Effect of uniaxial stress on the Raman spectra of cubic crystals—CaF_2, BaF_2, and $Bi_{12}GeO_{20}$ (9) 195*d*.

Verbenova, Kh. I. See Volkov, V. V.

Verboven, Ghislain F. A. A. See Schenkels, Ferdinand J. M.

Verdini, B. See Gauzzi, F.

Vere, A. W. See Jones, G. R.

Vereecke, Frank J. See Nesbitt, John D.

Veres, Frank See Austin, Lewis M.

Vereshchagin, A. L., and Sviridov, V. V. Products of the thermal decomposition of the coprecipitated hydroxides of Zr and Ni (1) 26*j*.

Vereshchagin, Leonid F., Kouyaev, Yu. S., Dovbnya, Alexandr V., Polyakov, Evgeny V., and et al. Method of bonding diamond with refractory cermet material, P (5) 105*i*.

Vereshchagina, V. I., Gontar, K. V., and Zolotareva, L. V. System 2Li,2Na,Ca,Ba||2F (1) 28*i*.

Verhaegen, A. See Fierens, P.

Verhaegen, J. P. See Fierens, P.

Verheyden, Albert, and Hartmann, Jean Process of flotation of minerals and ores [cassiterite, quartz, muscovite], P (11) 233*g*.

Verhoeven, Adrianus C. J. See Van Duuren, Kars

Verkuijlen, Wilhelmus H. C. G. See Paffen, Maria M. M.

Verma, G. S. See Neelmani, Mr.

Verma, M. P., and Agarwal, S. K. Three-body-force shell model and the lattice dynamics of MgO (9) 199*b*.

Verma, R. L. Secondary electron emission of Cs iodide (9) 198*c*.

Verneulen, Cornelis G., and Oomen, Joris J. C. Electrochemical cell having cathode mass comprising hollow C bodies, P (9) 188*f*.

Vernigorova, V. N., and Taube, P. R. Effect of surface-active agents on the phase composition of Ca hydrosilicates in the system CaO-SiO_2-H_2O (9) 195*c*.

Vernois, J. See Muxart, R.

Verriet, J. G. See Wanmaker, W. L.

Verriet, Johannes G. See Wanmaker, W. L.

Verspui, Gerrit See Knippenberg, Wilhelmus F.

Versteeg, Geert, and Engel, Albertus J. G. Method for the preparation of metal borides, P (5) 112*e*.

Verstegen, J. M. P. J. Luminescence of Mn^{2+} in $SrGa_{12}O_{19}$, $LaMgGa_{11}O_{19}$, and $BaGa_{12}O_{19}$ (3) 80*a*.

Verstegen, J. M. P. J., ter Vrugt, J. W., and Wanmaker, W. L. Luminescence of Eu^{2+}-activated $SrB_2Si_2O_8$ (1) 16*a*.

Verstegen, Judicus M. P. J., and de Meester, Emiel P. J. Luminescent screen and Hg vapor discharge lamp containing it, P (10) 206*a*.

Vertes, Attila See Tamas, Ferenc

Verwey, J. F. Hole currents in thermally grown SiO_2 (3) 79*g*; Nonavalanche injection of hot carriers into SiO_2 (9) 197*h*.

Veselaya, G. N. See Voronov, I. N.

Vesely, Jaroslav See Dokoupil, Frantisek

Vesper, Ruediger See Nickl, Julius J.

Vesselinov, I. Relation between the structure of wulfenite, $PbMoO_4$, as an example of scheelite-type structure and the morphology of its crystals (2) 55*b*.

Vest, R. W. See Prabhu, Ashok

Vetter, V. H., and Bartels, R. A. BaO single crystal elastic constants and their temp. dependence (2) 49*e*.

Vianello, Domenico See Manfre, Giovanni

Viccaro, P. J. See Melamed, N. T.

Viccaro, P. J., Barros, F. de S., and Oosterhuis, W. T. Paramagnetic Fe^{3+} in Li aluminate—magnetic field effects in the Moessbauer spectrum (7) 156*h*.

Vicenik, Jaromir See Fator, Jaroslav

Vidanov, A. P. See Malinin, A. Yu.

Viechnicki, D., Schmid, F., and McCauley, J. W. Liquidus-solidus determinations in the system $MgAl_2O_4$-Al_2O_3 (2) 53*i*; Growth of nearly stoichiometric $MgAl_2O_4$ spinel single crystals by a gradient furnace technique (5) 120*f*.

Viechnicki, D. J. See Schmid, F.

Viedt, Johanna See Sundermann, Erich

Vier, Dwayne T. See Bowman, Melvin G.

Viessmann, H. Heat exchangers, P (8) 173*h*.

Vigneau, Joel O. See Lescop, Pierre

Vila, R. See Anton, G.

Vilaro, Josefina See Heilbraum, Roberto

Vil'chevskii, N. O., Pervovranskii, A. A., Savchkov, V. K., Gel'fand, Ya. E., and et al. Planning optimum production of cement using automated system of control (9) 182*g*.

Vil'k, Yu. N. See Ordan'yan, S. S.

Villagra, Antonio See Santos, Emilio

Villani, S. See Banterla, G.

Vincent, Charles S., Jr. Solid-state lamp having visible-emitting phosphor at edge of ir-emitting element, P (3) 72*b*.

Vincent, Gerald H. Process for producing plaster from by-product gypsum, P (5) 107*h*.

Vincent, Thomas C., Friedman, Arnold, and Hickok, Robert L. Process of preparing porosity-free Ca halophosphate phosphors, P (2) 43*b*.

Vincenzini, P. (Editor) Single Firing and Automation—Proceedings of the 2nd International Meeting on Modern Ceramic Technologies, B (7) 160*b*.

Vinogradov, I. V. See Zaitseva, L. L.

Vinogradov, V. M. See Kobrin, M. G.

Vinokurov, V. A. See Klevtsov, P. V.

Virsberg, Lars G. Means in electric insulators for keeping the upper side of the insulator plate free from deposits reducing the flashover strength, P (4) 92*b*.

Viscakas, J., Gaidelis, V., and Pocius, Z. Discharge mechanism of baked layers of ZnO single crystals in electrophotographic conditions (8) 169*c*.

Viscakas, J., Kavaliauskiene, G., Mikalkevicius, M., and Riskevicius, V. Electronegativity in trigonal Se single crystals (8) 175*h*; Photoconductivity in trigonal Se single crystals (8) 178*h*.

Viscakas, J., Vaitkus J., Miskinis, J., Senulis, F., and et al. Structure, composition, and photoelectric properties of CdS and CdSe epitaxial films subjected to thermal treatment (8) 169*c*.

Viskov, A. S. See Groznov, I. N.

Visocekas, R., Ceva, T., Lapraz, D., Iacconi, P., and et al. Cathode-ray-excited luminescence and thermoluminescence of a synthetic calcite single crystal (11) 234*b*.

Visser, Reier, Bormans, Jozef M. J., Van Haaren, Wilhelmus P. J., and Homan, Douwe M. Substance for the refractory lining of pig iron troughs or the like, P (4) 91*c*.

Viswanath, N. British expertise for Indian sanitary ware (2) 39*j*.

Viswanathan, R. See Johnston, D. C.

Vitalis, Gyorgy See Hegyi-Pako, Julia

Vitoria, J. See Anton, G.

Vitter, G. See Giroud, G.

Viverito, T. R. See Rohatgi, A.

Vlaardingerbroek, Marinus T. See Acket, Gerard A.

Vladik, Liboslav Heat-extracting housing for semiconductor, P (7) 149*c*.

Vladimirtseva, L. A., and Soltyk, V. E. Relation between the phase composition and technological characteristics of Mn-Zn ferrite powders (10) 210*h*.

Vlajic, M. Analysis of some initial sintering parameters of real oxide powders (7) 154*d*.

Vlajic, M., and Stamenkovic, I. Use of ultrasound in particle size determination of free and compact ceramic powders (6) 134*e*.

Vlasov, L. G. See Samsonov, G. V.

Vlasov, N. M. See Voitsekhovskii, V. N.

Vlasov, V. A. See Gorokhovskii, V. A.

Vlasse, Marcus See Tanguy, Bernard

Vlasse, Marcus, Massies, Jean Claude, and Chamberland, B. L. Structure of InOF (6) 141*i*.

Vodenicharova, Tsv. See Karamanov, Zh.

Vodoklys, Frank M. Method for improving the performance of halophosphate phosphor, P (3) 71*a*.

Vogel, F. Production and finishing of large-sized surface-ground clay walling blocks (2) 37*c*.

Vogel, Thomas A., Ehrlich, Robert, and Luth, William C. Nonlinear variation of cell parameters with composition in alkali feldspar series (4) 101*b*.

Vogelgesang, Peter J. See Perrington, Kenneth J.

Vogler, G. Phase diagram of the Mn-Zn ferrites with a slight Fe excess (6) 139*g*.

Voiculescu, Lucian See Stoicovici, Eugen

Voigt, O., and Steimer, A. Apparatus for heating and controlling furnace atm, P (9) 193*i*.

Voitchovsky, J. P. See Schmid, Ph.

Voitsekhovskii, A. E. See Ovechkin, E. K.

Voitsekhovskii, V. N. See Ivanova, K. N.

Voitsekhovskii, V. N., Vlasov, N. M., Romanova, G. I., and Munatov, M. I. Forms of growth of corundum crystals from a melt (10) 216*d*.

Volikova, G. P. See Grach'yan, A. N.

Volk, Charles E. See Hays, Robert G.

Volkov, O. S. See Rabinovich, F. N.

Volkov, V. L. See Bergman, A. G.

Volkov, V. L., Tikhonova, G. A., Tkachenko, E. V., and Fotiev, A. A. System $CsVO_3$-MoO_3 (4) 103*g*.

Volkov, V. L., Tyukacheva, G. Sh., Fotiev, A. A., and Tkachenko, E. V. System V_2O_5-MoO_3 (4) 103*a*.

Volkov, V. V., Verbenova, Kh. I., Sychev, M. M., and Kan'yanova,

G. N. Formation of Ba sulfoaluminate during preparation of Ba cements (4) 84*b*.
Volkov, Yu. A. See Palatnik, L. S.
Vollans, E. C. See Brociner, R. E.
Vollath, Dieter New method of evaluating creep tests (1) 18*d*.
Voloskhina, T. D. See Nakhodnova, A. P.
Volovik, I. A. See Pashchenko, A. A.
Vol'shaya, O. B. See Tsinzerling, E. V.
Vol'ski, V., and Politan'ska, U. Magnetic properties of the system $Ni(OH)_2[Zn(OH)_2]$ $Fe(OH)_3$ (9) 196*i*.
Volterra, V. See Sarkar, A. ; Srinivasan, G. R.
Volterra, Vittorio See Simmons, Joseph H.
Volyak, P. M., Mchedlov-Petrosyan, Otar P., and Shein, V. I. Determination of cement activity by hydrobarothermal method (9) 182*c*.
Volynets, F. K., Dronova, G. N., and Udalova, L. V. Effect of Li fluoride on the electrical conductivity of polycrystalline MgO (9) 195*a*.
Volynets, F. K., Dronova, G. N., Udalova, L. V., and Usachev, V. P. Dependence of electrical conductivity of polycrystalline MgO on hot-pressing temp. (1) 22*d*.
Volynets, F. K., Udalova, L. V., Aranovskii, L. I., and Usachev, V. P. Kinetics of compaction of MgO with an additive of LiF at different hot-pressing temps. (9) 196*d*.
Voiz, Hans G. See Langmesser, Paul W.
von Ende, Hans See Bardenheuer, Friedrich
von Alten, Theodor See Brandt, Ivan L.
von Andrian-Werburg, Hanns See Heimke, Guenther
von Batchelder, F. See Davisson, J. W.
Von Braunmuehl, Christine See Nickl, Julius J.
von Buelow, J. Mobile machine for kiln lining demolition (8) 167*b*.
Von Freyhold, Helmut Binders based on alkali metal silicates, P (4) 97*b*.
Von Hoerschelmann, Konstantin See Henning, Wolfgang
von Holdt, K. See Hahn, C. G.
von Juechen, Aurel Artistic creations during the industrial century. Appraisal of the work of the sculptor and modeler Siegmund Schuetz (5) 105*e*.
Von Kaenel, Walter See Law, John M.
Von Neida, A. R. See Rozgonyi, G. A.
von Rappard, Elena See Hofmann, Ulrich
Von Rauch, Moritz Particle-beam apparatus such as an electron microscope, P (11) 233*b*.
von Szeremy, Sigmund See Antypas, George A.
Von Waldkirch, Th., Mueller, K. A., and Berlinger, W. Analysis of the Fe^{3+}-V_O center in the tetragonal phase of $SrTiO_3$ (7) 154*c*; Fluctuations in $SrTiO_3$ near the 105°K phase transition (8) 176*b*.
von Wartburg, W. Magnetic structure of magnetoelectric Ni-I boracite $Ni_3B_7O_{13}I$ (10) 217*e*.
Vondra, Benedict L., Jr., Haley, Thomas E., and Burke, Daniel F. Process for preparing a stable homogeneous UO_2-ZrO_2 binary sol, P (4) 95*c*.
Vondracek, Frank Reaction orders involved in continuous cleaning coatings (9) 183*f*.
Vonnegut, Bernard See Passarelli, Richard E., Jr.
Vook, R. W. See Bezerianos, N. ; Koch, F. A.
Voorhees, Francis W. See Flamenbaum, Joel S. ; Schultz, Peter C.
Voorhoeve, J. M. See Di Salvo, F. J.
Voorhoeve, R. J. H., Trimble, L. E., and Khattak, C. P. Exploration of perovskite-like catalysts--Ba_3CoWO_6 and Ba_2FeNbO_6 in NO reduction and CO oxidation (8) 176*i*.
Vora, Madhukar B. See Chang, Joseph J. F.
Vorob'ev, A. F. See Urusov, V. S.
Vorob'ev, S. A. See Bobudaev, A. Ya.
Vorobkalo, F. M., Glinchuk, K. D., Prokhorovich, A. V., and John, G. Effect of heat treatment on the 0.93-, 1.0-, and 1.28-eV luminescence bands in *n*-GaAs (11) 234*h*.
Voron'ko, Yu. K. See Aleksandrov, V. I.
Voronkov, A. A. See Sizova, R. G.
Voronkov, A. A., Zhdanova, T. A., and Pyatenko, Yu. A. Refinement of the structure of vlasovite $(Na_2ZrSi_4O_{11})$ and some features of the composition and structure of Zr silicates (10) 218*j*.
Voronkov, V. V. See Pelevin, O. V.
Voronov, I. N., Makeev, Kh. I., Panitkina, N. V., and Veselaya, G. N. Effect of growth rate on the dislocation structure of single crystals produced by the off-center growth method (4) 99*i*.
Voronov, V. V., Desyatkova, S. M., Ivleva, L. I., Kuz'minov, Yu. S., and et al. Electric and electrooptical properties of stoichiometric Ba Sr niobate single crystals (3) 78*c*; Electrical properties of single crystals of Ba Sr niobate grown from a stoichiometric melt of composition $Ba_{0.25}Sr_{0.75}Nb_2O_6$ (10) 216*h*.
Vorontsov, Anatoly K. See Bogrets, German N.
Voss, Peter See Burtscher, Joachim ; Platzoeder, Karl
Voss, Peter, Platzoeder, Karl, and Porst, Alfred Thyristor, P (2) 44*f*.
Vosteen, B. Thermal efficiency of cement raw meal preheaters: I–IV (3) 62*i*.
Vozhdaeva, E. E. See Eliseev, S. S.
Vrana, Joseph S. See Parker, Charles C.
Vrytcheff, P. Organization in a sanitary ware factory—the glaze shop (1) 12*d*.
Vuchev, I., and Kotchev, T. Effect of parameters of rotary ball mills on clinker grinding (11) 222*b*.
Vucich, Paul M. See Sears, James H.
Vukanovic, V. See Rybarova, A. Z.
Vukovich, Milne, Jr. See Fronk, Dale A.
Vulkov, V., Boyadzhieva, Kh., and Dimitriev, Ya. Thermodynamic studies of solid-phase reactions in the system $BaCO_3$-Al_2O_3 (11) 236*i*.
Vulkov, V., Boyadzhieva, Kh., and Pamukov, A. Solid-phase reactions in the system SrO_2-Al_2O_3-$SrSO_4$ at high temps. (10) 219*d*.
Vulkov, V., Kol'ovski, V., Todorova, L., and Kubadinova, N. Effect of SO_3 in clinkers and cements on setting time (10) 202*h*.
Vulkov, V., Velinov, I. A., Yanev, Ya., and Kol'ovski, V. Rapid-hardening and expansive cement obtained using alunite quartzites (2) 32*i*.
Vulkov, V., Yanev, Ya., and Kol'ovski, V. Expansive cements from portland cement and alunitic quartzite (11) 222*e*.
Vulkova, I. See Pankratov, V.
Vulkova, I., Doganedzhieva, R., and Markov, M. Granulated blast-furnace Ba-Mn slag in reinforced concrete (11) 222*g*.
Vuyk, Jan Enameling innovations in Europe (11) 222*h*.
Vydrik, G. A., and Solov'eva, T. V. Synthesis of Cs β-aluminate (9) 199*e*.
Vydrik, G. A., Solov'eva, T. V., and Cherepanov, A. M. Lowering the sintering temp. of technical alumina by introducing glass-forming additives (9) 187*g*.
Vygodskii, A. I. See Val'berg, G. S.

Wachs, Daniel See Tarshis, Andrew L.
Wachs, Meyer H. See Hughes, Harry E., Jr.
Wachtel, Anselm Method of removing ultrafine phosphor particles of a $(Zn,Mg)_2(Si,Ge)O_4$:Mn phosphor, P (1) 15*b*.
Wachtman, George S. Cutting gigaohms up to size—within 1/2% (2) 40*c*.
Wachtman, J. B., Jr., and Schneider, Samuel J. Measurements and standards for high temp. materials in energy conversion and clean fuel production (5) 111*g*.
Wack, Henry P., and Claus, Karl M. Ceramic tile panel construction, P (10) 209*e*.
Wada, Masanobu See Masuda, Yoichiro ; Niikura, Ikuo
Wada, Mitsuo, and Aoki, Masaki Method for making a [film] resistor, P (9) 191*i*.
Wada, Takeo Method for the expansion of vermiculite, P (1) 8*g*; Method for mfg. a molded article of expanded vermiculite, P (11) 226*j*.
Wada, Takeo, and Komai, Saburo Method for expanding mica-group minerals with H peroxide plus an acid, P (10) 214*g*.
Wada, Toshio, and Shindo, Yasuhiro Flameproof coated [glass] resistors, P (2) 41*j*.
Waddell, Eugene P. See Olson, Donald R.
Waddington, P. H. C. Method and apparatus for mfg. a cast workpiece, P (2) 46*a*.
Wadsack, R. L. See Song, Jin-Joo
Waggener, Herbert A. See Pruniaux, Bernard R.
Wagner, C. N. J. See Raghuram, A. C.
Wagner, Edmond M. Thermocouple structure and method of making, P (4) 96*g*.
Wagner, Edmund High-temp. experiments in explosive- and poisonous-gas atm—safety procedures (1) 17*f*.
Wagner, F. E. See Potzel, W.
Wagner, G. R., and Murphy, J. Paramagnetic hole centers in CeO_2 (8) 178*d*.
Wagner, J. B., Jr. Defects in oxides (4) 98*i*; Defects in oxides--correction (7) 154*b*.
Wagner, Paul See Storms, Edmund K.
Wagner, Peter R., and Wilson, Donald M. Method of protecting electrical conductor terminations during gas panel fabrication, P (4) 94*h*.
Wagner, William E., and Golightly, James S. Shaping, coating, and tempering glass, P (2) 37*c*.
Wagu, Masakatsu See Amagi, Yasuo
Wahl, E. A. Apparatus for mixing powdered or granular materials, P (2) 45*g*.
Wahl, Eugene R., and Kolstac, Robert Hoppering and feeding of solids in the ceramic industry (10) 212*c*.
Wakabayashi, Akira Problems in basic refractories (10) 208*b*.
Wakabayashi, N. See Nicklow, R.
Wakamatsu, Mitsuru Formation of nitric oxide in fuel-fired kilns (2) 47*g*.
Wakamiya, Kinji, and Kobayashi, Isamu Method of selectively diffusing carrier killers into integrated circuits utilizing polycrystalline regions, P (4) 94*i*.
Wakefield, Robert H., and Cunningham, James A. Integrated circuit and method of fabrication, P (7) 149*e*.
Wakefield, Shirley L., and Lambert, Vernon L. Formation of shallow *pn* junctions in PbSnTe by direct diffusion, P (11) 230*b*.
Wakim, Fahd G. Photoelectronic properties of stoichiometric flux-grown rutile (TiO_2) crystals (8) 178*h*.
Wakita, Koichi See Shimizu, Hiroyasu
Wal, Witold Ir spectroscopic study of synthetic SiO_2-Al_2O_3 catalysts (3) 75*e*.
Walch, P. F., and Ellis, D. E. One-electron interpretation of optical absorption and soft-X-ray data in MgO (9) 197*j*.
Wald, Fritz V. See Hemmat, Naim
Waldecker, G., Meinhold, H., and Birkholz, U. Thermal conductivity of semiconducting and metallic $FeSi_2$ (11) 236*i*.
Waldmann, Wilhelm Ceramic mantle ring with screw thread, P (9) 188*e*.
Walker, Basil E., Jr., Spann, J. Richard, and Rice, Roy W. High-strength $BaTiO_3$ ceramic bodies, P (1) 12*b*.
Walker, David Behavior of X-ray mass absorption coeffs. near absorption edges—Reynolds' method revisited (5) 116*j*.
Walker, G. S. See King, G. A.
Walker, M. S. See Hopkins, R. H.
Walker, P. L., Jr. See Hollenbeck, T. M. ; Rodriguez-Reinoso, F.
Walker, Paul J., Barron, Frank C., and Walker, Philip F. Method and apparatus for firing arcuate ceramic segment [ferrites], P (3) 67*f*.
Walker, Philip F. See Walker, Paul J.
Walker, R. C., and Purton, M. J. Ca silicate brick specimens in the autoclave (10) 202*a*.
Walker, Ralph E. See Kirchner, Henry P.
Walker, W. C. See Messick, L.
Walkup, C. M. See Chiao, T. T.
Wall, Ernst L., and Niblock, Walter K. Process for producing surface-oriented semiconducting devices, P (8) 170*h*.
Walle, Warren Richard Effect of coring on the mfg. costs of face brick (8) 166*c*.
Waller, C. D. Jars and other containers, P (1) 7*h*.
Wallis, Perry S. Methods for making semiconductor pressure transducers and the resulting structures, P (2) 43*a*.
Wallouch, Rudolph W. High-strength [Ca aluminate] refractory concrete, P (8) 168*c*.
Waltrafen, Franz See Recker, Kurt
Waltroth, Carl F. See Gyarmati, Erno
Walls, Donald C. Mask alignment methods, P (1) 14*j*.
Walsh, D. See Quon, H. H. ; Thomas, B. W.
Walsh, Myles A. See Kunz, Harold R.
Walter, John L., and Gigliotti, Michael F. X. Inhibiting dc notching effect in incandescent lamp filaments, P (1) 7*h*.
Walters, Cecil K. Minimized temp. coeff. voltage standard means, P (4) 94*j*.
Walters, Frank Gaseous-discharge display device with a layer of electrically resistant material, P (8) 170*b*.
Walters, K. See Bowen, G. W.
Walton, J. D., Jr. Reaction sintered Si_3N_4 for high temp. radome applications (4) 90*a*.
Wanas, M. A. Dynamics of elliptical magnetic bubbles (9) 195*i*.
Wance, Richard O. See Robinson, Paul H.
Wanesky, William R. Methods of microscopically inspecting opposite sides of objects, P (7) 153*d*.
Wang, C. C. See Martinelli, Ramon U.
Wang, Chih Chun See Ladany, Ivan
Wang, P. J., and Drickamer, H. G. High pressure optical studies of rare earth ions in CaF_2 and other fluorides (8) 177*a*.
Wang, R. H., and Fan, L. T. Methods for scaling-up tumbling mixers (9) 193*e*.
Wang, Raymond C. Method of producing low-threshold complementary IGFE devices, P (1) 15*a*.
Wang, Richard See Riehl, J. W.
Wang, S. See Poplawsky, R.
Wang, Teh Po See Starr, Carrol D.
Wang, Yin Huai See Degenkolb, Robert S.
Wanklyn, Barbara M. See Garton, G. ; Schieber, M.
Wanmaker, W. L. See Verstegen, J. M. P. J.
Wanmaker, W. L., and Verriet, J. G. Luminescence of phosphors with $Ca_5SiO_4Cl_2$ as the host lattice (2) 53*j*.
Wanmaker, W. L., Verriet, J. G., and ter Vrugt, J. W. Mn-activated luminescence in Cd_5FPO_4 (1) 25*g*.
Wanmaker, W. L., and Verriet, Johannes G. Method of mfg. a pigment, P (7) 150*i*; Method of mfg. a pigment, P (7) 153*f*.
Wanner, Louis R. See Robbins, John D.
Wanzenberg, Frederick W., and Wanzenberg, Fritz W. Apparatus for and methods of recovering minerals and/or mineral-bearing material from an underwater ore bed, P (1) 20*f*.
Wanzenberg, Fritz W. See Wanzenberg, Frederick W.
Wappling, R. See Potzel, W.
Warble, C. E. See Moodie, A. F.
Warczewski, J. See Van den Berg, A. J.
Ward, J. Toward invisible glass (2) 35*i*. See Grey, I. E.
Ward, John E. Sizing composition and glass fibers treated therewith, P (4) 89*h*; Sizing composition and glass fibers treated therewith, P (10) 207*e*.
Ward, M. A. See Khalil, S. M.
Ward, R. W., and Timusk, T. Impurity-induced far-ir absorption in KBr and KCl (7) 155*i*.
Ward, Samuel A. See Foss, Norman A.
Ward, William A. See Nicastro, Carmine A., Jr.
Waring, J. L., Roth, R. S., and Parker, H. S. Temp.-pressure phase relations in Nb_2O_5 (6) 141*h*.
Warkentin, E. See Baernighausen, H.
Warner, A. W., White, D. L., and Bonner, W. A. Acousto-optic light deflectors using optical activity in paratellurite (4) 92*f*.
Warner, L. L. See Valdez, E. G.
Warner, Richard D., and Luth, William C. Two-phase data for the join monticellite ($CaMgSiO_4$)-forsterite (Mg_2SiO_4)—experimental results and numerical analysis (5) 123*b*; Diopside-orthoenstatite two-phase region in the system $CaMgSi_2O_6$-$Mg_2Si_2O_6$ (6) 137*d*.
Warren, Anthony C. Reversible thermal breakdown as a switching mechanism in chalcogenide glasses (4) 87*i*.
Warren, C. J. L., and Milross, J. W. Reciprocating pump apparatus for depositing viscous liquids, P (1) 17*b*.
Warren, H. J. Double glazing, P (1) 7*c*.
Warshawsky, Jay Apparatus for cooling pulverulent material, P (9) 193*i*.
Wartenberg, Erwin W. Process for the production of luster color coatings on ceramic, glass, or similar bodies, P (3) 65*d*; Toughened glass [quenching], P (7) 147*b*.
Wasa, Kiyotaka, and Hayakawa, Shigeru Method of producing piezoelectric thin films by cathodic sputtering, P (2) 42*i*.
Washburn, J. See Narayan, J.
Wasley, Richard J. Stress Wave Propagation in Solids--an Introduction, B (9) 200*c*.

Wason, Thomas D. Apparatus for optically inspecting the condition of a surface having known variations in the condition, P (2) 47*h*.
Wasaczak, J. V. See Di Salvo, F. J.
Watanabe, Akiteru Empirical equation for penetration viscometry (4) 96*h*.
Watanabe, Akiteru, Obsaka, Toshiaki, and Hasegawa, Yasushi Method for measuring viscosity of glass in relation to contraction by compressive stress (10) 204*i*.
Watanabe, H. See Kurasawa, T.
Watanabe, H., Kikuchi, T., and Furukawa, K. Oxidation of U carbides in Na with a small O content (9) 192*c*.
Watanabe, Hideo See Niikura, Ikuo
Watanabe, K., and Yamashina, T. Changes in roughness factor of glass surfaces with heating in a vacuum (2) 33*c*.
Watanabe, Kihachiro See Anzai, Shuichiro
Watanabe, Makoto, Yoshimura, Hisanori, Kataoka, Keisuke, Shikama, Sukejiro, and et al. Semiconductor devices in DEX-21 (2) 40*j*.
Watanabe, Nobuhiko Relation between casting properties and the fundamental parameters of whiteware bodies (3) 68*b*; Factors involved in the mold separation of whiteware cast bodies (3) 68*j*.
Watanabe, O. See Sugaya, T.
Watanabe, Seiichi FET having back-to-back diodes connected to the gate electrode and having a protective layer between the source and the diodes to prevent thyristor action, P (9) 190*j*.
Watanabe, Takashi See Niwa, Shohei
Watanabe, Teiji See Hayashi, Hiromu
Watanabe, Tetsuo, Sakai, Kazuo, and Iwai, Shinichi Dielectric anomaly of K_2SO_4 near phase transition point (8) 175*c*.
Watanabe, Yoshiaki See Shimamura, Hiroyuki
Watanabe, Yoshiyuki, Saito, Shozo, and Takemoto, Susumu Resonant modes in FMR of low resistivity ferrites (6) 140*g*.
Watari, Yoshihiko, Inoue, Itao, and Kusano, Yuji Process [etching] of producing semiconductor devices, P (9) 191*g*.
Waterworth, Thomas H. See Steitz, William R.
Watkins, G. D. See Messmer, R. P. ; Weigel, C.
Watkins, Harry J. See Beall, George H.
Watkins, L. S. Scattering from side-illuminated clad glass fibers for determination of fiber parameters (11) 232*d*.
Watson, D. See Pennell, A. R.
Watson, John M. Apparatus and method of charge-particle spectroscopy for chemical analysis of a sample, P (2) 47*h*.
Waugh, James H., Jr., and Fesa, Darien S. Slice prealigner [for Si or Ge], P (11) 231*i*.
Wawra, H. Direction-dependent mechanical properties of ZrC at specific temps. (4) 90*h*.
Waxler, Roy M., and Cleek, G. W. Effect of temp. and pressure on the refractive index of some oxide glasses (5) 108*h*.
Waymouth, John F. See Gungle, Warren C.
Weagant, Robert A. See Kohn, Alan N.
Weaver, H. E. See Honig, J. M.
Weaver, J. H. See Lynch, D. W.
Weaver, J. H., and Lynch, D. W. Low-energy optical absorption in ReO_3 (8) 177*b*.
Webb, A. P. See Hughes, A. E.
Webb, John M. See Loxley, Ted A.
Webb, Norman W. New burners for the ceramic industry (5) 118*c*.
Webb, R. A. See Wheatley, John C.
Webb, Ronald W. High-temp. ceramic composition for H retention, P (5) 116*c*.
Webb, W. F. See West, H. W. H.
Weber, B. G. See Huggler, A. H.
Weber, H. B. Brick drying using the optimum drying curve (5) 110*a*.
Weber, Heinz P. See Danielmeyer, Hans G. ; Tomlinson, Walter J.
Weber, Hendrik G. O. Refractory masonry wall bounding a space which receives hot gas, P (8) 173*j*.
Weber, Horst Color of enamels (6) 126*j*.
Weber, Kurt H. Photoflash lamps, P (10) 207*a*.
Weber, M. J. Multiphonon relaxation of rare-earth ions in Y orthoaluminate (9) 197*g*; Optical spectra of Ce^{3+} and Ce^{3+}-sensitized fluorescence in $YAlO_3$ (10) 218*e*.
Weber, William A., and Wellech, Edmund H. Spinnerette plates and spinnerette employing them, P (11) 226*f*.
Webster, Donald R. See Ganssle, Eugene R.
Webster, P. J. See Brooks, J. S.
Webster, William C. See Minnick, Leonard J.
Wecht, Peter See Wilkendorf, Ehrhardt
Weckerle, H. See Konopicky, Kamillo
Weckler, Gene P. Process for making an optimum high gain-bandwidth phototransistor structure, P (2) 43*a*.
Wedgwood, Sidney Apparatus for sponging the rims of unfired ceramic hollow ware, P (11) 229*g*.
Weeks, R. A. See Chatelain, A.
Weglowski, Stanislaw See Bartecki, Adam
Wegman, Peter Problems and effects of conversion to gas in heavy clay industry (1) 19*b*.
Wehmer, Gerald Perlite (8) 173*d*.
Wehrer, P., Duval, X., and Sauvageot, R. Reaction of CO_2 with C at high temps. and low pressures (11) 235*e*.
Wei, G. C. T., and Wuensch, B. J. Composition dependence of ^{63}Ni diffusion in single-crystal NiO-MgO solid solutions (1) 21*e*.
Weinert, David S. Mortar compositions containing mixtures of hydroxyalkyl celluloses, P (11) 222*c*.
Weichman, F. L. See Lomnes, R. K.
Weidemann, Erwin Semiconductor assembly having semiconductor housing and contact disks disposed within a tube, P (5) 115*i*.
Weidenmueller, Ch. See Moertl, G.
Weidlich, Herbert See Henning, Wolfgang
Weidman, Verne W. Hardened inorganic refractory fibrous compositions [mineral wool], P (4) 91*e*; Inorganic refractory fibrous compositions, P (5) 109*j*.
Weigel, C., Peak, D., Corbett, J. W., Watkins, G. D., and et al. C interstitial in the diamond lattice (9) 194*g*.
Weightman, A. M., and Linley, E. G. Methods of quality assessment of refractories in BSC [British Steel Corp.] Strip Mills Div. (1) 9*g*.
Weiher, R. L., and Tait, W. C. Mixed-mode excitons in the photoluminescence of ZnO--reabsorption and exciton diffusion (7) 156*a*.
Weiler, Henry R., Jr. See Miller, William A.
Weimann, Klaus, Mueller, Elmar, Baab, Heinz J., and Pape, Juergen Thyristor with amplified firing current, P (7) 151*i*.
Weiner, M. E., and Jordan, Andrew S. Analysis of doping anomalies in GaAs by means of a Si-O complex model (2) 49*b*.
Weinhold, Heinz See Keitel, Diethard
Weinmann, Gottfried Coloring glass (3) 63*b*.
Weinreich, Wolfgang See Kutzer, Hans J.
Weinstein, Martin, Singhal, Subhash C., and Ellis, John L. Boridized steel-bonded carbides, P (9) 188*c*.
Weinstein, Robert N. Process for flattening alumina substrates, P (6) 132*h*.
Weinstock, H. See Kupperman, D. S.
Weirauch, Donald F. Pinholes and the adhesion failures of thin metallic films (4) 93*b*.
Weisbeck, Roland, Pampus, Gottfried, Sueling, Carlhans, and Preis, Lothar Process for producing C fibers [PAN], P (3) 67*i*.
Weisbeck, Roland, Sueling, Carlhans, Pampus, Gottfried, and Preis, Lothar Process for the production of C fiber products, P (4) 91*j*.
Weise, Eberhard, Schulze, Manfred, and Rothert, Manfred Production of Al fluoride, P (1) 20*h*.
Weisenberger, W. H. See Larson, T. R.
Weiss, Dalibor See Herman, Milos
Weiss, Harald H., and Johnson, Robert J. Nuclear failed fuel detection system, P (5) 116*e*.
Weiss, Shirley I. Metal-bonded grinding wheels, P (7) 143*e*.
Wellech, Edmund H. See Weber, William A.
Weller, Paul F. (Editor) Solid State Chemistry and Physics--An Introduction, Vol. 1, B (2) 60*b*. Vol. 2, B (7) 160*d*.
Weller, Paul F., and Grandits, Diane M. Kyropoulos single crystal growth of Na W bronzes (2) 53*f*.
Wellner, P., and Exner, H. E. Influence of pressing on sintering kinetics of spherical particles (7) 156*a*.
Welsch, G., Mitchell, T. E., and Gibala, R. Dislocation relaxation in Ge single crystals (11) 234*e*.
Welsh, Jay Y. Process for recovering high-purity free-flowing crystalline MnO_2 from impure Mn nitrate solutions; Process for recovering Mn values from low-grade oxidized Mn-containing ores, P (4) 97*i*.
Wemple, S. H., and Tabor, W. J. Refractive index behavior of garnets (8) 178*j*.
Wencke, K. See Selenina, M.
Wendt, Richard E., Jr. Method of making temp.-responsive apparatus [thermistor], P (4) 94*d*.
Wengert, P. R., and Spanoudis, Louis Limits on the Gibbs free energy of formation of intermetallic compounds containing Pt-group elements (3) 63*f*.
Wenn, Donald F. Direct firing on dryers for the heavy clay industry (5) 118*i*.
Wenzerberg, Arnold N., and Bukvich, John T. Process for increasing the surface area of active carbons, P (10) 209*d*.
Wentorf, Robert H., Jr., and Rocco, William A. Cubic BN/sintered carbide abrasive bodies, P (2) 31*h*.
Wenzel, Magdalena See Mund, Konrad
Werner, Hugo See Queck, Robert
Werner, Leo C. See Knochel, William J.
Wernick, Jack H. See Shay, Joseph L.
Werring, N. J. See Vecht, Aron
Wertz, John E. See Halliburton, Larry E. ; Henderson, Brian
Wesdock, James F. See Erb, Roger L.
Wesson, Richard A., Platter, Sandford, and Jarratt, Robert L. Isothermal boat container, P (9) 191*c*.
West, A. R. See Dubey, B. L. ; Gard, J. A.
West, E. J. See Giallorenzi, T. G.
West, H. W. H. Resistance of glass windows to pressures generated by gaseous explosions (10) 205*i*. See Astbury, N. F. ; Beech, D. G. ; Churchill, W. M.
West, H. W. H., and Ford, R. W. Permeability of mortar beds (10) 207*f*.
West, H. W. H., Hodgkinson, H. R., and Webb, W. F. Resistance of brick walls to lateral loading (10) 207*h*.
Westendorp, Frans F., Luiten, Willem, and de Kort, Gijsbertus M. A. J. High-density high-energy anisotropically permanent magnet, P (11) 230*c*.
Westenkirchner, Frank A., and Resspes, Paul E., Jr. Spark plug, P (3) 69*b*; Spark plug, P (6) 130*i*.
Westin, Leif, and Edshammar, Lars Erik Crystal structure of Ir_7Mg_{44} (3) 77*f*.
Westhake, D. G., and Ockers, S. T. Isotope effect on the solvus of the V-H system (2) 53*d*.
Weston, Alan D. Mounting semiconductor bodies, P (6) 132*e*.
Westrum, E. F., Jr. See Evans, B. J.
Westwig, Ralph A. Fiber optic device having some fibers clad with absorbing glasses, P (8) 165*j*.
Westwood, W. D. See Ingrey, S. J.
Wetch, Joseph R., Dieckamp, Herman M., and Wilson, Lewis A. Fuel element for a compact power reactor, P (11) 231*e*.
Wetzel, K. See Kroenert, W.
Wetzold, Paul W. Deposition of high-refractive-index coatings on freshly wet ground mica, P (1) 20*h*.
Wexler, Geoffrey, Green, Milo, and Miles, Robert E. Field effect in very thin semiconducting films (1) 13*b*.
Wey, Raymond See Guth, Jean L.
Wey, Raymond, Guisen, Pierre, and Le Dred, Ronan Process of preparing silicates of high porosity and silicates obtained by the process [vermiculite], P (11) 226*j*.
Weychert, Stefan, and Kolakowska-Rembertowicz, Hanna Conductivity measurement of sorption on the surface of a pure V_2O_5 contact (3) 69*f*.
Weyl, W. A. See Marboe, E. C.
Wharton, Lennard See Dagdigian, Paul J.
Wheatley, John C., and Webb, R. A. Millikelvin temps. measured with a noise thermometer (2) 47*a*.
Wheaton, Harold L. See Loxley, Ted A.
Wheeler, J., and Chatterji, S. Hindered setting of cement particles in freshly prepared portland cement pastes: I, Literature review (4) 84*f*; II, Measurement of the physical changes in cement pastes (4) 84*g*; III, Effect of surface-active agents on the settling behavior (4) 84*i*.
Wheeler, Roy K. See Cohen, Ronald A.
Wheeler, V. J., and Jones, I. G. Thermodynamic and composition changes in UO_{2-x} ($x<0.005$) at 1950°K (5) 115*i*.
Wheelock, Thomas D. See Beeson, Justin L.
Whelan, James M., and Greene, Joseph E. Sputtering method and apparatus for quantitative and qualitative analysis of materials, P (9) 192*d*.
Whetstone, Clay N. See Raymond, Jan W.
Whiffin, P. A. C. See Brice, J. C.
Whipps, P. W. Growth of high-quality crystals of K tantalate niobate (2) 52*d*.
Whitacre, John B., Jr., and Hoobler, Robert E. Hot top for ingot molds, P (2) 39*a*.
Whitaker, A. Temp. dependence of the stability of Zn borates (6) 141*g*.
Whitaker, A., and Borton, D. F. Phase equilibria in the system CaO-ZnO-B_2O_3 at 850°C (6) 139*i*.
Whitaker, Granville Cement additives, P (8) 162*i*.
Whitaker, John G. Vaporous lamp, P (2) 37*f*.
Whitaker, Noble D., Akashi, Thomas M., and Aurentz, John A. Method of forming a symmetrical grinding wheel, P (3) 61*e*.
White, Clark W. See Simms, Douglas L.
White, D. L. See Warner, A. W.
White, Dwain M., Klopfer, Howard J., and McLoughlin, Joseph R. [C] composites and method for making, P (9) 183*h*.
White, G. K. Thermal expansion of reference materials--Cu, SiO_2, and Si (9) 199*j*.
White, J. See Espinosa de los Monteros, J.
White, James Refractories research: I, Phase equilibria and microstructure in basic refractories (4) 90*d*; Materials for use at high temps. and their impact on the future of refractories (5) 111*f*; Refractories—present and future (6) 129*h*; Refractories research: II, Calcination and sintering of MgO; III, High alumina refractories (9) 188*e*.
White, Joseph P., Amantes, Robert, and Becke, Hans W. Current-limiting integrated circuit, P (3) 70*f*.
White, Robert C. See Root, Floyd A.
White, Robert J., and Egan, Clark J. Hydrocracking catalyst comprising a group VIII component and an amorphous aluminosilicate component, P (3) 76*a*.
White, William B. See Keramidas, Vassilis G.
Whitehead, Charles W. Apparatus for inserting and removing specimens from high-temp. vacuum furnaces, P (10) 213*g*.
Whitehouse, W. G. Two-man works predicted for brickmaking (4) 90*b*.
Whiteley, P. G. Trends in the use of refractory materials for the production of cast iron (1) 10*d*.
Whiting, D. A., Blankenhorn, P. R., and Kline, D. E. Effect of hydration on the mechanical properties of epoxy impregnated concrete (9) 182*f*.
Whitley, James B., and Abercrombie, William F., Jr. Process for mfg. calcined kaolinitic clay products [fillers], P (8) 173*h*.
Whitman, Robert H., and Lento, Louis L., Jr. Catalyst for elimination of pollutants in auto-exhaust gas, P (10) 214*d*.
Whitman, Robert H., and Leyman, Edward Catalyst for elimination of pollutants in exhaust gases; catalyst resistant to sulfur poisoning; catalyst containing an even distribution of promoters, P (10) 214*d*.
Whitney, E. Dow Chemistry of abrasives and the abrasive process (5) 105*e*.
Whittaker, A. Greenville, and Tooper, B. Single-crystal diffraction patterns from vitreous C (11) 235*h*.
Whittaker, Mack P., and Grindstaff, Lloyd I. Production of highly ordered graphite particles, P (9) 188*j*.
Whittemore, O. J., Jr. Sintering of SiO_2 fiber compacts—correction (1) 10*i*; Energy consumption in ceramic processes (7) 153*e*.
Wickramasinghe, H. K. See Thomson, J. K.
Wiedenheft, C. J. See Deaton, Ronald L.
Wieder, H. H., and Collins, D. A. Intervalley electron transfer in InSb films (11) 234*j*.
Wiederhorn, S. M., Evans, A. G., Fuller, E. R., and Johnson, H. Application of fracture mechanics to space-shuttle windows (8) 163*f*.
Wiederhorn, S. M., Johnson, H., Diness, A. M., and Heuer, A. H. Fracture of glass in vacuum (9) 184*g*.
Wiedijk, Piet Method of mfg. an incandescent lamp, P (5) 110*c*.

Wiedmann, Siegfried K. Isolation diffusion method for making reduced beta transistor or diodes, P (3) 71*f*. See Berger, Horst H.
Wieland, Dieter, and Becker, Hans Horizontal filter press, P (11) 232*a*.
Wieland, K. See Schellberg, F.
Wienbeock, Robert A. See Darwin, Charles D.
Wiese, W. L. See Fuhr, J. R.
Wiesenedanger, E. See Claus, R.
Wieser, Werner See Frankfurth, Guenther
Wiesler, Mordecai, Martinouis, Virgil, and MacIntyre, John S. Die sorting system, P (5) 114*g*.
Wiesner, Siegfried See Krianinger, Herbert
Wiewel, Josef Devices for [wire] cutting clay or other plastic material, P (1) 8*g*.
Wight, D. R., Birbeck, J. C. H., Trussler, J. W. A., and Young, M. L. Green electroluminescence in GaP diodes and its correlation with cathodoluminescence measurements (6) 131*b*.
Wignall, G. D., and Pings, C. J. Structure of vitreous C from wide angle and low angle X-ray diffraction (11) 236*c*.
Wihl, M., Cardona, M., and Tauc, J. Raman scattering in amorphous Ge and III-V compounds (10) 218*f*.
Wilcox, Lance C. Semiconductor assembly, P (1) 15*a*.
Wilcox, Paul D. Thermocouple and method of making, P (11) 233*b*.
Wild, P. C. See Oxley, D. P.
Wild, R. L., Rockar, Evelyn M., and Smith, Jana C. Thermochromism and electrical conductivity in doped $SrTiO_3$ (9) 199*a*.
Wild, Urs P. See Ranalder, Urs B.
Wilde, Dennis [Heat] treatment of glass sheet, P (4) 88*g*.
Wiley, J. D. See Seman, J. A.
Wiley, Robert F. Catalytic converter [honeycomb core], P (8) 168*a*.
Wiley, William C. Method of making electrodes for quadrupole-type mass spectrometers, P (7) 146*f*.
Wilhelm, Frederick C. See Mitsche, Roy T.
Wilhelm, Frederick R. See Tamny, Simon Z.
Wilhelm, Harley A., and McClusky, James K. Method of making UO_2 bodies, P (2) 45*e*.
Wilhite, D. L. See Surratt, G. T.
Wilkendorf, Ehrhardt, Wecht, Peter, and Featzke, Daniel ZrO_2-containing refractories for glassmelting feeder parts (5) 112*i*.
Wilkins, A. L. See Jongejan, A.
Wilkinson, E. L. Energy of the first excited electronic level(s) of Fe^{2+} in CaO (8) 176*g*.
Wilkinson, G. R. See Dawson, P. ; Katiyar, R. S.
Wilkinson, Horace A., and Wilkinson, Theodore A. Ceramic green mix, P (9) 187*b*.
Wilkinson, J. A. See Brice, J. C.
Wilkinson, Theodore A. See Wilkinson, Horace A.
Wilks, E. M. Resistance of diamond and other gem stones to abrasion (8) 161*g*.
Wilks, J. See Casey, M.
Wilks, Phillip H. See Scammon, Lawrence W., Jr.
Will, Georg See Schaefer, Wolfgang
Will, Georg, and Schaefer, Wolfgang Magnetic structure of antiferromagnetic $DyVO_4$ (1) 25*f*.
Will, Herbert A. See Powell, J. Anthony
Willats, Donald J., and Morgan, Peter E. Method for making C filament tapes, P (5) 112*d*.
Wille, Baptist Refracting light-permeable oxide layer and method for its mfg., P (5) 110*f*.
Williams, Claude L., Jr. See Hinton, Jonathan W.
Williams, George H. See Carini, George F.
Williams, Harold P., and Gijbels, Martinus H. C. Method of mfg. glass, P (4) 88*g*.
Williams, J. M. See Brooks, J. S.
Williams, John C. See Pinnow, Douglas A.
Williams, Joseph M. See Boyd, David C.
Williams, Lloyd S. See Stringer, Robert K.
Williams, M. W. See Hanson, W. F.
Williams, M. W., and Arakawa, E. T. Optical properties of glassy C from 0 to 82 eV (3) 80*d*.
Williams, Neville R., and Lloyd, Henry [Method of forming] nuclear fuel, P (3) 73*b*.
Williams, P. F., and Porto, S. P. S. Symmetry-forbidden resonant Raman scattering in Cu_2O (9) 199*d*.
Williams, R., and Woods, M. H. High electric fields in SiO_2 produced by corona charging (8) 176*f*.
Williams, William G. Improvements relating to electroluminescent light sources, P (3) 71*d*.
Williamson, James See Rogers, Philip S.
Williamson, William J. See Horton, Robert
Willis, James B. Raw materials outlook for porcelain enamel (10) 203*c*.
Willis, R. F., Fitton, B., and Sklaner, D. K. Study of C-fiber surfaces using Auger and secondary electron emission spectroscopy (4) 103*a*.
Wills, R. R. Si Y oxynitrides (11) 235*h*.
Willson, James R. Refractory resistance and method of mfg., P (9) 191*j*.
Willutzki, Kurt Vacuum tube for accelerating charged particles such as electrons or ions by high electric direct voltages, P (3) 65*g*.
Wilsch, H. See Hoinkes, H.
Wilson, A. D., Kent, B. E., Clinton, D., and Miller, R. P. Formation and microstructure of dental silicate cements (5) 113*j*.
Wilson, Alan D. See Crisp, Stephen
Wilson, Alan D., and Kent, Brian E. Poly(carboxylic acid)-fluoroaluminosilicate glass surgical cement, P (10) 207*a*.
Wilson, Donald M. Gas display panel without exhaust tube structure, P (4) 88*e*. See Langston, Perry R., Jr. ; Wagner, Peter R.
Wilson, Harold C. New markets for porcelain enamel in mobile homes (9) 183*b*; Drying and firing manual P-308 (9) 183*i*.
Wilson, Hugh H. Responding to the environmental challenge (10) 203*c*.
Wilson, James C. See Clark, Grady W.
Wilson, John E. Refractory-faced blast furnace wear element, P (2) 39*g*.
Wilson, John S. See Redifer, Michael W.
Wilson, L. K. See Friebele, E. J. ; Perry, C. H.
Wilson, Lewis A. See Wetch, Joseph R.
Wilson, Oran W. Process for mfg. Hg-doped Ge ir photoconductive detector, P (1) 15*b*.
Wilson, R. G. See Barnoski, M. K. ; Hunsperger, R. G.
Wilson, Richard W. See Terry, Louis E.
Wilson, Robert C., Jr. Catalyst of Zn-rare earth exchanged zeolite, P (9) 194*h*.
Wilson, Robert E. See Brown, Roy A.
Wilson, Robert F. See Speigel, Kenneth
Wilson, W. D. See Keeton, S. C.
Wilton, John Heat-insulating shaped compositions, P (3) 67*c*.
Wimmer, J. M. See Stroud, J. E.
Wimpheimer, Hans See Brack, Karl
Windisch, Stefan Ti cutting tools with high binder-phase content, P (2) 39*i*.
Wing, Stephen C. See Kirby, Russell B., Jr.
Winger, Lawrence A., and McKinley, Edward L. Chemical analysis of refractories by X-ray fluorescence of glass pellets (11) 226*e*.
Winkler, G., Hansen, P., and Holst, P. Variation of the magnetic material parameters and lattice constants of polycrystalline YIG by incorporation of nonmagnetic ions (1) 29*f*.
Winkler, Gerhard See Raabe, Gerhard
Winkler, Hans Multiple feed-through capacitor and methods of making, P (9) 191*e*.
Winn, Ray, and Ennis, Joseph C. Thermoluminescent radiation detector, P (4) 94*h*.
Winslow, D. N., and Diamond, Sidney Specific surface of hardened portland cement paste as determined by small-angle X-ray scattering (6) 126*g*.
Wintersberger, M. See Babot, D.
Winter, Fr. See Ivan, E.
Winter, Gerhard Polycrystalline inorganic fibers—production, properties, applications (3) 66*j*. See Mansmann, Manfred
Winter, Gerhard, and Mansmann, Manfred Modified alkali metal hexatitanate and process of producing, P (7) 153*g*.
Winter, Gerhard, Zirngibl, Hans, and Mansmann, Manfred Production of fibrous alkali metal hexatitanates, P (1) 20*i*.
Winter, Thelma Frazier Art and Craft of Ceramic Sculpture, B (3) 82*g*.
Winterberg, Felix See Silbereisen, Hermann
Winyall, Milton E. See Acker, Ellsworth G.
Wirsching, Franz See Knauf, A. N.
Wirth, G. See Majdic, M.
Wirtz, G. P. See Sis, L. B. ; Sorenson, S. C.
Wischow, Russell P. See Gresky, Alan T.
Wise, Kenneth V. Method of making a U-Sb oxide catalyst, P (10) 214*g*.
Wisner, William R. See Sundstrom, Roy N.
Witcomb, M. J. See Hlawiczka, P.
Witteh, William Kaolin-based ceramic tile containing granite, feldspar, and hard alumina particles, P (1) 12*b*.
Wittke, J. P., Lodany, I., and Yocom, P. N. Y_2O_3:Yb:Er—new red-emitting ir-excited phosphor (2) 58*c*.
Wittmann, F. H. Observation of an electromechanical effect of hardened cement paste (2) 32*g*. See Klug, P.
Wittmann, F. H., and Hollenz, Chr. Significance of electroosmosis in hardened cement paste (9) 182*g*.
Wittung, Lennart See Rosen, Erik
Woehlbier, F. H. (Editor) Diffusion and Defect Data, Vol. 8, B (8) 180*i*.
Woelfle, Rudolf See Schmitter, Detlev
Wohlberg, Cornel Method of forming impermeable carbide coats on graphite, P; Method of coating graphite tubes with refractory metal carbides, P (4) 91*g*.
Wohlbeiter, Vincent D. See Hauser, Victor E., Jr.
Wojas, J. Photoelectric emission from (100) and (110) surfaces of GaAs (11) 235*j*.
Wojcik, Gerald E., and Lawson, William M. Sintered [glass-] ceramic, P (11) 226*f*.
Wojtowicz, P. J. See Abrahams, M. S.
Wold, Aaron, and Ruff, John K. (Editors) Inorganic Syntheses, Vol. XIV, B (2) 59*h*.
Wolf, Friedrich, and Renning, Joachim Hydrothermal synthesis of mordenite from volcanic minerals (11) 233*i*.
Wolf, Friedrich, and Seidig, Klaus D. Synthesis of zeolitic molecular sieves from natural raw materials (7) 153*a*.
Wolf, Friedrich, and Stirn, Margit Hydrothermal synthesis of type A molecular sieves and of mordenite from clays (7) 153*i*.
Wolf, Hans J. See Merkel, Hans
Wolf, J. D., and Richmond, W. J. Formaflex carbide coatings—a new technology (11) 222*i*.
Wolf, Warren W. Fiberizable fluorine-free glass compositions, P (10) 206*d*.
Wolfe, C. M., Stillman, G. E., Spears, D. L., Hill, D. E., and et al. Anomalously high "mobility" in GaAs (8) 174*f*.
Wolfe, George Multilayer Si wafer production methods, P (11) 231*d*.
Wolfe, R., North, J. C., and Lal, Y. P. Suppression of hard bubbles in magnetic garnet films by ion implantation—dependence on ion species, dose, energy, and annealing (2) 56*b*.
Wolfe, R. W. See Newnham, R. E.
Wolfe, Raymond See Johnson, William A.
Wolff, Arnold, and Jacobi, Richard Glassware from Frankish princes, graves under Cologne cathedral (3) 61*i*.
Wolff, G. See Lochmann, H. O. ; Nuernberg, H. W.
Wolfram, T., Kraut, E. A., and Morin, F. J. *d*-Band surface states on transition-metal perovskite crystals: I, Qualitative features and application to $SrTiO_3$ (8) 174*j*.
Wolfstirn, K. B. See Bachrach, R. Z.
Wolinski, Wieslaw Ion lasers (3) 70*a*.
Wolk, John R. See Nath, Dilip K.
Wolkenberg, Andrzej, and Szymonska, Irena Classification and chemical evaluation of surface defects in GaAs and Si wafers (3) 69*f*.
Wollam, John S. Apparatus for use in deposition of films from a vapor phase, P (5) 114*e*.
Wollast, R., Duvigneaud, P. H., and Attas, Ph. Microcrystalline structure of oxides obtained by thermal decomposition (1) 25*a*.
Wollast, Roland See May, Henri B.
Wolters, Guenther See Kuhlmann-Schaefer, Wilhelm H.
Wong, Eugene Y. See Grabner, Ludwig
Wong, J. Nature of intergranular phase in nonohmic ZnO ceramics containing 0.5 mol% Bi_2O_3 (9) 197*g*.
Wong, Robert, and Hill, Homer G. Reversible shear thinning gel coated glass fiber strand, P (9) 187*e*.
Wood, C., Hurych, Z., and Shaffer, J. C. Optical and transport properties of amorphous Sb_2Se_3 (10) 218*e*.
Wood, M. B. See Allen, G. C.
Wood, Nigel Alternative method of glaze calculation (7) 143*g*.
Wood, R. F. See Mostoller, Mark
Woodall, Hubert C., Jr. See Nisbet, John L.
Woodall, Jerry M. See Dumke, William P. ; Rupprecht, Hans S.
Woodbury, Dustin A. See Blakemore, J. S.
Woodcock, Richard F. High-efficiency Er glass laser, P (1) 7*g*.
Woodhead, James L. Production of ceria, P (2) 48*f*.
Woodmansee, Donald E. Refractory bodies as fixed bed coal gasification diluents, P (9) 189*a*.
Woods, J. See Buckley, R. W. ; Jones, Gordon
Woods, M. H. See Williams, R.
Woodward, Jackson H. Rotary kiln chain hanger, P (8) 163*c*.
Wooldridge, David C. See Spencer, D. R. F.
Woolfrey, J. L. Thermal expansion of $BeO.Al_2O_3$, $BeO.3Al_2O_3$, and $3BeO.8Al_2O_3.5MgO$ (4) 104*a*.
Work, Dale E., and Eick, Harry A. Preparation of condensed ScO (8) 178*a*.
Workman, G. M. See Evans, J. L.
Worlton, T. G. See Decker, D. L.
Worobey, Walter See Feldman, David
Worrall, Helen Special plique-a-jour technique (11) 221*i*.
Worrall, W. E., and El-Jazairi, B. Measurement of thixotropy in ball clays (8) 172*b*.
Worrall, W. E., and Khan, R. A. Extrusion method of assessing the plasticity of clays (8) 172*j*.
Worrell, W. L. Electrochemistry of ceramic electrolytes (7) 149*c*.
Worsley, Charles S. See Ehrman, Chester S.
Wostenholm, G. H. See Morton N.
Wostenholm, G. H., and Yates, B. Influence of heat treatment on the low temp. heat capacity of pyrolytic graphite (3) 79*d*.
Wozniak, Kazimierz See Owczarek, Zdzislaw
Wratil, J. Technical enameling (1) 3*g*.
Wright, A. C. Compact representation for atomic scattering factors (8) 172*g*.
Wright, J. C., Zalucha, D. J., Lauer, H. V., Cox, D. E., and et al. Laser optical double resonance and efficient ir quantum counter upconversion in $LaCl_3:Pr^{3+}$ and LaF_3Pr^{3+} (8) 177*j*.
Wright, J. F. See Faust, W. D.
Wright, Jeffrey F. See Dunning, Lester M.
Wright, S., and Rawson, H. Calculation of natural convection in a rectangular cell containing glass with specified temps. on the boundaries (2) 33*a*.
Wrobel, Joseph S., and Bate, Robert T. Diode laser [PbGeTe], P (8) 169*j*.
Wronkiewicz, J. A. See Sorenson, S. C.
Wrona, Werner See Kieffer, Richard
Wu, Bevan P. F. See Duffy, Michael C.
Wu, Kung-Tung, and Mendelson, Kenneth S. Spinodal decomposition in the tetragonal system (8) 179*h*.
Wu, S. Y. See Francombe, M. H.
Wuensch, B. J. See Wei, G. C. T.
Wuensch, B. J., Steele, W. C., and Vasilos, T. Cation self-diffusion in single-crystal MgO (8) 174*a*.
Wuerffel, Herman L. Fixed freq. solid dielectric fused quartz cavity, P (11) 230*b*.
Wuhrer, Josef, Kurczyk, Heinz G., and Ottenheym, Adrian Process for producing hydrates of Ca-Mg silicates, P (3) 67*i*.
Wukusick, Carl S. See Kuhlman, William C.
Wurlitzer, M., and Cibura, W. Photomagnetic effect and electron diffusion aftereffect in Si-doped YIG (10) 218*b*.
Wurm, Joseph Furnace and method for the pyrochemical processing of nuclear reactor fuel elements, P (6) 133*b*.
Wurm, Joseph, and Heylen, Paul R. Method of transporting and processing irradiated fuel elements, P (11) 231*g*.
Wyart, Jean Francois See Blaise, Jean
Wyatt, Oliver H., and Dew-Hughes, David Metals, Ceramics, and Polymers—An Introduction to the Structure and Properties of Engineering Materials, B (11) 236*h*.
Wyche, C. D. See Kanarek, K. B.

Wycherley, K. E. See Rao, D. N. S.
Wydeven, T. See Hollahan, J. R.
Wygant, J. F. See Crowley, M. S.

Xuan, D. Phan, Castanet, R., and Laffitte, M. Thermochemical properties of alumina solutions in cryolite—effect of fluorinated additives (10) 220*a*.

Yacoby, Yizhak, and Naveh, Oved Differential optical spectra and band structure of $SrTiO_3$ (9) 195*e*.
Yadava, V. N. See Chopra, K. L.
Yaeger, I. See Gorodetsky, G.
Yafaev, N. R. See Belyakova, L. L.
Yager, Billy P. See Adams, Anthony L.
Yagi, Hideyuki See Ogawa, Takuzo
Yagi, Takehiko, Marumo, Fumiyuki, and Akimoto, Syuniti Crystal structures of spinel polymorphs of Fe_2SiO_4 and Ni_2SiO_4 (10) 215*f*.
Yagub'yan, E. S. See Bukhalova, G. A.
Yajima, Seishi See Niihara, Koichi
Yakeno, Kouzi See Kobayashi, Yoshichika
Yakovchuk, Yu. A. See Bakul, Valentin N.
Yakovlev, A. A. See Niziol, S.
Yakovlev, B. G. See Matyash, I. V.
Yakovlev, L. K. See Tkacheva, Z. S.
Yakovlev, Petr A. See Gedzjun, Vladislav A.
Yakovlev, Yu. M. See Filonich, V. S.
Yakovlev, Yu. M., Filonich, V. S., Klyuchnikov, M. M., and Sapozhnikov, Yu. L. Cylindrical magnetic domains in noncubic Bi-Ca-V Fe garnet single crystals (2) 50*e*.
Yakubek, Louis P., and Obenshain, George R. Glassmaking machinery [heat-treating]. P (4) 88*f*; Glass heat-treat machinery. P (9) 186*g*; Glass heat-treat machinery. P (10) 206*f*.
Yale, B. See Irlam, P. S.
Yamada, Hideo See Matsuda, Osaku
Yamada, Hisao See Urabe, Kazuyori
Yamada, Shigehiko, and Tamada, Koshi Graphitization of C fiber-glassy C composites (2) 38*g*.
Yamada, Shigeki, Miyazawa, Kokichi, Naka, Hideaki, and Yoshida, Yoshio TiO_2 concentrate and its mfg. process. P (5) 119*j*.
Yamada, Shoji See Kitao, Michihiko
Yamada, Shoji, and Kumagawa, Masashi Epitaxial growth of SiC using Al as an accelerator (2) 40*g*.
Yamada, Tamotsu, and Suzuki, Kiyoko Initial setting of gypsum (3) 62*b*.
Yamada, Tomoaki Electromechanical properties of O-octahedra ferroelectric crystals (2) 51*f*; Single-crystal growth and piezoelectric properties of Pb K niobate (2) 55*f*.
Yamada, Tomoaki, Iwasaki, Hiroshi, and Niizeki, Nobukaru Elastic and piezoelectric properties of ferroelectric 5Pb-O.3GeO_2 crystals (2) 51*a*.
Yamada, Toshiro Electrical conduction in $CoFe_{2-x}Ti_xO_4$ and $Co_{1-x}Fe_{2+x}O_4$ single crystals (9) 195*e*.
Yamada, Yasusada See Kashida, Shoji
Yamada, Yasuyuki See Akashi, Goro ; Kitamoto, Tatsuji
Yamaguchi, Akira Corrosion of basic refractories by alkali vapor (10) 207*j*.
Yamaguchi, Akira, and Kato, Etsuro Corrosion of chrome-magnesite and magnesite-chrome refractories by Na carbonate vapor (10) 208*a*.
Yamaguchi, Goro See Shirasuka, Kouhei ; Takagi, Shigehide ; Yasui, Itaru
Yamaguchi, Goro, Komatsu, Susumu, and Fukumoto, Tetsuo Catalyst for catalytic cracking of hydrocarbons. P (1) 20*g*.
Yamaguchi, Isamu See Arai, Yasuo
Yamaguchi, Masao Multilayer GaAs epitaxial vapor growth: II (3) 70*d*.
Yamaguchi, Takashi, Fujii, Hiromitsu, and Kuno, Hiroshi Kinetic studies of the solid-state reaction involving intermediate phases—system $BaCO_3$-SiO_2 (1) 25*a*.
Yamaguchi, Takashi, Matsumura, Kazuo, and Kuno, Hiroshi Effects of ball milling on the kinetics and mechanism of solid state reaction between $BaCO_3$ and SiO_2 (8) 175*c*.
Yamaguchi, Tsuyoshi, and Tsushima, Kuniro Magnetic symmetry of rare-earth orthochromites and orthoferrites (9) 196*j*.
Yamaguchi, Yuji, and Sakuraba, Toshiaki Magnetic susceptibility of Ba_2NiF_6 (6) 139*i*.
Yamaka, Eiso, and Ueda, Ichiro Pb titanate pyroelectric ir intensity detector, P (3) 71*g*.
Yamakawa, Choji See Kitsuda, Toshiyuki
Yamakawa, Kinji See Endo, Shoichi
Yamamoto, Hajime See Otomo, Yoshiro
Yamamoto, Iwao See Yano, Masayuki
Yamamoto, Katsuhiro, and Akimoto, Syuniti High-pressure and high-temp. investigations in the system MgO-SiO_2-H_2O (10) 216*j*.
Yamamoto, Kazuyoshi See Inoue, Kozo
Yamamoto, Masayuki, Kobayashi, Kazuo, and Ohashi, Youitu Semiconductor device and method of producing. P (6) 133*a*.
Yamamoto, Mitsuo, Ebina, Atsuko, and Takahashi, Tadashi Crystal growth of $ZnSe_xTe_{1-x}$ solid solutions (1) 21*h*.
Yamamoto, Motoyuki See Unno, Yoichi
Yamamoto, Naoichi, Bando, Yoshichika, and Takada, Toshio Single-crystal growth of CuO by chemical transport method (4) 102*f*.
Yamamoto, Ryoichi, Ohoshima, Nobumasa, Sato, Hisanao, Kawarada, Hiroshi, and et al. Method of making an electroluminescent material. P (4) 94*b*.
Yamamoto, Ryoichi, and Yamazoe, Hiroshi Pulse response of dc electroluminescent ZnS:Mn powdered phosphor (10) 218*d*.
Yamamoto, Ryuichi See Maeda, Takehisa
Yamamoto, Sazuro Apparatus for dehydrating a slurry. P (10) 212*g*.
Yamamoto, Tokuji, and Tashiro, Megumi Growth of crystals out of Ag-containing glass under electron bombardment (9) 184*i*.
Yamamoto, Tsutomu See Mizutani, Takayuki
Yamamoto, Yasuhiko, Shimada, Sugao, and Matsuno, Suguru Apparatus for mfg. discharge lamps. P (7) 146*h*.
Yamamoto, Yasumichi, and Rokujo, Kazuo Apparatus for cutting the edges of sheet glass. P (4) 87*f*.
Yamamoto, Yoshimi See Seki, Masao
Yamamura, Hiroshi See Kakegawa, Kazuyuki
Yamamura, Nobuyuki See Tanimura, Shigeru
Yamanaka, Toshio, and Nakamura, Shigeji Marblelike glass material and method of producing. P (2) 36*a*.
Yamane, Masayuki, Sakaino, Teruo, and Moriya, Taro Apparent viscosity of $Li_2O.2SiO_2$ glass in the crystallization process (7) 145*h*.
Yamanouchi, Kazuhiko, and Shibayama, Kimio Propagation and amplification of Rayleigh waves and piezoelectric leaky surface waves in $LiNbO_3$ (2) 55*e*.
Yamanouchi, Toshiyoshi, and Somiya, Shigeyuki X-ray fluorescence analysis of MgO clinker and chemical analysis of B_2O_3 in MgO clinker by J.S.P.S. method: I; II, Quantitative analysis of B (4) 90*j*.
Yamaoka, Shinobu See Fujita, Taketoshi
Yamashina, T. See Watanabe, K.
Yamashita, Hirofumi See Kubo, Tomoichi
Yamashita, Keizo See Kokubo, Tadashi
Yamashita, Sadahiko, Anbe, Toshi, Hosokawa, Yoshihiro, and Nakano, Tomoyasu Semiconductor pulse oscillating device. P (2) 43*i*.
Yamashita, Tsutomu, Kitahara, Shogo, Onodera, Yutaka, Goto, Yukihiro, and et al. Upper critical field of superconducting NbN films (4) 93*h*.
Yamatake, M. See Sato, T.
Yamaya, Susumu, and Sadahiro, Takeshi Hard sintered composition [ZrC]. P (8) 168*b*.
Yamazaki, Chieko See Muta, Akinori
Yamazaki, Eiichi See Takemoto, Takeo
Yamazaki, Eiichi, and Kanai, Hiromi Postdeflection focusing-type color CRT. P (6) 128*a*.
Yamazaki, Eiichi, Maruyama, Koichi, and Ueda, Toshio Correcting lens used to form fluorescent screens of color TV receiving tubes. P (5) 109*e*; Exposure device for mfg. color picture tubes. P (6) 128*a*.
Yamazaki, Shunpei Method for forming a single-layer nitride film or a multilayer nitride film on a portion of the whole of the surface of a semiconductor substrate or element. P (8) 170*g*.
Yamazaki, Yootarou, and Satou, Minoru Hf conductivity in Co-Fe ferrite (6) 138*h*.
Yamazoe, Hiroshi See Yamamoto, Ryoichi
Yamzin, I. I., and Loshmanov, A. A. Neutron-diffraction study of the atomic structure of inorganic materials (8) 178*a*.
Yanagi, M., Saito, M., and Hoshino, M. Reaction of Na_2SO_4 in raw mixtures and the effect of added gypsum on the properties of expansive cement clinker containing 4CaO.3Al_2O_3.SO_3 as major component (3) 62*f*.
Yanagi, Masamitsu See Saito, Masashi
Yanagida, Hiroaki See Kuwabara, Makoto
Yanagida, Hiroaki, and Kuwabara, Makoto Electronic characteristics of ceramic materials (2) 40*f*.
Yanagisawa, Yuzuru See Araki, Yoshitoshi
Yanakieva, R. See Kovacheva, T.
Yancey, Paul J. Abrasive polishing suspensions and method for making. P (10) 201*f*.
Yanev, Ya. See Vulkov, V.
Yang, David C. Separation of mica from clay by froth flotation. P (9) 194*j*.
Yang, Ji-Hyun, and Cho, Choul-Youn Byeogsongri aluminous shale: I, Properties of raw materials (3) 76*j*.
Yannopoulos, Lymperios N., and Pebler, Alfred R. Method of dosing an incandescent lamp with a controlled amount of halogen-containing material. P (6) 128*g*.
Yano, Masayuki, Yamamoto, Iwao, and Yasuhira, Nobuo Process for recovering U [H_2O solution]. P (4) 95*d*.
Yanushkevich, T. M. See Zhukovskii, V. M.
Yarlv, S. See Heller-Kallai, L.
Yarsa, Frank J. See Paridon, Leo J.
Yasaitis, John A., and Kaplow, Roy Structure of amorphous Si monoxide (2) 56*h*.
Yashima, Saburo Crushing of single particles of various minerals (6) 133*i*.
Yasima, Teturo, Morisawa, Takao, Tazawa, Eiichi, and Tsuruta, Yasuhiko Method for the production of high-strength cement. P (10) 203*f*.
Yasuda, E. See Kimura, S. ; Shimohira, T. ; Tagai, H.
Yasuda, Eiichi See Kimura, Shiushichi
Yasue, Tamotsu See Arai, Yasuo
Yasuhira, Nobuo See Yano, Masayuki
Yasuhiro, Tomita, and Katsutoshi, Nakayama Apparatus for testing pressure resistance of bottles. P (5) 109*c*.
Yasui, Eiji See Morishita, Hirosada
Yasui, Itaru, Yamaguchi, Goro, and Kurosawa, Hiroyuki Interfacial phenomena and the orientation of spinel in MgO-Al_2O_3 solid state reaction (7) 156*c*.
Yasui, Toshiko See Muraoka, Hisashi
Yasukawa, Shigeru, Shinoda, Wataru, Shindo, Ryuichi, Tadokoro, Yoshihiro, and et al. Pressure-tube-type heavy-water-moderated power reactor with boiling light-water coolant. P (8) 172*a*.
Yasunaga, Nobuo, and Imanaka, Osamu Mechanochemical precision polishing of crystals with soft powders (8) 172*c*.
Yatabe, Shunichi Formulas for amounts of alkali ion dissolved in water as a function of dissolving time and temp. of the glasses (3) 63*i*; Formulas for amounts of some ions dissolved in water as a function of dissolving time and temp. for some glasses (5) 108*j*.
Yates, B. See Copley, G. J. ; Wostenholm, G. H.
Yates, B., Cooper, R. F., and Kreitman, M. M. Low-temp. thermal expansion of ZnO. Vibrations in ZnO and sphalerite ZnS (6) 139*d*.
Yates, J. A. Electrical behavior of the system for producing bronze Spectrafloat glass (11) 223*f*.
Yates, John A. See Ormesher, Edward R.
Yatsimirskii, K. B. Use of graphical methods for studying complex equilibria (4) 104*d*.
Yatsuo, Tsutomu, and Ogawa, Takuzo Thyristor device. P (5) 115*c*.
Yatsurugi, Yoshifumi, Kuratomi, Tatsuro, and Takaishi, Tetsuo Process for preparing 4,5A zeolite and method for separating mixtures using it. P (5) 119*g*.
Yazaki, Takanori See Omoto, Tsunehiko
Yazaki, Takehito, Kanatani, Keiichi, and Sakamoto, Sadao Light valve [Sr-Ba niobate]. P (11) 225*i*.
Yazawa, Kazuhiko Solid-state oscillator-detector device of electromagnetic waves, P (2) 44*b*.
Yearsley, Gerald A. See Adams, Anthony L.
Yee, S. S. See Stevens, E. H.
Yeh, Tsu-Hsing See Duffy, Michael C. ; Keenan, William A.
Yerushalmi, Joseph See Squires, Arthur M.
Yim, W. M., Stofko, E. J., and Smith, R. T. Vapor growth and properties of ScAs and ScP (2) 57*g*.
Yim, W. M., Stofko, E. J., Zanzucchi, P. J., Pankove, J. I., and et al. Epitaxially grown AlN and its optical band gap (8) 169*f*.
Yocom, P. N. See Wittke, J. P.
Yokota, Katuhiro, and Katayama, Saichi Thermal conductivities of $(Bi_{1-x}Sb_x)_2Te_3$ and $Bi_2(Te_{1-x}Se_x)_3$ compounds (4) 103*j*.
Yokoyama, Takeshi See Sata, Toshiyuki
Yoldas, Bulent E. Refractory article and method for producing. P (10) 209*f*.
Yonemura, Michiko See Nishina, Takeo
Yonezu, Hiroo Composite semiconductor laser device, P (9) 190*f*.
Yoshida, Henry See Hammond, Donald L.
Yoshida, Hideo, and Ninomiya, Hisato Operation of high-pressure pump for introducing unshaped refractories at Mizushima Iron & Steel Works (1) 9*j*.
Yoshida, Isao, Tokuyama, Takashi, Nishimatsu, Shigeru, and Ikeda, Takahide IGFET and method of producing. P (6) 132*c*.
Yoshida, Kozaburo See Kondo, Renichi
Yoshida, Masamichi See Takagi, Sadaaki
Yoshida, Mizuki, Saita, Takao, Miyakawa, Kenji, and Mizuno, Zenemon Mechanism of emf production in Na-sensitive glass electrode (1) 5*i*.
Yoshida, Motoaki See Koizumi, Ken
Yoshida, Motoaki, and Yoshiyagawa, Mitsugi Process for producing light-conducting glass fiber. P (9) 187*d*.
Yoshida, Okio See Shimizu, Kazuo
Yoshida, Tetsuro See Hirashima, Hiroshi
Yoshida, Tetsuro, Arai, Kazumasa, Hashimoto, Tadahiro, and Okada, Yuji Redox equilibria of glass melts with gas phase and specific resistivities of quenched glasses in the systems Fe_2O_3-RP_2O_6 and TiO_2-RP_2O_6 (R = Mg,Ca,Ba) (8) 164*g*.
Yoshida, Yoshio See Yamada, Shigeki
Yoshikawa, Takayuki, Hisada, Eiichi, and Hujii, Tooru Thin-walled carbonaceous honeycomb structures and process for making. P (11) 228*d*.
Yoshimine, M. See Gilbert, T. L.
Yoshisuru, Hisanori See Ieda, Nobuaki ; Watanabe, Makoto
Yoshino, Hajime See Fujimura, Sohei
Yoshioka, Hide See Saiki, Kunio
Yoshinato, Y. See Hayakawa, H.
Yoshiyagawa, Mitsugi Production of light-conducting glass fibers by vapor partial pressure atm, P (10) 27*d*. See Koizumi, Ken ; Yoshida, Motoaki
Yoshimura, Tatuo See Shima, Kenzo
Yost, W. T., and Breazeale, M. A. Adiabatic third-order elastic constants of fused SiO_2 (9) 194*a*.
Yotsuyanagi, Keiichi See Takamizawa, Hideo
Youmans, Albert P. Semiconductor structure, assembly, and method. P (2) 43*j*. See Mitarai, Hajime
Young, Biloine W. Enamels on stoneware (11) 221*d*.
Young, D. J. See Kirkaldy, J. S.
Young, D. R. See Thompson, M. A.
Young, J. E. See Blachere, J. R.
Young, J. E., Jr. See Perrotta, A. J.
Young, J. F. See Berger, R. L.
Young, J. F., Berger, R. L., and Breese, J. Accelerated curing of compacted Ca silicate mortars on exposure to CO_2 (10) 201*j*.
Young, J. F., Berger, R. L., and Lawrence, F. V., Jr. Hydration of tricalcium silicate pastes: III, Influence of admixtures on hydration and strength development (4) 85*b*.
Young, K. F., and Frederikse, H. P. R. Compilation of the static dielectric constant of inorganic solids (6) 130*b*.
Young, L. See Riemann, E.
Young, Lawrence See Shousha, Abdel Halim M.
Young, Loren H. See St. Cyr, Lewis A.
Young, M. L. See Wight, D. R.

Young, Milton R. Rock crusher and grinding mill, P (2) 48*g*.
Young, Oswald W. J. See Stibbs, Donald
Young, Paul M. See Cass, Eugene E.
Young, Peter Alexander Optical properties of vitreous As_2S_3 (1) 25*j*.
Young, R. E. Temp. measurement, P (7) 153*d*.
Young, Wayne S. Mo sintering and the Mo-O-C system (1) 25*d*.
Youngblut, K. C. Materials selection—coal gasification pilot plant (6) 135*c*.
Younger, Peter R., Zimmerman, George O., Chase, C. E., and Drost-Hansen, W. Sound velocity in colloidal SiO_2 suspensions (8) 179*e*.
Youst, Joseph G., Jr. See Hubble, David H.
Yperman, Jean M. B. G., and Belhomme, Charles Electric circuit elements and methods of mfg., P (7) 149*j*.
Yudin, B. F. See Gropyanov, V. M.
Yudin, D. M. See Akhmed-Zade, K. A.
Yudin, D. M., Shendrik, A. V., Petrovskaya, M. L., and Nikolina, G. P. Tetraphosphate radical in metaphosphate glasses (4) 87*a*.
Yudin, S. G., Makarova, N. I., and Shigaeva, S. M. Growing Hg-doped Ge crystals (8) 176*i*.
Yudovich, B. E. See Kravchenko, I. V.
Yuki, Kazuo See Komaru, Isamu
Yumoto, H. See Megumi, K.
Yumoto, Hiroshi Method for producing crystal plate of Gd molybdate, P (4) 94*f*. See Aizu, Keiichiro
Yu, Peter Y., Shen, Y. R., and Petroff, Y. Resonance Raman scattering in Cu_2O at the blue and indigo excitons (1) 27*h*.
Yushin, N. K. See Lemanov, V. V.
Yusov, Yu. P. See Samsonov, G. V.

Zabala, J. Milling of mineral raw materials (5) 116*j*.
Zabara, Yu. V., Kudzin, A. Yu., and Fomichev, O. I. Dislocations in $BaTiO_3$ single crystals (4) 99*f*.
Zablotskii, E. Z. See Kravchenko, I. V.
Zachariasen, W. H. See Johnston, D. C.
Zack, Alexander T., Kopelman, Bernard, and McKenna, John F. Na vapor lamp having an improved grooved alumina arc tube, P (9) 187*f*.
Zack, G. K. See Macksey, H. M.
Zackay, Victor F. See Pickus, Milton R.
Zagarova, S. A. See Fedorov, N. F.
Zagorcheva, E., Boev, B., and Mitrev, L. Acid-resistant mastics based on phenol-formaldehyde resins for industrial construction (10) 207*i*.
Zahner, John C. Process for separating U isotopes, P (6) 133*d*.
Zainulin, Yu. G. See Zhilyaev, V. A.
Zaitsev, O. S. See Sorokin, V. V.
Zaitsev, V. I. See Tokii, V. V.
Zaitseva, Alla K. See Lidorenko, Nikolai S.
Zaitseva, L. L. See Velichko, A. V.
Zaitseva, L. L., Konarev, M. I., Kozhevnikov, P. B., Vinogradov, I. V., and et al. Synthesis and X-ray study of some hexahaloid complexes of Tc(IV) and Re(IV) (4) 103*d*.
Zakgeim, A. Yu. See Safonov, V. V.
Zakharchenko, I. N. See Dudkevich, V. P.
Zakhar'ev, Yu. V. See Batsanova, L. R.
Zakhariev, V., Tsvetkov, G., and Isachev, O. Suitability of ash from the Varna electric power plant for the production of agloporite (10) 207*i*; Properties of Agloporite prepared from the ashes of the Varna electric power plant (11) 222*a*.
Zakharov, V. P. See Knyazev, A. S.
Zakharov, V. P., and Protas, I. M. Mass-spectrometric study of ion emission during vaporization of binary compounds by laser radiation (9) 197*a*.
Zakharov, Yu. V. See Khlebopros, R. G.
Zakrevskii, V. A. See Akhmed-Zade, K. A.
Zalesskii, A. V. See Benidze, O. M.
Zaletin, V. M. See Aleksandrov, L. N.
Zalm, Pieter See Garbe, Siegfried A. E.
Zalucha, D. J. See Wright, J. C.
Zander, Hans G. See Kienast, Gerhard
Zandonatti, Raymond A. Electrical connection members for electronic devices and method of making, P (1) 13*j*.
Zanzucchi, P. J. See Yim, W. M.
Zapf, Gerhard Process of working a sintered metal powder compact, P (7) 151*a*.
Zapposoota Girondi, F. See Poli, G.
Zappe, Hans H. High-gain Josephson device, P (2) 41*d*.
Zarebo, A. See Szadkowski, A.
Zarek, W. See Kozlowski, L.
Zarembowitch, A. See Michard, F.
Zaretskaya, G. M., Eidel'shtein, F. L., and Sokhor, M. I. Al monoxycarbide in oxysulfide slag (8) 174*d*.
Zaretskaya, R. A. See Kniga, M. V.
Zarubina, T. V. See Vargin, V. V.
Zatulovskii, L. M. See Egorov, L. P.
Zavetova, M. See Stourac, L.
Zawadzka, Miroslawa See Biestek, Tadeusz
Zayats, M. N. See Pityuga, V. N.
Zberes, I. Visual methods and transmission electron microscopy in the study of crystal defects (1) 18*j*.
Zblerzanowski, W. See Krawczyk, M.
Zbuzek, Borivoj Preparation of replicas of highly porous inorganic materials (11) 232*a*.
Zdanowicz, W. See Nowok, J.
Zebala, K. See Nowok, J.
Zecchin, Luigi Furnaces in Murano from 1401 to 1415; Glass furnaces in Murano between 1441 and 1442 (1) 1*f*.
Zechman, John H. Monolithically fabricated transistor circuit with multilayer conductive patterns, P (3) 71*i*.
Zednicek, W. Refractories and cement (4) 90*c*.
Zednicek, Walter See Moertl, Guenther
Zebe, Michael J. See Sullivan, C. Larry
Zeidler, Guenter Receiver for laser beams, P (5) 115*g*.
Zeidler, James R., and Ullman, F. G. Temp. and polarization dependence of the optical absorption edge of Gd molybdate (9) 199*h*.
Zeitlen, J. G. See Frydman, S.
Zelenka, J. See Lee, P. C. Y.
Zelentsov, V. V., Subbotina, N. A., and Spitsyn, V. I. Magnetism of chloro complexes of technetium (11) 235*a*.
Zelikman, A. N. See Dyunov, P. V.
Zeller, H. R. Effect of lattice instabilities on superconducting and other properties in TaC_x (7) 155*d*.
Zellers, James T. See Callies, Gerald A.
Zembutsu, Sakae, and Igo, Takeo Ac conductivity of amorphous $As_{40}Se_{50}Ge_{10}$ films (4) 92*d*.
Zemnukhova, L. A. See Davidovich, R. L.
Zenkner, K. Dryer for particulate or fibrous material, P (2) 44*a*.
Zentz, William E., Jr. Opacity of clay films, P (10) 214*i*.
Zettel, Joseph H. Hydrated Ca silicate products, P (10) 203*e*.
Zhang, H. I. See Caruthers, Ed
Zhavrid, S. S. See Kuznetsova, L. G.
Zhdanova, T. A. See Voronkov, A. A.
Zhechkov, G. See Gerdzhikov, D.
Zheludev, I. S. See Perekalina, T. M.
Zhigarovskii, B. M. See Gogadze, N. G.
Zhilyaev, V. A., Zainulin, Yu. G., Alyamovskii, S. I., and Shveikin, G. P. High-temp. oxidation of Zr and Hf oxycarbides and oxycarbonitrides (9) 196*h*.
Zhmiya, I. See Demyanyuk, M.
Zhmoidin, G. I. See Chatterjee, A. K.
Zhovtaya, V. N. See Royak, S. M.
Zhukhlistov, A. P., Zvyagin, B. B., Soboleva, S. V., and Fedotov, A. F. Crystal structure of the dioctahedral mica $2M_2$ determined by high voltage electron diffraction (8) 174*h*.
Zhukovskii, V. M., Yanushkevich, T. M., and Tel'nykh, T. F. Phase diagram of the system MoO_3-SrO (4) 101*h*.
Zhunina, L. A. See Babosova, A. K.
Zhuravlev, A. K. See Matveev, G. M.
Zhuravlev, D. A. See Kiselev, A. V.
Ziegler, E. See Siegel, W.
Zieles, A. J. See Liu, C. H.
Zielinski, Stefan See Schroeder, Jerzy
Zijderveld, Jacobus A. See De Lange, Robert G.
Zil'bershtein, A. Kh., Pavlov, V. I., Soulov, G. I., and Cherepanov, V. A. Precision of computation of the angles of the optical axes of minerals (10) 218*c*.
Zimar, Frank See Kock, Donald B.
Zimen, Karl E. See Bilal, Abdel-Latif
Zimina, G. V. See Fomichev, V. V.
Zimmer, Jerry W. See Mudge, John L.
Zimmerer, N., and Kiefer, W. Rotating surface scanning technique for Raman spectroscopy (11) 232*d*.
Zimmerman, George O. See Younger, Peter R.
Zimmerman, J. Radiation-induced increase of the 100°C thermoluminescence sensitivity of fired quartz (1) 27*j*.
Zimmerman, Peter H. Temp. dependence of the EPR spectra of Nb-doped TiO_2 (9) 199*g*.
Zinn, Werner Ferromagnetic heterojunction diode, P (10) 210*g*.
Zinnow, Karl P. See Dybwad, Jens P.
Zinyuk, R. Yu., Shilling, N. K., and Pozin, M. E. Solubility of CaF_2 and activity of F ions in aqueous solutions of NH_4F and phosphate (5) 122*b*.
Zisbre, Norbert M. See Chayka, George A.
Zlobrowski, Bernard G. Preparation of red-shade molybdate orange pigments, P (3) 76*b*.
Zirnglbl, Hans See Henkel, Hanno ; Winter, Gerhard
Zittel, Paul F. See Moore, C. Bradley
Zivica, Vladimir Corrosion of hardened portland cement paste by Ca nitrate solutions (1) 2*j*.
Zivkovic, M. Transport mechanisms during pore closure (7) 159*g*.
Zlatogorskii, M. L. See Brekhovskikh, S. M.
Zlupko, John E. See Bailey, Cecil
Zmbov, K. F., Ames, L. L., and Margrave, J. L. Mass spectrometric study of vapor species over Si and Si oxides (8) 177*e*.
Zmija, J. See Krawczyk, M.
Zohta, Y. See Ohmura, Y.
Zoldners, N. G., and Carette, G. G. Factors affecting cement mortar strength results using ASTM standard test methods C 348 and C 349 (5) 106*j*.
Zollweg, Robert J. See Liberman, Irving
Zollweg, Robert J., Blackham, Kenneth K., and Burnham, Walter J. Discharge lamp which incorporated Ce and Cs halides and a high Hg loading, P (5) 109*e*.
Zolotarev, V. M. See Reshina, I. I.
Zolotareva, L. V. See Vereshchagina, V. I.
Zoun, Z. N. See Grunin, V. S.
Zoz, E. I. See Gavrish, A. M.
Zubekhin, A. P. See Grach'yan, A. N.
Zubkov, V. G. See Bazuev, G. V. ; Gel'd, P. V.
Zubkov, V. G., Bazuev, G. V., Perelyaev, V. A., and Shvelkin, G. P. Magnetic structure of $LaVO_3$ (2) 53*d*.
Zubrinov, I. I., Semenov, V. I., and Sheloput, D. V. Elastic and photoelastic properties of proustite (5) 120*a*.
Zuev, M. G., Rozhdestvenskii, F. A., and Krylov, E. I. Optical centers and transfer of excitation energy in $LaTaO_4$:Nd^{3+} polycrystals (11) 235*g*.
Zulinski, Edward J. See Dilay, Walter
Zumer, S. See Blinc, R.
Zupan, J. Energy bands in BN and graphite (8) 176*e*.
zur Verth, Joachim, and Prymelski, Franz Xylolith building boards and sheets, P (6) 126*j*.
Zurbrick, J. R. Direct nondestructive prediction of engineering properties (5) 117*d*.
Zverev, V. B. See Fedorov, N. F.
Zverina, Karel See Bartuska, Miloslav
Zvezdin, A. K., and Popkov, A. F. Magnetic resonance in ferromagnets with compensation points (11) 235*a*.
Zvyagin, A. I. See Pshisukha, A. M.
Zvyagin, B. B. See Zhukhlistov, A. P.
Zvyaginseva, Z. See Lagutin, Yu. V.
Zwach, Jan See Sieckmann, Werner
Zwernemann, Ross Schottky diode with minimal metal-guard ring overlap, P (11) 231*f*.
Zwicker, Walter K., and Fucci, Michael L. Ion displacement crystal growth, P (1) 14*f*.
Zyetz, M. Charles Method of making [ferrite] inductor chips, P (2) 42*g*.

SUBJECT INDEX TO CERAMIC ABSTRACTS FOR 1974

For cross references, see pages 357 and 358. The number in parentheses refers to the issue of *Ceramic Abstracts;* the number following is the page number. The letter B or P preceding the issue number indicates an abstract of (B) a book, bulletin, or separate publication or (P) a patent. The italic letter following the page number indicates position on the page. For more complete indexing of papers published in the *Journal of The American Ceramic Society* and the *American Ceramic Society Bulletin,* see indexes to the *Journal* and the *Bulletin.*

Abrasion, of refractory materials, at high temp. (5) 111*b*.
  resistance, testing apparatus, P (9) 193*d*.
  tools, P (1) 1*i*.
Abrasives, Al_2O_3 pressure blasting, P (2) 31*g*.
  armored metal file band, P (4) 83*f*.
  article, apparatus for, P (1) 1*j*.
    coated, P (7) 143*e*.
    P (5) 105*j*.
  belts, low stretch sectional, P (6) 125*e*.
  blast system, P (3) 61*e*.
  BN/sintered carbide, P (2) 31*h*.
  butt joint, coated, P (2) 31*g*.
  carbide composite for, P (2) 38*i*.
  chemistry, and abrasive process (5) 105*e*.
  coated, for grinding stone and concrete (11) 221*e*.
    replaces pickling (5) 107*c*.
  coated grains (1) 1*d*.
  coated grains, encapsulated in cross-linked thermoset polymer, P (9) 181*h*.
  coated products, use, P (9) 181*i*.
  diamond, and SiC, in glass cutting (11) 221*d*.
  disk, [inserts], P (8) 161*h*.
  element, P (2) 31*f*.
  free, and bonded, for grinding and polishing Pb crystal glass (10) 204*e*.
  grits, P (8) 161*i*.
  industry, impact of OSHA on (5) 105*h*.
  means, P (3) 61*e*.
  media, P (5) 105*i*.
  metal-bonded, by electroless deposition, P (2) 31*i*.
  microcrystalline fused, P (5) 105*j*.
  mixture, P (10) 201*e*.
  molded, with binder of copolymer, P (9) 181*h*.
  point, mounted, P (4) 83*g*.
  polishing suspensions, P (10) 201*f*.
  powders, of fused Al_2O_3 containing V_2O_5, P (7) 143*e*.
    in subsieve range, continuous classification (2) 46*g*.
  sanding block, and abrasive envelope for, P (4) 83*h*.
  sandpaper, flexible, P (10) 201*h*.
  sheet material, piercing air suction holes in, P (6) 125*e*.
  with short fibers, in synthetic resin binder, P (2) 31*f*.
  tools, binder for cutting particles of, P (10) 201*f*.
    resin-bonded, with metal fillers, P (4) 83*g*.
  waste suspensions, in glass plants, sizing with hydrocyclone (11) 225*e*.
Absorption, atomic, for analysis of alkali-lime-silicate glasses and raw materials (8) 163*i*.
  beta-particle, for measuring density, P (2) 47*a*.
  coeff., low, in crystals, measurement (10) 213*g*.
  edge, splitting in $KTa_xNb_{1-x}O_3$ (8) 174*b*.
    of $SrTiO_3$ (8) 176*h*.
  in $EuAlO_3$ (9) 195*a*.
  far-*ir*, in KBr and KCl (7) 155*i*.
  ir, analysis of sulfides and sulfosalts (11) 232*h*.
    characteristics of pyrochlore structure (9) 196*i*.
    by coupled surface-phonon–surface-plasmon modes in CdO microcrystals (8) 177*f*.
    of GaAs, Li-diffused Mg-doped (4) 100*a*.
    by NaCl-structure crystals (9) 198*e*.
    one-phonon, in LiF (8) 177*e*.
  neutron, by nuclei of Cd, Ag, and Au atoms (8) 178*a*.
  optical, in diamond (8) 176*b*.
    edge of Gd molybdate (9) 199*h*.
    in EuO thin films (3) 70*c*.
    low-energy, in ReO_3 (8) 177*b*.
    in MgO (9) 197*j*.
    in MgO:Cr^{3+} (8) 178*b*.
    and paramagnetic, of Ag particles in glass matrix (3) 64*d*.
    and paramagnetic, in glasses of systems SrO-SiO_2 and BaO-SiO_2 (8) 164*f*.
    of Pt(IV) in glasses (4) 87*g*.
    of transition elements in vitreous SiO_2 (8) 164*e*.
  tail, and fundamental edge, in V phosphate glasses (8) 163*c*.
  two-photon, in Cu_2O (9) 199*d*.
  two-quantum, emission of ZnO by (5) 122*c*.
  ultrasonic, in GaSb, p-type (11) 236*j*.
  vibrational mode, of Si in GaAs (3) 80*a*.
  visible, and near-*ir*, coeff. of kaolinite (10) 220*f*.
Acids, acetic, reaction with MgO (7) 157*h*.
Acids *(continued)*
  fluosilicic, P (2) 48*f*.
  mineral, effect on kaolinite synthesis (3) 78*h*.
  resistance, of pyroxene glass (1) 4*a*.
  -resistant, ceramic bodies, containing Ba and Mg oxides (11) 226*a*.
    ceramic bodies, new raw materials for (10) 214*e*.
Acoustics, absorption coeff., in MnO, CoO, and NiO single crystals (6) 138*b*.
  acoustoelectric domains, in GaAs (4) 92*e*.
  acoustoelectric instabilities, in CdS (3) 82*b*.
  acoustooptical systems, and Tl_3AsS_4 crystals, P (8) 171*e*.
  acousto-optic deflection materials, and techniques (3) 69*d*.
  acousto-optic light deflectors, using optical activity in paratellurite (4) 92*f*.
  acousto-optic property, of $5PbO.3GeO_2$ (3) 76*g*.
  anharmonic effects, in $KTaO_3$ (9) 194*d*.
  anharmonic properties, of wurtzite (4) 101*d*.
  attenuation, in TeO_2 (3) 76*f*.
  convolution, and correlation, and nonlinearity parameters in $LiNbO_3$ (3) 76*f*.
  emissions, of ceramics, thermally induced, determination (8) 169*b*.
  harmonic generation, resonant second-, in exciton region of CuCl and ZnO (9) 198*b*.
  harmonic mixer, superconducting point-contact (3) 69*e*.
  holography, Fabry-Perot acoustic surface vibration detector for (1) 17*c*.
  parameters, nonlinear, of piezoelectric crystals (4) 93*a*.
  subharmonic generation, in quartz plates (4) 93*d*.
Actinides, californium separation from, P (2) 45*g*.
  hectaboride phases (7) 155*f*.
Additives, autodoping, minimizing in epitaxial deposition, P (2) 42*f*.
    prevention during epitaxial growth of compound semiconductors, P (3) 71*e*.
  for cementitious mixtures, P (10) 203*c*.
  for cements, lightweight, P (2) 32*h*.
  chemical, effect on retardation of cement setting (11) 222*d*.
    for raw materials (6) 133*h*.
  doping, effect on electrical properties of CdSb (9) 195*i*.
    elements, effect on GaSb (8) 175*h*.
  effect, on Al_2O_3 microstructure (1) 24*h*.
    on C_3A hydration reactions (1) 2*f*.
    on dynamic behavior of Al_2O_3 matrix (1) 11*e*.
    on hydration of Ca mixtures (2) 32*d*.
    on hydration reaction of cement clinkers (10) 202*a*.
    on suspension hydration of C_3S (2) 32*e*.
    on Ti phosphate glasses (1) 4*a*.
  milling, and after-milling, effects on electrostatic sprayability (9) 183*j*.
Adhesion, testing, by ultrasonic pulse-echo technique (1) 18*f*.
Adsorption, of benzidine, and aniline by montmorillonite and hectorite (7) 154*b*.
  by carbon, of weak and nonelectrolytes (11) 233*j*.
  and desorption, of gas atoms at surfaces, diffusion theory for (3) 77*j*.
  kinetics, of Cs on GaAs (3) 76*h*.
  properties, of charcoal, modification with pyridines (11) 235*e*.
  of SiO_2 gel, selective capacity (10) 215*f*.
  of trace Cu, by bentonite (8) 177*g*.
Agglomeration, of H-clay suspension (2) 39*a*.
  of particulate material, compacting rolls for, P (5) 116*c*.
Aggregates, alkali-, reaction (2) 31*j*.
  apparatus for, self-cleaning air flow bar for, P (6) 128*h*.
  fly ash, bloated, P (2) 37*e*.
  granular, characteristics (11) 222*f*.
    for use in concrete objects, P (8) 163*b*.
  Isobul, mfg., properties, and uses (1) 8*i*.
  lightweight, artificial, from waste mud (8) 166*e*.
    expanded, P (8) 163*b*.
    P (3) 66*f*; P (6) 128*h*.
    plant, at Weblite (7) 144*c*.
    porous, specific area (4) 89*i*.
    strong bonded porous, P (9) 187*f*.
  Na hydrosilicate, similar to expanded perlite (1) 8*d*.
  reactive, effect on crystallization of new formations in concrete (7) 144*a*.
  synthetic, P (5) 107*b*.
Aggregates *(continued)*
  treating, P (2) 37*e*.
Aging, of Al_2O_3, porous, in water (4) 91*f*.
  dynamic strain, in MgO single crystals (4) 99*h*.
  electrical, of TiO_2 (9) 197*b*.
  in gypsum plaster, freshly made (1) 2*d*.
  in pyrolytic ground coats, controlling (11) 222*f*.
  of solids, high surface area (7) 143*e*.
Agloporite, production, from ash from electric power plant (10) 207*i*.
Air, CO in, and methane and total hydrocarbons, apparatus for determining, P (6) 134*g*.
  in glass, instant (1) 19*j*.
Albite, melting, in multispecies fluid (10) 216*e*.
  solvus, sanidine-high, calculation (5) 119*h*.
Alcohol, effect, on crack propagation in glass (9) 184*f*.
  retention, by montmorillonite (6) 140*h*.
  -SiO_2 solution, aqueous acidic polyvinyl, P (3) 75*i*.
Alkaline earths, carbonates, granular, P (8) 165*j*.
  cations, exchangeable, role in dehydration kinetics of aluminosilicate hydrogels (10) 219*a*.
  composition, effect on strength of E-glass fiber (4) 86*a*.
  fluorides, dielectric constants (8) 178*d*.
  hydroxides, reactions with clay minerals (2) 55*a*.
  metals, solution in molten halides (3) 81*b*.
  metavanadates, crystal-optical properties (4) 98*g*.
  oxides, films, luminescence properties of lanthanide ions in (10) 217*d*.
Alkalis, -aggregate reaction (2) 31*j*.
  AlkCl, mixtures with $MgCl_2$ and $CaCl_2$, viscosity (5) 123*g*.
  attack, on aluminous refractories (2) 37*g*.
  borates, miscibility gaps in (6) 127*c*.
  hydridoaluminates, P (1) 20*h*.
  ions, in silicate and aluminosilicate glasses, NMR (1) 6*i*.
  metal hexatitanates, fibrous, P (1) 20*i*.
  metals, Al hydrides, P (7) 153*i*.
    aluminosilicates, P (5) 119*e*.
    chlorides, vibrational spectra (7) 159*j*.
    crystalline gallosilicates, synthesis and properties (1) 28*e*.
    double molybdates and tungstates, with Bi (5) 120*f*.
    double tungstates (11) 234*f*.
    hexatitanate, modified, P (7) 153*g*.
    interactions with $TeBr_4$ (1) 24*c*.
    sulfates, reactions with rare earth molybdates (6) 140*j*.
    sulfate-SbF_3 compounds, synthesis and X-ray analysis (5) 123*c*.
  mixed, effect in glass, correction (2) 35*f*.
  resistant, ceramic bodies containing Ba and Mg oxides (11) 226*a*.
  vapor, corrosion of refractories by (10) 207*j*.
Allevardite, South African (2) 48*j*.
Alloys, Al-Al_2O_3, bubbles in, quantitative TEM (5) 122*b*.
  binary, index, B (7) 159*j*.
  carbide, for cutting tools and wear parts, P (4) 91*b*.
  $CoFe_2O_4$-Co_3O_4, quenched and aged, magnetic behavior (4) 100*j*.
  C-Si coating, for improved irradiation, P (2) 45*c*.
  $Ga_{1-x}Al_xAs$, thermal conductivity (8) 179*i*.
  $In_xGa_{1-x}P$, thermal expansion (5) 123*g*.
  magnetic, Co-P particles, P (1) 14*g*.
  metal, high-melting, with ZrC, emission properties (5) 111*g*.
  in Nb-C-Re system, structure (9) 199*a*.
  80%Ni-20%Cr, films, sintering (10) 210*a*.
  partitioning transition elements on, in oxide scales, chemical diffusion model (2) 49*a*.
  Si-Ge, and Si-Mo, in thermocouples, coating for, P (5) 117*j*.
  Ti_2O_3-V_2O_3, Raman scattering in (9) 198*e*.
  UC-UC_2, and UC-UN, X-ray diffraction (5) 115*j*.
  $(V_{0.3}Nb_{0.7})O_2$, electrical transport properties (9) 195*g*.
  W-3Re-2%ThO_2, recrystallization behavior (5) 122*e*.
  Zr-refractory (5) 124*b*.
Alum, Cr K, ultrasonic attenuation studies in (4) 104*c*.
Aluminates, binding properties (4) 85*b*.
Aluminosilicates, alkali metal, P (5) 119*e*.
  crystalline metal, with halide and other salts occluded in, P (10) 214*e*.
  liquid, viscosity and structure (10) 220*d*.
  reaction, with AlF_3 to prepare corundum or mullite (4) 90*f*.
  thermal degradation, thermomagnetic study (6) 142*e*.

Aluminum, as accelerator, in epitaxial growth of SiC (2) 40*g*.
and Al-Al_2O_3 alloys, bubbles in, quantitative TEM (5) 122*b*.
by $AlCl_3$ electrolysis, refractory for, P (5) 112*f*.
$Al_xGa_{1-x}As$, liquid-phase epitaxial, electrical properties (9) 197*c*.
Mg-doped, by molecular beam epitaxy (6) 139*f*.
multilayer structures, etching, P (8) 170*b*.
photoluminescence (3) 80*j*.
and alloys, oxide coatings on, relation of thickness, impedance, and corrosion resistance (3) 62*g*.
-(Al oxide)-Al structures, transient phenomena effect on insulator barrier in (11) 236*j*.
AlSiO(g), and Al_2O(g), atomization energies, mass spectrometry (7) 152*e*.
Al-Si_3N_4-n-GaAs, MIS structure, photocapacitance (10) 218*b*.
aluminous, ceramic articles, wear-resistant, P (5) 113*g*.
-Al_2O_3, high-temp. creep, nucleation and growth of voids during (3) 80*b*.
-Al_2O_3-Au structures, conducting filaments and negative resistance in (11) 229*a*.
Al_2SiO_5, enthalpy of formation (3) 78*d*.
from bauxite, P (7) 153*i*.
borate, and Al borosilicate articles, P (7) 147*j*.
isotypic, P (1) 20*i*.
chloride, reaction with fluorapatite (5) 119*a*.
compound, pyrolysis and calcination, for alpha-Al_2O_3 (1) 20*c*.
dielectric compositions, cofireable with Pa, sintering aids for, P (8) 171*b*.
effect, on amphoteric behavior of Si in $Ga_{1-x}Al_xAs$ (3) 78*f*.
on kaolinite surface properties (7) 155*a*.
enamels on, weathering tests (9) 183*g*.
energy levels, in $SrTiO_3$ (9) 195*j*.
fluoride, amount required for corundum or mullite preparation from aluminosilicates (4) 90*f*.
crystallization, P (6) 136*f*.
P (1) 20*h*.
hydride, electronic structure (8) 175*j*.
in hexagonal or rhombohedral crystalline form, P (10) 214*c*.
nonsolvated, P (1) 20*b*; nonsolvated, P (10) 214*h*.
hydroxide, gelatinous, thermal transformation (9) 199*j*.
metallic, bonding to Al_2O_3 ceramic (2) 40*a*.
monoxycarbide, in oxysulfide slag (8) 174*d*.
nitrate, nonahydrate, crystallization, P (9) 194*i*.
nitride, by electric arc method (8) 167*e*.
layers, on switchable memory resistor (1) 12*e*.
and optical band gap (8) 169*f*.
single crystals, synthesis (6) 141*d*.
sintering rate, effect of Fe (8) 175*j*; sintering, role of Y_2O_3 and SiO_2 (10) 219*a*.
thermal conductivity, effect of O impurity (8) 175*b*.
thin films, properties (11) 235*c*.
whiskers, growth and etching (1) 25*j*.
whiskers, mechanical properties (1) 25*h*.
nucleus, in spinel, electric field gradient on (11) 234*c*.
particles, nonferromagnetic, and ferromagnetic particles, compositions of matter containing, P (2) 41*e*.
phosphate, P (8) 173*e*.
polyphosphate, synthesis (10) 219*d*.
silicate, natural, mullite formation from, electron microscopy (6) 138*d*.
6061, Mg surface concentration in, by auger electron microscopy (1) 3*g*.
titanate, powder, sinterable, P (11) 233*h*.
trichloride, P (1) 20*f*.
trifluoride, autothermic process for, P (1) 20*f*.
trihydroxide, crystal growth and nucleation (2) 49*h*.
tungstate, interactions with $LiWO_4$ (1) 24*a*.
Aluminum oxide, acoustic waves in, noncollinear attenuation (7) 156*g*.
active, preparation and properties (5) 121*j*.
alpha-, formation from gamma-Al_2O_3, effect of Cr and Fe (9) 196*i*.
formation by vapor phase reaction of $AlCl_3$ and H_2O (8) 176*c*.
hot molding (11) 228*e*.
by pyrolysis and calcination of Al compounds (1) 20*c*.
single-crystal, vaporization (5) 122*g*.
-Al phosphate composite insulator, foamed in situ (11) 226*b*.
and Al_2O_3-graphite, sinter-joining to graphite with vibratory hot press (8) 167*h*.
amorphous, preparation and phase changes (10) 214*f*.
-based jewelry, P (4) 91*i*.
from bauxite, P (7) 153*i*.
beta-, compressibility, X-ray method (1) 18*j*.
conductivity, effect of Na and Mg (1) 21*e*.
P (7) 153*d*.
polycrystalline ceramics, P (2) 39*e*.
block, diamond cutting and grinding, in S. Africa (5) 105*e*.
bodies, fine-grain, P (10) 209*f*.
strengthening, P (1) 12*c*.
in brick raw materials (1) 17*e*.
carbon contaminants in, removal, P (3) 76*e*.
carbon impregnation, P (9) 188*g*.
ceramic discharge devices, eliminating microcracks in (4) 91*j*.
ceramics, bonding metallic Al to (2) 40*a*.
bone implants (1) 11*b*.
crack propagation, relation to quenching (1) 12*f*.
high temp. flexural strength and impact resistance (11) 228*d*.
optical method for measuring density (4) 96*j*.
Aluminum oxide *(continued)*
coating, anodic-spark-deposited, polymorphic phases in (2) 55*b*.
compositions, polycrystalline abrasion-resistant, P (8) 170*f*.
containing dispersed metals, or metal oxides, P (8) 168*e*.
and Co oxide mixture, calcination (1) 21*f*.
crystals, dislocation energy in, temp. dependence (8) 179*f*.
growth by chemical transport (2) 52*a*.
Cr^{3+}:, EPR in optically excited state $E(^2E)$ of (10) 216*b*.
Cr^{3+} in, field-dependent spin-lattice relaxation (6) 138*b*.
deformation, high-temp. (8) 180*c*.
dispersions, colloidal, rheological properties (4) 102*b*.
mixed, P (9) 189*i*.
dissolution, in Na_2O-SiO_2 glass melt (11) 223*a*.
dry ground, use of menhaden oil to deflocculate, P (4) 94*j*.
effect, on PbO-TiO_2-SiO_2 glass (8) 164*d*.
on phase separation and crystallization of glass (9) 184*j*.
extrudates, by hydrogel extrusion, P (9) 189*j*.
films, by electron-beam method (2) 40*b*.
high surface area, deposition on low surface area support, P (2) 48*a*.
porous anodic, effect of anions on structure (10) 217*d*.
on Si, effect of heat treatment (2) 40*e*.
study by X rays and Rutherford backscattering (9) 199*b*.
fracture energy, grain-size dependence, measurement (1) 22*i*.
notched-beam test for evaluation (5) 123*d*.
fused, abrasive powder, P (7) 143*e*.
gamma-, transformation to alpha-, DTA and X-ray diffraction (5) 120*g*.
high-, bodies (2) 38*b*.
high-purity, in high-Al_2O_3 porcelain (10) 209*c*.
hot-pressed, with LiF or NaF, grain-boundary chemistry by AES (9) 194*b*.
hot-pressed structures, rehydration and pressure sintering, P (3) 69*a*.
hot-pressing, analysis (7) 155*h*.
effect of powder characteristics (7) 155*j*.
ionic self-diffusion in, activation energies for (8) 174*b*.
layers, high-purity, semiconductor layers on, P (2) 42*j*.
Lucalox (8) 177*f*.
matrix, dynamic behavior, effect of impurities (1) 11*e*.
mechanical properties, and electrical (6) 131*c*.
metastable, crystallization in presence of V_2O_5 (3) 76*j*.
optical properties, microstructural influences (11) 235*d*.
particles, particles, growth in Ni matrix (10) 217*e*.
phase transitions in (1) 26*b*.
phosphate-bonded, hot pressing (9) 187*f*.
polycrystalline, bending fracture, effect of stress concentration (11) 234*i*.
chemical diffusion in, from electrical conductivity measurements (7) 154*i*.
effect of environment on penetration of surface damage and remaining strength (6) 137*h*.
strength and absorbed energy in instrumented impact tests (8) 179*j*.
strength loss upon severe thermal shock (6) 137*g*.
strength-vs-grain-size relations in (6) 141*b*.
porous, delayed failure and aging in water (4) 91*f*.
powders, sintering, effect of specific surface area (2) 52*i*.
pressure blasting abrasives, P (2) 31*g*.
Pt deposition on (10) 210*e*.
purification, by floating zone technique (5) 119*c*.
reactivity, with carbonates and hydroxides of Li, Na, and K (1) 21*c*.
reduction cell feed, fluidized, P (11) 233*h*.
refining, P (1) 20*g*.
rods, measurement of Young's modulus during four-point bend test (11) 235*b*.
silver-, liquid interface, effect of O pressure (6) 130*f*.
single-crystal, damage by 14-MeV neutrons (7) 151*e*.
dissolution in melt (11) 234*e*.
and polycrystalline, electrical conductivity (7) 155*g*.
positron annihilation in (10) 218*c*.
vaporization and morphological changes at high temp. (9) 197*c*.
sintered, microstructure, additives effect (1) 24*h*; microstructure, effect of Y_2O_3 addition (7) 154*i*.
permeable to Na and K ions, P (4) 92*c*.
sintering aid, in mfg. hot-pressed beryllia (2) 39*i*.
-SiO_2, or Al silicate ores, beneficiating, P (6) 136*h*.
smectite, hydrothermal crystallization (6) 137*e*.
softening, by solid solution of MgO.TiO_2 (1) 27*j*.
solubility, in enstatite (6) 141*e*.
solutions, thermochemical properties in cryolite (10) 220*a*.
specific surface, from single point, using de Boer's isotherm (11) 232*f*.
sprayed, structural transformation in (1) 13*a*.
standard reference material, for resonance freq. and dynamic elastic moduli measurement (1) 17*d*.
strength, degradation after sustained loading (10) 215*g*.
effect of microstructure (2) 52*h*.
structure, and physical properties (1) 22*g*.
substrates, fine grained (7) 149*d*.
fine grained (10) 210*b*.
flattening, P (6) 132*h*.
high strength (1) 13*d*.
surface, etching with molten V_2O_5 (3) 66*c*.
TA-600, thermal properties (1) 29*a*.
technical, lowering sintering temp. (9) 187*g*.
thin films, on Si, electronic charge trapping in (4) 92*i*.
:Ti^{3+}, effect of covalency in Jahn-Teller effect in (8) 177*e*.
-transition metal oxide products, of enhanced ductility, P (4) 91*i*.
Aluminum oxide *(continued)*
transparent, using mixtures of Y_2O_3, MgO, and La oxide, P (6) 130*i*.
transparent sintered, P (3) 69*c*.
vaporization, electron-beam, formation of films during (9) 196*e*.
:V^{3+}, high-freq. phonons in (8) 178*g*.
ZnO layers on, surface acoustic wave properties (4) 92*f*.
Alunite, ore, dehydration reaction, kinetics (9) 194*e*.
quantitative determination, by X-ray phase analysis (11) 232*a*.
Americium, $^{241}AmO_2$, conversion to $^{241}AmF_4$ (5) 120*b*.
Am^{3+}, optical Zeeman spectra in CaF_2 (3) 80*e*.
recovery, from reduction residues, P (5) 116*b*.
Amesite, homologous classes, new representatives (8) 178*j*.
Ammonium, carbonate, interactions with rare earth chlorides (1) 24*b*.
chloride, spin-lattice relaxation and molecular reorientations near T_c with application to (3) 81*c*.
fluoride, aqueous solutions, quartz solubility in (9) 198*d*.
and phosphate solution, CaF_2 solubility and activity of F ions in (5) 122*b*.
NH_4Br:Cu^{2+}, EPR studies (3) 78*j*.
NH_4ClO_4, magnetic resonance and relaxation in (3) 80*b*.
perchlorate, defects in, computer simulation (3) 76*g*.
single crystals, thermal decomposition (10) 219*j*.
Amphiboles, asbestos dust surface, similar to quartz (7) 154*f*.
Amplifiers, optical detector, radiant energy, P (7) 151*a*.
optical pyrometer, P (2) 47*b*.
Analysis, chemical, of B_2O_3 in MgO clinker by Japan Society method (4) 90*j*.
review (11) 232*h*.
ellipsometric, of refractive index profiles in SiO_2 glass (3) 74*a*.
quantitative, of B (4) 90*j*.
and qualitative, sputtering method and apparatus for, P (9) 192*d*.
spectral, of specimens containing lightweight elements, apparatus for, P (4) 96*c*.
surface (4) 96*a*.
Analyzers, gas, improvements in stability (6) 134*j*.
ion probe mass, for characterization of ceramics (10) 213*b*.
light-scattering particle, P (6) 134*h*.
micro-, electron, P (5) 117*h*.
electron probe, thin-film analysis in (3) 74*f*.
ion, for analysis of solids (2) 46*f*.
particle, P (10) 213*a*.
particle-size, P (1) 19*d*.
real-time (3) 74*e*.
quality, optical internal, P (2) 36*h*.
Anatase, specific surface, from single point, using de Boer's isotherm (11) 232*f*.
Anhydrite, EDTA dissolution (6) 135*b*.
physicochemical properties (10) 215*g*.
rare-earth ions in, isomorphism and valence transformations (10) 217*i*.
Aniline, adsorption, and oxidation, by montmorillonite and hectorite (7) 154*b*.
Anisotropy, in currents, of NbN films (4) 92*f*.
dielectric, and grain orientation (2) 46*c*.
induced, in magnetic spectra of Ni-Zn ferrites (2) 52*f*.
magnetic, in hematite, natural, erratum (9) 197*g*.
in rare-earth Fe garnets (10) 216*f*.
of Y ferrite garnet (9) 195*c*.
in YIG (2) 56*d*.
magnetocrystalline, of rare-earth manganites (9) 196*j*.
of magnetogyric ratio, in hexagonal ferrites (9) 194*d*.
of rare-earth Fe garnets (10) 216*e*.
shock-induced, in ferromagnetic materials (2) 55*e*.
work hardening (6) 136*h*.
of YIG (5) 119*b*.
Annealing, behavior, of SiC needles (2) 56*j*.
effect, on carrier concentration of GaAs (8) 175*b*.
on magnetization of bubble garnets (3) 69*g*.
hydrogen, of substituted magnetic garnets, P (1) 14*d*.
ZnO, ion-implanted (1) 12*f*.
Antennas, ferrite broad-band seminotch, P (3) 70*j*.
Antimony, (Bi^{3+}-Sb^{5+}), valency pair, in Ba_2BiSbO_6 (8) 178*a*.
chloride, vibrational spectra (7) 159*j*.
molten, corrosion of Mo electrodes by (11) 223*i*.
M-SbOF, crystal structure (3) 77*i*.
pentachloride, reactions with chlorides (4) 101*i*.
^{121}Sb, in alpha-Fe_2O_3, Moessbauer study (1) 25*c*.
Moessbauer studies on compounds with pyrite, marcasite, and arsenopyrite type structures (3) 81*i*.
Sb_2Se_3, optical and transport properties (10) 218*e*.
Sb_2Te_3, vaporization, heats of reaction for gaseous species in (9) 196*g*.
sulfo-iodide, high gas pressure crystal growth (2) 52*j*.
telluride, crystal growth by chemical transport (2) 50*a*.
trichloride, P (6) 136*b*.
reaction with chlorides of other elements (7) 157*a*.
trioxide, films, optical properties (11) 235*h*.
vapor pressure and thermodynamics (3) 82*c*.
Apatite, crystal chemistry, mineralogy, utilization, and geologic and biologic occurrences, B (1) 30*j*.
fluor-, Czochralski growth, redistribution of Ho and Cr during (2) 55*a*.
reaction with $AlCl_3$ (5) 119*a*.
phosphate, and silicate, of Ca and lanthanides (1) 24*j*.
Archeology, crockery, rehydration (1) 1*j*.
materials, spatial distribution of U and TL-producing minerals in (11) 221*j*.
obsidian artifacts, surface collected, temporal ordering by

Archeology obsidian artifacts *(continued)*
hydration measurement (10) 201*g*.
obsidian sources, and archeological implications (10) 201*j*.
physical examination in, B (6) 142*b*.
prehistoric pottery, from Tibesti (Sahara) (6) 125*j*.
Samian ware sherds, neutron activation analysis (11) 221*i*.
Argon, Ar^+, entrapment and thermal evolution in borosilicate glass (2) 33*j*.
Armor, bullet-resisting, P (7) 148*i*.
carbide composite for, P (2) 38*i*.
disks, from abrasive materials for slurry pumps (4) 83*f*.
light, precompressed, P (7) 149*a*.
Arsenic, ^{73}As, spin-lattice relaxation and resonance in KH_2AsO_4-type ferroelectric crystals (3) 76*j*.
As_2Se_3, alpha-, crystals (2) 55*c*.
As_2Te_3, glassy, electronic properties (10) 216*a*.
$As_{40}Se_{50}Ge_{10}$ films, ac conductivity (4) 92*d*.
chloride, substrate temp. and Si content in, effect on GaAs (9) 190*d*.
oxide, effect on glass fining (1) 6*f*.
reaction, with Cd, in region of Cd_2As_2 (6) 140*f*.
selenide, chaotic potential field in (8) 174*b*.
charge exchange of tin impurity atoms in (9) 184*c*.
crystallization control (8) 174*e*.
trioxide, vapor pressure and thermodynamics (2) 57*h*.
triselenide, photoconductivity spectra (4) 104*e*.
refractive index (9) 198*a*.
trisulfide, films, photovoltage in Ag photodoping (3) 70*g*.
optical properties (1) 25*j*.
Raman spectrum (10) 218*g*.
Arsenides, diffusion, into Si from solid phase, P (8) 170*f*.
Art and artware, antique ceramics, evaluation of firing temp. (4) 83*j*.
balloon forms, from buttered clay (4) 83*i*.
beads, raku (6) 125*e*.
brick, history (5) 105*e*.
burnishing (11) 221*h*.
candleholders (11) 221*i*.
canteen forms, adapted from stones (6) 125*f*.
coffee maker (11) 221*i*.
dating, Egyptian faience in Islamic Persia (11) 221*e*.
glazes of Islamic ceramics (11) 221*d*.
thermoluminescence, and glaze studies of T'ang dynasty ceramics (10) 201*h*.
thermoluminescent (11) 221*i*.
thermoluminescent method (10) 201*f*.
thermoluminescent, of Renaissance terra-cottas (11) 221*j*.
drying, fast technique (10) 201*d*.
enamels, on metals and sgraffito, revival (1) 2*c*.
faience, Telkibanya, and china factory, history (1) 1*h*.
fine, Moessbauer effect studies in (10) 201*e*.
firing, open pit (10) 201*f*.
reduction techniques (9) 181*f*.
glass, coins in Hungary (8) 161*j*.
from Frankish princes' graves under Cologne cathedral (3) 61*i*.
putting bubbles in (9) 181*f*.
of Herend, problems, and European connections (1) 1*f*.
museum objects, X-ray fluorescence analysis (10) 201*i*.
perching forms (11) 221*g*.
pottery, in Alt-Livland, history (1) 1*g*.
arched lidded forms (9) 181*i*.
bottles, textured slab (10) 201*h*.
double-spouted pots on wheel (9) 181*e*.
flask with screw cap (10) 201*e*.
fountain from hand-built sections (9) 181*i*.
large boxes (10) 201*i*.
lip and foot of pot (9) 181*d*.
in Manises (9) 181*e*.
patch pots (9) 181*e*.
Pennsylvania German (4) 83*d*.
Strawberry Fields (9) 181*g*.
Taiwan folk (10) 201*g*.
throwing and using hollow ring (9) 181*g*.
weekend workshop at Art Barn (9) 181*g*.
puzzle jugs, handbuilt (5) 105*h*.
raku murals, of Paul Rayar (7) 143*i*.
reed handles, for pots (11) 221*h*.
rod puppets, of clay (10) 201*f*.
in Rotterdam, modern German Exhibition (1) 1*j*.
Scandinavian ceramics, from Thiemann collection in Hamburg (1) 2*c*.
sculpture, B (3) 82*g*.
of Bodo Mans (7) 143*h*.
closed-form (10) 201*i*.
constructing figure (10) 201*j*.
of Joe Ann Cousino (7) 143*h*.
stoneware exhibition, in Rotterdam (5) 105*f*.
stoneware gloves, of Laraine Wade (9) 181*f*.
throwing square plates (11) 221*j*.
wall reliefs, by Karen Park (7) 143*i*.
wine vessels, Euphronios, at Metropolitan Museum (1) 1*i*.
Artists, Cousino, Joe Ann, ceramic sculpture (7) 143*h*.
Glick, John, Plum Tree Pottery (10) 201*e*.
Juniper, Harry, potter (11) 221*e*.
Lehmann, Arno, sculptor, painter, ceramist, and philosopher (5) 105*g*.
Mans, Bodo, ceramic sculpture (7) 143*h*.
Martin, Ivan, potter (11) 221*f*.
potters, studio, manual for, B (4) 104*i*.
Schuetz, Siegmund, sculptor and modeler (5) 105*e*.
Zweifel, Peter, and Sonngard, potters (1) 1*h*.
Asbestos, cement plates, laminated, P (1) 11*e*.
Asbestos *(continued)*
fluor-, synthesis, use of production wastes in (6) 136*c*.
ore, recovery of asbestos fibers from, P (6) 136*d*.
sheet, contoured, apparatus for, P (2) 38*g*.
slurry, P (3) 76*b*.
treatment, P (4) 91*e*.
yarn, extruded, for paper dryer felts, P (1) 10*i*.
Ash, from electric power plant, for agloporite production (10) 207*i*.
fly, activity determination (2) 47*d*.
clinkerless binder from (3) 62*d*.
scrubbing system, materials and corrosion problems (10) 208*j*.
treatment, P (3) 62*e*.
-lime-sulfite mixtures, P (5) 107*j*.
and trass, effect on cement strength (9) 182*f*.
Atmospheres, effect, in firing ceramics, B (1) 30*f*.
gas, explosive- and poisonous, safety procedures (1) 17*f*.
inert, modular apparatus for work in (1) 18*b*.
precipitating, effect on sintering ZrO_2 with Y_2O_3 (1) 24*i*.
temp., and moisture content, effect on deformation of concretes (11) 222*d*.
Atomization, centrifugal, and nozzle, in spray dryers (4) 95*f*.
of fluid, or pulverulent material, P (7) 152*g*.
sample device, P (10) 213*b*.
Atoms, atomic, displacement effects on cathodoluminescence of ZnSe (11) 234*a*.
orbitals method, self-consistent procedure for linear combination (7) 157*i*.
positions, filling with isomorphous elements (3) 77*f*.
radii, in dichalcogenides of transition metals (10) 217*g*.
scattering factors, compact representation for (8) 172*g*.
vacancies, effect on properties of TiO_x and VO_x (7) 155*i*.
gas, adsorption and desorption at surfaces, diffusion theory for (3) 77*j*.
transition probabilities, bibliography 1971–1973 (4) 98*c*.
Attapulgite, water in, ir spectra (3) 79*g*.

Barium, aluminate, hydrated, properties at high temp. (10) 202*h*.
aluminate hydrates (2) 49*f*.
Ba_2BiSbO_6, valency pair (Bi^{3+},Sb^{5+}) in (8) 178*a*.
Ba_2CoWO_6, and Ba_2FeNbO_6 in NO reduction and CO oxidation (8) 176*i*.
$BaFeO_3$, hexagonal, 12-layer modification, synthesis (2) 56*e*.
$BaFeO_4$, thermal decomposition products, Moessbauer study (3) 80*i*.
$BaFe_{12}O_{19}$, crystals, single magnetic domain, molten salt synthesis (7) 156*c*.
high-coercivity (9) 190*h*.
intrinsic coercivity (1) 24*g*.
and $SrFe_{12}O_{19}$, compacts, liquid-phase sintering (10) 217*c*.
$Ba_3Fe_2WO_9$, ir spectra and crystal structure (3) 79*h*.
$Ba_{0.25}Mg_{2.75}Y_2Ge_3O_{12}$ crystal, optical spectra and laser action of Nd in (2) 34*d*.
$Ba_4(M_4Li_2)O_{24}$, (M = Nb, Ta) and $Ba_{10}(W_6Li_4)O_{30}$, synthesis (4) 98*e*.
$Ba_2NaNb_5O_{15}$, optical properties, effect of melt stoichiometry (2) 50*h*.
$Ba_{6+x}Nb_{14}Si_4O_{17}$, structure (4) 102*h*.
Ba_2NiF_6, magnetic susceptibility (6) 139*i*.
$Ba_2RE_{0.67}UO_6$, $Ba_2RE_{0.67}UO_{5.5}$, and $Ba_2(RE_{0.67}U_{0.33})UO_{6.17}$ compounds (6) 133*h*.
$Ba_{0.97}Sr_{0.03}TiO_3$, crystal growth and dielectric properties (9) 190*a*.
$Ba(Ti_{0.95}Zr_{0.05})O_3$, ceramic plates, surface elastic waves on (2) 55*f*.
$Ba_2ZnGe_2O_7$, crystal, Nd^{3+} lasing action in (3) 79*j*.
$Ba_{0.5}Sr_{0.5}Nb_2O_6$, single crystals, width of forbidden band (7) 158*h*.
$Ba_4Nb_2LiO_{12}$, single-crystal study (10) 219*c*.
carbonate, solid state reaction with SiO_2, effect of ball milling (8) 175*c*.
chloride, HCl solubility in (4) 102*i*.
interaction with Ru and Na chlorides in melts (10) 217*e*.
solid-phase reaction with Rb_2SO_4 (11) 235*h*.
Stark effect (5) 122*d*.
ferrite, powders, with high intrinsic magnetic coercivity (2) 40*a*.
powders, intrinsic coercivity, effect of milling (3) 69*c*.
fluoride, cubic crystals, Raman spectra, uniaxial stress effect (9) 195*d*.
gallate, superstructure (4) 98*b*.
manganate, eight-layer, single-crystal study (5) 122*a*.
monoxide, enthalpy of formation (3) 78*e*.
montmorillonite, DTA and ir spectra (2) 46*c*.
Na niobate, dielectric constants and electrooptic coeff. in (2) 53*i*.
far-ir dielectric dispersion in (3) 79*a*.
nitrate, elastic and thermoelastic properties (8) 175*d*.
oxide, crystals, electrical conductivity, thermal emf, and thermionic emission (8) 175*e*.
nonstoichiometric C, p-T-x diagram for (9) 196*d*.
single crystal elastic constants, and temp. dependence (2) 49*e*.
for strengthening sapphire rods (1) 28*g*.
-TiO_2 compound, with temp.-stable high permittivity and low microwave loss (11) 229*g*.
silicate, films, for integrated optical circuits (10) 209*h*.
Sr niobate, crystals, Czochralski growth (2) 50*e*.
longitudinal electrooptic effects in (8) 169*i*.
single crystals, electric and electrooptical properties (3) 78*c*; single crystals, electrical properties (10) 216*h*.
-Sr zirconates, X-ray diffraction (11) 236*b*.
Barium *(continued)*
sulfate, crystals, growth by flux evaporation (2) 52*c*.
single crystals, growth from gels (2) 52*f*.
sulfoaluminate, formation during preparation of Ba cements (4) 84*b*.
tetratitanate, hydrated (4) 99*i*.
-Ti ceramics, dielectric properties, effect of rare earth oxides (10) 209*i*.
titanate, 180° alpha domains in, secondary effects which accompany motion (3) 81*j*.
ceramic bodies, high-strength, P (1) 12*b*.
ceramics, P (9) 191*i*.
ceramics, phase transition in (1) 22*g*.
crystals, structure-sensitive photoelectric effect in (6) 139*d*.
crystals, surface layer (4) 103*b*.
crystals, ultrasonic relaxation in (10) 220*c*.
decay constant of $^{99}Tc^m$ in, change by ferroelectric transition (7) 154*f*.
dielectric constants in (6) 139*d*.
electrical resistance, effect of phase transitions (2) 50*f*.
fine-grain ceramic, P (2) 42*a*.
grain boundaries, dielectric behavior (9) 195*d*.
heat capacity near electrical critical point (5) 123*f*.
polycrystalline, dielectric properties (6) 131*i*.
Raman-scattering line shape of soft E polariton mode in (8) 178*h*.
second optical harmonic intensity in, temp. dependence (2) 56*h*.
shift of Curie temp. (7) 158*b*.
single crystals, domain structure (1) 22*f*.
single crystals, dislocations in (4) 99*f*.
single crystals, electrooptical effect of absorption in (9) 198*f*.
single crystals, movement of domain walls in (10) 219*e*.
single crystals, spin-lattice relaxation in (2) 56*b*.
single crystals, two-crystal spectrometry (1) 28*a*.
sintering kinetics, Ba/Ti ratio effect (1) 13*d*.
spontaneous fracture (1) 28*d*.
structural and physical features (9) 190*a*.
study at submillimeter wavelengths (5) 119*d*.
thin crystals, channeling protons in (8) 174*b*.
thin films, deposition on metallic substrates (3) 69*h*.
ultrasonic velocities in (5) 114*c*.
vacuum condensates, spontaneous deformation in (5) 121*j*.
tungstate, Ba_2WO_5 (9) 199*c*.
phase transformation in (5) 122*b*.
Basalt, bodies, oxidation during firing (9) 187*j*.
Fe valence state in, change during vaporization in vacuum (10) 215*i*.
phase relations (2) 54*j*.
Batteries, solid electrolyte, $[RbAg_4I_5]$, P (2) 44*a*.
solid state, and devices, B (2) 58*j*.
Bauxite, Al_2O_3 and Al from, P (7) 153*i*.
DTA (1) 29*a*.
sludges, Yugoslavian, precipitation rate (6) 135*c*.
Bearings, high performance, Si_3N_4 for (6) 129*e*.
Belite, slurry, thickening and setting (4) 85*e*.
Beneficiation, of Al_2O_3-SiO_2, or Al silicate ores, P (6) 136*h*.
of fuller's earth (10) 213*j*.
hydraulic, for extraction of MgO from dolomite (3) 75*b*.
of phosphate ores, P (3) 75*i*.
Bentonite, deposits, near Rosalind, Alberta (8) 174*i*.
effect, on tensile strength of shell molding sand (1) 9*a*.
Korean, crystallization (8) 173*b*.
nonswelling, activation (6) 136*f*.
trace Cu adsorption by (8) 177*g*.
Benzene, behavior, adsorbed on cupric montmorillonite (6) 137*a*.
hydrogenation, in gas phase on Ni zeolite supported catalysts (6) 135*h*.
Benzidine, adsorption, and oxidation, by montmorillonite and hectorite (7) 154*b*.
Beryl, microwave ultrasonic attenuation in (8) 177*h*.
Beryllium, Be_4B, Be_2B, and BeB_6, thermal diffusivity (4) 104*a*.
BeO.Al_2O_3, BeO.3Al_2O_3, and 3BeO.8Al_2O_3.5MgO, thermal expansion (4) 104*a*.
Be_4B, hot-pressing and properties (1) 9*c*.
borocarbide, physical properties (1) 26*f*.
diffusion, into GaP (2) 50*j*.
fluoride, normal mode assignments in (1) 25*i*.
hydride, in composite, P (10) 214*h*.
crystalline, P (5) 112*b*.
from dialkyl Be solution, P (10) 214*g*.
purification, P (5) 112*i*.
by pyrolysis of di-tertiary-alkyl Be etherate, P (10) 214*h*.
oxide, electron nuclear double resonance of F^+ center in (8) 176*b*.
ferroelectric hysteresis loop in (10) 210*a*.
hot-pressed, Al_2O_3 as sintering aid in (2) 39*i*.
Mo metalizing on (8) 169*a*.
powders, heat of wetting in water, and sinterability (10) 216*h*.
powders, heats of wetting in water (10) 216*i*.
powders, surface structure (8) 179*b*.
single-crystal, from CaO-BeO melts, P (3) 69*b*.
stark shift of nuclear spin levels in ^9Be in (7) 158*f*.
as window in vacuum uv (9) 194*e*.
selenite, thermal dissociation (1) 29*j*.
Beryllonite, crystal structure, refinement (10) 218*i*.
Binders, based on alkali metal silicates, P (4) 97*b*.
in Ca silicate brick (10) 202*d*.
clinkerless, from fly ashes (3) 62*d*.
for glass fiber insulation, P (6) 127*h*.

Binders *(continued)*
hydraulic, P (11) 222*c*.
liquid, for bonded arc-welding flux, P (3) 62*h*.
mineral, classification (9) 181*j*.
rubber-resin, for cutting particles of abrasive tool, P (10) 201*f*.
silicate, P (9) 189*b*.
Binding, properties, of compositions in CaO-PbO_2 system (1) 21*f*.
of silicates and aluminates (4) 85*b*.
Bismuth, anodic films, photoconduction (5) 114*i*.
$Bi_4Ge_3O_{12}$, and $Bi_4Si_3O_{12}$, refractive indices and electrooptic coeff. (6) 140*c*.
$Bi_{12}GeO_{20}$, crystals, acoustic-surface-wave convolution on (4) 98*a*.
ultralow-diffraction acoustic-surface-wave propagation on (4) 93*g*.
$BiNbO_4$, beta-, crystal structure (6) 137*a*.
$BiPbVO_5$ (6) 137*c*.
$(Bi_{1-x}Sb_x)_2Te_3$, and $Bi_2(Te_{1-y}Se_y)_3$ compounds (4) 103*j*.
$Bi_{12}GeO_{20}$, acoustic surface wave loss mechanisms on (3) 76*g*; acoustic surface wave propagation on (10) 217*g*.
$Bi_{12}SiO_{20}$, and $Bi_{12}(Ge_{0.5}Si_{0.5})O_{20}$, ultrasonic attenuation in (10) 215*h*.
carrier transport and current oscillation in (9) 194*h*.
cubic crystals, Raman spectra, uniaxial stress effect (9) 195*d*.
elastic, piezoelectric, and dielectric constants (2) 51*a*.
oscillation of space-charge-limited current in (2) 53*h*.
$Bi_{12}SiO_{20}$, transport processes of photoinduced carriers in (9) 199*e*.
Bi^{3+}, center in alkaline earth antimonate phosphors (11) 234*a*.
in glass, uv spectra (11) 225*i*.
(Bi^{3+},Sb^{5+}), valency pair, in Ba_2BiSbO_6 (8) 178*a*.
Ge oxide, and Bi Si oxide, Raman spectra (7) 157*g*.
oxide, films, electrical properties (11) 229*d*.
trichloride, reaction with chlorides of elements (9) 198*g*.
trioxide, reaction with Tb_4O_7 (11) 235*f*.
triselenide, Shubnikov-de Haas effects in (3) 81*j*.
trisulfide, crystals, thermostimulated electron emission in (8) 180*d*.
-type single crystals, magnetoplasma wave dispersion in (8) 177*d*.
Bloating, ability, of perlite rock, assessing method (2) 46*b*.
disintegration of perlite grains during (1) 8*a*.
perlite, in Hungary (1) 9*h*.
test, microscale, for clays (1) 18*a*.
Bodies, ceramic, acid-resistant, new raw materials for (10) 214*e*.
cordierite in (5) 113*a*.
plastic, damping behavior (8) 174*i*.
rheology (1) 12*d*.
pore-size distribution in, P (2) 47*a*.
thermal etching figures in (7) 151*i*.
Boehmite, colloidal fibrous, P (6) 136*b*.
Bolometers, chalcogenide glass, P (5) 114*f*.
Bonding, agents, ceramic decalcomania, P (3) 68*i*.
Al, metallic, to Al_2O_3 ceramic (2) 40*a*.
in berthierite (3) 76*j*.
chemical, in O, Cr, and Mn compounds, X-ray spectroscopy (7) 159*a*.
diamond, with refractory cermet material, P (5) 105*i*.
ferrite cores, simplified method, P (10) 211*f*.
gold, to ceramic substrate, Au composition for, P (8) 170*c*.
to ceramic substrate, P (8) 169*i*.
inorganic materials, P (10) 208*g*.
machine, automatic semiconductor, P (4) 93*j*.
molecular orbitals, to valence bands of diamond (3) 76*h*.
pin, to metalized pad on substrate surface, P (9) 190*c*.
Bonds, breaking, in SiO_2 (4) 103*d*.
chemical, in GaSb, effect of doping elements (8) 175*h*.
in solids, Eu^{3+} luminescence as measure for differences (2) 51*g*.
lengths, in tungstates (10) 215*i*.
Li-O-Li, in Li silicate glasses (10) 204*j*.
metal-ceramic, P (7) 150*j*.
stoneware, soft, firing temp., and expansion coeff. in (7) 148*b*.
Bone, calcined, production (5) 113*e*.
implants, Al_2O_3 ceramic (1) 11*b*.
thermal conductivity, at low temp. (5) 123*f*.
Bone china, casting, factors affecting (1) 16*i*.
Borates, alkali, miscibility gaps in (6) 127*c*.
in borosilicate glasses, direct thermometric determination (8) 164*c*.
Borides, di-, IVB, single crystals, hardness anisotropy (1) 23*h*.
metal (5) 121*b*, P (5) 112*e*.
rare earth, preparation and crystal structure (7) 157*c*.
Boron, beta-rhombohedral, field effect in (11) 234*g*.
and boron suboxide, hot-pressed, mechanical properties (10) 208*a*.
carbide, diamond grinding (5) 105*e*.
effect of grain size on crack propagation in (6) 137*h*.
film laminates, P (8) 168*e*.
hot-pressing, and properties (7) 147*f*.
MoSi-bonded, P (3) 67*h*.
single crystals, morphology (6) 139*c*.
TEM (8) 171*g*.
C induced lattices in (5) 119*i*.
coherent, electrodeposition (5) 114*f*.
deposition, on C monofilament, P (9) 188*d*.
pyrolytic, on metal substrate, P (9) 183*j*.
fiber, high strength and large diameter (2) 38*h*.
heulandite, structure type (1) 28*a*.
lattice, pure (5) 120*c*.

Boron *(continued)*
in MgO clinker (10) 208*d*.
monoarsenide, crystal growth and properties (2) 49*i*.
nitride, cubic, continuous growth, P (3) 67*a*.
cubic, with Al-containing catalyst, P (3) 67*g*.
energy bands in (8) 176*e*.
felt, P (10) 209*d*.
/sintered carbide abrasive body, P (2) 31*h*; sintered, P (10) 209*g*.
thermal conductivity (1) 29*i*.
vapor deposition method, P (11) 228*d*.
phosphide, and nitride, electronic band structure and optical properties (8) 175*i*.
quantitative analysis, and chemical analysis of B_2O_3 (4) 90*j*.
suboxide, articles, P (10) 209*b*.
tribromide, reaction with elemental B (11) 235*d*.
Boules, crystal, P (7) 150*a*.
rutile, colored, P (7) 148*j*.
Brakes, linings, high-temp.-resistant molded masses for, P (2) 39*a*.
Brick, artwork, history (5) 105*e*.
blue, "peacocking", discoloration from rain (8) 166*f*.
building, reentrant connecting tenon for, P (4) 90*c*.
clay, moisture reabsorption (2) 37*j*.
clays, calcined (4) 89*h*.
clay mineral composition from Melbourne area (4) 89*a*.
computer analysis of properties (6) 137*g*.
mineral content (3) 66*b*.
raw, data (8) 166*c*.
and concrete wall beams, testing (10) 207*i*.
cutting, dry, with diamond blade (1) 1*i*.
damage, by gas explosions (10) 207*e*.
drying, firing, stacking, and tying, continuous automatic, P (6) 128*g*.
using optimum drying curve (5) 110*a*.
face, effect of coring on mfg. costs (8) 166*c*.
hot-pressing (7) 147*c*.
with sandblasted surface (10) 207*g*.
firing, with gas (4) 96*j*.
firing time, calculation, in block settings (3) 66*c*.
frost resistance, effect of minerals (3) 65*j*.
German standards (5) 110*i*.
handmade, at Suffolk (4) 89*i*.
lattice, thermal conductivity, changes during firing and cooling (10) 207*j*.
load bearing construction, accuracy, and structural implications (10) 207*i*.
loading, and unloading from pallets, P (7) 147*f*.
low-strength, effect in high-strength brickwork (10) 207*b*.
-making, two-man works for (4) 90*b*.
masonry, colliery wastes as raw material (8) 166*h*.
mfg., P (2) 37*e*.
modular, performance in story-height walls (10) 207*f*.
moisture expansion, permanent (4) 89*g*.
panels, prefabricated (2) 37*i*.
structural action subjected to wind loads (4) 89*j*.
-work and prefabricated (2) 37*i*.
press, P (5) 110*j*.
quality, effect of furnace setting (1) 8*a*.
raw clay components, effect on quality characteristics (8) 166*d*.
raw materials, colliery wastes as (9) 187*i*.
oxides of Si, Fe, Al, Ca, and Mg in (1) 17*e*.
sand-lime, P (3) 66*g*; P (4) 90*d*.
setting systems, allied to stiff extrusion (5) 110*b*.
strength, crushing, effect of size of packing material (10) 207*d*.
effect of rate of loading and type of packing (10) 207*c*.
tests under complex stresses (10) 207*h*.
structure, color, form, and texture (8) 166*b*.
wall, cavity columns, vertical load tests (10) 207*j*.
cavity, full-scale tests on lateral strength (10) 207*e*.
grouted cavity, compressive strength (10) 207*a*.
lateral strength with precompression (10) 207*j*.
resistance to lateral loading (10) 207*h*.
walling, quality, effect on wall stability (5) 110*f*.
-work, creep in, with and without dampproof course (10) 207*a*.
prefabricated construction (5) 110*i*.
structural, fundamental properties (4) 89*c*.
structures, medium rise load-bearing, design to 5th Amendment (10) 207*a*.
-work facing, avoiding moisture penetration in (2) 37*h*.
2-leaf (2) 37*j*.
-work products, automatic kiln for (2) 37*a*.
Brick industry, Austrian (5) 110*g*.
automated, in North Carolina (7) 147*d*.
Bickerstaff, in Atlanta (5) 110*h*.
Czechoslovakian (5) 110*h*.
energy crisis in (5) 110*b*.
heat and power supply (10) 207*b*.
liquefied gas in (2) 37*d*.
plant development (8) 166*h*.
problems, at Kibblesworth (4) 89*f*.
profitability, ensuring (2) 37*j*.
at Schoentonwerke (4) 89*i*.
transport, from works to construction (5) 110*e*.
at ZAT '72 exhibition in Essen (2) 37*d*.
USSR (5) 110*i*.
in Washington, D.C. (1) 8*j*.
Brickmaking equipment, conveyor, P (4) 90*c*.
drying trolleys, P (5) 111*a*.
extrusion, for simulating handmade, P (3) 66*f*.
gripping, P (11) 226*j*.

Brickmaking equipment *(continued)*
positioning, in mortar, P (5) 110*j*.
press, weighed charge system for, P (9) 189*c*.
regrouping, P (4) 90*b*.
simulated aged, P (1) 8*f*.
Brittle materials, building, reinforcement by glass fibers (1) 6*c*.
coarse crushing, P (4) 95*j*.
porous, strength, model (3) 80*i*.
quasi-, failure under thermal stress (2) 51*i*.
strength, effect of second-phase dispersions (2) 56*e*.
thermally shocked, determining T_c (2) 47*f*.
thermal shock behavior (2) 57*f*.
Bromine, Br^- ions, diffusion in KCl-KBr mixed crystals (2) 50*j*.
trifluoride, with graphite to form lamellar compound (4) 100*e*.
Bronze, alkali metal W, optical properties (5) 121*d*.
ammonium V (10) 218*d*.
hydrogen tungsten, phases H_xWO_3, thermochemistry (2) 57*i*.
Na W, Kyropoulos single crystal growth (2) 53*f*.
$(NH_4)_{0.25}WO_3$, thermochemistry (5) 123*i*.
oxygen-vanadium, of Li, Rb, and Cs (1) 25*g*.
Building materials, block, clay walling, large-sized surface-ground (2) 37*c*.
by $Ca(OH)_2$, forced reaction, with CO_2 (4) 84*f*.
ceramic, clays with gas-forming components for (2) 37*a*.
clayware unit floors, and floor slabs, prefabricated, German (5) 110*d*.
development, DTA in (10) 207*a*.
industry, brick, tile, and precast beams, Austrian (5) 110*g*.
mfg., by carbonation of slaked lime (3) 62*c*.
panels, masonry (7) 147*d*.
pore structure, relation to properties, B (5) 124*j*.
production, industrial aspects (5) 110*f*.
xylolith, boards and sheets, P (6) 126*j*.
Burners, with air pollutant reduction, P (6) 135*f*.
atomization, P (1) 19*c*.
for blast furnace stoves (6) 135*a*.
combustion control, P (8) 173*f*.
flame, adjustable, P (3) 74*i*.
flat flame, P (5) 118*h*.
fluid-fuel, P (1) 19*d*.
fuel, bridge-operated late-phase firing circuit means for, P (2) 48*a*.
and gas mfg., P (1) 19*e*.
supervisory system, P (11) 233*f*.
Venturi-type, P (3) 75*e*.
gas, air flow to, P (2) 48*a*.
of ceramic material, P (9) 194*a*.
with diffuser, P (3) 75*b*.
with flashback-prevention arrangement, P (1) 19*f*.
high-pressure, for rotary kilns, P (8) 173*e*.
new, for ceramic industry (5) 118*c*.
nonaerated natural, P (8) 173*h*.
nonatmospheric, P (4) 97*f*.
P (1) 19*e*; P (3) 75*a*; P (3) 75*b*; P (4) 97*d*; P (6) 135*h*; P (8) 173*g*.
postpurge system for, P (8) 173*i*.
valve, P (3) 75*b*.
gaseous fuels, burner port assemblies for, P (6) 135*f*.
P (6) 135*h*; P (7) 153*f*.
gas ir, P (11) 233*f*.
infrared, P (5) 118*h*; P (6) 135*h*.
liquid fuel, and control systems for, P (4) 97*e*.
or gaseous, P (4) 97*b*.
P (7) 153*f*; P (9) 194*b*.
low-velocity, for thermal expansion of particulate solids, P (1) 19*g*.
natural gas, for glass tanks, model study (1) 5*c*.
new design (2) 47*e*.
oil, combustion heads for, P (10) 213*g*.
radial flow blower for supplying air to, P (9) 194*c*.
P (6) 135*i*.
piezoelectric, igniters and systems, P (8) 173*h*.
plasma, for preparation of finely particulate Si oxides, P (10) 214*c*.
plasma-spray, P (8) 173*i*.
pot, P (4) 97*f*.
quarl, P (7) 148*f*.
radiant, and furnace for treating at high temp., P (8) 173*i*.
rotary kiln, reliable ignition (1) 19*c*.
for transporting thermal energy, from lower to higher temp., P (3) 74*j*.
tunnel, P (1) 19*h*.
vaporizing, turbulator for, P (9) 194*d*.
Bushings, cast condenser, P (3) 68*i*.

Cables, glass fiber, constant length composite, P (11) 225*e*.
multifilament light-conducting, apparatus for making, P (2) 35*b*.
optical, with plurality of single-material fibers, P (10) 206*j*.
Cadmium, antimonide, electrical properties (9) 195*i*.
electrical and thermographic studies (8) 175*g*.
Ge solubility in (8) 179*d*.
thin layers, doping (9) 195*g*.
atoms, nuclei, neutron absorption by (8) 178*a*.
$CdCr_2Se_4$, and $CdCr_2S_4$ single crystals, paramagnetic resonance (8) 178*d*.
reflectivity near Curie point (6) 140*b*.
$CdCr_2S_4$, stoichiometry and optical transparency in (10) 210*f*.
Cd_2FPO_4, luminescence in (1) 25*g*.
$CdGeAs_2$, glassy, nucleation and crystallization in (7) 149*e*.
$CdGeP_2$, vitreous, crystallization (1) 6*g*.
$CdIn_2Te_4$, thin films, electron-microscopic and electron diffraction studies (8) 176*a*.

Cadmium *(continued)*
$Cd_2Nd_2O_4S$, pyrochlores from, phase transitions (4) 99*j*.
CdO(s), vaporization, Knudsen effusion study (10) 217*a*.
$CdSiP_2$, dissociation, kinetic parameters (1) 21*h*.
$CdSnF_2$, emission spectra (5) 122*c*.
negative resistance in (3) 77*d*.
Cd_2SnO_4, for optical coatings for ir windows, P (10) 210*i*.
chloride, and bromide, lattice vibrations (9) 196*f*.
fluoride, crystals, high field conduction (10) 216*j*.
point defects in, Moessbauer and magnetic study (8) 177*j*.
germanate, synthetic, and X-ray analysis (4) 103*e*.
hafnate, single crystals (3) 79*c*.
oxide, crystals, stannate and zirconate (5) 120*e*.
microcrystals, ir absorption by coupled surface-phonon–surface-plasmon modes in (8) 177*f*.
reaction, with As, in region of Cd_2As_2 (6) 140*f*.
selenide, elastic and piezoelectric properties (2) 50*g*.
epitaxial layers, by vapor transport (10) 210*f*.
and sulfide, luminescence from impurities and radiation defects in (4) 92*i*.
stannate, light-transmitting electrically conducting, P (9) 191*c*.
sulfide, acoustoelectric instabilities in (3) 82*b*.
barriers, tunneling in junctions with (9) 199*d*.
cathodoluminescence in (10) 215*i*.
Cd displacement threshold in (4) 98*h*.
as colorant in glass, P (3) 65*a*.
crystals, acoustic-surface-wave convolution on (4) 98*a*.
diffusion of noble metals in (2) 57*e*.
dispersion of Raman cross section in (8) 175*e*.
electron density and potential in (8) 175*f*.
electron microprobe analysis (3) 78*c*.
evaporated films, resistivity (4) 93*h*.
films, electrical properties, effects of adsorbed O and H (11) 234*j*.
films, growth on mica surfaces (11) 229*f*.
films, sorption-dependent semiconductivity (1) 12*h*.
films, sputter-deposited, with high photoconductivity (4) 93*d*.
oriented crystallization (2) 54*e*.
persistent photodielectric lens effect in (2) 54*g*.
photoconduction and optical properties in (2) 57*f*.
powders, photoconductive, electrical charging (2) 51*b*.
resonance Raman scattering in, by tunable dye laser (6) 140*e*.
and selenide films, structure, composition, and photoelectric properties (8) 169*c*.
and selenide, oscillations of photocurrent in (8) 169*a*.
single crystals, growth, in evacuated ampoules (2) 52*f*.
single-crystal optical cavities, injection luminescence in (4) 99*g*.
single crystals, thermoelectric and photoelectric effects (8) 180*d*.
thermal emission of holes in (10) 216*c*.
thin films, electrical properties, role of defects (6) 131*b*.
X-ray atomic scattering by (8) 180*a*.
telluride, crystals, P (3) 71*f*.
$:Fe^{2+}$, phonon conductivity (8) 178*f*.
films, electrical conductivity (8) 169*e*.
films, exciton-phonon interactions in (8) 176*h*.
films, forming dc electromotive force in ac field (8) 169*j*.
films, volt-amp. characteristics and electrical conductivity (8) 169*f*.
fundamental absorption edge in, temp. dependence (5) 123*e*.
n-type, rectifying contacts on (11) 230*c*.
polycrystalline layers, photovoltaic effect in (8) 169*d*.
single-crystal, elastic constants and thermal expansion (2) 50*j*.
Calcination, of Al compounds, for alpha-Al_2O_3 (1) 20*c*.
of ceramic articles, P (5) 116*g*.
of Co oxide and Al_2O_3 mixture (1) 21*f*.
for MgO extraction, from dolomite (3) 75*b*.
of raw material, acid-base reaction during (3) 61*f*.
Calcining, carbon, and carbonaceous rocks, in tunnel kilns, P (11) 233*d*.
Calcite, Brillouin scattering in (8) 174*j*.
lattice dynamics (9) 196*e*.
Mn^{2+} in, forbidden hyperfine transitions, EPR (8) 176*h*.
single crystal, Fe^{3+} in, spin-lattice relaxation-time measurements (8) 179*g*.
luminescence and thermoluminescence (11) 234*b*.
Calcium, aluminates, in clinker, rapid determination (4) 85*a*.
ultrapure compounds corresponding to, P (5) 112*g*.
borate, solubilization, P (8) 173*j*.
$CaAl_2SiO_6$, synthetic phase (4) 99*g*.
$CaCO_3 \rightleftharpoons CaO + CO_2$, reversibility of reaction (7) 144*e*.
Ca Na aluminodisilicate foam, P (4) 97*c*.
$CaNaHSiO_4$, crystalline structure (6) 137*f*.
$CaO.Al_2O_3$, and $12CaO.7Al_2O_3$ single crystals, reaction with water (2) 32*a*.
$11CaO.7Al_2O_3.CaF_2$, $3CaO.SiO_2$, and $CaSO_4$, hydration (2) 32*d*.
CaO-CaC_2-$CaCl_2$, and CaO-CaC_2-$CaCl_2$-NaCl melts, thermodynamic aspects (6) 142*b*.
$2CaO.GeO_2.H_2O$, alpha-, ir spectra (9) 196*a*.
$12CaO.7Al_2O_3$, hydration, kinetics (1) 22*d*.
carbide, run off into vessels, cooling, P (6) 136*h*.
carbonate, precipitated, P (6) 136*a*.
$Ca_3SiO_4Cl_2$, host lattice for luminescence of phosphors (2) 53*j*.
Ca_3SiO_5, bottle-hydrated, state of water and stoichiometry (7) 144*j*.

Calcium *(continued)*
$CaSO_4.2H_2O \rightarrow$alpha-$CaSO_4.0.5H_2O$, equilibrium transition as function of H_3PO_4 solution (9) 182*j*.
$Ca_2Sr(C_2H_5CO_2)_6$, Brillouin scattering in (6) 137*c*.
CaV_2O_7, crystal structure (3) 79*i*.
$CaY_4(SiO_4)_3O$, crystal growth and properties, laser host for Ho^{3+} (2) 49*j*.
chloride, and $CaSO_4$, effect on C_3S and beta-C_2S hydration (5) 106*d*.
HCl solubility in (4) 102*i*.
mixtures with $MgCl_2$ and AlkCl, viscosity (5) 123*g*.
$C_3S + C_3A + CaSO_4.2H_2O + H_2O$ pastes, hydration reactions in (4) 85*a*.
determination, P (8) 172*f*.
di-, silicate, crystal lattice defects in (4) 84*e*.
formation, effect of CaO refractories during steelmaking (2) 38*c*.
self-disintegrating products containing, P (3) 67*h*.
thin films, TEM (4) 85*e*.
epidote, $Ca_2Al_2FeSi_3O_{12}(OH)$, synthesis and stability relations (6) 141*e*.
fluoride, cubic crystals, Raman spectra, uniaxial stress effect (9) 195*d*.
defect transport in (1) 22*c*.
effect on properties of raw porcelain glazes (11) 228*j*.
(111) face, thermal vaporization from (2) 57*h*.
optical Zeeman spectra of Am^{3+}, Cm^{3+}, and Nd^{3+} in (3) 80*e*.
-rare earth fluoride fluorescent compound as laser crystal, P (3) 70*e*.
rare earth ions in, high pressure optical studies (8) 177*a*.
single-crystal surfaces, hardening (4) 99*f*.
single crystals, diffusion and trapping of Xe in (5) 115*e*.
single crystals, electrical structure of mirror cleavage planes (5) 120*a*.
solubility in NH fluoride and phosphate solutions (5) 122*b*.
vapor epitaxy on NaCl (9) 199*f*.
fluorizirconate, repressing precipitation, P (5) 116*d*.
hydroaluminates, free energies of formation (2) 31*i*.
hydrosilicate hydrosol, formed during portland cement hydration, electrokinetic properties (1) 2*g*.
hydrosilicates, in CaO-SiO_2-H_2O system (9) 195*c*.
hydroxide, forced reaction with CO_2, to develop building material (4) 84*f*.
intergrowth with quartz and calcite (4) 85*e*.
ir and Raman spectra (1) 26*g*.
Ir oxides, characterization (10) 215*j*.
metazirconate, by solid-state reaction between CaO and ZrO_2, effect of pressure (6) 137*i*.
-Mg exchange, in montmorillonite and vermiculite (5) 119*f*.
-Mg silicates, hydrates of, P (3) 67*i*.
molybdate, aluminothermic reduction to yield Mo metal (10) 214*e*.
electric field effect on EPR spectra of Gd^{3+} ions in (7) 155*i*.
single-crystal, elastic constants (9) 198*j*.
mono-, aluminate, hydration characteristics (4) 84*j*.
transformation processes, and bauxite concretes from (5) 107*e*.
mono-, silicate, synthetic compositions, P (6) 136*d*.
montmorillonite, DTA and ir spectra (2) 46*c*.
nitrate, solutions, corrosion of portland cement paste by (1) 2*j*.
nitrite-nitrate, effect on clinker formation and properties of white portland cements (7) 144*h*.
oxide, in brick raw materials (1) 17*e*.
and CaO-MgO mixture, kinetics of hydration (3) 75*a*.
conductive cation transport numbers in (10) 215*c*.
and dicalcium ferrite, high-temp. equilibria (10) 217*a*.
effect on MgO-Al_2O_3 spinel (9) 187*e*.
effect on liquidus temp., viscosities, and electrical conductivities of slags in MgO-Al_2O_3-SiO_2 system (3) 78*j*.
energy of first excited electronic levels of Fe^{2+} in (8) 176*f*.
F band, magnetic circular dichroism (8) 177*d*.
F^+ center in (1) 28*f*.
hydration, electron microscopy study (4) 85*d*.
lattice dynamics (1) 25*c*.
luminescence of F^+ and F centers in (8) 179*g*.
$[Na]^0$ and $[Li]^0$ centers in, optical and EPR studies (7) 156*h*.
radiation-induced $[K]^0$ center in (8) 178*f*.
ZrO_2 stabilization by (11) 235*j*.
phosphate and silicate apatites, isomorphous substitutions in (1) 24*j*.
silicate, brick reaction, effect of sand grading (5) 106*h*.
brick, binding material in (10) 202*d*.
brick, DTA (10) 202*h*.
brick specimens in autoclave (10) 202*a*.
hardening, corroding effect (2) 31*e*.
hydrate, molding materials of, P (5) 107*a*.
hydrated, carbonation (5) 106*a*.
hydrated products, P (10) 203*e*.
hydration, reactivity of silicate anions during (4) 84*c*.
hydrous products, slaking lime in aqueous solution in, P (4) 85*j*.
materials free from asbestos fiber, P (6) 136*d*.
products, P (9) 183*f*.
xonotlite-type hydrous, P (9) 194*i*.
sulfate, alpha- and beta-hemihydrate, specific density (11) 235*i*.
dihydrate, in hemihydrate (3) 73*i*.
energy transfer from vanadate to rare-earth ions in (10) 216*b*.
form II, anhydrous, P (6) 126*h*.

Calcium sulfate *(continued)*
hemihydrate, alpha- and beta-, hydration, SEM (3) 62*g*.
hemihydrate alpha, finely dispersed, P (8) 162*a*.
hemihydrates, physicochemical properties (5) 106*f*.
morphology and crystal structure (5) 121*h*.
"soluble" anhydrites (5) 107*a*.
water adsorption (10) 203*c*.
sulfate hemihydrate, properties, effect of sterilization (6) 125*i*.
sulfoaluminate, low-sulfate form, compared to ettringite (8) 162*e*.
titanate, vibration spectrum, soft mode in (6) 141*c*.
tri-, aluminate, hydrates, physicomechanical characteristics (7) 144*i*.
hydration reactions, additive effect (1) 2*f*.
hydration, thermoluminescence studies (9) 183*a*.
reactions during cement hardening (11) 222*a*.
tri-, silicate, and di-, hydration, silicate anions reactivity during (1) 2*f*.
hydration, effect of precuring (5) 106*f*.
hydration at high temp. (7) 144*f*.
microstructure and hydration (7) 144*b*.
pastes, hydration (2) 32*c*.
pastes, hydration (4) 85*b*.
pastes, microstructure and hardening in $CaCl_2$ (11) 222*h*.
suspension hydration at constant pH (2) 32*e*.
thermoluminescence and hydration (2) 32*f*.
tri-, silicate, $+C_3A + CaSO_4.2H_2O + H_2O$, hydration reactions (9) 182*g*.
hydration, effect of precuring (9) 182*j*.
hydration, low pressure steam (8) 162*f*.
Tschermak's pyroxene, structure and crystal chemistry (10) 219*g*.
tungstate, elastic constants (9) 195*e*.
EPR line widths of Mn^{2+} in (1) 21*b*.
precision lattice parameters and thermal expansion (6) 140*d*.
stimulated-emission cross section of Nd^{3+} in (3) 64*f*.
Californium, separation, from other actinides, P (2) 45*g*.
Calorimeters, drop, for measuring enthalpy of formation of Na_3UO_4 (2) 44*j*.
for measuring enthalpy of $UO_{2.25}$ (2) 44*c*.
high-temp. reaction (2) 46*h*.
for measuring, strain energy release in dicing stressed glass and glass-ceramics (4) 96*g*.
Calorimetry, of cement binding power (11) 222*b*.
combustion, high-temp. (8) 177*b*.
differential diathermic, to measure reaction heats of glass (11) 224*h*.
drop, for enthalpy of Fe diselenide (3) 78*g*.
for enthalpy of Na_2O (3) 78*g*.
high-temp. combustion, for enthalpies of formation of W oxides (3) 79*e*.
micro-, of thermochemical parameters in oxide systems (2) 54*a*.
oxide melt solution, for enthalpies of formation of $MgAl_2O_4$, $MgSiO_3$, Mg_2SiO_4, and Al_2SiO_5 (3) 78*d*.
Capacitance, photo-, of MIS structure Al-Si_3N_4-n-GaAs (10) 218*b*.
Capacitors, with anodized electrode, of Ta-Si alloy, P (5) 114*e*.
ceramic, multilayer, by metal impregnation (6) 130*h*.
multilayer, and terminating, P (9) 191*d*.
P (1) 13*f*; P (10) 211*c*.
electric, P (3) 70*h*.
electrical, integrated-circuit, P (9) 191*c*.
electrode, monolithic base metal, P (1) 15*d*.
electrolytic, chip-shaped solid-state, P (7) 150*g*.
P (3) 70*i*.
frit, P (10) 206*d*.
high-stability, ceramic compositions for, P (4) 93*h*.
high-voltage, P (6) 132*c*.
MOS, lifetime determination (8) 168*j*.
multiple feed-through, P (9) 191*e*.
from novel glasses, and Ag compositions, P (1) 7*j*.
P (7) 150*g*.
SiO_2-Ta_2O_5 thin-film (4) 93*c*.
solid, P (11) 231*i*.
solid-state electrolytic, chip-shaped nonpolarized, P (6) 131*h*.
thin-film, P (4) 94*i*; P (10) 211*g*.
Carbides, boridized steel-bonded, P (9) 188*c*.
cemented, surface hardening, P (3) 67*g*.
defect, vaporization behavior (8) 180*i*.
dense, composite bodies, P (7) 148*a*.
deposition, high-rate, by activated reactive evaporation, P (6) 129*d*.
emitters, with enhanced thermoemissive ability (5) 119*h*.
fcc, superconductivity (5) 122*i*.
forms, electrochemical grinding with diamond wheels (9) 181*e*.
metal, coatings on graphite, P (5) 112*f*.
and metal carbide plus C microspheres, P (2) 39*e*.
oxy-, stability, in ZrC-ZrO_2 system (8) 179*i*.
refractory metal, for coating graphite tubes, P (4) 91*g*.
of subgroup IVa metals, reaction with Fe-group metals (8) 174*e*.
of subgroup Va and VIa metals, reaction with liquid transition metals (9) 194*j*.
thermochemical hierarchy in (5) 123*h*.
tips, throwaway square, cutting performance (1) 1*d*.
Carbon, activated, adsorption of weak and nonelectrolytes (11) 233*j*.
active, with hollow microspherical structure, P (4) 91*a*.
increasing surface area, P (10) 209*d*.
articles, shaped, P (10) 209*a*.

Carbon articles *(continued)*
solutions for treatment to improve oxidation resistance, P (10) 209*g*.
artificial, green test specimens from, P (2) 47*h*.
beads, densification by heat treatment (1) 9*e*.
black particles, nucleation and growth, during benzene thermal decomposition (11) 227*d*.
bodies, compacting, apparatus for, P (1) 10*g*.
P (2) 38*h*.
porous, P (7) 148*d*.
reinforced, P (3) 67*j*.
and carbonaceous rocks, calcining in tunnel kiln, P (11) 233*d*.
carbonatization, of portland cements (4) 84*a*.
carbonization, formation of carbonaceous mesophase through (9) 187*c*.
of $ZrSiO_4$ with plasma arcs (7) 154*f*.
charcoal, adsorptive properties, modification with pyridines (11) 235*e*.
contaminants, removal from Al_2O_3, P (3) 76*e*.
crystal orientation in, wetting of glass as function (3) 64*i*.
dense isotropic, deposition (11) 229*b*.
deposition, in refractories produces disintegration (7) 147*c*.
dioxide, reaction with C at high temp., low pressures (11) 235*e*.
-C reaction by O exchange (1) 21*i*.
disk, with removable wear faces, P (8) 168*b*.
electronic properties (11) 229*j*.
elemental, enriched in ^{13}C, P (7) 152*a*.
filamentary, P (7) 148*a*.
filamentary material, electrolytic treatment, P (1) 10*h*.
films, electrical resistivity (11) 229*e*.
fine dispersion, to control grain growth in MgO (10) 215*c*.
foam, carbonaceous coating for, P (9) 188*d*.
syntactic, P (9) 188*h*.
formation, during pyrolysis of resins (1) 9*a*.
free, semimicro level in SiC (8) 172*g*.
glassy, optical properties (3) 80*d*.
substrate, vapor deposition, P (9) 188*i*.
graphitizable, from polyfurfuryl alcohol (4) 97*i*.
hydro-, conversion with novel zeolite, P (5) 119*f*.
conversion process using crystalline aluminosilicate, P (6) 136*f*.
impregnation, of Al_2O_3, P (9) 188*g*.
interstitial, in diamond lattice (9) 194*g*.
isotope effects on, during diamond and graphite synthesis from gas (5) 120*g*.
isotropic pitch, with high density (7) 151*a*.
materials, mfg., P (3) 67*f*.
monofilament, B deposition on, P (9) 188*d*.
monoxide, and hydrocarbons, catalysts for oxidation, P (10) 214*e*.
oxidation, Ba_2CoWO_6 and Ba_2FeNbO_6 in (8) 176*i*.
oxidation over ZnO, kinetics (7) 156*e*.
precursors, indene-derived, increasing C yield, P (6) 129*e*.
products, ASTM standards, B (7) 159*j*.
thermal conductivity measurement (1) 17*g*.
pyro-, anisotropy on fuel particles for high-temp. reactors (6) 133*a*.
-coated oxide particles for gas-cooled fast reactors (7) 151*b*.
pyrolytic, nose for hypersonic vehicles, P (4) 91*b*.
shaped masses, firing, P (4) 91*d*.
ThO_2 reduction by (10) 218*h*.
tougher, with metal or ceramic impregnation (4) 90*i*.
UO_2 reduction by, X-ray diffraction study (10) 212*d*.
vitreous, single-crystal diffraction patterns from (11) 235*h*.
structure, X-ray diffraction (11) 236*c*.
subcritical crack growth in (8) 179*a*.
Carbonaceous materials, combustible, P (6) 129*f*.
P (6) 129*b*.
Carbonates, alkali, ir determination by pellet technique (11) 232*h*.
Ca-Mg, EDTA dissolution (6) 135*b*.
minerals, flotation, from unaltered phosphate ores (10) 214*d*.
in geochemical prospecting, P (8) 172*f*.
sedimentary minerals, B (2) 59*i*.
Carbonation, of Ca silicate, hydrates (5) 106*a*.
effect, on microstructural properties of cement stone (7) 143*h*.
of slaked lime, for building material (3) 62*c*.
Cassiterite, flotation, P (11) 233*g*.
Casting, apparatus, hydraulic pressure, P (2) 45*j*.
articles, with hollow interior, P (4) 96*b*.
cast workpiece, P (2) 46*a*.
centrifugal, for cylindrical hollow bodies, P (3) 73*g*.
P (3) 73*c*.
continuous, apparatus for, P (3) 73*a*.
Flo-Con sliding gate systems for (2) 38*e*.
earthenware, and bone china, factors affecting (1) 16*i*.
machine, automatic, P (8) 168*e*.
nonferrous metals, in graphite-glassy substance mold, P (7) 148*b*.
properties, relation to parameters of whiteware bodies (3) 68*b*.
of whiteware, mechanized (5) 113*b*.
Catalysis, by graphite oxide (11) 234*b*.
Catalysts, Al_2O_3, extruded, supports, P (9) 189*h*.
pore structure (8) 178*j*.
automobile emission control (1) 12*d*.
automotive exhaust gas, P (6) 136*j*.
braunite-glass, combined with enamels, P (6) 126*g*.
carbon, activated, SiO_2-impregnated, P (6) 136*d*.
chromia-alumina, P (4) 97*c*.
compositions, of scheelite crystal structure, P (9) 194*g*.
containing Pt and Pb, P (5) 119*e*.

Catalysts *(continued)*
containing Sb oxide, P (6) 136*e*.
cracking, effect of montmorillonite structure (11) 228*b*.
for hydrocarbons, P (1) 20*g*.
molecular sieves for, P (1) 20*i*.
with zeolite catalyst, P (4) 97*c*.
Cu aluminate-rare earth, shrinkage-resistant, treating auto exhaust with, P (5) 119*h*.
Cu chromite, P (1) 20*j*.
to eliminate pollutants, in auto-exhaust gas, P (10) 214*d*.
in gas conversion, P (11) 233*e*.
Ge, P (6) 136*i*.
graphite, activated, P (1) 20*f*.
graphite-Cu(II) chloride carrier-, P (1) 20*i*.
hydrocarbon conversion, P (2) 48*j*.
supersiliceous zeolites as, P (2) 48*j*.
hydrocarbon hydroprocessing, P (11) 233*e*.
hydrocracking, P (3) 76*a*.
hydrocracking process, for lube oil, P (4) 97*e*.
hydrogen transfer, P (11) 233*e*.
impregnation, P (6) 136*e*.
$LaCoO_3$ as, in engine exhaust gases (7) 149*g*.
mfg., by impregnating honeycomb-type support, P (5) 119*g*.
Mg spinel base, P (6) 136*b*.
mixed oxide, P (2) 48*f*.
multimetallic composite, P (11) 233*g*.
Ni zeolite supported (6) 135*g*.
novel, by hydrothermal method, P (6) 136*f*.
novel materials, by hydrothermal method, P (7) 153*e*.
oxidant-, mixture of Bi oxide and chromia-alumina, P (3) 76*b*.
oxidation, of hydrocarbons and CO, P (10) 214*e*.
for oxidation of olefins to unsaturated aldehydes, P (4) 97*g*.
perovskite-like, exploration (8) 176*i*.
porous ceramic exhaust oxidation, P (1) 20*a*.
preparation, P (7) 153*d*.
production, P (10) 215*b*.
Pt-Al_2O_3, dispersity of Pt in, X-ray diffraction and O-H titration (10) 209*j*.
rare-earth oxides, for H oxidation (4) 98*g*.
reforming, P (5) 119*i*.
refractory, in gas generation (10) 213*f*.
regenerating, containing Pt, Re, and halogen, P (5) 119*f*.
Ru-based, P (10) 214*j*.
SiO_2-Al_2O_3, ir spectroscopy (3) 75*e*.
substrates, structures with coating of Al_2O_3/SiO_2 fibers bonded to Al_2O_3, P (8) 173*h*.
support, P (11) 233*e*.
supported, transition metal-containing, P (4) 97*j*.
U-Sb oxide, P (10) 214*g*.
WC, for fuel cells, P (4) 94*g*.
zeolite, granulated, P (2) 48*b*.
L, P (7) 153*j*.
Zn-rare earth exchanged, P (9) 194*h*.
Cathodes, cathodochromic, materials and applications (3) 69*e*.
cathodochromic properties, of sodalite (2) 49*g*.
field emission, and devices using, P (6) 132*b*.
photo-, CsSb, scanning electron diffraction study during formation (6) 131*b*.
GaInAs, P (10) 211*a*.
III-V, bonded to foreign transparent substrate, P (3) 65*e*.
thermionic, indirectly heated, P (1) 14*e*.
P (1) 15*d*.
Cells, electrochemical, with cathode comprising hollow C bodies, P (9) 188*f*.
fuel, H, electrodes for, P (1) 10*g*.
using fused Tl oxide electrolyte, P (4) 93*f*.
ir, high-temp. and use in dehydroxylation of kaolinite (10) 213*i*.
parameter, nonlinear variation, with composition in alkali feldspar series (4) 101*b*.
photovoltaic, P (3) 71*d*; P (3) 71*g*.
surface inversion, P (3) 72*c*.
Cement industry, automatic bulk dispatch, at Beckum (8) 161*f*.
automation in (8) 161*f*; (10) 202*g*.
cleaning in, high-pressure hydrodynamic (10) 202*a*.
control system, automated, for optimum production (9) 182*g*.
multifunctional (9) 182*c*.
in Czechoslovakia (9) 182*d*.
fuel-saving technology in (10) 202*b*.
gas analysis in (10) 202*e*.
German, dust removal in (3) 61*g*.
Hungarian instrument in, Direktermom, thermometric analysis (3) 62*j*.
intraplant transport, improvement (9) 182*i*.
laboratory automation in (1) 3*b*.
problems, regarding refractories (1) 2*e*.
Ukrainian, automated system of control in (9) 181*i*.
Cements, acid-resistant, and mortar compositions, dry mixtures for, P (10) 203*d*.
activity, correlation analysis (4) 84*d*.
determination by hydrobarothermal method (9) 182*c*.
additives, expansive, P (5) 107*i*.
P (8) 162*i*.
adjuvants for, P (5) 107*g*.
Agloporite, from ashes of Varna electric power plant (11) 222*a*.
aluminous, in building industry (1) 3*f*.
harmful reactions in (1) 2*e*.
review (1) 3*e*.
Al_2O_3, P (7) 148*f*.
and refractory applications (11) 226*c*.
asbestos-, panels, poly(methyl methacrylate) impregnated, properties (5) 107*e*.

Cements asbestos- *(continued)*
products, ASTM standards, B (7) 159*i*.
with ash, from electric power stations (4) 84*b*.
with asphaltenes (4) 83*f*.
autoclaved, use of S in (7) 144*c*.
Ba, formation of Ba sulfoaluminate during preparation (4) 84*b*.
binding power, by calorimetry (11) 222*b*.
black, shungite as pigment for (3) 62*g*.
burning, apparatus, with atomizing dryer, P (5) 107*j*.
$CaAl_2O_4$, by solid state reaction (4) 84*a*.
cementite, in cast-iron pieces, cause of enameling defects (5) 107*d*.
cementitious compositions, containing H_3PO_4, P (7) 145*a*.
fast-setting crack-resistant, P (7) 145*a*.
P (3) 62*c*; P (10) 203*d*.
cementitious mixtures, additive for, P (10) 203*c*.
from cement slurry, and plant for, P (6) 126*i*.
clinker, colored, P (8) 162*j*.
countercurrent vertical cooler for (2) 31*d*.
dolomite, stabilized (10) 202*j*.
dusting, causes and elimination (9) 181*j*.
dusting, reduction (9) 182*b*.
expansive, properties, effect of gypsum (3) 62*f*.
Fe-containing part, EPR of structure (7) 144*b*.
firing and grind. intensification (4) 85*e*.
formation, effect of Ca nitrite-nitrate (7) 144*h*.
free lime content (4) 84*c*.
free lime in (5) 106*j*.
hydration reaction, effects of additives (10) 202*a*.
IHI-SF, burning process (6) 125*g*.
industrial, SEM (7) 144*h*.
of low ferric and Al_2O_3 contents (9) 182*e*.
mineral formation, catalytic action of water vapor on (7) 143*f*.
and mixes, evaluation of chemical analysis errors (4) 84*j*.
setting time, effect of SO_3 (10) 202*h*.
composite, with asphalt concrete, rheological properties (5) 106*j*.
compositions, additive, P (3) 62*c*.
Bogue calculation, effects of analytical errors (8) 161*j*.
containing glass fibers, P (5) 107*h*.
floor, P (6) 126*g*.
inorganic, P (8) 162*a*.
lightweight high-strength, P (10) 203*e*.
maintaining fluidity, P (6) 126*h*.
P (1) 3*i*.
corrosion resistance, in solutions of Mg salts (10) 202*f*.
crack direction, relation to Griffith's biaxial failure criterion (2) 31*g*.
CSH(I), basal spacing hysteresis in (4) 83*h*.
expanding agents, P (8) 163*b*; P (10) 203*c*.
expansive, hydration (6) 126*a*.
from portland cement and alunitic quartzite (11) 222*e*.
and stressing, effect of alunite on stability (9) 182*h*.
fiber-reinforced, internal morphology (8) 162*f*.
glass fiber reinforced (11) 222*f*. role of interface in (7) 144*f*.
glass-ionomer, formation (8) 162*c*.
glass surgical, poly(carboxylic acid)-fluoroaluminosilicate, P (10) 207*a*.
grade, guarantee, and calculation of activity (9) 182*g*.
grinding, effects of grinding-ball weight loss (2) 32*b*.
grinding aids (8) 162*c*.
guns, P (9) 183*e*.
hardened, E-89 resin in, ir spectroscopy (7) 144*i*.
hardening, and grinding body size (1) 2*i*.
thin layer chromatographic detection of inhibitors (9) 183*b*.
high-slag, high-pressure steam curing (6) 125*j*.
high-strength, P (10) 203*f*.
hydration, reactivity of silicate anions during (4) 84*c*.
hydraulic, additive compositions for, P (8) 162*i*.
aqueous, to use in high-temp. environments, P (1) 3*j*.
compositions, P (2) 32*i*.
method and apparatus for, P (2) 33*a*.
P (2) 32*j*.
retarder composition, P (1) 3*i*.
Japanese Assoc. meeting, B (5) 124*c*.
lightweight, additives for, P (2) 32*h*.
lime, expansive additive for, P (8) 162*j*.
lime silicophosphate, P (9) 183*e*.
materials, in furnace, measurement of moisture (4) 85*f*.
mfg., P (2) 33*b*.
mixture, hydrothermal treatment (7) 144*d*.
P (8) 162*j*.
noncorrosive, with controlled setting time, P (2) 33*b*.
oil well, high-expansion, based on CaO (3) 62*a*.
paste, activation energy and activation vol of creep (11) 222*a*.
Al_2O_3-filament-reinforced (8) 161*e*.
combustibility (7) 143*g*.
dielectric properties, measurement for hydration of bond (1) 3*e*.
fracture, in relation to surface forces and porosity (3) 62*a*.
hardened, capillary porosity in (5) 105*i*.
hardened, cured or stored at high temp., H_2O sorption properties (5) 107*f*.
hardened, electromechanical effect (2) 32*g*.
hardened, electroosmosis in (9) 182*g*.
hardened, frost damage in (7) 144*a*.
hardened, length change anomalies, effect of admixtures (9) 182*d*.
hardened, longitudinal wave velocity through (8) 162*g*.
hardened, steam-cured, mercury porosimetry (9) 182*c*.
high-strength generation in (4) 84*e*.

Cements paste *(continued)*
hydration reactions in (7) 144*e*.
slag-lime, hydration (8) 162*e*.
slow crack growth in (3) 62*h*.
surface area and pore structure (2) 32*d*.
thermodynamics of H_2O and N adsorption (2) 32*f*.
plugging, setting time determination (4) 84*f*.
polymerizable, and laminates produced with, P (1) 3*a*.
pore structure, and properties, B (10) 220*g*.
portland, and additives for, P (5) 107*a*.
carbonatization (4) 84*a*.
and cement-sand mixtures, crystal structure during hardening, SEM (1) 2*b*.
containing soda-lime glass, P (11) 222*c*.
direct thermometric analysis (9) 182*c*.
effects of diatomaceous earth (10) 202*i*.
fiber glass in (8) 161*i*.
high-MgO, curing as measure of vol stability (7) 144*d*.
high-pressure steam hydration, precuring effect (5) 106*f*.
high-strength, of improved stability (4) 84*a*.
hydration, silicate anions reactivity during (1) 2*f*; hydration reactions, effect of sulfate (5) 106*c*.
industrially produced, variation of water requirement (4) 85*f*.
instrumental analysis, ion-exchange resins in (3) 74*g*.
mortar strengths, effect of early hydration (3) 61*g*.
optimum sulfate content (10) 202*g*.
rapid-hardening, P (10) 203*g*.
reinforcement by polymer latexes (7) 144*g*.
rotary kiln chain hanger, P (8) 163*c*.
structure, changes on drying and rewetting (5) 106*b*.
use of kira (waste material) in (8) 162*h*.
white, by-products as raw material for (4) 83*j*.
white, properties, effect of Ca nitrite-nitrate (7) 144*h*.
white, properties, effect of oxides of transition elements (7) 143*i*.
portland clinker, with Cu slag added (4) 85*a*.
distribution of TiO_2 in (8) 161*h*.
morphology of prismatic phase in (6) 126*c*.
rapid-hardening composition, P (2) 33*b*.
white, structure, effect of sharp cooling in acetic acid (6) 125*i*.
portland paste, corrosion by Ca nitrate solutions (1) 2*j*.
dried hydrated, rewetted, He flow characteristics (4) 84*c*.
hardened, specific surface (6) 126*g*.
hindered setting of cement particles in (4) 84*f*.
quality, Al sulfate and $CaSO_4$ to improve, P (5) 107*h*.
rapid-hardening, and expansive, with alunite quartzites (2) 32*i*.
raw materials, chemical characterization (9) 181*j*.
controlling degree of preparation, P (2) 32*j*.
in Hungary (1) 2*h*.
mixing systems for (2) 31
treatment, P (9) 183*f*.
and raw meal, granulometric analysis, with sedimentation balance (10) 202*b*.
raw mix, decomposition of minerals in, and formation of clinker minerals (1) 2*c*.
and refractories (4) 90*c*.
refractory, hydraulic, review (7) 147*g*.
sampler, for use with rotary processing chamber, P (6) 126*i*.
-sand mixes, strength (6) 126*a*.
set, accelerator, P (2) 32*h*.
set retarding composition, P (5) 107*i*.
setting, retardation, effect of chemical additives (11) 222*d*.
sheets, apparatus for, P (4) 85*h*.
slurry, automatic control level in vertical basins (4) 83*g*.
SO_3 in (4) 85*j*.
specific surface, relation to strength development and power requirement (10) 203*b*.
stone, freezing, development of stresses and strains during (11) 222*b*.
microstructural properties, carbonation effect (7) 143*h*.
reinforcing steel in, corrosion and passivity (7) 143*j*.
strength, effect of ash and trass (9) 182*f*.
increase by additional ettringite formation (8) 162*d*.
and particle-size distribution (2) 32*a*.
strength properties, paste method of determination (2) 32*c*.
stressing, P (4) 85*i*.
tests, from different plants, composition and strengths (10) 202*c*.
ultrathin slides, for TEM (7) 152*h*.
white, quality, effect of tuffs (4) 84*i*.
Zn acetate, phase composition and dissolution kinetics (1) 3*b*.
Centrifuges, filtering, for separation of solid matter and fluids, P (2) 45*i*.
for forming ceramics, P (9) 193*h*.
nozzle discharge, multidisk, bowl, thickening flocculated kaolinite slurries in (9) 193*f*.
Ceramic industry, changes in, and future development, B (7) 160*d*.
computers in (11) 231*j*.
economic factors, and erection of plant (1) 30*d*.
energy crisis in, current analysis (10) 213*e*.
energy shortage in (5) 124*c*.
environmental protection (8) 180*b*.
fine, shaping process in (2) 45*c*.
heat recuperation in (6) 135*e*.
plant installations, life cycle costs (3) 73*j*.
productivity, boost with balanced environment (5) 124*d*.
in South Africa (2) 58*d*.
Ceramic-metal systems, glass-metal, interface interaction (2) 34*d*.
Ceramic-metal systems *(continued)*
porcelain dipping, by boom manipulator in washer and dryer *mfg.* (1) 3*c*.
protective coating, electrically conductive, P (11) 223*c*.
Ceramics, articles, mfg., P (3) 73*d*.
thin walled (1) 9*b*.
electrical conductivity in, and glass, B (10) 220*j*.
historical development (10) 220*h*.
lightweight products, P (4) 96*d*.
molten, producing objects from, P (10) 212*i*.
products, P (3) 73*g*.
progress, since 1955, investigation methods (1) 18*h*.
science, 7th international conference, B (9) 200*i*.
structure, and properties, B (11) 236*h*.
ware, mfg., P (3) 73*d*.
Cerium, CeAsS, crystal structure (1) 22*a*.
$Ce_2Zr_3O_{10}$, X-ray characterization (1) 29*i*.
Ce^{3+}, and Ce^{3+}-sensitized fluorescence in $YAlO_3$ (10) 218*e*.
dicarbide, reaction with Pt and Ir (5) 122*c*.
dioxide, paramagnetic hole centers in (8) 178*d*.
spin-lattice interaction for Gd^{3+} in (7) 158*h*.
in Sr-Mg glazed glasses, opacity mechanism (6) 127*f*.
films, metallic, absorption of soft X rays by (8) 169*e*.
-ic oxide, and Ce_2O_3 molecules, dissociation energy (8) 175*e*.
zero-field splittings of Ge^{3-} and Cm^{3+} in (5) 124*b*.
oxide, P (2) 48*f*.
thermal expansion, X-ray diffraction (2) 7*e*.
tetrafluoride, synthesis and physicochemical study (10) 219*d*.
Cermets, film, anodized components, P (9) 190*a*.
with integral portions, of different density, P (3) 168*d*.
Ni/SiO_2 films, TEM (3) 70*c*.
oxide-carbide, macroprobe analysis (4) 90*a*.
protective coating glass frit, P (3) 62*h*.
refractory material, for bonding diamond, P (5) 105*i*.
WC, elastic moduli, pressure dependence (9) 197*j*.
ZrO_2-Mo, and Al_2O_3-Fe, electrical conductivity (1) 12*i*.
Cesium, adsorption kinetics, on GaAs (3) 76*h*.
beta-aluminate, synthesis (9) 199*e*.
Cs_2FeO_4, crystal structure (4) 98*h*.
chloride, compression (4) 98*d*.
and sulfate, interaction with Na chloride and sulfate (10) 217*f*.
$CsCuCl_3$, crystals, electrical and optical studies in (11) 234*b*.
$Cs_2B_8O_{10}$, X-ray diffraction data and enthalpy of fusion for (6) 142*f*.
Cs_2MgCl_4, and $CsMgCl_3$, enthalpies of formation (3) 78*e*.
iodide, secondary electron emission (9) 198*c*.
nitrate, electrical properties (2) 51*e*.
reaction with SiO_2 and metakaolin (6) 133*j*.
oxide, higher, plasma chemical synthesis (3) 81*a*.
oxygen-vanadium bronzes (1) 25*g*.
sulfide, ternary (9) 199*i*.
tetrachloroiodate, interactions with Rb tetrachloroiodates (1) 24*e*.
zirconosilicates, properties (1) 27*a*.
Chalcedony, texture (8) 179*h*.
Chalcogenides, amorphous, photoconductivity in (2) 54*j*.
complex crystalline, direct precipitation method for (7) 154*e*.
crystals, and glasses, photoemission from (9) 185*i*.
di-, superconductivity in (10) 219*b*.
of transition metals, ionicity, atomic radii, and structure (10) 217*g*.
films, Seebeck coeff. in (10) 219*b*.
transitional metal, mixed-valence, spectroscopic properties (4) 102*j*.
Chemical reactions, laser-induced (10) 217*a*.
Chemistry, analytical data, on ceramic materials (3) 73*h*.
colloidal, of ceramic clays (6) 137*f*.
molten salt, B (8) 180*f*.
of refractories, high-Al_2O_3, from hot-metal mixer furnaces (1) 9*a*.
resistance, of refractory materials (1) 9*a*.
solid state, B (2) 60*b*; B (7) 160*c*.
chemical structure of solids, B (9) 200*g*.
and physics, B (7) 160*d*.
progress in, B (3) 82*h*.
Chimneys, multisection heat-insulated, section for, P (3) 75*d*.
Chlorides, alkali, Gibbs energies and entropies of mixing in liquid mixtures with $CoCl_2$ (2) 51*a*.
Gibbs energies and entropies of mixing in liquid mixtures with $MnCl_2$ (2) 51*b*.
effect, on concrete in hot and arid regions (9) 182*f*.
on limestone damage to structural clay products (2) 37*b*.
liquid mixtures, binary and ternary, surface tension (2) 56*d*.
penetration, into concrete (10) 202*g*.
reaction, with $BiCl_3$ (9) 198*g*.
with $SbCl_3$ (7) 157*a*.
with $SbCl_3$ (4) 101*i*.
in rocks, determination (11) 232*e*.
Chlorine, loss, from photochromic glasses during melting (3) 63*f*; from photochromic glasses during melting (9) 185*c*.
reactions, with CuS minerals (6) 140*i*.
Chromatography, gas, of foam glass samples (8) 172*a*.
ion exchange displacement, for determination of rare earths (9) 193*a*.
Chromium, -Au films, pinholes and adhesion failures (4) 93*b*.
borocarbide, physical properties (1) 26*f*.
center, orthorhombic, in spinel $MgAl_2O_4$ (1) 26*a*.
chrome, ores, melt behavior in soda-lime-silica glass (8) 164*c*.
coloring agent, in silicate glasses (5) 108*a*.
compounds, chemical bonding in, X-ray spectroscopy (7) 159*a*.
effect on zircon brick properties (10) 208*f*.
Chromium *(continued)*
^{53}Cr, NMR in rare-earth orthochromites (8) 174*g*.
$Cr_{1-x}Mn_xO_2$, and characterization of $CrMnO_4$ (5) 120*b*.
$Cr_2Se_{4-x}Te_x$, (X = 0.5-3.5), magnetic properties and electrical conductivity (4) 100*a*.
$CrSi_2$, thin-film resistor material (10) 210*b*.
Cr_2X_3, and Cr_3X_4 (X = S,Se,Te), electrical conductivity (4) 100*g*.
Cr^{2+}, in MgO, Jahn-Teller effect for (10) 216*d*.
Cr^{3+}, doubly excited pairs, in $ZnGa_2O_4$ (9) 195*h*.
ESR in phenacite single crystals (9) 195*i*.
field-dependent spin-lattice relaxation in Al_2O_3 (6) 138*b*.
no-phonon transition in TiO_2 (9) 199*g*.
Raman relaxation in MgO crystals (8) 177*i*.
Cr^{3+}-Cr^{3+}, interactions in spinel $MgAl_2O_4$, ESR study (9) 196*b*.
Cr^{3+}, : Al_2O_3, EPR in optically excited state $E(^2E)$ of (10) 216*b*.
in Lu Al garnet single crystals, EPR (11) 234*d*.
luminescence in $LiAl_5O_8$ (2) 53*j*.
Cr^{3+}-Cr^{6+}, equilibrium in aluminoborate glasses (10) 204*a*.
equilibrium in silicate glasses (10) 204*b*.
Cr^{3+} pairs, optical spectra in $ZnGa_2O_4$ (9) 197*a*.
Cr_3Te_4, heat capacity and thermodynamic properties (3) 79*d*.
dioxide, crystallographic shear structures derived from (10) 215*e*.
crystals, ferromagnetic, P (3) 70*j*.
ferromagnetic composition, P (10) 210*f*.
ferromagnetic, P (8) 170*g*.
ferromagnetic, treating, P (2) 43*b*.
P-modified ferromagnetic, P (9) 191*f*.
effect, on formation of alpha-Al_2O_3 from gamma-Al_2O_3 (9) 196*i*.
-ic oxide, alpha, initial sintering, effect of O_2 partial pressure (4) 99*j*.
effect on liquidus temp., viscosities, and electrical conductivities of slags in system MgO-Al_2O_3-SiO_2 (3) 78*j*.
initial sintering (7) 156*b*.
optical-exciton absorption spectrum (9) 195*b*.
spin flop in (8) 179*a*.
oxide, crystallization in glass (10) 204*c*.
Fe-containing ferromagnetic, P (4) 93*i*.
redistribution, during Czochralski growth of fluorapatite (2) 55*a*.
sesquioxide, H reduction (5) 120*h*.
silicides, thermodynamic properties (8) 180*d*.
telluride, crystals, vapor grown, magnetic properties (2) 53*d*.
Circuits, boards, with conductive through holes, P (8) 170*c*.
multilayer techniques, P (1) 15*d*.
ceramic, soldering method and apparatus for, P (8) 171*e*.
chips, with beam leads, P (4) 93*a*.
components, within substrate, P (7) 150*b*.
dielectric, forming process, P (7) 149*j*.
electrical, multiwafer structure, P (4) 94*b*.
electric elements, P (7) 149*j*.
FET, P (9) 190*j*.
film-deposited, P (4) 93*e*.
glass, precision miniature, P (3) 65*g*.
ignition, radiation suppression structure, P (3) 71*d*.
integrated, on Al_2O_3 substrate, P (7) 150*g*.
anodic passivating processes for, P (8) 169*g*.
beam crossovers for, P (3) 71*h*.
bilevel thin-film, P (9) 192*e*.
chip, package for, P (3) 71*j*.
chips, ac performance test, P (5) 114*c*.
chips, mounting, P (5) 115*b*.
complementary, by double epitaxial method, P (2) 41*g*.
composite, P (1) 13*h*.
composite, P (9) 190*f*.
current-limiting, P (3) 70*f*.
with damping resistor, P (3) 72*e*.
diffusing carrier killers into, P (4) 94*i*.
electrical isolation of circuit components of, P (6) 131*j*.
with electrically isolated circuit components, P (6) 132*d*.
with lateral transistors, P (2) 41*h*.
monolithic, P (3) 71*i*.
monolithic, P (6) 132*a*.
P (1) 14*c*; P (7) 149*e*; P (7) 149*f*; P (8) 170*d*.
package, with lead structure, P (4) 93*h*.
polycrystalline structures for, P (11) 230*h*.
process using Si etch, P (3) 71*e*.
semiconductor, P (1) 14*i*.
semiconductor, P (2) 41*h*.
and semiconductor components, connection means for, P (6) 131*i*.
solid-state, P (6) 132*b*.
solid state, P (10) 211*g*.
structure, P (5) 114*i*.
thin-film resistor crossovers for, P (4) 93*e*.
JFET, or MESFET, dielectric strip isolation for, P (5) 114*g*.
JFET depletion-mode, bucket-brigade, gate-diffusion isolation for, P (6) 132*b*.
micro-, thin-film metalization process for, P (5) 115*b*.
microelectronic, coating to protect, P (1) 7*b*.
multilayer, P (6) 132*e*.
MOS-bipolar high-voltage driver, P (4) 94*a*.
multilayer, P (3) 71*j*.
noise discriminating, for electronic particle study apparatus, P (5) 118*b*.
optical, integrated, Ba silicate films for (10) 209*h*.
printed, plate, P (8) 170*g*.
semiconductor, multilayer interconnected structures for, P (8) 170*e*.

Circuits *(continued)*
Si integrated, field inversion voltage of metal oxide on, P (1) 14*d*.
structure, P (7) 149*i*.
thick film, assemblies, P (4) 94*i*.
small contacts for, P (1) 15*b*.
thin-film, on high-purity Al_2O_3 substrates, P (6) 132*c*.
multilayer, P (9) 191*e*.
P (5) 115*b*.
testing, P (6) 132*f*.
thin-film panel, microfuses on, P (1) 14*e*.
transistor, monolithic, P (3) 71*i*.
TTL, Schottky-clamped, P (6) 133*a*.
Classification, in cement mills (1) 2*h*.
photometric, of lumpy minerals, P (2) 48*a*.
Classifiers, continuous, for abrasive powders in subsieve range (2) 46*g*.
jet, space-saving device (4) 95*g*.
for particulate materials, P (9) 194*g*.
Clays, analysis, from Virginia (6) 135*j*.
Argentine (11) 233*j*.
Assam, and Meghalaya, mineralogical studies (10) 217*f*.
ball, thixotropy in, measurement (8) 172*b*.
batch recipes (6) 125*g*.
bloatability test for, microscale (1) 18*a*.
bodies, drying (3) 73*j*.
phosphate-bonded (9) 189*h*.
bulking, apparatus for mfg. bodies of, P (9) 187*a*.
cation exchange capacity, determination with ammonia electrode (5) 117*b*.
characteristics, genetic, mineralogical, and physicochemical (8) 173*b*.
Chukurovo deposit, for faience tiles (11) 228*h*.
and clay minerals, study (2) 58*h*.
cutting, wire, devices for, P (1) 8*g*.
deposits (7) 143*e*. in Argentina (10) 214*a*.
in Shigaraki District, Shiga Prefecture (8) 173*c*.
of Solymar brick plant (2) 48*e*.
enameling, properties (9) 183*e*.
expanded, evaluation, lab tests (2) 48*f*.
mechanical activation (2) 45*c*.
films, opacity, P (10) 214*i*.
foamed (2) 48*g*.
with gas-forming components, for ceramic building materials (2) 37*a*.
green mix, P (9) 187*b*.
Haenam, and Kanggin, properties (3) 81*g*.
Hampyeong (8) 174*c*.
hydroxyaluminum interlayered, swelling characteristics (5) 123*b*.
Indian, electron microscope study (10) 216*j*.
industrial uses (6) 135*e*.
kaolin, in ceramic slips (9) 183*a*.
lamination, cause and control methods (6) 133*g*.
local, use (11) 221*j*.
mica from, separation by froth flotation, P (9) 194*j*.
minerals, of brickmaking clays from Melbourne (4) 89*a*.
colloidal chemistry (6) 137*f*.
Gibbs free energies of formation (5) 120*d*.
Indian, surface properties (5) 119*d*.
interaction in dilute H-clay suspensions (2) 39*c*.
mixtures, high-temp. reactions and ceramic properties (4) 99*g*.
optical absorption spectra (1) 25*i*.
reactions with alkaline earth hydroxides (2) 55*a*.
surface acidity, monitoring with uv spectroscopy (8) 172*e*.
synthesis (6) 137*e*.
X-ray analysis (3) 74*h*.
X-ray analysis (7) 159*j*.
modeling composition, P (10) 214*e*.
mullitization, effect of exchangeable cations (10) 216*e*.
organic complexes (6) 139*f*.
oriented, elastic wave velocities in (6) 137*e*.
P (2) 48*i*.
palygorskite-sepiolite, occurrence and origin (7) 154*e*.
particulate materials, P (10) 215*c*.
Pennsylvania, properties and uses (6) 135*j*.
physical properties, dressing process for changing (11) 233*j*.
plasticity, assessing by extrusion method (8) 172*j*.
quality control, of Westerwald (6) 136*a*.
red, of Brazil (7) 158*f*.
refractory, and aluminosilicate grogs (7) 147*a*.
mineralogical composition (11) 235*e*.
rheology, factors that affect (10) 203*i*.
Shigaraki, and clay minerals (5) 119*b*.
stoneware, mineral content (8) 177*i*.
suspensions, stabilized, P (1) 20*c*.
test data, computer processing (2) 46*i*.
thermal-shock-resistant, P (10) 209*g*.
thermal stability (1) 10*j*.
transport system, from quarry, at brickworks (4) 95*g*.
treatment, to improve optical properties, P (1) 20*a*.
P (2) 48*h*.
unfired, strength, measurement (8) 172*a*.
V_2O_5 in (7) 152*i*.
-ware articles, hollow, P (11) 232*a*.
water filtration through, effect of heterogeneities (3) 73*g*.
weight loss, and shrinkage (7) 152*j*.
of W. Virginia (6) 135*a*.
Cleaning, in cement industry, high-pressure hydrodynamic (10) 202*a*.
semiconductive wafers, P (2) 42*a*.
thermochemical, of glass fabrics, P (2) 37*e*.
Coatings, antireflection, for semiconductor diode array targets, P (1) 13*c*.
wide-band, P (2) 37*g*.
antistatic, and protective, for windowpanes, P (2) 37*g*.
carbide, on graphite, P (4) 91*g*.
carbon, and composite article with, P (3) 62*j*.
ceramic, for continuous cleaning surfaces, P (2) 33*f*.
compositions, P (1) 3*h*.
diamond, wear-resistant, P (2) 31*i*.
electric insulating, on Si steel sheet, P (2) 33*h*.
evaporation-inhibiting, for Si-Ge and Si-Mo alloys in thermocouple, P (5) 117*j*.
Fe titanate, high-emittance, noble metals with, P (1) 3*h*.
fireproofing, paint-on (2) 38*j*.
flameproof protective, for electrical film resistors, P (4) 88*c*.
Formaflex carbide (11) 222*i*.
on glass, devitrification-resistant, P (1) 7*c*.
P (6) 127*i*.
protective, P (9) 187*e*.
to reduce damage to surface (7) 145*j*.
surfaces, P (1) 7*b*.
glasslike, with oxidation-promoting properties, P (2) 33*h*.
glossy ground, on cast iron (3) 62*f*.
on graphite, gas mixture for, P (5) 112*c*.
heat-softenable, for metal, glass, or synthetic resin filaments, P (1) 7*c*.
high-refractive-index, deposition on wet ground mica, P (1) 20*h*.
with high solar absorption-to-ir emittance ratio, P (9) 183*i*.
high-temp.-resistant, P (4) 86*h*.
low-porosity, P (6) 128*e*.
luster color, on ceramic, glass, P (3) 65*d*.
metalizations, W/Au, on oxidized Si wafers, Au-Si eutectic formation in (11) 229*a*.
metalizing, ceramic, P (8) 170*j*.
Mo, on BeO (8) 169*a*.
thin-film, for microcircuits, P (5) 115*b*.
metallic carbide, on graphite, P (5) 112*f*.
metallic powder, on molds and plungers used in glass mfg. (11) 244*j*.
metal oxide, on flat glass, P (7) 146*a*.
on glass article, apparatus for measuring thickness, P (3) 64*b*.
optical, for glass, P (8) 166*d*.
overglaze, for microelectroaic circuit, P (1) 7*b*.
oxide, on Al and alloys, relation of thickness, impedance, and corrosion resistance (3) 62*g*.
plasma-flame-sprayed, nondestructive emissive measurement method (11) 223*a*.
plating, electroless, nucleation with $SnCl_2$-$PdCl_2$ solutions of glass before (5) 114*h*.
polyvinyl butyral, adhesion to sheet glass (11) 223*c*.
protective, containing glass flake pigment, P (1) 8*c*.
formation with lining of furnace (3) 61*i*.
for metal substrates, P (2) 33*i*.
P (2) 33*i*.
for semiconductor structures, P (1) 13*f*.
pyrolytic ground, controlling aging and set stability in (11) 222*f*.
refractory, arc plasma treatment, P (4) 91*b*.
P (2) 39*g*.
on steel, P (3) 62*h*.
refractory separating, for electrical steels, P (7) 145*f*.
resistant, to erosion, P (9) 183*i*.
scratch-resistant, for glass, P (8) 165*h*.
surface, apparatus for, P (9) 190*c*.
of chemically tempered vitreous bodies, P (5) 110*g*.
which contact hot glass, P (5) 109*d*.
for thermoelectric materials, P (9) 190*e*.
on Ti, chemical vapor deposition, P (9) 190*e*.
TiC tool steel, plasma-sprayed, P (4) 91*i*.
tin oxide, on transparent substrates, P (1) 7*a*.
ZnO photoconductive, P (8) 170*e*.
Cobalt, chloride, Gibbs energies and entropies of mixing of alkali chlorides in liquid mixtures with (2) 51*a*.
lattice vibrations (9) 196*f*.
$CoCrO_4$, high-pressure O generation and synthesis (1) 17*e*.
$CoCr_2S_4$, stoichiometry and optical transparency in (10) 210*f*.
$CoFe_{2-x}Ti_xO_4$, and $Co_{1-x}Fe_{2+x}O_4$ single crystals, electrical conduction in (9) 195*e*.
Co(II), ions, in Pb borate glasses, spectrophotometry (10) 205*b*.
Co(III) oxide, new compounds (10) 218*a*.
$CoTe_2$, ^{125}Te Moessbauer effect in (3) 81*g*.
Co^{2+}, magnetoelastic coupling, in Y ferrite-garnet structure (7) 156*i*.
Co^{4+} (d^5), magnetic susceptibility in octahedral and tetrahedral environments (3) 80*d*.
effect, on silicate glass coloration (2) 33*d*.
electroless, nucleation and growth, electron microscopy (1) 12*i*.
-Nd-Sm intermetallic product, P (11) 231*h*.
-ous oxide, elastic constants and acoustic absorption coeff. (6) 138*b*.
magnetic order in (7) 158*c*; magnetic order in, long-range (8) 177*b*.
physical properties, comments and reply (9) 197*f*.
reflectance spectra (8) 175*d*.
oxide, and Al_2O_3 mixture, calcination, behavior during (1) 21*f*.
equilibrium partial pressures in magnesite refractories (1) 23*h*.
magnetic hyperfine interaction of Fe(II) in (9) 195*b*.
Cobalt oxide *(continued)*
pressure-sintering, densification during (1) 23*c*.
sintering, initial and intermediate stages (3) 81*a*.
structure (5) 122*h*.
Coercive force, in Ba ferrite, angular variation (2) 49*b*.
intrinsic, of Ba ferrite powders, effect of milling (3) 69*c*.
Coercivity, intrinsic, of $BaFe_{12}O_{19}$ (1) 24*g*.
Coesite, SiO_2 and quartz transition to (6) 139*d*.
Colloids, aquasols, SiO_2, protecting from bacterial degradation, P (10) 214*i*.
gels, Al_2O_3, P (7) 153*h*.
amorphous inorganic, P (4) 97*b*.
boehmite, sintering and phase transformation in (7) 158*d*; boehmite, sintering to obtain filaments (8) 167*f*.
ion-exchange, relation to Zr molybdate (1) 26*j*.
SiO_2, P (8) 173*g*; SiO_2, P (7) 153*g*.
SiO_2, activated, and selective adsorption capacity (10) 215*e*.
SiO_2, flatting agent, P (10) 215*c*.
SiO_2, P (10) 214*j*.
slow-setting, thixotropic structure (5) 123*i*.
hydrogels, alkali aluminosilicate, studies (10) 219*i*.
aluminosilicate, dehydration kinetics, role of alkaline earth exchangeable cations (10) 219*a*.
SiO_2, P (8) 173*h*.
hydrosol, Ca hydrosilicate, formed during cement hydration, electrokinetic properties (1) 2*g*.
sols, -gel processes (11) 233*b*.
metal-containing materials from, P (4) 95*d*.
PuO_2, low-nitrate and large-crystal-size, P (7) 152*d*.
SiO_2, increasing size of SiO_2 particles in, P (1) 20*d*.
SiO_2, negative setting agent, coating for refractory material, P (2) 39*d*.
SiO_2, large-particle, P (6) 136*c*.
SiO_2, acid or mineral anion stabilization, P (11) 233*c*.
UO_2-ZrO_2 binary, stable homogeneous, P (4) 95*c*.
Color, centers, in Ba aluminoborate glasses, growth and decay (5) 109*g*.
F^+ in CaO (1) 28*f*.
F^+, in BeO, electron nuclear double resonance (8) 176*b*.
F, and compound, in RbCl, ir emissions (8) 177*g*.
$F^+ \rightarrow F$ conversions on MgO (8) 176*a*.
F^+ and F in CaO, luminescence (8) 179*g*.
F, optical-pumping cycle in alkali halides (8) 175*g*.
radiation, in glass of MgO-SiO_2 and CaO-SiO_2 systems (1) 6*h*.
in SiO_2, rf-sputtered (3) 70*c*.
for ceramics (6) 130*d*.
coloration, induced in MgO by MeV $^{20}Ne^+$ bombardment (8) 174*d*.
Ni, in glazes (11) 229*a*.
of silicate glasses by Cr (5) 108*a*.
coloring, glass (3) 63*b*.
diffusion, on glass (7) 145*i*.
drawing-induced, in SiO_2 fibers (11) 223*b*.
of enamels (6) 126*j*. by oxides (2) 33*c*.
in glass, faint, measurement (5) 109*b*.
by Mn, Fe, Co, and Ni (2) 33*d*.
problem, in WO_3, ir measurements (10) 215*a*.
of spinel solid solutions, in CoO-ZnO-Al_2O_3-Cr_2O_3-Fe_2O_3 system (5) 113*h*.
Combustion, air temp., effect on production capacity of glass tanks (2) 33*f*.
combustibility, of raw cement paste (7) 143*g*.
fuel, methods and apparatus, P (3) 75*a*.
high-temp., products, equilibrium composition, computer calculation (6) 134*f*.
particulate solid fuel system, P (9) 194*c*.
Compaction, apparatus, for powder, P (4) 96*b*.
of carbon bodies, apparatus for, P (1) 10*g*.
device, for loose materials or concrete, P (1) 16*g*.
explosive-force, of ceramic and metal powders (2) 45*h*.
of fluorspar, for metallurgical use, P (10) 214*j*.
of granular material, P (2) 45*f*.
isostatic, of refractory mixes, coarse-grained (8) 167*g*.
kinetics, of MgO with LiF additive (9) 196*d*.
pressure, effect on isothermal sintering and grain growth in hematite (2) 50*c*.
radiation, of SiO_2 (3) 63*h*.
of refractory particles, P (4) 91*d*.
in shale, effect on primary migration (6) 137*g*.
Compactors, vibratory, P (9) 193*i*.
Compacts, green (7) 155*d*.
silica fiber, sintering, correction (1) 10*i*.
sintered metal powder, working, P (7) 151*a*.
Composites, Al-C fiber, continuously cast, and tensile properties (6) 128*j*.
article, with C coating, P (3) 62*j*.
P (4) 91*g*.
$(BaSb)(TiZr)O_3$, ceramics, three-step positive temp. coeff. of resistivity (2) 57*c*.
$BaTiO_3$-Bi_2O_3, capacitance-voltage characteristics (5) 114*b*.
Be hydride, Li-doped, P (9) 191*h*.
bodies, dense, P (9) 188*e*.
carbide, dense, for armor and abrasives, P (2) 38*i*.
carbon, P (9) 183*h*.
by spiral wrap (5) 112*e*.
carbon-carbon, failure modes in (2) 38*f*.
fracture toughness (2) 38*f*.
carbon fiber-glassy carbon, graphitization (2) 38*g*.
ceramic, P (3) 69*a*.
C-felt, C-matrix, thermal and mechanical properties (2) 37*h*.
C fiber, microstructure and related properties (9) 187*h*.

Composites *(continued)*
C fiber-reinforced, P (4) 91*a*.
C-glass, P (9) 186*c*.
diamond-nondiamond C polycrystalline, P (1) 201*g*.
fiber glass-portland cement, durability (8) 161*i*.
fiber-reinforced, high-shear-strength, P (6) 129*d*.
fibrous, mineral-filled, new refractory (1) 9*g*.
and fluoride coatings, and polymers, lubricants (11) 233*d*.
friction materials (2) 38*a*.
glass, thermally insulating laminated, P (9) 187*g*.
glass-metal, interface interaction in (2) 34*d*.
glass-metal fiber, P (7) 146*g*.
graphite fiber, covering, P (3) 67*b*.
graphite fiber/epoxy (9) 187*f*.
graphite-ZrC, strength properties (9) 198*e*.
low-thermal-expansion (2) 39*b*.
materials, for combined functions, B (2) 58*e*.
P (2) 38*i*.
metal-ceramic, flame-sprayed, for prostheses (2) 33*d*.
metal/graphite (2) 39*c*.
Ni-Al_2O_3, electrodeposited (10) 210*g*.
nuclear fuel, bonded-particle, P (2) 45*c*.
pultruded, containing high modulus graphite fibers, properties (9) 188*c*.
resin-glass, organic, P (2) 36*h*.
SiO_2 glass, fused, P (9) 186*h*.
TaC-Ta fiber, P (4) 91*d*.
Ti-SiC materials, Zr diffusion barrier in, P (4) 91*h*.
WC-Co, precipitation and magnetic hardening in (6) 140*c*.
Compounds, ABO_4, with zircon and scheelite structures, thermal expansion (7) 159*e*.
$A^{II}B^{VI}$-type, crystals, morphology (4) 100*f*.
$A^2B^4C_2^5$, specific structure defects (2) 55*j*.
groups II and VI, layer, P (7) 150*h*.
new, with pyrochlore structure (4) 100*j*.
simple solid, ionic conductivity in (6) 141*d*.
ternary, growth using solid, liquid, and vapor phases, P (2) 41*b*.
III-V, on insulating substrate, P (8) 171*d*.
solution epitaxial growth, P (1) 15*i*.
Compressibility, of solid, by X-ray method, application to beta-Al_2O_3 (1) 18*j*.
Compression, of NaCl, X-ray measurement (4) 104*g*.
shock, to determine elastic constants of sapphire and fused quartz (4) 99*b*.
of solids, apparatus for, P (3) 73*a*.
Computers, analog, to improve temp. control in port tank (8) 164*j*.
analysis, of properties of brick clays (6) 137*g*.
to calculate, equilibrium composition of combustion products (6) 134*f*.
compact representation, for atomic scattering factors (8) 172*g*.
in crushing plants (10) 212*j*.
determination, of 2V and indicatrix orientation (5) 117*b*.
in glass industry, and ceramic industry (11) 231*j*.
process, in preheater-rotary kiln-cooler systems (5) 118*e*.
processing, of clay test data (2) 46*i*.
simulation, in applied science, B (2) 58*i*.
Concretes, adjuvants for, P (5) 107*g*.
aerated, phase transformations during preparation (1) 8*b*.
aggregate, lightweight expanded, colliery wastes for (8) 162*f*.
aluminous cement, phase transitions and changes in structure (1) 3*c*.
analysis, microwave heating in (11) 222*j*.
bauxite, from Ca monoaluminate, properties (5) 107*e*.
bloating, effect of alkali-silica reaction (8) 162*j*.
cement, permittivity (5) 106*i*.
with cement clinker aggregate, properties (6) 126*e*.
cement mixings for, particulate reinforcement mixed with, P (4) 85*j*.
chemical-resistant, P (1) 3*j*.
chloride penetration into (10) 202*g*.
corrosion, by sulfate ions (1) 2*i*.
deformation, effect of temp. and moisture content of atm (11) 222*d*.
desiccated, tensile creep and strength reduction, sorption effect (9) 182*g*.
effect of chlorides, in hot and arid regions (9) 182*f*.
epoxy impregnated, mechanical properties, effect of hydration (9) 182*f*.
frozen, P (10) 203*f*.
grinding, with coated abrasives (11) 221*e*.
heavy, tributyl phosphate as air-entraining agent in (9) 183*c*.
Keramzit-perlite, use in Moscow (5) 106*j*.
lightweight, high-strength, P (5) 107*i*.
P (2) 33*a*.
structural, P (10) 203*e*.
materials, effect on quality (8) 161*g*.
mixes, setting time, acceleration by gamma-ray irradiation (11) 222*a*.
new formations in, crystallization, effect of reactive aggregates (7) 144*a*.
postcooling, for Idikki arch dam (6) 126*d*.
properties, long-term (5) 106*h*.
physicochemical approach (2) 32*i*.
quality, Al sulfate and $CaSO_4$ to improve, P (5) 107*h*.
refractory, $CaAl_2O_4$, P (10) 208*h*.
gas, mix for, P (5) 112*e*.
in glass furnaces (3) 66*d*.
high-strength [$CaAl_2O_4$], P (8) 168*c*.
hot flexural and hot torsional strengths (4) 90*e*.
test pieces (7) 152*g*.

Concretes *(continued)*
and reinforced, granulated blast-furnace Ba-Mn slag in (11) 222*g*.
with low expansion coeff., P (6) 126*h*.
reinforcing steel in, corrosion and passivity (7) 143*j*.
research laboratory, at Karlstrup, library and documentation service (9) 182*h*.
steel fiber reinforced, effect of fiber geometry on properties (9) 182*j*.
flexural strength (8) 162*g*.
strength, correlation with ultrasonic pulse velocity (6) 125*g*.
prediction from calculated porosity of cement paste (8) 162*b*.
stress-strain curve (2) 32*g*.
sulfur-impregnated (8) 162*g*.
Condensation, coeffs., of molecular beams of NaCl on NaCl single crystals (3) 80*f*.
Conductivity, electrical, ac, of $As_{40}Se_{50}Ge_{10}$ films (4) 92*d*.
of Sc_2O_3 (8) 174*b*.
of Al_2O_3, beta-, effect of Na and Mg (1) 21*e*.
single-crystal and polycrystalline (7) 155*g*.
of BaO, and SrO crystals (8) 175*e*.
of beta-spodumene, and beta-spodumene-SiO_2 solid solutions (5) 114*e*.
of bodies, in ZrO_2-CaO-NiO system (3) 72*f*.
of CdF_2 crystals (10) 216*j*.
of CdSb, dependence on temp. (8) 175*g*.
of CdTe films (8) 169*e*; (8) 169*f*.
in $CoFe_{2-x}Ti_xO_4$, and $Co_{1-x}Fe_{2+x}O_4$ single crystals (9) 195*e*.
of $Cr_2Se_{4-x}Te_x$, (x = 0.5-3.5) (4) 100*a*.
of Cr_2X_3, and Cr_3X_4 (X = S,Se,Te) (4) 100*g*.
of Cu_2S (4) 99*j*.
of diamond, heavily doped (3) 78*b*.
effect, on elastic and piezoelectric properties of CdSe (2) 50*g*.
of glass, and ceramics, B (10) 220*j*.
and glass melts, temp. dependence (8) 165*c*.
mixed-alkali, relation to self-diffusion, correction (6) 127*a*.
mixed-alkali, relation to self-diffusion (2) 33*j*.
surface, measurement (7) 145*g*.
of systems Sb(As)-Ge-Se, effect of annealing (9) 184*g*.
of HfO_2 (10) 216*g*.
high-freq., of Co-Fe ferrite (6) 138*h*.
material, containing PbO and RuO_2, P (4) 93*d*.
measurements, application to study of water bound by expanding layers (3) 76*i*.
to determine chemical diffusion in Al_2O_3 (7) 154*i*.
of MgO (6) 138*d*. effect of LiF (9) 195*a*.
polycrystalline (1) 22*d*.
of MnO (11) 234*a*.
of MoO_3, and WO_3 (10) 215*e*.
of NiO, pressure dependence (3) 81*e*.
in noncrystalline materials (10) 215*b*.
photo, in Se single crystals (8) 178*h*.
of Sc_2O_3 (8) 175*d*.
of slags, in MgO-Al_2O_3-SiO_2 system (3) 78*j*.
relation to viscosity (9) 198*c*.
of Sn disulfide (11) 234*j*.
in $SrTiO_3$ (9) 199*a*.
studies, in Eu_2O_3 (7) 154*j*.
in Ta oxide films (4) 102*c*.
thermally stimulated, in Ia and IIa diamonds (2) 52*b*.
and trapping centers in MgO (3) 81*j*.
of ThO_2 ceramics, pure and doped (2) 51*b*.
of Y_2O_3 films (8) 168*i*.
of ZnS (11) 234*b*.
of ZrO_2 (1) 23*b*.
of ZrO_2 (10) 216*g*. temp. dependence (11) 236*g*.
of ZrO_2-Mo cermet, and Al_2O_3-Fe cermet (1) 12*i*.
Conductivity, electronic, in electrolytes, CeO_2-ZrO_2 based solid (2) 51*g*.
in glass, chalcogenide (4) 86*d*.
Conductivity, ionic, in electrolytes, CeO_2-ZrO_2 based solid (2) 51*g*.
of LaF_3 thin films (9) 196*d*.
in simple solid compounds (6) 141*d*.
in solids, structural aspects (2) 56*f*.
transition, to electronic, in ThO_2 (3) 82*a*.
of YF_3, and LuF_3 (1) 24*h*.
Conductivity, thermal, of AlN, effect of O impurity (8) 175*b*.
of $(Bi_{1-x}Sb_x)_2Te_3$, and $Bi_2(Te_{1-y}Se_y)_3$ compounds (4) 103*j*.
of BN (1) 29*i*.
of bone, at low temp. (5) 123*f*.
of carbon products, measurement (1) 17*g*.
of elements (2) 57*b*.
of EuS, EuTe, and EuSe (1) 29*i*.
of $FeSi_2$, semiconducting and metallic (11) 236*i*.
of $Ga_{1-x}Al_xAs$ alloys (8) 179*i*.
of LiF, and Ziman limit (8) 179*i*.
of Li_2MoO_4, single crystals (7) 159*d*.
of Lucalox (8) 177*f*.
of MgO, single crystals, effect of Fe impurities (6) 137*h*.
of NaF, and Ziman limit (8) 179*i*.
of NbC (8) 179*j*.
of Pu-UO_2 (9) 192*f*.
of refractory brick grogs, effect of particle size (10) 208*f*.
of refractory bricks, apparatus for (10) 212*j*.
of SiO_2 (9) 199*i*.
of solids, B (5) 124*i*.
of ZrC (8) 179*j*.
Conductors, electrical, coaxial, P (1) 13*g*.
-dielectric mixtures, heterogeneous, permittivity (7) 149*e*.
with double layered insulation, P (11) 225*f*.
insulated, devices for electrical connection, P (8) 169*j*.

Conductors, electrical *(continued)*
mixtures (9) 190*e*.
overhead, supporting for electric railways, P (9) 189*j*.
P (10) 206*a*; (11) 225*e*.
photo-, CdTe:Cu,O,S, photoconductivity (7) 149*f*.
comprising CdSe, P (10) 211*b*.
terminations, protecting during gas panel mfg., P (4) 94*h*.
wire-shaped current, forming flat end faces, P (8) 170*g*.
Conductors, ionic, electrode polarization (2) 51*e*.
super, invoking free-ion-like model for (2) 54*f*.
vitreous, decay function for electric field relaxation in (10) 204*c*.
Conductors, thermal, P (9) 194*a*.
Conferences, cement, Japan, B (5) 124*c*.
ceramics, science, 7th international, B (9) 200*i*.
enameling, Australasian, proceedings, B (2) 59*e*.
European Ceramic Assoc., in Germany, 1971, B (5) 124*d*.
glass, melting and fining, B (9) 200*h*.
lasers, damage in optical materials, B (9) 200*e*.
materials science, electronic materials, B (5) 124*g*.
pollution prevention, 1972 (3) 82*f*.
solar energy, in France, B (2) 60*e*.
white wares, and materials and equipment, 1973 fall meeting, B (10) 220*j*.
Contacts, Au-Ni ohmic, on n-type GaP (4) 92*g*.
electrical, light-duty, of Ag and Ru oxide, P (4) 93*i*.
for semiconductor device, P (9) 191*h*.
sintered Ag-graphite-Ni metal ceramic material for, P (9) 192*c*.
intermetallic, to semiconductor device, P (1) 14*d*.
low ohmic, high-temp., to Si, P (7) 150*e*.
ohmic, and composition, P (2) 43*e*.
for group III-V p-type semiconductors, P (3) 71*j*.
for group III-V p-type semiconductors, P (5) 115*e*.
to semiconductors, P (3) 71*a*.
to ZnS devices, P (5) 115*f*.
Schottky, P (10) 211*h*.
Schottky devices, P (4) 94*d*.
soft solderable, for installing semiconductor components, P (2) 42*j*.
V_2O_5, surface, conductivity measurement of sorption on (3) 69*f*.
Conveyors, belt, controlling dust on, P (5) 116*e*.
continuous (4) 95*f*.
and dryers, for pressed ceramic members, P (4) 97*c*.
endless belt, removing samples of particulate materials from, P (6) 134*g*.
for particulate material, P (1) 16*f*.
pneumatic, dust precipitation for (8) 172*b*.
for powder-spraying apparatus, P (2) 46*b*.
reciprocating grate, cement clinker, P (8) 163*c*.
undulatory, tests and evaluation (7) 153*c*.
vibratory, for discharging loose material, P (4) 96*e*.
weigh belt, for recording coal entering mills (4) 85*g*.
Coolers, clinker, countercurrent vertical (2) 31*d*.
P (11) 233*f*.
present and development (3) 62*d*.
furnace grate, modernization (4) 85*g*.
grate, improvement in work (9) 182*j*.
hot-gas, P (9) 194*b*.
for hot material, in bulk, P (2) 45*f*.
for pulverulent material, P (9) 193*i*.
rotary, for treating particulate material, P (2) 46*d*.
for rotary kilns, P (9) 183*e*.
rotary kiln satellite, increasing cooling effect, P (11) 233*g*.
systems, preheater-rotary kiln-, computers in (5) 118*e*.
Cooling, apparatus, for semiconductor devices, P (3) 70*f*.
CaC_2, run off into vessels, P (6) 136*h*.
cement mills, by spraying water into (10) 202*f*.
device, of glass bulb blowing ribbon machine, P (2) 35*d*.
fused-cast refractories, effect on inner face temp. and corrosion resistance (1) 9*i*.
glass tanks, for TV tubes (1) 4*e*.
material, from rotary kilns, P (10) 213*h*.
tank blocks, fused-cast (1) 9*e*.
throat cover blocks (1) 9*d*.
Copper, $CuFe_2O_4$, tetragonally distorted, magnetic ordering (5) 121*f*.
$CuInSe_2$, thin films, flash-evaporated, properties (11) 230*a*.
Cu_2Te(c), dissociation pressures and thermodynamic properties (2) 50*b*.
$CuTeO_3$, crystal structure (2) 50*b*.
$CuVO_3$(II), crystal structure (2) 50*c*.
Cu^{2+}, ESR in tarbuttite mineral (2) 51*a*.
Cu_2HgI_4, thermochromic, ir recording with (10) 210*d*.
diffusion, in CdS, ultrasonic study (2) 57*e*.
films, structure (8) 169*c*.
gallates, and titanates, thermodynamic stability (1) 29*c*.
-glass reaction (2) 34*d*.
-ic, iodates, gel growth and characterization (5) 123*j*.
ic- montmorillonite, behavior of benzine adsorbed on (6) 137*a*.
-ic oxide, sintered masses, P (7) 151*g*.
surface, effect of O on electron trapping by (2) 52*h*.
symmetry-forbidden resonant Raman scattering in (9) 199*d*.
two-photon absorption in (9) 199*d*.
iodates, crystallographic, magnetic, and nonlinear optic survey (5) 123*a*.
malachite, enthalpy of formation (8) 176*g*.
minerals, pressure leaching, in perchloric acid solutions (10) 214*g*.
-montmorillonite-glycine complex, ir spectra (1) 24*j*.

Copper *(continued)*
-ous chloride, exciton region, resonant second-harmonic generation in (9) 198*b*.
-ous oxide, Raman scattering, luminescence and exciton-phonon coupling in (8) 178*h*.
resonance Raman scattering in (1) 27*h*.
single-crystal growth by chemical transport (4) 102*f*.
reaction, with sapphire, effect of O (9) 190*d*.
self-diffusion, and defect structure in Cu_2O (4) 98*j*.
site occupancy, in $PbMoO_4$ single crystals (3) 81*a*.
slag, in portland cement clinker (4) 85*a*.
substrates, Nb layer on, electrolytically, P (9) 191*h*.
sulfide, electrical conduction and phase transition (4) 99*j*.
minerals, reactions with Cl in aqueous system (6) 140*i*.
thermal expansion (9) 199*j*.
trace, adsorption by bentonite (8) 177*g*.
vanadate, alpha-, crystal structure (2) 50*b*.
Cordierite, body, glazing with glass-ceramics (1) 11*h*.
in ceramic bodies (5) 113*a*.
dielectric strength (11) 228*i*.
formation, effect of Fe_2O_3 (8) 168*j*.
Cores, ceramic, apparatus for molding, and wax or plastic patterns, P (11) 227*i*.
preformed, coating, P (11) 228*a*.
ferrite, bonding, simplified method, P (10) 211*f*.
ferromagnetic, sintered, adjusting dimensions, P (4) 93*j*.
foundry, compositions, P (1) 10*j*.
liquid self-hardening mixture for, P (4) 91*f*.
P (10) 208*h*.
Li ferrite, radiation-resistant, P (2) 43*c*.
refractory sand, P (6) 129*g*.
by silicate-CO_2 warm box process (5) 112*e*.
Corrosion, of aluminosilicate refractories, in Fe-Mn alloys (9) 187*d*.
of cement, hardened portland paste, by Ca nitrate solutions (1) 2*j*.
of concrete, by sulfate ions (1) 2*i*.
control, on borehole water pumps (4) 86*a*.
of enamels (11) 222*j*.
in fly ash scrubbing system (10) 208*j*.
of glass, analysis (7) 145*g*.
analysis (8) 163*e*.
of Mo electrodes, by molten Sb (11) 223*i*.
products, control by filtration in power plant waters (5) 116*h*.
of refractories, by alkali vapor (10) 207*j*.
chrome-magnesite and magnesite-chrome, by Na_2CO_3 vapor (10) 208*a*.
in electric glassmelting furnaces (11) 226*e*.
by glasses (5) 111*h*.
resistance, of fused-cast refractories, effect of cooling (1) 9*i*.
of fused-cast tank blocks (1) 9*e*.
of MgO brick for converter (11) 227*b*.
in solutions of Mg salts (10) 202*f*.
of throat cover blocks (1) 9*d*.
-resistant, linings and mortars for incinerators and chimneys (10) 208*b*.
soda-lime glass (6) 126*j*.
Corundum, -based ceramics, thermal stability (9) 195*f*.
ceramics, thermal stability (1) 10*a*.
crystals, growth from melt (10) 216*d*.
homologous classes, new representatives (8) 178*j*.
preparation, from aluminosilicates, amount of AlF_3 required (4) 90*f*.
single crystals, high-voltage electron microscopy (10) 217*a*.
whiskers, crystallization, effect of oxides (1) 22*i*.
Coupling, GaAs laser fiber, P (8) 170*b*.
magnetoelastic, in $GaAlO_3$ (8) 174*f*.
optical fiber, laser to, P (1) 14*f*.
optical wave-guide light source, P (4) 89*c*.
Cracks, in cement paste, slow growth (3) 62*h*.
density, effect on strength loss of Al_2O_3 with thermal shock (6) 137*g*.
direction, relation to Griffith's biaxial failure criterion (2) 31*g*.
in glass, due to microimpression (3) 63*a*.
growth, in Si_3N_4, hot-pressed (3) 79*f*.
subcritical, in vitreous C at room temp. (8) 179*a*.
micro-, in Al_2O_3 ceramic discharge devices, eliminating, P (4) 91*j*.
propagation, in Al_2O_3 ceramics, relation to quenching (1) 12*f*.
in B_4C, effect of grain size (6) 137*h*.
effect of slip bands (2) 50*f*.
in refractory bricks (5) 111*h*.
in UO_2, healing (1) 15*i*.
Creep, basic, and drying, effect of age at time of loading (2) 32*e*.
behavior, of Si_3N_4, reaction-sintered (2) 49*e*.
in brickwork, with and without dampproof course (10) 207*a*.
of cement paste, activation energy and activation vol (11) 222*a*.
compression machine, for small single crystals (1) 17*j*.
during hot-pressing, of refractory compound powders (7) 154*a*.
high-temp., of Al-Al_2O_3, nucleation and growth of voids during (3) 80*b*.
of LiF (2) 52*a*.
of MgO-FeO-Fe_2O_3 solid solutions, polycrystalline (11) 234*b*.
of Ni-Zn ferrite, grain boundary diffusion-controlled (7) 155*b*.
of nuclear fuels, under neutron irradiation (7) 151*c*.
of refractories, Al_2O_3-SiO_2 (4) 90*e*.
tensile, of desiccated concrete, sorption effect (9) 182*g*.
tests, evaluation (1) 18*c*.
of UO_2, compressive-creep rig for studying (4) 95*d*.
Cristobalite, formation, from kaolinite, effect of absorbed monovalent cations (7) 154*j*.
precipitates, in K silicate melt, kinetics (1) 5*e*.
Crushing, of langbeinite, P (10) 214*f*.
for mfg. dry material, P (5) 116*g*.
multi-stage, computer in design and operation (10) 212*j*.
single particles, of minerals (6) 133*i*.
Crushing apparatus, for brittle materials, P (4) 95*j*.
for fragile material, P (10) 212*g*.
gyratory, large, P (4) 97*e*.
P (5) 119*f*.
impact, rotor for use in, P (4) 98*a*.
for melts, P (1) 16*f*.
for molded sand, P (3) 67*a*.
P (10) 215*c*.
slag, P (7) 152*a*.
sledger, P (5) 119*i*.
Cryolite, pure, P (1) 20*c*.
synthetic, quality, P (6) 136*i*.
thin films, effects of solar radiation on transmission (7) 145*b*.
Crystal chemistry, of apatite, B (1) 30*j*.
of $CaAlAlSiO_6$ (10) 219*g*.
of Li, in octahedrally coordinated structures (4) 98*e*.
of Li_4XO_4 phases, (X = Si,Ge,Ti) (6) 137*i*.
mechanism, of effect of O and PbS single-crystal film thickness on change in conductivity type (2) 49*f*.
of metal oxides (9) 195*b*.
in $MSbO_3$ system, (M = Li,Na,K,Rb,Tl,Ag) (10) 215*d*.
Crystalline materials, bodies, drawing, P (7) 146*j*.
pulling from molten stock, P (1) 14*e*.
non-, conduction in (10) 215*b*.
P (6) 128*c*.
solids, far-ir, optical constants (10) 218*d*.
Crystallinity, distortion, in spinels of type $CoMn_xFe_{2-x}O_4$ (4) 98*f*.
in ferric oxides (1) 23*h*.
micro-, structure, of oxides from thermal decomposition (1) 25*a*.
structure, of $Na_4Zr_2(SiO_4)_3$ (5) 120*c*.
transformations, study at temp. above 2000°K, B (2) 60*e*.
Crystallites, size, effect on properties of hemihydrates of $CaSO_4$ (5) 106*f*.
Crystallization, of AlF_3, P (6) 136*f*.
of Al nitrate nonahydrate, P (9) 194*i*.
of aluminas, in presence of V_2O_5 (3) 76*j*.
of As_2Se_3, control (8) 174*e*.
of bentonite, Korean (8) 173*b*.
in $CdGeAs_2$, glassy (7) 149*e*.
of corundum whiskers, effect of oxides (1) 22*i*.
effect, on hydraulicity of slags (2) 31*j*.
of Fe garnet, temp. reduction during (1) 22*f*.
flux, of $YFeO_3$ or $Y_3Fe_5O_{12}$ (2) 50*g*.
of formations, in concrete, effect of reactive aggregates (7) 144*a*.
of Ga_2Te_4, thin films (8) 174*g*.
in GeO_2-Sb_2O_3-KF-H_2O system (3) 76*i*.
growth, controlled, from supercooled nutrient-flux solution, P (6) 131*i*.
hydrothermal, of alumina smectite (6) 137*e*.
in La_2O_3-GeO_2 system (1) 21*i*.
liquid phase, apparatus for, P (6) 131*f*.
liquid-phase growth, under transient thermal conditions, P (6) 132*e*.
of melts, in Na_2O-BaO-SiO_2 system (6) 139*i*.
oriented, of CdS (2) 54*e*.
of phenacite structures, with Zn-Be and Mg-Be substitutions (6) 137*a*.
polymer, without chain folding (2) 57*a*.
re-, activated, interdependence with electron structure (7) 156*b*.
behavior of W-3Re-2%ThO_2 alloy (5) 122*e*.
effect on pyrites composition and properties (5) 120*h*.
secondary, of vitrified basaltic melts (7) 157*h*.
of Se films (1) 12*h*.
in Ta_2O_5-GeO_2 system (1) 21*j*.
thermal, of sputtered thin films, Te-based (10) 219*j*.
vapor-phase, of TiN (5) 123*e*.
of ZrO_2 (2) 55*j*.
Crystallography, characteristics, of rare-earth trifluorides (3) 81*b*.
of Cu iodates (5) 123*a*.
survey, of 3d iodates (2) 57*d*.
of Zr arsenosulfides, and arsenoselenides (7) 154*a*.
Crystals, absorption coeff. in, low, measurement (10) 213*g*.
axes, piezoelectric determination (1) 18*g*.
bent diffraction, with geometrical aberration compensation, P (4) 96*d*.
colored, Raman spectroscopy (9) 193*b*.
crystallographic orientation angle, correcting, P (9) 192*d*.
defects, visual and TEM (1) 18*j*.
X-ray topographic spectrometer for studying (9) 193*c*.
diffraction, for use in crystal monochromator, P (3) 74*j*.
dynamics, of MgO (8) 174*g*.
ferroelectric, study with 3-crystal X-ray spectrometer (4) 103*a*.
fluorite, impurity centers at high Er^{3+} concentrations (2) 52*e*.
grooves on, diffraction of light from, use in goniometry (10) 216*a*.
growth, ion displacement, P (1) 14*f*.
of metastable phases (2) 49*g*.
phenomena arising during interruption (6) 140*b*.
simulation, with surface diffusion (2) 55*f*.
sintered SiO_2 for containers and dies for (6) 129*h*.
Crystals growth *(continued)*
stresses and dislocations during (4) 102*e*.
theory and techniques, B (2) 58*j*.
using ozone-enriched H-O flame, P (4) 96*c*.
vapor-phase, in PbS-Bi_2S_3 system (2) 57*h*.
ionic, damping of nonlinear lattice resonance in, temp. dependence (7) 158*g*.
dielectric properties and different models (7) 154*d*.
effective force-constant changes around impurities in (8) 179*b*.
entropy of formation of vacancies in (9) 196*b*.
far-uv reflectance spectra and electronic structure (7) 155*j*.
internal electric fields near isolated defects in (2) 52*j*.
multiphoton transitions in (7) 156*c*.
lattice, ideal, thermodynamic functions (6) 137*c*.
ionic, heat-pulse propagation in (7) 155*f*.
of spinel phases, imperfection (1) 24*g*.
lattice constants, Hartree-Fock, of diamond (9) 196*g*.
measurement, white X rays and double-crystal diffractometry (2) 46*e*.
of YIG (1) 29*f*.
lattice dynamics, above structural phase transitions—$SrTiO_3$ (8) 177*j*.
of alkali halides (9) 196*e*.
of calcite (9) 196*e*.
of CaO (1) 25*c*.
of graphite, pyrolytic (7) 156*f*.
of MgO (9) 199*b*.
of rigid-ion model for Gd molybdate (9) 196*e*.
of SnO_2 (1) 22*a*.
lattice modes, in $PbTiO_3$ (8) 177*a*.
lattice parameters, of $CaWO_4$ (6) 140*d*.
FORTRAN program for refinement (2) 52*a*.
of ThO_2 (5) 122*f*.
of ZnO crystals (10) 215*j*.
lattice vibrations, of $CdCl_2$, $CdBr_2$, $MnCl_2$, and $CoCl_2$ (9) 196*f*.
micro-, ionic, lattice dynamics (8) 177*a*.
as nucleus centers on surfaces of quartz (2) 54*c*.
morphology, of pyrite (4) 98*g*.
m3m class, etching pattern symmetry relation to dislocation symmetry (4) 99*b*.
optically biaxial, elastic waves, light scattering by (4) 100*f*.
plasticity, stochastic model (9) 198*f*.
polishing, chemically, apparatus for, P (2) 41*c*.
with soft powders (8) 172*c*.
pulling, Pt metals in (1) 16*e*.
pulling device, P (8) 169*i*.
pure, relation between relaxation of thermal stresses and dislocation densities (6) 140*e*.
ribbon, horizontal growth, P (1) 14*d*.
single, amorphous layers on, study by elastic scattering (5) 119*b*.
anomalously scattering, X-ray microstructure measurements, P (2) 47*h*.
apparatus for producing, including halogen lamps, P (2) 41*d*.
behavior, domain-theory analysis (2) 55*e*.
bend, determination by orientation, scattering of beta-particles (3) 77*f*.
control of capillary shaping process for (4) 98*d*.
controlling structural quality during growth and heating (4) 101*b*.
dislocation structure, effect of growth rate (4) 99*i*.
growing apparatus, using ir heating (5) 116*a*.
high-temp. growth from melt (10) 212*d*.
large-diameter, P (8) 170*f*.
model of yielding due to inhomogeneous deformation (9) 197*f*.
small, compression creep machine for (1) 17*j*.
structure, of alpha-Cu vanadate (2) 50*b*.
applied to solution of superstructure of cubic Si diphosphate (2) 49*b*.
of $Ba_3Fe_2WO_9$ (3) 79*h*.
of beryllonite, refinement (10) 218*i*.
of beta-$BiNbO_4$ (6) 137*a*.
of beta-$Na_2Cr_2O_7$ (3) 77*a*.
of Ca sulfates (5) 121*h*.
of $CaNaHSiO_4$ (6) 137*j*.
of CaV_2O_7 (3) 79*j*.
of $CuTeO_3$ (2) 50*b*.
of $CuVO_3$(II) (2) 50*c*.
and data of $EuCl_3$, DyI_3, and DyOI (9) 195*b*.
of dioctahedral mica $2M_2$, electron diffraction (8) 174*h*.
of distrontium boroaluminate (3) 77*c*.
of $Fe_{0.28}Ni_{0.28}Te_{0.44}$ (3) 77*e*.
of Gd_2Si_4 (6) 137*j*.
of Ir_7Mg_{44} (3) 77*f*.
of $KTeO_3(OH)$ (5) 122*f*.
of Li_2CaSiO_4 and Li_2CaGeO_4 (3) 81*e*.
of M_2FeO_4(M = K,Rb,Cs) (4) 98*h*.
of $2M_2$ lepidolite (3) 77*g*.
model for controlled growth (4) 100*b*.
of MoO_2 and WO_2 (10) 215*e*.
of M-SbOF (3) 77*i*.
of Na triborate modification (3) 77*j*.
of $NaHo_4(GeO_4)_2O_2OH$ (2) 52*e*.
of Nb_9P_5 (3) 77*i*.
of Nb_2WO_8 (2) 50*d*.
of $Nb_2Zr_6O_{17}$ (3) 77*i*.
of portland cement and cement-sand mixtures (1) 2*b*.
of rare earth borides (7) 157*c*.
of spinel polymorphs of Fe_2SiO_4 and Ni_2SiO_4 (10) 215*f*.

Crystals structure *(continued)*
of $(Sr,Ba)Bi_2Ta_2O_9$ (2) 50*d*.
of Ti_2O_3, semiconductor, and $(Ti_{0.9}V_{0.1})_2O_3$, semimetal (10) 215*f*.
of $Tl_2Cu(SO_3)_2$ (3) 77*a*.
of T-Nb_2O_5, and isostructural high-temp. Zr-Nb oxide (3) 77*a*.
of V_4O_7 (3) 77*a*.
of YVO_4, $LuPO_4$, and $PuAsO_4$ (3) 77*b*.
of ZnS thin films (9) 195*c*.
of Zr oxycarbides, in ZrC-ZrO_2 system (8) 174*i*.
of ZrBr (7) 158*b*.
of $Zr_4(OH)_8(CrO_4)_3H_2O$ (3) 77*c*.
of $ZrSb_2$ and alpha-$HfSb_2$ (2) 50*e*.
symmetry, and morphology of NdS_{2+x} crystals (4) 98*h*.
shown by alloyed contact shapes on GaP (2) 40*c*.
twinning, on unit cell level as structure-building operation in solid state (10) 220*c*.
uniaxial, noncollinear-phase-matching effects in (9) 194*b*.
whiskers, oven, P (10) 209*g*.
Zn-blende-type, and wurtzite-type, piezoelectricity (7) 159*d*.
Curing, of Ca silicate mortars, accelerated (10) 201*j*.
portland cement, high-MgO, as measure of vol stability (7) 144*d*.
portland cement pastes (7) 144*d*.
steam, high-pressure, of high-slag cement (6) 125*j*.
Curium, Cm^{3+}, optical Zeeman spectra in CaF_2 (3) 80*e*.
zero-field splittings in CeO_2 and ThO_2 (5) 124*b*.
Currents, dielectric-relaxation, for determining defect nature of MoO_3 films (3) 77*g*.
eddy, evaluation of nuclear control rods (11) 231*b*.
hole, in SiO_2, thermally grown (3) 79*g*.
nonohmic, in YIG (2) 54*j*.
photoinjected, in SiO_2, effect of exponential charging profiles (3) 81*d*.
piezoelectric, from X-cut quartz (2) 40*h*.
transients, high-field in KCl (3) 79*e*.
Cutting, brick, dry, with diamond blade (1) 1*i*.
performance, of carbide tips, throwaway square (1) 1*d*.

Damping, behavior, of plastic ceramic bodies (8) 174*i*.
ferrimagnetic, of garnet film (3) 69*f*.
of lattice resonance, in ionic crystals, temp. dependence (7) 158*g*.
Data storage, ferrite-core, P (3) 70*j*.
memory, using Schottky diodes, P (3) 71*a*.
nonvolatile element, P (3) 71*j*.
Debye-Scherrer indexing, of ReO_2, and ReO_3, precision in (3) 81*c*.
Decomposition, of ilmenite, P (1) 20*h*.
of minerals, in cement raw mix (1) 2*c*.
pressure, for Fe selenides (3) 77*e*.
spinodal, in B_2O_3-PbO-Al_2O_3 system (5) 109*e*.
effects of electric fields (2) 33*h*.
of NaCl-KCl mixed crystals (2) 56*c*.
in TiO_2-SnO_2 system (8) 179*h*.
thermal, of benzene, nucleation and growth of C black particles during (11) 227*d*.
of K hexafluorotitanate (4) 104*c*.
of kyanite (11) 227*e*.
of La peroxychromate (9) 198*j*.
of NH_4ClO_4 single crystals (10) 219*j*.
oxides from (1) 25*a*.
products of hydroxides of Zr and Ni (1) 26*j*.
of pyrophyllite and sericite compacts, expansion during (10) 215*d*.
of rare-earth terephthalates (10) 219*j*.
of silicate minerals, energy changes in (10) 216*a*.
of Sm, Eu, and Yb chloride hexahydrates (4) 103*j*.
of Th salts, to obtain ThO_2 (7) 157*e*.
Decoration, decalcomania, ceramic bonding agent, P (3) 68*i*.
low-temp., P (6) 130*h*.
overglaze ceramic, P (3) 68*j*.
of glass-ceramic materials, P (4) 88*a*.
inlay (10) 201*i*.
Mn-black, for coloring ancient ceramics (8) 161*j*.
mochaware (6) 125*i*.
plate lining, machines for (11) 229*f*.
plique-a-jour technique (11) 221*i*.
screen printing, for decoration of tableware (11) 229*e*.
of tile, media and pastes for (8) 168*c*.
screen-printing stencils, for porcelain, ceramic and earthenware industry (11) 228*i*.
with slip cup (4) 83*i*.
slip trailing (5) 105*i*.
terra sigillata (4) 83*d*.
of tile, large ceramic (11) 221*j*.
transfers, heat-activated, P (9) 189*h*.
Defects, analyzing, ultrasonic apparatus for, P (3) 74*e*.
crystal lattice, in C_2S (4) 84*e*.
effect, on electrical properties of CdS thin films (6) 131*b*.
faceted, in GaAs epitaxial layers (2) 40*j*.
Frenkel, in alkali halides (8) 176*e*.
lattice, ordered, in colored fluorite (4) 101*e*.
nature, of MoO_3 films (3) 77*g*.
in NH_4ClO_4, computer simulation (3) 76*g*.
in Ni ferrite thin films (11) 229*b*.
in oxides (4) 98*i*. correction (7) 154*b*.
point, in CdF_2, Moessbauer and magnetic study (8) 177*j*.
effect on elastic precursor decay in LiF (3) 78*a*.
in NaF crystals (1) 23*d*.
production in SiO_2 (4) 103*d*.
in $YAlO_3$ and $GdAlO_3$ single crystals (11) 235*a*.

Defects *(continued)*
in porcelain, causes and elimination (6) 130*a*.
radiation, in SiC, photoluminescence (7) 157*a*.
in rare-earth Ga garnets, elimination (2) 51*a*.
Schottky, in alkali halides (7) 157*k*.
Si_3O, nonradiative, in GaP (6) 138*h*.
in SiO_2 films, rf sputtered (3) 63*i*.
structure, of $A^2B^4C_2^5$ compounds (2) 55*j*.
of Cu in Cu_2O (4) 98*j*.
of Ta_2O_5 (5) 120*e*.
surface, on Al_2O_3 ceramic substrates, SEM (10) 210*i*.
on Mg oxides (1) 23*d*.
in transparent bodies, and semitransparent, detecting, P (10) 206*b*.
V-shaped, of optical homogeneity in quartz crystals (4) 100*h*.
Deformation, behavior, of pyrometric cones (4) 96*h*.
external homogeneous, effect on dispersion of holes in Ge (8) 175*h*.
geometry, for materials scientists, B (5) 124*f*.
high-temp., of ceramics (4) 104*i*.
of ceramics (8) 180*c*.
plastic, effect on thermoluminescence of LiF single crystals (9) 195*a*.
of KCl single crystals (8) 178*j*.
spontaneous, of Pb zirconate (10) 219*e*.
in vacuum condensates of $BaTiO_3$ (5) 121*j*.
steady-state, of LiF single crystals (11) 236*a*.
test, low temp., for basic refractories (9) 187*g*.
Dehydration, of aluminosilicate hydrogels, kinetics, role of alkaline earth exchangeable cations (10) 219*a*.
Dehydration, effect, on $Mg(OH)_2$ strength of disperse porous structure (11) 234*g*.
of gypsum (9) 181*j*.
kinetics, of dihydrate gypsum (9) 182*b*.
$Mg(OH)_2$, activation energy evaluation (8) 174*c*.
of montmorillonite (11) 234*c*.
reaction, of alunite ore, kinetics (9) 194*e*.
thermal, of $FeCl_2 \cdot 6H_2O$ (8) 179*j*.
Dehydroxylation, of kaolinite, kinetics (4) 100*e*.
Delay lines, acoustic, glass, P (1) 6*h*.
glass, ultrasonic, P (8) 166*a*.
glass acoustic, P (3) 64*h*.
magnetoelastic YIG, with linear dispersion (2) 40*g*.
solid ultrasonic, and glass compositions for, P (5) 110*f*.
Densification, calculation, during sintering (7) 158*e*.
of C beads, by heat treatment (1) 9*e*.
during hot-pressing, of MgO compacts (7) 154*b*.
during sintering, liquid phase, in diamond-metallic systems (7) 154*d*.
final-stage, during pressure-sintering CoO (1) 23*c*.
of kaolin-feldspar bodies (7) 148*j*.
of kaolin-quartz bodies (3) 68*h*.
of Li ferrites, effect of preparation and calcination temp. (4) 92*h*.
in $LiFe_5O_8$ spinel (11) 234*d*.
of porcelain bodies, kaolin-quartz-feldspar (5) 113*f*.
of Si_3N_4, P (11) 227*j*.
Densimeters, for rheological properties, of industrial slips (1) 17*b*.
Density, of Al_2O_3 ceramics, optical method for measuring (4) 96*j*.
of $CaSO_4$ hemihydrate, alpha and beta (11) 235*i*.
charge, study of diamond (8) 174*c*.
of enamels, determination with high-voltage generator (11) 222*f*.
of glass, borosilicate (10) 204*d*.
Li Cs silicate and Na Cs silicate (8) 164*i*.
Na-Zn borosilicate (4) 86*i*.
$Na_2O.Sb_2O_3.GeO_2$ (10) 205*d*.
measurement, by beta-particle absorption, P (2) 47*a*.
of minerals, corrections due to impurities in (5) 120*j*.
pressed, and sintered, of $MgAl_2O_4$ (8) 180*e*.
of silicon, single-crystal (6) 134*h*.
of slags (1) 27*c*.
Dental ceramics, artificial prosthesis material, P (6) 130*g*.
porcelain, strengthening (9) 189*a*.
porcelain teeth, semifinished, P (2) 39*h*.
radiopaque glass, for tooth filling and facing compositions, P (8) 166*j*.
silicate cements, formation and microstructure (5) 113*j*.
Deposition, Ag, effect of metaphosphate and temp. (5) 114*c*.
of carbon, dense isotropic (11) 229*b*.
chemical vapor, coatings on Ti, P (9) 190*e*.
of films of YIG and Ga-substituted YIG (1) 21*a*.
in Ti-C system (5) 119*j*.
of WC dendrites (2) 49*b*.
of ZrC, P (9) 188*i*.
electro-, of B, coherent (5) 114*f*.
electroless, for metal-bonded abrasives, P (2) 31*i*.
epitaxial, minimizing autodoping in, P (2) 42*f*.
of films, from vapor phase, P (5) 114*e*.
oxide, from vapor, hot-front method (5) 123*c*.
of Si, by using pyrolysis of silane, P (11) 230*f*.
of Si_3N_4 films (11) 229*c*.
vapor, on glassy-C substrate, P (9) 188*i*.
method, P (8) 171*e*.
method, P (11) 228*d*.
from vapor phase, in vacuo, P (6) 131*j*.
Design, ornamental ceramic, at Argentine Congress (1) 1*f*.
Detectors, CdTe microwave (8) 168*h*.
Fabry-Perot acoustic surface vibration (1) 17*c*.
Ge gamma, P (2) 41*e*.
Ge:Hg ir, arrays, P (7) 150*f*.
$LiTaO_3$ pyroelectric (8) 169*b*.

Detectors *(continued)*
nuclear radiation, diamond crystal, P (11) 231*g*.
$PbTiO_3$ pyroelectric ir intensity, P (3) 71*g*.
photo-, semiconductor drift, for equalization of optical fiber material dispersion, P (11) 231*g*.
photoconductive, Ge ir, P (1) 15*h*.
pyroelectric, P (10) 211*c*.
radiation, high-purity Ge, P (5) 115*b*.
Moessbauer spectrometer, P (5) 118*a*.
omnidirectional uv, P (3) 65*a*.
thermoluminescent, P (4) 94*h*.
Schottky barrier ir, P (1) 15*j*.
semiconductor, for electrons, P (2) 43*f*.
thin-film light, P (5) 115*c*.
using semiconductor laminas, P (2) 41*f*.
Devitrification, of glass, of P_2O_5-Al_2O_3-Li_2O system (3) 63*d*.
isothermal, kinetics, of $NaPO_3$ glass, Raman study (10) 205*f*.
Dextrin, in glaze, color, and engobe slips to control cracking (11) 228*h*.
Diamonds, abrasives, industry, ANSI/FEPA standards (8) 161*d*.
articles, plural molded, P (10) 201*g*.
blades, in dry cutting brick (1) 1*i*.
for wafer dicing (1) 1*f*.
bonding, with refractory cermet material, P (5) 105*i*.
British craftsmen, 95% saving (9) 181*e*.
in ceramic component mfg. (8) 161*e*.
charge density study (8) 174*c*.
C isotope composition (8) 161*e*.
crystals, P (3) 61*f*.
cubic faces, changes in orientation of etch pits on (2) 49*h*.
dodecahedral faces, network patterns on (5) 105*f*.
doped, electrical conductivity (3) 78*b*.
for drilling glass, tiny holes with diameter/length ratio of 1:200 (8) 161*h*.
elastic moduli, function of pressure and temp. (3) 78*a*.
elastic stiffness moduli (2) 51*a*.
formation, conditions in relation to growth and distribution of admixtures (10) 215*b*.
free and bound holes in, EPR (2) 51*i*.
hardness, indentation (9) 181*f*.
Hartree-Fock lattice constant, and bulk modulus (9) 196*g*.
high-speed, in dentistry (9) 181*f*.
ion machining (3) 79*j*.
as laser window (11) 229*c*.
lattice, C interstitial in (9) 194*g*.
luminescence from, visible (9) 181*g*.
metal coating, P (4) 83*g*.
natural, of cubic habit, internal structure (2) 53*a*.
neutron-irradiated, X-ray study (1) 30*a*.
Ia and IIa, electron-irradiated, optical properties (11) 235*h*.
high-temp. thermally stimulated currents in (2) 52*b*.
optical absorption in (8) 176*b*.
polished cube faces, friction of diamond sliding on (8) 176*g*.
resistance, to abrasion (8) 161*g*.
seed crystals, growth by vapor deposition (9) 196*f*.
semiconducting, high-field magnetoresistance (8) 177*a*.
-structure crystals, diffusion in, impurity-correlation factors for (8) 177*e*.
substitutional N, and lattice vacancy in (10) 217*h*.
synthesis, isotope effects on C during (5) 120*h*.
synthetic, P (7) 143*f*.
three-wave mixing in, resonant and nonresonant (8) 177*i*.
tiny, fused to make complex shapes (3) 61*d*.
tools, in machining optical glass (9) 181*e*.
valence bands, bonding molecular orbitals to (3) 76*h*.
vibrating, adds fine detail (9) 181*g*.
wear-resistant coating, P (2) 31*i*.
X-ray photoelectron spectrum (7) 159*a*.
Dickite, hydrazine intercalation in (8) 177*c*.
Dictionaries, of ceramics, illustrated, B (7) 160*f*.
Dielectrics, anisotropy, and grain orientation (2) 46*c*.
anomaly, in hydrosodalite (5) 121*j*.
of K_2SO_4 near phase transition point (8) 175*c*.
$BaTiO_3$-MgO-Nb_2O_5 compositions, P (6) 131*f*.
body, optical lines in, P (10) 206*f*.
breakdown, of shock-loaded PZT 65/35 (8) 169*b*.
ceramic, energy storage in (6) 130*f*.
thermal diffusion of impurities injected into (3) 70*a*.
ceramic material, P (1) 13*j*.
characterization, of mixed niobates of Sr and Na (2) 54*h*.
composite layers, forming windows in, P (9) 190*i*.
conductor-, heterogeneous mixtures, permittivity (7) 149*a*.
constant, of Ag halides, contribution of space-charge layer (2) 49*d*.
of alkaline-earth fluorides (8) 178*d*.
in Ba Na niobate (2) 53*i*.
in $BaTiO_3$ (6) 139*d*.
of $Bi_{12}GeO_{20}$ (2) 51*a*.
of LiF, NaF, NaCl, NaBr, KCl, and KBr (8) 178*e*.
of montmorillonite (6) 138*a*.
of quartz (2) 50*h*.
of $SrTiO_3$ (11) 235*c*.
static, of inorganic solids (6) 130*b*.
static, of KCl, NaCl, LiF, and MgO (8) 178*c*.
of triglycine sulfate, dispersion (3) 78*c*.
crossover, nonreducible partially crystallized, P (10) 211*j*.
dispersion analysis, for determining electric field breakdown in quartz (3) 76*b*.
losses, of materials, determination, P (9) 193*e*.
mechanism in rutile (2) 40*d*.
microwave, of TiO_2 (7) 156*a*.
in NaCl single crystals (2) 50*h*.

Dielectrics *(continued)*
low-K crossover, partially crystallizable glasses for, P (5) 110*d*.
materials, layer, determining thickness during growth, P (4) 94*a*.
P (10) 206*a*.
polycrystalline, optical, thermal, and mechanical properties, B (4) 104*g*.
P (9) 190*g*.
photo-, lens effect, in CdS (2) 54*g*.
printing pastes, high K, P (4) 93*g*.
properties, of $BaTiO_3$ (6) 131*i*.
of Ba-Ti ceramics, effect of rare earth oxides (10) 209*i*.
of $Ba_{0.97}Sr_{0.03}TiO_3$ (9) 190*a*.
of defect Pb titanates (7) 154*g*.
in ferroelectric mixed crystals (7) 154*d*.
of ferroelectrics (1) 22*g*.
of glasses at rf (2) 33*e*.
of ionic crystals (7) 154*d*.
of KCl and $BaTiO_3$ grain boundaries (9) 195*d*.
of KCl ice (2) 50*i*.
of $NaH_3(SeO_3)_2$ crystals (10) 215*j*.
of $NaNO_3$ (3) 79*a*.
of paste, measurement for hydration of bond (1) 3*e*.
of quasi-ferroelectric PLZT ceramic (6) 130*e*.
of reduced glasses and glass-ceramics (1) 4*h*.
of Rochelle salt powders (10) 216*a*.
of $SrTiO_3$ single crystals (10) 216*a*.
spectrum, of $LiNbO_3$ (2) 50*i*.
strength, of porcelain, cordierite, and steatite ceramics (11) 228*i*.
thin, filamentary thermal breakdown in (2) 40*a*.
wave guide, refractive index of thin film on, by Abeles method (10) 213*e*.
Dies, extrusion, annular, centering device for, P (3) 73*b*.
Diffraction, acousto-optic, of optical waves in $LiNbO_3$ (6) 136*f*.
Diffractometers, four-circle, single-crystal heater for (1) 18*e*.
X-ray, gas flame heating equipment for (1) 17*e*.
Diffusion, anomalously fast, domain model for (2) 50*c*.
Be, into GaP (2) 50*j*.
Br^- ions, in KCl-KBr mixed crystals (2) 50*j*.
cationic, of alkali elements in Na silicate melts (9) 184*b*.
chemical, in Al_2O_3, from electrical conductivity measurements (7) 154*i*.
model for partitioning transition elements in oxide scales on alloys (2) 49*b*.
coeff., effect on precipitate growth kinetics (4) 99*h*.
for compound semiconductors, P (1) 13*j*.
and defect data, B (8) 180*i*.
in diamond-structure crystals, impurity-correlation factors for (8) 177*e*.
fission-gas, from porous sintered materials (8) 171*i*.
glass melt-through, P (2) 41*a*.
He, in K_2O-SiO_2 glasses (7) 145*d*.
of He isotopes, in vitreous SiO_2 (6) 137*d*.
inter-, coeff. in SiO_2-K_2O melts (2) 34*d*.
in NiO-Al_2O_3 system (9) 196*c*.
interactions, in glasses (3) 63*e*.
Na, in glass, effects of H_2O (2) 33*j*.
of ^{63}Ni, in NiO-MgO solid solutions (1) 21*e*.
of noble metals, in CdS, ultrasonic study (2) 57*e*.
oxygen, along grain boundaries in MgO (4) 101*c*.
in ceramics, visible (8) 180*j*.
coeff., in alkali silicates (6) 127*g*.
in Dy_2O_3 and Gd_2O_3 (11) 235*b*.
pipe, in MgO (1) 26*g*.
platinum, P (5) 115*c*.
proton-enhanced, P (1) 15*i*.
self-, cation, in MgO (8) 174*a*.
coeff., of O, calculation (9) 193*j*.
of Cu in Cu_2O (4) 98*j*.
ionic, in Al_2O_3 (8) 174*b*.
in mixed-alkali glass, relation to electrical conduction, correction (6) 127*a*.
of O in $^{238}PuO_2$ (3) 72*i*.
of O ions in $MgAl_2O_4$ single crystal, correction (3) 81*j*.
relation to electrical conduction in mixed-alkali glasses (2) 33*j*.
Si, in GaAs (1) 22*h*.
silver, in silicate and photochromic glasses (6) 126*j*.
simultaneous processing, P (8) 171*b*.
of Sr^{2+}, in single crystal MgO (3) 77*j*.
surface, simulation of crystal growth with (2) 55*f*.
theory, for adsorption and desorption of gas atoms at surfaces (3) 77*j*.
thermal, of impurities injected into ceramic dielectrics (3) 70*a*.
vapor-solid impurity, P (9) 192*g*.
Xe, in CaF_2 (5) 115*e*.
Diffusivity, thermal, of Be_4B, Be_2B, and BeB_6 (4) 104*a*.
of heterogeneous materials (2) 57*b*.
of mixed $(Th_{1-x}U_x)$ oxides (9) 192*g*.
in pyrolytic graphite, anisotropy ratio (8) 171*g*.
Dilatometers, optical, P (6) 134*i*.
Dinnerware, casserole, electrostatic enameling (8) 163*e*.
ceramic, printing on, P (1) 12*c*.
cups, hand shaping (10) 209*h*.
decoration, with screen printing machines (11) 229*e*.
dish, P (2) 39*e*.
earthen, single fast-firing (9) 189*c*.
glazes for, new with improved properties (11) 228*h*.
household, and hotel (11) 229*d*.

Dinnerware *(continued)*
leadless glazes for (10) 209*j*. correction (8) 168*b*.
plate lining, machines for (11) 229*f*.
removing pin marks from, P (1) 12*a*.
stoneware body for (1) 12*h*.
Diodes, Al-CdS-Au, electrical memory in (6) 130*f*.
array targets, semiconductor, antireflection coating for, P (1) 13*c*.
vidicon, dielectrically isolated Si, P (9) 191*g*.
Au-$CdIn_2S_4$ surface-barrier, photoelectrical properties (10) 218*b*.
double drift, P (11) 230*g*.
electroluminescent, Ga Al arsenide for, P (2) 42*g*.
ferromagnetic heterojunction, P (10) 210*g*.
GaAs-$Al_xGa_{1-x}As$ laser, liquid-phase-epitaxial growth (3) 70*i*.
GaAs electroluminescent, high-efficiency Zn-diffused (2) 40*e*.
GaAs EI, two-stage epitaxial growth on spinel (2) 41*b*.
GaAsP, radiative recombination mechanisms in (4) 101*i*.
$GaAs_{1-x}P_x$, P (1) 14*d*.
GaN, metal-semiconductor junction light-emitting, P (10) 210*b*.
GaP, green electroluminescence in (6) 131*b*.
high-brightness yellow-light-emitting (1) 13*c*.
red-emitting, SEM characterization (3) 70*i*.
GaP electroluminescent, light-current-voltage analysis (9) 190*b*.
glass-package, novel mounting technique for, P (1) 15*d*.
guard ring mesa construction for, P (3) 71*b*.
Gunn, doping profiles in, SEM observation (6) 131*h*.
high-freq., dual-mesa ring-shaped, P (2) 41*h*.
high-freq., P (10) 210*h*.
light-emitting, with good brightness, P (7) 150*f*.
of injection type, P (10) 210*f*.
injection-type, P (2) 41*f*.
injection-type quaternary-compound, P (8) 170*d*.
mesa, with channel guard, P (9) 190*i*.
MIS electroluminescent, in single-crystal ZnO (6) 131*g*.
MIS storage, thin-film, P (6) 133*e*.
P (7) 150*h*; (8) 170*a*.
photo-, MOS, P (10) 211*j*.
with patterned structure, P (9) 191*f*.
planar, high-voltage structure, P (2) 41*d*.
Schottky, microwave, guard ring structure for, P (11) 230*c*.
P (11) 231*f*.
Schottky barrier, as impedance elements, P (3) 72*i*.
semiconductor, amorphous, amplification in (2) 39*j*.
capacitance, P (2) 42*b*.
P (2) 43*h*.
SiC junction, P (2) 44*a*; P (3) 72*b*.
SiC light-emitting, cathodoluminescence measurements on (2) 49*g*.
Diopside, Fe^{3+} in, EPR (8) 176*b*.
synthetic, P (4) 97*h*.
Dislocations, behavior, in sapphire single crystals (2) 50*b*.
density, of Ge films (8) 169*d*.
disclinations, straight (4) 103*e*.
at domain tips, in ferroelectric crystal KH_2PO_4 (2) 51*h*.
during crystal growth (4) 102*e*.
effect, of hydrostatic pressure (3) 78*f*.
in GaP crystals (3) 77*e*.
in $GdMoO_4$ single crystals (5) 120*e*.
in glass, flow via (8) 164*i*.
high-temp. breakaway, from row of randomly placed pinning agents (2) 57*a*.
in ice, pure and HF-doped, X-ray topography (5) 124*a*.
in LiF, interaction with thermal phonons (7) 156*b*.
loops, self-climb in MgO (2) 55*d*.
mechanism, of growing and sticking voids and cracks under load (11) 236*h*.
mobility, and work hardening in NaCl (3) 78*b*.
structures, during sintering of solids (sintering rosettes) (3) 78*b*.
of LiF single crystals (11) 236*a*.
of PbTe monocrystals (9) 195*j*.
of photo-glass-ceramics (5) 108*d*.
in sapphire deformed by basal slip (10) 216*b*.
Dispersion, curves, of graphite (8) 175*e*.
of dielectric constant, of triglycine sulfate (3) 78*c*.
far-ir dielectric, in Ba Na niobate (3) 79*a*.
-like line shape, in Eu^{3+} absorption spectrum of $Eu_3Ga_5O_{12}$ (3) 78*d*.
in ruby R lines, high-resolution study (8) 177*b*.
Display devices, $Bi_4Ti_3O_{12}$, birefringence read, P (9) 190*d*.
electroluminescent solids in (3) 69*f*.
flat panel TV, electroluminescent materials and techniques for (6) 130*d*.
gaseous-discharge, P (8) 170*b*.
gas panel, without exhaust tube structure, P (4) 88*e*.
illuminated, P (2) 41*e*.
light-valve, single-crystal ferroelectrics in (6) 131*d*.
liquid crystal, P (2) 41*j*.
panel, gas discharge, P (10) 206*d*.
gas-discharge, P (8) 170*b*.
PLZT ceramic, for slow-scan graphic projection displays (3) 70*g*.
solid-state, luminescence, P (2) 44*b*.
P (2) 44*b*.
systems, self-converging color image, P (8) 166*h*.
thermal, with air-isolated integrated circuits, P (2) 44*e*.
using gas discharge, P (6) 132*h*.
Dissociation, of $CdSiP_2$ (1) 21*h*.

Dissociation *(continued)*
of Ni ferrite-$NiTiO_4$ solid solutions (1) 23*f*.
pressure, of Cu_2Te(c), Ag_2Te(c), $Ag_{1.9}Te$(c), and $Ag_{1.44}Te$(c) (2) 50*b*.
of solid solutions, of oxides in systems M-Fe-O (1) 22*i*.
thermal, of Be selenite (1) 29*j*.
Dolomite, clinker, stabilized (10) 202*j*.
grain, hydration resistance for, P (1) 11*b*.
Korean, extraction of MgO from (3) 75*i*.
Dosimeters, radiothermoluminescence, and materials for, P (3) 72*h*.
Dosimetry, fast-neutron, using F centers in MgO (2) 51*j*.
Drilling, diamond, ultrasonic, of nonmetallic materials (1) 1*h*.
Drills, for flowerpot holes, P (4) 92*a*.
Dryers, aerofountain, for free-flowing materials (9) 181*i*.
atomizing, in apparatus for burning cement, P (5) 107*j*.
brick, optimization of setting in (8) 166*f*.
control, by temp. difference technique (1) 19*f*.
and conveyor, for pressed ceramic members, P (4) 97*c*.
cyclone, for particulate materials, P (4) 96*a*.
for heavy clay industry, direct firing on (5) 118*i*.
ir, and convection (11) 222*i*.
Minute, after 18 months operation (8) 173*c*.
paper felts, asbestos yarn for, P (1) 10*i*.
for particle materials, P (8) 172*e*.
for particulate material, or fibrous, P (2) 48*a*.
for raw materials, review (1) 19*g*.
size, for heavy clay products (1) 19*a*.
spray, centrifugal and nozzle atomization in (4) 95*f*.
centrifugal vs nozzle atomization in (10) 212*j*.
thermo intense-heat (8) 173*d*.
tunnel, P (7) 153*h*.
Drying, brick, using optimum drying curve (5) 110*a*.
with ventilator fans (11) 233*e*.
clay bodies (3) 73*j*.
enamel slip, on inner surfaces of pipes, P (10) 203*h*.
green ceramic ware, experiments (1) 19*g*.
particulate materials, P (1) 16*h*.
rapid, or traditional, of tile (3) 68*a*.
spray-, during glazed tile production (11) 228*f*.
technology, for light refractory products (1) 9*h*.
Dust, accumulated, dislodging from dust-collectors, P (1) 16*j*.
control, on belt conveyor, P (5) 116*e*.
elimination, in 4x150 m furnace (4) 85*h*.
extraction, equipment installation in refractories plant (5) 116*i*.
-gas measurements (4) 96*b*.
in gas media, measuring, P (3) 74*j*.
precipitation, for pneumatic conveyor systems (8) 172*b*.
removal, with electrofilters (9) 182*e*.
from furnace gases, effect of gypsum in additive (4) 84*i*.
in German cement industry (3) 61*g*.
sampling, spectra analytical filter paper, P (3) 74*c*.
Dysprosium, aluminate, magnetoelectric effect and metamagnetic transitions in (7) 156*i*.
metamagnetic, magnetic behavior (7) 156*h*.
pure single-phase (7) 158*j*.
$DyAsO_4$, antiferromagnetic, neutron diffraction study (1) 25*e*.
DyI_2, and DyOI, crystal data and structure type (9) 195*b*.
oxide, O diffusion in (11) 235*b*.
perrhenate tetrahydrate, spectroscopy (8) 179*f*.
vanadate, antiferromagnetic, magnetic structure (1) 25*f*.

Earthenware, casting, factors affecting (1) 16*i*.
screen-printing stencils for (11) 228*i*.
Education, broad, for ceramists (7) 159*e*.
glass science programs, at Alfred Univ. (1) 4*i*.
Einsteinium, sesquioxide, electron diffraction (3) 79*a*.
Elasticity, behavior, anomalous, of polycrystalline Nb_2O_5 (1) 15*i*.
constants, and anelastic, of porcelain (11) 228*d*.
BaO single crystal, and temp. dependence (2) 49*e*.
of $Bi_{12}GeO_{20}$ (2) 51*a*.
of $CaMoO_4$, single-crystal (9) 198*j*.
of $CaWO_4$ (9) 195*e*.
of CdTe, single-crystal (2) 50*j*.
GaAs, temp. dependence (2) 56*g*.
in Gd molybdate (8) 175*c*.
of graphite (8) 175*e*.
of LiBr and LiCl (8) 178*c*.
longitudinal, of sapphire and fused quartz (4) 99*b*.
in MnO, CoO, and NiO single crystals (6) 138*b*.
near Gd molybdate phase transition (9) 195*g*.
of NiO single crystal (1) 23*b*.
and photoelastic properties, of proustite (5) 120*a*.
and photoelasticity, of alpha-ZnS (2) 50*i*.
of SiO_2, fused (9) 194*a*.
in Ti_2O_3 (8) 175*c*.
ultrasonic, of C fibers and composites (3) 67*g*.
of wurtzite (4) 101*d*.
of ZrO_2, effect of current-blackening (7) 155*b*.
moduli, of diamond, as function of pressure and temp. (3) 78*a*.
of glass fibers, by cantilever method (1) 18*e*.
measurement, Al_2O_3 standard reference material for (1) 17*d*.
of NbC and TaC (5) 120*j*.
by pulse and resonance methods of determination (7) 152*j*.
stiffness, of diamond (2) 51*a*.
of WC cermet, pressure dependence (9) 197*j*.
photo-, properties, of glass hardened by liquid quenching (11)

Elasticity photo- *(continued)*
224*h*.
technique for determining thermal expansion of glass (11) 224*d*.
precursor decay, in LiF, effect of impurity clustering (3) 78*g*.
in LiF, effect of point defects (3) 78*a*.
properties, of alpha-HgS (3) 78*b*.
of As-Se glasses (8) 164*f*.
of CdSe, effect of temp. and conductivity (2) 50*g*.
of ferroelectric $5PbO.3GeO_2$ crystals (2) 51*a*.
of glass in PbO-GeO_2 system (11) 223*f*.
of glasses in system As_2S_3-As_2Se_3 (1) 4*c*.
of hydroxylsodalite (9) 197*h*.
of $NaH_3(SeO_3)_2$ (10) 215*j*.
of Pb, Ba, and Sr nitrates and thermo- (8) 175*d*.
of silicate oxyapatite crystals (9) 199*i*.
of Sm_2O_3 (7) 155*g*.
of UN (8) 171*h*.
of ZnO (6) 138*d*.
visco-, of glass during forming (4) 87*c*.
Young's modulus, dynamic, of conducting and nonconducting materials (2) 46*g*.
measurement, during four-point bend tests (11) 235*b*.
Elastic materials, elastomers, glass-fiber-reinforced, P (1) 7*f*.
glass-fiber-reinforced, P (2) 36*c*; P (5) 109*h*; P (10) 206*f*.
Electrical properties, ac, and I-V characteristics of MoO_3 film under dc bias (4) 93*f*.
of alumina (6) 131*c*.
of $Al_xGa_{1-x}As$, liquid-phase epitaxial (9) 197*c*.
of Ba Sr niobate (10) 216*h*. single crystals (3) 78*c*.
of Bi oxide films (11) 229*d*.
of CdS, thin films, role of defects (6) 131*b*.
of CdSb (9) 195*i*.
of CdS films, effects of adsorbed O and H (11) 234*j*.
of Cd_2SnO_4, defect semiconductor (8) 178*c*.
of eucryptite, beta- (10) 216*g*.
field gradient, on Al nucleus in spinel (11) 234*c*.
of GaAs, Ge-Sn-doped (9) 196*f*.
p-type (8) 178*c*.
of GaP (8) 175*f*. C-doped (2) 51*c*.
of Ge, B-implanted (10) 216*h*.
or Si, improving, P (7) 150*c*.
of glass, liquating alkali-free aluminoborosilicate (9) 184*d*.
in system CaO-MnO-SiO_2 (9) 184*d*.
of HfS_2, single-crystal devices (2) 51*d*.
of In_2O_3 (6) 138*f*.
of metal-metal oxide systems (8) 175*f*.
of $Mn_{1-x}Mg_xTe_2$ (4) 102*f*.
of Ni chalcogenides (1) 23*c*.
of PbTe-Ge heterojunctions (11) 229*d*.
photo-, of CdS and CdSe films (8) 169*c*.
of GaAs (3) 82*a*.
of $TlGaS_2$, $TlGaSe_2$, $TlInS_2$ (8) 169*e*.
pyro-, of K Li niobate (1) 27*e*.
of quartz crystals, radiation effect (1) 24*h*.
of $RbNO_3$, and $CsNO_3$ (2) 51*e*.
of Sn oxide films (7) 149*c*.
of solid solutions, in system ZrO_2-MgO-Y_2O_3 (1) 23*f*.
study, in $CsCuCl_3$ crystals (11) 234*b*.
thermo-, of pyrites, recrystallization effect (5) 120*h*.
of U_3O_8 (2) 45*b*.
of TiO (7) 155*g*.
transition, in Ti_2O_3 (8) 175*c*.
transport, of alloy $(V_{0.3}Nb_{0.7})O_2$ (9) 195*g*.
of graphite (8) 175*g*.
phenomena in GaP films (9) 190*f*.
of VO (7) 155*g*.
of WSe_2, microstructural control (6) 140*i*.
of ZnO (6) 138*d*.
of ZnTe-ZnSe heterostructures (11) 229*e*.
Electricity, breakdown, in ferroelectric $NaNO_2$ crystals (4) 99*j*.
charging, of photoconductive CdS powders (2) 51*b*.
cost, cutting with reactive current compensation or power factor correction (2) 47*f*.
effects, surface and bulk, in $Ge_{15}Te_{80}As_5$ glass (4) 87*b*.
field, breakdown in quartz, determination by dielectric dispersion analysis (3) 76*b*.
effect on spinodal decomposition (2) 33*h*.
effect on EPR spectra of Gd^{3+} ions in $CaMoO_4$ (7) 155*i*.
effect on ESR spectrum of Fe^{3+} in $SrTiO_3$ (10) 216*i*.
high, in SiO_2, by corona charging (8) 176*j*.
internal, near isolated defects in ionic crystals (2) 52*j*.
photo-, effect in $BaTiO_3$ crystals (6) 139*d*.
pyro-, effect in $LiH_3(SeO_3)_2$ and $LiD_3(SeO_3)_2$ crystals (9) 198*d*.
structure, of mirror cleavage planes of LiF, CaF_2, and MgO (5) 120*a*.
transport, in FeO, Nernst-Einstein relation (1) 23*a*.
Electrochemistry, of electrolytes, ceramic (7) 149*c*.
generation, of sulfide ion, in LiCl-KCl eutectic (1) 23*d*.
properties, of K silicate glasses (11) 223*h*.
Electrodes, Ag^+-selective membrane, effect of conditions for obtaining Ag_2S membrane on working (2) 49*j*.
Ag_2S membrane, electrode potential-Ag concentration (2) 49*h*.
air wire, for stainless steel welding, P (2) 33*e*.
ammonia, for determining cation exchange capacity of clays (5) 117*h*.
arc-welding, antihydroscopic coated, P (5) 107*h*.
tubular, P (6) 126*h*.
carbon, or graphite arc, hollow, P (4) 91*f*.
carbonaceous, protecting against oxidation at high temp., P (7) 148*c*.

Electrodes *(continued)*
ceramic, for glass furnaces, P (10) 206*c*.
for ceramic bodies, P (4) 93*d*.
and conductors, P (3) 71*a*.
discharge, for electrostatic precipitators, P (10) 212*h*.
discharge device, P (3) 64*f*.
fuel cell, with high activity, P (3) 71*f*.
glass, emf production in (1) 5*i*.
Na-ion-responsive, for determining Na in ceramics (3) 73*j*.
glassmelting furnace, protection, P (4) 89*f*.
horizontal Mo, bending in glass melts (11) 223*g*.
metal, contact with semiconductor material, P (2) 42*f*.
mfg., P (2) 41*h*.
Mo, corrosion by molten Sb (11) 223*i*.
MoO_3, by pyrolytic decomposition, P (9) 191*j*.
P (9) 193*j*.
potentials, of Li borosilicate and borate glasses, stability (7) 146*c*.
reference (6) 134*e*.
TV, semiconducting oxide glasses for (2) 34*g*.
vapor-deposited, P (10) 211*h*.
with WC mixed catalysts, for H fuel cells (1) 10*g*.
welding, arc, in air, P (2) 33*g*.
WO_3, platinized, H_2 oxidation on (5) 113*j*.
Electrolysis, of melts, to produce ZrBr (4) 101*d*.
treatment, of filamentary C material, P (1) 10*h*.
Electrolytes, ceramic, electrochemistry (7) 149*c*.
cryolite-base, in preparation of Zr and Hf diborides, P (3) 76*a*.
molten Na salt, for preparation of Ti and Zr diborides, P (4) 91*d*.
solid, CeO_2-ZrO_2 based, electronic and ionic conduction in (2) 51*g*.
Electromechanical effect, of cement paste (2) 32*g*.
Electromotive force, in glass electrode (1) 5*i*.
measurements, of chemical potential of NaCl in $MgCl_2$-NaCl-$CaCl_2$ system (2) 50*g*.
of Gibbs energies and entropies of mixing alkali chlorides in liquid mixtures with $CoCl_2$ (2) 51*a*.
of Gibbs energies and entropies of mixing alkali chlorides in liquid mixtures with $MnCl_2$ (2) 51*b*.
of Gibbs energy of formation of beta-Ga_2O_3 (2) 50*g*.
of Gibbs energy of formation of In oxides (3) 77*g*.
in V-O solid solutions with ThO_2-Y_2O_3 electrolytes (8) 176*d*.
thermal, of BaO and SrO crystals (8) 175*e*.
in p regions of p junctions in GaSb (1) 21*j*.
Electron diffraction, of $CdIn_2Te_4$, thin films (8) 176*a*.
of Es_2O_3 (3) 79*a*.
high-energy, measurements of GaAs surfaces (9) 196*c*.
high voltage, of crystal structure of dioctahedral mica $2M_2$ (8) 174*h*.
intensity profiles, for LiF (8) 177*b*.
of intergranular phase, in ZnO + 0.5 mol% Bi_2O_3 (9) 197*g*.
scanning, study on CsSb photocathodes during formation (6) 131*b*.
of U_3Si, neutron irradiation behavior (8) 171*d*.
Electronegativity, in Se, single crystals (8) 175*h*.
Electronic equipment, acoustic emission test, of ceramics (8) 169*b*.
AT-cut crystal plate, rectangular, P (6) 132*i*.
beam leads, P (1) 14*b*.
cavity envelopes, by thin-film procedures, P (6) 132*a*.
CdS, thin-film, with cermet Schottky contact, P (9) 190*d*.
chalcogenide thin-film sandwich, thermal fringing at turnover in (11) 230*f*.
charge-coupled, and bucket-brigade, self-aligning structure for, P (9) 191*j*.
P (7) 149*h*.
charge transfer, light controllable, P (6) 132*d*.
colored ceramic body in, P (6) 131*g*.
components, prevention of inoperation by loose particles, P (2) 42*h*.
thin-film, P (2) 43*c*.
coplanar epitaxial, transverse magnetic field in, dependence on Gunn threshold (11) 229*b*.
coupled, buried channel charge, P (6) 131*g*.
Darlington configuration, efficient power, P (10) 210*e*.
dc, for ir radiation temp. measurement, P (4) 96*d*.
disk file, P (10) 211*d*.
double isolation for, P (3) 70*g*.
electric accumulator, P (3) 70*h*.
electrical, glass-enclosed, P (4) 89*a*.
electrical connection members for, P (1) 13*j*.
electrical current limiting, P (8) 169*j*.
electric motor, metal-C brushes for, P (2) 42*h*.
ferroelectric-photoconductor, image storage in (4) 92*d*.
fillet holder, for cutting and slicing apparatus, P (8) 169*h*.
floating gate, electrically alterable, P (11) 230*j*.
freq. discriminator, with ceramic oscillator, P (3) 71*b*.
header, glass dual-in-line, P (7) 149*b*.
heat sink for, P (9) 191*a*.
ignition, piezoelectric, P (1) 15*e*.
impedance element, with Mg reaction terminal contact, P (9) 191*a*.
inductor, ceramic, P (9) 190*d*.
isothermal boat container, P (9) 191*c*.
Josephson, high-gain, P (2) 41*d*.
launch-receive, self-registered surface charge, P (3) 72*i*.
light-intensifying, P (6) 132*e*.
light scanning, P (1) 14*g*.
liquid crystal, P (9) 191*a*.
magnetosensitive, with pn junction, P (9) 191*d*.

Electronic equipment *(continued)*
mfg., supporting glass substrate during, P (2) 37*d*.
micro-, hybrid, thermal considerations in design (10) 210*a*.
and neutron-hardened semiconductor, P (3) 72*f*.
microwave, strip-line ferromagnetic, P (2) 44*d*.
MIM structures, electroformed, pulse experiments on (11) 230*c*.
miniaturized electric, P (2) 43*d*.
monitor, for information on ZnO films (9) 190*c*.
motor, ceramic piezoelectric, depolarization protection for, P (1) 13*i*.
nonlinear optical crystal, P (6) 132*f*.
particle study, noise discriminating circuitry for, P (5) 118*b*.
pedestal, moated substrate-holding, P (2) 43*d*.
photodetector delay equalizer, P (3) 72*a*.
planar, Si_3N_4, P (8) 170*j*.
pnp, and npn compatible devices in integrated circuit, P (7) 149*i*.
readout, glow discharge, P (10) 211*c*.
relays, electromagnetic, P (3) 70*i*.
Schottky barrier, millimeter wave beam lead, P (2) 44*e*.
sealing enclosure for, P (3) 71*g*.
signals, transmission system, on color TV signal, P (2) 43*e*.
spark-gap, P (9) 192*d*.
Sr formate nonlinear, P (7) 151*g*.
targets, chalcogenide glass sputtering, P (6) 132*h*.
temp.-responsive, P (3) 72*c*.
thermoelement, Zn-Cd antimonide single-crystal anisotropic, P (5) 115*d*.
thin-film, P (3) 70*j*.
transition metal oxide glass, delay time measurement in (4) 86*i*.
for ultrathin sectioning, with ultrasharp diamond edge at ultralow temp., P (9) 192*f*.
voltage standard, minimized temp. coeff., P (4) 94*j*.
X-ray image converters, P (7) 151*i*.
Electronic properties, of As_2Te_3, glassy (10) 216*a*.
of C fibers (8) 175*i*.
structure, of rutile, wustite, and hematite (10) 216*a*.
Electronics, auto-, field emission, as determining criterion of Si surface state (8) 174*h*.
band structure, of 3C-SiC, BP, and BN (8) 175*i*.
of $KTaO_3$ (1) 23*e*.
of NbN (7) 155*h*.
ceramics, anatomy (2) 39*j*.
compositions, P (7) 149*h*.
future (2) 40*h*.
possible trends in (2) 40*h*.
charge trapping, in Al_2O_3 thin films on Si (4) 92*i*.
components, substrates, tape transfer of sinterable patterns to, P (7) 151*g*.
crossover, air isolated, P (7) 151*h*.
die sorting system, P (5) 114*g*.
diffraction, of crystalline imperfections in phyllosilicates (3) 81*e*.
electrically conductive element, P (4) 93*d*.
electroceramic, raw materials for (6) 131*j*.
industry, borosilicate glasses in (10) 203*i*.
landless plated, through hole photoresist-making process, P (3) 71*f*.
materials, B (5) 124*g*.
open tube diffusion, in III-V compounds, P (2) 43*f*.
photo-, properties of flux-grown rutile crystals (8) 178*h*.
properties, of C (11) 229*j*.
of graphite crystals, very thin (6) 138*f*.
relation to C formation during pyrolysis of resins (1) 9*a*.
single Pockels cell, double pulsing scheme [YAG rod], P (10) 211*f*.
spin-echo system, high bandwidth-time product, P (4) 93*g*.
Electron probes, micro-, analysis of CdS (3) 78*c*.
microanalysis, of crystallization of CaO-MgO-P_2O_5-SiO_2 glass (10) 204*h*.
submonolayer detection by (9) 193*b*.
of Ta-O system (10) 216*j*.
reference materials, refractory metal carbides for (2) 46*h*.
Electrons, backscattering, from GaAs (4) 98*c*.
beam, penetration in GaAs (10) 216*i*.
bombardment, analysis of sample substances, P (1) 19*c*.
of GaAs (6) 139*j*.
density, and potential in CdS (8) 175*f*.
diffusion, aftereffect in YIG (10) 218*b*.
discharge device, with heater-cathode breakdown voltage, P (2) 35*f*.
drift velocity, and breakdown in AgCl (9) 195*h*.
emission, in Bi_2S_3 crystals (8) 180*d*.
secondary, of CsI (9) 198*c*.
heating, in GaAs and InP (2) 51*g*.
hot, attenuation measurements in MIMIM triodes (11) 235*b*.
hydrated, rates of reactions with transients (1) 18*h*.
injection, into SiO_2 from pn junction (9) 190*f*.
mobility, in GaAs (8) 176*a*.
in GaAs (9) 194*j*.
in Si, effect of O on concentration dependence (11) 234*h*.
-multiplier channels, glasses and glass-ceramics as (5) 108*b*.
-optical observations, of montmorillonite (2) 54*d*.
-phonon interactions, and superconductivity (2) 51*j*.
transfer, in InP (9) 197*b*.
intervalley, in InSb films (11) 234*j*.
trap distributions, in thin SiO_2 films on Si (8) 169*f*.
trapping, by surfaces of NiO, CuO, and ZnO, effect of O (2) 52*h*.
tunneling, through Te-TeO_2-Pb junctions (6) 138*g*.
Electrooptic properties, of Ba Sr niobate, single crystals (3) 78*c*.

Electrooptic properties *(continued)*
of $5PbO.3GeO_2$, single crystal (6) 138*g*.
Electrooptics, coeff., in Ba Na niobate (2) 53*i*.
of $Bi_4Ge_3O_{12}$ and $Bi_4Si_3O_{12}$ (6) 140*c*.
components, by deposition of single or multiple layers on substrates, P (9) 190*f*.
crystals, fixing holographic patterns in, P (3) 72*d*.
devices, longitudinal display mode for (4) 92*j*.
displays, liquid crystals for (11) 229*g*.
effects, of absorption in $BaTiO_3$ single crystals (9) 198*f*.
dispersion, of Pb Mg niobate (6) 137*f*.
longitudinal, in Ba Sr niobate (8) 169*i*.
materials, for digital light beam deflectors (3) 69*d*.
system, for inspecting tiles, P (7) 153*c*.
Electrophoresis, of phosphate slimes (6) 135*b*.
Electrostatic processes, for coating glass, with hot luster, P (9) 186*e*.
in continuous cleaning coatings (9) 183*c*.
deposition, of powdered frit (9) 183*j*.
dry powder, advantages (4) 86*f*.
enameling (6) 126*d*. to parts in sheet steel and cooking equipment (8) 163*e*.
potential, grain-boundary (2) 55*b*.
powder spray, nozzle for, P (2) 46*b*.
precipitating, P (5) 116*d*.
precipitation, gas cleaner method, P (5) 116*h*.
precipitator, discharge electrodes for, P (10) 212*h*.
multiconcentric wet, P (5) 116*f*.
sprayability, effects of milling and after-milling additives (9) 183*j*.
spray gun, P (2) 45*h*.
spraying, apparatus, P (4) 95*j*.
of bathtubs (4) 86*c*.
P (7) 152*h*.
particulate material, P (7) 152*g*.
powder, P (5) 116*c*.
spray nozzles, protecting from fouling, P (2) 46*a*.
Elements, heavy, in surface materials, determination (1) 24*a*.
isomorphous, characteristics of filling atomic positions with (3) 77*f*.
nontransition, regularities and relations among ionization potentials (6) 140*c*.
transition, optical absorption in vitreous SiO_2 (8) 164*e*.
partitioning in oxide scales on alloys, chemical diffusion model (2) 49*b*.
Emeralds, single crystal, synthetic, growth by V_2O_5 flux method (8) 179*c*.
Emission, acoustic, failure prediction in structural ceramics by (1) 23*a*.
factors, survey (5) 123*a*.
field, from C fibers (4) 99*a*.
ir, of F center and compound color centers in RbCl (8) 177*g*.
photo-, from crystals and glasses of chalcogenides (9) 185*i*.
internal, of Y_2O_3 films (8) 168*i*.
studies of wurtzite ZnO (8) 178*i*.
photoelectric, from GaAs (11) 235*j*.
properties, of metal alloys, with ZrC (5) 111*g*.
thermal, of holes in CdS (10) 216*c*.
thermionic, of BaO and SrO crystals (8) 175*e*.
thermoelectronic, enhanced, carbide emitters with (5) 119*h*.
transmission secondary, and reflection from GaAs (6) 140*b*.
Emissivity, and temp. measurement, of radiant object, P (3) 74*j*.
Emitters, electron, La hexaboride (3) 70*b*.
GaAs light, edge emission, P (11) 230*i*.
Enameled wares, economic aspects (5) 107*d*.
use and care (5) 107*h*.
Enameling, bathtubs, by dry process (4) 86*f*.
by dry process apparatus, P (8) 163*b*.
cast iron (8) 163*f*.
clays, properties (9) 183*e*.
cleaning coatings, direct-on continuous, adherence mechanisms in (9) 183*g*.
cleaning oven coatings, continuous, cleaning mechanisms (9) 183*h*.
defects, effect of cementite on cast-iron pieces (1) 3*e*.
direct-on, white precoated steel sheets for (10) 203*b*.
white, quality and costs (6) 126*d*.
dishwater control panels, electric ir ovens for drying and curing (1) 3*f*.
drying, and firing manual P-308 (9) 183*i*.
effluent, direct purification (8) 163*d*.
in Europe (11) 222*h*.
furnaces, hangers for, P (6) 126*g*.
and glass research (2) 33*d*.
institute, Australasian, proceedings, B (2) 59*e*.
steel, application methods (1) 3*d*.
microconstituents in (9) 183*j*.
sheets and strips, P (3) 62*i*.
thin metal sheets (8) 163*g*.
uses, for fields outside household (1) 3*g*.
water heater tank (11) 223*b*.
welding for use with (10) 203*g*.
Enameling industry, energy crisis, and energy conservation (10) 203*i*.
Maytag, working with O.S.H.A. (9) 183*a*.
new facility, to meet environmental needs (9) 183*c*.
pollution in (10) 203*b*; (10) 203*c*. control boards (10) 203*b*.
regulations (10) 203*d*.
ranges, review at Vesta (1) 3*f*.
waste water in, control (9) 183*i*.
Enameling metals, cleaning, trouble shooting operations (10) 203*f*.
sheet metal, formability analysis (10) 203*e*.
Enameling metals sheet metal *(continued)*
water lubrication process for forming (10) 203*g*.
steel, electrolytic pretreatment (4) 86*b*.
interstitial-free (10) 203*h*.
pretreating, P (1) 3*i*.
Enamels, acid-resistant, on cast iron, frit composition for, P (3) 62*i*.
alkali-resistant properties, effect of dyes (11) 222*g*.
in appliance market (9) 183*d*.
application, by dipping and flow coatings (9) 183*f*.
for bathtubs, cracks in (5) 107*d*.
for borehole water pumps (4) 86*a*.
with braunite-glass catalytic particles, P (6) 126*g*.
for ceramics (6) 130*d*.
chemically stable, density determination with high-voltage generator (11) 222*f*.
cleaning coatings, continuous (9) 183*f*.
color (6) 126*j*.
colored, behavior of pigments with coloring ion Cr^{3+} in (3) 68*f*.
for glass industry (3) 63*h*.
coloring oxides in (2) 33*c*.
comparison, with glass and organic finishes (8) 163*i*.
continuous cleaning, structural observations (9) 183*g*.
corrosion (11) 222*j*.
direct firing, gas for (4) 86*d*.
direct-on, flow coating (11) 222*h*.
electroformed (5) 105*f*.
enameled objects, impact test for (6) 126*b*.
for equipment, glasses of system SiO_2-R_2O_3-R_2O as bases of (7) 145*c*.
Fe-containing, for self-cleaning oven, P (1) 3*h*.
fishscaling (7) 145*e*.
flow coating ground coat (9) 183*j*.
fusible, interaction with Ti (6) 126*b*.
glass-ceramic, mixed crystallization modes in (5) 107*f*.
for ground coat, P (6) 126*h*.
for industrial heat exchangers (11) 223*a*.
liquid, for background and texture (6) 125*h*.
in bead making (10) 201*i*.
milling, and preparation of slips (8) 163*i*.
in mobile homes (9) 183*b*.
and plastics, in refrigerators (9) 183*d*.
plastics for (6) 126*e*.
products, test methods and standards for (11) 223*b*.
raw materials for (10) 203*c*.
for refrigerator liners, modernization (11) 222*h*.
self-clean (4) 86*a*.
for self-cleaning oven (8) 163*j*.
slips, on inner surfaces of pipes, drying, P (10) 203*h*.
specific, development (11) 222*e*.
on steel, and Al, weathering tests (9) 183*g*.
sheeting and cast iron (8) 163*f*.
on stoneware (11) 221*d*.
testing, for household appliances (1) 3*b*.
Ti, colored (10) 203*a*.
Ti-containing, viscosity calculation (1) 4*b*.
TiO_2-opacified, Nb and W oxides in (2) 33*d*.
for steel plates (7) 145*d*.
watercolor effect with (6) 125*f*.
Energy, absorbed, of Al_2O_3, in instrumented impact tests (8) 179*j*.
activation, of creep of hardened cement paste (11) 222*a*.
for dehydroxylation of silicate minerals (10) 216*a*.
evaluation of $Mg(OH)_2$ dehydration (8) 174*c*.
for ionic self-diffusion in Al_2O_3 (8) 174*b*.
atomization, of AlSiO(g) and $Al_2O(g)$, mass spectrometry (7) 152*e*.
bands, in BN and graphite (8) 176*e*.
electronic, for LiF (8) 177*b*.
for $KNiF_3$, $SrTiO_3$, $KMoO_3$, and $KTaO_3$ (8) 176*e*.
of LiF (8) 179*c*.
of $SrTiO_3$ (8) 176*f*.
of VO_2, metallic and semiconducting (8) 176*f*.
beamed, systems for controlling, P (4) 97*g*.
consumption, projected demand, and resources, report (9) 193*g*.
dislocation, in Al_2O_3 crystals (8) 179*f*.
dissociation, of CeO_2 and Ce_2O_2 molecules (8) 175*e*.
excitation, transfer in $LaTaO_4$:Nd^{3+} polycrystals (11) 235*g*.
of formation, Gibbs, of beta-Ga_2O_3 from emf (2) 50*g*.
Gibbs, of beta-Ga_2O_3 from emf measurements (2) 50*g*.
Gibbs, of In oxides from emf measurements (3) 77*g*.
Gibbs, of IrO_2 (3) 79*b*.
Gibbs, of Na_2UO_4 (2) 44*h*.
Gibbs, of plagioclase feldspars and clay minerals (5) 120*d*.
fracture, of ceramics, notched-beam test for evaluation (5) 123*d*.
in glass, prediction from mirror size measurements (11) 224*j*.
free, of formation, of Ca hydroaluminates (2) 31*i*.
Gibbs, of intermetallic compounds containing Pt-group elements (3) 63*f*.
Gibbs, and entropies of mixing alkali chlorides in liquid mixtures with $CoCl_2$ (2) 51*a*.
and entropies of mixing alkali chlorides in liquid mixtures with $MnCl_2$ (2) 51*b*.
heat, high-temp. of nuclear origin, P (2) 45*d*.
interfacial, and adhesive, measurement by SEM (6) 139*j*.
ion-defect pair, in KCl:Sm^{2+}, spectroscopy (3) 81*b*.
lattice, of Ti_nO_{2n-1}, V_nO_{2n-1}, and $Ti_{n-2}Cr_2O_{2n-1}$ (6) 139*d*.
magnetostatic, of domains in uniaxial platelets (4) 102*f*.
shortage, in ceramics industry (5) 124*c*.
Energy *(continued)*
storage, in ceramic dielectrics (6) 130*f*.
surface barrier, on $SrTiO_3$ (4) 103*b*.
thermal activation, of Mn acceptor, in GaAs (10) 219*i*.
thermoelectric, conversion, material for, P (5) 115*a*.
transfer, from vanadate to rare-earth ions in $CaSO_4$ (10) 216*b*.
Engineering, management, techniques in process industries (9) 199*h*.
Engobes, easy (9) 181*j*.
Enstatite, polymorphism (10) 216*d*.
Enthalpy, of Fe diselenide (3) 78*g*.
of formation, of BaO (3) 78*e*.
of Eu_2O_3 (2) 51*d*.
of Fe and Ni selenides (2) 46*h*.
for Fe selenides (3) 77*e*.
of K_2MgCl_4, Rb_2MgCl_4, Cs_2MgCl_4, $KMgCl_3$, $RbMgCl_3$, and $CsMgCl_3$ (3) 78*e*.
of malachite (8) 176*g*.
of $MgAl_2O_4$, $MgSiO_3$, Mg_2SiO_4, and Al_2SiO_5 (3) 78*d*.
of Na_2UO_4 (2) 44*h*.
of Pr_2O_3 (hexagonal and cubic), and $PrO_{1.833}$ (9) 196*a*.
of Sm_2O_3 (cubic and monoclinic) (2) 51*b*.
of V oxides (8) 177*b*.
of W oxides, by high-temp. combustion calorimetry (3) 79*e*.
of fusion, for $Cs_2B_8O_{10}$ (6) 142*f*.
of $MgCl_2$ (3) 78*f*.
of Sm trifluoride (2) 51*e*.
high-temp., of $TiAl_3$ (8) 177*c*.
of Na_2O, by drop calorimetry (3) 78*g*.
of $UO_{2.25}$, to 1600°K by drop calorimetry (2) 44*c*.
Entropy, of formation, of vacancies in ionic crystals (9) 196*b*.
and Gibbs energies, of mixing alkali chlorides in liquid mixtures with $CoCl_2$ (2) 51*a*.
of mixing alkali chlorides in liquid mixtures with $MnCl_2$ (2) 51*b*.
increment, at phase II-I transition in $NaNO_3$ (2) 51*f*.
relation, with sonic velocity in molten salts (2) 55*a*.
Equations, batch-comminution, analytical solution to (3) 73*e*.
empirical, for penetration viscometry (4) 96*h*.
Weibull, for polyaxial stress states (2) 57*j*.
Erbium, dicarbide, reaction with Pt and Ir (5) 122*c*.
$ErAlO_3$, crystals, radiation (4) 102*e*.
Er^{3+}, resonance properties, in Th oxide (8) 179*b*.
Er^{3+}, high concentrations, impurity centers in fluorite-type crystals at (2) 52*e*.
intensity parameter in glasses (3) 63*e*.
oxide, thermal expansion, X-ray diffraction (2) 57*e*.
pyrosilicate, phase transition in (1) 28*g*.
tripolyphosphate, X-ray study (4) 104*g*.
Erosion, of kaolinite, by flowing water (11) 234*e*.
Etch, pits, changes in orientation, on diamond cubic faces (2) 49*h*.
"saucer," in GaP crystals (3) 77*e*.
Etchants, gold, P (10) 210*h*.
impurity-sensitive, for NaF crystals (2) 46*i*.
for PbS, single crystals (2) 55*d*.
Si_3N_4-Si oxide, P (9) 192*b*.
Etching, acid, crystal (1) 3*j*.
AlN whiskers (1) 25*j*.
$Al_2Ga_{1-x}As$ multilayer structures, P (8) 170*b*.
Al_2O_3 surfaces, with molten V_2O_5 (3) 66*c*.
continuously, Si substrate, P (3) 71*i*.
controlled anisotropic, for FET, P (1) 13*i*.
differential, of garnet materials, P (9) 190*g*.
GaP (1) 12*g*.
glass, art, P (3) 65*f*.
impurity-sensitive, in NaF crystals (3) 79*c*.
metals, with ultrasonic vibration, P (2) 43*a*.
method, for semiconductor device, P (1) 14*b*.
for studying surface layer in crystalline quartz (4) 103*c*.
pattern symmetry, in relation to dislocation symmetry for m3m class crystals (4) 99*b*.
photo-, two-step, for semiconductors, P (2) 44*g*.
plasma, passivation of photoresist materials used in, P (10) 211*a*.
preferential, of Si, P (1) 15*e*.
semiconductor body surfaces, P (4) 94*i*.
semiconductor devices, P (9) 191*g*.
of SiC (9) 196*c*.
in situ, of GaAs, P (9) 191*b*.
for subdividing, semiconductor wafers, P (2) 42*e*.
thermal, figures in ceramic bodies (7) 151*i*.
Ettringite, structure, compared with monosulfate (8) 162*e*.
Eucryptite, beta-, electrical properties (10) 216*g*.
thermal expansion (8) 180*a*.
reaction, with Li_2CO_3 (9) 198*g*.
Europium, aluminate, cooperative absorption and luminescence in (9) 195*a*.
chloride, crystal structure (9) 195*b*.
chloride hexahydrate, thermal decomposition (4) 103*j*.
$EuFeO_3$, magnetic structure (9) 196*j*.
$Eu_3Ga_5O_{12}$, Eu^{3+} absorption spectrum of (3) 78*d*.
$Eu_3Ga_5O_{12}$:Pt, antiresonance in optical spectrum of Eu^{3+} in (9) 194*d*.
$(Eu,Y)_3(Fe,Ga)_5O_{12}$, magnetic bubble films, isothermal growth (1) 13*i*.
Eu^{2+}, cubic centers in perovskite-type crystals (3) 78*j*.
Eu^{2+}, in $LaBaF_3$ single crystals, EPR and optical spectra (7) 155*h*.
Eu^{3+}, luminescence as measure for chemical bond differences in solids (2) 51*g*.
quantum efficiencies and transition probabilities in glass (10) 205*e*.

Europium *(continued)*
nitride, heat of vaporization and of formation (1) 23*j*.
orthotantalate, paramagnetism (1) 26*b*.
orthovanadate, weak ferromagnetism (5) 123*h*.
oxide, conductivity studies in (7) 154*j*.
films, doped with Fe and Gd (2) 40*h*.
polymorphic transformation, by abrasion (2) 55*c*.
quasielastic electron scattering in (10) 218*f*.
resistivity and Hall effect in, dependence of insulator-metal transition on magnetic order (9) 196*c*.
thin films, optical absorption and photoconductivity in (3) 70*c*.
purifying, and forming refractory compounds with Yb, P (3) 72*g*.
sesquioxide, enthalpy of formation (2) 51*d*.
sulfide, EuTe, and EuSe, thermal conductivity (1) 29*i*.
selenide, telluride, and Eu_2SiO_4, crystal growth by chemical transport (2) 52*a*.
telluride, antiferromagnetic resonance (5) 114*b*.
Eutectics, LiCl-KCl, monolayer formation in reduction of Ni and Ag ions from (2) 54*d*.
sulfide ion in (1) 23*d*.
refractory oxide, directionally solidified, P (2) 38*i*.
solidification, of MgO-$MgAl_2O_4$ (1) 23*h*.
ZrO_2-MgO, directional solidification (11) 234*e*.
Evaporators, film, for producing powders from solutions, P (4) 96*a*.
Excitons, dominant bound, magneto-optical properties in SiC (7) 156*j*.
mixed-mode, in photoluminescence of ZnO (7) 156*a*.
-phonon coupling, in Cu_2O (8) 178*h*.
-phonon interactions, in CdTe films (8) 176*h*.
Expansion, coeff., in soft stoneware bonds (7) 148*b*.
of glass containers, under static and dynamic load (1) 6*b*.
homogeneity of, for ULE lightweight mirror (10) 205*c*.
mismatch, effect on mechanical properties of ceramic materials (10) 216*e*.
moisture, permanent, of ceramic products (4) 89*g*.
of pyrophyllite and sericite compacts, abnormal, during dehydroxylation (10) 215*d*.
thermal, of ABO_4 compounds with zircon and scheelite structures (7) 159*e*.
of $BeO.Al_2O_3$, $BeO.3Al_2O_3$, and $3BeO.8Al_2O_3.5MgO$ (4) 104*a*.
of beta eucryptite (8) 180*a*.
of cabal glass (3) 64*h*.
of $CaWO_4$ (6) 140*d*.
of CdTe, single-crystal (2) 50*j*.
of chrome-magnesite refractories (8) 167*c*.
coeff., of Li Cs silicate and Na Cs silicate glass (8) 164*i*.
coeff., of porcelain glazes (9) 189*j*.
coeff., for As-Se glasses (10) 205*e*.
of Cu, SiO_2, and Si (9) 199*j*.
of glass, alkali germanate (11) 225*j*.
of glass, TiO_2-SiO_2, by photoelastic and ultrasonic techniques (11) 224*d*.
of $In_xGa_{1-x}P$ alloys (5) 123*g*.
of Kovar (4) 100*g*.
in $(La_{0.62}Pb_{0.38})MnO_3$ (2) 57*d*.
of Li_2MoO_4 single crystals (7) 159*d*.
of NbC, HfC, and TaC (5) 123*g*.
of oxides of Ce, Pr, and Er, by X-ray diffraction (2) 57*e*.
of SiO_2, effect of TiO_2 (4) 86*j*.
of solid solutions in system ZrO_2-HfO_2 (1) 21*d*.
of TeO_2, X-ray study (7) 159*c*.
of tridymite (1) 28*b*.
of ZnO (6) 139*d*.
Extruders, continuous, P (11) 232*a*.
flow rate control in, P (1) 17*a*.
hydrostatic, P (1) 16*j*.
P (1) 16*h*; (1) 16*i*.
Extrusion, auger recombination, in InAs, GaSb, InP, and GaAs (4) 98*b*.
of clay pipe, P (6) 128*g*.
continuous, of endless sections, P (4) 95*i*.
of gypsum products, P (2) 32*i*.
screw feed, and apparatus for disagglomerating material, P (3) 73*c*.
-shaped products, P (3) 73*c*.

Faraday effect, of rare earth Fe garnet (1) 23*b*.
rotation, of YIG (1) 25*e*.
in Tb Fe garnet, low-temp. anomalies (11) 234*j*.
in $Y_3Fe_5O_{12}$, temp. dependence of dispersion component (11) 236*g*.
Fatigue, properties, of glass-reinforced plastics (9) 184*f*.
static, in fracture experiments on flat glass (7) 146*a*.
of silicate glasses (2) 35*c*.
testing, of ceramic materials (1) 18*a*.
Feeding apparatus, controlled rate, for mixer or mixer-conveyor unit, P (8) 172*e*.
for granular powdered materials, P (4) 96*a*.
and hoppering, of solids (10) 212*c*.
for powders, continuous proportioning devices for (2) 45*e*.
Feldspars, alkali, nonlinear variation of cell parameters with composition in (4) 101*b*.
alkaline earth, metastable, modifications (6) 140*j*.
Forshammer, substitute for DF stone (4) 97*h*.
milling (5) 116*j*.
modified, wetting ceramic materials by (5) 123*h*.
plagioclase, Gibbs free energies of formation (5) 120*d*.
weathering, stabilities of kaolinite and halloysite in relation to (10) 219*e*.

Ferrimagnetic materials, Fe_2O_3 micropowders, gamma, Co-doped (2) 40*j*.
magnetic parameters, magnetometer for (1) 18*h*.
Ferrites, Ba, angular variation of coercive force in (2) 49*b*.
powders, intrinsic coercivity, effect of milling (3) 69*c*.
and Sr powders, with high intrinsic magnetic coercivity (2) 40*a*.
$BaLa_2Fe_2O_7$, and $SrTb\text{-}2Fe_2O_7$, structural determinations (5) 122*e*.
$Ba_{0.4}Sr_{1.6}Zn_2Fe_{12}O_{22}$, magnetic structure (9) 196*i*.
Co-Fe, high-freq. conductivity in (6) 138*h*.
Co-Zn, Moessbauer study (6) 139*b*.
cubic, valencies of Mn and Fe ions in (2) 57*f*.
dicalcium, high-temp. equilibria (10) 217*a*.
electrical breakdown phenomenon in (4) 92*i*.
FeV_2O_4, paramagnetic susceptibility (1) 26*b*.
firing, method and apparatus for, P (3) 67*f*.
formation, in Li_2O-Na_2O-Fe_2O_3 system (9) 196*b*.
in powder mixtures of Y_2O_3 and hematite (8) 176*i*.
garnet, nuclear transverse relaxation of rare-earth ions in (2) 54*a*.
grinding, with diamond wheels (2) 31*e*.
hard, P (7) 150*i*.
head, P (11) 230*i*.
hexagonal, anisotropy of magnetogyric ratio in (9) 194*d*.
multiple beam direct lattice imaging (10) 217*i*.
P (3) 71*c*.
inductor chips, P (2) 42*g*.
Li, -chromites, magnetic structure (6) 139*g*.
densification, effect of preparation and calcination temp. (4) 92*h*.
from $LiNO_3$ and Fe_2O_3 (1) 23*e*.
magnetic properties (6) 137*i*.
optical and magneto-optical spectra (9) 197*j*.
spinel, processing parameters and properties (5) 114*b*.
for linear applications (4) 92*j*.
Li-Zn, resistivity and Curie point (2) 55*b*.
magnetoplumbite, P (9) 191*c*.
magnets, permanent (1) 13*h*.
material, P (1) 14*c*.
for use under hf conditions, P (2) 41*i*.
medium, modelling in static approximation (8) 169*a*.
metal, ductile, P (2) 43*b*.
mfg., P (2) 42*b*.
Mg, and Mg-Mn, X-ray diffraction experiments (2) 58*a*.
and Mn, ferromagnetic resonance in (1) 13*b*.
Mg-Mn, films, domain substructure in (7) 149*c*.
microwave susceptibility, ultrasensitive technique for (1) 18*e*.
mixed, magnetic moment and Curie temp. (2) 49*b*.
Mn, spin-spin relaxation and multiple echoes in (9) 198*e*.
Mn Zn, P (3) 71*g*; P (4) 93*j*.
phase diagram (6) 139*g*.
powders, phase composition and technological characteristics (10) 210*h*.
resonant modes in FMR (6) 140*g*.
Ni, Co, Mn, and Mg, chemical transport by HCl (9) 194*h*.
neutron and X-ray diffraction studies (1) 25*e*.
thin films, defects in (11) 229*b*.
Ni-Zn, grain boundary diffusion-controlled creep (7) 155*b*.
magnetic properties, temp. dependence (7) 158*h*.
magnetic spectra, induced anisotropy in (2) 52*f*.
Moessbauer study (9) 196*g*.
O nonstoichiometry in (7) 158*g*.
Ni-Zn-Co, single-crystal films, rotational magnetic anisotropy in (7) 157*e*.
ortho-, $Dy_{0.3}Tm_{0.7}FeO_3$, bubble domains in (10) 215*h*.
layer structure and magneto-optic diffraction in (1) 25*e*.
plates, cylindrical domains in (6) 137*b*.
plates, layer domain structures in (1) 25*d*.
rare-earth, annealing-induced mobility changes in (2) 49*c*.
single crystal, and thin platelets of, P (8) 170*a*.
single crystals, relation of domain structure to defects (5) 122*i*.
oxyfluoride, of Y and Gd with garnet structure (5) 121*c*.
P (4) 94*c*.
particles, fine spinel-type, P (11) 230*b*.
permeability, magnetic resonance observed in thermal change (4) 92*h*.
phase shifter, temp.-compensated latching, P (11) 231*j*.
preparation, P (7) 150*a*.
sintering, swelling during (9) 199*d*.
spinel, directional order of ions of octahedral sublattice (4) 99*d*.
structures, treating, P (6) 132*d*.
thin-film body, P (2) 42*h*.
yttrium, -garnet structure, magnetoelastic coupling of Co^{2+} in (7) 156*i*.
Zn, specific heat (11) 235*i*.
Ferroelectricity, and anti-, theory, applied to $NaNbO_3$ and $KNbO_3$-$NaNbO_3$ system (6) 140*b*.
behavior, of Pb germanate vacuum condensates (2) 40*j*.
domain alignment, in PLZT ceramics (4) 93*f*.
domains, 180° alpha, in $BaTiO_3$, secondary effects which accompany motion (3) 81*j*.
bubble, temp. sensitivity (2) 56*i*.
bubble, in garnet films (6) 130*a*.
bubble, in magnetic film-substrate structure, P (6) 132*a*.
in $KNbO_3$ thick crystals (8) 176*j*.
magnetostatic energy in uniaxial platelets (4) 102*f*.
moving high field, in ZnSe(Cu,Ga) single-crystal films (11) 234*h*.
nucleation (4) 101*c*.
substructure, in Mg Mn ferrite films (7) 149*c*.

Ferroelectricity *(continued)*
domain structure, honeycomb (2) 52*d*.
in hydrosodalite (5) 121*j*.
of Li metaniobate single crystals (9) 195*i*.
relation to defects in orthoferrite single crystals (5) 122*i*.
of $SrTiO_3$ (3) 78*d*.
of Y orthoferrite single crystal (3) 78*d*.
domain walls, in alpha-Fe_2O_3, NMR (7) 156*g*.
in bubble films (9) 195*g*.
in $GdMoO_4$ single crystals (5) 120*e*.
interactions with antiphase boundaries in $Gd_2(MoO_4)_3$ (8) 174*g*.
motion, in ferroelectric switching, in $BaTiO_3$, kinetics (8) 177*i*.
resonant motion in YGdIG (3) 81*h*.
spacing in ferromagnetic sheet (9) 190*i*.
35°, in $LiNbO_3$ crystals, microtopography from (6) 139*b*.
pen-, in PLZT ceramics (3) 70*h*.
and piezoelectric composition, P (2) 41*j*.
properties, of $Pb_5Ge_3O_{11}$ and $Pb_5Ge_3SiO_{11}$ (6) 138*a*.
of solid solutions in $BaTiO_3$-$SbNb_{0.8}O_3$ system (1) 27*g*.
of W-bronze type $La_{0.1}Li_{0.1}$-$NaBa_{1.8}Nb_5O_{15}$ single crystal (4) 99*a*.
transition, change in decay constant of $^{99}Tc^m$ in $BaTiO_3$ by (7) 154*f*.
Ferroelectric materials, anisotropic, surface electromagnetic waves in (3) 81*f*.
ceramics, convolution scattering model for (3) 69*g*.
for high temp. (10) 210*a*.
crystals, surface levels in (10) 219*c*.
dielectric relaxation in (8) 178*j*.
with diffuse phase transitions, dielectric and structural properties (1) 22*g*.
"dirty" displacive (3) 69*a*. index of refraction in (3) 69*j*.
ferroelastic crystal, compound, P (3) 70*e*.
films, anisotropic, epitaxial growth, P (9) 190*i*.
quadristable, polarization and optical switching, P (3) 72*b*.
literature index, B (9) 200*b*.
mixed crystals, dielectric properties and soft modes in (7) 154*d*.
order-disorder transformation in, critical dynamics (8) 174*f*.
oxygen octahedra, optical properties (9) 199*d*.
perovskite (7) 159*c*.
single-crystal, use in light-valve display devices (6) 131*d*.
Ferromagnetic materials, anti-, light scattering in, temp. dependence (9) 199*h*.
composite soft, P (4) 93*b*.
Cr_2O_3, treating, P (2) 43*b*.
CrO_2, P-modified, P (9) 191*f*.
with domain structure, temp. dependence of electrical resistance (9) 199*g*.
magnetic parameters, magnetometer for (1) 18*h*.
Mn Ga germanide (8) 169*j*.
P (3) 71*a*; (7) 149*a*.
particles, and nonferromagnetic Al particles, compositions of matter containing, P (2) 41*e*.
shock-induced anisotropy in (2) 55*e*.
workpieces, machining to true flatness, P (8) 170*h*.
Ferromagnetism, bubble domains, in mixed orthoferrite $Dy_{0.3}Tm_{0.7}FeO_3$ (10) 215*i*.
domains, cylindrical, in orthoferrite plates (6) 137*b*.
structure of $PbTiO_3$ crystals (4) 99*g*.
domain wall, movement in $BaTiO_3$ single crystals (10) 219*e*.
of solid solutions, of $Cr_xTi_{2-x}O_3$ (1) 29*h*.
weak, of Nd and Eu orthovanadates (5) 123*h*.
Ferromagnets, anti-, magnetic properties (7) 145*e*.
Fibers, acrylic, graphitizable substrates from, P (10) 209*c*.
alumina, from Al_2O_3 sol and hexamethylenetetramine, P (10) 209*a*.
P (9) 188*b*.
asbestos, extruded for paper dryer felts, P (1) 10*i*.
recovery from asbestos ore, P (6) 136*d*.
boron, high strength and large diameter (2) 38*h*.
bundles, alignment techniques for, P (10) 205*g*.
B_4C, P (11) 227*i*.
carbide, physicomechanical properties (8) 178*i*.
carbon, aminated, P (4) 91*a*.
composite structures, P (9) 188*d*.
and composites, ultrasonic elastic constants (3) 67*g*.
electronic properties, and correlations (8) 175*i*.
in engineering, B (7) 160*b*.
field emission from (4) 99*a*.
high-surface-area, quilted fabric containing, P (3) 67*j*.
modification of surface characteristics, P (2) 39*d*.
and other man-made, alignment by magnetic fields (4) 92*f*.
P (2) 39*d*; P (2) 39*f*; P (3) 67*i*; P (5) 112*k*; P (7) 148*c*; P (7) 148*e*; P (8) 168*f*.
from petroleum residues (2) 39*b*.
products, P (4) 91*j*.
-reinforced composite articles, P (4) 91*a*.
-reinforced plastic, hysteresis behavior in (8) 167*f*.
review (2) 37*i*.
structural studies, review (9) 188*i*.
surface characteristics, P (1) 10*h*.
surfaces, study by electron emission spectroscopy (4) 103*a*.
treatment, P (3) 68*c*.
treatment to improve shear strength in composites, P (6) 129*h*.
$CaSO_4$ whisker, P (11) 227*i*.
ceramic, properties and thermal behavior (5) 111*i*.
composite, of alkali metal hexatitanate and rutile TiO_2, P (4) 92*a*.
bundle, P (4) 88*e*.

Fibers *(continued)*
composites, light-conducting, P (2) 36*g*.
drawing, by fluid means, P (3) 65*c*.
glass, alkaline, films, for plastics (10) 204*i*.
borate, structural comparison with glass, NMR (1) 6*g*.
bypass collection system for, P (11) 225*c*.
cable, and use in track vehicles mfg., P (9) 186*f*.
cement compositions containing, P (5) 107*h*.
clad, scattering from, to determine fiber parameters (11) 232*d*.
colored coated, P (10) 207*c*.
-containing polymeric materials, P (2) 37*b*.
continuous, mfg., B (2) 59*a*.
durability in portland cement mortar (8) 161*i*.
endless webs, from inorganic fiber suspensions, P (2) 37*a*.
E-, strength, effect of alkaline earth composition (4) 86*a*.
fence, resin-bonded, P (1) 8*d*.
-forming bushing, high temp.-high strength alloy, P (4) 88*h*.
forming, P (4) 88*d*.
-forming-package carton, P (7) 146*a*.
hollow, interference patterns of plane-polarized wave from (9) 185*a*.
insulation, binders for, P (6) 127*h*.
jet plate for, P (8) 165*f*.
light-conducting, P (2) 36*g*.
light-conducting, P (4) 88*i*.
light-conducting, P (6) 127*j*.
light-conducting, P (8) 165*g*.
light-conducting, P (9) 187*d*.
light-conducting, P (11) 226*d*.
light-conducting, by vapor partial pressure atm, P (10) 207*d*.
light-focusing (11) 224*a*.
mat, control of conditions, P (11) 225*j*.
materials, impregnation, P (1) 8*b*.
materials, improving feel, P (6) 128*h*.
mats, impregnated, P (2) 36*c*.
mono-, element, P (1) 7*c*.
multifilament, P (11) 226*b*.
multifilament strand, improving tensile strength, P (4) 88*c*.
operation, waste water reclamation in, P (6) 128*e*.
for optical communications (2) 34*a*.
optical, special grade of Pt (1) 5*h*.
P (1) 7*c*.
product, P (7) 146*f*.
to reinforce brittle matrices (1) 6*c*.
-reinforced cement (11) 222*f*.
-reinforced cement, role of interface in (7) 144*f*.
-reinforced crystalline polyester resin compositions, P (8) 165*b*.
-reinforced elastomers, P (1) 7*f*.
-reinforced elastomers, P (2) 36*c*.
-reinforced elastomers, P (5) 109*h*.
-reinforced polyoxymethylene resin composition, P (2) 36*c*.
-reinforced zeolite granules, P (7) 153*e*.
reinforcement, increasing durability (4) 86*i*.
reversible shear thinning gel coated strand, P (9) 187*e*.
size-coated, P (7) 146*j*.
size composition, P (10) 206*f*.
size of curable, blocked polyurethane emulsion, P (8) 165*b*.
sizing, P (10) 206*i*; sizing composition to treat, P (10) 207*e*.
spinning, upper temp. limit (11) 224*j*.
spraying onto substrate, P (1) 7*h*.
static hysteresis (9) 185*d*.
strength, factors affecting (4) 87*b*.
structures, repairing discontinuity in, P (10) 206*h*.
surfaces, auger electron spectroscopy (11) 232*d*.
surfaces, X-ray photoelectron spectroscopy (11) 232*c*.
tacky, treating, P (5) 110*c*.
from thermoplastic materials, P (10) 207*c*.
thermoplastic sheets, P (10) 206*e*.
treated, for glass fiber-elastomeric products, P (5) 110*i*.
treated, and -reinforced elastomers, P (8) 165*b*.
treated with sizing composition, P (4) 89*h*.
treating, P (4) 88*j*.
tubular body, P (2) 37*e*.
using phenolic binder resins, P (10) 207*b*.
W-coated, P (6) 128*e*.
-reinforced elastomers, P N.
graphite, high-modulus, apparatus for, P (9) 188*c*.
high-modulus, improved bonding properties, P (8) 168*b*.
laminates, high-impact strength in, P (1) 11*b*.
metal-impregnated, P (3) 67*e*.
surface modification, P (11) 228*d*.
surface treatment, P (10) 209*e*.
Thornel, new diversity in performance (9) 187*h*.
tow, spreading into ribbon of graphite filaments, P (8) 168*g*.
treatment to improve bonding, P (8) 168*h*.
inorganic, fastness properties of pigment dyes and prints on, P (6) 128*g*.
inorganic refractory, P (5) 109*j*.
material, treating, P (6) 134*c*.
metallic, rapid growth (8) 178*i*.
mfg., apparatus for, P (2) 38*h*.
mineral, fine, forming unit for, P (5) 109*f*.
for needle-felt filters (5) 116*j*.
product, P (6) 129*f*.
optical, breaking stress distributions by cantilever method (1) 18*e*.
butt-joined, P (11) 225*c*.
for communication (11) 224*c*.
communication systems, double-reverse-scatter interference in (10) 204*a*.

Fibers optical *(continued)*
communication systems, low loss glasses for (5) 109*h*.
coupling lasers to, P (4) 87*j*.
coupling together, P (2) 35*d*.
cutoff condition (9) 184*d*.
extrapolation of Snell's law to (9) 184*f*.
graded-index, P (11) 225*h*.
light coupling from GaAs diode laser into (9) 190*g*.
light-conducting, P (1) 7*g*.
low-dispersion, P (5) 110*a*.
multifibers, and devices of, P (2) 36*e*.
multimode, ray inverters for minimizing delay distortion in, P (1) 8*c*.
in optical cable, P (10) 206*f*.
optical power handling capacity (10) 205*b*.
photochromic, cladding glasses for, P (5) 109*d*.
photoelectrically converting, P (8) 170*e*.
SiO_2, structures, P (10) 207*e*.
solar collector, P (5) 109*f*.
spectral total and scattering losses in (11) 232*i*.
splicing, P (3) 65*j*.
splicing device and technique, P (9) 187*c*.
unclad, refractive index and diameter measurements (11) 232*c*.
wave guide ionic treatment for, P (6) 128*d*.
wave guide, P (4) 88*e*.
wave guide, angular distribution of light scattered from (10) 204*h*.
wave-guide, P (10) 206*c*.
optics, device with fibers clad with absorbing glasses, P (8) 165*j*.
extensible-retractable helically coiled assembly, P (10) 206*c*.
faceplates for CRTs, P (2) 35*g*.
transmission systems, optical switch for, P (3) 65*a*.
wave guide, coupling into thin-film wave guide, P (6) 128*d*.
wave-guide, magnetic bubble detection using (9) 196*h*.
PAN, carbonized (8) 167*d*.
polycrystalline inorganic (3) 66*j*.
refractory, of ZrO_2 and SiO_2 mixtures, P (7) 148*f*.
refractory oxide, dry spun, firing, P (1) 11*c*.
silica, compacts, sintering, correction (1) 10*i*.
novel, P (11) 228*b*.
vitreous, drawing-induced coloration in (11) 223*b*.
vitreous, and soda-lime-silicate, spectral losses (9) 185*b*.
silicate, soluble, P (7) 146*g*.
stable package, with overlying wraps of fibrous tape, P (5) 112*j*.
steel, -reinforced concrete, effect of fiber geometry (9) 182*j*.
vol%, effect on C-felt, C-matrix composites (2) 37*h*.
Filaments, boron, tetragonal, ir transmission (4) 100*b*.
tetragonal, morphology (11) 235*e*.
carbon, tapes, P (5) 112*d*.
conducting, in Al-Al_2O_3-Au structures (11) 229*a*.
glass, light-conducting structures, P (8) 166*g*.
graphite, coating with refractory metal carbides, P (11) 228*a*.
from melts, low-viscosity, high-speed production, P (9) 186*a*.
metal, glass, or synthetic resin, coating with heat-softenable material, P (1) 7*c*.
mfg., P (2) 46*c*.
sapphire, c-axis, yielding and flow (2) 58*c*.
0°, high-temp. tensile behavior (7) 158*c*.
SiC-surfaced, with TiC coating, P (9) 189*c*.
by sintering boehmite gels, properties (8) 167*f*.
strand, dispersal, P (2) 36*f*.
tungsten, powders, doped, by chemical deposition, P (3) 65*j*.
suppressing H absorption in, P (3) 65*j*.
Films, alloy, deposition, P (3) 70*g*.
bubble, domain walls in, static properties (9) 195*g*.
corrosion, multilayer, on bioglass surfaces (10) 204*h*.
deposition, from vapor phase, P (5) 114*e*.
epitaxial, apparatus for growing, P (9) 190*b*.
magnetic bubble, changed with rotation rate during deposition (1) 13*i*.
multilayer, equivalent refractive index (11) 234*e*.
nonabsorbing, over absorbing substrates, thickness and refractive index (10) 209*i*.
photoconductive, P (1) 14*e*; P (2) 43*i*.
sputtered, P (4) 94*c*.
sputtering, on irregular surface, P (1) 15*c*.
thick, technology (8) 169*g*.
thickness, nonrotational constant, P (7) 150*d*.
thin, amorphous chalcogenide, switching and memory effects in (4) 93*e*.
analysis in electron probe microanalyzer (3) 74*f*.
contiguous, on substrate, thickness determination, P (11) 230*f*.
with high coercive field, P (6) 132*h*.
metallic, pinholes and adhesion failures (4) 93*b*.
plasma deposition on substrates, P (8) 170*f*.
semiconducting, field effect in (1) 13*b*.
vacuum evaporated, observation of grains by SEM (9) 190*g*.
thin insulating, and refractory, liquid-phase deposition on substrate, P (3) 71*g*.
vitreous, on substrate materials, P (8) 170*b*.
Filters, absorption, steep-edge, P (1) 8*f*.
coated ferrite, P (5) 114*f*.
cylindrical vacuum, P (10) 212*g*.
electro-, operation (9) 182*e*.
intermittent, evaluating quality of cake in, P (10) 212*h*.
liquid, device, P (1) 16*j*.
needle-felt, of mineral fibers (5) 116*j*.

Filters *(continued)*
optical, low-pass, P (1) 8*a*.
rf, with glass on substrate, P (6) 132*j*.
rotary drum, P (10) 212*i*.
uv, SiO_2-Nb_2O_5 and/or Ta_2O_5 glasses for, P (5) 110*j*.
Filtration, pressure, of kaolin suspension (9) 189*g*.
role, in controlling corrosion products in power plants (5) 116*h*.
Firing, ceramics, effect of atm, B (1) 30*f*.
controlled system, requirements (8) 173*b*.
curve, optimum, use for ceramic firing (3) 74*g*.
direct, on dryers for heavy clay industry (5) 118*i*.
enamel, gas for (4) 86*d*.
energy consumption (7) 153*e*.
fast, ceramic products (6) 135*d*.
of material, effect of thermal conditions (9) 193*f*.
rapid, of stoneware pipes in Australia (1) 8*d*.
technique (6) 134*b*.
refractory oxide fibers, dry spun, P (1) 11*c*.
single, and automation, B (7) 160*b*.
SiO_2 articles, vitreous, on graphite mandrel, P (2) 35*h*.
temp., in soft stoneware bonds (7) 148*b*.
temp. curve, of sintering charge, P (4) 97*e*.
whiteware (5) 113*b*.
Fission products, ceramic, P (7) 151*j*.
fissionable bodies, shaped nuclear, P (11) 231*i*.
gases, diffusion to porous sintered materials (8) 171*i*.
inclusions, in-pile migration in mixed-oxide fuels (8) 171*a*.
material, determining concentrations in test specimen, P (7) 152*a*.
Flames, H-O, ozone-enriched, for growing crystals, P (4) 96*c*.
ignition, igniting devices for, P (5) 118*h*.
Flotation, of minerals, and ores, P (11) 233*g*.
Flow, flowmeters, for measuring compressible fluids (5) 117*h*.
of particulate material, measurement, P (3) 74*b*.
steady state patterns, in glass, calculation (2) 33*a*.
Fluorescence, Ce^{3+}, and Ce^{3+}-sensitized, in $YAlO_3$ (10) 218*e*.
laser-excited, state-selected kinetics from (4) 102*a*.
materials, for optical freq. conversion, P (10) 207*b*.
phonon, in superconductors (8) 178*g*.
resonance, in GaP (8) 179*b*.
Fluorides, alkaline earth, optical properties of U centers in (4) 101*d*.
coatings, and polymers and composites, lubricants (11) 233*d*.
double, and triple, from system VF_3-MF(M = Li,Na,K,Rb,Cs,Tl) (10) 216*c*.
emissions, air-pollutant, reduction with lime (2) 45*d*.
in flue gases, continuous monitoring (8) 173*a*.
inner levels, X-ray electron study (10) 220*g*.
perovskite, first- and second-shell hyperfine interactions in (7) 155*j*.
tri-, of rare earth elements, polymorphism and crystallographic characteristics (3) 81*b*.
Fluorination, de-, ceramic, and reduction process, P (9) 192*j*.
Fluorine, effect, on crystallization of CaO-MgO-P_2O_5-SiO_2 glass (3) 63*f*.
emission, in tunnel kilns, causes and prevention (2) 47*f*.
in etching solutions, determination (11) 232*f*.
ions, activity in NH fluoride and phosphate solutions (5) 122*b*.
effect on pressure sintering MgO (8) 175*a*.
as nucleator of vol effects in glass-ceramic structures (1) 5*a*.
recovery, from calcareous fluorspars (10) 214*j*.
Fluorite, colored, ordered lattice defects in (4) 101*e*.
high-density form (2) 52*i*.
natural, X-ray topographic observations (2) 58*b*.
structure, vacancies, interstitials, and rare gases in (8) 180*h*.
Fluorspar, calcareous, F recovery from (10) 214*j*.
compaction, for metallurgical use, P (10) 214*j*.
Fluxes, arc-welding, bonded, and liquid binding agent for, P (3) 62*h*.
effect, on porcelain, Al_2O_3-enriched (11) 228*c*.
Foamed ceramics, material, P (2) 39*e*.
Foams, silicate, cellular structure, improving, P (1) 7*e*.
Forsterite, contact reaction, with chrome spinel, kinetics (1) 9*d*.
Fe^{3+} in, EPR (8) 176*c*.
monticellite-, join, two-phase data (5) 123*b*.
refractories, from Salem magnesite with clays and sand (3) 66*e*.
Fourier analysis, shape, effect of grain orientation (2) 50*e*.
Fracture, bending, of Al_2O_3, effect of stress concentration (11) 234*i*.
of cement paste, in relation to surface forces and porosity (3) 62*a*.
of C_3S pastes (2) 32*c*.
energy, of Al_2O_3, grain-size dependence (1) 22*i*.
in glass, prediction from mirror size measurements (11) 224*j*.
of glass, flat, experiments (7) 146*a*.
in vacuum (9) 184*g*.
windshields, on expressway (8) 165*a*.
of graphite, irradiated, statistical aspects (6) 141*f*.
properties, of MgO crystals (7) 156*j*.
of wustite, enhancement by precipitation (5) 120*b*.
of rock formations, by cryothermal process, P (1) 20*h*.
safety, evaluation with J integral (1) 18*g*.
of space-shuttle window (8) 163*f*.
spontaneous, of $BaTiO_3$ (1) 28*d*.
thermal, of roofing tiles during cooling in tunnel kiln (8) 166*f*.
toughness, of C-C composites (2) 38*f*.
of high-Al_2O_3 refractories (11) 226*h*.
of MgO containing metallic particles and fibers (6) 129*j*.
of ZrO_2 in system CaO-ZrO_2 (1) 23*g*.

Fracture *(continued)*
work-of-, and apparent yield correlation in Si_3N_4 (5) 123*i*.
and toughness for ZrO_2 (3) 76*h*.
Frequencies, second harmonic generation, in YIG (2) 55*c*.
Friction, composite materials (2) 38*a*.
of diamond sliding, on polished cube faces of diamond (8) 176*g*.
internal, in NaCl single crystals (1) 23*a*.
material, P (10) 208*i*.
and wear, of refractories (10) 208*i*.
Frits, cermet protective coating glass, P (3) 62*h*.
composition, for acid-resistant enamels on cast iron, P (3) 62*i*.
cover coat, direct-on (9) 183*f*.
Frost resistance, of brick, and tile, effect of minerals (3) 65*j*.
of cement paste, hardened (7) 144*a*.
of ceramics, failure of capillary theory (6) 128*f*.
of clayware products, tests (3) 66*e*.
with kneading machine, of smoked roofing tiles (4) 89*e*.
of structural clay products (3) 65*j*.
of tile (6) 130*f*. roofing, effect of wet and dry slip coating (3) 66*d*.
Fuel elements, for compact power reactor, P (11) 231*e*.
with failure indicator, P (10) 212*f*.
of high-temp. reactors, recovery of nuclear fuel material from, P (1) 16*e*.
H retention in, P (5) 116*c*.
irradiated, cladding (stainless steel) /fuel (mixed U, Pu)$O_{2\pm x}$ oxide) interfacial reaction in (9) 192*i*.
transporting and processing, P (11) 231*g*.
nuclear, neutron absorption and multiplication parameters for, P (4) 95*j*.
P (1) 16*e*; P (4) 95*b*.
W-UO_2, P (1) 16*e*.
nuclear reactor, furnace and method for pyrochemical processing, P (9) 192*j*.
P (2) 45*f*; P (3) 73*c*; P (7) 152*b*; P (9) 192*j*; P (9) 193*b*; P (10) 212*h*.
pyrochemical processing, and furnace for, P (6) 133*b*.
pressurized, for nuclear reactor, P (3) 73*d*.
Zr-U, massively hydriding, P (4) 95*c*.
Fuels, and additives, in kiln firing (5) 118*i*.
breeder, fluoride reprocessing, P (1) 16*c*.
carbide, P (1) 16*g*.
ceramic, with controlled density and grain size, P (8) 171*i*.
clean, from coal (8) 172*j*.
coal, char, H from (9) 193*g*.
conversion technology (10) 213*e*.
gasification pilot plant (6) 135*c*.
Illinois, minerals in (6) 135*j*.
resurgence (5) 118*c*.
consumption, reduction in existing kilns and dryers (8) 173*e*.
costs, saving by simple means (5) 118*d*.
densification, and clad stability in oxide fuel pins (4) 95*g*.
fossil, processing, ceramic applications in (1) 30*d*.
gas, and application to firing bricks (4) 96*j*.
in brick kilns (2) 47*i*.
from coal (5) 118*a*.
conversion in heavy clay industry (1) 19*b*.
escape from electric furnace, P (1) 19*f*.
for firing enamel (4) 86*d*.
metering valves, P (1) 19*f*.
mfg., P (1) 19*e*.
refractory catalyzer in (10) 213*f*.
high-energy, P (3) 75*c*.
hydrogen as (6) 135*b*.
liquid, burning, P (4) 97*b*.
in minerals yearbook, 1971, B (9) 200*g*.
mixed-oxide, in-pile migration of fission product inclusions in (8) 171*a*.
nuclear, assay, P (5) 116*d*.
assembly, P (2) 45*f*.
assembly spacer, P (6) 133*c*.
bodies, P (8) 171*j*.
or breeder material tablets, P (8) 171*i*.
bundles, shearing, P (2) 45*e*.
carbide-graphite composite, P (9) 193*a*.
compacts of coated particle fuel, P (1) 16*d*.
composites, bonded-particle, P (2) 45*c*.
creep under neutron irradiation (7) 151*c*.
detecting magnetic additives in, P (6) 133*b*.
failed, detection system, P (5) 116*e*.
for high-temp. gas-cooled reactors, P (8) 171*j*.
molten fluoride, recovery of Pa from, P (5) 116*g*.
nondestructive analysis, P (2) 45*d*.
nondestructive analysis, P (7) 152*c*.
P (3) 73*b*; P (9) 193*d*.
particles, coated with SiC, P (4) 95*e*.
particles, for high-temp. reactors, P (5) 116*e*.
pilot plant for (11) 231*c*.
pin, P (10) 212*g*.
porous ceramic, using dextrin as volatile pore former, P (9) 193*d*.
powder blender, safe geometry, P (11) 231*h*.
rods, Pu-containing, P (4) 95*j*.
sintered, P (1) 16*g*.
spent, dissolving, P (10) 212*f*.
spent shipping casks, P (5) 116*g*.
spherical particles, P (4) 95*c*.
tablet, P (10) 212*g*.
tablets, P (6) 133*c*.
U aluminide-Al dispersion, P (6) 133*f*.
U-Pu, P (6) 133*d*.
nuclear reactor, low density oxide, P (9) 193*a*.
Fuels nuclear reactor *(continued)*
separating particles, P (1) 16*c*.
particles, high temp. reactor coatings, measuring strength (9) 192*e*.
pins, nondestructive analysis, P (1) 16*d*.
radioisotope, material, P (6) 133*e*.
reactor, porous materials, diffusion of fission product gases to (8) 171*i*.
for refractories (5) 118*a*.
rod, UO_2, kinetics of pore movement in (9) 192*b*.
S-containing, apparatus for burning, P (2) 47*j*.
shortage, in brick industry (5) 118*j*.
synthetic, from coal (5) 118*e*.
UO_2-0.6 wt% Dy_2O_3, containing Al_2O_3 or TiO_2 impurities (4) 95*c*.
Fuller's earth, beneficiation (10) 213*j*.
Furnaces, arc, hot spots in (1) 19*j*.
operating system (3) 67*g*.
continuous, heating, P (6) 135*h*.
P (2) 48*a*.
and cooling control for, P (8) 173*g*.
cupola, gas-fired, P (2) 48*b*.
designing, and building with single-size brick, P (6) 135*g*.
for drying, or baking coated arc welding rods, P (10) 203*f*.
DTA, using dynamic flow of water vapor (1) 17*c*.
electric, brick extractor for, P (8) 173*e*.
for heat treatment of articles in vacuum, P (2) 48*b*.
P (1) 19*e*.
prevention of gas escape from, P (1) 19*f*.
using ceramic heating elements, P (8) 168*a*.
endless, enamel, P (9) 193*j*.
for expanding perlite, P (2) 48*b*.
float tanks, P (9) 193*j*.
and float tank walls, P (9) 193*j*.
4x150 m, movement of material and dust elimination in (4) 85*h*.
glass, controlling emissions, P (6) 128*g*.
cylindrical, for reinforced and nonreinforced seamless pipes of foam glass, P (2) 35*e*.
electric, mathematical model (2) 34*g*.
electric, P (1) 7*c*.
-fiber-drawing, anticonvection head for, P (6) 127*e*.
float, refractory wall in, P (8) 165*j*.
for heating and bending plates for windshields, P (2) 36*a*.
high-temp., P (9) 186*a*.
in Murano, 15th century (1) 1*f*.
radiation exchange in (1) 6*a*.
refractory concretes in (3) 66*d*.
tunnel, P (10) 207*h*.
use of O in (9) 185*h*.
glassmelting, automation (10) 203*h*.
electric and gas, cost comparison (8) 163*d*.
electrical, P (10) 206*b*.
flow paths in, model studies (1) 6*e*.
sillimanite and mullite bricks in (3) 66*j*.
glassmelting tank, regenerative and recuperative (1) 5*e*.
glass tank, batch chargers for (11) 223*g*.
chrome-magnesite brick of regenerative systems in (11) 224*h*.
drums, large-diameter, supports for and means to rotate, P (10) 213*i*.
flat, insulation and cooling (1) 5*c*.
insulated or uninsulated (1) 5*b*.
investigation (4) 86*h*.
large end port, temp. control with analog computer (8) 164*j*.
mixing action, study using tracers (1) 6*j*.
natural gas burners for, model study (1) 5*c*.
P (7) 147*a*.
production capacity, effect of combustion air temp. (2) 33*f*.
recuperators, clogging (11) 223*h*.
refractory walls, P (2) 37*b*.
synthetic mullite for (3) 67*d*.
thermal insulation (1) 6*d*.
for TV tubes, cooling and insulation problems (1) 4*e*.
for heat-treating, objects under high pressure, P (8) 173*g*.
for heat-treating workpieces, P (4) 97*c*.
heat treatment, P (4) 97*e*.
high-temp., windowless port using Bernoulli principle for (1) 19*a*.
hot-air, P (9) 194*b*.
induction-heated, for growth of alpha-SiC crystals (2) 46*i*.
industrial, adding heat recovery equipment to (5) 118*g*.
muffle, for treatment of articles on conveyor, P (9) 194*b*.
open-hearth, P (9) 194*c*.
for plates, and slabs, P (3) 75*a*.
pot, glassmelting in, by town gas combustion (4) 96*j*.
pusher-type, heated by graphite rods, P (5) 118*j*.
regulating device, for regulating zonal forced draft air feeds, P (4) 97*d*.
rotary, with cooled grates, grinding coal for (4) 85*d*.
effectiveness improvement (4) 85*d*.
powerful, construction and installation (3) 62*b*.
thyristor converter for main drive (3) 62*a*.
rotary tubular, P (1) 19*h*.
shaft, charging, P (3) 74*j*.
endothermic processes in, P (3) 75*c*.
P (7) 153*h*; P (8) 173*j*.
solar, use in studying reactions between gas and liquid oxides (5) 123*d*.
tank, P (9) 193*j*.
for thermal shock testing, of refractories (5) 111*a*.
for thermic treatment, of products supported by gas cushion,
Furnaces for thermic treatment *(continued)*
P (10) 213*i*.
tubular, P (8) 173*a*.
vacuum, for high field Moessbauer experiments (1) 17*d*.
high-temp., inserting and removing specimens from, P (10) 213*g*.
P (6) 135*a*.
vertical tube, P (9) 194*d*.
walking-beam, longitudinally fired, P (11) 233*g*.

Gadolinium, aluminate, single crystals, point defects in (11) 235*a*.
burnable poison, for high-temp. reactors (4) 95*e*.
$GdAlO_3$, antiferroacoustic resonances and magnetoelastic coupling in (8) 174*f*.
$Gd_2(MoO_4)_3$, antiphase boundaries and interactions with domain walls in (8) 174*g*.
spontaneous polarization (9) 198*f*.
$Gd_{x-y}Y_y(Ta_{3x}W_{1-3x})O_3$, structural evolution (9) 198*h*.
$Gd_2(MoO_4)_3$, double hysteresis loops in (10) 218*c*.
Gd^{3+}, in $CaMoO_4$, electric field effect on EPR spectra (7) 155*i*.
effect on Sm^{3+} quenching and intensity parameters in glass (10) 204*g*.
in $KY(MoO_4)_2$ and $KLu(MoO_4)_2$, EPR (11) 234*d*.
spin-lattice interaction in ThO_2 and CeO_2 (7) 158*h*.
zero-field splittings in CeO_2 and ThO_2 (5) 124*b*.
$^{155}Gd^{3+}$, in ThO_2 single crystal, paramagnetic resonance (7) 156*i*.
Gd_2Si_2, crystal structure (6) 137*j*.
molybdate, crystal plate, P (4) 94*f*.
crystals, light scattering by elastic waves in (9) 196*f*.
elastic constants and soft optical modes in (8) 175*c*.
lattice dynamics of rigid-ion model for (9) 196*e*.
optical absorption edge (9) 199*h*.
phase transition, elastic constant (9) 195*g*.
Raman spectrum (9) 198*f*.
single crystals, anisotropy of nonlinear refractive index in (2) 49*c*.
single crystals, domain walls, antiphase boundaries, and dislocations in (5) 120*e*.
oxide, O diffusion in (11) 235*b*.
phosphide, and oxide, crystal growth by chemical transport (2) 52*a*.
site occupancy, in $PbMoO_4$ single crystals (3) 81*a*.
tripolyphosphate, X-ray diffraction (1) 29*j*.
Gages, gaging system, bulk material nuclear moisture-, P (5) 117*h*.
for moisture, percentage by weight, in bulk material on conveyor, P (2) 45*i*.
quartz, polarization by shock waves (2) 54*c*.
semiconductor strain, P (2) 43*j*; P (8) 171*a*.
solid-electrolyte O, for monitoring water content in H gas (1) 18*a*.
viscosity, P (3) 74*e*.
Gallates, alkaline-earth (4) 98*b*.
Gallium, Al arsenide, for electroluminescent diode, P (2) 42*g*.
antimonide, and arsenide, auger recombination in (4) 98*b*.
carrier concentration and thermal emf in p regions of p junctions in (1) 21*j*.
physical properties and nature of chemical bonds in (8) 175*h*.
p-type, ultrasonic absorption in (11) 236*j*.
arsenide, absolute instability of electromagnetic waves in (8) 174*a*.
acoustoelectric domains in (4) 92*e*.
adsorption kinetics of Cs on (3) 76*h*.
backscattering electrons from (4) 98*c*.
cathodoluminescence in (10) 215*i*.
chemical growth of insulating layers on, P (6) 131*h*.
crystal, P (1) 14*j*.
crystals, growth by VLS-mechanism (2) 40*c*.
crystals, structure of defect layer in (9) 199*a*.
depth profile of concentration of deep-level impurities in (8) 168*j*.
devices, P (2) 41*i*.
doping anomalies in, analysis (2) 49*b*.
effect of annealing on carrier concentration (8) 175*b*.
elastic constants, temp. dependence (2) 56*g*.
electroluminescent shifting-peak spectra (9) 195*b*.
electron heating in (2) 51*g*.
electron energy relaxation times in (8) 175*h*.
electron mobility in (8) 176*a*.
electron mobility in, effect of scattering centers (9) 194*j*.
electron-beam penetration in (10) 216*i*.
electroreflectance and galvanoluminescence (3) 69*e*.
epitaxial films, growth surface (11) 229*f*.
epitaxial layers, faceted defects in (2) 40*j*.
epitaxial layers, properties (9) 190*d*.
films, concentration profiles of deep-level impurities in (3) 69*i*.
gamma-radiation damage in (2) 52*b*.
Ge-Sn-doped, electrical properties (9) 196*f*.
high "mobility" in (8) 174*f*.
high-purity, P (7) 149*g*.
interaction of impurities in (8) 177*h*.
ionization rate in (10) 217*h*.
lasing characteristics (3) 69*g*.
liquid-phase epitaxial layers, minority-carrier diffusion length (8) 180*i*.
Li-diffused Mg-doped, ir absorption study (4) 100*a*.
luminescence in (9) 198*c*.
magnetophotoconductivity (6) 139*j*.

Gallium arsenide *(continued)*
magnetophotoconductivity, effect of alpha-particle bombardment (8) 174*i*.
Mg and Be ion implanted (2) 54*c*.
Mg-doped, by molecular beam epitaxy (6) 139*f*.
multilayer epitaxial vapor growth (3) 70*d*.
n-, S-type characteristic, role of ionization inhomogeneities (2) 55*c*.
n-type, geometrical transverse magnetoresistance effect in (2) 53*h*.
n-, heat treatment effect on luminescence bands in (11) 234*h*.
photoconductivity after irradiation (9) 197*d*.
photoelectric emission from (11) 235*j*.
properties (9) 198*d*.
p-type, optical and electrical properties (8) 178*c*.
reflection and transmission secondary emission from (6) 140*b*.
rod, dislocation-free single-crystal, P (10) 211*f*.
Si diffusion in (1) 22*h*.
in situ etching, P (9) 191*b*.
surface damage from laser radiation (4) 103*b*.
surface shear-wave mode in, amplification (3) 76*h*; surfaces, high-energy electron diffraction measurements (9) 196*c*.
thermal activation energy of Mn acceptors in (10) 219*i*.
transport and photoelectrical properties (3) 82*a*.
vibrational mode absorption of Si in (3) 80*a*.
wafer surfaces, protecting, P (4) 94*h*.
wafers, surface defects in (3) 69*f*.
Ga Al arsenide, epitaxial solution growth, P (5) 114*i*.
$Ga_{1-x}Al_xAs$, amphoteric behavior, Al effect (3) 78*f*.
carrier concentration profiles in (8) 168*h*.
$GaAs_xP_{1-x}$, epitaxial deposition on substrate, P (9) 190*h*.
layers, composition and growth rate (3) 79*c*.
$Ga_xIn_{1-x}P$, crystals, lattice mismatch in growth (3) 79*b*.
$GaMn_3C_{0.935}$, neutron diffraction and NMR studies (4) 100*i*.
Ga_2Te_3, thin films, crystallization (8) 174*g*.
liquid, Si contamination in SiO_2 boats, kinetics (6) 139*c*.
nitride, epitaxially depositing from liquid phase, P (9) 191*g*.
Zn- and Cd-doped, luminescence (3) 80*b*.
phosphide, anodic dissolution and selective etching (1) 12*g*.
Be diffusion into (2) 50*j*.
crystal symmetry shown by alloyed contact shapes on (2) 40*c*.
crystals, defect studies (3) 77*e*.
doping homogeneity, scanning device for measuring (3) 74*f*.
electrical properties (2) 51*c*; electrical and optical properties (8) 175*f*.
extrinsic room-temp. minority carrier lifetime in, measurement (2) 53*g*.
films, electrical transport phenomena in (9) 190*f*.
heteroepitaxial structure, P (2) 41*c*.
liquid-phase epitaxy layers, effect of substrate preparation (2) 40*e*; liquid-phase epitaxial layers, surface morphology (9) 199*c*.
luminescence (10) 217*c*.
n-type, Au-Ni ohmic contacts on (4) 92*g*.
n-type liquid-encapsulated Czochralski, deep hole traps in (4) 98*i*.
n-type, paramagnetic resonance and Hall coeff. in (3) 80*f*.
phosphosilicate glass films on (11) 229*j*.
primarily nonradiative Si, O defect in (6) 138*h*.
resonance fluorescence in (8) 179*b*.
selenide, photoelectric properties (11) 235*j*.
photoluminescence, impurity effects (10) 217*b*.
thin films, properties (11) 230*a*.
sesquioxide, beta-, Gibbs energy of formation from emf measurements (2) 50*g*.
beta-, solid-state reactions with NiO (10) 217*i*.
reaction with Nb_2O_5 (9) 198*i*.
role in preparation of Y_2O_3:Eu^{3+} phosphor (6) 140*i*.
telluride, single crystals, threshold switching in (9) 190*j*.
thin films, properties (8) 179*e*.
tungstates, double, with Rb and Cs (7) 154*f*.
Garnets, Al, Ga, and Fe, Raman-active phonons in (9) 198*e*.
Bi-Ca-V Fe, single crystals, cylindrical magnetic domains in (2) 50*e*.
single crystals, uniaxial anisotropy in (11) 236*a*.
bubble, magnetization, control by annealing (3) 69*g*.
Ca-V ferrimagnetic, P (2) 41*e*; P (6) 131*g*.
containing rare earths, reflectance spectra (5) 122*g*.
Eu Fe, magnetic anisotropy and NMR (11) 236*h*.
Fe, crystallization, temp. reduction during (1) 22*f*.
epitaxial films, with submicron diameter magnetic bubbles (2) 40*g*.
films, magnetic properties (9) 190*b*.
ferrimagnetic, P (7) 149*a*.
stress birefringence in (8) 179*j*.
ferrite, substituted, magnetically nonequivalent cation positions in (4) 100*j*.
films, Al, laser oscillation from Ho^{3+} and Nd^{3+} in (1) 13*e*.
Eu-based, for magnetic bubble applications (6) 130*b*.
ferrimagnetic damping (3) 69*f*.
growth, by hydrothermal synthesis (9) 190*f*.
magnetostatically coupled, bubble domains in (6) 130*a*.
Ga, containing trivalent La (7) 156*e*.
GdGa, internal strains in liquid phase epitaxial garnet film on (4) 99*e*.
Lu Al, single crystals, EPR of Cr^{3+} in (11) 234*d*.
lutetium Fe, magnetization (2) 53*e*.
magnetic, films, suppression of hard bubbles in by ion implantation (2) 56*b*.
substituted, H annealing, P (1) 14*d*.
materials, differential etching, P (9) 190*g*.
microwave, with controlled chemical composition and magnetic properties (11) 229*h*.
mixed, laser materials (2) 47*b*.
Mn, ir spectra (3) 79*f*.
rare earth, paramagnetoelectric effect in (8) 178*d*.
Zeeman effect for (5) 123*e*.
rare-earth Ga, Czochralski growth (2) 50*f*.
Czochralski-grown, elimination of defects (2) 51*a*.
rare-earth iron, anisotropy, growth-induced (10) 216*e*.
Faraday effect (1) 23*b*.
films, anisotropy field and coercivity in (8) 169*d*.
magnetic anisotropy in (10) 216*f*.
refractive index behavior (8) 178*f*.
$R_{0.3}Y_{2.7}IG$, [R = Nd,Sm,Eu,Gd,Ho,Er, Tm,Yb], spin echo investigation (2) 56*b*.
structure, ions in (1) 25*f*.
synthetic, single rare earth crystal, etch polishing, P (1) 15*d*.
Tb Fe, Faraday effect in, low-temp. anomalies (11) 234*j*.
ultralow-linewidth substituted, microwave loss in (3) 80*g*.
vanadium, refinement of crystal structure (9) 198*j*; refinement of crystal structure (10) 210*h*.
single crystals, growth and magnetic properties (10) 210*c*.
YAG, rod, single Pockels cell double pulsing scheme, P (10) 211*f*.
Sc-substituted, solubility enhancement in Nd^{3+} in (4) 102*h*.
stimulated-emission cross section of Nd^{3+} in (3) 64*f*.
YAlG, single crystals, spin-lattice relaxation of Mo^{3+} ions in (3) 81*c*.
solubilization of Nd in (2) 55*f*.
Y ferrite, magnetic anisotropy (9) 195*c*.
YGdIG, resonant motion of domain walls in (3) 81*h*.
YIG, anisotropy and magnetostriction (5) 119*b*.
Faraday rotation (1) 25*e*.
ferroacoustic interaction with Rayleigh waves (8) 176*i*.
films, ferromagnetic resonance line width (6) 130*i*.
films, spin-wave propagation (1) 13*i*.
and Ga-substituted, films, chemical vapor deposition (1) 21*a*.
magnetic material parameters and lattice constants (1) 29*f*.
magnetoelastic interactions in (3) 80*e*.
negative-resistance switching effect in (4) 100*i*.
nonlinear magnetic susceptibility (9) 197*h*.
nonohmic currents in (2) 54*j*.
Pb substitution in (8) 177*a*.
phase relaxation in, two-freq. measurement (4) 104*b*.
photomagnetic effect and electron diffusion aftereffect in (10) 218*b*.
polycrystalline behavior and experimental results for (2) 55*e*.
rare-earth relaxation in, wave-vector dependence (4) 104*f*.
second harmonic generation and ferrimagnetic resonance in (2) 55*c*.
sphere, magnetoelastic waves in (7) 157*d*.
spin configurations induced by anisotropic ions in (2) 56*a*.
spin standing waves and magnetic anisotropy in (2) 56*d*.
synthesis, crystallization fields in PbO-PbF_2-B_2O_3 system during (8) 178*e*.
yttrium, n-type, charge carrier mobility in (3) 76*c*.
Gases, in cement industry, analysis (10) 202*e*.
environmental, analyzing, P (3) 74*i*.
flow, controlling along drawn glass ribbon, P (4) 88*b*.
flue, desulfurizing, while producing gypsum as by-product, P (9) 193*h*.
fluoride emission, continuous monitoring (8) 173*a*.
purification, P (7) 153*g*.
gaging, P (3) 74*b*.
methane-containing, destruction of refractories by (5) 111*e*.
rare, in fluorite structures (8) 180*h*.
solubility, in glass (2) 34*j*.
stream, controlled temp., device for supplying (1) 18*j*.
sulfur oxide-containing, washing with lime slurry, P (7) 153*f*.
waste, S recovery from, P (5) 118*g*.
S removal from, P (5) 118*i*.
Gems, -stones, simulated emerald, P (2) 48*h*.
Generators, semiconductor photoelectric, P (7) 151*e*.
Geology, of rare earths, and scandium, bibliography to 1971, B (2) 58*e*.
Germanates, fibrous amphibole-like, new chemical compound (5) 121*j*.
rare-earth, hydrothermal synthesis (10) 217*b*.
vibrational spectra (9) 199*f*.
of wadeite type, structural evolution (5) 122*f*.
Germanium, amorphous, Raman scattering in (10) 218*g*.
and III-V compounds, Raman scattering in (10) 218*f*.
B-implanted, electrical properties and structure (10) 216*h*.
crystals, Hg-doped (8) 176*i*.
structure of defect layer in (9) 199*a*.
dioxide, amorphous highly dispersed, P (7) 153*h*.
ESR (1) 23*f*.
normal mode assignments in (1) 25*i*.
quartz form, metastable, crystal growth (2) 49*g*.
vitreous, structural characteristics, and "germanate anomaly" phenomenon (2) 35*d*.
V^{4+} in, hyperfine, superhyperfine, and quadrupole interactions (8) 177*d*.
dispersion of holes in, effect of external homogeneous deformation (8) 175*h*.
films, dislocation density (8) 169*d*.
Germanium films *(continued)*
improving perfection, P (7) 150*d*.
Ge-As-Te-Si thin films, switching and memory effects in (4) 93*e*.
high-purity, electrical properties, improving, P (7) 150*c*.
p-type, galvanomagnetic effects in electric fields (8) 169*g*.
:Sb, high-freq. phonons in (8) 178*g*.
single-crystal rods, group growing by Stepanov method (4) 99*e*.
single crystals, dislocation relaxation in (11) 234*e*.
slice prealigner for, P (11) 231*i*.
solubility, in monocrystalline CdSb (8) 179*d*.
telluride, films, growth and nucleation on KCl and SnTe substrates (11) 229*j*.
Glass, acoustical panels, P (11) 225*a*.
acoustic delay line, P (1) 6*h*.
Ag, Tl, and Tl aluminogermanate, ir study of polymerization in (5) 108*g*.
Ag-containing, growth of crystals from, under electron bombardment (9) 184*i*.
with Ag oxide, P (8) 165*d*.
alkali aluminoborosilicate, Ag halide crystals precipitating in (10) 203*j*.
alkali aluminosilicate, article, P (6) 127*e*.
alkali borate, optical basicities (10) 205*a*.
alkali borosilicate, NMR study (7) 145*h*.
alkali germanate, spectroscopy (2) 35*d*.
viscosity and thermal expansion (11) 225*j*.
alkali-lime-silicate, and raw materials for, analysis by atomic absorption (8) 163*i*.
alkali metal-Pb phosphate, V-containing, P (9) 187*h*.
alkali metal silicate, hydrated particles, with sequestering agents, P (2) 36*f*.
alkaline borate, N incorporated in (3) 63*b*.
alkaline silicoborate, N solution in (3) 64*d*.
alkali phosphate, paramagnetic centers in (1) 5*f*.
alkali silicate, ion depletion (8) 164*b*.
aluminoborate, Cr^{3+}-Cr^{6+} equilibrium in (10) 204*a*.
aluminoborophosphate, dielectric properties at rf (2) 33*e*.
aluminoborosilicate, liquating alkali-free, electrical properties (9) 184*d*.
ampoules (7) 145*c*.
annealing, refractories for (1) 5*g*.
anomalous dispersion, P (5) 109*a*.
arsenic silicate, structural changes with heat treatment (3) 64*g*.
articles, by centrifugal casting, P (5) 109*c*.
crystalline, P (8) 166*a*.
flexed composite, by chemical tempering method, P (11) 225*d*.
high-strength, P (2) 36*e*.
ionic penetration, P (3) 65*d*.
molded, P (2) 37*b*.
strengthening by double ion exchange method, P (8) 165*j*.
strengthening with powdered salts for ion exchange, P (6) 128*j*.
treating surface, P (7) 146*i*.
treatment, P (8) 166*a*.
As-Se, elastic properties (8) 164*f*.
thermal expansion coeff., and transition temp. (10) 205*e*.
As-S-I, and As-Te-I, EPR of Mn^{2+} in (3) 63*h*.
As-S-Te-I, electrical resistance (8) 164*g*.
ASTM standards, B (7) 159*j*.
Ba aluminoborate, growth and decay of color centers in (5) 109*g*.
batch, automatic weighing in (11) 223*f*.
blankets, melting, calculation (8) 163*f*.
melting behavior (1) 5*i*.
P (1) 7*f*; P (6) 128*b*.
Pb and potash, pelletizing (1) 5*g*.
pelletized, P (2) 37*a*.
bath, conditioning, adjacent vertical sheet draw, P (8) 165*i*.
B-containing, useful with semiconductor devices, P (5) 110*d*.
beam heating, P (1) 7*b*.
Be-containing, high-elastic-modulus, P (10) 205*i*.
bio-, surfaces, multilayer corrosion films on (10) 204*h*.
blocks, metal oxide-coated, P (4) 88*a*.
blow molding, P (2) 36*e*.
bodies, by diffusion of ions through coating layer, P (10) 206*g*.
flexible assemblies, P (9) 186*e*.
treating, P (10) 206*i*.
treating, to provide ion-depleted region in, P (9) 187*a*.
treating and strengthening, P (4) 89*e*.
bolometers, chalcogenide, two-dimensional imaging array, P (2) 37*f*.
borate, containing Co(II) ions, spectrophotometric studies (10) 205*b*.
effect of Gd^{3+} on Sm^{3+} quenching and intensity parameters in (10) 204*g*.
mechanical and viscous properties, liquidation effect (9) 184*f*.
phosphate, and germanate, Tm^{3+} and Er^{3+} intensity parameters in (3) 63*e*.
photochromatic, without SiO_2, P (5) 110*d*.
structon theory (5) 109*j*.
structural comparison with fibers, NMR (1) 6*g*.
thermodynamics of system Cu-O and ruby formation in (8) 165*e*.
boric oxide, refractive index, variation (4) 87*c*.
borosilicate, Ag halide-containing variable-transmittance, P (7) 146*j*.
Ar^+ and Kr^+ entrapment and thermal evolution in (2) 33*j*.

Glass borosilicate *(continued)*
- borate in, thermometric determination (8) 164*c*.
- density and refractive index (10) 204*d*.
- in electronics industry (10) 203*i*.
- hardened by liquid quenching, photoelastic properties (11) 224*h*.
- powder, P (2) 36*h*.
- viscous flow during phase separation (1) 5*c*.

bottles, coated with multilayer protective films, P (11) 225*g*.
- covered, P (11) 225*e*.
- measuring slipping properties (11) 224*i*.
- molding, P (1) 7*b*.
- resealable closure for, P (2) 37*c*.
- screw-type safety closure for, P (2) 37*c*.
- thermoplastic shielded, P (10) 207*g*.
- thermoplastic shielded, P (11) 226*g*.
- ungraded crushed, for sewer pipe (6) 127*d*.

bulbs, light, P (2) 36*f*.
cabal, thermal expansion (3) 64*h*.
CaO-MgO-P_2O_5-SiO_2, crystallization, effect of fluorine (3) 63*f*; crystallization, EPMA study (10) 204*h*.
C-containing, P (4) 89*d*; P (10) 207*b*.
Cd borosilicate, photochromism in (10) 205*c*.
CdS as colorant in, P (3) 65*a*.
-ceramic-bonded parts, magnetic head assembly with, P (3) 71*d*.
Cer-Vit, reflectance and optical constants (11) 225*c*.
chalcogenide, for bolometer material (11) 223*g*.
- electronic conduction and switching in (4) 86*d*.
- Ge-containing, ultrasonic devices using, P (3) 72*e*.
- photoemission from (9) 185*i*.
- reversible thermal breakdown as switching mechanism in (4) 87*i*.

for channel dynode, P (4) 88*e*.
chemical durability, increasing, P (10) 206*d*.
chemical durability test, finish used for measurement of extracted alkali in (5) 109*h*.
chemically strengthened, P (3) 64*e*.
chemically tempered, articles, P (5) 109*c*.
- surface coating, P (5) 110*g*.

cleaner, P (2) 36*b*.
coated film for, with scratch resistance, P (8) 166*f*.
coating, P (6) 127*i*.
colorant composition, adding, P (9) 186*b*.
color coatings on, P (3) 65*d*.
colored, exhibiting phototropic properties, P (4) 87*h*.
color filter, photoluminescence (11) 224*i*.
coloring (3) 63*b*.
colors in, faint, measurement (5) 109*b*.
colors on, diffusion (7) 145*i*.
composition, for delay lines, P (5) 110*f*.
- fiberizable fluorine-free, P (10) 206*d*.
- high-modulus invert analog, containing BeO, P (5) 109*i*.
- of low inherent radioactivity, P (5) 109*g*.
- nontoxic invert analog, of high modulus, P (9) 187*b*.
- novel, and CRTs from, P (10) 206*j*.
- opalizable, P (2) 36*g*.
- P (1) 7*e*; P (6) 128*b*; P (9) 186*e*.
- relation to stress-optical coeff. (1) 6*g*.
- for temp.-measuring resistance, P (5) 110*g*.

connectors, threading, and connector, P (1) 7*h*.
containers, closures for, P (2) 35*d*.
- colored enamels for screen-printing labels on (3) 63*h*.
- forming machinery (9) 184*g*.
- forming operation, heat transfer between glass and mold inner surface during (5) 108*f*.
- hollow open-ended, inspecting bottom wall, P (3) 65*c*.
- and jars, P (1) 7*h*.
- mass distribution in (8) 164*e*.
- mechanization and automatic inspection (9) 185*g*.
- radio-freq. thickness gage, displaying minimum thickness of dielectric member measured by, P (5) 109*b*.
- remnants of mold-releasing agents on, P (10) 206*i*.
- resistant to uv light, P (3) 64*e*.
- self-degradable, P (11) 226*e*.
- squeeze tester for, P (2) 37*d*.
- stress and expansion under load (1) 6*b*.

containing Mn^{2+} ions, magnetochemical study (7) 145*f*.
corrosion, analysis (7) 145*g*.
- analysis (8) 163*e*.

crack propagation in, effect of alcohols (9) 184*f*.
cristobalite, and quartz, EPR of V^{4+} in (1) 4*c*.
Cr oxide crystals in (10) 204*c*.
crystal, acid etching (1) 3*j*.
crystalline bodies, from natural raw materials (11) 225*b*.
crystallization, controlling, P (4) 88*d*.
- dynamics, DTA (1) 4*i*.
- in system As-Se-Te (1) 4*f*.

crystallized, crystalline phases in (3) 63*d*.
- P (3) 65*e*.

crystal transition, charge exchange of tin impurity atoms in AsS (9) 184*c*.
Cs_2O-SiO_2, dielectric relaxation in (5) 108*b*.
Cu aluminosilicate, P (4) 87*j*.
Cu ruby, P (4) 88*f*.
cu·ting, P (1) 7*b*; P (7) 146*d*.
- and polishing (11) 221*d*.
- thermal, directional control for, P (6) 128*a*.
- thermally directed, P (7) 147*b*.

decoration, P (7) 146*b*.
defects, detecting, P (10) 206*b*.
degradable, for containers, P (9) 186*d*.
delay line, ultrasonic, P (8) 166*a*.

Glass *(continued)*
- devitrified, with fibrous crystals in parallel relation, P (8) 165*i*.
- diffusion interactions in (3) 63*e*.
- dispersion, partial (11) 224*e*.
- dissolving time, and temp., alkali ion dissolved in water as function of (3) 63*i*.
- and temp., amounts of ions dissolved in H_2O function of (5) 108*j*.

distortion scanning system, P (8) 165*a*.
drawing, theory (11) 225*g*.
drinking receptacle, P (5) 110*b*.
ED-2, and LG55, stimulated-emission cross section of Nd^{3+} in (3) 64*f*.
elastic moduli, very high, P (9) 187*h*.
electrical conductivity in, and ceramics, B (10) 220*j*.
with electrical switching phenomena, P (5) 109*h*.
electron-conductive, P (3) 64*h*.
for electron microscopy (11) 225*b*.
for electron-multiplier channels (5) 108*b*.
-enclosed, electrical devices, P (4) 89*a*.
Er silicate, decay time of excited-state absorption in (9) 184*c*.
etching, art, P (3) 65*f*.
Eutal-type, OH group concentration in (11) 223*a*.
fabric, binding pigments to, P (1) 8*b*.
- for casts, bandages, P (6) 128*b*.
- suitable for casts, bandages, P (7) 146*e*.
- thermochemical cleaning, P (2) 37*e*.

Fe(III), and Fe(II), ligand field theory and absorption spectra (10) 204*g*.
Fe-Se black (5) 109*a*.
films, phosphosilicate, on GaP (11) 229*j*.
- thermally switching, pulse response of conducting channel in (3) 64*b*.
- thin, thermal switching in (8) 169*f*.

filter, high-accuracy transmittance measurements, reflection correction (5) 117*d*.
fining, effect of Na_2SO_4 and As oxide on (1) 6*f*.
flashbulb, electric, for use as indicator, P (11) 225*f*.
flat, bending on mold with vacuum, P (4) 87*h*.
- forming metal oxide coatings on, P (7) 146*a*.
- P (3) 65*e*; P (6) 128*e*; P (6) 128*f*; P (8) 165*h*; P (8) 166*f*.
- plastic deformation, flaw formation and static fatigue in fracture experiments (7) 146*a*.

float, with controlled width, P (2) 36*i*.
- with desired surface characteristics, P (2) 36*j*.
- extraction of gases from molten bath, P (7) 146*j*.
- P (3) 65*e*; P (9) 186*g*.

flow point, determination with Flow-Point-KZ69 apparatus (11) 232*g*.
fluoaluminophosphate, refraction and specific vol (6) 127*j*.
fluoride borosilicate, P (2) 35*j*.
fluorophosphate, P (1) 7*d*.
foam, Bulgarian, for heat-insulating and building materials (10) 205*d*.
- in Czechoslovakia (11) 224*b*.
- rigid, P (4) 89*d*.
- samples, gas chromatography (8) 172*a*.

foamed, from excreta and glass batch, P (9) 186*h*.
foamed body, P (7) 146*a*.
fogging, protection against, P (4) 88*h*.
formation, in chalcogenide systems (1) 4*h*.
forming, heat transfer in, computer model for determining factors (9) 185*a*.
- viscoelastic response during (4) 87*c*.

-forming oxides, He migration in (4) 86*f*.
-forming region, and DTA survey, in Si-Ge-As-Te threshold switching system (5) 108*b*.
fracture, in vacuum (9) 184*g*.
fracture energy, and flaw size in, prediction from mirror size measurement (11) 224*j*.
frit, P-borate, as plant micro nutrient carriers, P (2) 36*i*.
future use (6) 127*c*.
gas content, effect of melting parameters (8) 164*a*.
GeO_2, viscosity, effect of Na_2O impurities (7) 146*d*.
germanate, Eu^{3+} optical spectra and relaxation in (4) 87*h*.
$Ge_{15}Te_{80}As_5$, semiconducting, surface nucleated crystallization in (9) 185*g*.
$Ge_{15}Te_{80}As_5$, surface and bulk electrical effects in (4) 87*b*.
for glass-ceramics, Cu-coated, P (8) 165*e*.
and glass melts, electrical conductivity, temp. dependence (8) 165*c*.
glazed unit, double, bonded with blend of resins, P (11) 225*f*.
- multiple, P (1) 7*i*.
- welded, P (7) 146*d*.
- welded multiple, P (11) 226*h*.

glazing panel, multiple, P (8) 166*d*.
glazing unit, double, P (2) 36*i*.
- P (1) 7*e*.

gob, pneumatic selective distribution system, P (4) 89*c*.
- unsymmetrical, feeding, P (10) 206*c*.

hardness, indentation, effect of loading time and environment (2) 33*g*.
heat-absorbing, P (4) 88*g*.
heat-devitrifiable, P (10) 206*h*.
heating circuits to, electroconductive, P (3) 64*d*.
heating member, P (9) 186*j*.
high-strength, breakage due to microimpression (3) 63*a*.
holes in, drilled to diameter/length ratio of 1:200 (8) 161*h*.
- by ultrasonic diamond drilling (1) 1*h*.

homogenizing, axial-flow laboratory agitator for (11) 223*f*.
hot, coating for surfaces which contact, P (5) 109*d*.
hydrolysis, and destruction under load (6) 127*c*.
image intensifier, and electron multiplier for, P (6) 128*c*.

Glass *(continued)*
- inclusions in, gaseous content, Raman scattering spectroscopy (11) 224*f*.
- industrial, inhomogeneities in (5) 108*i*.
- inhomogeneity, quantitative measurements by Shelyubskii method (2) 34*e*.
- inorganic, EPR study of destruction (9) 184*e*.
- inspection, P (6) 128*d*.
- invisible (2) 35*i*.
- ion-exchange study, by iterative deconvolution technique (5) 107*j*.
- irradiated, in system As_2S_3-As_2Se_3, elastic properties (1) 4*c*.
- xKF-$(1-x)B_2O_3$, EPR and optical spectra of VO^{2+} ion in (11) 223*i*.
- $K(Ta,Nb)O_3$, metastable pyrochlore-type crystal formation in (10) 204*b*.
- K_2O-SiO_2, He diffusion and solubility in (7) 145*d*.
- $K_2Si_2O_5$, $KHSi_2O_5$, and $K_2Si_4O_9$, preparation and crystallography (6) 127*g*.
- La aluminogermanate, depressing liquidus temp., P (3) 65*f*.
- laminates, P (7) 146*b*; P (8) 165*c*.
- laminating plastic to, using glass mold, P (9) 186*g*.
- laser damage in, early stages (9) 184*e*.
- La-Zn-borate, improved uv-transmitting, P (3) 65*b*.
- Li borosilicate, and borate, stability of electrode potentials (7) 146*c*.
- Li-borovanadate, for secondary electrode, P (4) 88*i*.
- Li Cs silicate, and Na Cs silicate, refractive index, density and thermal expansion coeff. (8) 164*i*.
- light diffusion in, λ^{-4} law (8) 165*d*.
- light-producing system, P (5) 110*a*.
- liquid, using molten metal channel for conveyance, P (8) 166*c*.
- Li silicate, Li-O-Li bond in (10) 204*j*.
- Li_2O-Al_2O_3-SiO_2, introduction of OH group into (1) 6*e*.
- Li_2O-SiO_2, crystallized after ion exchange, strength (7) 146*d*.
- liquid phase separation and crystal growth in (10) 204*g*.
- $Li_2O.2SiO_2$, apparent viscosity, in crystallization process (7) 145*h*.
- crystallization, effect of oxides (4) 86*j*.

low loss, for optical fiber communication systems (5) 109*h*.
-making, materials, pretreating and melting, P (6) 128*b*.
- P (1) 8*a*.
- symposium, melting and fining, B (9) 200*h*.

marbles, transparency (11) 225*i*.
material, granular free-flowing, P (10) 206*k*.
- marblelike, P (2) 36*a*.
- P (6) 128*c*.
- properties, diffusion methods and treating mediums for improving, P (9) 186*e*.
- science programs at Alfred Univ. (1) 4*i*.

matrix, optical and paramagnetic absorption of Ag particles in (3) 64*d*.
mechanical properties, effect of melting time and atm (5) 108*h*.
mechanical resistance (5) 109*c*.
medical, granulating glass charge for (10) 204*d*.
melting, electric, history and future (2) 34*a*.
- and refining rapidly, P (10) 206*h*.

melts, bending horizontal Mo electrodes in (11) 223*g*.
- crystallization, activity of nucleation centers in (8) 163*c*.
- introducing electric current into (11) 224*j*.
- quantitative study of homogenizing (4) 87*i*.
- surface tension, interfacial tension and wetting (8) 165*b*.
- thermal penetration coeff. and workability (1) 6*d*.

metallic, flow via dislocations in (8) 164*i*.
metal-Te-O compositions, P (4) 88*a*.
metaphosphate, tetraphosphate radical in (4) 87*a*.
mfg., controlled process, P (4) 87*i*.
- with desired surface characteristics, P (4) 88*j*.
- methods, P (3) 64*i*.
- P (1) 8*c*; P (2) 36*a*; P (2) 36*d*; P (2) 36*j*; P (4) 88*g*; P (8) 165*c*.

Mg high-polyphosphate, crystallization (8) 164*a*.
Mg in, absorption spectrometry (1) 4*g*.
MgO-Al_2O_3-ZrO_2-SiO_2, complex particle growth in, X-ray scattering study (4) 87*j*.
mixed alkali, self-diffusion and electrical conduction in (2) 33*j*.
- correction (6) 127*a*.

mixed alkali effect in, correction (2) 35*f*.
modifying, P (4) 89*d*.
Moessbauer studies (10) 217*g*.
-mold interface, heat transfer at (1) 4*i*.
molecular, intrinsic mobility (3) 63*e*.
molten, flowing, temp. fields in (11) 225*g*.
- modifying in forehearth, P (1) 7*i*.
- refining, P (1) 7*g*.
- residence time distribution, melter studies (1) 6*e*.
- shearing, P (8) 166*b*.
- stirring with bubbles from electrolysis, P (9) 187*d*.
- temp. regulation, P (10) 207*f*.
- thermal conditioning, P (1) 8*g*; thermal conditioning, P (9) 187*g*.

M(I)-M(II) mixed nitrate, thermodynamic properties (2) 35*f*.
mosaic plates, by powder pressing (1) 5*g*.
multialkali borogermanate, properties and structure (1) 5*j*.
Na aluminosilicate, strengthened article, P (4) 89*h*.
Na borosilicate, form birefringence in (7) 145*c*.
- ion exchange in (5) 108*j*; ion exchange in, correction (9) 185*b*.
- viscosity, effect of subcritical microstructure (9) 184*h*.

Na-Ca, phase separation (5) 109*d*.
Na diffusion in, effects of H_2O (2) 33*j*.

Glass *(continued)*
- Na metaphosphate, coloring oxides in, redox equilibrium and spectral absorption (10) 205*g*.
- Na_2O-B_2O_3, and Na_2O-NaCl-B_2O_3, optical absorption of Pt-(IV) in (4) 87*g*.
- Na_2O.Sb_2O_3.GeO_2, polymer mixtures in (10) 205*d*.
- Na_2O-SiO_2, dielectric relaxation in (5) 108*b*.
- Na_2O-SiO_2 melt, dissolution of Al_2O_3 in (11) 223*a*.
- Na_2O-TiO_2-SiO_2, ir spectroscopy (11) 225*f*.
- $NaPO_3$, isothermal devitrification kinetics, Raman study (10) 205*f*.
- Na silicate, chemical stability in acid and alkaline solutions (1) 4*d*.
  - ir absorption spectra (4) 87*a*.
  - ir absorption spectra, erratum (9) 184*j*.
  - relaxation characteristics (1) 4*j*.
- Na-Zn borosilicate, molten, densities (4) 86*i*.
- NBS standard, low-temp. viscosity data for (11) 223*d*.
- neutral, properties, effect of components (11) 223*d*.
- neutral gray, P (6) 128*a*.
- nonoxide, P (3) 65*a*.
- novel, Ag compositions, and capacitors from, P (1) 7*j*.
  - P (11) 226*d*.
- opal, flint streaks in (1) 4*d*.
- ophthalmic lens blanks, toughening, P (3) 65*f*.
- optical, absorber, thermally activated, P (6) 128*d*.
  - with anomalous dispersion properties, P (8) 166*d*.
  - contact lens blanks, P (3) 65*h*.
  - correcting lens to form screens of color TV receiving tubes, P (5) 109*e*.
  - diamond tools in machining (9) 181*e*.
  - heat-resistant transparent elements, P (3) 65*i*.
  - with high strength by hardening (3) 64*a*.
  - homogeneity (10) 204*f*.
  - indentation hardness (3) 63*c*.
  - indentation and lapping hardness (2) 34*a*.
  - internal quality analyzer, P (2) 36*h*.
  - laser-induced damage (11) 224*f*.
  - laser-induced surface damage (11) 224*g*.
  - lenses, P (8) 166*e*.
  - lenses, one-piece multifocal, P (10) 206*e*.
  - lens, fire polishing with plasma flames, P (9) 186*f*.
  - lens, surface-treated ophthalmic, inspection, P (9) 186*d*.
  - lightweight parts, P (1) 7*i*.
  - materials, effect of simulated space radiation (10) 204*e*.
  - mechanical homogenization in laboratory (11) 224*i*.
  - melting in Pt pots (11) 224*j*.
  - ophthalmic lens, P (6) 128*c*.
  - P (1) 8*a*; P (4) 89*b*; P (6) 128*a*.
  - Pb borosilicate, for multifocal lens, P (8) 165*f*.
  - polygonal rims, P (8) 166*f*.
  - TiO_2 fluorosilicate, phase separation in (9) 185*f*.
  - transmission line, P (4) 89*b*.
  - ultrasonically assisted stabilization (4) 87*e*.
  - wave guide light source, metalized coupler for, P (1) 7*i*.
  - wave guides, P (6) 128*i*.
- optical absorption, effect of heat treatment (2) 34*b*.
- optical absorption in (11) 224*b*.
- optical coatings for, P (8) 166*d*.
- optical distortion in, determination, P (7) 146*j*.
- oxide, of low softening point (2) 34*b*.
  - metal spheres in, P (2) 36*j*.
  - refractive index, effect of temp. and pressure (5) 108*h*.
  - semiconducting, for electrodes of TV screens (2) 34*g*.
- P (8) 165*a*; (8) 166*b*; (9) 186*i*.
- packaging, P (8) 166*a*.
- panels, laminated transparent, P (8) 166*g*.
- parison, of thermoplastic materials, shaping with fluid jets, P (10) 207*d*.
- partially crystallizable, for low-K crossover dielectrics, P (5) 110*d*.
- particles, agglomerated hydrated alkali metal silicate, P (5) 110*e*.
- parts, interconnecting by passing through electric current, P (10) 206*d*.
- patterns on, heat removing trim from, P (1) 7*d*.
- Pb, prereacted, development using continuous glass tank (8) 164*b*.
  - and soda-lime drinking, attack by detergents (11) 223*e*.
- Pb borosilicate, RuO_2 solubility in (10) 205*a*.
- Pb crystal, grinding and polishing (10) 204*e*.
- Pb crystal batches, gas melting (11) 224*b*.
- PbO-SiO_2, and PbO-GeO_2-SiO_2, electrical resistivity (7) 145*b*.
- PbO-TiO_2-SiO_2, phase separation and crystallization, Al_2O_3 effect (8) 164*d*; phase separation and crystallization, effect of Al_2O_3 (9) 184*j*.
- Pb phosphate, preparation and properties (2) 34*b*.
- Pb^{2+} and Bi^{3+} in, uv spectra (11) 225*i*.
- 0.1 μm periodic surface structures on, optical technique for (1) 5*e*.
- phase separation in (5) 109*e*. small-angle X-ray scattering study (2) 34*i*.
- phosphate, transformation temp. effect of combined H_2O (5) 108*e*.
- photochromic (10) 205*b*; (11) 224*g*. darkening and fading, effect of mfg. conditions (9) 184*b*.
  - loss of Ag and Cl during melting (3) 63*f*.
  - loss of Ag and Cl during melting (9) 185*c*.
- phototropic, P (1) 8*a*; P (2) 36*i*.
  - reversible optical density changes in composite layers (9) 185*a*.
- plastics for (6) 126*e*.
- plate, bent, supporting and tempering, P (8) 166*j*.
  - light-conductive perforated, P (1) 7*f*.
  - shattering, P (1) 8*e*.
- porous, pore structure, effects of heat treatment for phase separation (4) 86*b*.
  - surface-deactivated, P (5) 110*g*.
  - t curve for N_2 adsorption on (7) 145*h*.
- porous supports, for automotive emissions control catalysts, P (9) 187*c*.
- potassium crystal, ZnO in (10) 203*j*.
  - ZnO in, titrimetric determination (11) 225*h*.
- potassium germanate, kinetics of dissolution in water (1) 5*e*.
- potassium in, concentration changes during electron microprobe (8) 163*j*.
- potassium silicate, electrochemical properties (11) 223*h*.
- powders, effect on lubricating oils (3) 63*g*.
- precursor compositions, P (8) 166*b*.
- products, electrical analogy application to temp. relations during mfg. (11) 223*d*.
- properties, in systems containing BaO and SiO_2 (1) 5*h*.
- protector, P (9) 186*h*.
- pyroxene, acid resistance, and crystallization products (1) 4*a*.
- quartz, crystallization, induction period (1) 4*j*.
  - in Czechoslovakia (11) 225*c*.
  - elements, P (4) 89*f*.
  - grinding with diamond wheels (2) 31*e*.
- quenching, liquid, P (8) 166*a*.
- radiopaque, for tooth filling and facing compositions, P (8) 166*j*.
- reaction, with steam-water flow (9) 185*j*.
- reaction heats, measurement by differential diathermic calorimetry (11) 224*h*.
- redox oxides in, interaction between (9) 185*f*.
- reduced, of system BaO-Al_2O_3-SiO_2-TiO_2, dielectric properties (1) 4*h*.
- -reinforced plastics, fatigue properties (9) 184*f*.
- reinforcement, with steel wire, P (1) 8*e*.
- reinforcing materials, sized, P (8) 166*i*.
- research, electron microscopy in (11) 223*i*.
  - and enameling (2) 33*d*.
- ribbon, drawn, controlling gas flows along, P (4) 88*b*.
  - high-melting, P (3) 65*h*.
  - roll forming at high temp., P (2) 36*g*.
  - upwardly drawn, monitoring configuration, P (3) 65*i*.
- rim, and parison, simultaneously forming, P (4) 88*j*.
- and rubber joint, shrinkage and peel strength (8) 164*j*.
- safety, P (8) 166*h*; P (10) 206*i*.
- science, B (2) 59*e*.
- scoring, P (1) 8*d*.
- scribing, with CO_2 laser (1) 6*g*.
- sealant, for sealing integrated circuit package parts, P (4) 88*j*.
- semiconductor, solid, P (11) 226*b*.
- shaping, coating, and tempering, P (2) 37*c*.
- shear, P (10) 206*g*.
- sheet, adhesion of polyvinyl butyral coating to (11) 223*c*.
  - bending to relatively sharp angle, P (2) 36*j*.
  - and container, crystallization properties (11) 225*j*.
  - controlling shape during cooling, P (4) 87*i*.
  - curved, P (1) 7*d*.
  - damage to (3) 63*j*.
  - dazzle-preventing and heat-blocking, P (4) 87*j*.
  - handling, P (9) 186*j*.
  - heat treatment, P (4) 88*g*.
  - inspection, based on optical deviation (7) 146*e*.
  - liquid quenching, P (2) 36*e*.
  - P (2) 36*f*.
  - press bending, P (1) 8*b*.
  - shaping to sharp bends, P (7) 146*h*.
  - stain-retardant and separator interleaving material for, P (8) 165*h*.
  - tempered, P (4) 89*e*.
  - tempering, P (11) 226*g*.
  - thermally tempering, P (7) 146*h*.
  - toughened and bent, P (5) 110*d*.
  - toughening, P (4) 88*j*.
- shell, right spherical segment, to metal joint, P (1) 8*d*.
- silica, sputter topographies in (6) 127*a*.
- silicate, and aluminosilicate, alkali ions in, NMR (1) 6*i*.
  - coloration by Cr (5) 108*a*.
  - coloration by Mn, Fe, Co, Ni (2) 33*d*.
  - Cr^{3+}-Cr^{6+} equilibrium in (10) 204*b*.
  - Mg ions in (9) 184*a*.
  - and photochromic, Ag diffusion in (6) 126*j*.
  - quantum efficiencies and transition probabilities of Eu^{3+} in (10) 205*e*.
  - static fatigue (2) 35*c*.
- SiO_2, fused-, sintering to strengthen, P (5) 110*c*.
  - high-, devitrification-resistant coating for, P (1) 7*c*; high-, leaching, P (5) 110*b*.
  - refractive index profiles in (3) 74*a*.
  - rf sputtered films, defects in (3) 63*i*.
- SiO_2-Al_2O_3, crystallization, rapid (1) 6*b*.
- SiO_2-B_2O_3-CaO-Na_2O, hydroxyl groups in (11) 224*e*.
- SiO_2-B_2O_3-Na_2O-Al_2O_3, kinetics of composition fluctuations in (10) 204*f*.
- SiO_2-Nb_2O_5, and/or Ta_2O_5 for uv filters, P (5) 110*j*.
- sliding, and other panels, finger pulls for, P (2) 35*h*.
- soda-lime, containers, material extracted from (11) 223*i*.
  - corrosion-resistant (6) 126*j*.
  - homogenization and fining (9) 185*f*.
  - stress relief, effect of ultrasonic intensity (9) 184*j*.
- soda-lime-silica, melt behavior of chrome ores in (8) 164*c*.

Glass soda-lime-silica *(continued)*
- stress and structural relaxation in (8) 165*a*.
  - thermal-stress resistance, effect of slow crack growth (11) 223*e*.
  - thermal-stress resistance, effect of surface-compression strengthening vs reduction in flaw size (11) 223*f*.
- soldering, W and Mo (11) 224*c*.
- solid, chemical tempering, P (7) 147*a*.
- solubility of gases in (2) 34*j*.
- Spectrafloat, bronze, electrical behavior of system producing (11) 223*f*.
- spheres, instant air in (1) 19*j*.
- spinnerette plates, and spinnerette using, P (11) 226*f*.
- spinodal decomposition, effects of electric fields (2) 33*h*.
- Sr-Mg glazed, CeO_2 in, opacity mechanism (6) 127*f*.
- standard, DGG, viscosity-temp. relations in (9) 185*i*.
- steady state flow patterns, and temp. distributions in, calculation (2) 33*a*.
- stem, laminated, P (2) 36*f*.
- stemware, automatic production (2) 33*a*.
  - one-piece, P (3) 65*c*.
- strengthening, electrosonic method, P (2) 35*f*.
  - by ion exchange, P (3) 64*j*.
- stressed, measuring strain energy release in dicing, calorimeter for (4) 96*g*.
- structure, phase-separation phenomena in, B (6) 142*h*.
  - quantitative analysis with ir reflection spectra (11) 225*c*.
- substrates, supporting during electronic device preparation, P (2) 37*d*.
- sulfur radicals in, EPR (1) 4*b*.
- support material, porous, P (6) 136*a*.
  - porous, P (7) 146*g*.
- surface, coated, P (8) 165*h*.
  - coating, P (1) 7*b*.
  - coating, P (9) 186*e*.
  - coating, and products produced, P (8) 165*i*.
  - damage in dishwasher (1) 4*f*.
  - with desired characteristics, P (6) 128*c*.
  - effect of coatings in reducing damage to (7) 145*j*.
  - electrical conductivity measurement (7) 145*g*.
  - ground, texture (1) 1*g*.
  - inorganic Sn coating on, P (10) 206*b*.
  - metallic oxide treating, P (10) 206*f*.
  - roughness factor, effect of heating in vacuum (2) 33*c*.
  - treatment, P (2) 37*d*.
- surface-treated, Rayleigh wave dispersion on (3) 64*c*.
- system, As-Se-Te, kinetics of dissolution (7) 145*d*.
  - As-S-Sn, P-S-Sn, and P-Se-Sn, alloys, NGR spectra (9) 185*h*.
  - As_2Se_3-Cu_2Se and As_2Se_3-SnSe(PbSe) (1) 5*f*.
  - B_2O_3-PbO-Al_2O_3, spinodal decomposition in (5) 109*e*.
  - B_2Se_3-Tl_2Se (9) 185*h*.
  - CaO-MnO-SiO_2, electrical properties (9) 184*d*.
  - Fe_2O_3-RP_2O_5 and TiO_2-RP_2O_5 (R = Mg,Ca,Ba), redox equilibria (8) 164*g*.
  - Ge-Se-Te (9) 184*i*.
  - MgO-SiO_2 and CaO-SiO_2, structure from radiation color centers (1) 6*h*.
  - Na_2O-CaO-SiO_2, nucleation and crystallization in (2) 34*j*.
  - Na_2O-Fe_2O_3-TiO_2-SiO_2, magnetic properties (1) 5*f*.
  - Na_2O-K_2O-Nb_2O_5-SiO_2, glass-ceramics from, P (5) 109*g*.
  - Na_2O-SiO_2, X-ray diffraction studies (2) 35*i*.
  - Na_2SiO_3-$CaSiO_3$, phase equilibria in (11) 224*f*.
  - PbO-GeO_2, elastic properties (11) 223*f*.
  - PbO-GeO_2, properties and structure (6) 127*i*.
  - PbO-GeO_2-SiO_2, properties and structure (6) 127*j*.
  - PbO-In_2O_3-GeO_2, properties (11) 225*b*.
  - P_2O_5-Al_2O_3-Li_2O, devitrification (3) 63*d*.
  - Sb(As)-Ge-Se, electroconductivity, annealing effect (9) 184*g*.
  - SiO_2-Al_2O_3-MgO-(CaO,K_2O,CaO + Na_2O), crystalline materials in (11) 223*j*.
  - SiO_2-R_2O_3-R_2O, acid-resistance and fusibility, for enamels (7) 145*c*.
  - SrO-SiO_2 and BaO-SiO_2, paramagnetic and optical absorption in (8) 164*f*.
  - TiO_2-cordierite and ZrO_2-cordierite, sintered materials in (4) 87*j*.
- tempering, chemical, P (3) 64*h*.
  - P (8) 166*c*.
  - thermal, P (1) 8*g*.
- TiO_2-SiO_2, EPR study of Ti^{3+}-Ti^{4+} in (11) 224*a*.
  - thermal expansion, by photoelastic and ultrasonic techniques (11) 224*d*.
- Ti phosphate, properties, additives effect, EPR (1) 4*a*.
- Tl silicate, structure (7) 146*d*.
- toughened, P (4) 89*i*; P (7) 147*b*.
- toughening, P (6) 128*e*.
- in transformation, NMR investigations (8) 164*d*.
- transition, and composition in melilitic glasses (5) 108*e*.
- transition-metal-oxide, oxidation state in (6) 127*j*.
- transition phenomenon, molecular theory (3) 63*i*.
- treatment, P (8) 166*f*.
- tubular, continuous length, detecting flaws in, P (4) 88*b*.
- tubular fibrous body, P (7) 146*e*.
- vessels, graduated volumetric measuring, P (2) 36*a*.
- viscosity (5) 108*g*. industrial control with penetrometer (11) 224*f*.
  - measurement in relation to contraction by compressive stress (10) 204*i*.
  - Ti-containing (1) 4*b*.
- viscous, continuously skimming, P (3) 64*e*.
- viscous flow in, during phase separation (4) 87*e*.

Glass *(continued)*
vitroceramics, P (3) 65*g*.
V phosphate, absorption tail and fundamental absorption edge in (8) 163*c*.
-ware, blowing, P (6) 128*f*.
dimpling, P (9) 186*i*.
heat-treating, P (4) 88*c*.
lab, P (3) 65*g*.
parison blowing, P (7) 146*g*.
watch crystals, P (10) 206*a*.
for welding, with metals (10) 203*j*.
wetting, as function of crystal orientation in carbons (3) 64*i*.
window, with electrically conductive layer, edge improvement for, P (5) 109*f*.
electrically heated, P (10) 206*c*.
heat-reflecting, P (5) 109*i*.
P (2) 37*g*.
resistance to pressures from gaseous explosions (10) 205*i*.
space-shuttle, fracture (8) 163*f*.
stabilization, change of optical stress coeff. during (8) 163*h*.
for transmitting microwave energy, P (7) 147*b*.
transparent electroconductive, P (3) 65*g*.
windowpane, with antistatic coating and protective coating, P (2) 37*g*.
windshields, fracture by flying objects on expressway (8) 165*a*.
laminated structure, P (8) 165*f*.
wired, on molten metal bath, P (3) 65*e*.
Zn phosphate, and Cu^{2+} metaphosphate, optical studies to clarify molecular structure (7) 145*i*.
preparation and properties (2) 34*c*.
Glass-ceramics, articles, forming, P (9) 186*g*.
P (10) 206*e*.
by water content crystallization process, P (1) 7*j*.
$3BaO.5SiO_2$, mechanical properties (2) 34*i*.
beta-spodumene, containing ZnO, strength (9) 185*d*.
cordierite-based, metastable zoning in (2) 34*i*.
properties, effect of heat treatment (5) 108*f*.
crystallized, P (6) 127*j*.
decoration, P (10) 206*e*.
dicing, measuring strain energy release in, calorimeter for (4) 96*g*.
electrical components, low-temp. fired, P (9) 186*b*.
for electron-multiplier channels (5) 108*b*.
glass phase in (11) 224*c*.
for glazing, cordierite body (1) 11*h*.
industry, design (2) 35*c*.
laser host material (9) 184*h*.
materials, decorating, P (4) 88*a*.
mfg. and properties (2) 34*f*.
on molten metal support, P (9) 186*i*.
P (9) 186*h*.
rolled porous, P (9) 186*j*.
mechanical properties (4) 87*d*.
of melilitic composition, thermal behavior (6) 127*d*.
melting, melting behavior and conditions for (6) 127*e*.
metal-coated, P (6) 128*c*.
mica, P (8) 166*c*.
from Na_2O-K_2O-Nb_2O_5-SiO_2 glass system, P (5) 109*g*.
nepheline, using Nb_2O_5 as nucleation catalyst (10) 204*d*.
and oxide ceramics, sintering compositions based on (7) 158*e*.
P (4) 88*e*; (6) 128*j*.
photo-, Li aluminosilicate, dislocation structures and properties (5) 108*d*.
process, P (2) 36*b*.
pump parts, P (10) 206*e*.
sheets, green, forming vessels from, P (4) 88*d*.
sintered, in Al_2O_3-MgO-SiO_2 system (2) 34*i*.
P (11) 226*f*.
Sr fluormica, P (1) 8*g*.
structures, of Na_2O-MgO-Al_2O_3-SiO_2 system, vol effects using F ions as nucleator (1) 5*a*.
system, BaO-Al_2O_3-SiO_2-TiO_2, dielectric properties (1) 4*h*.
thermochromic, for coating surface heating apparatus, P (5) 110*b*.
Glass industry, abrasive waste suspensions in, sizing (11) 225*e*.
in Belgium (6) 127*b*.
computers in (11) 231*j*.
container, review (1) 4*f*.
Danish, hand-blown, and machine-made bottles (1) 4*g*.
design, siting and costs in (9) 185*a*.
energy in (1) 4*c*.
German, energy saving plant (6) 127*a*.
Thueringen, history, B (5) 124*h*.
heat recuperation in (6) 135*e*.
Leone Ind., reducing fuel consumption, increasing production (4) 86*g*.
pollution control (7) 146*b*.
productivity, improved with management's efficiency (7) 145*g*.
quartz sand use in (11) 225*d*.
redevelopment, from existing site (9) 185*e*.
research, and fine ceramics industry (10) 220*h*.
temp. measurement in (11) 225*g*.
Glassmaking equipment, air-cylinder support, for 90° push-out in, P (10) 205*g*.
autoclave, for laminates, P (10) 205*i*.
for batch, wetted, for maintaining constant moisture level in, P (2) 36*b*.
for bending, sheet material, P (2) 35*a*.
sheet, P (1) 7*g*.
sheets, P (1) 7*a*.
for tube or rod, P (9) 187*g*.

Glassmaking equipment *(continued)*
binder applicator movable support, for fibers, P (10) 205*j*.
blowing, with automatic control system, P (2) 36*c*.
blow molding, blow-head link of, P (4) 87*h*.
hollow articles, P (5) 109*a*.
P (2) 35*d*.
for blown bottle, with chime in shoulder portion, P (4) 87*f*.
for breaking, P (10) 206*e*.
for breaking out, scored bracket, P (3) 64*j*.
bulb blowing, P (1) 7*e*; P (2) 36*b*.
bulb blowing ribbon, cooling device, P (2) 35*d*.
bulb blow molding ribbon, P (3) 64*h*.
for bulbs, P (6) 127*h*.
burner, for forming finish on container, P (6) 127*h*.
for cable, multifilament light-conducting, P (2) 35*b*.
for chopping, strand, P (10) 205*g*.
for cladding, laser rods, P (1) 6*h*.
collection chamber, for making mats of inorganic fibers, P (6) 127*j*.
for coloring lenses, for spectacles, P (8) 165*f*.
for combining linear bodies, into composite product, P (7) 146*g*.
for containers, angular displacement, P (5) 109*g*.
handling, P (4) 88*f*.
introducing measured vol of gases to, P (6) 127*f*.
plastic-covered, P (8) 165*h*.
plastic-covered, P (11) 225*j*.
for controlling, flow to ribbon being drawn, P (9) 186*d*.
controlling thermal pattern, in stream feeder, P (9) 186*e*.
for conveying, heat-treated flat or shaped, P (9) 186*a*.
and heat-treating with roller conveyor, P (4) 87*e*.
conveyor, for ribbon, P (3) 64*a*.
cooling, for glass fibers, P (1) 7*b*.
cooling channels, in hot thermally bloated ceramic block, P (1) 7*d*.
core drilling, for sheet, P (10) 207*d*.
crack-off, P (10) 206*a*.
cutting, edges of sheet, P (4) 87*f*.
P (1) 7*e*; P (5) 109*a*; P (8) 165*h*; P (10) 206*f*; P (11) 225*g*.
sheet, P (8) 165*f*.
sheet, P (8) 166*h*.
sheet, P (9) 186*f*.
table, for industrial plate, P (6) 128*c*.
table, tiltable, P (6) 128*d*.
dolly, for lifting, transporting, and installing large flat sheets, P (2) 35*e*.
for drawing, continuous ribbon, P (8) 166*e*.
P (8) 165*a*; P (9) 186*f*.
vertical sheet, P (8) 165*d*.
drop guiding, spring-mounted, P (7) 146*j*.
edge-grinding, of plate, spindle support assembly in, P (10) 207*e*.
falling gob deviation indicator, P (2) 35*f*.
feeder, high-temp.-high-strength alloy glass fiber, P (3) 65*b*.
shear mechanism, P (1) 7*f*.
shear mechanism, P (3) 64*i*.
for feeding, batch, P (5) 109*g*.
gobs of molten material into molds for bottles, P (6) 127*f*.
melting, and fiber-forming glass marble, control for, P (4) 87*h*.
wet batch, P (11) 225*g*.
for fiber bodies, P (8) 165*i*.
for fibers, air knife distribution, P (2) 35*g*.
from melts, P (2) 35*c*.
of mineral fiber, P (3) 64*b*.
moist, drying, P (6) 128*e*.
molding process, P (2) 35*g*.
P (1) 7*j*.
severing and depositing, P (3) 64*c*.
sprays, P (1) 7*j*.
for flat, P (6) 127*g*.
for float, C electrical heaters in, P (10) 205*j*.
P (2) 35*i*.
flotation, P (2) 35*i*.
forehearth, and feeder complex, maintenance (9) 185*d*.
for forming, monofiber element, P (1) 6*i*.
neck ring arms for, P (1) 7*j*.
for fragmenting, P (10) 205*h*.
glazing, P (3) 64*d*.
gob settle blowhead, triple, and baffle construction, P (4) 89*i*.
gripping, P (4) 88*f*.
for grouping bottles, P (8) 165*g*.
for guiding molten gobs, P (3) 64*a*.
handling, articles, P (8) 165*g*.
bottle or jar type containers, P (8) 165*i*.
glass-plastic assemblies for lamination, P (5) 109*i*.
linear elements, P (11) 225*a*.
mold charges of molten, P (11) 225*b*.
sheet material, P (4) 87*f*.
stackable bodies, P (11) 225*j*.
heating, annealing, tempering, decorating, and handling, P (9) 186*c*.
and tempering, P (9) 186*f*.
heat sink, for tubular conveyor rolls, P (4) 88*g*.
for heat-treating, P (4) 88*f*; P (9) 186*f*; P (10) 206*f*.
high-temp., for conditioning, P (3) 65*b*.
for hollow articles, P (7) 145*c*; P (7) 146*d*; P (8) 165*g*.
for homogenizing, molten, and additives, P (9) 186*a*.
for inspecting, ampoules, P (9) 186*b*.
bottles, P (7) 146*i*.
hollow articles, P (8) 165*e*.
phase compensated multiple moving head, P (8) 166*e*.
for jet slicing (4) 86*f*.

Glassmaking equipment *(continued)*
lathe, processing, P (9) 186*h*.
lehrs, annealing, P (3) 64*j*.
for hardening plates, P (7) 146*g*.
jet-fired zonal, P (1) 7*i*.
for lens, frangibility testing, P (6) 128*d*.
lift-out rolls, supporting ribbon, P (1) 7*b*.
for lightweight articles, P (6) 128*a*.
for marking, flat, P (7) 146*h*.
for measuring thickness, of metal oxide coating on article, P (3) 64*b*.
for melting, and refining [float] glass, P (2) 36*d*.
thermoplastic material, P (1) 6*i*.
for metal-coated glass, P (7) 146*h*.
for mixing, molten, by bubbling, P (9) 186*d*.
for modifying, by additive, P (1) 6*j*.
for optical, heat-treating lenses, P (2) 35*a*.
for optical lenses, grinding, smoothing, or polishing, P (3) 65*d*.
for optical-quality articles, P (7) 146*e*.
for optical surface, roughness analyzer, P (3) 65*e*.
orifice, for extruding and attenuating inviscid melts, P (3) 65*c*.
for packaging, glass fiber linear material, P (2) 35*b*.
plungers, metallic powder coatings on (11) 224*j*.
press-and-blow, for containers, P (9) 187*d*.
press bending, apertured sheet, P (10) 205*h*.
sheets, P (9) 186*b*.
presses, effect of driving gear of rotary mold table on (11) 223*d*.
pressing, pressurized fluid ram acceleration system, P (2) 36*j*.
press shaping, for sheet, P (10) 206*g*.
pressure molding of, P (10) 207*b*.
for producing perturbations, while winding fibers, P (10) 206*a*.
for profiled articles, P (11) 225*b*.
pulverizing, P (1) 7*f*; P (9) 186*h*.
for refining, P (4) 87*g*.
reject, for bottles, P (2) 36*d*.
for ribbon, determining location of edge in metal flotation furnace, P (9) 186*c*.
by float process, P (9) 186*b*.
pressurizer apparatus for, P (4) 89*c*.
rotor cooling system, for centrifugal rotary fiberizing unit, P (4) 89*g*.
screw clamps, for packaging sheets, P (4) 89*g*.
for sculpturing, indicia or decorative design on surface, P (3) 64*c*.
for seaming, edges of sheets, P (8) 165*g*.
for selecting release point, in 90° sweep, P (7) 146*i*.
for shaping, squeeze, ends of tubes, P (8) 165*i*.
for sheet, or mats from fibers, P (6) 127*g*.
for transversely cutting advancing sheet, P (8) 166*h*.
turnover and packing, P (3) 64*j*.
sheet float, with heat flux edge detector, P (7) 146*c*.
shipping rack, P (9) 186*i*.
sidewall fenders, suspending device for, P (10) 207*f*.
sorter, and conveyor, for light bulbs, P (5) 109*j*.
for spraying, cylindrical articles, bottles, P (11) 225*c*.
stirrer, electrolytically generating, bubbles in melt, P (9) 187*d*.
for subdividing, sealed tube containing radioactive gas, P (10) 205*h*.
for supporting, bulb molds, P (4) 88*a*.
surface heating, P (10) 207*f*.
for tempered pieces, P (1) 7*j*.
for tempering, sheets, P (8) 165*g*.
for testing pressure resistance, of bottles, P (5) 109*c*.
for thick-bottomed articles, P (1) 7*a*.
transfer, for high-speed winders, P (10) 207*g*.
for treatment, and collection of synthetic filaments, P (6) 128*b*.
of newly formed ware, P (2) 36*d*.
of sheets, P (9) 186*c*.
for tubing, sealed lengths, P (2) 36*d*.
vapor deposition, including air mask, P (11) 226*g*.
-ware, assembling and lehr loading, P (2) 36*d*.
by press-and-blow technique, P (2) 35*b*.
for welding, rods or tubes, P (4) 87*g*.
for winding, textile material, P (6) 127*g*.
thermoplastic strands, P (9) 186*c*.
workbench, for glassblower, P (3) 64*h*.
for wound strand, from filament-forming materials, P (3) 64*b*.
Glazes, barium (6) 125*f*.
calculation (7) 143*g*.
for ceramics (6) 130*d*.
cone 6 reduction (9) 181*j*.
containing Th or U, effect of foodstuffs (8) 168*a*.
containing ZnO, phase separation in, ir reflection study (8) 168*c*.
faults, and correction (9) 181*j*.
fluoride, for cones 06, 4, and 6 (5) 105*g*.
for household china, new with improved properties (11) 228*h*.
of Islamic ceramics (11) 221*d*.
lead (4) 83*i*. Cu-green fritted (1) 12*a*.
Fe Mn-brown fritted (1) 11*j*.
in table and cooking crockery (7) 148*d*.
leadless, for dinnerware (10) 209*j*.
for dinnerware (7) 148*d*.
for dinnerware, correction (8) 168*b*.
formulary (4) 83*j*.
mat, basic, for cone 4 (6) 125*f*.
Mg in, absorption spectrometry (1) 4*g*.
MgO, for cone 6 (9) 181*j*.

Glazes *(continued)*
nepheline syenite (3) 83*d*.
Ni blue, for cone 4 (10) 201*f*.
Ni coloration in (11) 229*a*.
P (6) 130*h*.
Pb-free, acid-resistant (6) 129*j*.
plant ash (11) 221*g*.
porcelain, composition and properties (10) 209*b*.
raw, properties, effect of CaF_2 (11) 228*j*.
SiC as impurity in (3) 68*c*.
thermal expansion coeff., and firing temp. (9) 189*j*.
roofing tile, from Fe_2O_3, Ag luster development (9) 189*b*.
rosy gold (5) 105*h*.
for sanitary porcelain, microstructure (10) 209*a*.
semiconducting, P (7) 148*j*.
SnO_2-Sb_2O_5-based, effect of reducing atm (8) 169*e*.
simple, inexpensive (10) 201*g*.
slips, extractable Pb in, tests for (10) 209*c*.
Sr (10) 201*g*.
stoneware, for cone 7 (9) 181*f*.
two-component (4) 83*e*.
vitreous characteristics, magnetochemical study (7) 148*e*.
Zr (9) 181*g*.

Glazing, bars, P (3) 65*a*.
cordierite body, with glass-ceramics (1) 11*h*.
double, P (1) 7*c*.
glazed surfaces, protection, P (3) 68*j*.
greenware, with ambient epoxy resin curing composition, P (3) 68*i*.
mat, calender, P (8) 168*f*.
salt (7) 143*j*; (11) 221*h*. technique (5) 113*c*.

Glycine, tri-, sulfate, dielectric constant dispersion (3) 78*c*.
pyroelectric voltage response to rectangular ir signals in (2) 55*h*; pyroelectric voltage response to short ir laser pulses in (4) 93*c*.

Gold, atoms, nuclei, neutron absorption by (8) 178*a*.
Au^+, resonant phonon modes, in alkali halides (8) 179*b*.
bonding, to ceramic substrate, P (8) 169*i*.
composition, for bonding Au to ceramic substrate, P (8) 170*c*.
deposition, on NaCl and KBr, nucleation kinetics (11) 235*f*.
diffusion, in CdS, ultrasonic study (2) 57*e*.
etchant, P (10) 210*h*.
-Si eutectic formation, in W/Au metalizations on oxidized Si wafers (11) 229*a*.
-SiO_2, rf coputtered films, and electron microscopic microanalysis (10) 210*e*.

Goniometry, practice, use of diffraction of light from grooves on crystals in (10) 216*a*.

Grain boundaries, characteristics, structure, and electrostatic potential (2) 55*b*.
chemistry, of hot-pressed oxides with LiF or NaF, AES (9) 194*b*.
interaction, with vol changes of pores (5) 120*a*.
KCl, and $BaTiO_3$, dielectric behavior, by electron-beam scanning (9) 195*d*.
phenomena, and solute segregation (3) 81*a*.
pore, isolated, vol-diffusion-controlled shrinkage (9) 199*g*.
sliding, models for grain rearrangement resulting from (3) 80*h*.
sub-, in MgO (1) 28*c*.

Grain growth, in ceramic materials, inhibiting, P (9) 189*i*.
during hot-pressing (7) 155*c*.
in hematite, effect of compaction pressure (2) 50*c*.
in $LiFe_5O_8$ spinel (11) 234*d*.
in MgO (2) 52*c*. control by fine dispersion of C (10) 215*c*.

Granular materials, compaction, P (2) 45*f*.
elastic wave propagation in (4) 86*d*.
forming, P (1) 7*d*.
mixing, P (2) 45*g*.
pore-size distribution, and porosity in (2) 58*e*.
preheating, P (7) 153*e*.
solids, removal of foreign matter from, P (1) 20*h*.

Granulometry, analysis, of raw meal and cement with sedimentation balance (10) 202*b*.
composition, and strengths of cements (10) 202*c*.

Graphite, articles, solutions for treatment to improve oxidation resistance, P (10) 209*g*.
block, checking positions of bottom end walls of blind holes in, P (11) 231*f*.
bodies, reinforced, P (3) 67*j*
carbide coats on, P (4) 91*g*.
compositions, P (9) 188*f*.
crystals, radiation damage in (4) 101*h*.
very thin, electronic properties (6) 138*f*.
dense, structures, P (1) 10*g*.
disk, with removable wear faces, P (8) 168*b*.
dispersion curves, and elastic constants (8) 175*e*.
effect, on viscosity of molten slags (1) 27*c*.
electrical transport properties, assuming lattice scattering (8) 175*g*.
energy bands in (8) 176*e*.
fibrous structure, porous substrate for, P (7) 148*d*.
fracture energy, notched-beam test for evaluation (5) 123*d*.
graphitization, of C fiber-glassy C composites (2) 38*g*.
with HF, lamellar compounds (1) 25*c*.
interlayer force in, Thomas-Fermi calculation (8) 180*e*.
irradiated, fracture, statistical aspects (6) 141*f*.
lamellar compound, with BrF_3 and IF_5 (4) 100*e*.
large vol, thermal neutron temp. near temp. discontinuities in (10) 212*d*.
and layer lattice compounds, lubricants (11) 233*d*.
metallic carbide coatings on, P (5) 112*f*.
mfg., P (3) 67*f*.

Graphite *(continued)*
molded, CVD infiltration strengthening (10) 208*d*.
optical properties (8) 178*c*.
oxide, catalysis by (11) 234*b*.
P (6) 129*c*.
particles, highly ordered, P (9) 188*j*.
small spherical, surface-plasmon excitation in (8) 179*b*.
pellets, P (10) 208*j*.
products, ASTM standards, B (7) 159*j*.
protective coatings on, gas mixture for forming, P (5) 112*c*.
pyrolytic, heat capacity, effect of heat treatment (3) 79*d*.
highly oriented, oxidation, kinetics (11) 234*j*.
lattice dynamics (7) 156*f*.
and single-crystal, alfven-wave propagation and damping in (8) 174*d*.
thermal diffusivity in, anisotropy ratio (8) 171*g*.
Si layers on (3) 66*j*.
sinter-joining, to Al_2O_3 and Al_2O_3 graphite composite (8) 167*h*.
synthesis, isotope effects on C during (5) 120*h*.
tougher, with metal or ceramic impregnation (4) 90*i*.

Graphitization, and carbonization (9) 187*c*.

Grinding apparatus, abrading, flexible, for side-sharpenable cutters, P (1) 1*j*.
for cement, more effective (4) 85*i*.
control for, P (2) 31*g*.
fine, P (3) 73*d*.
for glass, parallel edges of sheets, P (9) 186*a*.
high wear resistant (2) 45*b*.
members, P (3) 61*f*.
metal-impregnated, P (4) 83*f*.
for optical lenses, P (3) 65*d*.
and polishing, for metallographic and mineralogic samples, P (2) 47*j*.
stone, P (1) 1*d*.
wheels, abrading and polishing, P (10) 201*f*.
abrasive, P (7) 143*f*.
atomizer, P (5) 105*i*.
Borazon, determining problems visually (4) 83*e*.
diamond abrasive cutoff, P (2) 31*h*.
diamond, dressing technique M.
diamond, for dry grinding WC/steel (5) 105*e*.
diamond, electrochemical grinding of carbide forms (9) 181*e*.
diamond, free cutting internal, P (2) 31*h*.
diamond, P (8) 161*i*.
diamond, for quartz glass, ceramics, and ferrites (2) 31*e*.
firing, kilns for (1) 19*a*.
metal-bonded, P (7) 143*e*.
peripheral, P (1) 1*d*.
phosphate-bonded, P (3) 61*f*.
porous laminated metal-bonded cutting, P (10) 201*g*.
profiled, P (7) 143*f*.
segmental, P (1) 1*e*.
segmental cutoff, P (7) 143*g*.
segmented, P (4) 83*h*.
surface texture on glass by (1) 1*g*.
symmetrical, P (3) 61*e*.
vitrified bonded instead of resin at Ingersoll (10) 201*e*.
for wet grinding WC/steel combinations (9) 181*g*.
ZrO_2 grain, replaces scarfing (1) 1*f*.

Grinding (comminution), attrition, large-scale, of coarse kaolin (1) 16*c*.
ball size for (3) 73*g*.
batch, equation, analytical solution to (3) 73*e*.
cement, body size, and hardening (1) 2*i*.
effects of grinding-ball weight loss (2) 32*b*.
cement clinker, asphaltenes as additive (4) 83*f*.
borogypsum as additive (4) 83*i*.
circuits, optimizing performance (10) 212*j*.
closed-circuit, recycling rate in, effect on cement (2) 32*a*.
coal, for rotary furnaces with cooled grates (4) 85*d*.
dry, effect on base exchange capacity of Indian talc (1) 16*a*.
fine, closed circuit (6) 133*h*.
and grinding plant (1) 16*b*.
for mfg. dry material, P (5) 116*g*.
raw materials (3) 62*h*.
of stony material, P (2) 48*j*.
wet, of raw material, effect of temp. (3) 61*h*.

Grinding equipment, -mixer, agitating extensions for central auger of, P (5) 116*b*.
P (7) 152*h*.

Grinding (material removal), diamond, of Al_2O_3 block in S. Africa (5) 105*e*.
of B_4C (5) 105*e*.
of textile thread guides, piezoelectrics and steatite insulators (4) 83*d*.
diamond layer, for honing segments, P (11) 221*e*.
dry, of WC/steel, with diamond wheels (5) 105*e*.
electrochemical, tool tips of sintered carbides (2) 31*d*.
form, of ceramic seals (1) 1*e*.
low-temp., P (2) 31*i*.
parallel surfaces, of workpieces, P (5) 116*e*.
or polishing, test sample of material for, P (2) 47*b*.
vibratory, or barrel finishing media (4) 83*d*.

Grueneisen constant, equation of state, and quasi-harmonic approximation (2) 55*i*.
gamma, of rutile (10) 216*h*.

Gypsum, alpha-hemihydrate, aqueous suspensions, effect of Na lignosulfonate (11) 222*c*.
board, P (3) 62*d*; P (10) 203*f*.
boro-, as additive during clinker grinding (4) 83*i*.
by-product, when desulfurizing flue gases, P (9) 193*b*.

Gypsum by-product *(continued)*
new resource in Illinois (10) 213*j*.
and calcined gypsum, salts in (7) 144*g*.
dehydration (9) 181*j*. to hemihydrate in liquid H_2O, calculated equilibrium temp. (10) 202*a*.
dihydrate, dehydration kinetics (9) 182*b*.
EDTA dissolution (6) 135*b*.
effect, in additive to remove dust from furnace gases (4) 84*i*.
on properties of expansive cement clinker (3) 62*f*.
effects of slurry circulation on, in mfg. wet-process phosphoric acid (3) 75*g*.
extrusion, P (2) 32*i*.
fibrous, investigations (5) 121*h*.
hardness, test using ball-impact tester (5) 117*g*.
initial setting (3) 62*b*.
NMR spectra (7) 144*j*.
plasters, properties of alpha-hemihydrate (8) 162*d*.
raw, and calcined, from Bulgarian deposits (10) 202*c*.
study, by electron scan microscopy (2) 46*e*.
water absorption, from atmospheric moisture (9) 183*d*.

Hafnium, carbide, thermal expansion (5) 123*g*.
diboride, electrolytic preparation, P (3) 76*a*.
dioxide, single crystal, molecular scattering of light in (4) 100*d*.
disulfide, single-crystal devices, electrical properties and memory effects in (2) 51*d*.
$HfSb_2$, alpha-, crystal structure (2) 50*e*.
oxide, electrical conductivity and ionic transport number (10) 216*g*.
spectroscopic properties and lasing of Nd^{3+} in (2) 56*a*.
thermodynamics (1) 29*e*.
oxycarbide, and oxycarbonitride, high-temp. oxidation (9) 196*h*.
tetrafluoride, vapor pressure (1) 29*e*.
-3Zr carbide, deposits, structure and microhardness relations in (11) 236*b*.

Halides, alkali, colored, F and K bands, spin-orbit effects in (8) 179*h*.
crystals, anharmonic vibrational properties of impurities in (7) 154*d*.
crystals, phonon sidebands in emission spectrum of O_2^- in (8) 178*g*.
crystals, thermodynamic properties (9) 199*a*.
F centers in, optical-pumping cycle of (8) 175*g*.
Frenkel defects in (8) 176*e*.
hardness (10) 216*h*.
ion movement in (9) 197*b*.
lattice dynamics (9) 196*e*.
mode-Grueneisen parameters (8) 177*j*.
optical properties of U centers in (4) 101*d*.
polycrystalline, properties (5) 120*b*.
ratios of strain-optical constants (9) 198*f*.
resonant phonon modes of Ag^+ and Au^+ in (8) 179*b*.
Schottky defects in (7) 157*h*.
high-purity, P (11) 233*i*.

Hall effect, coeff., in GaP, n-type (3) 80*f*.
element, P (11) 230*c*.
of EuO (9) 196*c*.
measurement, on $ZnSiP_2$ (10) 215*g*.

Halloysite, hydrated, relation to dehydrated states (6) 140*c*.
stability, in relation to weathering feldspars and nepheline (10) 219*e*.

Hardening, of CaF_2 single-crystal surfaces, due to atmospheric O contamination (4) 99*f*.
Ca silicates, corroding effect (2) 31*e*.
cement, thin layer chromatographic detection of inhibitors (9) 183*b*.
precipitation, of spinel with excess MgO (7) 157*b*.
surface, of sapphire and rutile associated with machining (3) 81*g*.
work, anisotropic (6) 136*h*.
and dislocation mobility in NaCl (3) 78*b*.

Hardness, of alkali halides (10) 216*h*.
anisotropy, of single crystals of IVB diborides (1) 23*h*.
of building plasters, testing in lab and at building site (5) 106*h*.
testing in lab and at building site (5) 106*d*.
of calcareous ceramic bodies, measurement (4) 83*j*.
of gypsum, tests using ball-impact tester (5) 117*g*.
of gypsum plasters (5) 117*a*.
indentation, of diamond and other crystals (9) 181*f*.
and lapping, of optical glass (2) 34*a*.
of optical glass (3) 63*c*.
micro-, of refractory oxides (1) 25*a*.
of solid solutions of Zr and Nb carbides (1) 25*b*.
of phases, in small samples, measuring (5) 117*i*.

Health, hygienic test, of ware and food packaging materials (4) 96*a*.
lead glazes (4) 83*i*.
OSHA (10) 220*i*. inspection, XYZ plant (10) 220*i*.

Heat, capacity, of $BaTiO_3$ near electrical critical point (5) 123*f*.
of Cr_3Te_4 and Ni_3Te_4 (3) 79*d*.
in $LaVO_3$ (3) 79*d*.
of Na_3UO_4 (2) 44*h*.
in $Ni_{3\pm x}Te_2$ phases (2) 54*i*.
of pyrolytic graphite, effect of heat treatment (3) 79*d*.
of $TiAl_3$ (8) 177*c*.
of UN (5) 115*g*.
of V oxides (10) 216*h*.
consumption, of heating systems, measurement, P (8) 173*h*.
effects, on Indian talc (10) 216*f*.
exchangers, for boilers, P (4) 97*d*.

Heat exchangers *(continued)*
or conductors, P (5) 118*g*.
for cooling gases, P (9) 194*a*.
cyclically operated-type regenerative, P (8) 173*f*.
industrial, enamel for (11) 223*a*.
with nests of tubes, P (5) 112*d*.
P (4) 97*d*; P (8) 173*g*; P (9) 194*a*.
rotary, P (11) 228*b*.
rotary regenerative, P (9) 194*d*.
tubular, P (3) 75*e*.
flow meter, for rotary kilns, P (11) 233*a*.
recuperation, in ceramic and glass industries (6) 135*e*.
resistance, under load, automatic estimation (1) 17*g*.
specific, of amorphous solids at low temp. (3) 76*c*.
anomaly in $TmFeO_3$, effect of Tm^{3+} in (11) 235*g*.
of compounds with spinel structure (11) 235*i*.
low-temp., of metallic V-doped Ti_2O_3 (8) 177*c*.
low-temp., of Nd Mg nitrate (8) 177*d*.
of RbCl, RbBr, and RbI (2) 53*j*.
of Ti_2O_3, single-crystal undoped and V-doped (8) 179*f*.
transfer, at glass-mold interface (1) 4*i*.
transmission, by radiation in semitransparent media (1) 17*f*.
treatment, effect on luminescence bands in n-GaAs (11) 234*h*.
effect on Al_2O_3 films on Si (2) 40*e*.
effect on heat capacity of pyrolytic graphite (3) 79*d*.
effect on magnetic properties $NiFe_{2-x}Al_xO_4$ (1) 24*i*.
effect on optical absorption of glasses (2) 34*b*.
of vaporization, and formation, of EuN (1) 23*j*.
of wetting, of BeO powders in water (10) 216*h*.
of BeO powders in water (10) 216*i*.
Heaters, cathode, coating, P (2) 42*c*.
electrical, C, in float glass apparatus, P (10) 205*j*.
glass, P (10) 206*b*.
P (5) 112*b*.
electrical insulating, heat-resistant, P (5) 112*d*.
flameless gas catalytic, P (5) 118*g*.
melt spinning-head, controlling temp. in, P (9) 194*b*.
pre-, calciner-, rotary, P (1) 19*d*.
cement raw meal, thermal efficiency (3) 62*i*.
for lime kiln, P (2) 33*a*.
regenerative air, P (7) 153*g*.
-rotary kiln-cooler systems, computers in (5) 118*e*.
rotary, for treating particulate material, P (2) 46*d*.
single-crystal, for precession camera and diffractometer (1) 18*e*.
thermal storage, P (1) 19*h*.
Heating, far-ir, and application to ceramics (4) 96*h*.
gas flame, equipment for X-ray diffractometer (1) 17*e*.
induction, of flat bodies, P (1) 19*g*.
pre-, granular or lumpy material to be treated in kiln, P (7) 153*e*.
rate, effect on vol change in sintering (7) 155*j*.
system, radiation-convection, P (11) 233*g*.
Heating elements, electric, P (10) 211*e*.
for electric kilns (1) 19*j*.
electric resistance, devices for mounting, P (2) 41*g*.
with high heating current, P (2) 41*c*.
Hectorite, adsorption of benzidine, and aniline by, and oxidation (7) 154*b*.
Helium, diffusion, and solubility in K_2O-SiO_2 glasses (7) 145*d*.
flow characteristics, of rewetted dried, hydrated portland cement paste (4) 84*c*.
flow techniques, to observe structure changes of portland cement (5) 106*b*.
He^{++}, ions, 1-9 MeV, stopping power in UO_2, $(U,Pu)O_2$, and ThO_2 (9) 198*g*.
migration, in glass-forming oxides (4) 86*f*.
permeation, through vitreous SiO_2, pressure dependence (2) 34*e*.
solubility, in fused SiO_2 (2) 34*j*.
Hematite, electronic structure (10) 216*a*.
magnetic structure (3) 80*b*.
natural, magnetic anisotropy in, Moessbauer study (4) 100*c*; magnetic anisotropy in, erratum (9) 197*g*.
phase, segregated, orientation in Mn-Fe spinels (2) 54*e*.
pure, isothermal sintering and grain growth in (2) 50*c*.
reduction, reactivity during (1) 27*c*.
Heterogeneity, glass, q antitative measurement by Shelyubskii method (2) 34*e*.
structural, effect on relaxation of Na silicate glasses (1) 4*j*.
Holmium, Ho^{3+}-doped crystals, with apatite structure, laser properties (10) 217*c*.
Ho^{3+}, laser oscillation from, in Al garnet films (1) 13*e*.
redistribution, during Czochralski growth of fluorapatite (2) 55*a*.
Holography, electrical fixation, recorded in $(Sr_{0.75}Ba_{0.25})Nb_2O_6$ crystals, field and time thresholds for (2) 51*j*.
storage, coupled-wave analysis, in $LiNbO_3$ (2) 49*d*.
in PLZT ceramics (8) 169*h*.
Homogeneity, of lab melts, quantitative study (4) 87*i*.
Homogenization, in blending beds (2) 45*b*.
and fining, of Na_2O-CaO glasses (9) 185*f*.
of granulated slag (2) 45*b*.
raw material (2) 45*d*.
Hydrates, effect, on suspension hydration of C_3S (2) 32*e*.
Hydration, of brownmillerite, Moessbauer study (2) 32*f*.
of Ca, at low water/solid ratio (4) 84*j*.
of CaO, electron microscopy study (4) 85*d*.
MgO, and CaO-MgO mixture, kinetics (3) 75*a*.
of $12CaO.7Al_2O_3$ (1) 22*d*.
of $11CaO.7Al_2O_3.CaF_2$, $3CaO.SiO_2$, and $CaSO_4$, additive effect (2) 32*d*.
of Ca silicates, and cement, reactivity of silicate anions during

Hydration of Ca silicates *(continued)*
(4) 84*c*.
of $CaSO_4$ hemihydrate, SEM (3) 62*g*.
of cement, and Ca silicates, silicate anions reactivity during (1) 2*f*.
clinkers, effects of additives on reaction (10) 202*a*.
expansive (6) 126*a*.
pastes, reactions in (7) 144*e*.
portland, Ca hydrosilicate hydrosol formed during (1) 2*g*.
portland, effect of precuring (5) 106*f*.
portland, effect of sulfate (5) 106*c*.
of C_3A, thermoluminescence studies (9) 183*a*.
of C_3S (2) 32*f*. and beta-C_2S, effect of $CaCl_2$ and $CaSO_4$ (5) 106*d*.
effect of precuring (5) 106*f*; effect of precuring (9) 182*j*.
at high temp. (7) 144*f*.
in presence of $CaCl_2$ (7) 144*b*.
of C_3S pastes (2) 32*e*. effect of admixtures (4) 85*b*.
early, effect on mortar strengths of portland cements (3) 61*g*.
effect, on concrete mechanical properties (9) 182*f*.
of hemihydrate, from mfg. of phosphoric acid by wet process (3) 75*c*.
of micas, effect of layer charge location (10) 216*f*.
of plasters, hemihydrate (6) 126*b*.
of quinazoline, at montmorillonite-water interface (4) 98*j*.
re-, of fired clay in soil (1) 1*j*.
of hot-pressed Al_2O_3 structures, P (3) 69*a*.
reactions, in pastes $C_3S+C_3A+CaS4.2H_2O+H_2O$ (4) 85*a*.
of slag-lime pastes (8) 162*e*.
steam, low pressure, of C_3S (8) 162*f*.
suspension, of C_3S at constant pH (2) 32*e*.
Hydraulic properties, of blast furnace slag, Ba-Mn (10) 202*c*.
of slags, crystallization effect (2) 31*j*.
Hydrochloric acid, sepiolite activation with (5) 119*a*.
Hydrogen, absorption, suppressing in W filaments, P (3) 65*j*.
annealing effect, on Si-insulator interface states (4) 92*c*.
chloride, solubility in molten chlorides of alkaline earth metals (4) 102*i*.
transport of Fe, Co, and Mn spinels and Ni, Co, Mn and Mg ferrites by (9) 194*h*.
from coal char, in continuous electrofluid reactor (9) 193*g*.
effect, on electrical properties of CdS films (11) 234*j*.
fluoride, from fluosilicic acid, P (1) 20*g*.
gaseous, recovering from gaseous effluents, P (3) 73*g*.
with graphite, lamellar compounds (1) 25*c*.
pure concentrated, from impure fluosilicic acid, P (3) 76*d*.
as fuel (6) 135*b*.
gas, water vapor in, solid-electrolyte O gage for (1) 18*a*.
oxidation, catalytic activity of rare-earth oxides for (4) 98*g*.
on platinized WO_3 electrodes (5) 113*j*.
phosphate, aqueous solutions, solubility of synthetic sphalerite in (10) 219*d*.
preirradiation annealing in, effect on damage in MgO (1) 27*i*.
reduction, of Cr_2O_3 (5) 120*h*.
retention, high-temp. ceramic composition for, P (5) 116*c*.
SiO_2 reduction kinetics in (10) 219*b*.
solubility, in fused SiO_2 (2) 34*j*.
trace amounts, nondestructive analysis (2) 47*c*.
tungsten bronze phases H_xWO_3, thermochemistry (2) 57*i*.
Hydrogen ion concentration, dependence of SiO_2 concentration in presence of solid SiO_2 (2) 50*f*.
Hydroxides, group concentration, in Eutal-type glass (11) 223*a*.
groups, introduction into Li_2O-Al_2O_3-SiO_2 glasses (1) 6*e*.
mechanochemical phenomena (10) 219*j*.
Hysteresis, basal spacing, in CSH(I) (4) 83*h*.
loop, ferroelectric, in BeO (10) 210*a*.
static, of glass fibers (9) 185*d*.

Ice, nucleation, by solid solutions of Ag-Cu iodide (1) 24*f*.
pure, and HF-doped, dislocations in, X-ray topography (5) 124*a*.
Illite, fired, SEM (7) 157*f*.
Ilmenite, acid leaching, into synthetic rutile (6) 135*j*.
decomposition, P (1) 20*h*.
materials containing, TiO_2 concentrates from, P (2) 48*g*.
metallic Fe and TiO values from, selective recovery, P (2) 48*c*.
rutile and Fe from, P (2) 48*g*.
TiO_2 extraction from (10) 214*b*.
Image displays, storage, in ferroelectric-photoconductor device (4) 92*d*.
Immiscibility, in PbSe-$Ge_{1.5}As_{0.5}Se_3$ system (8) 177*d*.
Impact, behavior, of Al_2O_3 matrix (1) 11*e*.
resistance, of Al_2O_3 ceramics, effect of quenching (11) 228*d*.
testing, for enameled objects (6) 126*b*.
Impregnation, effect, on porosity of ceramic materials (8) 175*a*.
Impurities, centers, in fluorite-type crystals at high Er^{3+} concentrations (2) 52*e*.
clustering, effect on elastic precursor decay in LiF (3) 78*g*.
deep-level, in GaAs films, concentration profiles (3) 69*i*.
interaction, in GaAs (8) 177*h*.
substitution, nonequivalent positions in SiC (4) 101*a*.
Indium, antimonide, films, intervalley electron transfer in (11) 234*j*.
arsenide, electroreflectance spectra in (9) 195*j*.
and phosphide, auger recombination in (4) 98*b*.
diiodide, reaction with iodides of divalent metals (11) 235*e*.
$In_xGa_{1-x}As$, and $InAs_xP_{1-x}$, Zn-diffused laser junctions in (3) 82*d*.
$In_{0.5}Ga_{0.5}P$, luminescence from (10) 217*d*.
In_2Te_4, thin films, absorption edges (8) 168*h*.
oxide, Gibbs energies of formation, from emf measurements (3) 77*g*.
oxyfluoride, structure (6) 141*i*.

Indium *(continued)*
phosphide, electron energy relaxation times in (8) 175*h*.
electron heating in (2) 51*g*.
electron transfer in (9) 197*b*.
n-type, Au-(n-type) InP Schottky barriers, use in determining majority carrier concentration in (4) 92*g*.
transport by iodine (8) 180*f*.
sesquioxide, electrical properties (6) 138*f*.
electrically conductive coatings, to insulating tubes of switching magnets, P (11) 230*g*.
reaction with Nb_2O_5 (9) 198*i*.
single crystals, by chemical transport (2) 55*d*.
Infrared techniques, to determine alkali carbonates (11) 232*h*.
illumination, effect on moving high field domains in ZnSe-(Cu,Ga) films (11) 234*h*.
quantum counter upconversion, in $LaCl_3:Pr^{3+}$ and $LaF_3:Pr^{3+}$ (8) 177*j*.
recording, with thermochromic Cu_2Hgl_4 (10) 210*d*.
study, order on larger cation sublattice of perovskites (4) 100*a*.
of polymerization in glasses (5) 108*g*.
transmission, of tetragonal B filaments (4) 100*b*.
windows, and optical coatings from Cd_2SnO_4 for, P (10) 210*i*.
Inorganic materials, atomic structure, neutron-diffraction study (8) 178*a*.
bodies, with semicrystalline surface layer, P (1) 6*j*.
bonding, and forming, P (10) 208*g*.
fibrous, P (2) 38*j*.
highly porous, replicas for electron microscopy (11) 232*a*.
porous, strength and structure (1) 28*f*.
solids, static dielectric constant (6) 130*b*.
syntheses, B (2) 59*h*.
Instruments, for air content determination, P (6) 134*g*.
annuli, Bingham plastic flow in (9) 193*i*.
automatic, to study microstructure of porous substances (7) 152*d*.
bolometers, chalcogenide glass (11) 223*g*.
cantilever, to determine breaking stress distributions of optical fiber (1) 18*e*.
chemical (6) 134*e*.
Coulter particle, particle analyzing system for, P (5) 118*b*.
scanner element for, P (3) 74*d*.
counter, particle, with removable aperture slide, P (5) 118*c*.
for counting, and measurement of suspended particles, P (11) 232*j*.
crystal monochromator, P (3) 74*j*.
derivatograph, for thermoanalytical tests (1) 18*b*.
dust concentration measuring, calibration (9) 193*j*.
electrical measuring, accuracy (6) 134*i*.
for examination, of substances undergoing change by heat, P (1) 19*b*.
flame-viewing, P (2) 47*i*.
flowmeter, mass, P (4) 96*e*.
vortex shedding (6) 134*e*.
inspection, surface, P (8) 172*h*.
interferometer, laser, P (1) 19*c*.
for X-Y measurement, P (6) 134*h*.
for interferometric measurement, of displacements, P (7) 153*b*.
isothermograph, for specific surface and pore-size distribution measurements (6) 134*j*.
for measuring, concentration of suspended particles, P (11) 232*j*.
layer thickness with beta rays (3) 74*c*.
thickness of layers, balancing, P (1) 19*c*.
scanning, for measuring doping homogeneity in GaP (3) 74*f*.
scratch resistance tester, P (5) 118*d*.
settling rate tester, P (10) 213*c*.
Insulation, electrical, materials test methods, ASTM standards, B (9) 199*j*.
Insulation, thermal, bodies, P (5) 112*d*.
Ca silicate hydrate, devoid of asbestos, P (7) 148*c*.
double, in skid pipe of continuous furnace (11) 226*e*.
elements, P (3) 68*b*.
foam glass for (10) 205*d*.
of glass tanks (1) 6*d*. for TV tubes (1) 4*e*.
P (4) 91*d*.
structures, P (4) 91*e*.
Insulators, electrical, capacitively graded, P (3) 68*h*.
ceramic, for superhigh voltage (5) 113*c*.
coatings for, stress grading, P (6) 130*i*.
high-voltage, P (10) 209*f*.
with load distribution support, P (10) 209*f*.
with noncorona, and antipollution properties, P (8) 168*e*.
P (5) 113*f*.
porcelain (7) 148*f*. effects of long-term dc stress on (6) 130*b*.
guide book for collectors, B (3) 82*g*.
semiconductor, and integrated circuit, Al_2O_3 porcelain for (3) 68*d*.
Si, interface states, H annealing effect on (4) 92*c*.
spark plug, jig for firing, P (4) 92*a*.
upper side, keeping free from deposits, P (4) 92*a*.
Insulators, thermal, Al_2O_3-Al phosphate composite, foamed in situ (11) 226*b*.
for casting molten metal, P (7) 148*a*.
Intensity, second optical harmonic, in $BaTiO_3$, temp. dependence (2) 56*h*.
Iodates, transition metal (5) 123*j*.
crystallographic, magnetic, and nonlinear optic survey (2) 57*d*.
Iodine, InP transport by (8) 180*f*.
pentafluoride, with graphite to form lamellar compound (4) 100*e*.

Iodine *(continued)*
surface interaction, with Fe_3O_4 (2) 56*c*.
Ionization, inhomogeneities, role in S-type characteristics of n-GaAs (2) 55*c*.
Ions, anions, effect on structure of porous anodic Al_2O_3 films (10) 217*d*.
matrix, effect on characteristics of arc plasma (11) 232*g*.
silicate, reactivity during hydration of Ca silicates and cement (1) 2*f*.
bombardment, of $LiNbO_3$ (6) 138*a*.
cations, absorbed monovalent, effect on cristobalite formation from kaolinite (7) 154*j*.
conductive, transport numbers in Ca and Sr oxides (10) 215*c*.
distribution, in Ca,Sr,Ba apatite structure (5) 120*d*.
distribution in solid solutions in $CoAl_2O_4$-$GeCo_2O_4$ system (6) 137*d*.
distribution in spinels of type $CoMn_xFe_{2-2x}O_4$ (4) 98*f*.
distribution in spinels, X-ray diffraction (4) 99*a*.
effect on reaction kinetics in systems La_2O_3-NiO and Pr_2O_3-NiO (1) 22*j*.
exchangeable distribution in Ni and Mg vermiculites (1) 23*j*.
exchangeable, in montmorillonite (5) 119*c*.
exchangeable, effect on mullitization of clay (10) 216*e*.
exchange capacity of clays and soils (5) 117*b*.
exchange study in synthetic hydrogel (10) 219*j*.
oxidation, effect on 2-phase formation in silicate melts (1) 22*b*.
positions, magnetically nonequivalent, in ferrite garnets (4) 100*j*.
self-diffusion in MgO (8) 174*a*.
-structural parameter relations in montmorillonite (6) 138*i*.
transfer in $NiFe_{2-x}Al_xO_4$ lattice, kinetics (2) 53*b*.
concentration, hypophosphite, determination, P (10) 213*j*.
directional order, of octahedral sublattice of spinel ferrites (4) 99*d*.
dissolved in water, function of dissolving time and temp. for glasses (5) 108*j*.
emission, during vaporization of binary compounds (9) 197*a*.
exchange, in Na borosilicate glasses (5) 108*j*.
in Na borosilicate glasses, correction (9) 185*b*.
for strengthening glass, P (3) 64*j*.
study, by iterative deconvolution technique (5) 107*j*.
filtration, in shale, effect on primary migration (6) 137*g*.
in garnet structure (1) 25*f*.
implantation, doping of AgBr by (8) 175*f*.
suppression of hard bubbles in magnetic garnet films by (2) 56*b*.
ionicity, in dichalcogenides of transition metals (10) 217*g*.
ionization, rate in GaAs (10) 217*h*.
ionization potentials, of nontransition elements, regularities and relations among (6) 140*c*.
machining, of diamond (3) 79*j*.
-molecule reaction, rate data, bibliography (4) 98*c*.
movement, in alkali halides (9) 197*b*.
"*off*-center", in compounds with spinel structure (2) 54*a*.
penetration, of vitreous objects, P (3) 65*d*.
peroxodisulfate, oxidation of V(IV) by, kinetics and mechanism (3) 79*j*.
radii, relation with cell vol in perovskite compounds (7) 157*d*.
rare-earth, nuclear transverse relaxation, in garnet ferrites (2) 54*a*.
sulfate, corrosion of concrete by (1) 2*i*.
$3d^3$, in mixed-polytype ZnS, EPR study (8) 176*c*.
transport, in solids, B (2) 58*j*.
transport number, of HfO_2 and ZrO_2 (10) 216*g*.
Iridium, dioxide, Gibbs energy of formation (3) 79*b*.
high-field magnetoresistance (8) 177*a*.
Ir_3Mg_{44}, crystal structure (3) 77*f*.
reaction, with dicarbides of Y, Ce, and Er (5) 122*c*.
Iron, arsenide, magnetic structure and properties (3) 80*c*.
carbide, melting point (2) 54*b*.
cast, acid-resistant enamels on, frit composition for, P (3) 62*i*.
ceramic coating on (3) 62*f*.
enamels for (8) 163*f*.
pieces made to be enameled (8) 163*f*.
cementite, source of enameling defects on cast-iron pieces (1) 3*e*.
centers, orthorhombic, in micas (1) 26*a*.
concentrates, metallic, from titaniferous ores, P (10) 215*b*.
diselenide, enthalpy, by drop calorimetry (3) 78*g*.
dissolution, from bauxite slimes, kinetics (3) 75*f*.
effect, on formation of alpha-Al_2O_3 from gamma-Al_2O_3 (9) 196*i*.
on silicate glass coloration (2) 33*d*.
on sintering rate of AlN under pressure (8) 175*j*.
energy levels, in $SrTiO_3$ (9) 195*j*.
^{57}Fe, in ferroelectric $PbTiO_3$, Moessbauer effect for (7) 156*b*.
Moessbauer isotope, nuclear magnetic moments (4) 101*c*.
in Th oxide, ESR absorption spectrum (8) 176*c*.
$FeBO_3$, magnetic domains in, interference fringes due to (10) 217*f*.
$FeCl_2.6H_2O$, thermal dehydration (8) 179*f*.
Fe(II), and Fe(III), in glasses, ligand field theory and absorption spectra (10) 204*g*.
$Fe_{0.28}Ni_{0.28}Te_{0.44}$, crystal structure (3) 77*e*.
$Fe_{1-x}O$, neutron diffraction study (1) 24*c*.
Fe_3O_4, multiple ordering and low-temp. phase transition in (7) 156*c*.
$FeSb_2S_4$, bonding in (3) 76*j*.
$FeSi_2$, semiconducting and metallic, thermal conductivity (11) 236*i*.

Iron *(continued)*
Fe(II), magnetic hyperfine interaction in CoO (9) 195*b*.
Fe^{3+}-V_O center, in $SrTiO_3$ (7) 154*c*.
Fe^{2+}, first excited electronic levels, energy in CaO (8) 176*f*.
spectra, in $MgAl_2O_4$, comments (9) 198*e*.
Fe_2SiO_4, spinel polymorph, crystal structure (10) 215*f*.
Fe^{3+}, in calcite, spin-lattice relaxation-time measurements (8) 179*g*.
EPR in diopside and spodumene (8) 176*b*.
EPR in forsterite (8) 176*c*.
in $LiAl_5O_8$, optical properties (7) 156*h*.
paramagnetic, in Li aluminate (7) 156*h*.
spectral bands in oxides and silicates, extinction coeff. (2) 46*g*.
in $SrTiO_3$, electric field effect on ESR spectrum (10) 216*i*.
in V_2O_5, EPR spectra (3) 78*i*.
Fe_3O_4, surface interactions with iodine (2) 56*c*.
grinding scratches on, chemical polish removal (1) 17*i*.
-group metals, reaction with carbides of subgroup-IVa metals (8) 174*e*.
high-temp. equilibria (10) 217*a*.
-ic oxide, alpha-, c-axis moment in (3) 80*c*.
alpha-, and $FeBO_3$ crystals, scattering of coherent X radiation (7) 157*f*.
alpha-, NMR of domain walls in (7) 156*g*.
alpha-, ^{121}Sb in, Moessbauer study (1) 25*c*.
effect on cordierite formation (8) 168*j*.
effect on liquidus temp., viscosities, and electrical conductivities of slags in MgO-Al_2O_3-SiO_2 system (3) 78*j*.
gamma-, micropowders, ferrimagnetic Co-doped (2) 40*j*.
hydrated, crystallinity in (1) 23*h*.
in Japanese colloidal earth, chemical removal (3) 75*h*.
and $LiNO_3$, Li ferrite from (1) 23*e*.
Morin transition in, stress dependence and latent heat (9) 198*g*.
powders, activity during sintering (1) 22*a*.
stoichiometry limits in (6) 141*f*.
sulfuric acid, and SO_2 from ferrous sulfate, P (4) 97*h*.
from ilmenite, P (2) 48*g*.
impurities, effect on thermal conductivity of MgO (6) 137*h*.
ions, valencies in cubic ferrites (2) 57*f*.
metallic, selective recovery from ilmenites, P (2) 48*c*.
metallurgy, in Europe, refractories problem (1) 9*g*.
monoxide, electrical transport in, Nernst-Einstein relation (1) 23*a*.
-ous oxide, trace elements in, spectrography (11) 232*g*.
oxide, in brick raw materials (1) 17*e*.
-containing materials, reducing in rotary kiln, P (2) 46*c*.
effect on sintering kinetics of Al_2O_3 (1) 22*e*.
effect on tensile strength of shell molding sand (1) 9*a*.
and hydrated Fe oxide pigments, P (1) 20*b*.
powders, reduction with H, thermodynamics (2) 57*b*.
preparation and characterization (1) 13*h*.
in refractory materials, determination (10) 213*d*.
superconcentrates, by caustic leaching (4) 97*j*.
particles, chemically deposited, magnetic characteristics (9) 190*h*.
selenide, decomposition pressures and enthalpy of formation (3) 77*e*.
enthalpy of formation (2) 46*h*.
silicate, in system "FeO"-SiO_2, solid state reactions during formation (8) 180*a*.
in SiO_2, spectrochemical determination (11) 232*g*.
/S ratio, in pyrrhotines (5) 120*c*.
titanate, coating, noble metals with, P (1) 3*h*.
valence states, in basalt, change during vaporization in vacuum (10) 215*i*.
in $SrTiO_3$ by Moessbauer effect (3) 82*b*.
welding with glass (10) 203*j*.
Irradiation, gamma-ray, for accelerating setting time of concrete mixes (11) 222*a*.
effect on magnetic properties of ruby (9) 195*j*.
improved, C-Si coating alloys for, P (2) 45*c*.
neutron, effect on internal friction in NaCl single crystals (1) 23*a*.
Isomorphism, study, by vibration spectroscopy of zircons (4) 100*d*.
Isothermal processes, non-, thermally activated, kinetics (7) 156*e*.
Isotopes, effect, on C during diamond and graphite synthesis from gas (5) 120*h*.
on solvus of V-H system (2) 53*d*.
He, diffusion in vitreous SiO_2 (6) 137*d*.
uranium, separating, P (6) 133*d*.

Jahn-Teller effect, in Al_2O_3:Ti^{3+}, effect of covalency (8) 177*e*.
for Cr^{2+}, in MgO (10) 216*d*.
in Mn_3O_4-Mn_2SnO_4 system (10) 215*d*.
of Mo^{3+}, in $SrTiO_3$ (7) 155*h*.
for V^{3+} ion, in MgO crystal (7) 154*i*.
Jewelry, Al_2O_3-based, P (4) 91*i*.
bead making, liquid enamels in (10) 201*i*.
enameled, attaching findings to (10) 201*i*.
Joints, abrasive butt, coated, P (2) 31*g*.
between glass and rubber, shrinkage and peel strength (8) 164*j*.
ceramic-metal compound, P (3) 72*f*.
electrode C, or graphite, P (5) 112*b*.
Junctions, device, P (8) 170*e*.
hetero-, Cu_2S-CdS, photocapacitance effects at (3) 70*g*.
GaP-Si, by liquid phase epitaxy, P () 9 .
PbTe-Ge, electrical properties and spectral response (11) 229*d*.

Junctions hetero- *(continued)*
Si-CdSe, P (7) 151*f*.
ZnTe-ZnSe, electrical properties (11) 229*e*.
Josephson, single-crystal tunnel, P (10) 211*f*.
variable current density, P (10) 210*e*.
pn, by diffusion method, P (2) 42*d*.
in GaSb, carrier concentration and thermal *emf* in (1) 21*j*.
P (8) 170*i*.
shallow, in PbSnTe, P (11) 230*b*.
Schottky, in cavity, P (4) 94*d*.
Te-TeO_2-Pb, electron tunneling through (6) 138*g*.
tunneling in, with CdS barriers (9) 199*d*.

Kaolin, Argentine (11) 233*j*.
Bulgarian, properties, enrichment, and uses (11) 229*d*.
for refractories (10) 208*e*.
ceramic, and filler, properties (2) 48*g*.
chamotte, Korean, physicochemical characteristics (1) 26*g*.
clay products, calcined, P (8) 173*h*.
coarse, attrition grinding (1) 16*c*.
deposits, on Bornholm (Danish island) (3) 75*g*.
-feldspar bodies, densification process (7) 148*j*.
Georgia sedimentary, particle size-shape relations (7) 156*i*.
hydrothermal transformation, P (3) 76*b*.
meta-, reaction with $CaNO_3$ and $RbNO_3$ (6) 133*j*.
mineralogical composition (11) 235*e*.
physical properties, dressing process for changing (11) 233*j*.
pink, sintering effect of sericite (3) 68*e*.
Podborany, mineralogical composition (5) 121*g*.
-quartz bodies, densification process (3) 68*h*.
sintering, physicochemical characteristics (7) 157*b*.
slurries, rapid differential flocculation, P (9) 194*h*.
Spanish, geology, mineralogy, and origin (6) 136*b*.
geology, mineralogy, and origin (7) 153*j*.
suspension, flow velocity, by radioactive tracers (11) 232*e*.
pressure filtration (9) 189*g*.
viscosity, reduction by hydrothermal treatment, P (2) 48*j*.
workability, effect of rod-shaped particle for (1) 19*i*.
Kaolinite, absorption coeff., visible and near-*ir* (10) 220*f*.
coated, with synthesized layer-type silicate minerals, P (10) 214*f*.
dehydroxylation, high-temp. *ir* cell use in (10) 213*i*.
kinetics (4) 100*e*.
erosion, by flowing water (11) 234*e*.
formation, from fluorphlogopite (8) 176*d*.
hydrazine intercalation in (8) 177*c*.
-illite-quartz mixtures, dimensional and weight changes on refiring and pore-size distribution (4) 99*g*.
main endothermal effect, temp. (10) 219*h*.
-mullite, reaction sequence, ir absorption spectra (3) 79*i*.
mullitization, in presence of AlF_3, thermodynamics (3) 81*h*.
quantitative determination, by X-ray phase analysis (11) 232*a*.
stability, in relation to weathering feldspars and nepheline (10) 219*e*.
surface properties, effect of Al (7) 155*a*.
synthesis, effect of mineral acids (3) 78*h*.
unground, negative surface charges (10) 217*j*.
Kieselguhr, effect, on portland cement (10) 202*i*.
Kiln furniture, for rapid firing (3) 66*g*.
saggers, unstacking and stacking apparatus, P (8) 172*c*.
SiC, cause of black discoloration of porcelain during firing (1) 12*e*.
Kilns, annular continuous, preheating (11) 233*d*.
arc chamber, made of ceramic filter material, P (6) 135*f*.
automatic, for brickwork products (2) 37*a*.
brick, use of gas in (2) 47*i*.
cars, P (1) 19*f*.
cement, control method and apparatus, P (1) 3*j*.
P (10) 203*d*.
chain, shackle for, P (9) 194*d*.
channel, setting, effect on brick quality (1) 8*a*.
design, for fuel flexibility in production of lamp bases (6) 135*c*.
drum, P (1) 19*d*.
efficiency, insulation improvements (5) 118*b*.
electric, heating elements for (1) 19*j*.
fiberwall-lined (3) 74*f*.
fuel-fired, nitric oxide in (2) 47*g*.
for grinding wheels (1) 19*a*.
hearth, inclined, P (2) 48*c*.
heating, with gas, P (2) 48*c*.
heavy-duty, movement of material in (9) 182*d*.
lime, preheater for, P (2) 33*a*.
oil-fired (6) 135*d*.
plasma, P (4) 97*f*.
rapid-firing (1) 19*c*.
rotary, Al_2O_3, mathematical model (9) 193*h*.
conveyor flights for, P (8) 173*f*.
cooler tubes for, P (9) 193*i*.
cooler tubes for, P (10) 213*a*.
cooling material from, P (10) 213*h*.
fired with natural gas, flame shape control in (3) 61*i*.
lined coolers for, P (6) 135*h*.
-lining by adhesive-bonding method at winter temp. (3) 62*e*.
material movement in (3) 62*c*.
nozzle for, P (5) 118*i*.
P (1) 19*h*; P (2) 48*d*; P (3) 75*d*; P (7) 153*g*.
plant, operation, P (4) 85*h*.
with plurality of cooling pipes, P (4) 97*g*.
-preheaters-cooler systems, computers in (5) 118*e*.
reducing Fe oxide-containing materials in, P (2) 46*c*.
simplified calculation of drive (1) 3*e*.

Kilns rotary *(continued)*
support bearing and assembly for, P (5) 118*j*.
temp. control system for, P (11) 233*h*.
two-side feed for (9) 181*h*.
shaft, fuel-fired lime, calculating principal quantities for (3) 61*f*.
shuttle, for china (1) 11*j*.
shuttle-car, large (1) 19*j*.
tunnel, advantages over down-draft (1) 19*f*.
air leakage into, analysis of effect (5) 118*g*.
fluorine emission in (2) 47*f*.
and intermittent, use of waste heat in (1) 19*i*.
P (8) 173*a*.
package (5) 118*c*.
package, and low-thermal-mass kiln cars (1) 19*b*.
shelves, thermal fatigue testing (5) 118*d*.
vacuum oven, for firing ceramic facings, P (5) 118*j*.
vertical, in cast-iron production (1) 10*i*.
system and process, P (2) 48*d*.

Kinetics, adsorption, of Cs on GaAs (3) 76*h*.
of cation transfer, in $NiFe_{2-x}Al_xO_4$ lattice (2) 53*b*.
of compaction, of MgO with LiF additive (9) 196*d*.
constants, determination during sintering (7) 158*e*.
of contact reaction, between forsterite and chrome spinel (1) 9*d*.
data, from nonisothermic thermal analysis, evaluation by computer (11) 234*e*.
of dehydration reaction, of domestic alunite ore (9) 194*e*.
of dendritic precipitation, of cristobalite in K silicate melt (1) 5*e*.
of dissolution, of Fe from bauxite slimes (3) 75*f*.
of glasses of system As-Se-Te (7) 145*d*.
of K germanate glasses in water (1) 5*e*.
of Zn acetate cement (1) 3*b*.
of domain wall motion, in ferroelectric switching (8) 177*i*.
of hydration, of $12CaO.7Al_2O_3$ (1) 22*d*.
of sintered CaO, MgO, and CaO-MgO mixture (3) 75*a*.
isothermal devitrification, of $NaPO_3$ glass, Raman study (10) 205*f*.
of metal-to-ceramic seals, solderless (7) 149*d*.
models, for setting of plaster of Paris (1) 3*a*.
of nonisothermal processes, thermally activated (7) 156*e*.
nucleation, of Au deposition on NaCl and KBr (11) 235*f*.
of oxidation, of CO over ZnO (7) 156*e*.
of graphites, highly oriented pyrolytic (11) 234*j*.
of Si_3N_4 powder (4) 102*c*.
of V(IV) by peroxodisulfate ion (3) 79*j*.
precipitate growth, effect of diffusion coeff. (4) 99*h*.
reaction, in La_2O_3-NiO and Pr_2O_3-NiO systems (1) 22*j*.
of powders, index (4) 99*i*.
of powders, correction (10) 217*c*.
of Si contamination, of liquid Ga in SiO_2 boats (6) 139*c*.
sintering, of Al_2O_3, effect of Fe oxide (1) 22*e*.
of $BaTiO_3$, Ba/Ti ratio effect (1) 13*d*.
effect of grain boundary width and effective surface layer (5) 122*j*.
of spherical particles, effect of pressing (7) 156*a*.
of solid-state reactions, between $BaCO_3$ and SiO_2 (8) 175*c*.
state-selected, from laser-excited fluorescence (4) 102*a*.
of sulfation, of Atlantic Ocean Mn nodules (10) 217*j*.
of transitions, from SiO_2 and quartz to coesite (6) 139*d*.

Kira, waste material, use in portland cement (8) 162*h*.

Knudsen study, effusion, of CdO(s) vaporization (10) 217*a*.

Kohn-Luttinger effect, interference, in SiC (7) 156*f*.

Korringa-Kohn-Rostoker method, to study, electronic structure of ReO_3 (9) 199*b*.

Kovar, thermal expansion, and magnetostriction (4) 100*g*.

Krypton, Kr^+, entrapment and thermal evolution in borosilicate glass (2) 33*j*.

Kyanite, thermal decomposition (11) 227*e*.

Laminates, graphite fiber, high-impact strength in, P (1) 11*b*.
from polymerizable cements, P (1) 3*a*.
refractory, P (1) 11*g*.

Lamination, cause, and control methods (6) 133*g*.

Lamps, arc discharge, P (1) 7*e*.
coatings for, light-diffusing clay, P (7) 146*c*.
discharge, apparatus for, P (7) 146*h*.
with Ce and Cs halides, P (5) 109*e*.
containing bridge rectifier, P (3) 64*f*.
High-pressure Hg-Cr iodide, phosphor-coated, P; high-pressure Hg-Ti iodide, phosphor-coated, P (11) 225*h*.
long-lifetime Hg-metal halide, P (5) 110*a*.
novel, and coating, P (11) 226*c*.
operable in air without glass envelope, P (11) 230*h*.
electric, and discharge devices, P (4) 88*b*.
envelope with clear protective coating, P (4) 88*a*.
reduced impurity filament for, P (9) 187*e*.
vibrating filament type, P (10) 206*b*.
electrical gas-discharge, P (4) 88*b*.
electric filament, device for sealing, P (9) 186*d*.
P (2) 35*e*.
electric incandescent, P (7) 146*j*.
flash, P (2) 35*h*.
fluorescent, for copying machines, P (2) 35*j*.
of high color rendering, P (4) 88*c*.
high-intensity, P (4) 88*h*.
providing visible light and Dorno rays, P (2) 35*i*.
with shielded electrodes, P (2) 35*j*.
20-watt, P (4) 88*d*.
40-watt, P (4) 88*d*.
GaP, O concentration and efficiency in (1) 13*g*.
gas discharge, high-pressure, P (2) 36*e*.

Lamps gas discharge *(continued)*
P (2) 36*a*.
gas-filled, P (6) 128*h*.
halogen, heating source for single crystal growth (5) 116*a*.
rounded-end, P (8) 166*g*.
Hg vapor discharge, luminescent screen for, P (10) 206*a*.
high-intensity, P (2) 36*e*.
incandescent, dosing with halogen-containing material, P (6) 128*g*.
filaments, inhibiting dc notching effect in, P (1) 7*h*.
P (2) 36*c*; P (5) 110*c*.
light valve, Sr-Ba niobate, P (11) 225*i*.
metal vapor discharge, of Al_2O_3, P (11) 230*d*.
mfg., P (5) 110*e*; P (9) 186*a*.
Na-vapor, with grooved Al_2O_3 arc tube, P (9) 187*f*.
P (1) 8*e*.
with opaque screen, P (5) 109*j*.
photoflash, P (3) 65*c*; P (10) 207*a*.
ultrasonically etched, P (10) 207*h*.
with reflector, controlled-diffusion, P (11) 225*h*.
silica, high-, P (1) 7*i*.
solid-state, P (3) 72*b*.
ultraviolet, low-pressure, P (10) 206*j*.
for underwater, and in wet environment, P (4) 88*i*.
vapor, P (2) 37*f*.
vapor-discharge, high-pressure, P (8) 165*e*.
vibration-resistant, P (8) 166*a*.
W-halogen projection, P (5) 110*i*.
xenon arc, purging, P (3) 65*d*.

Langbeinite, granulation, P (10) 214*f*.

Lanthanides, dicarbide, and solid solutions, transformation in (3) 77*d*.
elements, hydroxycarbonates (9) 196*h*.
hectaboride phases (7) 155*f*.
ions, in alkaline-earth oxide films, luminescence properties (10) 217*d*.
optical spectra, classification (9) 194*i*.
oxide, compound formation with Nb_2O_5 (4) 98*a*.
phosphate and silicate apatites, isomorphous substitutions in (1) 24*i*.
sesquioxides, A form, evolution with ThO_2 addition (2) 51*h*.
ir spectra (9) 196*j*.
ternary sulfides (9) 199*i*.
Y separation from, P (11) 233*h*.

Lanthanon, Ln_2MoO_6, and Ln_2WO_6, vibration spectra (4) 104*f*.
oxide, and Ln oxide-based refractories, reactivity with water (4) 90*b*.

Lanthanum, aluminate, inelastic neutron scattering from (9) 198*d*.
single crystals, untwinned, P (7) 150*i*.
boricarbide, physical properties (1) 26*f*.
chloride, crystal field splittings of Sm^{3+} levels in (3) 76*b*.
films, metallic, absorption of soft X rays by (8) 169*e*.
fluoride, thin films, ionic conduction (9) 196*d*.
$LaAlO_3$, crystals, flux growth, doped with isotope ^{17}O (2) 51*j*.
$LaCl_3$:Pr^{3+}, and LaF_3:Pr^{3+}, laser optical double resonance and efficient ir quantum counter upconversion in (8) 177*j*.
$LaCoO_3$, high-spin-low-spin equilibria and electron transition in (8) 177*j*.
properties, as catalyst in engine exhaust gases (7) 149*g*.
$LaMgGa_{11}O_{19}$, Mn^{2+} luminescence in (3) 80*a*.
$La_2O_2C_2$, preparation, characterization and thermodynamic properties (3) 81*d*.
$(La_{0.67}Pb_{0.33})MnO_3$, thermal expansion in (2) 57*d*.
$LaTaO_4$:Nd^{3+}, polycrystals, optical centers and excitation energy transfer in (11) 235*g*.
$LaVO_3$, magnetic structure (2) 53*d*.
$La_{0.1}Li_{0.1}$-$NaBa_{1.8}Nb_5O_{15}$, single crystal, W-bronze type, ferroelectric properties (4) 99*a*.
$La_{2/3}TiO_3$, X-ray study (5) 124*a*.
orthovanadate, dimorphic (3) 78*a*.
oxide, reaction with K tetrafluoroborate (9) 198*k*.
peroxychromate, structural study and thermal decomposition (9) 198*j*.
sulfide, preparation, and change on heating in air (8) 178*b*.
vanadate, heat capacity and magnetic phase transition in (3) 79*d*.

Lapping, wheel, horizontal rotary, P (2) 45*i*.

Lasers, beams, for making coherent shape of SiC (2) 39*b*.
receiver for, P (5) 115*g*.
coupling, to optical fibers, P (4) 87*j*.
CO_2, scribing glass with (1) 6*g*.
crystal, CaF_2-rare earth fluoride fluorescent compound as, P (3) 70*e*.
thermally controlled, P (5) 115*b*.
damage, in glass, early stages (9) 184*e*.
in optical materials, 1973 symposium, B (9) 200*e*; to optical elements (11) 224*f*.
to surface (11) 224*g*.
devices, composite semiconductor, P (9) 190*f*.
diode, PbGeTe, P (8) 169*j*.
electron beam, P (1) 14*a*.
to form ceramic substrates (8) 169*g*.
GaAs, P (4) 93*f*.
with thick waveguides, zero-order transverse mode operation (8) 180*a*.
GaAs-$Al_xGa_{1-x}As$, effect of doping (3) 69*g*.
GaAs diode, light coupling from, into optical fiber (9) 190*g*.
GaAs-$Ga_{1-x}Al_xAs$, characteristics, effects of composition profile (9) 195*d*.
GaAs-$Ga_xAl_{1-x}As$, heterostructure (8) 176*i*.
GaAs-$Ga_{1-x}Al_xAs$, acceptor concentration in (10) 215*i*.

Lasers *(continued)*
GaP, P (2) 41*i*.
glass, high-efficiency Er, P (1) 7*g*.
$[Li_2O]$, P (4) 88*f*.
materials, P (1) 7*f*.
Nd, P (9) 187*a*.
Nd, P (11) 226*c*.
Y silicate, low-threshold, P (2) 36*h*.
-induced, chemical reactions (10) 217*a*.
-induced damage, at Nd:YAG and ruby laser wavelengths (10) 217*b*.
InP, and $In_xGa_{1-x}As$, efficient optically pumped (4) 92*h*.
interferometer, P (1) 19*c*.
ion (3) 70*a*.
junction devices, P (7) 149*a*.
junctions, Zn-diffused, in $In_xGa_{1-x}As$ and $InAs_xP_{1-x}$ (3) 82*d*.
lasing, action of Nd^{3+} in $Ba_2ZnGe_2O_7$ crystal (3) 79*j*.
of Nd^{3+} in ZrO_2 and HfO_2 (2) 56*a*.
Lu:Nd:YAG, system and material, P (2) 41*j*.
materials, mixed garnets (2) 47*b*.
P (5) 114*j*.
modulation, resonant absorption method (9) 190*i*.
Nd:YAG, diode-pump-modulated (3) 69*a*.
GaAs diode-pumped (4) 92*j*.
to optical fiber coupling, P (1) 14*f*.
oscillation, from Ho^{3+} and Nd^{3+} in Al garnet films (1) 13*e*.
P (3) 71*f*.
properties, of Nd^{3+}- and Ho^{3+}-doped crystals with apatite structure (10) 217*c*.
rods, apparatus for cladding, P (1) 6*h*.
ruby for, growth by improved verneuil process (2) 40*d*.
scanner, P (10) 210*j*.
semiconductor, devices, P (7) 151*d*.
long-wavelength shift in operation (3) 70*c*.
modulating directly, P (10) 211*c*.
P (11) 231*h*.
semiconductor diode, device, P (2) 43*h*.
semiconductor material for, P (7) 150*j*.
silicate oxyapatite, Ca-containing, P (5) 114*e*.
SiO_2, Nd-doped, in end-pumped fiber geometry (4) 92*j*.
slab system, P (8) 166*i*.
tunable dye, for resonance Raman scattering in CdS and ZnO (6) 140*e*.
using metallic Nd pentaphosphate, P (10) 210*j*.
window, diamond as (11) 229*c*.
YAG:Nd, integral reflecting cavity semiconductor pumped, P (11) 230*e*.
YAG:Nd,Li crystals (11) 230*b*.
YAlG:Lu,Nd, Nd ion site distribution and spectral line broadening in (2) 54*f*.

Laterite, nickeliferous, sulfation (10) 214*a*.

Latexes, polymer, for reinforcement of portland cement (7) 144*g*.

Leaching, acid, of ilmenite into synthetic rutile (6) 135*j*.
pressure, of Cu minerals in perchloric acid solutions (10) 214*g*.
soluble materials, from slurries, P (3) 73*f*.

Lead, dioxide, active, P (8) 173*i*.
dissolved, removal from LiCl solutions, P (3) 76*d*.
extractable, in glaze slips, tests for (10) 209*c*.
Ge oxide, single crystals, crystal growth and optical properties (2) 49*i*.
germanate, pyroelectric properties (4) 93*b*.
vacuum condensates, ferroelectric behavior (2) 40*j*.
Mg niobate, adding to PLZT to aid hot-pressing, P (4) 93*i*.
dispersion of electrooptic effect (6) 137*f*.
molybdate, electric field effect in paramagnetic resonance for Mn^{2+} in (8) 175*g*.
single crystals, Cu and Gd site occupancy in (3) 81*a*.
nitrate, elastic and thermoelastic properties (8) 175*d*.
oxide, complex, conditions of isomorphism in (9) 194*i*.
hydrated, synthesis and properties (1) 28*f*.
oxidation in air (1) 26*a*.
reaction with Rh oxide (7) 157*i*.
$Pb(Fe_{2/3}U_{1/3})O_3$, and solid solutions, physical properties (9) 197*f*.
$Pb_5Ge_3O_{11}$, prototype structure (2) 55*g*.
$Pb_3Ge_2O_7$, single crystals, ferroelectric, properties (9) 198*a*.
$Pb_3Ge_2O_{11}$, and $Pb_5Ge_2SiO_{11}$, ferroelectric and optical properties (6) 138*a*.
$Pb(Li_{1/4}Nb_{3/4})O_3$, new perovskite, synthesis (2) 56*d*.
$PbO.2Nb_2O_5$, ferroelectric single crystal, dispersion of refractive indices on (10) 216*b*.
$5PbO.3GeO_2$, ferroelectric, neutron diffraction studies (10) 217*j*.
$5PbO.3GeO_2$ crystal, acousto-optic property (3) 76*g*.
electrooptic properties (6) 138*g*.
ferroelectric, elastic and piezoelectric properties (2) 51*a*.
growth and physical properties (9) 196*g*.
$Pb_{1-x}Sn_xTe$, photoconductivity in (2) 54*j*.
Pb^{2+}, center in alkaline earth antimonate phosphors (11) 234*a*.
in glass, uv spectra (11) 225*i*.
Pb^{3+}, ions in $Y_3Ga_5O_{12}$, ESR analysis (9) 196*b*.
phosphate, crystal growth and X-ray data (2) 50*a*.
PLZT, ceramics, elimination of porosity by liquid-phase sintering (7) 149*c*.
ceramics, ferroelectric domain alignment in (4) 93*f*.
ceramics, holographic storage in (8) 169*h*.
ceramics, polymorphism and penferroelectricity in (3) 70*h*.
ceramics, quasi-ferroelectric, dielectric and optical properties (6) 130*e*.
powders, chemical preparation (7) 149*b*.

Lead PLZT *(continued)*
7/65/35 and Nb-modified PZT, birefringence, temp. dependence (10) 210*a*.
potassium niobate, single-crystal growth and piezoelectric properties (2) 55*f*.
pyrophosphate, crystal growth and properties (2) 49*j*.
PZT, ceramics, translucent, by isostatic hot-pressing (11) 229*e*.
65/35, dielectric breakdown (8) 169*b*.
Sr phosphate, crystals, heat-treated ferroelastic alpha, P (10) 206*h*.
substitution, in YIG (8) 177*a*.
sulfate, crystals, growth by flux evaporation (2) 52*c*.
sulfide, single-crystal film thickness, effect on change in conductivity type (2) 49*f*.
single crystals, etchants for (2) 55*d*.
telluride, photoelectric spectra, new structures in (3) 80*a*.
single crystals, homogeneity and dislocation structure (9) 195*j*.
thin films, photoconductivity in (2) 55*a*.
-tin sulfide, films, varying carrier concentration, P (7) 150*c*.
titanate, crystals, domain structure (4) 99*g*.
defect, dry synthesis and dielectric properties (7) 154*g*.
ferroelectric, Moessbauer effect for ^{57}Fe in (7) 156*b*.
lattice modes in (8) 177*a*.
structure, low-temp. (8) 177*d*.
wulfenite, structure, relation to morphology of crystals (2) 55*b*.
zirconate, spontaneous deformation (10) 219*e*.
and titanate, thin films, deposition on metallic substrates (3) 69*h*.
Lepidolite, Indian, in whiteware bodies (2) 39*b*.
$2M_2$, crystal structure (3) 77*g*.
Light, diffraction, from grooves on crystals, use in goniometry (10) 216*a*.
diffusion, in glass, λ^{-8} law (8) 165*d*.
refracting, -permeable oxide layer, P (5) 110*f*.
Lime, activity, in $CaO-Al_2O_3-CaF_2$ system (1) 27*j*.
-bitumen, suspensions (11) 222*h*.
blowing, in bricks, prevention (1) 9*b*.
burning, measurement and control engineering in (10) 202*f*.
deposits, of Nepal (4) 97*a*.
-fly ash-sulfite mixtures, P (5) 107*j*.
free, in clinkers and cements (5) 106*j*.
pulverized hydrate, for reducing air-pollutant fluoride emissions (2) 45*d*.
quick-, new requirements fulfilled by (10) 202*g*.
powdered, flow behavior (8) 162*b*.
reaction, with phosphate in waste water (3) 62*b*.
-sand products, MgO containing burnt limestones in (8) 162*i*.
$-SiO_2$ ratio, effect on physical properties of MgO-chrome ore mixes (4) 90*h*.
slaked, carbonation, for building material (3) 62*c*.
soft-burned, hydrate from (10) 203*a*.
Limestone, damage, prevention by addition of chlorides (2) 37*b*.
decarbonation temp., calculating principal quantities for lime shaft kiln as function of (3) 61*f*.
deposits, of Nepal (4) 97*a*.
Liquids, level, measurement with time domain reflectometry (1) 17*i*.
liquation, effect on properties of borate glasses (9) 184*f*.
supercooled, Moessbauer studies (10) 217*g*.
Lithium, Al chloride, purified, P (2) 48*b*.
Al hydride, P (4) 97*f*.
aluminate, paramagnetic Fe^{3+} in (7) 156*h*.
aluminosilicate, composition, P (1) 20*j*.
atoms, matrix reactions with N_2O, and ir spectra of LiO and Li_2O (3) 80*f*.
borohydride, P (10) 215*a*.
bromide, and chloride, elastic constants (8) 178*c*.
carbonate, and hydroxide, reactivity with Al_2O_3 (1) 21*c*.
reaction with eucryptite (9) 198*g*.
chloride, solutions, removal of dissolved Pb from, P (3) 76*d*.
crystal chemistry, in octahedrally coordinated structures (4) 98*e*.
fluoride, creep, high-temp. (2) 52*a*.
crystals, Raman-scattering studies (7) 157*g*.
dielectric constants (8) 178*c*.
dielectric constants (8) 178*e*.
effect on electrical conductivity of MgO (9) 195*a*.
elastic precursor decay in, effects of point defects (3) 78*a*.
elastic precursor decay in, effect of impurity clustering (3) 78*g*.
electron-diffraction intensity profiles and electronic energy bands for (8) 177*b*.
energy bands (8) 179*c*.
$:H^-$, semiempirical molecular-orbital treatment of U band in (7) 157*j*.
interaction between thermal phonons and dislocations in (7) 156*b*.
ir absorption in, one-phonon (8) 177*e*.
$:Mn^{2+}$, low-field X-band EPR transitions (8) 177*c*.
natural and ^7LiF, ir optical properties (8) 177*g*.
scattering of atomic O from (8) 179*b*.
self-consistent procedure for linear combination of atomic orbitals method (7) 157*i*.
single crystals, electrical structure of mirror cleavage planes (5) 120*a*.
single crystals, thermoluminescence (9) 195*a*.
steady-base deformation and dislocation structure (11) 236*a*.
thermal conductivity, and Ziman limit (8) 179*i*.
two-phonon ir absorption spectrum (8) 174*h*.
Lithium *(continued)*
iodate, and niobate, parametric and polariton scattering in (9) 196*d*.
ions, effect on pressure sintering MgO (8) 175*a*.
$LiAl_5O_8$, Cr^{3+} luminescence in (2) 53*j*.
optical properties of Fe^{3+} in (7) 156*h*.
$LiBaF_3$, single crystals, EPR and optical spectra of Eu^{2+} ions in (7) 155*h*.
$LiBO_2$, and $Li_6B_4O_9$ in $Li_2O-B_2O_3$ system (3) 76*f*.
Li_2CaSiO_4, and Li_2CaGeO_4, preparation and crystal structure (3) 81*e*.
$Li_{0.5}Fe_{2.5}O_4$, sublimation of O and Li from (1) 28*c*.
$LiH_3(SeO_3)_2$, and $LiD_3(SeO_3)_2$ crystals, pyroelectric effect in (9) 198*d*.
$LiLa(MoO_4)_2$, alpha-, crystal modification, hydrothermal synthesis (3) 79*h*.
Li_2NaPO_4, characterization (10) 215*j*.
Li_4XO_4 phases, (X = Si,Ge,Ti), crystal chemistry (6) 137*i*.
metaniobate, single crystals, domain structure (9) 195*i*.
thermal effects in (5) 123*f*.
metatantalate, congruent melting composition (2) 49*d*.
molybdate, thermal conductivity and thermal expansion (7) 159*d*.
niobate, acoustic radiation by interdigitated grids on (6) 136*e*.
acoustic convolution and correlation and nonlinearity parameters in (3) 76*f*.
acoustic surface wave attenuation in (2) 50*d*.
acoustic-surface-wave convolution in (4) 99*a*.
acousto-optic diffraction of optical waves in (6) 136*f*.
coupled-wave analysis of holographic storage in (2) 49*d*.
crystals, acoustic-surface-wave convolution on (4) 98*a*.
crystals, 35° domain walls in (6) 139*b*.
defect structures in (6) 140*i*.
expansion, crazing, and exfoliation, on ion bombardment (6) 138*a*.
high coupling cut, acoustic radiation from (10) 215*e*.
holograms, self-enhancement (8) 179*c*.
nonlinear acoustical parameters (4) 93*a*.
optical phonon modes in (8) 174*h*.
optically induced birefringence change in (2) 57*i*.
Rayleigh waves and piezoelectric leaky surface waves in (2) 55*e*.
single-mode resonance in, for filter design (6) 131*e*.
nitrate, and Fe_2O_3, Li ferrite from (1) 23*e*.
oxygen-vanadium bronzes (1) 25*g*.
tantalate, single crystals, stoichiometry and optical quality (3) 70*j*.
tetramolybdate, low-temp. form (10) 219*f*.
tungstate, interactions with $Al_2(WO_4)_2$ (1) 24*a*.
Zn vanadate, luminescence (4) 100*h*.
Lubricants, solid, high-temp. (11) 233*d*.
Luminescence, bands, in n-GaAs, heat treatment effect (11) 234*h*.
cathodo-, $5D_3 \rightarrow {}^7F_1$ transitions by, in thin films of TbF_3, $ZnS-TbF_3$, and ZnS:Tb^{3+} (11) 234*g*.
in GaAs, ZnS, and CdS (10) 215*i*.
images in SEM (1) 24*b*.
measurements on SiC light-emitting diode (2) 49*g*.
of ZnSe, atomic displacement effects (11) 234*a*.
of ZnS:Cu,Cl thin films, yellow emission in (11) 236*b*.
in CdSe, and CdS from impurities and radiation defects (4) 92*i*.
in Cd_2FPO_4 (1) 25*g*.
centers, in rutile, photoconductivity and photoluminescence (9) 197*e*.
in SiC, H- and D-implanted 6H (9) 195*d*.
characteristic, thermal quenching (10) 220*a*.
of Cr^{3+}, in $LiAl_5O_8$ (2) 53*j*.
in Cu_2O (8) 178*h*.
from diamond, visible (9) 181*g*.
electro-, diffused junction GaP device, P (1) 13*j*.
elements, dispersion-type, P (4) 93*c*.
green, in GaP diodes (6) 131*b*.
light sources, P (3) 71*d*.
panel, P (5) 114*h*.
and photo-, of thin films of ZnS (3) 69*c*.
solids, in display applications (3) 69*f*.
in ZnS:Mn,Cu (3) 69*a*.
in $EuAlO_3$ (9) 195*a*.
of F^+, and F centers in CaO, temp. dependence (8) 179*g*.
in GaAs, self-excited (9) 198*c*.
galvano-, of GaAs (3) 69*e*.
of GaN (3) 80*b*.
of GaP (10) 217*c*.
from $In_{0.5}Ga_{0.5}P$ (10) 217*d*.
injection, in CdS single-crystal optical cavities (4) 99*g*.
ir, line, of alpha-SiC crystals (5) 121*c*.
of Li Zn vanadate (4) 100*h*.
measurements, accuracy in, B (6) 142*a*.
Mn^{2+}, in $SrGa_{12}O_{19}$, $LaMgGa_{11}O_{19}$, and $BaGa_{12}O_{19}$ (3) 80*a*.
of phosphors, with $Ca_3SiO_4Cl_2$ as host lattice (2) 53*j*.
photo-, of $Al_xGa_{1-x}As$ (3) 80*j*.
of color filter glasses (11) 224*i*.
of GaSe, impurity effects (10) 217*b*.
from MgO, ion-implanted (8) 178*i*.
of radiation defects in SiC (7) 157*a*.
of SiC single crystals (4) 101*a*.
processes, in rare-earth phosphors (2) 53*a*.
properties, of lanthanide ions in alkaline-earth oxide films (10) 217*d*.
rare-earth, of mixed metal oxides (9) 195*b*.
of rare earths (9) 196*h*.
Luminescence *(continued)*
of $SrB_2Si_2O_8$ (1) 16*a*.
thermo-, of calcite single crystal (11) 234*b*.
of C_2S (2) 32*f*.
dating (11) 221*i*.
dating of Renaissance terra-cottas (11) 221*j*.
of LiF single crystals (9) 195*a*.
in natural quartz (6) 142*e*.
-producing minerals, spatial distribution in archeological materials (11) 221*j*.
for prospecting raw materials in silicate industry (1) 18*c*.
sensitivity of fired quartz (1) 27*j*.
in SiO_2, rf-sputtered (3) 70*c*.
studies on C_3A hydration (9) 183*a*.
of Y_2O_3 films, during anodization of Y (4) 100*i*.
of ZnSe (6) 131*e*.
Luminescent materials, electro-, for flat panel TV display (6) 130*d*.
P (4) 94*b*.
and photoconductive, P (10) 206*g*.
rare-earth oxyfluoride, ir-excitable, P (2) 41*e*.
Y_2O_2S:Eu, increasing brightness, P (7) 150*d*.
Lutetium, fluoride, ionic conductivity (1) 24*h*.
$LuAlO_3$, crystals, radiation (4) 102*e*.
phosphate, and arsenate, crystal structure (3) 77*b*.

Machinery and equipment, boom manipulator, for porcelain dipping in washer and dryer mfg. (1) 3*c*.
construction, wear-resistant dense ceramic materials in (1) 12*i*.
energy conservation with (10) 212*b*.
loaders, drag line, P (4) 97*d*.
for rinsing, small particulate material, P (4) 95*i*.
for solar distillation, P (8) 172*f*.
stacking, tiles and square articles, P (2) 39*h*.
Magnesium, in Al, 6061, surface concentration by auger electron microscopy (1) 3*g*.
aluminate, crystals, Raman characterization studies (8) 178*g*.
Fe^{2+} spectra in, comments (9) 198*e*.
$MgSiO_3$, Mg_2SiO_4, enthalpies of formation (3) 78*d*.
single crystal, self-diffusion of O ion in, correction (3) 81*j*.
spinel single crystals, growth (5) 120*f*.
translucent sintered (8) 180*e*.
ultrapure compounds corresponding to, P (5) 112*g*.
Ca-, exchange in montmorillonite and vermiculite (5) 119*f*.
chloride, enthalpy of fusion (3) 78*f*.
from $MgCl_2$ hydrates, P (1) 20*f*.
mixture with $CaCl_2$ and AlCl, viscosity (5) 123*g*.
-chlorite-muscovite, and quartz, stability relations (6) 141*f*.
effect, on conductivity of beta-Al_2O_3 (1) 21*e*.
equilibrium partial pressures, in magnesite refractories (1) 23*h*.
fluoride, thin films, effects of solar radiation on transmission (7) 145*b*.
hydroxide, from brine, P (6) 136*g*.
dehydration, activation energy evaluation (8) 174*c*.
ir and Raman spectra (1) 26*g*.
strength of disperse porous structure, effect of dehydration (11) 234*g*.
ions, in silicate glasses (9) 184*a*.
massive, nitrogenation (7) 151*g*.
$MgCr_2O_4$, sintering, effect of O activity (2) 52*h*.
structural distortions in (1) 28*g*.
Mg_6MnO_8, magnetic and optical investigation (2) 53*b*.
Mg_3N_2, and its compounds (3) 81*e*.
montmorillonite, DTA and ir spectra (2) 46*c*.
orthotitanate, formation from nitrates (1) 25*i*.
oxide, active, P (8) 167*j*.
bicrystals (11) 234*f*.
in brick raw materials (1) 17*e*.
and CaO-MgO mixture, kinetics of hydration (3) 75*a*.
charge-transfer band in, magneto-optical study (9) 197*a*.
cleaving inside electron microscope (2) 46*h*.
clinker, X-ray fluorescence analysis, and chemical analysis of B_2O_3 in (4) 90*j*.
clinkers, quality (1) 10*a*.
coloration induced in, by MeV $^{20}Ne^+$ bombardment (8) 174*d*.
compacts, densification during hot-pressing (7) 154*b*.
containing burnt limestones in lime-sand products (8) 162*i*.
$:Cr^{3+}$, optical absorption in (8) 178*b*.
$:Cr^{3+}$, phonon sideband of R line in (8) 174*a*.
$:Cr^{3+}$, tetragonal-field splittings of levels in (8) 179*g*.
crystal dynamics (8) 174*g*.
crystal, spin-lattice relaxation of paramagnetic ions in (8) 175*g*.
crystals, bent, dekinking (10) 215*h*.
crystals, flux growth, doped with isotope ^{17}O (2) 51*j*.
crystals, growth from vapor (2) 40*c*.
crystals, Jahn-Teller effects for V^{3+} ion in (7) 154*i*.
crystals, microstructure and fracture properties (7) 156*j*.
crystals, Raman relaxation of Ni^{2+}, Cr^{3+}, and V^{2+} in (8) 177*i*.
crystals, residual stresses in (1) 27*h*.
Cr^{2+} in Jahn-Teller effect for (10) 216*d*.
deformation, high-temp. (8) 180*c*.
dielectric constants (8) 178*c*.
electrical conductivity and sintering (6) 138*d*.
extraction from dolomite (3) 75*i*.
$F^+ \rightarrow F$ center conversions on (8) 176*a*.
F centers in, fast-neutron dosimetry using (2) 51*j*.
$:Fe^{2+}$, phonon conductivity (8) 178*f*.
fired, additive distribution and internal stress in (8) 167*a*.

Magnesium oxide *(continued)*
and fluoride, optical properties (2) 54*c*.
fused, P (5) 112*e*.
grain growth in (2) 52*c*; grain growth in, control by fine dispersion of C (10) 215*c*.
hot-pressed polycrystalline, ultrasonic measurements (9) 196*c*.
ion-implanted, photoluminescence from (8) 178*i*.
with LiF additive, kinetics of compaction (9) 196*d*.
with LiF or NaF, grain-boundary chemistry by AES (9) 194*b*.
mechanical activation for sintering, effect of grinding aids (7) 147*e*.
-$MgAl_2O_4$, eutectic solidification (1) 23*h*; in $MgAl_2O_4$, reaction with Mo crucibles (9) 198*h*.
Mg-25 hyperfine confirmation of V_k center in (9) 196*h*.
morphology and surfaces, electron microscopy (2) 51*i*.
$[Na]^0$ centers in (7) 157*f*.
:Ni, d-d transitions in (7) 156*h*.
:Ni^{2+}, Brillouin scattering from microwave-phonon bottleneck in (8) 174*a*.
O diffusion along grain boundaries in (4) 101*c*.
optical absorption and soft-X-ray data in (9) 197*j*.
particles, growth in Ni matrix (10) 217*e*.
pipe diffusion in (1) 26*g*.
polycrystalline, electrical conductivity (1) 22*d*.
polycrystalline, electrical conductivity, LiF effect (9) 195*a*.
polycrystalline, containing metallic particles and fibers, strength and fracture toughness (6) 129*j*.
powders, sinterability (7) 155*j*.
pressure sintering, effect of Li and F ions (8) 175*a*.
radiation damage in (1) 27*i*.
reaction with acetic acid (7) 157*h*.
self-climb of dislocation loops in (2) 55*d*.
single crystal, Sr^{2+} diffusion in (3) 77*j*; single pass preexcited grain, P (10) 209*f*.
single crystals, dynamic strain aging in (4) 99*h*.
single crystals, electrical structure of mirror cleavage planes (5) 120*a*.
single-crystal, cation self-diffusion in (8) 174*a*.
single crystals, vaporization and morphological changes (9) 197*c*.
single crystals, thermal conductivity (6) 137*h*.
sinterability, effect of textural properties (6) 138*a*.
sintered, pore-size distribution (7) 152*f*.
sintering at low temp. (10) 208*d*.
smoke crystals, growth and relative orientation (10) 216*g*.
subgrain boundaries in (1) 28*c*.
surface defects (1) 23*d*.
thermostimulated conductivity and trapping centers in (3) 81*j*.
three-body-force shell model and lattice dynamics (9) 199*b*.
vacancy-impurity association in, EPR (1) 23*f*.
vaporization from spinel single crystals (7) 159*h*.
V-center, EPR and magnetic circular dichroism double resonance (2) 51*j*.
V^{3+} in, effect of strains on paramagnetic resonance spectrum for (8) 177*f*.
wettability by melts of MgO-Al_2O_3-SiO_2 system (8) 167*i*.
wettability, by melts of system MgO-Al_2O_3-SiO_2 (11) 236*b*.
whiskers, morphology and internal structure (10) 217*h*.
ZrO_2 stabilization by (11) 235*j*.
oxychloride, fireproofing, P (4) 85*h*.
refractory, quality, effect of raw materials quality (3) 66*c*.
salts, solutions, cement corrosion resistance in (10) 202*f*.
smectite, synthesis, electron microscopy (6) 138*g*.
tungstate, crystals, absorption spectra (1) 21*b*.

Magnetic materials, alloy, Co-P particles, P (1) 14*g*.
birefringent, optical contrast of inclined boundaries in (3) 80*d*.
magnetizable objects, nondestructively testing, P (2) 47*a*.
powders, handling arrangement, P (4) 93*j*.
in sample, apparatus for determining amount, P (9) 193*d*.
sound waves in, magnetostrictive excitation (2) 53*f*.

Magnetic properties, anisotropy, in natural hematite, Moessbauer study (4) 100*c*.
of antiferromagnet, amorphous (7) 145*e*.
of $BaFe_{12}O_{19}$ (9) 190*h*.
behavior, of $CoFe_2O_4$-Co_3O_4 alloys (4) 100*j*.
of Cr telluride, vapor grown crystals (2) 53*c*.
of $Cr_3Se_{4-x}Te_x$, (x = 0.5-3.5) (4) 100*a*.
of Cu iodates (5) 123*a*.
domain, cylindrical, In Bi-Ca-V Fe garnet single crystals (2) 50*e*.
layer structures in thin orthoferrite plates (1) 25*d*.
of $DyAlO_3$, metamagnetic (7) 156*h*.
of Fe garnet films (9) 190*b*.
of Fe particles, chemically deposited (9) 190*h*.
field, effect in thin semiconducting films (1) 13*b*.
transverse, in coplanar epitaxial devices, dependence on Guan threshold (11) 229*b*.
of glass, of system Na_2O-Fe_2O_3-TiO_2-SiO_2 (1) 5*f*.
of Li ferrite (6) 137*i*.
of microwave garnets (11) 229*h*.
of $MnCrO_3$ (1) 24*a*.
of $NiFe_{2-x}Al_xO_4$, thermal treatment effect (1) 24*i*.
of NiO (8) 174*e*. relation to spin-wave dispersion (8) 177*g*.
of $Ni(OH)_2[Zn(OH)_2]$-$Fe(OH)_3$ system (9) 196*i*.
of Ni-Zn ferrites, temp. dependence (7) 158*h*.
ordering, of $CuFe_2O_4$ (5) 121*f*.
of ruby, effect of gamma-irradiation (9) 195*j*.
of spinel, in $M_{1-x}Ni_xCr_2S_4$ system (M = Mn,Fe,Co) (10) 218*j*.
structure, of $DyVO_4$, antiferromagnetic (1) 25*f*.

Magnetic properties structure *(continued)*
of FeAs (3) 80*c*.
of hematite (3) 80*b*.
of $LaVO_3$ (2) 53*d*.
of Li ferrites-chromites (6) 139*g*.
of Mn_2Hg_5 (11) 235*a*.
and susceptibility, of Tb oxysulfide and oxyselenide (1) 25*g*.
susceptibility, of Ba_2NiF_6 (6) 139*i*.
of Co^{4+} (d^5) in octahedral and tetrahedral environments (3) 80*d*.
of melts in Sr-$SrCl_2$ system (3) 81*b*.
of MoO_2 and WO_2 (10) 215*e*.
para-, of ferrite FeV_2O_4 (1) 26*b*.
of phases with $Mo_{17}O_{47}$ and Mo_2O_{11} types of structure (3) 80*d*.
of YIG (9) 197*h*.
thermo-, of WC-Co composites (6) 140*c*.
of TiO (7) 155*g*.
transitions, in insulator Ni squarate dihydrate (6) 139*i*.
of U chalcogenides (3) 72*i*.
of vanadium garnets, single crystals (10) 210*c*.
of VP, and VAs (5) 122*f*.
of $Y_3H_{5-x}Si_xO_{12}$ (7) 157*a*.

Magnetism, amorphous, B (1) 30*e*.
anisotropy, of Eu Fe garnet (11) 236*h*.
rotational, in single-crystal films of Ni-Zn-Co ferrite (7) 157*e*.
assembly, nonmagnetized ceramic, P (9) 191*e*.
bubble, elliptical, dynamics (9) 195*i*.
garnet films for (6) 130*b*.
bubble domain, detection with wave-guide fiber optics (9) 196*h*.
specimen evaluation (1) 12*j*.
bubble domain arrays, dynamics (3) 78*e*.
circular dichroism, of impurities in solids (7) 156*h*.
domain, in $FeBO_3$, interference fringes due to (10) 217*f*.
structure, of $AgNO_2$ (1) 27*i*.
walls in Y orthoferrite, mobility (2) 54*j*.
fields, alignment of C and other man-made fibers by (4) 92*f*.
galvano-, effects of p-type Ge in strong electric fields (8) 169*g*.
head, composed of ferrite, P (9) 191*i*.
with glass-ceramic-bonded parts, P (3) 71*d*.
molding with glass slider body, P (9) 186*j*.
multichannel, P (10) 211*e*.
with protective pockets of glass, P (10) 211*a*.
single-crystal ferrite, P (9) 192*b*.
impurity, monitoring ceramic samples for, P (5) 118*a*.
interactions, in MgO-NiO and MgO-MnO solid solutions (6) 138*h*.
magnetochemical study, of glasses containing Mn^{2+} ions (7) 145*f*.
magnetometer, vibrating, for magnetic parameters of ferro- and ferrimagnetic materials (1) 18*h*.
magnetoresistance, high-field, of semiconducting diamond; high-field, of IrO_2 (8) 177*a*.
magnetoresistance effect, geometrical transverse, in n-type GaAs (2) 53*h*.
magnetostriction, of Kovar (4) 100*g*.
of Ni single crystal (1) 23*b*.
of YIG (5) 119*b*.
magnetostrictive excitation, of sound in magnetic materials (2) 53*f*.
method, for studying kinetics of cation transfer in $NiFe_{2-x}Al_xO_4$ lattice (2) 53*b*.
moments, of mixed ferrites (2) 49*b*.
nuclear, of Moessbauer isotopes ^{57}Fe and ^{119}Sn (4) 101*c*.
order, in CoO (7) 158*c*.
effect on optical absorption and photoconductivity in EuO thin films (3) 70*c*.
long-range, in CoO (8) 177*b*.
para-, centers in alkali phosphate glass (1) 5*f*.
of Nd, Sm, and Eu orthotantalates (1) 26*b*.
permanent, rotor device, P (3) 72*a*.
photosensitive device, P (10) 211*b*.
platelets, uniaxial, domain nucleation in (4) 99*g*.
recorder head, P (2) 42*a*.
recording, containing ferromagnetic CrO_2, P (10) 210*f*.
member, comprising CrO_2 particles, P (8) 170*f*.
recording member, P (2) 42*a*; P (7) 150*i*.
recording tape, dual-layer, P (2) 41*g*.
structure, of $Ba_{0.4}Sr_{1.6}Zn_2Fe_{12}O_{22}$ ferrite (9) 196*i*.
of $ErFeO_3$ (9) 196*j*.
of magnetoelectric $Ni_3B_7O_{13}I$ (10) 217*e*.
study, of Mg_xMnO_3 (2) 53*b*.
of point defects in CdF_2 (8) 177*j*.
of $Sr_3Fe_{1+x}Re_{1-x}O_8$ (10) 217*d*.
survey, of 3d iodates (2) 57*d*.
symmetry, of rare-earth orthochromites and orthoferrites (9) 196*j*.
of Tc, Tc chloro complexes (11) 235*a*.
thermo-, study of thermal degradation of aluminosilicates (6) 142*e*.
thin films, high speed switching in (9) 190*c*.

Magnetite, multiple ordering in (10) 217*j*.

Magnetization, of bubble garnets, control by annealing (3) 69*g*.
domain, oscillations in magnetoplumbite crystals (2) 52*h*.
dynamics, controlled by magnetocrystalline anisotropy (2) 53*e*.
of lutetium Fe garnet (2) 53*e*.
in NiO, antiferromagnetic (3) 76*h*.
parameters, of YIG (1) 29*h*.

Magnetochemical properties, study, of vitreous characteristics of glazes (7) 148*e*.

Magnetoelastic effect, interactions, in MnO (8) 180*g*.
in YIG (3) 80*e*.

Magnetoelasticity, coupling, of Co^{2+} in Y ferrite-garnet structure (7) 156*i*.

Magnetoelectric effect, in $DyAlO_3$ (7) 156*i*.
para-, in rare-earth garnets (8) 178*d*.

Magneto-optical properties, data, Dean and Hartman's 6H SiC, interpretation (8) 177*i*.
diffraction, in orthoferrites (1) 25*e*.
of dominant bound excitons, in 6H SiC (7) 156*j*.
study, of charge-transfer band in MgO (9) 197*a*.

Magnetoplumbites, crystals, domain magnetization oscillations in (2) 52*h*.

Magnets, ceramic, containing Sr or Ba ferrite, P (9) 191*a*.
ferro-, magnetic resonance in (11) 235*a*.
permanent, flexible ferrite, P (2) 41*a*.
high-density high-energy anisotropically, P (11) 230*c*.
M ferrites as (1) 13*h*.
outgassing, P (1) 14*j*.
from sintered Co-Nd-Sm intermetallic product, P (11) 231*h*.
stabilized, P (1) 15*c*.
switching, insulating tubes, electrically conductive coatings to, P (11) 230*g*.

Majolica, for stoneware (9) 181*e*.

Manganese, acceptors, thermal activation energy in GaAs (10) 219*i*.
chloride, Gibbs energies and entropies of mixing alkali chlorides in liquid mixtures with (2) 51*b*.
lattice vibrations (9) 196*f*.
compounds, chemical bonding in, X-ray spectroscopy (7) 159*a*.
dioxide, artificial, P (3) 76*c*.
high-purity free-flowing crystalline, recovery, P (4) 97*i*.
from Mn ores (10) 214*i*.
effect, on silicate glass coloration (2) 33*d*.
Ga germanide, ferromagnetic material (8) 169*j*.
ions, valencies in cubic ferrites (2) 57*f*.
$MnCrO_3$, synthesis and magnetic properties (1) 24*a*.
Mn_xGe_5, thin films, ferromagnetic resonance in (6) 130*j*.
$Mn_{1-x}Mg_xTe_2$, structural and electrical properties (4) 102*f*.
MnO_{1+x}, initial sintering (6) 139*a*.
Mn(II), ions, detection indicator, P (3) 74*b*.
Mn^{2+}, in As-S-I and As-Te-I glasses, EPR (3) 63*h*.
EPR line widths, in $CaWO_4$ (1) 21*b*.
luminescence in $SrGa_{12}O_{19}$, $LaMgGa_{11}O_{19}$, and $BaGa_{12}O_{19}$ (3) 80*a*.
Mn^{2+}, forbidden hyperfine transitions in calcite, EPR (8) 176*h*.
optical properties in ZnS single crystals (9) 197*a*.
in $PbMoO_4$, electric field effect in paramagnetic resonance for (8) 175*g*.
Mn_2Hg_5, magnetic structure (11) 235*a*.
monotelluride, thermophysical properties (2) 57*b*.
nodules, Atlantic Ocean, kinetics of sulfation (10) 217*j*.
on deep seabed (5) 119*a*.
oxide, elastic constants and acoustic absorption coeff. (6) 138*b*.
films, low temp. coeff. of resistance in (4) 92*h*.
optical phonons in (1) 25*j*.
P (2) 48*d*.
pure nonstoichiometric, electrical conductivity (11) 234*a*.
reflectance spectra (8) 175*d*.
stress experiments and magnetoelastic interactions in (8) 180*g*.
sesquioxide, and $(Mn_{1-x}M_x)_2O_3$, single crystals, growth (2) 52*f*.
silicide, semiconducting properties (7) 157*j*.
tungstate (11) 236*j*.
values, recovering from low-grade oxidized Mn-containing ores, P (4) 97*i*.

Marcasite, structure, ^{121}Sb Moessbauer studies on compounds with (3) 81*i*.

Masks and masking, aligning, with respect to semiconductor substrate, P (9) 190*b*.
alignment methods, P (1) 14*j*.
CRT, removing coating from, P (11) 226*e*.
layers, on semiconductor crystals, P (6) 132*i*.
method, to make planar avalanche transistor, P (2) 44*c*.
microcircuit, transparent Fe oxide, P (11) 231*j*.
photo-, Si, P (10) 211*c*.
photoresist, durable seethrough, P (10) 210*d*.
of rare earth orthoferrites, P (10) 210*e*.
semiconductor, P (2) 43*i*.
shadow, P (6) 128*h*.

Materials, bulk, statistics in sampling (2) 47*e*.
ceramic, chemical analytical data on (3) 73*h*.
decreasing porosity, by impregnation with salt solutions (8) 175*a*.
high-temp. deformation (4) 104*i*.
mechanical properties, effect of expansion mismatch (10) 216*e*.
nature, state, and selection (3) 82*d*.
P (2) 58*h*.
production, effect of solid-state reactions at high temp. (5) 116*h*.
study (7) 158*e*.
wear-resistant dense, in machinery construction (1) 12*i*.
wetting by feldspar (5) 123*h*.
for ceramics, needs and resources (11) 233*i*.
conducting, and nonconducting, dynamic Young's modulus

Materials conducting *(continued)*
(2) 46*g*.
COSMAT report (8) 180*c*.
effect on, man and environment, B (7) 160*b*.
hot, cooling in bulk, P (2) 45*f*.
Japanese colloidal earth, chemical removal of Fe_2O_3 in (3) 75*h*.
metallic, and nonmetallic, high-temp. strength and workability, B (4) 104*h*.
nonmetallic, chemical-resistant, ASTM standards, B (7) 159*i*.
ultrasonic diamond drilling (1) 1*h*.
ores, and concentrates, P (8) 173*f*.
poromeric, P (4) 97*j*.
raw, ceramic, electron microscopy (10) 219*j*.
chemical additives for (6) 133*h*.
homogenization (2) 45*d*.
optimization by nomogram (2) 45*c*.
principal, in ceramic industry (1) 20*b*.
raw meal, quality control (2) 45*h*.
titration, semiautomatic (2) 47*e*.
science, annual review, B (7) 159*f*.
annual review, B (11) 236*c*.
arc plasma technology in, B (2) 58*j*.
and man's needs, B (7) 160*i*.
and technology, treatise, B (2) 60*b*.
scientists, deformation geometry for, B (5) 124*f*.
stony, grinding and purification, P (2) 48*j*.
surface, heavy elements in (1) 24*a*.
Materials handling, automated, control systems for (10) 212*a*.
elevator, vertical bucket, for hot material (4) 95*h*.
loading, sacks onto pallets, P (1) 16*g*.
Mechanical properties, of AlN whiskers (1) 25*h*.
of alumina (6) 131*c*.
of ceramic materials, effect of expansion mismatch (10) 216*e*.
of ceramics, DCB techniques (1) 17*i*.
of concrete, effect of hydration (9) 182*f*.
of dielectric materials, B (4) 104*g*.
electro-, of O-octahedra ferroelectric crystals (2) 51*f*.
of glass, effect of melting time and atm (5) 108*h*.
of glass-ceramics (4) 87*d*. $3BaO.5SiO_2$ (2) 34*i*.
of refractories, at working temp. (5) 111*i*.
of vermiculite (11) 235*a*.
of ZrC (4) 90*h*.
Melting, arc, apparatus for quenching molten metals and ceramics (1) 18*h*.
glass batch (1) 5*i*.
glass-ceramics (6) 127*e*.
point, of Fe_3C (2) 54*b*.
time, and atm, effect on mechanical properties of glass (5) 108*h*.
Melts, $AgCl_3$-NaCl, solvent equilibria (2) 55*i*.
basaltic, secondary crystallization (7) 157*h*.
of $CaO-Al_2O_3-SiO_2$, surface concentrations in (1) 17*c*.
granulating, apparatus for, P (1) 16*f*.
$Na_2O-CaO-SiO_2$, solubility of SO_3 in (2) 34*j*.
SiO_2-K_2O, interdiffusion coeff. (2) 34*d*.
Memory, effect, in chalcogenide thin films (4) 93*e*.
in HfS_2 single-crystal devices (2) 51*d*.
ferroelectric, and activating, P (10) 210*f*.
MOS, high speed (3) 69*i*.
Schottky barrier diode read-only, P (4) 94*c*.
semiconductor, P (3) 72*a*.
Memory devices, $Bi_4Ti_3O_{12}$, birefringence read, P (9) 190*d*.
CIS, P (5) 114*f*.
FAMOS, P (3) 71*i*.
FET, P (9) 190*j*.
field-effect semiconductor, P (11) 230*a*.
magnetic, recording and storage, P (7) 150*f*.
MNOS, P (6) 132*i*.
MOS, testing, P (10) 211*j*.
optical, P (8) 170*d*.
programable fixed data, using Schottky diodes, P (5) 115*g*.
programable read-only, polycrystalline Si fusible links for, P (6) 132*g*.
semiconductor, nonvolatile, P (7) 150*e*.
storing and electric readout (7) 149*j*.
storing and transferring, P (7) 149*h*.
and thin-film switching, P (10) 211*g*.
Mercury, sulfide, alpha-, elastic and piezoelectric properties (3) 78*b*.
selenide, and telluride, solubility in Hg (2) 55*i*.
Metals, dicarbides, cubic-tetragonal transformation in (1) 15*j*.
etching, with ultrasonic vibration, P (2) 43*a*.
glassy (4) 86*e*.
hard, TiC-based, wear-resistant objects from, P (1) 11*e*.
liquid, contact reaction of refractory compounds with (8) 174*e*.
liquid transition, reaction with carbides of subgroup Va and VIa metals (9) 194*j*.
-metal oxide, multicomponent single crystals, P (7) 152*h*.
in minerals yearbook, 1971, B (9) 200*g*.
noble, with high-emittance coating of Fe titanate, P (1) 3*h*.
nonferrous, casting in graphite-glassy substance mold, P (7) 148*h*.
powdered, forming articles from, P (6) 134*c*.
rare earth, high cost (6) 135*d*.
sheet, formability analysis (10) 203*e*.
forming, water lubrication process for (10) 203*g*.
structure, and properties, B (11) 236*h*.
transition, fcc, and alloys, superconductivity (5) 122*i*.
perovskite crystals, d-band surface states on (8) 174*j*.
Mica, from clay, separation by froth flotation, P (9) 194*j*.
delamination, by molten salts, P (3) 75*j*.

Mica *(continued)*
dioctahedral $2M_2$, crystal structure, high voltage electron diffraction (8) 174*h*.
disintegration, in gas, P (2) 48*i*.
flotation, P (11) 233*g*.
fluorphlogopite, kaolinite formation from (8) 176*d*.
-group minerals, expanding, with H_2O_2 plus acid, P (10) 214*g*.
hydration, and K exchange, effect of layer charge location (10) 216*f*.
muscovite, and phlogopite, orthorhombic Fe centers in (1) 26*a*.
phlogopites, altered, structure of hydrated phase (3) 81*d*.
processing, P (2) 48*e*.
sericite, sintering effect on pink kaolin (3) 68*e*.
wet ground, deposition of coatings on, P (1) 20*h*.
Microscopes, electron, cleaving of MgO inside (2) 46*h*.
P (5) 117*h*; P (11) 233*b*.
Leitz hot-stage, to determine viscosity and temp. in bulgarites (11) 235*f*.
polarizing, for transmitted light (5) 117*c*.
scanning electron, cathodoluminescent images in (1) 24*b*.
for observation of doping profiles in Gunn diodes (6) 131*h*.
P (6) 134*j*.
and tool, for connecting semiconductor device to substrate, P (2) 43*c*.
X-ray TV measuring, P (4) 96*g*.
Microscopy, of defects, in ZnO single crystals (9) 197*c*.
electron, auger, surface concentration of Mg in 6061 Al by (1) 3*g*.
of beta-$ZrO_2.12Nb_2O_5$ (2) 56*g*.
of CaO hydration (4) 85*d*.
of $CdGeP_2$ crystallization (1) 6*g*.
of $CdIn_2Te_4$ thin films (8) 176*a*.
of ceramic raw materials (10) 219*j*.
of composition fluctuations in glass (10) 204*f*.
of crystallographic shear structures derived from CrO_2 (10) 215*e*.
to evaluate porcelain structure (11) 232*h*.
glass for (11) 225*b*.
in glass research (11) 223*i*.
high resolution, of silicates (6) 138*j*.
high resolution, of tourmaline crystals (10) 217*a*.
high-voltage, of corundum single crystals (10) 217*a*.
high-voltage, image resolution in (3) 74*b*.
of Indian clays (10) 216*j*.
of Mg smectite synthesis (6) 138*g*.
of MgO morphology and surfaces (2) 51*i*.
microanalysis of Au-SiO_2 rf coputtered films (10) 210*e*.
of mullite formation from natural Al silicates (6) 138*d*.
of neutron irradiation behavior of U_3Si (8) 171*d*.
of nucleation and growth of electroless Co and Ni (1) 12*i*.
replicas of highly porous inorganic materials (11) 232*a*.
sample preparation for petrographic study by (6) 134*d*.
of Ti sulfides (2) 51*h*.
of $TiO_2.7Nb_2O_5$ (2) 52*j*.
transmission, of crystal defects (1) 18*j*.
transmission, height measurement by shadow-casting (1) 17*f*.
of UO_2 films (7) 151*f*.
of grains, randomly distributing for (2) 46*j*.
for inspecting, opposite sides of objects, P (7) 153*d*.
quantum interference, in superconductivity theory (2) 54*d*.
scanning electron, of cement clinkers, industrial (7) 144*h*.
characterization of GaP re-emitting diodes (3) 70*i*.
of crystal structure of portland cement and cement-sand mixtures (1) 2*b*.
of fired illite (7) 157*f*.
of grains of vacuum evaporated thin film (9) 190*g*.
of gypsums (2) 46*e*.
of hydration of $CaSO_4$ hemihydrate (3) 62*g*.
measurement of interfacial energy and energy of adhesion (6) 139*j*.
preparation of specimens for, by indirect Au deposition (8) 172*e*.
of surface defects on Al_2O_3 ceramic substrates (10) 210*i*.
in study of porcelain structure (7) 153*a*.
theory, for central peak in $SrTiO_3$ (3) 80*g*.
transmission electron, of antiphase boundaries in ZnO whiskers (9) 199*b*.
of B_4C (8) 171*g*.
of C_2S thin films (4) 85*e*.
of granular Ni/SiO_2 cermet films (3) 70*c*.
quantitative, of bubbles in Al and Al-Al_2O_3 alloys (5) 122*b*.
ultrathin slides of cement for (7) 152*h*.
Milling, ball, effect on solid state reaction between $BaCO_3$ and SiO_2 (8) 175*c*.
diamond, of refractory products, P (8) 172*d*.
effect, on intrinsic coercivity of Ba ferrite powders (3) 69*c*.
for mfg. dry material, P (5) 116*g*.
mineral raw materials (5) 116*j*.
process, efficiency (6) 133*j*.
Mills, agitator, P (10) 214*c*.
ball, for cement, stresses in heads (10) 212*i*.
continuously operating agitator, P (2) 48*i*.
grinding circuit, control system for, P (4) 95*j*.
high density charge (9) 183*b*.
load content selection for (3) 61*e*.
optimization of length-to-diameter ratio (7) 152*e*.
rotary, effect of parameters on clinker grinding (11) 222*b*.
with superellipsoidal balls, P (4) 95*i*.
or tube, P (1) 17*c*.
cement, classification processes in (1) 2*h*.
cooling by spraying water into (10) 202*f*.

Mills *(continued)*
cement grinding, dust removal by electrostatic precipitators (2) 32*b*.
controlling feed to, P (3) 73*b*.
disk, P (2) 48*i*.
grinding, compartmented, division head curtain for, P (1) 16*h*.
large diameter, grinding promoting agents in (3) 62*a*.
P (5) 116*e*.
and rock crusher, P (2) 48*h*.
hammer, P (1) 16*i*.
large, for cements and minerals (10) 212*c*.
Pilger rolling, feed device for, P (5) 116*d*.
pug, extrusion, for stoneware pipes (11) 231*j*.
roller, of edge runner type, P (5) 119*i*.
rotary cement, sizing process in (4) 85*b*.
tube, controlling amount of material in, P (8) 172*f*.
wear in (2) 45*e*.
vibrating, P (5) 116*h*.
vibratory, material handling system for, P (9) 193*h*.
vibrogyratory, P (10) 212*j*.
Mineralizers, effect, on hard porcelain (4) 91*g*.
on hard porcelain (7) 148*c*.
Mineralogy, of apatite, B (1) 30*j*.
of clays, Assam and Meghalaya (10) 217*f*.
of rare earths, and scandium, bibliography to 1971, B (2) 58*e*.
of refractories, high-Al_2O_3, from hot-metal mixer furnaces (1) 9*a*.
Minerals, alunitic, properties (6) 140*d*.
buried zones, prospecting for, P (4) 97*f*.
in coal, Illinois (6) 135*j*.
crystalooptic study, by universal theodolite immersion method (5) 116*j*.
disintegration, products from and apparatus for, P (2) 48*i*.
effluents, treatment, P (1) 17*c*.
exploration, B (6) 142*h*.
flotation, P (11) 233*g*.
large-size particles, flotation, P (7) 153*g*.
lumpy, photometrically sorting, P (2) 48*a*.
magmatic deposition, fundamentals, B (4) 104*d*.
microscopic grains, ir reflection spectroscopy (10) 213*f*.
optical axes, angles, precision of computation (10) 218*c*.
plants, design considerations for (10) 212*a*.
recovery, from underwater ore bed, apparatus for, P (1) 20*f*.
resources, of Alabama (6) 135*f*.
in U. S., B (2) 60*e*.
sedimentary carbonate, B (2) 59*i*.
separation, centrifugal density, P (2) 45*h*.
single particles, crushing (6) 133*i*.
specific gravity measurement, corrections due to impurities in (5) 120*j*.
synthetic, mfg., with self-fluxing mineralizers (10) 208*i*.
tarbuttite, ESR of Cu^{2+} in (2) 51*a*.
treatment, P (7) 153*j*.
useful, of Botswana (8) 180*c*.
yearbook, area reports, domestic and international, B (5) 124*j*.
1971, B (9) 200*g*.
Mineral wool, board, flexible intermediate-temp., P (4) 88*c*.
P (4) 91*e*.
raw materials, and physicochemical properties (10) 208*e*.
Mines and mining, machines, mineral, P (2) 48*c*.
P (7) 152*j*.
surface (1) 20*d*.
Mirrors, mfg., P (2) 36*g*.
and reflecting surfaces, guide, B (3) 82*f*.
size, prediction of fracture energy and flaw size in glass from (11) 224*j*.
ULE lightweight, homogeneity of expansion for (10) 205*c*.
Miscibility, gap, in alkali borates (6) 127*c*.
in Li_2O- and Na_2O-SiO_2 binaries (4) 100*a*.
Mixers, batchwise, P (7) 152*h*.
cement, centrifugal slurry, P (2) 32*h*.
countercurrent intensive, fine ceramic bodies in (6) 134*a*.
double-cone, P (3) 73*c*.
Kenics static, mass transfer and flow resistance in (10) 212*b*.
for powders, or granular materials (2) 45*g*.
raw-material, modernization of KRB-1 units in (4) 85*g*.
solid particulate material, P (4) 96*e*.
tumbling, scaling-up (9) 193*e*.
Mixing, bed, homogenizing in (2) 45*b*.
cement, raw materials (2) 31*i*.
continuous, of particles, controlling (1) 17*a*.
effect, on temp. reduction during Fe garnet crystallization (1) 22*f*.
in screw extruder (9) 193*f*.
UO_2-ThO_2 powders (10) 211*i*.
Mobility, charge carrier, in n-type Y garnet (3) 76*c*.
domain-wall, changes in rare-earth orthoferrite (2) 49*c*.
high, in GaAs (8) 174*f*.
intrinsic, of molecular glasses (3) 63*e*.
Models, for strength, of brittle porous materials (3) 80*i*.
Modulators, electrooptic, thin-film diffraction loss, P (9) 190*h*.
$LiTaO_3$ thin-film electrooptic, sputtered ferroelectric (1) 13*j*.
PROM, $Bi_{12}SiO_{20}$, real-time optical processing with (10) 205*f*.
Mossbauer effect, experiments, high field, furnace for (1) 17*d*.
of ^{57}Fe, in ferroelectric $PbTiO_3$ (7) 156*b*.
for study of metal-nonmetal transition in NiS (3) 80*g*.
of $(Fe_{1-x}Rh_x)_2O_3$ system (1) 28*b*.
Fe valence states by, in $SrTiO_3$ (3) 82*b*.
in fine arts (10) 201*e*.
line, in wustite, diffusion broadening (9) 195*f*.
study, of Co-Zn ferrites (6) 139*b*.

Moessbauer effect study *(continued)*
of $FeTi_2O_5$-Ti_3O_5 system (5) 123*j*.
of glasses and supercooled liquids (10) 217*g*.
of high-spin-low-spin equilibria and electron transition in $LaCoO_3$ (8) 177*j*.
on hydration of brownmillerite (2) 32*f*.
of magnetic anisotropy in natural hematite (4) 100*c*.
of magnetic anisotropy in natural hematite, erratum (9) 197*g*.
of Ni-Zn ferrite (9) 196*g*.
of point defects in CdF_2 (8) 177*j*.
of Ru borides and phosphides (10) 217*g*.
of ^{121}Sb in alpha-Fe_2O_3 (1) 25*c*.
^{121}Sb, on compounds with pyrite, marcasite, and arsenopyrite structures (3) 81*i*.
of $Sr_2Fe_{1+x}Re_{1-x}O_6$ (10) 217*d*.
of $SrFe_xMo_{1-x}O_{3-y}$ (6) 142*f*.
^{125}Te, of magnetic M_2Te_3-type semiconductors (11) 235*g*.
of thermal decomposition products of $BaFeO_4$ (3) 80*i*.
^{125}Te, in $FeTe_2$, $CoTe_2$, and $RuTe_2$ (3) 81*g*.

Moisture, of material, in furnace, continuous measurement (4) 85*f*.
penetration, in brickwork facings, prevention (2) 37*h*.
reabsorption, of brick clays (2) 37*j*.

Molding, articles, P (2) 45*j*; P (2) 46*b*.
ceramics, manipulator for, P (2) 45*j*.
foundry, methods (2) 45*i*.
hot, of alpha-Al_2O_3 products (11) 228*e*.
hot-press, P (1) 16*j*.
magnetic head, air-bearing, with glass slider body, P (9) 186*j*.
materials, of Ca silicate hydrate, P (5) 107*a*.
porcelain, on semiautomatic machines (11) 228*g*.
sands, P (8) 168*f*.

Molds, autoclaved, and thermally treated, from gamma-Ca_2SiO_4 and quartz (6) 126*d*.
blank, spray, P (10) 205*j*.
casting, centrifugal, P (7) 152*g*.
hot top casing for, P (11) 227*j*.
for ceramic products, P (5) 116*f*.
clay pipe fitting (Y), P (1) 8*g*.
electric release (1) 16*a*.
filling, removal of slip and cast, cleaning and drying (5) 113*d*.
foundry, liquid self-hardening mixture for, P (4) 91*f*.
P (7) 148*e*.
glass, cast-iron, coatings formed during application of lubricants (10) 205*c*.
interface, heat transfer at (1) 4*i*.
metallic powder coatings on (11) 224*j*.
overload arm for, P (2) 36*h*.
P (9) 186*g*.
precision pressing, P (7) 146*i*.
simplified mathematical model simulating heat transfer in (9) 185*a*.
for glass-ceramics, P (10) 205*h*.
ingot, hot top for, P (2) 39*a*.
hot top sections for, P (2) 38*g*.
Mg_2SiO_4, metallurgically slow reacting, P (10) 209*d*.
mounting, for ceramic bathroom pieces, P (5) 113*g*.
multiple piece, extricating intricate ceramic shapes from, P (6) 130*h*.
with means for aligning mold parts, P (4) 89*a*.
P (4) 96*d*; (5) 116*f*; (8) 168*d*.
press, removing tiles from, P (7) 152*f*.
refractory, semipermanent, P (8) 168*h*.
refractory sand, P (6) 129*g*.
separation, of whiteware cast bodies (3) 68*j*.
shell, ceramic, P (10) 209*b*.
dewaxing, P (3) 67*f*.
vibratory compression, P (5) 113*g*.
wash composition, $KZrF_5$, P (3) 67*g*.

Molecules, CeO_2, and Ce_2O_3, dissociation energy (8) 175*e*.
measurement, P (5) 117*i*.
molecular-orbital, semiempirical treatment of U band in LiF:H^- (7) 157*j*.
molecular-orbital structure, of rutile (7) 159*a*.

Molochite, SiO_2-Al_2O_3 refractory aggregate, production, properties, and uses (7) 153*j*.

Molybdates, $A_2(MO_4)_3$, ferroelastic transition in (2) 54*i*.
double, of alkali and divalent elements (1) 22*j*; of alkali metals with Bi (5) 120*f*.
rare-earth, reactions with alkali metal sulfates (6) 140*j*.

Molybdenum, boride, deposition (5) 119*e*.
bromide, reaction with chalcogens (6) 140*g*.
carbide, P (10) 208*i*.
superconductivity (5) 122*j*.
dioxide, crystal structure, magnetic susceptibility and electrical conductivity (10) 215*e*.
disulfide, crystals, EPR studies on As acceptors in (9) 195*h*.
metal, by aluminothermic reduction of $CaMoO_4$ (10) 214*e*.
metalizing, on BeO (8) 169*a*.
$MoOCl_2$, reaction with $MoOCl_4$, $MoCl_5$, and WCl_6 (10) 218*h*.
and MoO_2, and MoS_2, chemical transport (4) 98*h*.
$Mo_{17}O_{47}$, and Mo_9O_{11} types of structure, magnetic susceptibility of phases with (3) 80*d*.
Mo^{3+}, spin-lattice relaxation in YAlG single crystals (3) 81*c*.
Mo^{3+}, in $SrTiO_3$, EPR spectra (7) 155*h*.
Mo^{6+}, Mo^{5+}, Mo^{4+}, and Mo^{3+}, in rutile, ESR (9) 195*j*.
oxide, effect on zircon synthesis (7) 155*d*.
single crystals, electrical resistance (2) 55*c*.
selenide, ir optical properties (3) 79*f*.
sintering (1) 25*d*.
soldering, glass for (11) 224*e*.
trioxide, film, ac electrical properties and I-V characteristics

Molybdenum trioxide *(continued)*
under dc bias (4) 93*f*.
films, defect nature (3) 77*g*.
reaction with rare earth oxides (9) 198*i*.

Monticellite, -forsterite, join, two-phase data (5) 123*b*.

Montmorillonite, adsorption, of benzidine and aniline by, and oxidation (7) 154*b*.
alcohol retention by (6) 140*h*.
Ca-Mg exchange in (5) 119*f*.
Camp-Berteaux, and Wyoming, electron-optical observations (2) 54*e*.
cation-structural parameter relations in (6) 138*i*.
cupric, behavior of benzine adsorbed on (6) 137*a*.
dehydration (11) 234*c*.
dielectric constant (6) 138*a*.
exchangeable cations in, photoelectron spectroscopy (5) 119*c*.
irreversible collapse (5) 120*j*.
Mg, Ca, Sr, and Ba, DTA and ir spectra (2) 46*c*.
properties (3) 81*g*.
structure, effect on catalytic cracking (11) 228*b*.
-water interface, hydration of quinazoline at (4) 98*j*.

Mordenite, hydrothermal synthesis, from clays (7) 153*i*.
from volcanic minerals (11) 233*i*.
P (1) 20*f*.

Morphology, of boron filaments (11) 235*e*.
of B_4C, single crystals (6) 139*c*.
of Ca sulfates (5) 121*h*.
changes, in Benahavis vermiculite (4) 100*d*.
of crystals, of $A^{II}B^{VI}$-type compounds (4) 100*f*.
of MgO whiskers (10) 217*h*.
of Nb suboxides (11) 236*b*.
of prismatic phase, in portland cement clinker (6) 126*c*.
structural, of single-crystal alpha-Al_2O_3 vaporization (5) 122*g*.
surface, of GaP epitaxial layers (9) 199*c*.
of vapor-phase deposition, of TiC-graphite systems (5) 121*i*.

Mortars, adjuvants for, P (5) 107*g*.
alite, hardened, with $3CaO.Al_2O_3$ and $CaSO_4.2H_2O$, early strength (4) 84*g*.
beds, permeability (10) 207*f*.
Ca silicate, compacted, accelerated curing (10) 201*j*.
cement, air entrainment compositions for, P (5) 107*h*.
compressive strength, research results (3) 61*i*.
strength, factors affecting (5) 106*j*.
compositions, P (1) 3*i*; P (11) 222*c*.
frozen, P (10) 203*f*.
masonry, and units, ASTM standards, B (7) 159*i*.
quality, Al sulfate and $CaSO_4$ to improve, P (5) 107*h*.
set retarder, and air-entrainer composition for, P (3) 62*e*.
strength, tests under complex stresses (10) 207*h*.

Mullite, formation, in clayware, P (2) 39*g*.
from natural Al silicates, electron microscopy (6) 138*d*.
-kaolinite, reaction sequence, ir absorption spectra (3) 79*i*.
from premullites, comparative study (3) 66*j*.
preparation, from aluminosilicates, amount of AlF_3 required (4) 90*f*.
without SiO_2 (6) 138*a*.
-type structures, SiO_2-free phases with (10) 219*b*.
ware (10) 208*e*.

Neodymium, aluminate, electronic Raman effect and spectroscopy (8) 175*j*.
disulfide, nature of NdS_{2+x} phase and solid solution based on (4) 100*f*.
ions, site distribution and spectral line broadening in YAlG: Lu,Nd laseg materials (2) 54*f*.
Mg nitrate, low-temp. specific heat (8) 177*d*.
NdS_{2+x}, crystals, crystal symmetry and morphology (4) 98*h*.
Nd_2TiO_5 (3) 79*d*.
Nd^{3+}, laser oscillation from, in Al garnet films (1) 13*e*.
lasing action in $Ba_2ZnGe_2O_7$ crystal (3) 79*j*.
optical Zeeman spectra in CaF_2 (3) 80*e*.
solubility enhancement in Sc-substituted rare earth-Al garnets (4) 102*h*.
spectroscopic properties and lasing in ZrO_2 and HfO_2 (2) 56*a*.
stimulated-emission cross section in $POCl_3$, YAG, $CaWO_4$, and glasses (3) 64*f*.
Nd^{3+}-doped crystals, with apatite structure, laser properties (10) 217*c*.
optical spectra, and laser action, in crystal $Ba_{0.25}Mg_{2.75}Y_2Ge_3O_{12}$ (2) 54*d*.
orthotantalate, paramagnetism (1) 26*b*.
orthovanadate, weak ferromagnetism (5) 123*h*.
oxide, single crystals, properties (9) 198*b*.
solubilization, in YAlG (2) 55*f*.
vanadates, hydrated, properties (1) 28*c*.

Neon, Ne^+ ion implantation, 80-keV, effect on acoustic surface wave attenuation in $LiNbO_3$ (2) 50*d*.
solubility, in fused SiO_2 (2) 34*j*.

Nepheline, syenite, in ceramic bodies (3) 68*e*.
North Cape, properties (5) 113*c*.
weathering, stabilities of kaolinite and halloysite in relation to (10) 219*e*.

Neptunium, separation, from Pu by liquid-liquid extraction, P (6) 133*e*.

Nernst-Einstein relation, to study, electrical transport in F-O (1) 23*a*.

Neutrons, absorbers, P (3) 73*b*.
activation analysis, of Samian ware sherds (11) 221*i*.
diffraction, of atomic structure of inorganic materials (8) 178*a*.
high-temp. study of $Fe_{1-x}O$ (1) 24*c*.

Neutrons diffraction *(continued)*
studies of $5PbO.3GeO_2$ (10) 217*j*.
study of $DyAsO_4$, antiferromagnetic (1) 25*e*.
study of Ni ferrites (1) 25*e*.
study in spinel Fe_2MoO_4 (6) 142*h*.
study of ZrO_2 (3) 79*f*.
of $ZnMn_3C$ and $GaMn_3C_{0.935}$ (4) 100*i*.
irradiation, effect on internal friction in NaCl single crystals (1) 23*a*.
14-MeV, damage of single-crystal Al_2O_3 by (7) 151*e*.
thermal transport, near moderator discontinuity using method of weighted residuals (10) 212*a*.

Nickel, carbonate, high gas pressure crystal growth (2) 52*j*.
chalcogenides, electrical properties (1) 23*c*.
effect, on silicate glass coloration (2) 33*d*.
electroless, nucleation and growth, electron microscopy (1) 12*i*.
hydroxide, thermal decomposition products (1) 26*j*.
-iodine boracite, magnetoelectric, magnetic structure (10) 217*e*.
ions, reduction, from LiCl-KCl eutectic, monolayer formation in (2) 54*d*.
matrix, growth of MgO and Al_2O_3 particles in (10) 217*e*.
^{63}Ni, diffusion in NiO-MgO solid solutions (1) 21*e*.
nichrome films, vacuum-deposited (3) 70*e*.
$NiFe_{2-x}Al_xO_4$, magnetic properties, thermal treatment effect (1) 24*i*.
$NiFe_{2-x}Al_xO_4$ lattice, kinetics of cation transfer in (2) 53*b*.
$NiFe_2O_4$, thin polycrystalline films, microstructural properties (2) 40*h*.
Ni^{2+}, Raman relaxation in MgO crystals (8) 177*i*.
Ni_2SiO_4, spinel polymorph, crystal structure (10) 215*f*.
Ni_3Te_4, heat capacity and thermodynamic properties (3) 79*d*.
$Ni_{3\pm x}Te_2$ phases, heat capacities and transition behavior (2) 54*i*.
oxide, antiferromagnetic, magnetization in (3) 76*h*.
crystals, pure, hole transport in (8) 177*c*.
elastic constants and acoustic absorption coeff. (6) 138*b*.
electrical conductivity, pressure dependence (3) 81*e*.
exchange parameters and magnetic properties (3) 174*e*.
final-stage pressure sintering, kinetics (7) 156*e*.
reflectance spectra (8) 175*d*.
single crystal, elastic constants and magnetostriction (1) 23*b*.
solid-state reactions with beta-Ga_2O_3 (10) 217*i*.
spin-wave dispersion in, relation to magnetic properties (8) 177*g*.
stoichiometry limits in (6) 141*f*.
surface, effect of O on electron trapping by (2) 52*h*.
selenide, enthalpy of formation (2) 46*h*.
squarate dihydrate, insulator, magnetic transitions in (6) 139*i*.
sulfide, metal-nonmetal transition in (3) 80*g*.

Niobium, boride, deposition (5) 119*e*.
carbide, articles from molten refractory metal, P (1) 10*j*.
elastic moduli (5) 120*j*.
thermal conductivity (8) 179*j*.
thermal expansion (5) 123*g*.
dioxide, and $Nb_{1-x}V_xO_2$, semiconductor-metal transitions in (2) 55*e*.
single crystals, by chemical transport (2) 55*d*.
disilicide, powdered, oxidation products (10) 218*g*.
films, superconducting, sputtered on metallic substrates (8) 169*d*.
layer, on Cu substrate electrolytically, P (9) 191*h*.
NbCrN, Z-phase, structure (2) 56*a*.
Nb_2O_5, T-, and high temp. Zr-Nb oxide, crystal structure (3) 77*a*.
Nb_9P_5, crystal structure (3) 77*i*.
Nb_2WO_8, crystal structure (2) 50*d*.
$Nb_2Zr_6O_{17}$, crystal structure (3) 77*i*.
nitride, bulk and thin films, lower critical field measurements in (4) 92*g*.
electronic band structure (7) 155*h*.
films, anisotropies in critical currents (4) 92*f*.
films, upper critical field (4) 93*h*.
high-temp. superconductivity in, chemistry (3) 76*d*.
high-vacuum codeposition (3) 69*j*.
pentoxide, compound formation with divalent and trivalent elements, especially Ln oxides (4) 98*a*.
high-pressure phase research (7) 155*g*.
as nucleation catalyst for nepheline glass-ceramics (10) 204*d*.
polycrystalline, anomalous elastic behavior (1) 15*i*.
reaction with sesquioxides of Ga and In (9) 198*i*.
reaction with Tl_2O_3 (1) 27*b*.
temp.-pressure phase relations (6) 141*h*.
in TiO_2-opacified enamels (2) 33*d*.
suboxides, structure and morphology (11) 236*b*.
sulfate, double, synthesis (7) 158*b*.

Nitrates, mixed, glass-forming, thermodynamic properties (2) 35*f*.

Nitric acid, solutions, U(VI) and Th(IV) extraction from (10) 211*i*.

Nitrides, film, single-layer, on semiconductor substrate, P (8) 170*g*.
nitriding, of Si powder compacts (7) 156*f*.

Nitrogen, adsorption, on hardened cement pastes (2) 32*f*.
on porous glass, modification of t curve (7) 145*h*.
in alkaline borate glass (3) 63*b*.
distribution coeff., in SiC single crystals (1) 21*b*.
monoxide, reduction, Ba_2CoWO_6 and Ba_2FeNbO_6 in (8) 176*i*.
as neutron absorber, P (3) 73*b*.

Nitrogen *(continued)*
nitrogenation, of Mg, massive (7) 151*g*.
N_2-CO_2-H_2O fluids, use in hydrothermal experimentation (10) 216*d*.
-ous oxide, matrix reactions of Li atoms with (3) 80*f*.
oxide, formation in fuel-fired kilns (2) 47*g*.
solution, in alkaline silicoborate glasses (3) 64*d*.
Noise, control, in factory planning (8) 180*d*.
Nomenclature, of pottery, illustrated, B (10) 220*c*.
Nuclear materials, control rods, eddy current evaluation (11) 231*b*.
metal fluoride pellets, sintered porous, P (5) 116*f*.
oxides, mixed, P (2) 45*f*.
mixed, P (8) 171*j*.
Nucleation, of Al trihydroxide (2) 49*h*.
of carbon black particles, during benzene thermal decomposition (11) 227*d*.
in $CdGeAs_2$, glassy (7) 149*e*.
centers, activity in crystallization of glassy melts (8) 163*c*.
of Co, and Ni, electroless, electron microscopy (1) 12*i*.
domain, in uniaxial magnetic platelets (4) 99*g*.
of ferroelectric domains (4) 101*c*.
of GeTe films, on KCl and SnTe substrates (11) 229*j*.
ice, by solid solutions of Ag-Cu iodide (1) 24*f*.
kinetics, of Au deposition on NaCl and KBr (11) 235*f*.
in Na_2O-CaO-SiO_2 system (2) 34*j*.
with $SnCl_2$-$PdCl_2$ solutions, of glass before electroless plating (5) 114*h*.
theory, application of cluster growth rates to (9) 194*e*.
in liquid-liquid miscibility gap system (3) 78*j*.

Oil, lubricating, effect of powder glass (3) 63*g*.
Optical devices, bistable, P (10) 210*c*.
$CdSO_4$ ir-transmitting, P (11) 225*d*.
components, by deposition of single or multiple layers on substrates to produce, P (9) 190*f*.
electrically insulating regions in, P (11) 230*j*.
epitaxial film, P (9) 186*g*.
for examining surface profile, P (8) 172*g*.
fiber-optic, temp.-sensitive, P (10) 207*g*.
image storage, and processing, reusable (10) 205*i*.
integrated circuit, using optical gratings, P (10) 206*i*.
$KBrO_3$, nonlinear, for obtaining harmonic freq., P (10) 211*h*.
PROM, $Bi_{12}SiO_{20}$, real-time optical processing with (10) 205*f*.
semiconductor, P (11) 231*d*.
for surface characterization, P (5) 118*b*.
technique, for producing periodic surface structures on glass (1) 5*e*.
wave-guide, P (9) 191*f*.
using garnet films, P (2) 43*f*.
Optical materials, laser induced damage in, 1973 symposium, B (9) 200*e*.
Optical properties, of alkali metal W bronzes (5) 121*d*.
of As_2S_3 (1) 25*j*.
axes, of minerals, precision of computation of angles (10) 218*c*.
of $Ba_2NaNb_5O_{15}$ (2) 50*h*.
of BP, and BN (8) 175*i*.
of CdS, ultrasonic attenuation to study (2) 57*f*.
of Cd_2SnO_4, defect semiconductor (8) 178*b*.
centers, in $LaTaO_4$:Nd^{3+} polycrystals (11) 235*g*.
of ceramic materials, microstructural influences (11) 235*d*.
of clay, treating to improve, P (1) 20*a*.
coeff., in ferroelectric $NaNO_2$, temp. dependence (2) 56*h*.
nonlinear, of $KNbO_3$ single crystal (4) 101*b*.
constants, of Cer-Vit (11) 225*c*.
of far-ir materials (10) 218*d*.
crystal-, of alkaline-earth metavanadates (4) 98*g*.
of diamond, electron-irradiated type Ia (11) 235*h*.
dichroism, magnetic circular, of CaO F band (8) 177*d*.
of dielectric materials, B (4) 104*g*.
of ferroelectrics, O-octahedra (9) 199*d*.
of Fe^{3+}, in $LiAl_5O_8$ (7) 156*h*.
of GaAs, p-type (8) 178*c*.
of GaP (8) 175*f*.
of glassy C (3) 80*d*.
of graphite (8) 178*c*.
ir, of ^{7}LiF and natural LiF (8) 177*g*.
of $MoSe_2$ (3) 79*f*.
of K Li niobate (1) 27*e*.
of MgO, and MgF_2 (2) 54*c*.
of Mn^{2+}, in ZnS single crystals (9) 197*a*.
modes, soft, in Gd molybdate (8) 175*c*.
optic survey, of Cu iodates (5) 123*a*.
of Pb Ge oxide single crystals (2) 49*i*.
of $Pb_2Ge_3O_{11}$, and $Pb_5Ge_3SiO_{11}$ (6) 138*a*.
of PLZT ceramics, quasi-ferroelectric (6) 130*e*.
of polymeric materials, and measurement (2) 54*d*.
of Sb_2O_3, films (11) 235*h*.
of Sb_2Se_3 (10) 218*e*.
of SiC, 3C- (8) 175*i*.
of single crystals, in Bi_2O_3-MoO_3 system (6) 141*c*.
of Sn oxide films (7) 149*c*.
of solid solutions, of $(CdS)_x$-$(In_2S_3)_{1-x}$ system (11) 235*g*.
study, to clarify molecular structure of Zn phosphate and Cu^{2+} metaphosphate glass (7) 145*i*.
in $CsCuCl_3$ crystals (11) 234*b*.
of Mg_xMnO_8 (2) 53*b*.
of $[Na]^0$ and $[Li]^0$ centers in CaO (7) 156*h*.
of rare earth ions in CaF_2 and other fluorides (8) 177*a*.
of Tl_3AsSe_3 (10) 218*d*.
of U centers, in alkali halides and alkaline earth fluorides (4) 101*d*.
of VO_2 films (7) 149*e*.
Optics, survey, of 3d iodates (2) 57*d*.
Orientation, grain, and dielectric anisotropy (2) 46*c*.
mix-, crystallographic (0001) axis, in ruby single crystals (3) 76*j*.
re-, molecular, near T_c with application to NH_4Cl (3) 81*c*.
spin, in Y orthoferrite (3) 81*d*.
2V, and indicatrix, computer determination (5) 117*b*.
Oscillations, of space-charge-limited current, in $Bi_{12}GeO_{20}$ (2) 53*h*.
Oscillators, -detector device, solid-state, of electromagnetic waves, P (2) 44*c*.
semiconductor pulse, P (2) 43*i*.
Osmosis, in shale, effect on primary migration (6) 137*g*.
Ovens, cleaning, combination pyrolytic-continuous (11) 222*d*.
continuous coatings (9) 183*h*.
electric ir, for drying and curing colors on dishwater control panels (1) 3*f*.
P (3) 75*d*.
self-cleaning, Fe-containing enamels for, P (1) 3*h*.
Oxidation, of benzidine, and aniline by montmorillonite and hectorite (7) 154*b*.
of CO, over ZnO, kinetics (7) 156*e*.
electrolytic, of Ga containing compound semiconductors, P (8) 170*a*.
of graphite, highly oriented pyrolytic, kinetics (11) 234*j*.
high-temp., of Zr and Hf oxycarbides and oxycarbonitrides (9) 196*h*.
hydrogen, catalytic activity of rare-earth oxides for (4) 98*g*.
on platinized WO_3 electrodes (5) 113*j*.
of $NbSi_2$ (10) 218*g*.
of PbO, in air (1) 26*a*.
resistance, of TiB_2 or ZrB_2, effect of metal silicides (11) 226*g*.
of shale, and basalt bodies, during firing (9) 187*j*.
of Si_3N_4 powder, kinetics (4) 102*c*.
states, in transition-metal-oxide glasses (6) 127*j*.
of U carbides, in Na with small O content (9) 192*c*.
of V(IV), by peroxodisulfate ion, kinetics and mechanism (3) 79*j*.
Oxides, ceramics, and glass-ceramics, sintering compositions based on (7) 158*e*.
hot-pressing to transparency, P (2) 39*f*.
coloring, for enamels (2) 33*c*.
in glass, redox equilibrium and spectral absorption (10) 205*g*.
complex, of rare earth elements and Zr (9) 199*e*.
defects in (4) 98*i*. correction (7) 154*b*.
deposition, from vapor, hot-front method (5) 123*c*.
dissolution, mechanisms (4) 101*f*.
effect, on crystallization of corundum whiskers (1) 22*i*; on crystallization of $Li_2O.2SiO_2$ glasses (4) 86*j*.
on dissociation of zircon (5) 120*i*.
on liquid silicate phase on contact angle (3) 78*g*.
Fe^{3+} spectral bands in, extinction coeff. (2) 46*g*.
gas, and liquid, reactions, use of solar furnaces to study (5) 123*d*.
hypostoichiometric, sintered, P (2) 39*c*.
metal, crystal chemistry and rare-earth luminescence (9) 195*b*.
spherical particles, cryochemical formation, P (4) 95*h*.
metallic, effect on sintering high Al_2O_3 porcelain (9) 189*g*.
mixed, composition fluctuation lifetimes in (8) 174*e*.
powders, sintering parameters (7) 154*d*.
rare-earth, catalytic activity, for H oxidation (4) 98*g*.
redox, interaction in glass (9) 185*f*.
reduced cell, average parameters (1) 21*c*.
sintered, Raman effect in (7) 157*f*.
by thermal decomposition, microcrystalline structure (1) 25*a*.
of transition elements, effect on properties of white portland cement (7) 143*i*.
Oxygen, activity, effect on stinering $MgCr_2O_4$ (2) 52*h*.
and phase boundaries in, correction (3) 81*i*.
atomic, scattering, from LiF (8) 179*b*.
centers, paramagnetic, in $SrTiO_3$ (2) 54*f*.
compounds, chemical bonding in, X-ray spectroscopy (7) 159*a*.
with heavy cations, analysis of intercationic distances in (5) 122*j*.
concentration, and efficiency in GaP lamps (1) 13*g*.
diffusion, along grain boundaries in MgO (4) 101*c*.
in ceramics, visible (8) 180*j*.
coeff., in alkali silicates (6) 127*g*.
in Dy_2O_3 and Gd_2O_3 (11) 235*b*.
effect, on concentration dependence of electron mobility in Si (11) 234*h*.
on electrical properties of CdS films (11) 234*j*.
on electron trapping by surfaces of NiO, CuO, ZnO (2) 52*h*.
and PbS single-crystal film thickness on change in conductivity type (2) 49*f*.
on reaction of Cu and sapphire (9) 190*d*.
exchange, CO_2-C reaction by (1) 21*i*.
exchange reaction, of PuO_2 (1) 16*a*.
in glassmaking furnaces (9) 185*h*.
impurities, effect on thermal conductivity of AlN (8) 175*b*.
interstitial, long range ordering in V near V_4O (6) 139*f*.
ion, self-diffusion in $MgAl_2O_4$, correction (3) 81*j*.
K-alpha X-ray emission bands, of SiO_2, chemical bonding effects in (10) 215*j*.
nonstoichiometry, in Ni-Zn ferrite (7) 158*g*.
-octahedra ferroelectric crystals, electromechanical properties (2) 51*f*.
Oxygen *(continued)*
O_2^- emission spectrum, in alkali-halide crystals, phonon sidebands in (8) 178*g*.
parameter, in spinel $ZnGa_2O_4$ (1) 26*b*.
partial pressure, effect on initial sintering of alpha Cr_2O_3 (4) 99*j*.
permeation, ZrO_2 to measure (9) 199*d*.
pressure, effect in $(Ba_xSr_{1-x})FeO_{3-\delta}$ system (8) 175*i*.
effect on liquid Ag-Al_2O_3 interface (6) 130*f*.
self-diffusion, in $^{238}PuO_2$ (3) 72*i*.
solubility, in ZrC (10) 218*h*.
sublimation, from $Li_{0.5}Fe_{2.5}O_4$ (1) 28*c*.

Palladium, phosphide, chalcogenides, P (2) 43*g*.
Particles, aerosol, size distribution, in flowing gaseous medium, P (2) 47*c*.
agglomeration, compacting rolls for, P (5) 116*c*.
alpha, scattering, to determine heavy elements in surface materials (1) 24*a*.
Al_2O_3-SiO_2-containing, spherical solid, P (4) 97*i*.
analyzer, P (10) 213*a*.
complex, growth in MgO-Al_2O_3-ZrO_2-SiO_2 glass (4) 87*j*.
conveying, P (1) 16*f*.
Coulter device, particle analyzing system for, P (5) 118*b*.
counter, P (3) 74*d*.
with removable aperture slide, P (5) 118*c*.
in dispersion medium, flow-through chamber for photometers to measure and count, P (2) 47*i*.
drying, P (1) 16*h*.
in electrolytic fluid, apparatus for measuring, P (4) 96*c*.
flow, measurement, P (3) 74*b*.
fusible, articles from, P (1) 17*b*.
growth, and relative orientation (10) 216*g*.
liquid borne, sensing method using aerosolizing techniques, P (2) 47*j*.
magnetizable, separation, P (1) 17*c*.
measurement, P (5) 117*i*.
in moist sand, capillary bonds between (7) 154*e*.
orientation, effect on Fourier shape analysis (2) 50*e*.
random distribution, for microscopic examination (2) 46*j*.
reinforcing, from powder, P (5) 116*c*.
samples, removing from endless belt conveyor, P (6) 134*g*.
sampling devices, for gas, P (4) 96*f*.
size, analysis, apparatus for, P (10) 213*j*.
dependence of fracture energy of Al_2O_3 (1) 22*i*.
dependence of properties of SiC refractories (3) 66*h*.
dispersion, and sintering (7) 155*d*.
effect on crack propagation in B_4C (6) 137*h*.
effect on thermal conductivity of refractory brick grogs (10) 208*f*.
measuring, and concentration of slurries, P (8) 172*h*.
and percent solids monitor, P (4) 96*f*.
of powders, determination by ultrasound (6) 134*e*.
pulse width stabilizing method and apparatus, P (10) 213*b*.
-shape relations in Georgia sedimentary kaolins (7) 156*i*.
-vs-strength relations in Al_2O_3, surface-finish effects (6) 141*b*.
size analysis, with quantitative silt fractionation, elutriator method (2) 46*f*.
-size distribution, of cement (2) 32*a*.
of clay, modifying, P (11) 233*f*.
and/or concentration in suspension, measurement, P (11) 233*a*.
dependence of properties for MgO refractories (9) 188*a*.
of hydrates of CaO, Mgo, and CaO-MgO mixture (3) 75*a*.
small, apparatus for rinsing, P (4) 95*i*.
aspherical measurement, P (10) 213*a*.
solid, packing (7) 153*b*.
suspended in carrier gas, measuring weight, P (6) 134*h*.
spherical, sintering kinetics, effect of pressing (7) 156*a*.
study apparatus, P (4) 96*f*; P (10) 213*b*.
treating, rotary apparatus for, P (2) 46*d*.
Passivation, surface, P (8) 171*c*.
Pelletization, in ceramic industry (10) 212*d*.
of ceramic materials, comparison of methods (10) 212*d*.
of ceramic raw materials, and bodies (10) 212*e*.
of glass batches, Pb and potash (1) 5*g*.
Perlite, coating, for construction materials, P (3) 66*g*.
deposits, in Macedonia/Yugoslavia (1) 20*a*.
expanded, micromethod for determining strength (2) 46*j*.
Na hydrosilicate aggregate similar to (1) 8*d*.
expanding, furnaces for, P (2) 48*b*.
grains, disintegration during bloating (1) 8*a*.
industry, in Hungary (1) 9*h*.
properties, from Argentina (8) 173*d*.
rock, bloating ability, assessing method (2) 46*b*.
Permittivity, of conductor-dielectric mixtures, heterogeneous (7) 149*e*.
of $SrTiO_3$ (3) 80*f*.
Perovskites, compounds, relation between ionic radii and cell vol in (7) 157*d*.
new vacancy, structural evolution (4) 102*f*.
structures, oxides with, average parameters of reduced cell of (1) 21*c*.
titanate, ir study of order on larger cation sublattice (4) 100*a*.
-type crystals, Eu^{2+} cubic centers in (3) 78*j*.
Phase equilibria, in basic refractories (4) 90*d*.
boundaries, anti-, in $GdMoO_4$ single crystals (5) 120*e*.
and O activity in wustite, correction (3) 81*i*.
changes, critical phenomena (1) 26*c*.
complex, graphical methods for studying (4) 104*d*.
diagrams, applied to refractory technology (3) 66*h*.
CaO-Al_2O_3-CaF_2 system (5) 121*h*.

Phase equilibria diagrams *(continued)*
of CdS-CdTe pseudobinary system (4) 101*f*.
Dy_2O_3-Al_2O_3 (7) 158*j*.
fusibility, of $Pr_2(SO_4)_3$-Li_2SO_4 system (4) 99*d*.
fusibility, of RbCl-UF_4 and CsCl-UF_4 systems (4) 99*d*.
Gd_2O_3-MoO_3 system (8) 178*e*.
of $GeSe_2$-Te system (9) 197*b*.
of $InBr_3$-LiBr, $InBr_3$-KBr, and $InBr_3$-NH_4 bromide systems (5) 121*f*.
In-Ga-P (3) 79*i*.
of KCl-$MgCl_2$ system (3) 80*h*.
of LiBiCl$_4$-NaBiCl$_4$ system (9) 197*b*.
of Li_2SO_4-Na_2SO_4 system (2) 54*g*.
magnetic, of $(V_{1-x}Cr_x)_2O_3$ solid solutions (2) 53*b*.
of mixed transition-metal oxides (7) 159*g*.
of Mn-Zn ferrites (6) 139*g*.
of $MoCl_5$-NaCl system (4) 101*g*.
of molybdate systems (7) 156*j*.
of MoO_3-SrO system (4) 101*h*.
$Na^+||TiF^{2-}_6$-Cl^-,F- and $K^+||TiF^{2-}_6$-Cl^-,F^- (11) 235*i*.
of NaCl-$MgCl_2$ system (3) 80*h*.
of Na-Sb-S system (5) 121*d*.
of $Ni(PO_3)_2$-$NaPO_3$ system (5) 121*e*.
of PbS-CdS system (11) 234*d*.
of Pr_2O_3-CaO system (4) 101*i*.
of $TeCl_4$-CCl_4 and $TeCl_4$-$GeCl_4$ (6) 139*h*.
temp.-concentration, of binary systems (1) 26*i*.
ternary, application to white ceramic products (3) 68*e*.
Th-N-O (8) 171*e*.
of $TiBr_4$-$POCl_3$ system (10) 218*i*.
geometrical representation (2) 52*c*.
high-temp., thermodynamic studies (2) 57*a*.
multi-, chemical, algorithm for calculating (6) 136*h*.
of niobates, of Sr and Na (2) 54*h*.
relations, of basalts (2) 54*j*.
in $BaTiO_3$-TiO_2 system (10) 219*a*.
in BeO-SnO_2-Cr_2O_3, MgO-SnO_2-Cr_2O_3, CaO-SnO_2-Cr_2O_3, and SnO_2-Cr_2O_3-3 systems (6) 139*j*.
in Fe-Mg-O system, at low temp. (5) 121*i*.
in $M_{1-x}Ni_xCr_2S_4$(M = Mn,Fe,Co) (10) 218*j*.
in Na_2O-Fe_2O_3-Al_2O_3-TiO_2-SiO_2 system (10) 218*a*.
in Na_2O-IrO_2 and Na_2O-PtO_2 systems (10) 218*j*.
systems, AgBr-TlBr-CsBr (1) 28*h*.
Ag-As-Se, interactions in (1) 24*d*; Ag-As-Se, reactions in (6) 140*a*.
Ag-Br-Cu, compositions of phototropic layers (9) 185*a*.
Al-BI_3, thermal analysis (4) 103*i*.
$A^I_2LiCrF_6$-WO_3 (A^I = Cs,Rb,K,Na,Li) (1) 29*a*.
AlCl$_3$-TiCl$_3$-NaCl, thermal analysis (1) 29*h*.
alpha-Al_2O_3-Fe_2O_3, parameters of Moessbauer spectrum in (4) 103*a*.
Al-Ga-As-Sn (9) 197*c*.
Al_2O_3-SiO_2-H_2O, pyrophyllite solid solutions in (10) 218*d*.
$BaCO_3$-Al_2O_3, thermodynamics of solid-phase reactions in (11) 236*i*.
$BaCO_3$-SiO_2, solid-state reaction (1) 25*a*.
BaF_2-AlF_3 (2) 54*h*.
$BaFeO_{2.5}$-$SrFeO_{2.5}$ (2) 56*e*.
BaF_2-(Y,Ln)F_3 (5) 121*g*.
BaO-Nb_2O_5-Li_2O, tetragonal bronze phase in (4) 98*e*.
BaO-RE_2O_3-$(UO_2)_x$ (6) 133*h*.
BaO-SrO-SiO_2, correction (11) 235*i*.
$(Ba_xSr_{1-x})FeO_{3-\delta}$ (8) 175*i*.
$BaTiO_3$-$SbNb_{0.8}O_3$, solid solutions in (1) 27*g*.
B-C, kinetic formation characteristics (5) 121*a*.
$BiCl_3 + 3Tl = 3TlCl + Bi$ (1) 28*h*.
BiCl$_3$-LiCl (11) 236*d*.
binary, formed by Nd, La, and Y sesquioxides; binary, of LnF_3 with alkali fluorides (9) 194*f*.
binary, containing chlorides of Mg and Ca and UF_4 (4) 98*d*.
binary, containing $SrCl_2$, $BaCl_2$, and ThF_4 (4) 98*e*.
binary, of pyrophosphates and fluorides of alkali metals (4) 98*f*.
Bi_2O_3-MoO_3, single crystals in (6) 141*c*.
Bi_2O_3-TiO_2, liquidus in (10) 219*a*.
Bi_2O_3-WO_3 (8) 178*j*.
(Ca,Ba) and (Sr,Ba) apatite, ordering of cations in (5) 120*d*.
CaF_2-YF_3 and CaF_2-NdF_3 (2) 53*b*.
CaF_2-CaO-Al_2O_3 (8) 179*d*.
CaF_2-ErF_3 and CaF_2-YbF_3, diagrams of condensed state (4) 99*c*.
CaF_2-(Y,Ln)F_3 (10) 218*a*.
$CaMgSi_2O_6$-Mg-$2Si_2O_6$, diopside-orthoenstatite region in (6) 137*d*.
3CaO.Al_2O_3-H_2O, thermodynamic study (8) 180*b*.
2CaO,2BaO|SiO_2,GeO_2 (4) 102*g*.
CaO-MgO-SiO_2-Na_2O-P_2O_5, crystalline phases in (4) 98*j*.
CaO-Nb_2O_5-TiO-2-SiO_2, liquidus determinations in (5) 121*d*.
CaO-Nb_2O_5-TiO_2-SiO_2, liquidus determinations in (7) 156*g*.
CaO-Nb_2O_5-TiO_2-SiO_2, liquidus temp. in pseudoternary subsystem (5) 121*e*.
CaO-ZnO-B_2O_3 (6) 139*i*.
CaO-ZrO_2, microstructure in partially stabilized ZrO_2 in (4) 100*a*.
CaO-Al_2O_3-CaF_2, reaction and activity of lime in (1) 27*j*.
CaO-HfO_2, fluorite-related phases in (8) 176*b*.
CaO-PbO_2, binding properties (1) 21*f*.
CaO-SiO_2-H_2O, Ca hydrosilicates in (9) 195*c*.
CaO-SiO_2-Al_2O_3, viscosity and conductivity measurements in (1) 27*b*.

Phase equilibria systems *(continued)*
CaO-ZrO_2, fracture toughness of ZrO_2 in (1) 23*g*.
CaO-ZrO_2, thermal-shock structures in ZrO_2 in (2) 57*h*.
$CaSO_4$-H_2O, transformation processes in (8) 180*h*.
$CaSO_4$.$2H_2O$-$CaSO_4$.$1/2H_2O$-H_2O (10) 202*a*.
CeO_2-Al_2O_3 (2) 56*a*.
CeO_2-$SmO_{1.5}$ and CeO_2-$NdO_{1.5}$ (9) 197*e*.
of chlorides and sulfates of Na and Cs (7) 158*j*; chlorides of Na, Ba, and Al (10) 219*h*.
^{248}Cm oxide (3) 76*d*.
$CoAl_2O_4$-$GeCo_2O_4$, cation distribution in solid solutions (6) 137*d*.
$CoCl_2$-NaCl-$TeCl_4$ (11) 236*d*.
$Co_{3-x}Mn_xO_4$, solid solution in (7) 155*a*.
CoO-ZnO-Al_2O_3-Cr_2O_3-Fe_2O_3, spinel solid solutions in (5) 113*h*.
cordierite glass-Cr_2O_3, sintered materials in (5) 122*a*.
$CrTaO_4$-TiO_2, solid solutions in (1) 28*j*.
Cr_2O_3-Fe_2O_3-TiO_2-ZrO_2, compounds in (4) 98*d*.
CsCl-KCl-TeCl and CsCl-RbCl-TeCl (1) 29*b*.
Cs_2SO_4-MoO_3 (5) 119*e*.
$CsVO_3$-MoO_3 (4) 103*g*.
Cu-O, and ruby formation in borate glass (8) 165*e*.
C-O-H-N, hydrothermal experimentation and calculations in (10) 216*d*.
diamond-metal, densification during sintering in (9) 195*c*.
diamond-metallic, densification during liquid phase sintering (7) 154*d*.
Er_2O_3-MgO (1) 26*e*.
Eu-O-F, nonstoichiometry in (9) 197*j*.
$FeCl_3$-UCl$_4$-KCl, interactions in (11) 231*c*.
"FeO"-SiO_2, solid state reactions during formation of Fe silicates in (8) 180*a*.
FeO-MgO, thermodynamic characteristics (10) 220*c*.
$(Fe_{1-x}Rh_x)_2O_3$, hyperfine interactions in (1) 28*b*.
$FeTaO_4$-TiO_2, solid solutions in (1) 28*j*.
$FeTi_2O_5$-Ti_3O_5, X-ray and Moessbauer study (5) 123*j*.
Fe-Cr-B, coexistence relations (10) 217*h*.
Fe_2O_3-H_2O, at high pressures and temp. (10) 219*e*.
five-component reciprocal, of nine salts (4) 99*b*.
of fluorides and chlorides of K and Al (7) 158*j*; fluorides and chlorides of K and Mg (11) 236*g*.
Ga-As-Ge-Sn (9) 196*f*.
Ga-As-Sn (9) 199*f*.
Ga-Sb-Se, layering in (9) 196*f*.
Ga_2O_3-Nb_2O_5 (1) 26*h*.
Ga_2O_3-TiO_2 (1) 26*i*.
GdF_3-MF(M = K,Rb,Sc) and GdF_3-Gd_2O_3 (9) 199*f*.
of Ge tetrahalides and group IV tetrahalides (9) 195*a*.
$GeCl_4$ with $AlCl_3$, $FeCl_3$, $ZrCl_4$, and VCl_4 (1) 29*b*.
GeI_4 with SiI_4, TiI_4, ZrI_4, and SnI_4 (1) 29*d*.
GeO_2-Sb_2O_3-KF-H_2O, crystallization in (3) 76*i*.
Ge-Au-Sb and Ge-Au-Ga (1) 26*b*.
Ge-Se-Te-As, amorphous bulk and thin film materials in (10) 215*a*.
Hf-HfO_2 (1) 27*d*.
HfO_2-Ln_2O_3, solid solutions (7) 154*g*.
HfO_2-Yb_2O_3 (4) 101*j*.
HfO_2-Y_2O_3 (7) 154*d*.
HfO_2-Y_2SiO_5 (1) 26*d*.
of high-temp. oxides, rapid quenching (10) 218*g*.
$2InCl_3 + 3Zn = 3ZnCl_2 + 2In$ (4) 102*a*.
In_2O_3-TiO_2 (6) 137*a*.
In_2S_3-Sb_2S_3 (10) 219*f*.
KF-NaF-K_2NbF_7 (4) 103*b*.
$KNbO_3$-$NaNbO_3$, antiferroelectricity and ferroelectricity theory applied to (6) 140*b*.
K_2HfF_6-K_2ZrF_6-1.25% HF, solubility curves (2) 53*d*.
K_2O-B_2O_3-WO_3 (10) 219*f*.
K_2TaF_7-KCl-NaCl, K_2TaF_7-KCl-LiCl, and K_2TaF_7-KF-NaF (11) 236*e*.
K_2TaF_7-NaF-NaCl and K_2TaF_7-NaF-KCl, fusibility in (6) 138*h*.
LaF_3-YF_3, high-temp. thermal analysis (3) 79*g*.
La_2O_3-GeO_2, crystallization in (1) 21*i*.
La_2O_3-NiO and Pr_2O_3-NiO, reaction kinetics (1) 22*j*.
2Li,2Cs||2Cl,SO_4, new data (7) 156*d*.
LiF-NaF-ThF_4 (1) 24*d*.
Li,K||Cl,CrO_4 and Li,K||Br,CrO_4 (11) 236*e*.
Li,K,Ca||Cl (6) 141*i*.
2Li,2K,2Cs||2Cl,SO_4 (8) 178*j*.
of Li,Na||BO_2,WO_4 (1) 27*e*.
Li^+,Na^+,K^+||TiF_6^{2-} (4) 103*h*.
2Li,2Na,Ca,Ba||2F (1) 28*i*.
Li_2O-B_2O_3, LiBO$_2$ and $Li_4B_2O_5$ in (3) 76*f*.
Li_2O-SiO_2 and Na_2O-SiO_2, miscibility gaps in (4) 100*a*.
liquid-liquid miscibility gap, nucleation theory in (3) 78*j*.
Li_2WO_4-Na_2WO_4 (7) 158*d*.
Li-Ti-O, high-temp. superconductivity in (1) 24*e*.
Li_2MoO_4-MoO_3, structural studies in (10) 219*f*.
Li_2O-Na_2O-Fe_2O_3, ferrite formation in (9) 196*b*.
MCl$_2$-ICl, fusibility in (7) 155*b*.
$MCr_2S_{4-x}Se_x$ (M = Fe,Co,Mn), ferrimagnetic spinel compositions in (2) 54*g*.
metal-metal oxide, electrical and structural properties (8) 175*f*.
MF-CeF_4 (M = alkaline metal) (3) 81*g*.
$MgAl_2O_4$-Al_2O_3, liquidus-solidus determinations (2) 53*i*.
$MgCl_2$-NaCl-$CaCl_2$, chemical potential of NaCl on mixing in (2) 50*g*.
$MgCO_3$-$CaCO_3$-$BaCO_3$, $MgCO_3$-$CaCO_3$-$SrCO_3$, and Mg-CO_3-$SrCO_3$-$BaCO_3$ (6) 141*j*.
MgF_2-YF_3, high-temp. thermal analysis (3) 79*g*.

Phase equilibria systems *(continued)*
MgO-Al_2O_3-SiO_2, liquidus temp., viscosities, and electrical conductivities of slags in (3) 78*j*; MgO-Al_2O_3-SiO_2 (6) 141*e*; MgO-Al_2O_3-SiO_2, melts, wettability of MgO by (11) 236*b*.
MgO-Fe_2O_3-SiO_2 (8) 179*d*.
MgO-Nb_2O_5, composition (3) 80*g*.
MgO-SiO_2-H_2O, high-pressure and high-temp. studies (10) 216*j*.
MgO-V_2O_3 (1) 28*j*.
MgO-ZnO, activity-composition relations in (1) 21*b*.
$MgSiO_3$-Nd_2-SiO_5 (9) 197*c*.
Mn-C, solid phases (10) 219*d*.
Mn_3O_4-Mn_2SnO_4, Jahn-Teller effect in (10) 215*d*.
$MoCl_3$-$TiCl_3$-NaCl, thermal analysis (10) 219*i*.
montmorillonite-water, swelling, water properties and dimension in (5) 122*g*.
Mo-O-C (1) 25*d*.
Mo-V-O, Mo-Nb-O, Mo-Ta-O, and Mo-Ti-O (2) 56*j*.
$MSbO_3$(M = Li,Na,K,Rb,Tl,Ag), crystal chemistry in (10) 215*d*.
M-Fe-O, dissociation of solid solutions of oxides in (1) 22*i*.
M_2WO_4—$In_2(WO_4)_3$ [M = Li,Na,K] (11) 236*f*.
M_2WO_4-$Sc_2(WO_4)_3$ [M = Li,Na,K,Rb,or Cs] (11) 236*f*.
Na orthophosphate-Pb orthophosphate, liquidus diagram (2) 53*h*.
$NaBO_2$-Ga_2O_3 (1) 27*d*.
of Na, Cd, and Rb chlorides (7) 154*i*.
Na||Cl,BO_2,WO_4 (7) 159*a*.
NaCl-$PbCl_2$-UCl$_4$ (4) 103*i*.
Na,Cs||F,Br and Na,Cs||F,I (10) 219*h*.
Na_2O-BaO-SiO_2, and crystallization of melts in (6) 139*i*.
Na_2O-Ga_2O_3, beta- and beta"-Al_2O_3-type phases in (2) 49*e*.
$Na_4P_2O_7$-$Mg_2P_2O_7$ (3) 80*i*.
Na,Rb,Cs||Cl,Br (4) 101*j*.
$NaR(WO_4)_2$-$R_2(WO_4)_3$ (R = La,Nd,Tb,Er) (1) 29*e*.
Na-Sb-S, interactions in (6) 139*b*.
Na,Tl||SO_4,VO_3 (11) 235*j*.
Na + U + O, mass spectrometry (2) 45*a*.
Na_2O-Sm_2O_3-GeO_2-H_2O, hydrothermal synthesis (10) 217*b*.
Na_2O-SrO-Al_2O_3-H_2O (10) 219*f*.
Na_2SiO_3-$CaSiO_3$ (11) 224*f*.
Na-S-NaOH (10) 219*g*.
NbO_2-Nb_2O_5 (2) 54*i*.
Nb-C-Re, structure of alloys in (9) 199*a*.
Nd_2O_3-SiO_2, relations in (1) 26*a*.
Nd_2O_3-ZrO_2, solid solutions and compounds in (8) 176*d*.
NiO-Al_2O_3, interdiffusion and association phenomena in (9) 196*c*.
NiO-CoO-CuO semiconducting, structural study (2) 56*h*.
NiO-MgO-Fe_2O_3 (1) 26*j*.
Ni-Cr-S alloy, constitution (10) 218*i*.
Ni(OH)$_2$-[Zn(OH)$_2$]-Fe(OH)$_3$, magnetic properties (9) 196*i*.
in NpMoO$_4$ and Na or Li molybdate (1) 26*c*.
oxide, thermochemical parameters in (2) 54*a*.
$PbCl_2 + 2In = 2InCl + Pb$ (1) 27*d*.
PbO-FeO_3-WO_3 (6) 141*e*.
Pb||O,GeO_3,MoO_4 (7) 159*b*.
PbO-B_2O_3 and Na_2O-B_2O_3, electrical resistance and structure (8) 176*f*.
PbO-PbF_2-B_2O_3, crystallization fields in (8) 178*e*.
PbO-SiO_2, and compound formation (10) 215*a*.
PbSe-$Ge_{1.5}As_{0.5}Se_3$, immiscibility and liquidus temp. in (8) 177*d*.
PbS-Bi_2S_3, vapor-phase crystal growth in (2) 57*h*.
Pb(Ti,Zr)O_3, photochromic solid solution (1) 25*h*.
Pb(Ti$_{1-x}$Zr$_x$)O_3, soft optical phonons and transition in (1) 27*j*.
$Pb(Zn_{1/3}Nb_{2/3})O_3$-$PbTiO_3$, electrooptic effect in (1) 27*f*.
Pr oxide-O, pseudophase behavior in (5) 122*b*.
$PrO_{1.5}$-O_2 (9) 197*f*.
RB_2SO_4-MoO_3 (5) 119*e*.
Re-Cl-O (1) 26*c*.
$SiBr_4$ and $GeBr_4$ with Al_2Br_6, $SbBr_3$, and $CuBr_2$ (1) 29*e*.
Si-C, gas-phase deposition in (5) 120*c*.
SiO_2, EPR study (8) 176*g*.
SiO_2-Al_2O_3 (6) 141*a*.
Si_3N_4-Ge_2O_3-Al_2O_3, solid solution in (1) 28*a*.
SrF_2-SrO, and SrF_2-Y_2O_3 phase diagram (8) 178*e*.
SrF_2-YF_3, high-temp. thermal analysis (3) 79*g*.
Sr_2GeO_4-Ba_2SiO_4, isomorphism in (1) 24*i*.
$SrMnO_{3-x}$-Mn_3O_4 (2) 56*f*.
Sr-Mo-O, compound formation in (4) 98*c*.
Sr orthosilicate-Ba orthogermanate, solid solutions in (6) 141*d*.
SrO_2-Al_2O_3-$SrSO_4$, solid-phase reactions in (10) 219*d*.
$SrZrO_3$-$LaTaO_4$ and $SrTiO_3$-$LaTaO_4$, X-ray diffraction (10) 220*f*.
Sr-$SrCl_2$, magnetic susceptibility of melts in (3) 81*h*.
Ta-O, electron microprobe analysis (10) 216*j*.
Ta_2O_5-GeO_2, crystallization in (1) 21*i*.
ternary, of Na, Ba, and Al fluorides (4) 103*c*.
Te-Ge-As, superconductivity and structural features (10) 219*b*.
Ti-C, chemical vapor deposition in (5) 119*j*.
TiC-graphite, morphology of vapor-phase deposition (5) 121*i*.
TiO_2 + alkali metal borate (6) 139*j*.
TiO_2-SnO_2, spinodal decomposition in (8) 179*h*.
Ti-Si-C, gas-phase deposition in (8) 176*i*.
Ti-Zr-O, Ti-ZrO_2 in (1) 29*g*.

Phase equilibria systems *(continued)*
- Tll-InI (11) 236*d*.
- TlS-GaS (8) 179*e*.
- U-C-rare earths (Ce,Nd,La) (6) 141*j*.
- UO_2-H_2SO_4, surface activation in (4) 101*f*.
- UO_2-Mo, UO_2-Nb, and UO_2-Ta, unidirectional solidification (6) 133*a*.
- UO_2-ThO_2, solid solution formation in (2) 44*g*.
- UO_3-H_2O (3) 72*j*.
- U-La and U-Ce dicarbide, transformation in (1) 15*j*.
- U-Pu-W-C (9) 192*d*.
- U-S-Te (11) 236*e*.
- V-C, vaporization (8) 180*h*.
- VCl_3-$TiCl_3$-KCl, thermal analysis (6) 142*a*.
- $V_{1-x}Cr_xO_2$, structures and two-band model for (9) 199*b*.
- VF_3-MF (M = Li,Na,K,Rb,Cs,Tl) (10) 216*c*.
- V-H, isotope effect on solvus (2) 53*d*.
- vitreous, thermal properties (1) 29*b*.
- V_2O_5-MoO_3 (4) 103*a*.
- V_2O_5-$NaNO_3$, transformations in (7) 158*a*.
- WC-ZrC, precipitation studies in (4) 101*c*.
- WO_3-R_2O_3 (R = Ga,In) (7) 158*e*.
- Yb_2O_3-MgO (1) 26*e*.
- Yb_2O_3-SrO (1) 26*f*.
- Y-C, vaporization (8) 180*h*.
- Y_2O_3-Al_2O_3, interactions in (1) 24*b*.
- Y_2O_3-Fe_2O_3-50PbO.40PbF_2.10B_2O_3, primary crystallization (9) 198*b*.
- Y_2O_3-GeO_2 (5) 123*d*.
- Y_2O_3-MgO (1) 26*e*.
- Y_2O_3-SrO (1) 26*f*.
- ZnO-Nb_2O_5 (8) 174*j*.
- $Zn(PO_3)_2$-$RbPO_3$ and $Zn(PO_3)_2$-$TlPO_3$ (1) 26*g*.
- ZrC-ZrO_2, crystal structure of Zr oxycarbides in (8) 174*i*; ZrC-ZrO_2, stability of oxycarbides in (8) 179*i*.
- ZrO_2-Al_2O_3-CaO, reactions in (7) 155*i*.
- ZrO_2-CaO, ordering in fluorite-type solid solutions in (2) 54*d*.
- ZrO_2-CaO-NiO, bodies, electrical conductivity (3) 72*f*.
- ZrO_2-Gd_2O_3 (7) 159*d*.
- ZrO_2-GeO_2-KF-H_2O (10) 219*g*.
- ZrO_2-HfO_2, thermal expansion of solid solutions in (1) 21*d*.
- ZrO_2-lanthanide sesquioxide, solid solutions in (1) 28*d*.
- ZrO_2-MgO-Y_2O_3, solid solutions in (1) 23*f*.
- $ZrSiO_2$-SiO_2-TiO_2 (8) 178*f*.
- Zr-C, vaporization (8) 180*i*.
- Zr-U-C, thermodynamic and phase relations (8) 180*c*.

transformations, in $BaWO_4$ (5) 122*b*.
- cubic-tetragonal, in La dicarbides and La dicarbide solid solutions (3) 77*d*.
- ferroelectric, in $Tb_2(MoO_4)_3$ (8) 178*a*.
- of ZrO_2 (2) 55*j*.

transitions, in aluminous cement concrete structure (1) 3*c*.
- in Al_2O_3 (1) 26*b*.
- B (6) 142*e*.
- in $Er_2Si_2O_7$ (1) 28*g*.
- in Fe_3O_4 (7) 156*c*.
- in hydrosodalite (5) 121*j*.
- magnetic, in $LaVO_3$ (3) 79*d*.
- metal-insulator, in VO_2 (7) 158*f*.
- metal-insulator, in V_2O_3 (8) 177*g*.
- metal-insulator, in V_4O_7 (2) 56*g*.
- metal-nonmetal in NiS (3) 80*g*.
- 100°K, effect on $SrTiO_3$ conduction bands (8) 175*a*.
- of pyrocl. res from $Cd_2Nb_2O_6S$ (4) 99*j*.
- in quartz (5) 122*c*.
- semiconductor-metal in NbO_2 and $Nb_{1-x}V_xO_2$ (2) 55*e*.
- semiconductor-to-metal, in blue $K_{0.30}MoO_3$ (8) 179*c*.
- in TiO_2 (1) 26*c*.

Phases, composition, of Zn acetate cement (1) 3*b*.
- solid, liquid, and vapor, growth of ternary compounds using, P (2) 41*b*.
- reactions, defining initial state (8) 175*b*.
- transformations, of aerated concrete during preparation (1) 8*b*.

Phenacite, crystallization, with Zn-Be and Mg-Be substitutions, crystallization (6) 137*a*.
- single crystals, ESR of Cr^{3+} in (9) 195*i*.

Phonons, conductivity, of CdTe:Fe^{2+} and MgO:Fe^{2+} (8) 178*f*.
- high-freq., in Ge:Sb and Al_2O_3:V^{3+}, and fluorescence in superconductors (8) 178*g*.
- optical, in MnO (1) 25*j*.
- modes in $LiNbO_3$ (8) 174*h*.
- of $Pb(Ti_{1-x}Zr_x)O_3$ system (1) 27*j*.
- Raman-active, in Al, Ga, and Fe garnets (9) 198*e*.
- in SnO_2 (8) 178*d*.
- resonant, modes of Ag^+ and Au^+ in alkali halides (8) 179*b*.
- sidebands, in emission spectrum of O_2^- in alkali-halide crystals (8) 178*g*.
- of R line in MgO:Cr^{3+} (8) 174*a*.
- thermal, interaction with dislocations in LiF (7) 156*b*.

Phosphates, meta-, effect on Ag deposition (5) 114*c*.
- ores, beneficiation and hot briqueting, P (3) 75*i*.
- flotation of carbonate minerals from (10) 214*d*.
- rare-earth, NMR studies (6) 139*f*.
- silico-, Sr and rare earth (6) 141*g*.
- slimes, Florida, electrophoresis and coagulation studies (6) 135*b*.
- tetra-, radical in metaphosphate glass (4) 87*a*.
- tributyl, as air-entraining agent in heavy concrete (9) 183*c*.

Phosphides, of rare earths (9) 197*d*.

Phosphoric acid, solution, equilibrium transition $CaSO_4.2H_2O$ →alpha-$CaSO_4.0.5H_2O$ as function of (9) 182*j*.

Phosphoric acid *(continued)*
- wet process, effects of slurry circulation on gypsum in (3) 75*g*.
- hydration of hemihydrate from (3) 75*c*.

Phosphors, alkaline earth antimonate, Bi^{3+} and Pb^{2+} centers in (11) 234*a*.
- alkaline earth sulfate, luminescent, P (2) 41*j*.
- Ca halophosphate, porosity-free, P (2) 43*b*.
- $CaWO_4$, SiO_2-modified, P (6) 133*d*.
- CRT (3) 69*d*.
- electroluminescent (3) 69*d*.
- Gd niobate, Bi-activated, P (2) 41*e*.
- halophosphate, improving performance, P (3) 71*a*. P (1) 15*f*.
- ir-to-visible conversion, P (5) 115*c*.
- luminescence in, with $Ca_2SiO_4Cl_2$ as host lattice (2) 53*j*.
- for multicolor displays, P (6) 132*f*.
- particles, ultrafine, of phosphor, removing, P (1) 15*b*.
- precursors for, by controlled precipitation (11) 229*j*.
- rare-earth, Eu-activated, P (8) 170*h*.
- recovering, P (2) 43*a*.
- Yb^{3+}-sensitized, luminescence processes in (2) 53*a*.
- rare earth oxide, and oxysulfide, analyzing, P (7) 153*c*. P (1) 15*h*.
- rare earth oxychloride, compositions, P (11) 231*e*.
- Sr chlorosilicate, Eu- and Mn-activated, P (6) 132*a*.
- suspension, for dipcoating metallic segments, P (2) 43*g*.
- uv-emitting, P (2) 42*g*.
- YF_3:Yb,Er, ir-to-visible conversion in (1) 27*h*.
- Y_2O_3:Yb:Er, new red-emitting ir-excited (2) 58*c*.
- Y phosphate vanadate, P (6) 133*f*.
- yttrium silicate, P (1) 15*d*.
- Y_2O_3:Eu^{3+}, role of Ga_2O_3 in preparation (6) 140*i*.
- ZnS:Mn, powdered, dc electroluminescent, pulse response (10) 218*d*.

Phosphorus, black, high gas pressure crystal growth (2) 52*j*.
- oxychloride, stimulated-emission cross section of Nd^{3+} in (3) 64*f*.
- pentoxide, -SiO_2 products, P (2) 36*f*.
- reaction, with lime in waste water (3) 62*b*.

Photoconductivity, of Bi anodic films (5) 114*i*.
- body, sintered, P (1) 15*g*.
- in CdS, ultrasonic attenuation to study (2) 57*f*.
- of CdTe:Cu,O,S photoconductor (7) 149*f*.
- in chalcogenides, amorphous (2) 54*j*.
- in EuO thin films (3) 70*c*.
- films, P (1) 14*e*; P (2) 43*i*.
- of GaAs, after irradiation (9) 197*d*.
- kinetics, associated with luminescence center in rutile (9) 197*e*.
- magneto-, of GaAs (6) 139*j*.
- of GaAs, effect of alpha-particle bombardment (8) 174*i*.
- in $Pb_{1-x}Sn_xTe$ (2) 54*j*.
- in PbTe, thin films (2) 55*a*.
- photocapacitance effects, at Cu_2S-CdS heterojunction (3) 70*g*.

Photoelectricity, properties, of Au-$CdIn_2S_4$ surface-barrier diode (10) 218*b*.
- of GaSe (11) 235*j*.
- of solid solutions of $(CdS)_{1-x}$-$(In_2S_3)_{1-x}$ system (11) 235*g*.
- of V_2O_5 single crystals (3) 80*i*.

Photographic equipment, camera, precession, single-crystal heater for (1) 18*e*.

Photomagnetism, effect, in YIG (10) 218*b*.

Photometers, flow-through chamber for, to measure and count particles, P (2) 47*i*.

Photometry, of agglomeration, and dispersion in suspensions (1) 18*f*.

Photons, multi-, transitions in ionic crystals (7) 156*c*.

Photoresist materials, passivation, in selective plasma etching, P (10) 211*a*.

Photovoltaic effect, in CdTe, effect of mechanical stress (8) 169*d*.
- properties, of ZnS crystals (4) 101*a*.

Physical properties, of Al_2O_3 (1) 22*g*.
- of CoO, comments and reply (9) 197*f*.
- of GaSb, effect of doping elements (8) 175*h*.
- of $Pb(Fe_{2/3}U_{1/3})O_3$, and solid solutions (9) 197*f*.
- thermo-, of MnTe (2) 57*b*.
- of vermiculite (11) 235*a*.

Physicochemical properties, approach, to properties of concrete (2) 32*i*.
- of $CaSO_4$ hemihydrates (5) 106*f*.
- of kaolin chamotte (1) 26*g*.
- study, of silicates (6) 141*d*.

Physicomechanical properties, of C_3A, hydrates (7) 144*i*.
- of carbide fiber materials (8) 178*i*.

Physics, solid state, B (2) 60*b*.
- and chemistry, B (7) 160*d*.
- statistical, of materials, B (7) 160*f*.

Pickling, batch, for direct-on enamel applications (9) 183*h*.
- effluents, pre-enameling, treatment (8) 163*a*.
- replacement, with coated abrasives (5) 107*c*.
- solutions, material on surface (10) 203*h*.

Piezoelectricity, ceramic compositions, P (1) 15*e*; P (3) 72*a*; P (4) 94*b*; P (5) 115*g*; P (7) 150*w*; P (9) 191*g*.
- ceramics, engineering materials (2) 40*g*. P (2) 43*h*.
- periodically polarized, Rayleigh waves on (2) 40*i*.

constants, of $Bi_{12}GeO_{20}$ (2) 51*a*.
- of crystals, elastic waves in (7) 156*g*.
- nonlinear acoustical parameters (4) 93*a*.
- Zn-blende-type and wurtzite-type (7) 159*d*.

determination, of crystal axes (1) 18*g*.

Piezoelectricity *(continued)*
- devices, and materials for, P (6) 132*f*.

elements, P (11) 230*j*.
- polarizing, P (2) 42*g*.

and ferroelectric composition, P (2) 41*j*.

ignition device, P (2) 43*h*.

properties, of alpha-HgS (3) 78*b*.
- of CdSe, effect of temp. and conductivity (2) 50*g*.
- of ferroelectric $5PbO.3GeO_2$ crystals (2) 51*a*.
- of hydroxylsodalite (9) 197*h*.
- of $NaH_3(SeO_3)_2$ (10) 215*j*.
- of Pb K niobate (2) 55*f*.

review (7) 149*f*.

single crystal, P (7) 150*e*.

thin films, by cathodic sputtering, P (2) 42*i*.

Pigments, aluminosilicate, finely amorphous, from kaolin, P (5) 119*h*.
- modified, precipitated, P (8) 173*g*.

binding, to glass fabrics, P (1) 8*b*.

calcined clay, from paper wastes, P (2) 48*e*.

Cd stannate yellow, P (3) 75*j*.

ceramic, printing ink, for tiles (3) 68*e*.

with coloring ion Cr^{3+}, behavior in enamels (3) 68*f*.

dispersions, P (9) 189*i*.

dyes, and prints, on inorganic fiber materials, P (6) 128*g*.

Fe oxide, P (1) 20*b*.

inorganic, apparatus for treatment, P (11) 233*d*.

P (7) 150*i*; (7) 153*f*; (9) 189*j*.

$PbCrO_4$, SiO_2-encapsulated, of primrose yellow shade, P (8) 173*j*.

Pr-Zr, P (1) 21*a*.

red-shade molybdate orange, P (3) 76*b*.

shungite, for black cement (3) 62*g*.

TiO_2, free-flowing, P (2) 48*d*.
- P (1) 20*d*; P (2) 48*e*; P (9) 194*i*; P (11) 233*i*.
- treatment, P (2) 48*i*.

treatment, P (1) 20*j*; P (2) 48*i*.

yellow, for ceramic industry (10) 209*d*.

Pipe, bell-and-spigot, from basaltic rocks (11) 227*e*.

cast iron, and ductile iron, castable refractories for (9) 187*d*.

cement, seamless asbestos, cross section of, P (3) 62*c*.

clay, and concrete, ASTM standards, B (7) 159*i*.
- efficient system to 65,000 tons per year (5) 110*c*.
- extrusion, P (6) 128*g*.
- fitting (Y) molding apparatus, P (1) 8*g*.
- junctions, P (6) 128*h*.

drain, corrugated, P (8) 166*j*.
- use of novel electrolytes and binders in mfg. (9) 187*j*.

fitting structure for, P (11) 226*j*.

sewer, horizontal stiff extrusion (5) 110*e*.
- plain-end (1) 8*e*.
- from ungraded crushed bottle glass (6) 127*d*.

stoneware, extrusion pug mills for (11) 231*j*.
- rapid firing in Australia (1) 8*d*.

waste, single stack systems, P (4) 90*d*.

water-cooled, no-weld refractory covering for, P (5) 112*g*.

wet, loosening from mandrel, P (8) 166*j*.

Plasters, board, P (7) 145*b*.

building, hardness testing (5) 106*b*.
- hardness testing (5) 106*d*.

from by-product gypsum, P (5) 107*b*.

cement-based porous, hydrophobic, behavior of moisture in (9) 182*i*.

compositions, integral waterproofing, P (2) 32*j*. P (3) 62*d*.

dolomite, with waste sludge from Al product factory (10) 202*e*.

gypsum, freshly made, aging in (1) 2*d*.
- hardness determination (5) 117*a*.
- setting, kinetic models (1) 3*a*.

hemihydrate, hydration, in presence of phosphates and H_3PO_4 (6) 126*b*.

lightweight, P (2) 33*a*.

of Paris, treating, P (3) 62*d*.

Plasticity, of clays, assessing by extrusion method (8) 172*j*.

crystal, stochastic model (9) 198*f*.

high-temp., B (4) 104*h*.

regulation, automatic plant for (4) 95*f*.

Plastics, C fiber-reinforced, hysteresis behavior (8) 167*f*.

chemistry, for glasses and enamels (6) 126*e*.

glass-fiber-reinforced, films of alkaline glass fibers for (10) 204*i*.

glass-reinforced, fatigue properties (9) 184*f*.

laminating, to glass using glass mold, P (9) 186*g*.

thermo-, apparatus for melting, P (1) 6*i*.

transparent, stress distribution in, revealed by photoelastic method (2) 46*j*.

-type materials, processing characteristics, P (8) 172*e*.

Platinum, deposition, on sapphire and Al_2O_3 (16) 210*a*.

diffusion, P (5) 115*c*.

dispersity, in Pt-Al_2O_3 catalysts, X-ray diffraction and O-H titration (10) 209*j*.

-group elements, Gibbs free energy of formation of intermetallic compounds containing (3) 63*f*.

metals, in crystal pulling (1) 16*e*.

Pt(IV), optical absorption in glasses (4) 87*g*.

reaction, with dicarbides of Y, Ce, and Er (5) 122*c*.

-Re hydrocarbon, conversion process, P (10) 214*i*.

and Ti, reducing interdiffusion rates and inhibiting metallic compound formation between, P (8) 171*d*.

Plutonium, dioxide, O exchange reaction (1) 16*a*.

dissolution, continuous apparatus, P (7) 151*j*.

mixed oxides, spheroidal material, compression strength, P

Plutonium mixed oxides *(continued)*
(3) 73*a*.
nitride, and (U,Pu)N, carbothermic synthesis (1) 15*j*.
(U,Pu)N, and UN compacts, sintering, P (2) 45*g*.
Np separation from, P (6) 133*e*.
oxide, particles, vapor seal coating, P (7) 152*c*.
$^{238}PuO_2$, O self-diffusion in (3) 72*i*.
$^{238}Pu^{16}O_2$, P (8) 172*a*.
recovery, from organic materials, P (4) 95*b*.
separation, for U and other transuranium elements, P (11) 231*g*.
and U nitrates, mixed solutions, P (9) 193*c*.
-UO_2, thermal conductivity (9) 192*f*.
Polarization, dependence, of optical absorption edge of Gd molybdate (9) 199*h*.
electrode, of ionic conductors (2) 51*e*.
of piezoelectric elements, P (2) 42*g*.
by shock waves, in quartz gages (2) 54*c*.
spontaneous, of $Gd_2(MoO_4)_3$ (9) 198*f*.
Polarizers, ir Ge film, P (2) 41*f*.
Polishing, chemical, sapphire, P (1) 13*f*.
of scratches from Fe and low-C steel (1) 17*i*.
etch, single rare earth crystal synthetic garnet, P (1) 15*d*.
glass, agent of Na Zr silicate, P (4) 88*g*.
precision, of crystals with soft powders (8) 172*c*.
Pollution, air, abatement apparatus, P (2) 45*f*.
from auto-exhaust gas, catalysts to eliminate, P (10) 214*d*.
control apparatus for smoke emitter, P (5) 118*i*.
dust removal in German cement industry (3) 61*g*.
in enameling industry (10) 203*b*.
in enameling industry (10) 203*c*.
in enameling industry, regulations (10) 203*d*.
by fluoride emissions, reduction with lime (2) 45*d*.
legal aspects (8) 180*c*.
prevention by using solid adsorbents, P (2) 48*c*.
protection devices (1) 16*e*.
removing sulfide odors from kiln stacks, P (7) 152*i*.
SO_2 removal from waste gases (3) 73*h*.
suction and purification apparatus for, P (2) 45*g*.
control, in glass industry (7) 146*b*.
control boards, in enameling industry (10) 203*b*.
environmental, reducing, by using stack gases and waste water, P (11) 232*b*.
prevention, conference in 1972 (3) 82*f*.
regulations, effect on heavy metals removal (10) 220*h*.
Polycrystalline materials, grains and voids in, geometrical models (10) 208*i*.
Polymerization, in glass, ir study (5) 108*g*.
Polymers, ceramics as, possible development (4) 104*i*.
crystallization, without chain folding (2) 57*a*.
and fluoride coatings, and composites, lubricants (11) 233*d*.
materials, optical properties, and measurement (2) 54*d*.
structure, and properties, B (11) 236*h*.
Polymorphism, of enstatite (10) 216*d*.
phases, in Al_2O_3 coatings (2) 55*b*.
in PLZT ceramics (3) 70*h*.
of rare-earth trifluorides (3) 81*b*.
transformation, of Eu_2O_3 by abrasion (2) 55*c*.
Porcelain, Al_2O_3, for electrical insulator (3) 68*d*.
high-, sintering, effect of metallic oxides (9) 189*g*; high-, high-purity calcined Al_2O_3 in (10) 209*c*.
Al_2O_3-enriched, properties, effect of fluxes (11) 228*c*.
black discoloration, during firing with SiC kiln furniture (1) 12*e*.
Ca-Na, with wollastonite (9) 189*e*.
Chinese Armorial, B (9) 200*a*.
crack propagation in, prediction with acoustic emission (1) 23*b*.
cristobalite-containing (1) 11*c*.
defects in, causes and elimination (6) 130*a*.
dielectric strength (11) 228*i*.
dipping, by boom manipulators, in washer and dryer mfg. (1) 3*c*.
elastic constants, and anelastic (11) 228*d*.
electrical resistance, effect of oxides (1) 11*f*.
electrotechnical, with high mechanical resistance (3) 68*i*.
frit, low temp. (6) 125*h*.
hard, mineralogical compositions and microstructures (4) 91*g*.
industry, silicone rubber as elastic model material for (7) 148*g*.
kaolin-quartz-feldspar bodies, densification process (5) 113*f*.
microstructure, correction (7) 148*c*.
molding, on semiautomatic machines (11) 228*g*.
mullite batches, with homogeneous texture (11) 228*g*.
plastic bodies, behavior during forming by mechanical vibration (7) 148*i*.
for sanitary ware, stress determination in (6) 130*e*.
screen-printing stencils for (11) 228*i*.
structure, evaluation by electron microscopy (11) 232*h*.
study by microscopy (7) 153*a*.
ware, mfg., shaping, drying, and firing (6) 130*e*.
Pores, closure, transport mechanisms during (7) 159*g*.
grain-boundary, isolated, vol-diffusion-controlled shrinkage (9) 199*g*.
interconnected system, shrinkage (7) 158*d*.
isolated, behavior in NaCl (5) 119*d*.
movement, in UO_2 fuel rods, kinetics (9) 192*b*.
shrinkage, by vol diffusion during final stage sintering (9) 194*c*.
size distribution, in ceramic bodies, P (2) 47*a*.
in granular materials (2) 58*e*.
of kaolinite-illite-quartz mixtures (4) 99*g*.
Pores size distribution *(continued)*
measurement with isothermograph (6) 134*j*.
in Neolithic, Iron Age, Roman pottery (11) 221*g*.
of sintered MgO (7) 152*f*.
structure, of Al_2O_3 catalyst (8) 178*j*.
analysis, methods, B (5) 124*i*.
of building materials, relation to properties, B (5) 124*j*.
of cement pastes (2) 32*d*.
of porous glass, effects of heat treatment for phase separation (4) 86*b*.
and properties of materials, B (10) 220*g*.
vol changes, interacting with grain boundaries (5) 120*a*.
Porosimetry, application, B (5) 124*a*.
mercury, of hardened cement paste, steam-cured (9) 182*c*.
low-temp. (11) 232*i*.
Porosity, capillary, in hardened cement paste (5) 105*i*.
of ceramic materials, decreasing, by impregnation with salt solutions (8) 175*a*.
grain, in granular materials (2) 58*e*.
in PLZT ceramics, elimination by liquid phase sintering (7) 149*c*.
of pottery bodies (4) 91*g*.
of vitreous china (2) 39*d*.
Porous materials, bodies, P (4) 96*b*.
vacuum pickup, P (6) 134*c*.
Positron, annihilation, in Al_2O_3, single-crystal (10) 218*c*.
probe, of imperfections in quartz crystals (2) 55*c*.
Potassium, bromide, Au deposition on, nucleation kinetics (11) 235*f*.
and KCl, far-ir absorption in (7) 155*i*.
carbonate, and hydroxide, reactivity with Al_2O_3 (1) 21*c*.
chloride, and bromide, dielectric constants (8) 178*e*.
bromide, and iodide, thermodynamic study (2) 57*a*.
dielectric constants (8) 178*c*.
grain boundaries, dielectric behavior (9) 195*d*.
high-field current transients in (3) 79*e*.
ice, dielectric properties (2) 50*i*.
-KBr mixed crystals, Br^- ions diffusion in (2) 50*j*.
press forged, strengthening effects in (9) 198*g*.
single crystals, plastic deformation (8) 178*j*.
:Sm^{2+}, ion-defect pair energies in, spectroscopy (3) 81*b*.
exchange, and hydration of micas, effect of layer charge location (10) 216*f*.
in glasses, concentration changes during electron microprobe (8) 163*j*.
hexafluorotitanate, thermal decomposition (4) 104*c*.
$(K_{3/4}Bi_{1/4})(Zn_{1/6}Nb_{5/6})O_3$, dielectric relaxation and thermally stimulated current in (1) 22*f*.
K_2CuF_4, ferromagnet, study by neutron scattering (10) 217*g*.
$KEu(MoO_4)_2$, crystals (9) 197*i*.
K_2FeO_4, crystal structure (4) 98*h*.
KH_2AsO_4-type, ferroelectric crystals, ^{75}As spin-lattice relaxation and resonance in (3) 76*j*.
KH_2PO_4, ferroelectric crystal, dislocations at domain tips in (2) 51*h*.
K_2MgCl_4, and $KMgCl_3$, enthalpies of formation (3) 78*e*.
$KMnF_3$, equilibrium spin configuration and antiferromagnetic resonance (10) 216*c*.
$K_{0.30}MoO_3$, blue, semiconductor-to-metal transition in (8) 179*c*.
$KNiF_3$, $KMoO_3$, and $KTaO_3$, energy bands for (8) 176*e*.
$K_2Si_2O_5$, $KHSi_2O_5$, and $K_2Si_4O_9$, preparation and crystallography (6) 127*g*.
K_3TaO_4, and K_3NbO_4, crystallographic modification (5) 122*d*.
$KTa_xNb_{1-x}O_3$, absorption edge splitting in (8) 174*b*.
$KTa_{0.64}Nb_{0.36}O_3$, Raman spectrum (7) 157*h*.
$KTeO_3(OH)$, crystal structure (5) 122*f*.
$K_xV_xMo_{1-x}O_3$, ($x \approx 0.13$), new tunnel structure (5) 121*b*.
$KY(MoO_4)_2$, and $KLu(MoO_4)_2$, EPR of Gd^{3+} in (11) 234*d*.
$KZrF_5$, mold wash composition, P (3) 67*g*.
K_2NiF_4-type compounds, L_4MS_7 (L = La,Ce,Pr,Nd; M = Co, Ni), structure (10) 219*g*.
Li niobate, pyroelectric and optical properties (1) 27*e*.
metatitanate, and tetratitanate, unit-cell parameters (4) 104*c*.
molybdate, and tungstate, modulated structures (6) 139*a*.
niobate, single crystal, optical coeff. (4) 101*b*.
thick crystals, ferroelectric domains in (8) 176*j*.
pentatantalate, decomposition (1) 22*c*.
silicate, melt, kinetics of dendritic precipitation of cristobalite from (1) 5*e*.
sulfate, dielectric anomaly near phase transition point (8) 175*c*.
double, synthesis (7) 158*b*.
tantalate, anharmonic effects in (9) 194*d*.
electronic band structure (1) 23*e*.
neutron-scattering analysis in linear-displacement correlations in (7) 156*d*.
photoeffects in (8) 178*h*.
tantalate niobate, crystals, growth (2) 52*d*.
tetrachloroiodates, reactions (7) 157*c*.
tetrafluoroborate, reaction with La_2O_3 (9) 198*h*.
yttrium molybdate, dipole-coupled ion pairs in, EPR (3) 78*i*.
Potentiometry, differential, with ion-selective electrode (8) 172*h*.
Potteries, in England, Cricklade, Snake, and Studio (4) 83*e*.
Pottery, apprenticeship revived (10) 201*h*.
basic, for student, B (7) 160*b*.
basins, on churches in Lucca countryside (3) 61*d*.
batch recipes (6) 125*g*.
bodies, pore structure (4) 91*g*.
clay cooking (5) 105*f*.
cups, and pots, apparatus for attaching handles, P (4) 92*b*.
exhibition, from Soufflenheim (Alsace) (3) 61*g*.
Pottery *(continued)*
flowerpots, drills for making holes in, P (4) 92*a*.
Neolithic, Iron Age, Roman, pore-size distribution in (11) 221*g*.
practical, illustrated dictionary, B (10) 220*c*.
primitive, at Red Dog (7) 143*i*.
studio, manual for, B (4) 104*i*.
style in, B (5) 124*h*.
from Sybaris (3) 61*h*.
teaching Australian aborigines (11) 221*g*.
tin-glaze, in Europe and Islamic world, B (7) 160*j*.
workshop, from idea to finished form, B (6) 142*f*.
Pottery industry, estimating costs (11) 221*h*.
Lion's Head (11) 221*f*.
Nelson McCoy (1) 12*c*.
Plum Tree, and John Glick (10) 201*e*.
Richards, since 1822 (3) 61*d*.
Staffordshire (7) 143*d*.
Potterymaking equipment, centering with leather strap, John Novy demonstrates (5) 105*h*.
wheels, and control for, P (2) 39*h*.
drive system, P (7) 152*j*.
Indian (6) 125*h*.
Powders, ceramic, controlling surface area, P (2) 46*c*.
free and compact, particle size determination by ultrasound (6) 134*e*.
and metal, explosive-force compaction (2) 45*h*.
classification, P (9) 194*g*.
color, powder spray gun for spraying, P (5) 116*f*.
coolers for, P (9) 193*i*.
dusting, process and apparatus, P (4) 96*c*.
fine, pneumatic treatment, P (3) 73*f*.
granular, metering and feeding, P (4) 96*a*.
granulating, P (4) 96*c*.
metal, containing refractory compounds, effect on production and sintering (6) 129*c*.
molding, of vermiculite and clay, P (6) 136*g*.
reaction kinetics, correction (10) 217*c*.
index (4) 99*i*.
sintering, P (7) 152*i*.
treating, P (3) 73*e*.
Praseodymium, oxide, films, ac behavior (11) 229*i*.
thermal expansion, X-ray diffraction (2) 57*e*.
Pr_2O_3, (hexagonal and cubic), and $PrO_{1.833}$, enthalpies of formation (9) 196*a*.
tetrafluoride, synthesis and physicochemical study (10) 219*d*.
tripolyphosphate, X-ray diffraction (1) 29*j*.
Precipitates, growth kinetics, effect on diffusion coeff. (4) 99*h*.
Ta oxide, hydrated (3) 79*g*.
Precipitation, of bauxite sludges, factors affecting rate (6) 135*c*.
of Ca fluozirconate, repressing, P (5) 116*d*.
of chalcogenides, complex crystalline (7) 154*e*.
electrical, P (5) 116*c*.
hardening, of spinel with excess MgO (7) 157*b*.
in NaCl, crystals (11) 235*b*.
studies, in WC-ZrC system (4) 101*c*.
in WC-Co composites (6) 140*c*.
of wustite, to enhance fracture properties (5) 120*b*.
Precipitators, electric, passing conductor through cover, P (1) 16*g*.
electrostatic (1) 16*a*. for dust removal from cement grinding mills (2) 32*b*.
Presses, brick, control device for, P (8) 172*d*.
vacuum, P (7) 147*g*.
carbon extrusion, P (3) 73*b*.
extrusion, mineral-ceramic mouthpieces for (3) 66*a*.
for viscous material, P (10) 212*h*.
filter, apparatus for supporting filter medium for, P (2) 45*g*.
horizontal, P (11) 232*a*.
P (1) 16*i*; P (7) 152*j*.
press plate unit for, P (1) 17*b*.
high isostatic, P (6) 134*d*.
hot, vibratory, for sinter-joining ceramic to graphite (8) 167*h*.
hydraulic metal powder, P (6) 134*b*.
isostatic, antidirt sleeve for, P (4) 95*h*.
for particulate material, P (11) 232*b*.
operation, P (3) 73*e*.
powder-compacting, filling die, P (2) 45*j*.
toggle, oil-hydraulic, for dry-pressed refractory bricks (7) 147*f*.
Pressing, effect, on sintering kinetics of spherical particles (7) 156*a*.
hot-, Al_2O_3, analysis (7) 155*h*.
Al_2O_3, effect of powder characteristics (7) 155*j*.
Al_2O_3, phosphate-bonded (9) 187*f*.
B and B suboxide (10) 208*a*.
behavior of Si_3N_4 (2) 52*d*.
Be_4B (1) 9*c*.
B_4C (7) 147*f*.
ceramic oxides to transparency, P (2) 39*f*; of ceramic materials, P (8) 172*d*.
of face brick (7) 147*c*.
formation of structure during (7) 157*d*.
grain growth during (7) 155*c*.
isostatic, for trarnslucent PZT ceramics (11) 229*e*.
of MgO compacts, densification during (7) 154*b*.
reaction of Si_3N_4 and Y_2O_3 in (7) 157*b*.
of refractory compound powders, creep during (7) 154*a*.
Si_3N_4 (1) 24*f*.
temp., effect on electrical conductivity of MgO (1) 22*d*.
isostatic (3) 73*h*. in ceramic industry (1) 16*j*.
powder, for making glass mosaic plates (1) 5*g*.
vibratory, for densification of refractories (6) 129*a*.

Pressure, dependence, of dielectric constants of KCl, NaCl, LiF, and MgO (8) 178*c*.
of elastic constants of LiBr and LiCl (8) 178*c*.
of elastic moduli of WC cermet (9) 197*j*.
of electrical conductivity of NiO (3) 81*e*.
of He permeation through vitreous SiO_2 (2) 34*e*.
of phonons in SnO_2 (8) 178*d*.
effect, on Fermi surface of ReO_3 (7) 155*f*.
on formation of $CaZrO_3$ by solid-state reaction (6) 137*i*.
on refractive index of glass (5) 108*h*.
high-, absolute determination (4) 96*i*.
phase research on Nb_2O_5 (7) 155*g*.
study in MgO-SiO_2-H_2O system (10) 216*j*.
hydrostatic, effect on dislocations (3) 78*f*.
Prosthetic ceramics, flame-sprayed (2) 33*d*.
Protactinium, recovery, from molten fluoride nuclear fuel compositions, P (5) 116*g*.
separation, from neutron-irradiated Th, P (11) 231*h*.
Protons, channeling, in $BaTiO_3$ thin crystals (8) 174*b*.
Proustite, elasticity constants, and photoelastic properties (5) 120*a*.
Pumps, high-pressure, in furnace construction (1) 10*e*.
for introducing unshaped refractories (1) 9*i*.
reciprocating, for depositing viscous liquids, P (1) 17*b*.
water, borehole, corrosion control on (4) 86*a*.
Purification, of Al_2O_3, by floating zone technique (5) 119*c*.
of Be hydride, P (5) 112*i*.
of stony material, P (2) 48*j*.
of UF_6, P (9) 193*b*.
Pyrite, and arseno-, structures, ^{121}Sb Moessbauer studies on compounds with (3) 81*i*.
composition, and thermoelectric properties (5) 120*h*.
crystal morphology (4) 98*g*.
Pyrochlore, from $Cd_2Nb_2O_6S$, phase transitions (4) 99*j*.
structure, compounds with (1) 25*e*.
ir-absorption characteristics (9) 196*i*.
new compounds with (4) 100*j*
-type crystal, formation in [illegible]Nb)O_3-containing glasses (10) 204*b*.
Pyroelectricity, devices, P (10) 211*f*.
properties, of Pb germanate (4) 93*b*.
voltage response, to short ir laser pulses in triglycine sulfate and Sr-Ba niobate (6) 95.
Pyrolysis, of Al compounds, for a-[illegible]Al_2O_3 (1) 20*c*.
of resins, C formation during (1) 9*c*.
Pyrometric cones, deformation behavior and testing of self-supporting cones (4) 96*h*.
Pyrophyllite, -based stoneware bodies (9) 189*c*.
and sericite compacts, abnormal expansion during dehydroxylation (10) 215*d*.
Pyroxenes, clino-, lattice deformations (4) 98*i*.
hedenbergite-ferrosilite, synthetic, Moessbauer spectra (5) 100*c*.
Pyrrhotines, Fe/S ratio in, by nuclear gamma resonance method (5) 120*c*.

Quality control, costs, reducing (2) 58*f*.
in fine ceramics mfg. (10) 212*e*.
of raw meal, stockpile and pneumatic homogenizing systems for (2) 45*h*.
statistical (4) 104*b*.
Quartz, alpha-, Raman spectrum, piezospectroscopy (9) 197*h*.
surface vibrations in (6) 141*c*.
crystal industry, vacuum techniques in (2) 45*e*.
crystalline, surface layer in, study by etching method (4) 103*c*.
crystals, electrical properties, radiation effect (1) 24*h*.
positron as probe of imperfections in (2) 55*c*.
synthetic, V-shaped defects of optical homogeneity in (4) 100*h*.
synthetic, water in (5) 123*g*.
cuvettes, for high-accuracy spectrophotometry (6) 134*b*.
Dauphine twins in, observation with second-harmonic light (2) 50*a*.
dielectric constants (2) 50*h*.
disintegrator dispersion, effects during (2) 50*h*.
electric field breakdown in, determination by dielectric dispersion analysis (3) 76*b*.
fired, thermoluminescence sensitivity (1) 27*j*.
flotation, P (11) 233*g*.
fused, cavity, fixed freq. solid dielectric, P (11) 230*b*.
elastic constants, determination by shock compression (4) 99*h*.
elongated member, P (2) 36*i*.
ion-bombarded, for integrated optics (10) 210*g*.
grains, decomposition in cement raw mix (1) 2*c*.
and Mg-chlorite-muscovite, stability relations (6) 141*f*.
microwave ultrasonic waves in, velocity measurements (8) 180*j*.
milling (5) 116*j*.
natural, thermoluminescence in (6) 142*e*.
noncrystalline shear (4) 101*a*.
particles, small sedimentary (1) 27*h*.
phase transition in (5) 122*c*.
plates, rotated X-cut, vibrations, freq. temp. dependence (4) 86*e*.
subharmonic generation in (4) 93*d*.
quantitative determination, by X-ray phase analysis (11) 232*a*.
sand, in glass industry (11) 225*d*.
in sedimentary rocks, determination by X-ray diffraction (4) 96*j*.
solubility, in NH_4F aqueous solutions (9) 190*d*.
surfaces, microcrystals as nucleus centers on (2) 54*c*.

Quartz surfaces *(continued)*
similar to amphibole asbestos dust surface (7) 154*f*.
transition, to coesite, kinetics (6) 139*d*.
X-cut, piezoelectric current from (2) 40*h*.
Z-cut, longitudinal hypersonic waves in (1) 21*c*.
Quartzite, alunite, rapid-hardening and expansive cement from (2) 32*i*.
Quenching, effect, on Al_2O_3 ceramics flexural strength and impact resistance (11) 228*d*.
isotherms, relation to crack propagation of nonmetallic materials (1) 12*f*.
molten metals, and ceramics, arc melting apparatus for (1) 18*h*.
thermal, of characteristic luminescence (10) 220*a*.
Quinazoline, hydration, at montmorillonite-water interface (4) 98*j*.

Radiation, acoustic, from high coupling cut of $LiNbO_3$ (10) 215*e*.
by interdigitated grids on $LiNbO_3$ (6) 136*e*.
coherent X, scattering on alpha-Fe_2O_3 and $FeBO_3$ crystals (7) 157*f*.
damage, in graphite crystals (4) 101*h*.
in MgO (1) 27*i*.
in NaCl crystals, thermal annealing (8) 179*i*.
effect, on electrical properties of quartz crystals (1) 24*h*.
in SiO_2, threshold for (8) 180*e*.
electromagnetic, detecting and/or recording, P (3) 74*c*.
of $(Er,Lu)AlO_3$ crystals, doped with Ho^{3+} and Tm^{3+} ions (4) 102*e*.
exchange, in glass furnaces (1) 6*a*.
exciting, effect on thermal glow of NaCl:Sr (2) 50*d*.
gamma, damage in GaAs (2) 52*b*.
heat transmission, in semitransparent media (1) 17*f*.
ir, temp. measurement, with dc electronic apparatus, P (4) 96*d*.
laser, surface damage of GaAs from (4) 103*b*.
neutron, and gamma, effect on glass optical wave guides (11) 223*e*.
-resistant, coatings for semiconductor devices, P (2) 43*c*.
Li ferrite cores, P (2) 43*c*.
solar, effects on transmission of MgF_2 and cryolite thin films (7) 145*b*.
space, simulated, effect on optical materials (10) 204*e*.
X-ray, or gamma-ray, for examination of body, P (7) 153*c*.
Radioactive tracers, to determine flow velocity, of kaolin suspension (11) 232*e*.
Radioactivity, materials, reprocessing, P (9) 193*b*.
of samples, measurement in scintillation-type counter, P (5) 117*j*.
Radome, high-temp., reaction sintered Si_3N_4 for (4) 90*a*.
Raman effect, electronic, of $NdAlO_3$ (8) 175*j*.
study, of isothermal devitrification kinetics of $NaPO_3$ glass (10) 205*f*.
of $MgAl_2O_4$ crystals (8) 178*g*.
of $ZnCl_2$-TlCl and $ZnCl_2$-$PbCl_2$ mixed melts (9) 199*g*.
Rare earths, arsenates, thermal stability (11) 236*i*.
borides, preparation and crystal structure (7) 157*c*.
borosilicates, chemical composition (4) 98*j*.
chlorides, interactions with NH carbonate (1) 24*b*.
determination, by ion exchange displacement chromatography (9) 193*a*.
geology, and mineralogy, bibliography to 1971, B (2) 58*e*.
germanates, hydrothermal synthesis (10) 217*b*.
halides, reduced (9) 198*j*.
ions, in CaF_2 and other fluorides, high pressure optical studies (8) 177*a*.
in crystal field with D_2 symmetry, Zeeman effect theory (5) 123*e*.
energy transfer from vanadate to, in $CaSO_4$ (10) 216*b*.
isomorphism and valence transformations in anhydrites (10) 217*i*.
multiphonon relaxation in Y orthoaluminate (9) 197*g*.
luminescence (9) 196*h*.
manganites, magnetocrystalline anisotropy (9) 196*j*.
molybdates, $Ln_2(MoO_4)_3$ and Ln_2MoO_6, structural and physical properties (9) 198*i*.
reactions with alkali metal sulfates (6) 140*j*.
niobate, composition, P (1) 15*j*.
orthochromites, ^{53}Cr NMR in (8) 174*g*.
and orthoferrites (9) 196*j*.
orthoniobates, ir spectroscopy (10) 217*e*.
photochromic (1) 26*e*.
orthotantalates, ir spectra (9) 196*j*.
oxides, $AlLnO_3$-type (A = Li-Cs) (9) 194*e*.
effect on dielectric properties of Ba-Ti ceramics (10) 209*i*.
reaction with MoO_3 (9) 198*i*.
oxysulfides, luminescent film, P (11) 233*f*.
phosphates, NMR studies (6) 139*f*.
phosphides (9) 197*d*.
selenites, ir spectra (7) 156*a*.
silicophosphates (6) 141*g*.
sulfides, beta variety (2) 49*g*.
terephthalates, thermal decomposition (10) 219*j*.
thiosulfates, vibration spectra (1) 29*h*.
trifluorides, polymorphism and crystallographic characteristics (3) 81*b*.
structure (1) 28*h*.
triiodides, thermodynamic characteristics (10) 220*b*.
vanadates (11) 236*a*.
and Zr, complex oxides, synthesis (9) 199*e*.
Reactions, index, unifying concept for reaction kinetics of powders (4) 99*i*.

Reactions *(continued)*
rates, of transients from water in aqueous solutions (1) 18*h*.
Reactors, for endothermic, and exothermic reactions, P (3) 75*d*.
fast, gas-cooled, pyrocarbon- and SiC-coated oxide particles for (7) 151*b*.
fuel sphere pile, P (7) 152*b*.
high-temp., anisotropy of pyrocarbon on fuel particles for (6) 133*a*.
Gd burnable poison for (4) 95*e*.
nuclear, with boiling light-water coolant, P (8) 172*a*.
coated-particle fuel for, P (11) 231*f*.
components, decontamination of surfaces, P (4) 95*j*.
control rods, and drive rods for, P (5) 116*e*.
control rods, P (5) 116*e*.
detecting flaws in, P (1) 16*b*.
fuel assembly for, and core comprising, P (4) 95*i*.
fuel assembly for, P (6) 133*b*.
fuel rods, P (1) 16*f*.
and gaseous coolant for, P (3) 73*c*.
gas-cooled high-temp., charging, P (3) 73*b*.
high-temp., P (4) 95*i*.
internals construction and failed fuel rod detection, P (10) 212*h*.
liquid-cooled pressure vessel, P (4) 95*i*.
measuring neutron flux in, P (4) 95*h*.
P (3) 73*c*; P (9) 193*c*.
rapidly refueliable, P (2) 45*f*.
shutdown systems, P (9) 193*c*.
water-cooled core, test apparatus, P (3) 73*d*.
Rectifiers, semiconductor, high-voltage, P (4) 93*g*.
high-voltage, P (9) 191*a*.
Reflection, of $CdCr_2Se_4$, near Curie point (6) 140*b*.
for Cer-Vit (11) 225*c*.
correction, for transmittance measurements on filter glass (5) 117*d*.
electro-, of GaAs (3) 69*e*.
ir, of TeO_2, paratellurite (9) 196*j*.
Reflectometer, time domain, for measuring liquid level (1) 17*i*.
Refraction, birefringence, in chalcopyrite structure (5) 122*d*.
form, in Na borosilicate glass (7) 145*c*.
induced, of vitreous SiO_2, nonlinear variation (4) 87*f*.
optically induced, change in $LiNbO_3$ (2) 57*i*.
photoinduced, in ZnSe crystals (9) 197*e*.
for PLZT 7/65/35 and Nb-modified PZT (10) 210*a*.
stress, in ferrimagnetic garnets (8) 179*j*.
of glass, fluoaluminophosphate (6) 127*j*.
Refractive index, of As_2Se_3 (9) 198*a*.
behavior, of garnets (8) 178*j*.
of $Be_4Ge_3O_{12}$, and $Bi_4Si_3O_{12}$ (6) 140*c*.
dispersion, on $PbO.2Nb_2O_5$, new ferroelectric single crystal (10) 216*b*.
equivalent, of multilayer films (11) 234*e*.
in ferroelectrics, "dirty" displacive (3) 69*j*.
of glass, boric oxide, variation (4) 87*c*.
borosilicate (10) 204*d*.
industrial (5) 108*i*.
Li Cs silicate and Na Cs silicate (8) 164*i*.
$Na_2O.Sb_2O_3.GeO_2$ (10) 205*d*.
oxide, effect of temp. and pressure (5) 108*h*.
gradients, effect on index measurements by Abeles method (10) 213*e*.
of nonabsorbing films, over absorbing substrates (10) 209*i*.
nonlinear, anisotropy in Gd and Tb molybdate single crystals (2) 49*c*.
of optical fibers, unclad (11) 232*c*.
profiles, in SiO_2 glass, ellipsometric analysis (3) 74*a*.
of $YAlO_3$, biaxial crystal (10) 217*c*.
Refractories, alkali resistant, and acid, containing Ba and Mg oxides (11) 226*a*.
alumina, alkali attack (2) 37*g*.
-based, microstructure (3) 66*g*.
composition, P (9) 188*c*.
grain, P (7) 148*b*.
high-, in blast furnace bosh (1) 10*d*.
high-, for blast furnace lining (3) 66*e*.
high-, bricks, and clay, in regenerator of glass furnaces (7) 147*b*.
high-, fracture toughness and spalling behavior (11) 226*h*.
high-, from hot-metal mixer furnaces (1) 9*a*.
high-, ramming materials in electric furnace roof (11) 227*d*.
high-, and ZrO_2, in Flo-Con sliding gate systems for casting (2) 38*e*.
sintered (4) 90*g*.
and zircon, for sliding nozzle (11) 227*b*.
aluminosilicates, creep behavior (4) 90*e*.
in Fe-Mn alloys, corrosion (9) 187*d*.
articles, with high thermal shock resistance, P (9) 188*j*.
P (3) 68*a*; P (10) 209*f*.
precision molded, P (11) 228*b*.
use with molten ferrous metals, P (1) 11*f*.
artifacts, P (4) 91*a*; P (7) 148*e*.
ASTM standards, B (7) 159*j*.
basic, corrosion by alkali vapor (10) 207*j*.
for glass furnace construction (8) 167*a*.
phase equilibria and microstructure in (4) 90*d*.
problems in (10) 208*a*.
raw materials (7) 147*h*.
research report (5) 111*f*.
review (6) 129*h*.
tar-bonded, low temp. deformation test for (9) 187*g*.
basic brick, B.L.B., in ladle for desulfurization (11) 227*j*.
direct-bonded, definition in U. S. A. and England (10) 208*d*.

Refractories basic brick *(continued)*
for electric arc furnace roof lining (2) 37*g*.
in regenerators of Pb glass tanks (7) 147*i*.
blast furnace, review (1) 9*g*.
blocks, fused-cast tank, cooling and decreasing corrosion (1) 9*e*.
isostatically pressed tank (8) 167*b*.
boat, for metal vaporization, P (9) 188*h*.
body, clinker from Bulgarian raw materials for (11) 227*f*.
as fixed bed coal gasification diluents, P (9) 189*a*.
fused-cast nonmetallic, continuously annealing, P (9) 188*i*.
porous, impregnated with Mg, P (8) 168*f*.
BOF, reduction of slag attack on (2) 38*b*.
bottom, open-hearth, formation by vibrating system (1) 9*c*.
removable, for steelmaking furnace, P (8) 168*d*.
rings, P (1) 11*e*.
brick, applying metal plate to, P (5) 112*a*.
burned, for suspended roofs, P (2) 39*f*.
cold compressive strength, effect of surface finish (8) 172*h*.
crack formation and stress distribution in (5) 111*b*.
dry-pressed, oil-hydraulic toggle press for (7) 147*f*.
fired basic or neutral, P (2) 38*j*.
fired, for suspended furnace roof, P (9) 189*b*.
grogs, thermal conductivity, effect of particle size (10) 208*f*.
lime blowing in, prevention (1) 9*b*.
magnesite hot metal mixer (5) 111*i*.
with metal casing, P (9) 189*a*.
P (3) 67*d*.
sillimanite and mullite, in glassmelting furnaces (3) 66*j*.
thermal conductivity measurement, apparatus for (10) 212*j*.
thermal shock, furnace for evaluation (5) 111*a*.
Bulgarian kaolin for (10) 208*e*.
CaO, effect during steelmaking on Ca_2SiO_4 formation (2) 38*c*.
carbide, and Ru (10) 208*d*.
sintered, tool tips, electrochemical grinding (2) 31*d*.
carbonaceous products, P (7) 148*c*.
castable, for cast iron and ductile iron pipe (9) 187*d*.
failure, relation to supporting studs (10) 208*a*.
mechanical properties (8) 167*i*.
plastics, mortars, and fireclay brick, P (3) 67*d*.
zircon-based (2) 37*j*.
for casting, molten metal, P (6) 129*c*.
in steelworks (1) 9*i*.
castings, investment, reducing oxide defects in, P (10) 209*e*.
for cast iron (1) 10*c*.
and cement (4) 90*c*.
in ceramic tile industry, problems (1) 9*j*.
chemical analysis, by X-ray fluorescence of glass pellets (11) 226*e*.
chrome, dense material, P (3) 67*c*.
high-, fused-cast, P (1) 11*a*.
chrome-magnesite, corrosion by Na_2CO_3 vapor (10) 208*a*.
physical properties, thermal expansion, and structure (8) 167*c*.
slag resistance (11) 227*c*.
chrome-magnesite bricks, in regenerators of flat glass tanks (7) 147*j*.
chrome-magnesite sinters, pore development in (8) 167*e*.
chromite, low-grade ores, upgrading (6) 136*b*.
coke-oven patching material, P (10) 208*h*.
composite, P (3) 68*a*.
compositions, with coarse particles of clay or bauxite and C, P (9) 189*a*.
heat-insulating antipiping, P (9) 188*g*.
hydraulically setting, P (8) 168*c*.
from hydraulic-setting bonding agent, P (11) 228*a*.
nonferrous, P (4) 91*i*.
P (1) 11*g*; P (3) 67*c*.
shaped, P (3) 67*c*.
compounds, activated sintering (7) 157*e*.
metal powders containing, effect on production and sintering (6) 129*c*.
powders, creep during hot-pressing (7) 154*a*.
for continuous casting (9) 188*d*, reducing trouble at Kimitsu Steel Mill (11) 227*c*.
converter, hot impact resistance (11) 227*f*.
hot repair (1) 9*c*.
corrosion, in electric glassmelting furnaces (11) 226*e*.
by glasses (5) 111*h*.
crucible, melting, P (8) 168*c*.
Mo, interaction when melting UO_2-SiO_2 (4) 102*e*.
oxide-coated metal (1) 9*b*.
P (3) 67*b*.
densification, vibratory pressing for (6) 129*a*.
destruction, by methane-containing gases (5) 111*e*.
diboride materials, P (4) 91*b*.
disintegration, by C (7) 147*c*.
dolomite bricks, reaction with steelmaking slags (2) 38*a*.
tar-impregnated fired, wear on charge side of converter (11) 227*h*.
dolomite roofs, in electric-arc furnace (9) 187*e*.
for electric furnaces, high-power (4) 90*d*.
evaluation (2) 38*e*.
-faced, blast furnace wear element, P (2) 39*g*.
fibrous materials, P (9) 188*f*.
firebrick, industrial robots in production (2) 38*h*.
fireclay, from clayey raw materials with metallic Al (4) 90*i*.
fireproofing, paint-on (2) 38*j*.
forming processes, science and technology (3) 66*b*.
forsterite, from Salem magnesite with clays and sand (3) 66*e*.
from Spanish serpentine, industrial properties (5) 111*e*.
forsterite brick, for linings, P (6) 129*c*.
friction, and wear characteristics (10) 208*i*.
furnace cover, removable, P (4) 91*c*.
fused-cast, and composite, in steel industry (5) 111*b*.
cooling, effect on inner face temp. and corrosion resistance (1) 9*i*.
for electric tanks (6) 129*c*.
for glass annealing (1) 5*g*.
for glass furnace (8) 167*h*.
graphite-Al_2O_3-SiC base, P (1) 11*a*.
graphite-metal chloride, intercalation compounds, P (5) 112*h*.
gunned mixes, and castable materials for cement kilns (4) 90*j*.
guns, clay, for blast furnaces, P (2) 38*h*.
hearth, sub-, for metallurgical furnaces, P (11) 228*c*.
heat-insulating, P (1) 11*g*.
heat shields, P (4) 91*e*.
heat-shock-resistant, heat-fused, P (3) 67*c*.
high density (3) 66*g*.
hollow body, P (6) 129*g*.
honeycomb core, catalytic converter, P (8) 168*a*.
honeycomb structures, maintain strength while cutting weight (6) 130*d*.
thin-walled carbonaceous, P (11) 228*d*.
hot-gunning (11) 226*d*.
hot tops, exothermic composition for, P (1) 10*i*.
for ingot molds, P (2) 39*a*.
superimposed, and seal, P (7) 148*g*.
industry, dust-extraction equipment installation in (5) 116*i*.
insulating, and aggregate (1) 8*i*.
insulating coating, for electrical devices, P (10) 208*j*.
insulation module, high-temp., P (10) 208*j*.
ladle, casting, closure means for, P (4) 91*c*.
large-size, using table lifter (1) 10*a*.
sand slinger in construction (1) 10*h*.
teeming, lining by sand-slinging (7) 147*f*.
ladle lining, by slinger process, hardness (11) 226*i*.
slung and brick, slinger process for (2) 38*e*.
laminates, P (2) 39*a*.
lanthanon oxide-based, reactivity with water (4) 90*b*.
light, by foaming, drying technology (1) 9*h*.
lining, apparatus for spraying, P (8) 167*j*.
blast-furnace, wear resistance (1) 10*d*.
blast-furnace, wear resistance (1) 10*g*.
for blast furnaces (6) 129*b*.
BOF, tar-bonded, increasing life (6) 129*c*.
for cavities, P (3) 67*d*.
ceramic fiber, for heat-treating furnaces (10) 208*g*.
converter, combined (9) 188*a*.
converter mouth, improvement of durability (11) 227*a*.
cooling, apparatus and method, P (4) 91*b*.
corrosion-resistant, and mortars for incinerators and chimneys (10) 208*b*.
demolition, mobile machine for (8) 167*b*.
of electric-arc furnaces in Germany (9) 188*g*.
erosion index in arc furnace operating system (3) 67*g*.
fluidized solids reactor with, P (10) 208*i*.
formation of protective coating and bonding with (3) 61*i*.
furnace, P (6) 135*g*.
for metallurgical shaft furnace, P (9) 188*g*.
for metallurgical vessels, apparatus for, P (4) 91*b*.
mold, apparatus for making, P (2) 38*g*.
monolithic, in coreless induction furnaces (1) 9*h*.
for pig iron troughs, P (4) 91*c*.
of power-plant boiler furnaces (1) 10*b*.
for preheaters of rotary cement kilns (3) 62*f*.
in rotary kilns, method of fastening (9) 182*c*.
for rotary kilns using adhesive bonding method at winter temp. (3) 62*e*.
of steel pouring ladles (9) 188*h*.
magnesia, high-purity (2) 38*g*.
P (9) 189*b*.
properties, particle-size distribution dependence (9) 188*a*.
substance, P (3) 68*b*.
magnesia brick, in cement rotary kilns (1) 10*f*.
magnesia-chrome ore, mixes, physical properties, effect of lime-silica ratio (4) 90*h*.
magnesia-containing dressings, P (4) 91*f*.
magnesite, coked pitch-bonded (6) 129*f*.
equilibrium partial pressures of Mg, SiO, and CO in (1) 23*h*.
magnesite brick, pitch-impregnated, microstructural and chemical changes (8) 167*j*.
plant at Greece (5) 111*d*.
wear in glass tank regenerators (7) 147*i*.
magnesite-chrome, corrosion by Na_2CO_3 vapor (10) 208*a*.
in Cu refining industry (2) 38*d*.
mantle ring, with screw thread, P (9) 188*e*.
materials, abrasion at high temp. (5) 111*b*.
chemical resistance (1) 9*a*.
Chinese, aluminous shales (1) 9*c*.
cold compression and bending tests (3) 66*i*.
Fe oxide in, determination (10) 213*d*.
heat insulating, P (6) 129*g*.
high-hardness sintered, P (1) 11*a*.
with high SiC content, behavior in gas media (1) 8*j*.
for high-speed railway cars (5) 111*e*.
hot properties (3) 67*f*.
imported, quality standards for (10) 208*h*.
measurements and standards (5) 111*g*.
P (1) 11*h*; P (2) 39*i*; P (3) 68*b*; P (4) 91*a*; P (6) 129*d*; P (6) 129*f*; P (7) 148*g*.
particulate, coated with negative SiO_2 sol setting agent, P (2) 39*d*.
wear-resistant dense ceramic (1) 12*i*.
mechanical properties, at working temp. (5) 111*i*.
members, for use in thermal regenerators or recuperators, P (4) 97*f*.
metal carbides, coating for graphite filaments, P (11) 228*a*.
metals, carbides, for electron probe reference materials (2) 46*h*.
depositing, P (7) 149*j*.
molten, for NbC articles, P (1) 10*j*.
UO_2-loaded, P (4) 95*a*.
MgO brick, fired, corrosion resistance (11) 227*b*.
lining (11) 227*c*.
MgO clinker, B in (10) 208*d*.
mixes, coarse-grained, isostatic compaction (8) 167*g*.
moldable, in cement industry (8) 167*b*.
in cement industry (8) 167*c*.
molded article, compositions and methods, P (3) 67*a*.
molded materials, treating, P (3) 67*j*.
monolithic, for incinerators (2) 38*i*.
P (7) 148*a*.
in steel industry (11) 227*c*.
mortar (1) 10*f*.
mullite, P (1) 11*e*.
sintered and electrically fused (4) 90*h*.
synthetic (3) 67*h*.
synthetic, for glass industry (3) 67*d*.
mullite-chrome, P (3) 67*h*.
nitride-based, for production of Al by electrolysis of $AlCl_3$, P (5) 112*f*.
nose ring blocks, service life (3) 62*g*.
no-weld covering, for water-cooled pipes, P (5) 112*g*.
nozzles, alumina-graphite immersion (11) 227*i*.
body, apparatus for forming, P (8) 167*j*.
coated casting, P (9) 188*e*.
compound body, P (8) 168*a*.
insert, free-floating [graphite] rocket, P (3) 67*b*.
long, for steel casting (2) 38*h*.
Nippon Kokan's system for teeming and casting (2) 38*j*.
pouring, P (1) 11*h*.
rotary (11) 227*d*.
rotary (11) 227*e*.
slide gate, for teeming ladles (5) 111*j*.
oxide, microhardness at high temps. (1) 25*a*.
particles, growth in powder metallurgical Ni (8) 178*i*.
in oxygen converters, arc furnaces and vacuum degassers (1) 10*c*.
particles, compacting, P (4) 91*d*.
periclase, grain, P (1) 11*e*.
periclase-belite, for sintering zone of rotary furnaces (4) 85*i*.
permeable products, P (1) 11*e*.
photoresist keys, and depth indicator, P (5) 112*g*.
plasma arc heating apparatus, P (4) 91*i*.
plastic, granulates, and ramming mixes (8) 167*g*.
pouring tube, P (5) 112*i*.
problem, and Fe metallurgy in Europe (1) 9*g*.
production, and properties, B (7) 160*j*.
product process, technology and production (5) 111*j*.
pyrolyzed structures, P (6) 129*f*.
ramming, composition, P (2) 39*g*.
masses, P (3) 67*d*.
mix [MgO], P (10) 209*f*.
rare earth-SiO_2 materials, P (8) 168*g*.
raw materials, selection (7) 147*g*.
reactions, with molten slags (4) 90*a*.
refractoriness under load, of silica bricks for glass industry (8) 167*f*.
regenerators, thermal, P (4) 97*h*.
thermal, P (8) 173*j*.
research, calcination and sintering of MgO, high-Al_2O_3 (9) 188*e*.
roof, arc furnace, forced cooling tests (11) 227*f*.
basic, in Indian steel plants (1) 9*j*.
basic suspended, for industrial furnaces, P (11) 227*i*.
electric furnace basic brick (11) 226*j*.
suspended, and end wall, for reverberatory furnace, P (6) 129*h*.
roseki, Horai (1) 9*c*.
Korean (1) 9*e*.
sanitary-ware setter, P (2) 39*g*.
semisilica plastic composition, P (6) 129*g*.
shapes, P (3) 68*a*.
with prereacted grain, P (8) 168*h*.
rapid fuse-coating, in liquid-cooled metal molds, P (2) 39*f*.
SiC, properties, particle-size dependence (3) 66*h*.
-based, microstructure (3) 66*g*.
silica, lightweight (1) 9*f*.
monolithic inorganic structures, P (1) 11*d*.
siliceous bonded, P (2) 39*h*.
single-fired (7) 147*h*.
SiO_2 brick, P (5) 112*i*.
Romanian quartzites in (3) 67*b*.
slabs, heat-insulating, P (2) 39*a*.
heat-insulating, P (2) 39*h*.
slag attack on, testing (6) 129*d*.
sleeves, for stopper rods (2) 38*e*.
for slide gates (1) 10*a*.
sprung arch, elastic analysis (9) 187*c*.
in steel industry (1) 10*b*.
steelmaking, at Aichi Steel Works (10) 208*e*.
for steel-melting electric-arc furnace (11) 227*h*.
stopper, long, used in tundish (11) 227*a*.
study, under temp. gradient (5) 112*f*.
super-, firing in new periodic kiln (7) 147*d*.

Refractories super- *(continued)*
high-temp. processing in plasma fluidized bed reactor (11) 226*i*.
taphole mixes, blast furnace, compositions and properties (6) 128*i*.
tar-bonded, pyrolysis reactions in (11) 227*g*.
technology, assessment techniques in (1) 8*i*.
phase diagrams applied to (3) 66*h*.
thermal shock resistance (6) 129*a*; (9) 188*a*. determination, review (7) 152*e*.
throat cover blocks, corrosion resistance, and cooling methods (1) 9*d*.
for tundish (1) 10*b*.
unshaped, high-pressure pump for introducing (1) 9*i*.
repairing walls by forced introduction of (1) 10*d*.
in rotary kilns for enamels (3) 67*i*.
wall, adjustable anchor device for, P (3) 67*j*.
hot, thermal shocks on sudden opening door (1) 10*j*.
masonry, bounding space which receives hot gas, P (8) 173*j*.
zircon, P (6) 129*h*; P (9) 189*d*.
properties, effects of Cr compounds (10) 208*f*.
sintering, effects of TiO_2 (8) 167*d*.
zircon brick, unfired, in ladle (11) 227*a*.
of zircon-dolomite mixture (3) 66*a*.
zirconia-containing, for glassmelting feeder parts (5) 112*i*.
Refractories industry, BSC Strip Mills (1) 9*g*.
and CGCRI (1) 10*j*.
fuel for (5) 118*a*.
relation to U. S. economy (4) 90*c*.
Relaxation, characteristics, of Na silicate glasses (1) 4*j*.
dielectric, in Cs_2O-SiO_2 and Na_2O-SiO_2 glasses (5) 108*b*.
in ferroelectrics (8) 178*j*.
in $(K_{1/4}Bi_{1/4})(Zn_{1/6}Nb_{5/6})O_3$ and solid solutions (1) 22*f*.
of ZnF_2:LiF (8) 175*d*.
dislocation, in Ge single crystals (11) 234*e*.
electric field, in vitreous ionic conductors, decay function for (10) 204*c*.
electron energy, times in GaAs and InP (8) 175*h*.
of Eu^{3+}, in germanate glasses (4) 87*h*.
magnetic, in NH_4ClO_4 (3) 80*b*.
multiphonon, of rare-earth ions in Y orthoaluminate (9) 197*g*.
nuclear transverse, of rare-earth ions in garnet ferrites (2) 54*a*.
phase, in YIG, two-freq. measurement (4) 104*b*.
Raman, of Ni^{2+}, Cr^{3+}, and V^{2+} in MgO crystals (8) 177*i*.
rare-earth, in YIG, wave-vector dependence (4) 104*f*.
of solid solutions, in $BaTiO_3$-$SbNb_{0.8}O_3$ system (1) 27*g*.
spin-lattice, ^{75}As, in KH_2AsO_4-type ferroelectric crystals (3) 76*j*.
in $BaTiO_3$ single crystals (2) 56*b*.
field-dependent, of Cr^{3+} in Al_2O_3 (6) 138*b*.
of Mo^{3+} ions in YAlG single crystals (3) 81*c*.
near T_c with application to NH_4Cl (3) 81*c*.
of paramagnetic ions in MgO crystal (8) 175*g*.
spin-spin, in Mn ferrites (9) 198*e*.
structural, in Na_2O-CaO-SiO_2 glass (8) 165*a*.
ultrasonic, in $BaTiO_3$ crystals (10) 220*c*.
Research, and development, industrial, careers in, B (5) 124*e*.
glass, and fine ceramics industries (10) 220*h*.
Resins, E-89, in hardened cement, ir spectroscopy (7) 144*i*.
ion-exchange, in instrumental analysis of portland cement (3) 74*g*.
mastics, acid-resistant, for industrial construction (10) 207*i*.
polyoxymethylene composition, glass-fiber-reinforced, P (2) 36*c*.
pyrolysis, C formation during (1) 9*a*.
Resistance, electrical, of $BaTiO_3$, effect of phase transitions (2) 50*f*.
coeff., in MnO films (4) 92*h*.
composition, and element, P (4) 93*c*.
of ferromagnetics, temp. dependence (9) 199*g*.
glass, As-S-Te-I (8) 164*g*.
material, P (7) 149*j*.
of Mo oxide, single crystals (2) 55*c*.
of Na_2O-B_2O_3 system (8) 176*f*.
negative, in Al-Al_2O_3-Au structures (11) 229*a*.
in $CdSnP_2$ (3) 77*d*.
of PbO-B_2O_3 system (8) 176*f*.
of porcelain, effect of oxides (1) 11*f*.
refractory, P (9) 191*j*.
temp.-measuring, glass composition for, P (5) 110*g*.
Resistivity, electrical, of carbon films (11) 229*e*.
of CdS evaporated films (4) 93*h*.
of EuO (9) 196*c*.
of glass, PbO-SiO_2 and PbO-GeO_2-SiO_2 (7) 145*b*.
of Li-Zn ferrites (2) 55*b*.
of Ta_2N, bulk, temp. coeff. (7) 158*f*.
thin-film sheet material (10) 210*b*.
three-step positive temp. coeff., of (BaSb)(TiZr)O_3 composite ceramics (2) 57*c*.
in Ti_2O_3 (8) 179*a*.
Resistors, electrical, AlN switchable memory (1) 12*e*.
bistable, P (7) 150*d*.
bulk, and integrated circuit using, P (8) 170*h*.
cermet fixed, with soldered leads, P (9) 190*e*.
C-film (1) 13*f*.
coated, with flameproof coating, P (1) 14*a*.
compositions, P (4) 93*b*.
film, flameproof protective coating for, P (4) 88*c*.
P (4) 93*e*; P (9) 191*i*; P (10) 210*g*.
flameproof coated, P (2) 41*j*.
heat sinked, P (7) 150*e*.
high-speed, producing simultaneously with resistors, P (4) 94*f*.
Resistors, electrical *(continued)*
integrated-circuit, junction-isolated, P (7) 149*g*.
low-resistivity, compositions for, P (10) 210*c*.
metallic oxide, cutting gigaohms up to size (2) 40*c*.
mfg., and trimming, P (3) 72*i*.
Mg, and MgO, P (9) 191*d*.
nonlinear, P (2) 43*e*; P (7) 150*h*.
P (4) 94*j*; (6) 132*g*; (9) 190*h*.
printed circuit, P (2) 43*j*.
resistance material for, P (6) 132*j*.
RuO_2-based thick-film, high-freq.-discharge trimming (4) 92*a*.
thermistor, bridge using light-emitting diodes (2) 41*b*.
disk-type, high-strength electrical lead for, P (7) 149*d*.
high-temp. composition, P (2) 41*d*.
P (4) 94*d*; P (11) 231*a*.
thick-film, controlling resistance values, P (7) 149*i*.
thin films, P (2) 44*e*; P (4) 94*h*; P (5) 115*c*; P (6) 132*b*; P (6) 133*f*.
by reactive sputtering, P (2) 42*i*.
vacuum-evaporated, P (2) 44*g*.
thyristor, with amplified firing current, P (7) 151*i*.
with auxiliary emitter, P (4) 94*i*.
P (1) 15*e*; P (2) 44*f*; P (5) 115*c*.
variable, based on refractory compounds (1) 13*b*.
P (2) 44*g*.
varistor, metal oxide, P (2) 42*b*.
metal oxide (5) 114*g*.
metal oxide, P (10) 211*b*.
potted metal oxide, P (3) 72*c*.
vertical, P (4) 94*j*.
voltage nonlinear, P (2) 44*h*; P (4) 94*j*; P (9) 192*g*.
Resonance, anomalous, of $SrTiO_3$ (6) 136*i*.
antiferroacoustic, in $GdAlO_3$ (8) 174*f*.
antiferromagnetic, of Eu telluride (5) 114*b*.
^{75}As spin-lattice, in KH_2AsO_4-type ferroelectric crystals (3) 76*j*.
electron-nuclear double, of F^+ center in BeO (8) 176*b*.
Fourier-transform, of V^{4+} in TiO_2 (7) 155*a*.
EPR, of As acceptors in MoS_2 crystals (9) 195*h*.
of Cr^{3+} in Lu Al garnet single crystals (11) 234*d*.
of dipole-coupled ion pairs in K Y molybdate (3) 78*i*.
of effect of additives on Ti phosphate glasses (1) 4*a*.
of Fe^{3+} in diopside and spodumene (8) 176*b*.
of Fe^{3+} in forsterite (8) 176*c*.
of forbidden hyperfine transitions of Mn^{2+} in calcite (8) 176*h*.
of free and bound holes in diamonds (2) 51*i*.
of Ge^{3+} in $KY(MoO_4)_2$ and $KLu(MoO_4)_2$ (11) 234*d*.
line widths, of Mn^{2+} in CaWO$_4$ (1) 21*b*.
and magnetic circular dichroism double, of V-center in MgO (2) 51*j*.
of magnetic interactions in MgO-NiO and MgO-MnO solid solutions (6) 138*h*.
of Mn^{2+} in As-S-I and As-Te-I glasses (3) 63*h*.
of $[Na]^0$ and $[Li]^0$ centers in CaO (7) 156*h*.
of NH_4Br:Cu^{2+} (3) 78*j*.
in optically excited state $E(^2E)$ of Cr^{3+}:Al_2O_3 (10) 216*b*.
of S radicals in glasses (1) 4*b*.
in SiO_2 system (8) 176*g*.
of structure of Fe-containing part of cement clinkers (7) 144*b*.
study of destruction of inorganic glasses (9) 184*e*.
of $3d^5$ ions in mixed-polytype ZnS (8) 176*c*.
of Ti^{3+}-Ti^{4+} in TiO_2-SiO_2 glasses (11) 224*a*.
transitions, low-field X-band, of LiF:Mn^{2+} (8) 177*c*.
of V^{4+} in cristobalite and quartz glass (1) 4*c*.
of vacancy-impurity association in MgO (1) 23*f*.
equilibrium spin configuration, and antiferromagnetic, of $KMnF_3$ (10) 216*c*.
ESR, analysis of Pb^{3+} ions in $Y_3Ga_5O_{12}$ (9) 196*b*.
of Cr^{3+} in phenacite single crystals (9) 195*i*.
of Cr^{3+}-Cr^{3+} interactions in spinel $MgAl_2O_4$ (9) 196*b*.
of Cu^{2+} in tarbuttite mineral (2) 51*a*.
and electron double spin, in relaxed-excited state, detection (8) 175*g*.
of GeO_2 (1) 23*f*.
of Mo^{5+}, Mo^{5+}, Mo^{6+}, Mo^{3+}, in rutile (9) 195*j*.
ferrimagnetic, in YIG (2) 55*c*.
ferromagnetic, line width, of YIG films (6) 130*i*.
in Mg and Mn ferrites (1) 13*b*.
in Mn_xGe_3 thin films (6) 130*j*.
FMR, of low resistivity ferrites, resonant modes in (6) 140*g*.
frequency, measurement, Al_2O_3 standard reference material for (1) 17*d*.
laser optical double, in $LaCl_3$:Pr^{3+} and LaF_3:Pr^{3+} (8) 177*j*.
magnetic, in ferromagnets (11) 235*a*.
in NH_4ClO_4 (3) 80*b*.
in thermal change of permeability of ferrites (4) 92*g*.
NMR, of alkali ions in silicate and aluminosilicate glasses (1) 6*i*.
of borate glasses and fibers (1) 6*g*.
^{53}Cr, in rare-earth orthochromites (8) 174*g*.
of domain walls in alpha-Fe_2O_3 (7) 156*g*.
of Eu Fe garnet (11) 236*h*.
of gypsums (7) 144*j*.
of state of water in disperse systems (11) 229*b*.
study of alkali borosilicate glasses (7) 145*h*.
study on glasses in transformation range (8) 164*d*.
study of rare-earth phosphates (6) 139*f*.
of $ZnMn_3C$ and $GaMn_3C_{0.925}$ (4) 100*i*.
nuclear gamma, to determine Fe/S ratio in pyrrhotines (5) 120*c*.
Resonance nuclear gamma *(continued)*
of ^{119}Sn and ^{125}Te (8) 178*b*.
paramagnetic, in $CdCr_2Se_4$ and $CdCr_2S_4$ monocrystals (8) 178*d*.
in GaP, n-type (3) 80*f*.
of $^{155}Gd^{3+}$ in ThO_2 single crystal (7) 156*i*.
for Mn^{2+} in $PbMoO_4$, electric field effect in (8) 175*g*.
properties, of Er^{3+} in Th oxide (8) 179*b*.
single-mode, in $LiNbO_3$ for filter design (6) 131*e*.
Resonators, piezoelectric, P (2) 42*b*.
piezoelectric ceramic, P (9) 191*h*.
quartz, for thin-film stress and mass-change measurements (2) 41*a*.
resonance-freq. variable, P (2) 43*e*.
tunable cavity, P (3) 65*f*.
Rhenium, dioxide, and trioxide, crystal parameters and Debye-Scherrer indexing (3) 81*b*.
iodide, synthesis and properties (5) 123*c*.
recovery, from molybdenite, P (8) 173*j*.
Re(IV), hexahaloid complexes, X-ray study (4) 103*d*.
trioxide, electronic structure (9) 199*b*.
Fermi surface, effect of pressure (7) 155*f*.
optical absorption in (8) 177*b*.
Rheology, of clay, factors that affect (10) 203*i*.
of plastic ceramic bodies (1) 12*d*.
properties, of colloidal Al_2O_3 dispersions (4) 102*b*.
of industrial slips, by densimeter (1) 17*b*.
of isotropic composite material (5) 106*j*.
Rheometers, design, anomalous results for highly viscous liquids (10) 218*b*.
Rhodium, borate, isotypic, P (1) 20*i*.
oxide, reaction with Pb oxides (7) 157*i*.
Rocks, cutting, equipment, control mechanism for, P (4) 97*d*.
fracturing, by cryothermal process, P (1) 20*h*.
industrial, of Botswana (8) 180*e*.
testing (2) 46*f*. ultrasonics in (2) 47*f*.
transformations, hydrothermal, derivatographic study (6) 137*c*.
Rubidium, chloride, bromide, and iodide, specific heat (2) 53*j*.
bromide, and iodide, thermodynamic study (2) 57*a*.
interaction with Na and Ba chlorides in melts (10) 217*e*.
ir emissions of F center and compound color centers in (8) 177*g*.
nitrate, electrical properties (2) 51*e*.
reaction with SiO_2 and metakaolin (6) 133*j*.
oxide, higher, plasma chemical synthesis (3) 81*a*.
oxygen-vanadium bronzes (1) 25*g*.
Rb_2FeO_4, crystal structure (4) 98*h*.
Rb_2MgCl_4, and $RbMgCl_3$, enthalpies of formation (3) 78*e*.
$RuTe_2$, ^{125}Te Moessbauer effect in (3) 81*g*.
sulfate, solid-phase reaction with $BaCl_2$ (11) 235*h*.
sulfide, ternary (9) 199*i*.
tetrachloroiodate, interactions with Ce tetrachloroiodate (1) 24*e*.
reactions (7) 157*c*.
tungstate, modulated structures (6) 139*a*.
Ruby, for lasers, growth by improved verneuil process (2) 40*d*.
magnetic properties, effect of gamma-irradiation (9) 195*j*.
optically pumped, Kramers-Kronig relations in (9) 199*f*.
R lines, high-resolution study of dispersion in (8) 177*b*.
single crystals, crystallographic (0001) axis misorientation in (3) 76*j*.
growth from molten charge, P (11) 229*h*.
Ruthenium, boride, and phosphides, Moessbauer study (10) 217*g*.
dioxide, solubility in Pb borosilicate glass (10) 205*a*.
and refractory carbides (10) 208*d*.
Rutile, boules, colored, P (7) 148*j*.
crystals, flux-grown, photoelectronic properties (8) 178*h*.
dielectric loss in, mechanism (2) 40*d*.
electronic structure (10) 216*a*.
Fe-doped, extra EPR spectra (9) 196*d*.
Gruneisen gamma (10) 216*h*.
H and D concentration in (10) 213*e*.
high-density form (2) 52*i*.
from ilmenite, P (2) 48*g*.
luminescence center in, photoconductivity and photoluminescence associated with (9) 197*e*.
Mo^{6+} in, and Mo^{5+}, Mo^{4+}, Mo^{3+}, ESR (9) 195*j*.
repetitive spin echoes in, P (11) 230*c*.
slurries, P (1) 20*i*.
structure, dynamics (1) 22*a*.
substructure, creep-resistant, in air and vacuum (1) 27*f*.
surface hardening, associated with machining (3) 81*g*.
synthetic, from ilmenite, P (4) 97*g*.
thermodynamics in, defect and impurity (10) 215*g*.
ultrasound in, temp. dependence of attenuation (9) 199*g*.
vacuum reduction (9) 199*e*.
vibration spectra (5) 123*f*.
X-ray band spectra, and molecular-orbital structure (7) 159*a*.

Safety, in gas atms, explosive- and poisonous- (1) 17*f*.
Salts, in gypsum, and calcined gypsum (7) 144*g*.
molten, chemistry, B (8) 180*f*.
relation between sonic velocity and entropy in (2) 55*a*.
spectra of internal modes (3) 76*g*.
perrhenates, and periodates, pure quadrupole resonance spectra (8) 178*f*.
Rochelle, compressed powders, dielectric properties (10) 216*a*.
uranyl, reduction, P (8) 172*b*.
Samarium, chloride hexahydrate, thermal decomposition (4) 103*j*.

Samarium *(continued)*
chromite, formation during Sm salts reaction with Cr oxide (9) 196*e*.
orthotantalate, paramagnetism (1) 26*b*.
oxide, (cubic and monoclinic), enthalpy of formation (2) 51*b*.
polycrystalline monoclinic, elastic properties (7) 155*g*.
$SmCo_5$, molten, container materials for (5) 119*f*.
$(Sm,Tb)FeO_3$, growth depression on surface (1) 23*h*.
Sm^{3+}, levels, crystal field splittings in $LaCl_3$ (3) 76*b*.
quenching and intensity parameters in glass, Gd^{3+} effect (10) 204*g*.
trifluoride, enthalpy of fusion (2) 51*e*.
tripolyphosphate, X-ray diffraction (1) 29*j*.
Sampling, apparatus, P (5) 118*d*.
bulk material, statistics in (2) 47*e*.
materials, in bulk, review (1) 18*h*.
Sands, calcined, for ceramic mixtures (3) 68*g*.
feldspathic, as raw material for ceramic industry (10) 214*c*.
foundry, molding, P (4) 91*e*.
grading, effect on Ca silicate brick reaction (5) 106*h*.
moist, capillary bonds between grains in (7) 154*e*.
molded, apparatus for granulating, P (3) 67*a*.
molding, mixtures, thermal stability (1) 10*j*.
P (8) 168*f*.
shell molding, tensile strength, effect of Fe oxide and bentonite (1) 9*a*.
Sanitary ware, bathroom, mold mounting for, P (5) 113*g*.
bathtubs, cracks in enamel of (5) 107*d*.
dry process enamel apparatus for, P (8) 163*b*.
enameling by dry process (4) 86*f*.
faucet, ceramic disk, P (9) 189*a*.
Indian, British expertise for (2) 39*j*.
industry, operating costs and production budget (7) 148*h*.
organization in glaze shop (1) 12*d*.
mfg., P (2) 39*h*.
modular, P (4) 92*c*.
plumbing fixtures, testing program (11) 223*a*.
porcelain, microstructure of glazes for (10) 209*a*.
stress determination in (6) 130*e*.
refractory setter, P (2) 39*g*.
slurry, coarse grained kaolin (10) 209*i*.
use, and future (6) 130*e*.
water closet tank, dripproof, P (11) 229*h*.
Sapphire, dislocation structures in, deformed by basal slip (10) 216*b*.
elastic constants, determination by shock compression (4) 99*b*.
filaments, c-axis, yielding and flow (2) 58*c*.
polishing, chemical, P (1) 13*f*.
P (9) 191*c*.
Pt deposition on (10) 210*e*.
reaction, with Cu, effect of O (9) 190*d*.
rods, strengthening by BaO (1) 28*g*.
single crystals, dislocation behavior in (2) 50*b*.
surface hardening, associated with machining (3) 81*g*.
Scandium, arsenide, and phosphide, vapor growth and properties (2) 57*g*.
geology, and mineralogy, bibliography to 1971, B (2) 58*e*.
monoxide, condensed (8) 178*a*.
oxide, ac conductivity (8) 174*b*.
electrical conductivity (8) 175*d*.
tungstates, double (11) 234*f*.
Scattering, alpha particle, to determine heavy elements in surface materials (1) 24*a*.
Brillouin, in calcite (8) 174*j*.
in $Ca_2Sr(C_2H_5CO_2)_6$ (6) 137*c*.
from microwave-phonon bottleneck in $MgO:Ni^{2+}$ (8) 174*a*.
convolution model, for ferroelectric ceramics (3) 69*g*.
elastic, of channeling accelerated ions, to study layers on single crystals (5) 119*b*.
elastic light (3) 79*a*.
light, in antiferromagnets, temp. dependence (9) 199*h*.
from clad glass fiber, to determine fiber parameters (11) 232*d*.
by elastic waves of optically biaxial crystals (4) 100*f*; by elastic waves in Gd molybdate crystals (9) 196*f*.
molecular, in HfO_2 single crystal (4) 100*d*.
neutron, inelastic, from $LaAlO_3$ (9) 198*d*.
study of ferroelectric phase transformation in $Tb_2(MoO_4)_3$ (8) 178*a*; study of ferromagnet K_2CuF_4 (10) 217*g*.
parametric, and polariton, in $LiIO_3$ and $LiNbO_3$ (9) 196*d*.
quasi-elastic electron, in EuO (10) 218*f*.
Raman, and Brillouin, for determining optical power handling capacity of optical fibers (10) 205*b*.
from coupled LO-phonon-plasmon modes in SiC (8) 179*h*.
in Cu_2O; from electronic excitations in n-type SiC; line shape of soft E polariton mode in $BaTiO_3$ (8) 178*h*.
in Ge and III-V compounds (10) 218*f*.
in LiF crystals (7) 157*g*.
resonance, in Cu_2O (1) 27*h*; resonance, in CdS and ZnO, by tunable dye laser (6) 140*e*.
in Si, Ge, and III-V semiconductors (10) 218*g*.
study of crystallization and phase transformations of ZrO_2 (2) 55*j*.
symmetry-forbidden resonant, in Cu_2O (9) 199*d*.
in TeO_2 (7) 157*e*.
in Ti_2O_3-V_2O_3 alloys (9) 198*e*.
X-ray atomic, by CdS (8) 180*a*.
X-ray small-angle, for determining specific surface of portland cement paste (6) 126*g*.
of spinodal decomposition in B_2O_3-PbO-Al_2O_3 system (5) 109*e*.
Scattering X-ray small-angle *(continued)*
study of complex particle growth in glass (4) 87*j*.
study of phase separation in glasses (2) 34*i*.
Scissors, scientific papers, of Dr. Tokiti Noda and collaborators, B (8) 180*j*.
Screening and sieving, test, standard powder samples for (5) 117*f*.
ultrasonic, structure for, P (5) 116*h*.
Screens and sieves, for fine particles, using supersonic vibration, P (3) 73*e*.
load equations, and estimates of sample size (2) 47*e*.
molecular, hydrothermal synthesis (7) 153*i*.
zeolitic, synthesis (7) 153*a*.
P (1) 17*c*.
printing, electroforming, P (3) 73*f*.
strike incorporation, for fluid cracking catalysts, P (1) 20*i*.
vibrating, P (4) 96*f*.
Screens (fluorescent), cathodochromic image, and sodalite for, P (3) 64*d*.
for color picture tube, P (7) 150*i*.
color TV tube, P (1) 15*f*.
CRT, P (2) 35*j*.
striped, P (4) 88*h*.
image, with single optically continuous filter, P (9) 186*a*.
luminescent, for flying-spot CRT, P (10) 206*j*.
for Hg vapor discharge lamp, P (10) 206*a*.
with mosaic structure, P (11) 225*i*.
P (4) 89*e*.
P (6) 128*b*.
phosphor, of CRT, P (4) 88*f*.
P (1) 15*a*.
X-ray image intensifier input, P (5) 118*e*.
screening, etch-back, P (3) 64*g*.
gate oxide early fail test, P (7) 149*b*.
Seals and sealing, Al_2O_3 ceramic-to-metal, by Mo process (5) 113*i*.
Au films, P (4) 89*g*.
ceramics, form grinding (1) 1*e*.
electrically insulating, between metal body and semiconductor device, P (3) 71*b*.
electrodes to glass, with glass frit, P (4) 88*i*.
enclosure, for electronic component, P (3) 71*g*.
glass, metal, or ceramics with PbO and beta-eucryptite-containing glass, P (4) 88*i*.
P (9) 191*i*.
quartz, pinch, P (4) 89*f*.
to Ta, P (3) 64*j*.
glass-to-metal, adhesive strength (7) 152*e*.
glass-to-metal, comprising high expansion metals, P (9) 186*g*.
high-temp., P (2) 48*c*.
metal-to-ceramic, solderless, kinetics (7) 149*d*.
metal-to-glass-to-ceramic, P (3) 62*i*.
pieces of ceramic material, P (4) 92*c*.
technique, for gas panel, P (4) 89*h*.
ThO_2 ceramics-metal, vacuum-tight Na-proof (9) 190*a*.
Ti metal-glass, hermetic, P (9) 191*g*.
Sediments, quantitative silt fractionation, elutriator method for particle-size analysis with (2) 46*f*.
Seebeck effect, coeff., in chalcogenide films (10) 219*b*.
Segregation, solute, and grain-boundary phenomena (3) 81*a*.
Selenides, rare-earth, ir spectra (7) 156*a*.
Selenium, electroradiographic layers, discharge mechanism during X-ray irradiation (8) 175*d*.
films, crystallization (1) 12*h*.
layers, structure (11) 236*c*.
reaction, with Mo bromides (6) 140*g*.
single crystals, electronegativity in (8) 175*h*.
photoconductivity in (8) 178*h*.
Semiconducting properties, of Mn silicides (7) 157*j*.
Semiconductivity, of CdS thin films (1) 12*h*.
Semiconductors, $A^{II}B^{V}$ compounds (11) 230*e*.
amorphous, band gap models in (1) 21*e*.
measurement of local potential distribution in (4) 92*i*.
structure (10) 219*g*.
arrangement, P (2) 43*f*; P (5) 115*a*.
assembly, P (1) 15*a*.
bipolar devices, P (1) 14*i*.
bodies, contacting, P (7) 149*i*.
diffusing impurity into, P (1) 14*a*.
doping by neutral particle implantation, P (6) 132*g*.
etching surfaces, P (4) 94*i*.
indiffusing or inalloying foreign substance into, P (7) 150*d*.
mounting, P (6) 132*e*.
neutralizing charge in, P (6) 132*j*.
P (11) 230*j*.
with piezoelectric properties, P (1) 15*b*.
bonding machine, P (4) 93*j*.
bulk, controlling high electric field domain in, P (2) 42*c*.
chalcogenide, compensation effect in (1) 21*d*.
chalcogenide glass, P (11) 230*h*.
thermal switching in (4) 93*g*.
chip carriers, and strips of, P (5) 115*i*.
chips, monolithic, P (10) 210*d*.
P (2) 43*c*; P (7) 151*b*.
protective carrier for, P (11) 231*f*.
circuit element, P (5) 115*a*.
cleaning, and transferring processes, apparatus for, P (1) 13*d*.
coated structures, P (1) 13*f*.
components, contact metal layers on, P (9) 191*i*.
cooling device for, P (4) 93*b*.
and integrated circuits, connection means for, P (6) 131*i*.
P (1) 14*f*; P (2) 42*c*; P (3) 71*h*; P (5) 114*j*; P (5) 115*j*; P (6) 133*a*; P (8) 170*h*; P (9) 191*j*.
Semiconductors components *(continued)*
for semiconductor circuit, P (2) 42*f*.
with sheet metal connector leads, P (11) 230*i*.
Si_3N_4, P (8) 170*a*.
stabilized, P (3) 72*c*.
stable surface protection for, P (6) 132*c*.
compounds, diffusion process for, P (1) 13*j*.
epitaxial growth, preventing autodoping during, P (3) 71*e*.
epitaxially grown layers, P (9) 191*e*.
liquid solution deposition, P (1) 14*h*.
single crystals, boat structure in apparatus for, P (7) 149*h*.
taper sections and electron microscope specimens from (9) 190*i*.
crystals, apparatus for pulling up, P (11) 230*g*.
controlled doping, P (9) 191*e*.
diffusing Zn into, P (7) 150*a*.
heated, depositing material on, P (3) 71*h*.
liquid-phase epitaxial growth, P (2) 42*g*.
masking layers on, P (6) 132*i*.
surface, insulating layer on, P (3) 72*g*.
Cu_2SnS_3, Cu_2SnSe_3, and Cu_2SnTe_3, electronic structure (8) 178*b*.
deep levels in, molecular-orbital treatment for (10) 217*h*.
defect, Cd_2SnO_4, optical and electrical properties (8) 178*b*.
devices, for amplifying microwaves, P (1) 15*a*.
by applying material to sintered part, P (4) 94*a*.
beam leads for, P (2) 42*g*.
bistable, P (3) 70*d*.
B-containing glasses useful with, P (5) 110*d*.
with channel-preventing structure, P (7) 151*c*.
with closely spaced contacts, P (2) 43*h*.
compound, with undercut oriented groove, P (10) 210*c*.
conductive region for, P (3) 70*f*.
connecting to substrate mechanically and/or electrically, P (2) 43*c*.
contacts for, P (6) 131*i*.
cooling apparatus for, P (3) 70*f*.
in DEX-21 (2) 40*j*.
dielectric isolation for, P (7) 150*b*.
from diffusion of impurities in Si, P (10) 211*i*.
with diffusion junctions, P (4) 94*e*.
discrete, P (7) 150*h*.
by doping and oxidation, P (1) 14*g*.
encapsulated assembly, P (5) 114*h*.
encapsulated light-activated, P (7) 149*j*.
enclosure for, P (3) 71*c*.
by etching, P (1) 14*b*; etching, P (9) 191*g*.
fabrication using magnetic carrier, P (7) 151*b*.
fabrication using <100> oriented substrate, P (7) 151*b*.
to facilitate early electrical testing, P (7) 150*a*.
with films on substrate, P (7) 151*c*.
film-deposited, P (10) 210*g*.
forming strips on, P (3) 71*a*.
guard junction for, P (2) 41*b*.
with high conductivity and high resistivity, P (11) 231*f*.
high emitter efficiency, P (2) 42*e*.
high-speed shallow junction, P (7) 150*e*.
high-voltage, P (11) 230*e*.
humidity-sensitive, P (6) 132*c*.
for indicating magnetic fields, P (3) 72*j*.
integrated, P (7) 149*f*.
integrated, P (10) 211*d*.
integrated, P (3) 71*f*.
with integrated thermocouple, P (2) 43*g*.
interconnection metallurgy system for, P (11) 230*e*.
intermetallic contact to, P (1) 14*d*.
internal connections in, P (6) 132*c*.
ion-implantation field-effect (2) 41*h*.
by ion implantation, P (6) 132*b*.
ir-sensitive, P (4) 93*h*.
with isolated circuit elements, P (4) 94*e*.
lead supports for use with, P (3) 71*h*.
light-emitting four-layer, P (1) 14*g*.
light-sensible, P (10) 211*a*.
light-sensitive, P (1) 14*h*.
with low-impedance connections, P (3) 72*j*.
metal contact and interconnection system for, P (1) 14*j*.
mounting arrangement, P (8) 170*j*.
mounting to heat sinks, P (4) 93*j*.
nonplanar, P (1) 14*e*.
P (1) 14*b*; P (1) 14*f*; P (1) 14*h*; P (1) 15*a*; P (1) 15*b*; P (1) 15*c*; P (2) 42*c*; P (2) 42*d*; P (2) 42*i*; P (2) 42*j*; P (2) 43*b*; P (2) 43*g*; P (3) 71*j*; P (3) 72*a*; P (4) 93*f*; P (4) 94*c*; P (4) 94*e*; P (4) 94*f*; P (5) 115*a*; P (5) 115*d*; P (5) 115*e*; P (5) 115*i*; P (5) 115*j*; P (6) 132*d*; P (6) 133*a*; P (6) 133*b*; P (7) 150*b*; P (7) 150*h*; P (7) 150*i*; P (7) 151*d*; P (8) 170*e*; P (8) 170*i*; P (8) 170*j*; P (8) 171*a*; P (9) 191*b*; P (9) 191*j*; P (9) 192*a*; P (10) 210*e*; P (10) 211*i*.
package for mounting in microstrip line, P (5) 115*f*.
packaged, P (8) 170*d*.
with passivating film, P (9) 192*a*.
with pattern of conductors, P (11) 231*a*.
photographic treatment for, P (2) 43*g*.
planar double-diffused, P (1) 15*a*.
pressure-sensitive, P (3) 72*c*.
preventing chemical reaction between Al and SiO_2 in, P (11) 231*b*.
prevention of autodoping during mfg., P (1) 15*g*.
prevention of film cracking, P (11) 230*i*.
radiation-resistant coatings for, P (2) 43*c*.
with Si monocrystalline body, P (11) 231*g*.
Si_3N_4 on SiO coatings for, P (6) 133*d*.
single-phase charge-coupled, P (7) 151*f*.

Semiconductors devices *(continued)*
of small dimensions, P (2) 43*j*.
smoothly beveled, P (9) 192*c*.
solar cell, P (3) 71*d*.
supports for, P (2) 42*b*.
surface-oriented, P (8) 170*h*.
test probe for, P (9) 192*e*.
thermoelectrostatic bonded, P (7) 150*g*.
III-V compound, P (9) 191*b*.
through overlapping diffusions, P (8) 170*i*.
ultrafine geometry planar, P (2) 42*j*.
using Si polycrystal thin film, P (7) 150*g*.
using simultaneous deposition, P (6) 132*i*.
diamond, and Zn blende, valence-band densities of states and photoemission spectra (9) 194*g*.
dice, plurality, attaching to package leads, P (2) 44*d*.
dielectric ledges on, removal, P (2) 43*d*.
diffusion, intermetallic, controlling, P (7) 149*i*.
diffusion region, selective charging, P (10) 211*c*.
display devices, monolithic, P (11) 231*d*.
doping, P (3) 72*b*.
electrically connected, forming high-voltage rectifier, P (6) 131*j*.
electroluminescent, efficient red-emitting, [GaAsP], P (6) 131*j*.
electroluminescent device, P (5) 114*h*; P (11) 230*j*.
elements, connecting contacting wire to metal contact on, P (6) 132*f*.
with definite charge carrier lifetime, P (4) 94*f*.
disk-shaped, holder member for, P (7) 149*e*.
heating devices for mfg., P (3) 71*b*.
P (4) 94*f*; P (5) 115*a*.
with surface coating, P (6) 133*b*.
epitaxial layers, growing from liquid phase, P (9) 191*e*.
films, epitaxially grown, plastic mounting of, P (3) 72*b*.
GaAs, device for IMPATT diodes or varactor diodes, P (10) 211*d*.
device, P (3) 71*c*.
device, P (8) 171*a*.
surface, forming region of desired conductivity type in, P (2) 42*f*.
Ga containing compound, electrolytic oxidation, P (8) 170*a*.
GaP planar surfaces, polishing, P (4) 94*e*.
GaSe-type laminar, S-elements based on (11) 230*d*.
glass-encapsulated device, P (1) 14*d*.
granules, for acoustic-electro converting devices, P (10) 211*d*.
heat-sink device, isolated, P (2) 41*i*.
and heat sink fin assembly, P (11) 231*h*.
hf device, back-to-back, P (1) 13*e*.
P (8) 170*c*.
housing for, heat-extracting, P (7) 149*c*.
IGFE device, P (1) 14*e*.
inclusions, internal, apparatus for detection, P (2) 41*d*.
insulated regions, P (4) 94*g*.
integrated-circuit chip structure, P (5) 115*a*.
integrated-circuit devices, P (3) 72*g*; P (8) 170*i*.
integrated-circuit structure, P (10) 211*e*.
interconnecting system, P (4) 94*f*.
isolation method, P (7) 151*d*.
layers, deposition from liquid phase, P (1) 14*a*.
dividing, P (1) 14*b*.
on high-purity Al_2O_3 layers, P (2) 42*j*.
liquid chalcogenide, structural studies (10) 219*f*.
liquid diffusion dopant for, P (6) 132*e*.
masking, P (2) 43*i*.
material, closed-end tubes, P (7) 149*g*.
for coating Mg-Al spinel substrate wafers, P (10) 211*d*.
contact with electrode metal, P (2) 42*f*.
depositing on substrate, P (11) 230*g*.
hollow bodies of, P (4) 93*j*.
homogeneous rods of, P (5) 115*d*.
for laser, P (7) 150*j*.
layer, apparatus for precipitating, P (5) 114*d*.
layers, epitaxially growing from liquid phase, P (2) 42*e*.
P (9) 191*h*.
passivating, and FET formed by, P (5) 115*c*.
process control, and devices (6) 131*h*.
process control, and devices, measurement (3) 70*d*.
measurement, technology (6) 131*c*.
metal/metal silicide device, interconnect system, P (4) 94*j*.
MOS, devices, radiation hardening by B, P (8) 170*i*.
flat-band conduction, by electroreflectance and capacitance measurements (10) 213*d*.
P (6) 132*e*.
MOS process, planar Si gate, P (2) 43*i*.
MOS-type elements, mosaic of, P (4) 94*a*.
M_2Te_3-type, binary magnetic, ^{125}Te Moessbauer studies (11) 235*g*.
negative resistance device, P (8) 171*a*.
neutron-hardened, P (3) 72*f*.
I-III-VI, P (2) 41*b*.
optical conversion in, controlling, P (9) 191*f*.
P (2) 44*a*; (3) 72*e*.
package, cavity metalization, P (7) 151*a*.
photoelectric devices, P (3) 71*f*.
photosensitive, P (5) 115*g*.
photosensitive device, P (2) 42*e*; P (4) 94*a*.
piezoelectric, devices, P (6) 132*g*.
planar device, P (3) 72*a*.
plates, surface, protective layer of SiO_2 on, P (6) 132*i*.
pn junction devices, P (7) 150*f*.
power supply, P (3) 70*i*.
pressure-sensitive device, P (2) 43*j*.

Semiconductors *(continued)*
p-type, group III-V, ohmic contact for, P (5) 115*e*.
region, P (6) 132*j*.
rods, floating-zone melting, P (3) 70*d*.
Schottky barrier device, P (2) 43*e*.
pressure-sensitive, P (5) 115*h*.
shallow junction devices, P (4) 94*h*.
shift register, P (7) 151*e*.
Si devices, P (1) 14*i*.
single crystals, P (2) 42*f*; P (7) 149*g*.
Si structure, with dielectric and air isolation, P (10) 211*e*.
soldering conductor to, P (6) 132*d*.
stack, substrate-supported, P (1) 15*h*.
structures, and assembly, P (2) 43*j*.
with bumps, P (11) 231*h*.
emitter diffusion isolated, P (6) 132*a*.
with fusible link, P (4) 94*g*.
lowering collector resistance, P (10) 211*e*.
with minimum crystallographic defects, P (11) 230*h*.
P (2) 43*j*.
substrates, doping, P (9) 191*f*.
flat composite, P (11) 231*b*.
thin films on, in SEM, P (3) 71*b*.
surface potential, controlling, P (2) 42*d*.
surfaces, coatings for masking, passivation, contacting, and doping, P (7) 150*a*.
doping, P (3) 70*g*.
switching device, P (1) 14*c*.
target, junction-type, P (8) 170*e*.
P (9) 192*a*.
ternary compounds, P (3) 72*c*.
testing, device for, P (11) 230*i*.
with plug-in-type sockets, P (2) 43*i*.
for testing metalization networks, P (8) 171*b*.
thermoelements, P (4) 94*h*.
III-V, Raman scattering in (10) 218*g*.
vapor-phase growth (2) 41*c*.
unit, automatic feed apparatus for, P (1) 13*e*.
vidicon, P (6) 133*c*.
wafers, apparatus for breaking, P (6) 132*f*.
dicing, with diamond blades (1) 1*f*.
diffusion furnace transport device, P (9) 192*b*.
diffusion of group III-group V intermetallic compounds into, P (7) 150*j*.
etch subdividing, P (2) 42*e*.
fracturing technique, P (6) 133*c*.
laser scribing beam lead, P (11) 231*e*.
machine for cleaning, P (2) 42*a*.
mounting block for, P (9) 191*d*.
multilayer, liquid-phase epitaxial growth, P (5) 114*d*.
optimum P concentration in, P (1) 14*i*.
P (3) 72*b*.
spreader, P (2) 44*h*.
transporting and testing device for use with, P (7) 151*i*.
Sensors, temp., resistance wire, P (8) 172*g*.
Separation, of solid particles, of differing shape, P (2) 46*d*.
Separators, basket, for centrifugal density separation of minerals, P (2) 45*h*.
for fine-grain mixtures, P (1) 17*a*.
for finer particles, from coarse particles, P (6) 134*c*.
hydrocyclones, for sizing abrasive waste suspensions in glass plants (11) 225*e*.
magnetic, P (11) 232*a*.
mixer-, for analytical chemistry system, P (5) 118*a*.
P (6) 134*d*.
slurry, vortex-type, P (1) 17*d*.
Sepiolite, activation, with HCl (5) 119*a*.
synthesis, hydrothermal (4) 99*i*.
water in, ir spectra (3) 79*g*.
Serpentines, thermal analysis, on heating to 1400°C (4) 103*g*.
Shales, aluminous, importation and chemical analysis (1) 9*c*.
analysis, from Virginia (6) 135*j*.
bodies, oxidation during firing (9) 187*j*.
Byeogsongri aluminous, properties (3) 76*j*.
compaction, ion filtration, and osmosis in (6) 137*g*.
Pennsylvania, properties and uses (6) 135*j*.
Shear, crystallographic, and ordered reduction of UO_2 (2) 44*c*.
structures derived from CrO_2 (10) 215*e*.
modulus, high-temp. of Si_3N_4 and SiC (2) 52*b*.
of Si_3N_4, density dependence (9) 195*d*.
noncrystalline, of quartz (4) 101*a*.
Shock, thermal, of Al_2O_3, effect of crack density on strength loss (6) 137*g*.
behavior of brittle materials (2) 57*f*.
structures in ZrO_2 in system CaO-ZrO_2 (2) 57*h*.
Shock resistance, thermal, ceramic ware, P (10) 209*g*.
clay, P (10) 209*g*.
of refractories (6) 129*a*. determination, review (7) 152*e*.
of refractory article (9) 188*a*. P (9) 188*j*.
Shrinkage, of clays, and simultaneous weight loss (7) 152*j*.
of interconnected pore system (7) 158*d*.
measurements (5) 117*c*.
vol-diffusion-controlled, of isolated grain-boundary pore (9) 199*g*.
Shubnikov-de Haas effect, in Bi_2Se_3 (3) 81*j*.
Silicates, alkali, O diffusion coeff. in (6) 127*g*.
analysis, reference samples in (2) 46*g*.
anions, reactivity during hydration of Ca silicates and cement (4) 84*c*.
binding properties (4) 85*b*.
boro-, rare-earth, chemical composition (4) 98*j*.
bulgarites, viscosity and temp. relation in (11) 235*f*.

Silicates *(continued)*
$Ca_{24-x}Ln_xAl_xSi_{24-x}O_{72}$ composition, [Ln = La and Nd and x = 0–24], synthesis (6) 141*d*.
determination, by thermometry (9) 193*c*.
electron microscopy, high resolution (6) 138*j*.
Fe^{3+} spectral bands in, extinction coeff. (2) 46*g*.
high porosity, P (11) 226*j*.
industry, raw materials in, thermoluminescence analysis for prospecting (1) 18*c*.
liquid phase, effect of oxide additions on contact angle (3) 78*g*.
melts, two-phase formation in, effect of cation oxidation (1) 22*b*.
minerals, dehydroxylation, activation energy for (10) 216*a*.
stabilities under Venusian surface conditions (2) 56*d*.
multiple layers, growth by solid-state reaction (2) 52*e*.
ores, P (9) 194*j*.
oxyapatite crystals, thermal and elastic properties (9) 199*i*.
phospho-, films, growth (8) 169*g*.
phyllo-, crystalline imperfections in, electronic and X-ray diffraction (3) 81*e*.
of smectite group, order-disorder relations in distribution (6) 139*f*.
research, mathematical statistics in (11) 225*j*.
surface properties, chemical methods for changing (8) 174*d*.
synthetic compositions, P (5) 119*j*.
vibrational spectra (9) 199*f*.
of wadeite type, structural evolution (5) 122*f*.
X-ray fluorescence spectrometry (11) 232*i*.
zeolitic aluminometallo, P (3) 76*c*.
Silicides, of group IVA-VIA metals, transport reactions and single-crystal growth (5) 123*a*.
metal, effect on sintering and oxidation resistance of TiB_2 or ZrB_2 (11) 226*g*.
Silicon, Al_2O_3 films on, effect of heat treatment (2) 40*e*.
amorphous, Raman scattering in (10) 218*g*.
amphoteric behavior, in $Ga_{1-x}Al_xAs$, Al effect (3) 78*f*.
As diffusion into, P (8) 170*f*.
carbide, alpha-, crystals, line ir luminescence (5) 121*c*.
alpha-, crystals, induction-heated furnace for growth (2) 46*i*.
-based material, structure (2) 56*i*.
B-doped, hot-pressed, strength (2) 38*f*.
beta-, formation from pyrolysis of CH_3SiCl_3 in H (2) 52*a*.
beta-, linear rate of formation (1) 22*e*.
3C-, electronic band structure and optical properties (8) 175*i*.
-coated oxide particles for gas-cooled fast reactors (7) 151*b*.
coherent shape, laser beam for making (2) 39*b*.
contamination of epitaxial Si grown by pyrolysis of tetramethyl silane (2) 41*a*.
crystals, polar surfaces (5) 120*i*.
epitaxial growth, using Al as accelerator (2) 40*g*.
etching (9) 196*c*.
fracture energy, notched-beam test for evaluation (5) 123*d*.
2H, solid-state phase transformations in (2) 53*i*.
H- and D-implanted 6H, luminescence centers in (9) 195*d*.
6H, Dean and Hartman's magneto-optical data (8) 177*i*.
6H, Kohn-Luttinger interference effect and location of conduction-band minima in (7) 156*f*.
6H, magneto-optical properties of dominant bound excitons in (7) 156*j*.
6H, photoluminescence of radiation defects in (7) 157*a*.
impurity in bodies and glazes (3) 68*c*.
mfg., P (1) 11*b*.
microsyntaxy and polytypism in (8) 177*h*.
needles, growth by vapor-liquid-solid method (2) 40*e*.
needles, structure, perfection, and annealing behavior (2) 56*j*.
1973, B (9) 200*a*.
nonequivalent positions of substitution impurities in (4) 101*a*.
n-type, electronic excitations in, Raman scattering from (8) 178*h*.
Raman scattering from coupled LO-phonon-plasmon modes in (8) 179*h*.
from rice hulls, P (1) 11*f*.
shaped articles containing, for cupolas, P (4) 91*c*.
single-crystal, 2H transformation to 6H structure in (2) 50*a*.
single crystal, synthesis (7) 158*c*.
single crystals, distribution coeff. of N in (1) 21*b*.
single crystals, photoluminescence (4) 101*a*.
single crystals, synthesis (2) 56*d*.
strengthening by quenching (9) 188*i*.
synthesis in Acheson resistance furnace (3) 67*c*.
whisker crystals, growth (10) 210*c*.
whiskers, P (2) 39*e*.
whiskers, P (3) 67*e*.
whiskers, P (4) 91*j*.
whiskers, crystalline, P (10) 209*b*.
whiskers, P (7) 148*e*.
contact to, high-temp. low ohmic, P (7) 150*e*.
contamination, of liquid Ga in SiO_2 boats, kinetics (6) 139*c*.
crystals, doping, P (2) 42*d*.
structure of defect layer in (9) 199*a*.
deposition, by using pyrolysis of silane (11) 230*f*.
diffusion, in GaAs (1) 22*h*.
diphosphate, cubic, superstructure, crystal structures applied to solution of (2) 49*b*.
dopant in, high concentrations, P (4) 94*f*.
electron mobility in, effect of O on concentration dependence (11) 234*h*.
etching, preferential, P (1) 15*e*.

Silicon *(continued)*
free, semimicro level in SiC (8) 172*g*.
Ge-doped, oxidized, interface properties (6) 131*d*.
high-purity, electrical characteristics, improving, P (7) 150*c*.
ion-implanted, in GaAs, localized vibrational mode absorption (3) 80*a*.
layers, on graphite (3) 66*j*.
monocrystalline, P (5) 114*j*.
monocrystalline, semiconducting, on spinel substrates, P (7) 150*b*.
monoxide, structure (2) 56*h*.
nitride, artefacts, P (11) 228*c*.
articles, P (4) 91*h*.
and carbide, high-temp. shear modulus (2) 52*b*.
ceramics, P (9) 189*c*.
crystals, growth from vapor phase (7) 158*i*.
-Cr_2O_3 materials, production and properties (10) 208*b*.
densification, P (11) 227*j*.
films, deposition (11) 229*c*.
for high performance bearings (6) 129*e*.
hot-pressed (1) 24*f*.
hot-pressed, high-temp. strength behavior (3) 79*f*.
hot-pressing behavior (2) 52*d*.
literature survey (9) 188*i*.
material components, P (10) 209*e*.
pair of parts, P (10) 209*c*.
powder, oxidation kinetics (4) 102*c*.
reaction-sintered, creep behavior (2) 49*e*.
reaction sintered, for radome use (4) 90*a*.
reaction with Y_2O_3 in hot-pressing (7) 157*b*.
shear modulus, density dependence (9) 195*d*.
-Si oxide etchant, P (9) 192*b*.
sintered, properties (2) 55*g*.
on SiO coatings for semiconductor devices, P (6) 133*d*.
synthesis, characterization, and consolidation (1) 28*d*.
work-of-fracture and apparent yield correlation in (5) 123*i*.
nitriding, P (4) 91*j*.
oxide, equilibrium partial pressures in magnesite refractories (1) 23*h*.
films, threshold and memory switching in (11) 230*f*.
finely particulate, apparatus for, P (10) 214*c*.
oxynitride, films, on SiO_2, for optical wave guides (10) 205*j*.
pattern in, transferring to substrate layer, P (3) 71*g*.
powder compacts, nitriding (7) 156*f*.
shallow donor formation in, produced by proton bombardment (11) 235*g*.
siliceous material, films, P (11) 231*c*.
single crystals, density determination (6) 134*h*.
1-0-0 orientation high-perfection, growing, P (4) 94*b*.
and Si oxides, mass spectrometry of vapor species over (8) 177*e*.
SiO_2 films on, low-energy ion bombardment (9) 190*g*.
-SiO_2 interface, effect of type of Si on properties (10) 216*f*.
slice prealigner for, P (11) 231*i*.
solubility, in Mo and refractory silicate melts (4) 102*e*.
surface, state, autoelectronic field emission as determining criterion (8) 174*h*.
taper sections, and electron microscope specimens from (9) 190*i*.
tetrahalides, P (1) 20*e*.
thermal expansion (9) 199*j*.
wafers, metalization backing for, P (7) 150*c*.
multilayer, P (11) 231*d*.
surface defects in (3) 69*f*.
W/Au metalizations on, Au-Si eutectic formation in (11) 229*a*.
yttrium oxynitrides (11) 235*h*.
Silicon dioxide, alcohol-, aqueous acidic polyvinyl solution, P (3) 75*i*.
amorphous, highly textured, P (1) 7*g*.
Au-, rf cosputtered films, and electron microscopic microanalysis (10) 210*e*.
in brick raw materials (1) 17*e*.
coatings, applied to substrate, P (10) 211*b*.
colloidal solution, P (3) 76*d*.
compositions, extruding, P (3) 67*f*.
concentration, dependence on pH in presence of solid SiO_2 (2) 50*f*.
core-borosilicate clad fiber, optical wave guide (2) 34*f*.
crystals, growth by chemical transport (2) 52*a*.
effect, on sintering AlN (10) 219*a*.
electron injection into, from avalanching pn junction (9) 190*f*.
Fe in, spectrochemical determination (11) 232*g*.
films, growth (8) 169*g*.
low-energy ion bombardment on Si (9) 190*g*.
mobile positive ion free, P (6) 132*g*.
structure analysis (4) 102*h*; structure analysis, erratum (8) 176*g*.
tapered, P (3) 72*h*.
thin thermal, on Si substrates, local stress measurement (2) 40*f*.
finely divided, by vapor phase reaction (8) 178*b*.
free, assessment by chemical methods (1) 17*g*.
or combined, semimicro level in SiC (8) 172*g*.
-free phases, with mullite-type structures (10) 219*b*.
gibbsite-hydrous, ground mixture, solid acidity (10) 219*j*.
high-, resources, of Virginia counties (6) 135*d*.
high electric fields in (5) 176*j*.
high-surface-area, combustion process for, P (3) 75*j*.
hot carriers in, by nonavalanche injection (9) 197*h*.
layers, on Si, P (7) 149*h*.
on surface of semiconductor plates, P (6) 132*i*.
melt, flow (1) 4*e*.

Silicon dioxide *(continued)*
micellular, loosely aggregated 100-mμ, P (6) 136*g*.
modification, P (2) 48*e*.
normal mode assignments in (1) 25*i*.
O K-alpha X-ray emission bands, chemical bonding effects in (10) 215*j*.
particles, increasing size in SiO_2 sol, P (1) 20*d*.
photoinjected currents in, effect of exponential charging profiles (3) 81*d*.
for pottery, P (4) 97*j*.
powders, positronium formation in (7) 158*e*.
radiation effects in, threshold for (8) 180*e*.
reaction, with alkali, effect on bloating of concrete (8) 162*j*.
with $CsNO_3$ and $RbNO_3$ (6) 133*j*.
reduction kinetics, in H (10) 219*b*.
rf-sputtered, thermoluminescence and color centers in (3) 70*e*.
-Si, nonabsorbing films over absorbing substrates (10) 209*i*.
-Si interface, surface-state density (10) 209*j*.
sintered, for containers and dies for crystal-growth techniques (6) 129*h*.
solid state reaction, with $BaCO_3$, effect of ball milling (8) 175*c*.
structural transformation, at high pressure (6) 141*h*.
surfaces, concentration of OH groups on (9) 197*j*.
suspensions, sound velocity in (8) 179*e*.
thermal expansion (9) 199*j*.
thermally grown, hole currents in (3) 79*g*.
thickening grade, P (8) 173*f*.
thin films, on Si, electron trap distributions in (8) 169*f*.
transition, to coesite, kinetics (6) 139*d*.
vitreous, articles, firing on graphite mandrel, P (2) 35*h*.
bodies, P (4) 88*a*.
diffusion of He isotopes in (6) 137*d*.
elastic constants (9) 194*a*.
He, Ne, and H_2 solubility in (2) 34*j*.
He permeation through, pressure dependence (2) 34*e*.
high-quality, P (9) 186*j*.
induced birefringence, nonlinear variation (4) 87*f*.
NaCl films on (1) 28*h*.
optical absorption of transition elements in (8) 164*e*.
optical wave guide, with borosilicate cladding (2) 34*e*.
radiation compaction (3) 63*h*.
Si oxynitride films on, for optical wave guides (10) 205*j*.
sputter rate, bombarded by Ar ions (2) 53*i*.
thermal conductivity (9) 199*i*.
thermal expansion, effect of TiO_2 (4) 86*j*.
X-ray emission, and absorption, bond breaking, and point-defect production in (4) 103*d*.
Silver, Ag^+, resonant phonon modes, in alkali halides (8) 179*b*.
$AgNa(NO_3)_2$, ferroelectric, nonlinearity (10) 218*c*.
Ag_2Te(c), $Ag_{1.9}Te$(c), and $Ag_{1.64}Te$(c), dissociation pressures and thermodynamic properties (2) 50*b*.
-alumina interface, liquid, effect of O pressure (6) 130*f*.
atoms, nuclei, neutron absorption by (8) 178*a*.
bromide, doping by ion implantation (8) 175*f*.
chloride, electron drift velocity and breakdown in (9) 195*h*.
-NaCl melts, solvent equilibria (2) 55*i*.
deposition, effect of metaphosphate and temp. (5) 114*c*.
diffusion, in CdS, ultrasonic study (2) 57*e*.
in silicate and photochromic glasses (6) 126*j*.
halide, crystals, precipitating in alkali aluminoborosilicate glasses (10) 203*j*.
crystals, space-charge layer in (2) 55*j*.
dielectric constant, contribution of space-charge layer (2) 49*d*.
ions, reduction, from LiCl-KCl eutectic, monolayer formation in (2) 54*d*.
loss, from photochromic glasses during melting (3) 63*f*; from photochromic glasses during melting (9) 185*c*.
nitrite, single-crystal preparation and domain structures (1) 27*i*.
oxide, as additive in spectrochemical analyses (11) 232*c*.
particles, optical and paramagnetic absorption in glass matrix (3) 64*d*.
Sintering, activated, interdependence with electron structure (7) 156*b*.
kinetics, effect of grain boundary width and effective surface layer (5) 122*j*.
of refractory compounds (7) 157*e*.
alloy films, 80%Ni-20%Cr (10) 210*a*.
of AlN, effect of Fe on rate (8) 175*j*; effect of Y_2O_3 and SiO_2 (10) 219*a*.
Al_2O_3, effect of Fe oxide (1) 22*e*.
powders, effect of specific surface area (2) 52*i*.
$BaTiO_3$, Ba/Ti ratio effect, kinetics (1) 13*d*.
boehmite gels, simultaneously with phase transformation (7) 158*d*.
compacts, silica fiber, correction (1) 10*i*.
of UN, (U,Pu)N, and PuN, P (2) 45*g*.
compositions, based on glass-ceramics and oxide ceramics (7) 158*e*.
CoO, initial and intermediate stages (3) 81*a*.
of Cr_2O_3, initial (7) 156*b*.
diamond-metallic systems, liquid phase, densification during (7) 154*d*.
dislocation motion in, material transport by (5) 121*f*.
effect, of gas trapped (7) 155*d*.
of metal powders, containing refractory compounds (6) 129*c*.
electric discharge, basic principles (7) 159*c*.
ferrites, swelling during (9) 199*d*.
Fe_2O_3 powders, activity during (1) 22*a*.

Sintering *(continued)*
final stage, pore shrinkage by vol diffusion during (9) 194*c*.
free, in diamond-metal systems, densification during (9) 195*c*.
and grain size dispersion (7) 155*d*.
initial, of alpha Cr_2O_3, effect of O_2 partial pressure (4) 99*j*.
parameters, of oxide powders (7) 154*d*.
role of surface in (7) 157*e*.
isothermal, of hematite, effect of compaction pressure (2) 50*c*.
kaolin, and periclase spinel, physicochemical characteristics (7) 157*b*.
kinetic constants, and densification determination during (7) 158*e*.
kinetics, of spherical particles, pressing effect (7) 156*a*.
liquid-phase, of compacts of $BaFe_{12}O_{19}$ and $SrFe_{12}O_{19}$ (10) 217*c*.
to eliminate porosity in PLZT ceramics (7) 149*c*.
model experiments (7) 156*b*.
$MgCr_2O_4$, effect of O activity (2) 52*h*.
MgO (6) 138*d*, effect of textural properties (6) 138*a*.
at low temp. (10) 208*d*.
mechanical activated, effect of grinding aids (7) 147*e*.
powders, factors affecting (7) 155*j*.
mineral sulfides, P (2) 48*h*.
of MnO_{1+x} (6) 139*a*.
of Mo (1) 25*d*.
P (9) 193*e*.
porcelain, high-Al_2O_3, effect of metallic oxides (9) 189*g*.
powdered material, P (7) 152*i*.
pressure, of Al_2O_3 hot-pressed structures, P (3) 69*a*.
CoO, densification during (1) 23*c*.
of MgO, effect of Li and F ions (8) 175*a*.
of NiO, kinetics of final-stage (7) 156*e*.
process, thermodynamic analysis (5) 123*i*.
thermodynamic analysis (6) 142*b*.
reduction/, of ADU (5) 115*h*.
sinterability, of BeO powders, effect of heat of wetting in water (10) 216*h*.
of solids, (sintering rosettes), dislocations during (3) 78*b*.
solid state, thermodynamics (7) 159*g*.
temp., of technical Al_2O_3, lowering (9) 187*g*.
theory, application in practice (6) 128*i*.
TiB_2, and ZrB_2, effect of metal silicides (11) 226*g*.
two-component (7) 157*d*.
U oxides, in reducing atm (6) 133*j*.
UO_2-ThO_2 mixtures (2) 44*f*.
vol change in, effect of heating rate (7) 155*j*.
yttria compacts, to transparency, P (2) 39*g*.
zircon, effect of complex oxides (11) 226*f*.
ZrO_2, with Y_2O_3, atm effect (1) 24*i*.
Slags, attack, on BOF refractories, reduction (2) 38*b*.
on refractories, testing (6) 129*d*.
blast-furnace, Ba-Mn, hydraulic properties (10) 202*c*.
Ba-Mn, in reinforced concrete (11) 222*g*.
base, structural state (5) 107*d*.
products, P (11) 226*b*.
Ti, hydraulic properties (9) 182*h*.
electro-, processes, Ti oxides in, P (3) 63*a*.
emission spectra, effect of solid phase-melt transition (6) 137*j*.
granulated, homogenization (2) 45*b*.
in MgO-Al_2O_3-SiO_2, liquidus temp., viscosities, and electrical conductivities (3) 78*j*.
molten, reactions with refractories (4) 90*a*.
relation between viscosity and conductivity (9) 198*c*.
oxysulfide, Al monoxycarbide in (8) 174*d*.
phosphorus, electric furnace, for wall and floor tile (7) 147*e*.
processing, arrangement for, P (2) 35*c*.
properties, at high temps. (1) 27*b*.
steel, basic, utilization (1) 2*e*.
steelmaking, reaction with dolomite bricks (2) 38*a*.
in system CaO-Al_2O_3-SiO_2, hydraulicity, crystallization effect (2) 31*j*.
titaniferous, TiO_2 extraction from (10) 214*b*.
Slip casting, impeded fluid movement, as example in movement of liquids (7) 148*e*.
under pressure, up to 40 atm (11) 228*f*.
Slips, ceramic, kaolin clays in (9) 183*a*.
enamel, ground coat behavior (9) 183*d*.
industrial, rheological properties, densimetry (1) 17*b*.
liquid, measuring from level in container (5) 117*i*.
Slurries, abrasivity, and attrition, Miller number for measure (10) 213*h*.
dehydrating, apparatus for, P (10) 212*g*.
kaolinite, thickening flocculated, in centrifuge (9) 193*f*.
pigment, stabilizing, P (6) 136*a*.
positive sol-refractory grain, stabilization, P (2) 39*i*.
Smectites, hydroxy interlayers in (6) 138*c*.
Snell's law, extrapolation, to optical fibers (9) 184*f*.
Sodalites, cathodochromic, for image screen, P (3) 64*d*.
cathodochromic properties (2) 49*g*.
hydro-, phase transition, dielectric anomaly, and domain structure (5) 121*j*.
hydroxyl-, piezoelectric and elastic properties (9) 197*h*.
Sodium, -Al fluoride, P (11) 233*f*.
Al silicate hydrates, ir absorption spectra, ir spectrophotometry (8) 177*f*.
borate, reaction with SO_3 (6) 140*h*.
bromide, in NaBr-KBr mixtures, thermodynamic functions (3) 77*h*.
carbonate, ash, from trona ore, P (10) 214*j*.
and hydroxide, reactivity with Al_2O_3 (1) 21*c*.
P (8) 173*f*.
vapor, corrosion of refractories by (10) 208*a*.
in ceramics, determination with Na-ion-responsive electrode

Sodium in ceramics *(continued)*
(3) 73*j*.
chloride, Au deposition on, nucleation kinetics (11) 235*f*.
behavior of isolated pores in (5) 119*d*.
bromide, and iodide, thermodynamic study (2) 57*a*.
CaF_2 vapor epitaxy on (9) 199*f*.
chemical potential, in mixing in $MgCl_2$-NaCl-$CaCl_2$ system (2) 50*g*.
compression (4) 98*d*.
compression, X-ray measurement (4) 104*g*.
crystals, precipitation in (11) 235*b*.
crystals, thermal annealing of radiation damage in (8) 179*i*.
dielectric constants (8) 178*c*.
dislocation mobility and work hardening in (3) 78*b*.
films, on SiO_2 (1) 28*h*.
interaction with Ru and Ba chlorides in melts (10) 217*e*.
-KCl mixed crystals, spinodal decomposition (2) 56*c*.
molecular beams, on NaCl crystals, condensation coeff. (3) 80*f*.
single crystals, dielectric loss in (2) 50*h*.
single crystals, internal friction (1) 23*a*.
:Sr, thermal glow, effect of exciting radiation (2) 50*d*.
-structure crystals, ir absorption (9) 198*e*.
and sulfate, interaction with Cs chloride and sulfate (10) 217*f*.
diffusion, in glass, effects of H_2O (2) 33*j*.
effect, on conductivity of beta-Al_2O_3 (1) 21*e*.
fluoride, chloride, and bromide, dielectric constants (8) 178*e*.
crystals, impurity sensitive etchant for (2) 46*i*.
crystals, impurity-sensitive etching in (3) 79*c*.
crystals, point defects in (1) 23*d*.
or NaF/AlF_3, P (1) 20*j*.
thermal conductivity, and Ziman limit (8) 179*i*.
fluosilicate, recovery from wet-process H_3PO_4, P (8) 173*i*.
lignosulfonate, effect on properties of alpha-hemihydrate aqueous suspensions (11) 222*c*.
Mg fluoride, thermodynamic and structural properties (2) 57*j*.
monoxide, impurities, effect on viscosity of GeO_2 glass (7) 146*d*.
$NaBePO_4$, beryllonite, refinement of crystal structure (10) 218*i*.
$Na_2B_4O_7$, crystallization from melt (4) 86*i*.
$NaF.2UF_4$, P (4) 95*a*.
$NaGdO_2$, and $NaErO_2$, single-crystal data (9) 194*a*.
$NaHo_4(GeO_4)_2O_2OH$, hydrothermal preparation and crystal structure (2) 52*e*.
$NaH_3(SeO_3)_2$, crystals, dielectric, elastic, and piezoelectric properties (10) 215*j*.
$Na_xK_yWO_3$, W-bronze crystals, spectrophotometry (4) 102*j*.
$[Na]^0$ centers, in MgO and SrO (7) 157*f*.
$NaSO_2$, and NaO_2, ESR spectra and structure (8) 176*h*.
Na_xWO_3, percolation view of transport properties in (9) 197*b*.
$Na_4Zr_2(SiO_4)_3$, crystallize structure (5) 120*c*.
$Na_2Cr_2O_7$, beta-, crystal structure (3) 77*a*.
$Na_2ZrSi_4O_{11}$, refinement of structure (10) 218*j*.
Na_2UO_4, thermodynamic investigation (2) 44*g*.
niobate, antiferroelectricity and ferroelectricity theory applied to (6) 140*b*.
and Sr niobate mixed, phase equilibria and dielectric characterization (2) 54*h*.
nitrate, dielectric properties, freq. dependence (3) 79*a*.
entropy increment at phase II-I transition in (2) 51*f*.
nitrite, ferroelectric, optical coeff., temp. dependence (2) 56*h*.
ferroelectric crystals, electrical breakdown in (4) 99*j*.
oxide, enthalpy, by drop calorimetry (3) 78*g*.
or Na_2SiF_6, effect on viscosity and conductivity of slag (1) 27*b*.
percarbonate, P (8) 173*g*.
phlogopite, synthetic, and its hydrates (10) 219*e*.
phosphate, P (7) 153*h*.
silicate, high-SiO_2, as binder for slinger materials (11) 226*h*.
melts, cationic diffusion of Na cations in (9) 184*b*.
sulfate, double, synthesis (7) 158*b*.
effect on glass fining (1) 6*f*.
green glow in active N (3) 79*b*.
reaction in raw mixtures (3) 62*f*.
tetrafluoroaluminate, structure (3) 81*e*.
titanate, thermodynamic properties (2) 57*i*.
triborate, modification, crystal structure (3) 77*j*.
tungsten bronzes, Kyropoulos single crystal growth (2) 53*f*.
Zr silicate, glass polishing agent, P (4) 88*g*.
Soils, cation exchange capacity, determination with ammonia electrode (5) 117*b*.
granular, triaxial testing, membrane effect (5) 117*j*.
red mud, processing, P (4) 97*f*.
Soldering, ceramic circuits, P (8) 171*c*.
Solidification, directional, of ZrO_2-MgO eutectic (11) 234*e*.
eutectic, of MgO-$MgAl_2O_4$ (1) 23*h*.
unidirectional, of UO_2-Mo, UO-2-Nb, and UO_2-Ta systems (6) 133*a*.
Solids, amorphous, specific heat at low temp. (3) 76*c*.
analysis, by ion microanalyzer (2) 46*f*.
chemical structure, B (9) 200*g*.
compressing, apparatus for, P (3) 73*a*.
dissolution, in liquid meniscus (11) 235*d*.
high surface area, aging (7) 143*e*.
hoppering, and feeding (10) 212*c*.
impurities in, magnetic circular dichroism (7) 156*h*.
ionic conductivity, structural aspects (2) 56*f*.
noncrystalline, metal-rich germanide and carbide (5) 121*a*.
particulate, thermal expansion, burner for, P (1) 19*g*.
strength, review (5) 112*d*.
Solids *(continued)*
stress wave propagation in, B (9) 200*c*.
thermal conductivity, B (5) 124*i*.
Solid state, chemistry, B (7) 160*c*.
and physics, B (2) 60*b*.
and physics, B (7) 160*d*.
progress in, B (3) 82*h*.
devices, hermetic ceramic power package for, P (3) 71*c*.
ion-sensitive, P (7) 149*f*.
display, charge transfer, P (6) 131*h*.
reaction, in $BaCO_3$-SiO_2 system (1) 25*a*.
of beta-Ga_2O_3 with NiO (10) 217*i*.
at high temp., effect on ceramic materials production (5) 116*h*.
in MgO-Al_2O_3, interfacial phenomena and spinel orientation in (7) 156*c*.
MgO-Al_2O_3, spinel formed by (10) 218*f*.
to produce $CaAl_2O_4$ cements (4) 84*a*.
storage device, floating-gate, P (1) 14*c*.
structure-building operation in, twinning on unit cell level as (10) 220*c*.
surface science, B (1) 30*h*.
Solubility, of HCl, in $CaCl_2$, $SrCl_2$, and $BaCl_2$ (4) 102*i*.
of HgS, HgSe, and HgTe in Hg (2) 55*i*.
Solutions, dia-, of Al_2O_3 in Na_2O-SiO_2 glass melt (11) 223*a*.
of Al_2O_3 single crystals in melt (11) 234*e*.
anodic, of GaP (1) 12*g*.
EDTA, of gypsum, anhydrite, and Ca-Mg carbonates (6) 135*b*.
of Fe from bauxite slimes, kinetics (3) 75*f*.
of glasses of system As-Se-Te, kinetics (7) 145*d*.
of K germanate glasses in water, kinetics (1) 5*e*.
oxide, mechanisms (4) 101*f*.
of solid body in liquid meniscus (11) 235*d*.
Solutions, solid, Ag-Cu iodide, ice nucleation by (1) 24*f*.
$BaTiO_3$, with Ba niobates (1) 28*a*.
in $BaTiO_3$-$SbNb_{0.5}O_3$ system, relaxation and ferroelectric properties (1) 27*g*.
beta-spodumene-SiO_2, electrical conductivity (5) 114*e*.
CaO, in ZrO_2, effect of component homogenization (1) 22*c*.
of $(CdS_{1-x}(In_2S_3)_{1-x}$ system, optical and photoelectrical properties and band structure (11) 235*g*.
in $CoAl_2O_4$-$GeCo_2O_4$ system, cation distribution in (6) 137*d*.
Co metatitanate-modified, P (4) 93*a*.
in $Co_{2-x}Mn_xO_4$ system (7) 155*a*.
in $CrTaO_4$-TiO_2, and $FeTaO_4$-TiO_2 systems (1) 28*j*.
$Cr_xTi_{2-x}O_3$, weak ferromagnetism (1) 29*h*.
$(Fe,Mg)O_x$, wustite activity in (10) 220*f*.
$(Fe_xNi_{1-x})_2Si$, structure (4) 102*j*.
fluorite-type, ordering in, in system ZrO_2-CaO (2) 54*d*.
of HfO_2 and oxides of lanthanides, properties (11) 235*c*.
in HfO_2-Ln_2O_3 system (7) 154*g*.
$(K_{3/4}Bi_{1/4})(Zn_{1/6}Nb_{5/6})O_3$, dielectric relaxation and thermally stimulated current in (1) 22*f*.
LiCl-$MgCl_2$, thermochemical study (10) 220*a*.
MgO-FeO-Fe_2O_3, polycrystalline, creep (11) 234*b*.
MgO-NiO, and MgO-MnO, magnetic interactions, EPR study (6) 138*h*.
MgO.TiO_2, Al_2O_3 softening by (1) 27*j*.
in Nd_2O_3-ZrO_2 system (8) 176*d*.
Ni ferrite-$NiTiO_4$, dissociation (1) 23*f*.
NiO-MgO, single-crystal, ^{63}Ni diffusion in (1) 21*e*.
of oxides, in systems M-Fe-O, dissociation (1) 22*i*.
$Pb(Fe_{2/3}U_{1/3})O_3$, physical properties (9) 197*f*.
pyrite, single crystal growth (2) 55*h*.
pyrophyllite, in Al_2O_3-SiO_2-H_2O system (10) 218*d*.
Re with Mo_2C, superconductivity (7) 158*h*.
in Si_3N_4-Ga_2O_3-Al_2O_3 system (1) 28*a*.
spinel, in CoO-ZnO-Al_2O_3-Cr_2O_3-Fe_2O_3, formation and color (5) 113*h*.
in Sr orthosilicate-Ba orthogermanate system (6) 141*d*.
$Sr_3Si_2O_8$, and $Sr_3Ge_2O_8$, vibrational spectra (9) 198*a*.
ternary, based on GaSb (1) 29*f*.
UC-UN (9) 192*a*.
of V(III) and alkaline elements, Tl(I), alkaline earths, Pb(II) (10) 216*c*.
V-O, with ThO_2-Y_2O_3 electrolytes, emf measurements (8) 176*d*.
$(V_{1-x}Cr_x)_2O_3$, magnetic phase diagram (2) 53*b*.
WC-TiC (6) 138*f*.
$ZnSe_xTe_{1-x}$, crystal growth (1) 21*h*.
of Zr and Nb carbides, microhardness (1) 25*b*.
in ZrO_2-HfO_2 system, thermal expansion (1) 21*d*.
in ZrO_2-lanthanide sesquioxide systems (1) 28*d*.
in ZrO_2-MgO-Y_2O_3 system, stability and electrical properties (1) 23*f*.
Sonics, velocity, relation to entropy in molten salts (2) 55*a*.
Sorption, effect, on desiccated concrete (9) 182*g*.
on V_2O_5 contact surface, conductivity measurement of sorption on (3) 69*f*.
Sound, ultra-, in rutile, temp. dependence of attenuation (9) 199*g*.
use in particle size determination of powders (6) 134*e*.
velocity, in SiO_2 suspensions (8) 179*e*.
Spacecraft, heat shield, testing method, P (3) 74*d*.
space-shuttle window, fracture (8) 163*f*.
Spark plugs, extended gap, body-controlled heat range and, P (11) 229*h*.
insulators, apparatus for firing, P (5) 113*e*.
for internal combustion engines, P (1) 12*c*.
P (3) 69*b*; (6) 130*i*.
self-cleaning, P (8) 168*f*.
Spectra, absorption, of coloring oxides in glass (10) 205*g*.
Spectra absorption *(continued)*
Eu^{3+}, of $Eu_3Ga_5O_{12}$ (3) 78*d*.
of Fe(III) and Fe(II) in glasses (10) 204*g*.
of $MgWO_4$ crystals (1) 21*b*.
dielectric, of $LiNbO_3$ (2) 50*i*.
electroluminescent shifting-peak, in GaAs (9) 195*h*.
electroreflectance, in InAs (9) 195*j*.
emission, of $CdSnP_2$ (5) 122*c*.
of slags, effect of solid phase-melt transition (6) 137*j*.
EPR, extra, of Fe-doped rutile (9) 196*d*.
of Fe^{3+} ions in V_2O_5 (3) 78*i*.
of Gd^{3+} ions in $CaMoO_4$, electric field effect (7) 155*i*.
of Mo^{5+} in $SrTiO_3$, Jahn-Teller effect (7) 155*k*.
and optical, of Eu^{2+} in $LiBaF_3$ single crystals (7) 155*h*.
and optical, of VO^{2+} ion in xKF-$(1-x)B_2O_3$ glasses (11) 223*i*.
of TiO_2, temp. dependence (9) 199*g*.
of Zn_2GeO_4:Mn (3) 78*i*.
ESR, absorption, of Fe^+ in single-crystal Th oxide (8) 176*c*.
of Cr^{3+} nearest-neighbor pairs in $ZnGa_2O_4$ (8) 176*d*.
of Fe^{3+} in $SrTiO_3$, electric field effect (10) 216*i*.
of $NaSO_2$ and NaO_2 (8) 176*h*.
far-uv reflectance, of ionic crystals (7) 155*j*.
of Fe^{2+}, in $MgAl_2O_4$, comments (9) 198*e*.
of internal modes, of molten salts (3) 76*g*.
ir, of alpha-2CaO.GeO_2.H_2O (9) 196*a*.
of $Ba_3Fe_2WO_9$ (3) 79*h*.
of Cu-montmorillonite-glycine complex (1) 24*j*.
of inorganic sulfates (3) 79*g*.
of lanthanide sesquioxides (9) 196*j*.
of LiO and Li_2O (3) 80*f*.
of matrix isolated U oxide species (10) 211*j*.
of Mg, Ca, Sr, and Ba montmorillonite (2) 46*c*.
of Mn garnets (3) 79*f*.
of $Na_2O.Sb_2O_3.GeO_2$ glass (10) 205*d*.
and Raman, of lattice vibrations of $CdCl_2$, $CdBr_2$, $MnCl_2$, and $CoCl_2$ (9) 196*f*.
and Raman, of $Mg(OH)_2$ and $Ca(OH)_2$ (1) 26*g*.
and Raman, of SnO_2 (1) 22*a*.
of rare earth orthotantalates (9) 196*j*.
of rare-earth selenites (7) 156*a*.
of TeO_2, matrix-isolated (2) 52*j*.
of U oxide species (8) 171*a*.
of water in attapulgite and sepiolite (3) 79*g*.
ir absorption, of kaolinite-mullite reaction sequence (3) 79*i*.
of Na Al silicate hydrates, ir spectrophotometry (8) 177*f*.
of Na silicate glasses (4) 87*a*.
of Na silicate glasses, erratum (9) 184*j*.
of solid metal sulfites (3) 79*e*.
two-phonon, of LiF (8) 174*h*.
ir reflection, of glaze containing ZnO (8) 168*c*.
for quantitative analysis of glass structure (11) 225*c*.
magnetic, of Ni-Zn ferrites, induced anisotropy in (2) 52*f*.
Moessbauer, of hedenbergite-ferrosilite pyroxenes (4) 100*c*.
parameters, in alpha-Al_2O_3-Fe_2O_3 system (4) 103*a*.
NGR, of alloys of systems As-S-Sn, P-S-Sn, and P-Se-Sn (9) 185*h*.
optical, and band structure of $SrTiO_3$ (9) 195*e*.
of Cr^{3+} pairs in (9) 197*a*.
of Eu^{3+} in $Eu_3Ga_5O_{12}$:Pt (9) 194*d*.
of Eu^{3+} in germanate glasses (4) 87*h*.
of lanthanides, classification (9) 194*i*.
and magneto-optical, of Li ferrites (9) 197*j*.
of Nd in crystal $Ba_{0.25}Mg_{2.75}Y_2Ge_3O_{12}$ (2) 54*d*.
and photoelectron, of $TiCl_4$ and VCl_4 (3) 80*j*.
optical absorption, of clay minerals (1) 25*i*.
optical-exciton absorption, of Cr_2O_3 (9) 195*b*.
optical Zeeman, of Am^{3+}, Cm^{3+}, and Nd^{3+} in CaF_2 (3) 80*e*.
paramagnetic Moessbauer, of Mn and Fe ions in cubic ferrites (2) 57*f*.
paramagnetic resonance, for V^{3+} in MgO, effect of strains (8) 177*f*.
photoconductivity, of As_2Se_3, variation with light chopping freq. (4) 104*e*.
photoelectric, of PbTe, new structures in (3) 80*a*.
photoemission, of diamond and Zn blende semiconductors (9) 194*g*.
positron lifetime, in V_2O_3 (6) 139*e*.
Raman, of alpha-quartz, piezospectroscopy (9) 197*h*.
of As_2S_3 (10) 218*g*.
of Bi Ge oxide and Bi Si oxide (7) 157*g*.
of CaF_2, BaF_2, and $Bi_{12}GeO_{20}$ cubic crystals (9) 195*d*.
of Gd molybdate (9) 198*f*.
of $KTa_{0.64}Nb_{0.36}O_3$ (7) 157*h*.
of sintered oxides (7) 157*f*.
reflectance, of garnets containing rare earths (5) 122*g*.
of MnO, CoO, and NiO (8) 175*d*.
resonance, pure quadrupole, of perrhenates and periodates (8) 178*f*.
response, of PbTe-Ge heterojunctions (11) 229*d*.
uv, of Pb^{2+} and Bi^{3+} in glass (11) 225*i*.
vibrational, of $CaTiO_3$, soft mode in (6) 141*c*.
of complex chlorides of Sb(III) and alkali metals (7) 159*j*.
of Ln_2MoO_6 and Ln_2WO_6 (4) 104*f*.
of rare earth thiosulfates; of zircon (1) 29*h*.
of rutile (5) 123*f*.
of silicates and germanates (9) 199*f*.
of spodiosite analogs (3) 82*c*.
of $Sr_3Si_2O_8$ and $Sr_3Ge_2O_8$ and solid solutions (9) 198*a*.
of Y niobate and tantalate (2) 57*i*.
of zircons, isomorphism studied by (4) 100*d*.
X-band, of rutile (7) 159*a*.
X-ray photoelectron, of diamond (7) 159*a*.

Spectrochemical analysis, Ag oxide as additive in (11) 232*c*.
effect of matrix anion (11) 232*g*.
of Fe in SiO_2 (11) 232*g*.
Spectrography, of trace elements, in ferrous materials (11) 232*g*.
Spectrometer, energy dispersion, combined with powder diffractometer (10) 213*c*.
mass, electrodes for, P (7) 146*f*.
Raman, precision freq. calibrator for (1) 18*g*.
wavelength calibrator for (11) 232*i*.
X-ray, topographic, for studying defects in crystals (9) 193*c*.
Spectrometry, absorption, of Mg in glasses and glazes (1) 4*g*.
atomic absorption, Cu, Fe, Pb, and Zn in Y_2O_3 and Y oxide sulfide (1) 17*b*.
gamma, system for sample analysis, P (4) 96*e*.
mass, analysis of sample substances, P (1) 19*c*.
of atomization energies of AlSiO(g) and $Al_2O(g)$ (7) 152*e*.
of ion emission during vaporization of binary compounds (9) 197*a*.
of Na + U + O system (2) 45*a*.
of vapor species over Si and Si oxides (8) 177*e*.
two-crystal, of $BaTiO_3$ single crystals (1) 28*a*.
X-ray, three-crystal, of ferroelectric crystals (4) 103*a*.
X-ray fluorescence, analysis of silicates and ceramic products (11) 232*i*.
Spectrophotometers, atomic absorption, P (6) 134*g*.
double beam absorption (11) 232*d*.
ir, UR 10, for study of ir absorption spectra of Na Al silicate hydrates (8) 177*f*.
Spectrophotometry, of borate glasses, containing Co(II) ions (10) 205*b*.
high-accuracy, standard quartz cuvettes for (6) 134*b*.
measurements, accuracy in, B (6) 142*a*.
of vanadium, with Stilbazo (1) 18*b*.
of Zr, with methylxylenol blue (1) 18*b*.
Spectroscopy, apparatus, P (2) 47*c*.
atomic fluorescence, P (1) 19*a*.
Auger electron, of fiber glass surfaces (11) 232*d*.
of grain-boundary impurities in hot-pressed oxides with LiF or NaF (9) 194*b*.
charge-particle, for chemical analysis of sample, P (2) 47*h*.
of Dy perrhenate tetrahydrate (8) 179*f*.
electron emission, of C-fiber surfaces (4) 103*a*.
flame, burners for chemical analysis, P (9) 193*e*.
of ion-defect pair energies, in $KCl:Sm^{2+}$ (3) 81*b*.
ir, of E-89 resin in hardened cement (7) 144*i*.
of Na_2O-TiO_2-SiO_2 glass (11) 225*f*.
of phase transformations in aerated concrete (1) 8*b*.
of rare-earth orthoniobates (10) 217*e*.
of SiO_2-Al_2O_3 catalysts (3) 75*e*.
ir reflection, of microscopic mineral grains (10) 213*f*.
Moessbauer, ^{155}Gd, single-line compounds for (2) 55*h*.
of $NdAlO_3$ (8) 175*j*.
photoelectron, of exchangeable cations in montmorillonite (5) 119*c*.
piezo-, of Raman spectrum of alpha-quartz (9) 197*h*.
properties, and lasing of Nd^{3+} in ZrO_2 and HfO_2 (2) 56*a*.
of mixed-valence transitional metal chalcogenides (4) 102*j*.
Raman, of highly colored crystals, surface-scanning technique (9) 193*b*.
rotating surface scanning technique for (11) 232*d*.
Raman scattering, of gas content of inclusions in glass (11) 224*f*.
uv, for monitoring surface acidity of clay minerals (8) 172*e*.
vol relaxation, of composition fluctuation lifetimes in oxide mixture (8) 174*e*.
X-ray, for chemical bonding in O, Cr, and Mn compounds (7) 159*a*.
of spinel structures (1) 29*j*.
X-ray photoelectron, study of V_2O_3 (8) 179*a*; to study fiber glass surfaces (11) 232*c*.
Sphalerite, synthetic, solubility in aqueous solutions of H_3PO_4 (10) 219*d*.
Spheres, carbon, metal carbide plus, P (2) 39*e*.
ceramic, binderless granulation and growth (8) 171*c*.
hard, of different sizes, dense random packing (8) 175*c*.
hollow, of alkali metal silicate and polysalt, P (7) 153*e*.
metal, in oxide glasses, p (2) 36*j*.
micro-, hollow C, P (5) 112*h*.
hollow metal oxide, P (6) 136*i*.
uniform, P (6) 136*a*.
spherules, metal carbide, encapsulated in pyrolytic C shell, P (8) 171*i*.
YIG, magnetoelastic waves in (7) 157*d*.
Spinel, bodies, strengthening, P (1) 12*c*.
cation distribution in, X-ray diffraction (4) 99*a*.
chalcogenide, hot-pressed (2) 40*h*.
hot-pressed (10) 210*f*.
polycrystalline, P (8) 170*g*.
powders, P (3) 70*e*.
chrome, contact reaction with forsterite, kinetics (1) 9*d*.
chromite, thermodynamics of formation (6) 142*d*.
$CoMn_xFe_{2-x}O_4$ type, crystalline distortion and cation distribution in (4) 98*f*.
with excess MgO, precipitation hardening (7) 157*b*.
Fe, Co, and Mn, chemical transport by HCl (9) 194*h*.
ferrimagnetic, in system $MCr_2S_{4-x}Se_x$ (M = Fe,Co,Mn) (2) 54*g*.
Fe_2MoO_4, X-ray and neutron diffraction studies (6) 142*h*.
formation, by MgO-Al_2O_3 solid state reaction (10) 218*f*.
homologous classes, new representatives (8) 178*j*.
Li ferrite, processing parameters and properties (5) 114*b*.
$LiFe_5O_8$, densification and grain growth in (11) 234*d*.
$MgAl_2O_4$, Cr^{3+}-Cr^{3+} interactions in, ESR study (9) 196*b*.
Spinel $MgAl_2O_4$ *(continued)*
hot-pressed with LiF or NaF, grain-boundary chemistry by AES (9) 194*b*.
MgO in, reaction with Mo crucibles (9) 198*h*.
orthorhombic Cr-center in (1) 26*a*.
single crystals, X-ray topography of stacking fault in (1) 30*b*.
MgO-Al_2O_3, crystals, internal stresses in (4) 100*c*.
effect of CaO (9) 187*e*.
Mn-Fe, orientation of segregated hematite phase in (2) 54*e*.
in $M_{1-x}Ni_xCr_2S_4$ system, (M = Mn,Fe,Co), magnetic properties (10) 218*j*.
orientation, in MgO-Al_2O_3 solid state reaction (7) 156*c*.
periclase, sintering, physicochemical characteristics (7) 157*b*.
phases, crystal lattice, imperfection (1) 24*g*.
polishing, P (9) 191*c*.
structure, compounds with, "off-center" ions in (2) 54*a*.
X-ray spectroscopy (1) 29*j*.
tin, by chemical transport reactions (6) 138*f*.
$ZnGa_2O_4$, O parameter in (1) 26*b*.
Spodiosite, analogs, vibrational sepctra (3) 82*c*.
Spodumene, beta-, electrical conductivity (5) 114*e*.
Fe^{3+} in, EPR (8) 176*b*.
Spraying, air, in enameling industry (1) 3*d*.
Al_2O_3, structural transformations during (1) 13*a*.
arc plasma, technology in materials science, B (2) 58*j*.
guns, electrostatic hand (1) 11*h*.
powder, for different color powders, P (5) 116*f*.
plasma-gun, ZrO_2 coatings (5) 112*g*.
robot, three-dimensional (2) 45*d*.
Sputtering, apparatus, with accordion-pleated anode means, P (2) 44*c*.
triode, P (4) 96*e*.
cathode, of C substrate, for laminating process, P (10) 210*i*.
cathodic, for deposition of metals or oxides on metallic support, P (3) 71*d*.
film, on irregular surface, P (1) 15*c*.
method, and apparatus for analysis of materials, P (9) 192*d*.
rate, of fused SiO_2 bombarded by Ar ions (2) 53*i*.
rf apparatus, P (2) 43*d*.
Stability, of silicate minerals, under Venusian surface conditions (2) 56*d*.
thermal, of clays and molding sand mixtures (1) 10*j*.
of corundum ceramics (1) 10*a*.
of rare earth arsenates (11) 236*i*.
of Se ruthenite (10) 219*h*.
thermodynamic, of Cu gallates and titanates (1) 29*c*.
of Zn borates, temp. dependence (6) 141*g*.
Stabilization, ultrasonically assisted, of optical glass (4) 87*e*.
of ZrO_2 (1) 28*e*. metastable tetragonal (3) 76*c*.
Standards, ANSI/FEPA, for diamond abrasive grits (8) 161*d*.
ASTM, on chemical-resistant nonmetallic materials; clay and concrete pipe and tile; masonry mortars and units; asbestos-cement products, B (7) 159*i*.
on electrical insulating materials test methods, B (9) 199*j*.
on refractories, glass, and ceramic materials; mfg. carbon and graphite products, B (7) 159*j*.
German, for brickwork (5) 110*i*.
Steatite, dielectric strength (11) 228*i*.
Steels, electrical, Al_2O_3 coating for, P (7) 145*f*.
electrolytic pretreatment, prior to enameling (4) 86*b*.
enameling, microconstituents in (9) 183*j*.
enamels on, weathering tests (9) 183*g*.
interstitial-free, enameling experiences with (10) 203*h*.
low-C, grinding scratches on, chemical polish removal (1) 17*i*.
-making, effect of CaO refractories on formation of Ca_2SiO_4 during (2) 38*c*.
plates, glasslike coatings for, P (2) 33*h*.
pretreating, for enameling, P (1) 3*i*.
refractory coatings on, P (3) 62*h*.
reinforcing, in cement stone and concrete, corrosion and passivity (7) 143*j*.
resistant to aging, for single-coat enameling, P (7) 145*f*.
sheet, and cast iron, enamels for (8) 163*f*.
electrostatic enameling (8) 163*e*.
precoated, for direct-on white enameling (10) 203*b*.
Si, electric insulating coating on, P (2) 33*h*.
and strips, enameling, P (3) 62*i*.
thin, for enameling (8) 163*g*.
surface hardening, P (3) 67*g*.
weld deposit, improved nonaustenitic, P (3) 62*j*.
Sterilization, effect, on properties of $CaSO_4$ hemihydrate (6) 125*i*.
Stoichiometry, in $CdCr_2S_4$, and $CoCr_2S_4$ (10) 210*f*.
melt, effect on optical properties of $Ba_2NaNb_5O_{15}$ (2) 50*h*.
Stones, breaking up, apparatus for, P (7) 153*d*.
gem, resistance to abrasion (8) 161*g*.
gravel, method and apparatus for raising, P (7) 153*f*.
grinding, with coated abrasives (11) 221*e*.
Stoneware, body, based on pyrophyllite (9) 189*e*.
for table use (1) 12*h*.
enamels on (11) 221*d*.
Strains, effect, on paramagnetic resonance spectrum for V^{3+} in MgO (8) 177*f*.
internal, in liquid phase epitaxial garnet film on GdGa garnets (4) 99*e*.
-optical constants ratio, of alkali halides (9) 198*f*.
surface, in earthenware tiles, effect of reaction zone (1) 11*f*.
Strength, adhesive, of glass-metal seals (7) 152*c*.
of alite mortars, hardened (4) 84*g*.
of Al_2O_3, effect of microstructure (2) 52*h*; effect of environment on (6) 137*h*.
in instrumented impact tests (8) 179*j*.
Strength of Al_2O_3 *(continued)*
loss upon severe thermal shock (6) 137*g*.
with various grain size, surface-finish effects (6) 141*b*.
behavior, of thermally shocked brittle ceramic (2) 47*f*.
of brick, crushing, effect of size of packing material (10) 207*d*.
effect of rate of loading and type of packing (10) 207*c*.
walls, with precompression (10) 207*j*.
of brittle materials, containing second-phase dispersions (2) 56*e*.
of brittle porous materials, model for (3) 80*i*.
of cement, effect of ash and trass (9) 182*f*.
effect of grinding (2) 32*a*.
increase by additional ettringite formation (8) 162*d*.
paste method of determination (2) 32*c*.
-sand mixes (6) 126*a*.
of clays, unfired, and ceramic bodies (8) 172*a*.
cold compressive, of refractory brick, effect of surface finish (8) 172*h*.
compressive, of cement mortar, research results (3) 61*i*.
of grouted cavity walls (10) 207*a*.
of spheroidal materials of U, Th, and Pu mixed oxides, P (3) 73*a*.
of concrete, correlation with ultrasonic pulse velocity (6) 125*g*.
desiccated, effect of sorption (9) 182*g*.
prediction from calculated porosity of cement paste (8) 162*b*.
steel fiber reinforced (8) 162*g*.
of CVD C-infiltrated substrates, relation to structure (5) 111*j*.
degradation, after sustained loading (10) 215*g*.
dielectric, of porcelain, cordierite, and steatite ceramics (11) 228*i*.
flexural, of Al_2O_3 ceramics, effect of quenching (11) 228*d*.
of glass, Li_2O-SiO_2, crystallized after ion exchange (7) 146*d*.
of glass-ceramics, beta-spodumene containing ZnO (9) 185*d*.
of glass fiber, E-, effect of alkaline earth composition (4) 86*a*.
of glass fiber strand, factors affecting (4) 87*b*.
of graphite-ZrC composites (9) 198*e*.
high-temp., of Si_3N_4, hot-pressed (3) 79*f*.
and workability of metallic and nonmetallic materials, B (4) 104*h*.
hot flexural, and hot torsional, of refractory concretes (4) 90*e*.
of inorganic materials (1) 28*f*.
of MgO, containing metallic particles and fibers (6) 129*j*.
of perlite products, micromethod for determining (2) 46*j*.
of portland cement, mortar, effect of early hydration (3) 61*g*.
of SiC, B-doped, hot-pressed (2) 38*f*.
of solids, review (5) 112*d*.
tensile, of continuously cast Al-C fiber composites (6) 128*j*.
of glass strand, improving, P (4) 88*c*.
high-temp., of sapphire filaments (7) 158*c*.
of reactor fuel particle coatings, measuring (9) 192*e*.
of shell molding sand (1) 9*a*.
of UO_2, dependence on microstructure (5) 115*i*.
yield, and work-of-fracture correlation in Si_3N_4 (5) 123*i*.
Strengthening, Al_2O_3 and spinel bodies, P (1) 12*c*.
CVD infiltration, of molded graphite (10) 208*d*.
glass, articles, by double ion exchange method, P (8) 165*j*.
articles, with powdered salts for ion exchange, P (6) 128*j*.
by electroionic method, P (2) 35*f*.
by ion exchange, P (3) 64*j*.
of sapphire rods, by BaO (1) 28*g*.
SiC, by quenching (9) 188*i*.
Stresses, in cement stone, development during freezing (11) 222*b*.
distribution, in refractory bricks (5) 111*b*.
in transparent plastic, revealed by photoelastic method (2) 46*j*.
effect, on bending fracture of polycrystalline Al_2O_3 (11) 234*i*.
in SrTiO3 (7) 159*h*.
in glass, Na_2O-CaO-SiO_2 (8) 165*a*.
of glass containers, under static and dynamic load (1) 6*b*.
internal, during crystal growth (4) 102*e*.
in fired MgO (8) 167*a*.
in MgO-Al_2O_3 spinel crystals (4) 100*c*.
local, measurement in thin thermal SiO_2 films on Si substrates (2) 40*f*.
mechanical, effect on photovoltaic effect in CdTe (8) 169*d*.
effect on domain structure of $BaTiO_3$ (1) 22*f*.
effect on phase transition in $BaTiO_3$ ceramics (1) 22*g*.
optical, coeff. relation to glass composition (1) 6*g*.
coeff., change during stabilization of window glass (8) 163*h*.
in porcelain, for use on sanitary ware (6) 130*e*.
residual, of glass, effect of ultrasonic intensity (9) 184*j*.
in MgO crystals (1) 27*h*.
state, polyaxial, Weibull statistics for (2) 57*j*.
-strain curve, of concrete (2) 32*g*.
tensile, of glass, increasing resistance (5) 109*c*.
thermal, failure of quasi-brittle materials under (2) 51*i*.
resistance, of soda-lime-silica glass (11) 223*e*.
resistance, of soda-lime-silica glass (11) 223*f*.
thin-film, and mass-change measurements using quartz resonators (2) 41*a*.
uniaxial, effect on Raman spectra of CaF_2, BaF_2, and $Bi_{12}GeO_{20}$ (9) 195*d*.
experiments in MnO (8) 180*g*.
Strontium, -Ba niobate, pyroelectric voltage response to rectangular ir signals in (2) 55*h*.
pyroelectric voltage response to short ir laser pulses in (4) 93*c*.
chloride, HCl solubility in (4) 102*i*.
di-, boroaluminate, crystal structure (3) 77*c*.

Strontium *(continued)*
ferrite powders, with high intrinsic magnetic coercivity (2) 40*a*.
montmorillonite, DTA and ir spectra (2) 46*c*.
niobate, and Na niobate mixed, phase equilibria and dielectric characterization (2) 54*h*.
nitrate, elastic and thermoelastic properties (8) 175*d*.
oxide, conductive cation transport numbers in (10) 215*c*.
crystals, electrical conductivity, thermal emf, and thermionic emission (8) 175*e*.
$[Na]^0$ centers in (7) 157*f*.
radiation-induced $[K]^0$ center in (8) 178*f*.
vibronic properties of F^+ center in (5) 123*g*.
ruthenite, anhydrous (10) 215*h*.
structure and thermal stability (10) 219*h*.
silicophosphate (6) 141*g*.
$(Sr,Ba)Bi_2Ta_2O_9$, crystal structure (2) 50*d*.
$Sr_{0.75}Ba_{0.25}Nb_2O_6$, crystals, field and time thresholds for electrical fixation of holograms recorded in (2) 51*j*.
$SrB_2Si_2O_8$, luminescence (1) 16*a*.
$SrFe_xMo_{1-x}O_{3-y}$, X-ray and Moessbauer studies (6) 142*f*.
$SrFe_{12}O_{19}$, and $BaFe_{12}O_{19}$ compacts, liquid-phase sintering (10) 217*c*.
crystals, single magnetic domain, molten salt synthesis (7) 156*c*.
$SrFe_{18}O_{27}$, polycrystalline (2) 55*d*.
$SrGa_{12}O_{19}$, Mn^{2+} luminescence in (3) 80*a*.
$SrLaCuO_4$ (6) 141*e*.
$7SrO.5Fe_2O_3$, X-ray characterization (2) 57*j*.
$SrO.(6-x)Fe_2O_3.xAl_2O_3$ crystals, grown from glassy flux, chemical composition (2) 49*a*.
$SrUO_{4.000}$, alpha, crystal structure (1) 15*i*.
Sr^{2+}, diffusion in single crystal MgO (3) 77*j*.
$Sr_2Fe_{1+x}Re_{1-x}O_6$, magnetic and Moessbauer studies (10) 217*d*.
$Sr_3Si_2O_7$, and $Sr_3Ge_2O_7$, and solid solutions, vibrational spectra (9) 198*a*.
sulfate, crystals, growth by flux evaporation (2) 52*c*.
single crystals, growth from gels (2) 52*f*.
titanate, absorption edge (8) 176*h*.
anomalous resonance (6) 136*i*.
central peak in, microscopic theory for (3) 80*g*.
conduction bands, effect of 110°K phase transition (8) 175*a*.
critical opalescence in (1) 21*g*.
d-band surface states on (8) 174*j*.
dielectric constant (11) 235*c*.
differential optical spectra and band structure (9) 195*e*.
domain structure (3) 78*e*.
energy-band structure (8) 176*f*.
energy bands for (8) 176*e*.
energy levels of Fe and Al in (9) 195*j*.
Fe valence states in, by Moessbauer effect (3) 82*b*.
Fe^{3+} in, electric field effect on ESR spectrum (10) 216*i*.
Fe^{3+}-V_0 center in (7) 154*c*.
fluctuations in (8) 176*b*.
lattice dynamics above structural phase transitions (8) 177*j*.
Mo^{5+} in, EPR spectra (7) 155*h*.
paramagnetic O centers in (2) 54*f*.
permittivity (3) 80*f*.
single crystals, dielectric properties (10) 216*a*.
single crystals, trapping levels in (7) 159*g*.
superconductivity and structural instability in (3) 81*f*.
surface barrier energies on (4) 103*b*.
thermochromism and electrical conductivity in (9) 199*a*.
ultrasonic propagation, stress effects and interaction parameters in (7) 159*h*.
tungstate, Sr_2WO_5 (9) 199*c*.
Structural clay products, bodies, P (4) 90*c*.
forming, around compressible mandrel, P (1) 8*h*.
frost damage, failure of capillary theory (6) 128*f*.
frost resistance (3) 65*j*.
from granules, of inflatable mineral material, P (7) 147*f*.
high-strength article, low-density, P (7) 147*g*.
interior space climate, predetermining (3) 66*c*.
lightweight, synthetic material, P (2) 37*f*.
limestone damage, prevention by addition of chlorides (2) 37*b*.
reinforcement, P (2) 37*f*.
tilting table prefabrication, and guidance to pallet-type production (5) 110*d*.
walls, Poroton external, behavior under summer and winter condition (3) 65*i*.
Structural clay products industry, gas conversion in (1) 19*b*.
pipe, in Ariz. (1) 8*j*.
Structure, of alloys, in Nb-C-Re system (9) 199*a*.
of aluminosilicates, liquid (10) 220*d*.
of Al_2O_3 films, effect of anions (10) 217*d*.
analysis, of SiO_2 films (4) 102*h*.
of SiO_2 films, erratum (8) 176*g*.
aspects, of ionic conductivity in solids (2) 56*f*.
of metal-insulator transition in V_4O_7 (2) 56*g*.
atomic, of inorganic materials, neutron-diffraction study (8) 178*a*.
of $Ba_{6+x}Nb_{14}Si_4O_{17}$ (4) 120*h*.
of $CaAlAlSiO_6$ (10) 219*g*.
of carbon, vitreous, X-ray diffraction (11) 236*c*.
of Co_3O_4 (5) 122*h*.
defect, in $LiNbO_3$ (6) 140*i*.
in dichalcogenides, of transition metals (10) 217*g*.
distortions, in $MgCr_2O_4$ (1) 28*g*.
electronic, of AlH_3 (8) 175*j*.
interdependence of activated sintering and recrystallization with (7) 156*b*.
of ionic crystals (7) 155*j*.
of ReO_3, study by Korringa-Kohn-Rostoker method (9) 199*b*.
evolution, of new vacancy perovskites (4) 102*f*.
of $(Fe_xNi_{1-x})_2Si$ solid solutions (4) 102*j*.
of Ge, B-implanted (10) 216*h*.
of glass, in PbO-GeO_2 system (6) 127*i*.
in PbO-GeO_2-SiO_2 system (6) 127*j*.
phase-separation phenomena in, B (6) 142*h*.
quantitative analysis with ir reflection spectra (11) 225*c*.
Tl silicate (7) 146*d*.
of hydrated phase, of altered phlogopites (3) 81*d*.
of inorganic materials (1) 28*f*.
of In oxyfluoride (6) 141*i*.
instability, in $SrTiO_3$ (3) 81*f*.
of K_2NiF_4-type compounds, L_4MS_7 (L = La,Ce,Pr,Nd; M = Co,Ni) (10) 219*g*.
of La peroxychromate (9) 198*j*.
layered, syntaxy, polytypism, and nonstoichiometry (2) 53*g*.
micro-, of Al_2O_3, effect of Y_2O_3 (7) 154*i*.
of Al_2O_3- and SiC-based ceramic materials (3) 66*g*.
of Al_2O_3, sintered (1) 24*h*.
in basic refractories (4) 90*d*.
of C fiber composites (9) 187*h*.
of C_3S (7) 144*b*.
of C_3S pastes in $CaCl_2$ (11) 222*h*.
of dental silicate cements (5) 113*j*.
effect on Al_2O_3 strength (2) 52*h*.
in fired ceramic bodies (7) 158*e*.
of glazes for sanitary porcelain (10) 209*a*.
of hard porcelain, correction (7) 148*c*.
of MgO crystals (7) 156*j*.
of porcelain (4) 91*g*.
of porous substances, instrument for studying (7) 152*d*.
properties of cement stone, carbonation effect (7) 143*h*.
properties of $NiFe_2O_4$ thin polycrystalline films (2) 40*h*.
subcritical, effect on viscosity of Na borosilicate glass (9) 184*h*.
in UO_2 sintered pellets (10) 211*j*.
of UO_2, strength dependence on (5) 115*i*.
X-ray measurements, on anomalously scattering monocrystal, P (2) 47*h*.
of ZrO_2, partially stabilized, in CaO-ZrO_2 system (4) 100*c*.
and microhardness relations, in Ti, Zr, and Hf-3Zr carbide deposits (11) 236*b*.
modulated, of K_2MoO_4, K_2WO_4, and Rb_2WO_4 (6) 139*a*.
molecular, and anharmonicity in TlI (3) 80*j*.
of $NaAlF_4$ (3) 81*e*.
of NaCl films, on SiO_2 (1) 28*h*.
of $NaSO_2$, and NaO_2 (8) 176*h*.
of Nb suboxides (11) 236*b*.
order-disorder, of $Zr(OH)_2CrO_4$ (3) 80*e*.
of $PbTiO_3$, low-temp. (8) 177*d*.
properties, of ferroelectrics (1) 22*g*.
of $Ln_2(MoO_4)_3$ and Ln_2MoO_6 type rare earth molybdates (9) 198*i*.
of metal-metal oxide systems (8) 175*f*.
of $Mn_{1-x}Mg_xTe_2$ (4) 102*f*.
of Na Mg fluoride (2) 57*j*.
of VP and VAs (5) 122*f*.
prototype, of $Pb_2Ge_2O_{11}$ (2) 55*g*.
of rare earth trifluorides (1) 28*h*.
of Se layers (11) 236*c*.
of semiconductors, amorphous (10) 219*g*.
of SiC-based material (2) 56*i*.
of SiC needles (2) 56*j*.
of SiO (2) 56*h*.
of Sr ruthenite (10) 219*h*.
structural families, major ternary, B (11) 236*f*.
study, by electron microscopy (2) 56*g*.
in Li_2MoO_4-MoO_3 system (10) 219*f*.
of liquid chalcogenide semiconductors (10) 219*g*.
of NiO-CoO-CuO semiconducting system (2) 56*h*.
sub-, creep-resistant, of rutile, in air and vacuum (1) 27*f*.
super-, of $BaGa_2O_4$ (4) 98*b*.
interstitial, of V deuterides (11) 234*i*.
surface, of BeO powders (8) 179*b*.
thixotropic, of slow-setting gels (5) 123*i*.
transformation, of SiO_2 (6) 141*h*.
of ZnS crystals (5) 122*d*.
of tridymite (1) 28*b*.
of $UMo_{10}O_{32}$ (10) 219*h*.
of $U_3Mo_{20}O_{64}$, alpha- (4) 102*i*.
of $V_{0.95}Cr_{0.05}O_2$ (7) 158*g*.
of wulfenite, relation to morphology of crystals (2) 55*b*.
of Y_2O_3 films (8) 168*i*.
of Z-phase, NbCrN (2) 56*a*.
Substrates, alumina, ceramic, SEM of surface defects on (10) 210*i*.
fine grained (7) 149*d*.
flattening, P (6) 132*h*.
high strength (1) 13*d*.
ceramic, forming by lasers (8) 169*g*.
CVD C-infiltrated, and woven, tufted, and needled; fabric lay-up (5) 111*j*.
graphitizable, from acrylic fibers, P (10) 209*c*.
insulating, repairing or depositing metal-plated pattern on, P (1) 15*c*.
III-V compound on, P (8) 171*d*.
layer, transferring pattern in Si to, P (3) 71*g*.
materials, vitreous layers on, P (8) 170*b*.
metal, protective coatings for, P (2) 33*i*.
metallic, deposition of thin films of ferro- and antiferroelectrics on (3) 69*h*.
oxide, single-crystal (2) 41*b*.
preparation, effect on GaP liquid-phase epitaxy layers (2) 40*e*.
semiconductor, P (2) 44*a*.
Si, continuously etching, P (3) 71*i*.
diffusing B or P into, P (3) 71*i*.
spraying glass fiber onto, P (1) 7*h*.
stripping resists from, P (10) 211*i*.
surface, automatic pin insertion and bonding to metalized pad on, P (9) 190*c*.
terminal housing for, P (9) 192*e*.
thin layers on, plasma deposition, P (8) 170*f*.
transparent, tin oxide coatings on, P (1) 7*a*.
treating, to reduce magnetic angular dispersion of thin films, P (6) 132*h*.
wafers, Mg-Al spinel, with semiconductor material coating, dividing, P (10) 211*d*.
YIG, surface wave on, dielectrically induced (8) 169*b*.
Sulfates, alkali metal, reactions with rare earth molybdates (6) 140*j*.
effect, on hydration reactions of portland cement (5) 106*c*.
inorganic, ir spectra (3) 79*g*.
ions, concrete corrosion by (1) 2*i*.
in portland cements, optimum content (10) 202*g*.
and thiosulfate, in aqueous solutions of SO_2 (3) 73*j*.
Sulfides, ion, in LiCl-KCl eutectic (1) 23*d*.
minerals, sintering, P (2) 48*h*.
odors, from Kraft mill lime kiln stacks, removal, P (7) 152*i*.
rare-earth, beta variety (2) 49*g*.
and sulfosalts, ir absorption and uv emission analyses (11) 232*h*.
Sulfites, lime-fly ash-, mixtures, P (5) 107*j*.
solid metal, ir absorption spectra (3) 79*e*.
Sulfur, in autoclaved products (7) 144*c*.
desulfurization, of waste flue gases, P (9) 193*h*.
dioxide, chemistry, relation to removal from waste gases (3) 73*h*.
from ferrous sulfate, P (4) 97*h*.
sulfate and thiosulfate in aqueous solutions (3) 73*j*.
Fe/, ratio in pyrrhotines (5) 120*c*.
oxide, -containing gases, washing with lime slurry, P (7) 153*f*.
partitioning, in Cu-Fe-sulfide mineral, metallic fibers by (8) 178*i*.
radicals, in glasses, EPR (1) 4*b*.
reaction, with Mo bromides (6) 140*g*.
recovery, from waste gases, cyclical process, P (5) 118*g*.
removal, from gas, P (5) 118*i*.
sulfation, of Atlantic Ocean Mn nodules, kinetics (10) 217*j*.
of nickeliferous laterite (10) 214*a*.
trioxide, in cement (4) 85*j*.
effect on setting time of clinkers and cements (10) 202*h*.
reaction with Na borates (6) 140*h*.
solubility in Na_2O-CaO-SiO_2 melts (2) 34*j*.
Sulfuric acid, from ferrous sulfate, P (4) 97*h*.
Superconductivity, in alkaline earth metal, and Yb intercalated group VI layered dichalcogenides (10) 219*b*.
and electron-phonon interactions (2) 51*j*.
of fcc transition metals, and their alloys, and fcc carbides (5) 122*i*.
high-temp., in NbN family, chemistry (3) 76*d*.
in Li-Ti-O system (1) 24*e*.
of Mo carbides, and W carbides (5) 122*j*.
properties, of TaC_x, effect of lattice instabilities (7) 155*d*.
of Re with Mo_2C solid solution (7) 158*h*.
science, and technology, B (2) 59*h*.
in $SrTiO_3$ (3) 81*f*.
of Te-Ge-As system (10) 219*b*.
theory, microscopic quantum interference in (2) 54*d*.
in "TiO", cubic and monoclinic (3) 81*f*.
Superconductors, composite, P (7) 150*a*.
materials, ductile, P (10) 211*g*.
Nb_3Ga-base, P (8) 170*d*.
Nb_3Sn, low-loss (8) 169*i*.
pairing in, macroscopic quantum phenomena from (1) 25*f*.
phonon fluorescence in (8) 178*g*.
stabilized, P (8) 171*c*.
thin-film, multilayered, P (8) 170*c*.
tubular, composite conductor band for use in, P (4) 94*f*.
V_3Ga composite structure, P (4) 94*b*.
Surface, analysis (4) 96*a*.
area, of cement pastes (2) 32*d*.
concentrations, in melts of CaO-Al_2O_3-SiO_2 (1) 17*c*.
condition, optically inspecting, P (2) 47*h*.
damage, penetration, of Al_2O_3, effect of environment (6) 137*h*.
properties, of silicates, chemical methods for changing (8) 174*d*.
roughness, measuring, P (3) 74*c*.
science, solid state, B (1) 30*h*.
solid state, science, B (5) 124*f*.
specific, of anatase and Al_2O_3, from single point, using de Boer's isotherm (11) 232*f*.
measurement by isothermograph (6) 134*j*.
of portland cement paste, by small-angle X-ray scattering (6) 126*g*.
relation to strength development and power requirement of cement (10) 203*b*.
specific area, effect on sintering Al_2O_3 powders (2) 52*i*.
study, methods (2) 46*h*.

Suspensions, agglomeration, and dispersion in, photometric study (1) 18*f*.
clay, stabilized, P (1) 20*c*.
clay-mineral-bearing, P (1) 20*g*.
hydrogen-clay, coagulation (2) 39*a*.
interaction with clay minerals (2) 39*c*.
Swelling, of clays, hydroxyaluminum interlayered (5) 123*b*.
Switches, chalcogenide-glass, preswitching behavior (4) 92*e*.
chalcogenide thin film, accumulation effects in (4) 92*e*.
electronic, module with ceramic case, P (2) 41*i*.
force-sensitive, thin oxide, P (6) 133*f*.
GaP electroluminescent p-n-p-n, high-temp., and controlled rectifiers (4) 92*j*.
glass, using ion-impermeable glass active layer, P (8) 165*d*.
optical, for fiber-optic transmission system, P (3) 65*a*.
reed, using heat-sensitive ferrite, P (9) 191*i*.
semiconductor, devices, P (6) 133*c*.
thermally operated, setting, P (3) 71*h*.
thermoferrite, P (1) 15*e*.
thin-film, high-voltage, P (7) 151*h*.
and memory device, P (10) 211*g*.
thin film chalcogenide, thermal analysis of preswitching characteristics (5) 114*b*.
for thin-film optics, P (8) 171*d*.
VO_2 coplanar, effect of intrinsic thermistor effect in (10) 210*d*.
Switching, in chalcogenide thin films (4) 93*e*.
ferroelectric, in $BaTiO_3$, kinetics of domain wall motion in (8) 177*i*.
in glasses, chalcogenide (4) 86*d*.
high speed, in magnetic thin films (9) 190*c*.
mechanism, reversible thermal breakdown as, in chalcogenide glasses (4) 87*i*.
memory, in Si oxide films (11) 230*f*.
negative-resistance, effect in YIG (4) 100*i*.
thermal, in chalcogenide glass semiconductors (4) 93*g*.
in thin glass films (8) 169*f*.
threshold, in GaTe single crystals (9) 190*j*.
Synthesis, of alkali metal sulfate-SbF_3 compounds (5) 123*c*.
of AlN, single crystals (6) 141*d*.
of Al polyphosphate (10) 219*d*.
of $BaFeO_3$, 12-layer modification (2) 56*e*.
of $Ba_3(M_6Li_2)O_{24}$, (M = Nb, Ta) and $Ba_{10}(W_6Li_4)O_{30}$ (4) 98*e*.
carbothermic, of UN, PuN, and (U,Pu)N (1) 15*j*.
clay mineral (6) 137*e*.
of Cs beta-aluminate (9) 199*e*.
dry, of Pb titanates (7) 154*g*.
of epidote, $Ca_2Al_2FeSi_3O_{12}(OH)$ (6) 141*e*.
of faujasite zeolites, P (8) 173*e*.
of fluorasbestos, use of production wastes in (6) 136*c*.
hydrothermal, of crystal modification of alpha-$LiLa(MoO_4)_2$ (3) 79*h*.
of molecular sieves and mordenite from clays (7) 153*i*.
of mordenite from volcanic minerals (11) 233*i*.
of rare earth germanates (10) 217*b*.
of sepiolite (4) 99*i*.
of zeolitic molecular sieves (7) 153*a*.
inorganic, B (2) 59*h*.
of kaolinite, effect of mineral acids (3) 78*h*.
of Mg smectite, electron microscopy (6) 138*g*.
of $M_2O.Ga_2O_3.2SiO_2$ (1) 28*e*.
of PbO, hydrated (1) 28*f*.
of perovskite, new, $Pb(Li_{1/4}Nb_{3/4})O_3$ (2) 56*d*.
plasma chemical, of higher oxides of Cs and Rb (3) 81*a*.
of ReI_3 (5) 123*c*.
SiC, in Acheson resistance furnace (3) 67*c*.
single crystal (7) 158*c*.
of SiC single crystals (2) 56*d*.
of silicates, $Ca_{24-x}Ln_xAl_xSi_{24-x}O_{72}$ [Ln = La and Nd and x = 0–24] (6) 141*d*.
of single crystals, industrial (8) 179*c*.
of Si_3N_4 (1) 28*d*.
of sulfates, double, of Nb, K, and Na (7) 158*b*.
of Tb tetrafluoride (10) 219*e*.
of Tc(IV), and Re(IV) hexahaloid complexes (4) 103*d*.
of tetrafluorides, of Ce, Pr, and Tb (10) 219*d*.
of V_2O_5, single crystals (10) 220*d*.
of wollastonite (9) 194*f*.
of zircon, effect of MoO_3 (7) 155*d*.
of ZrBr (7) 158*b*.
Systems, $MgO-Al_2O_3-SiO_2$, melts, wettability of MgO by (8) 167*i*.

Talc, -clay ceramic bodies (1) 12*i*.
crystal structure (1) 22*a*.
Indian, base exchange capacity, effect of dry grinding (1) 16*a*.
effect of heat (10) 216*f*.
properties, from Parana, Brazil (6) 140*e*.
Tantalum, boride, deposition (5) 119*e*.
carbide, elastic moduli (5) 120*j*.
superconducting properties, effect of lattice instabilities (7) 155*d*.
thermal expansion (5) 123*g*.
disulfide, new polytype, properties (2) 55*e*.
films, pure alpha, by cathode sputtering, P (9) 191*d*.
oxide, precipitate, hydrated (3) 79*g*.
steady and transient conduction processes in (4) 102*c*.
pentoxide, defect structure (5) 120*c*.
shock wave action on (7) 154*a*.
reaction, with rare-earth carbides, thermochemical data (5) 123*h*.
Ta_2N, bulk, temp. coeff. of resistance (7) 158*f*.
Technetium, chloro complexes, magnetism (11) 235*a*.
Tc(IV), hexahaloid complexes, X-ray study (4) 103*d*.
Tellurites, para-, acoustic surface waves on (6) 136*e*.
Tellurium, -based thin films, thermal crystallization (10) 219*j*.
dioxide, acoustic attenuation in (3) 76*f*.
ir reflectivity (9) 196*j*.
matrix-isolated, ir spectrum and thermodynamic functions (2) 52*j*.
Raman scattering in (7) 157*e*.
single crystal, acoustic wave propagation in (6) 136*e*.
thermal expansion, X-ray studies (7) 159*c*.
for doping, thin layers (9) 195*g*.
^{125}Te, Moessbauer effect, in $FeTe_2$, $CoTe_2$, and $RuTe_2$ (3) 81*g*; Moessbauer studies, of magnetic M_2Te_3-type semiconductors (11) 235*g*.
nuclear gamma resonance (8) 178*b*.
tetrabromide, interactions with alkali metal bromides (1) 24*c*.
Temperature, of bulgarites, relation to viscosity (11) 235*f*.
control, flue gas, P (10) 213*h*.
for rotary kilns, P (11) 233*h*.
controller, P (1) 19*d*.
programable (5) 117*d*.
Curie, of Li-Zn ferrites (2) 55*b*.
of mixed ferrites (2) 49*b*.
shift, of $BaTiO_3$ (7) 158*b*.
dependence, of attenuation of ultrasound in rutile (9) 199*g*.
on birefringence for PLZT 7/65/35 and Nb-modified PZT (10) 210*a*.
of damping of lattice resonance in ionic crystals (7) 158*g*.
of dielectric constants of KCl, NaCl, LiF, and MgO (8) 178*c*.
of dislocation energy in Al_2O_3 crystals (8) 179*f*.
of dispersion component of Faraday effect in $Y_3Fe_5O_{12}$ (11) 236*g*.
of elastic constants of LiBr and LiCl (8) 178*c*.
of electrical resistance of ferromagnetics (9) 199*g*.
of EPR spectra of TiO_2 (9) 199*g*.
of GaAs elastic constants (2) 56*g*.
of light scattering in antiferromagnets (9) 199*h*.
of luminescence of F^+ and F centers in CaO (8) 179*g*.
of magnetic properties of Ni-Zn ferrites (7) 158*h*.
of optical absorption edge of Gd molybdate (9) 199*h*.
of optical coeff. in ferroelectric $NaNO_2$ (2) 56*h*.
of parameters of Moessbauer spectrum in alpha-Al_2O_3-Fe_2O_3 system (4) 103*a*.
of phonons in SnO_2 (8) 178*d*.
of second optical harmonic intensity in $BaTiO_3$ (2) 56*h*.
of spin-lattice interaction for Gd^{3+} in ThO_2 and CeO_2 (7) 158*h*.
of stability of Zn borates (6) 141*g*.
of width of forbidden band of $Ba_{0.5}Sr_{0.5}Nb_2O_6$ single crystals (7) 158*h*.
distribution, in glass, calculation (2) 33*a*.
in $ZnWO_4$ crystals (2) 56*i*.
effect, on elastic and piezoelectric properties of CdSe (2) 50*g*.
on refractive index of glass (5) 108*h*.
on wet grinding of raw material (3) 61*h*.
and emissivity measurement, of radiant object, P (3) 74*j*.
high, equilibria involving wustite, Fe, CaO, and dicalcium ferrite (10) 217*a*.
study in $MgO-SiO_2-H_2O$ system (10) 216*j*.
liquidus, of slags in $MgO-Al_2O_3-SiO_2$ system (3) 78*j*.
measurement, guide (10) 213*f*.
P (7) 153*d*.
surface, P (1) 19*e*.
-pressure, phase relations in Nb_2O_5 (6) 141*h*.
sensitivity, of bubble domains (2) 56*i*.
thermometry, direct, in determining borate in borosilicate glasses (8) 164*c*.
resistance, errors caused by cables (6) 134*e*.
of small quantities of silicate (9) 193*c*.
thermostatic control system, P (4) 97*h*.
transient surface, measuring (4) 96*h*.
Temperature measuring instruments, P (3) 74*i*; (3) 75*e*; (9) 193*e*.
pyrometer, P (3) 74*d*.
radiation and optical (10) 213*h*.
self-supporting fusible, P (1) 19*d*.
pyrometers, with digitalized linearizing correction, P (7) 153*d*.
regulator, for lab furnaces (6) 134*a*.
surface monitor, P (3) 74*e*.
thermocouple, accuracy study (6) 134*i*.
Chromel P-Alumel (1) 17*h*.
differential, P (3) 74*a*.
in glassmaking (11) 225*g*.
graduated Si-Ge alloy, P (11) 232*j*.
high-temp. alloy systems, P (10) 213*a*.
magnetic, P (4) 96*e*.
P (3) 74*e*; P (4) 96*f*; P (11) 233*b*.
reference tables (5) 117*f*.
reusable bolt-type mounted, P (2) 47*b*.
sensors, cold junction compensation for (1) 17*j*.
sheathed, P (6) 134*j*.
Si-Ge and Si-Mo alloys in, coating for, P (5) 117*j*.
small axial, P (10) 213*c*.
small-gage, calibration (1) 17*h*.
with spaced electrically insulating sheaths, P (8) 166*j*.
structure, P (4) 96*g*.
tape, P (10) 213*d*.
for wire temp. in preparatory anneals (1) 18*a*.
thermometer, capacitance, P (1) 19*b*.
glass-ceramic capacitance (1) 17*g*.
noise, millikelvin temps. measured with (2) 47*b*.
Temperature measuring instruments thermometer *(continued)*
resistance element, P (5) 118*c*.
$SrTiO_3$ glass-ceramic capacitance (1) 18*b*.
Tension, surface, and interfacial, in glass melts (8) 165*b*.
of liquid binary and ternary chloride mixtures (2) 56*d*.
Terbium, molybdate, single crystals, anisotropy of nonlinear refractive index in (2) 49*c*.
oxysulfide, and oxyselenide, magnetic structures and susceptibilities (1) 25*g*.
$Tb_2(MoO_4)_3$, ferroelectric phase transformation in (8) 178*a*.
Tb_4O_7, reaction with Bi_2O_3 (11) 235*f*.
tetrafluoride, synthesis and physicochemical study (10) 219*d*.
synthesis by reaction of XeF_2 with TbF_3 (10) 219*e*.
trifluoride, thin films, $^5D_3 \rightarrow {}^7F_j$ transitions by cathodoluminescence (11) 234*g*.
Testing, methods (5) 117*d*.
nondestructive, direct, to predict engineering properties (5) 117*d*.
objects of magnetizable materials, P (2) 47*a*.
Thallium, borate, isotypic, P (1) 20*i*.
iodide, molecular structure and anharmonicity in (3) 80*j*.
oxide, reaction with Nb_2O_5 (1) 27*b*.
Tl_3AsS_4, crystals, and acoustooptical systems, P (8) 171*e*.
$TlGaS_2$, $TlGaSe_2$, and $TlInS_2$, electric and photoelectric properties (8) 169*e*.
$Tl_2Cu(SO_3)_2$, crystal structure (3) 77*a*.
Tl_3AsSe_3 (10) 218*d*.
Thermal analysis, of Al-BI_2 system (4) 103*i*.
of $AlCl_3$-$TiCl_3$-NaCl system (1) 29*h*.
differential, apparatus for studying equilibria of reactions (11) 232*f*.
of bauxites (1) 29*a*.
of Ca silicate bricks (10) 202*h*.
of crystallization dynamics of glass (1) 4*i*.
in development of building materials (10) 207*a*.
of glasses in Si-Ge-As-Te threshold switching system (5) 108*d*.
of Mg, Ca, Sr, and Ba montmorillonite (2) 46*c*.
of transformation of gamma-Al_2O_3 to alpha- (5) 120*g*.
use in following transformation processes in $CaSO_4 \cdot H_2O$ system (8) 180*h*.
of zeolites, molecular sieve (2) 55*h*.
furnace assembly for, P (3) 74*a*.
high-temp., of LaF_3-YF_3, SrF_2-YF_3, and MgF_2-YF_3 systems (3) 79*g*.
of $MoCl_2$-$TiCl_3$-NaCl system (10) 219*i*.
nonisothermic, evaluation of kinetic data by computer (11) 234*e*.
of preswitching characteristics, of thin film chalcogenide switch (5) 114*b*.
of serpentines, on heating to 1400°C (4) 103*g*.
tests, using derivatograph (1) 18*b*.
of VCl_3-$TiCl_3$-KCl system (6) 142*a*.
Thermal properties, of Al_2O_3, TA-600 (1) 29*a*.
of clay bodies, of roofing tiles (8) 166*i*.
of dielectric materials, B (4) 104*g*.
instabilities, approximations and boundary conditions in (8) 174*g*.
of silicate oxyapatite crystals (9) 199*i*.
stability, of corundum-based ceramics (9) 195*f*.
thermochromism, in $SrTiO_3$ (9) 199*a*.
of vitreous systems (1) 29*b*.
Thermodynamics, of adsorption, of H_2O and N on cement pastes (2) 32*f*.
analysis, of chemical vapor deposition of YIG films (1) 21*a*.
of miscibility gaps in Li_2O- and Na_2O-SiO_2 binaries (4) 100*a*.
of sintering process (5) 123*i*.
of sintering process (6) 142*b*.
of solid state reactions during formation of Fe silicates in system "FeO"-SiO_2 (8) 180*a*.
of As_2O_3 (2) 57*h*.
of $CaO-CaC_2-CaCl_2$, and $CaO-CaC_2-CaCl_2$-NaCl melts (6) 142*b*.
of Cu-O system, and ruby formation in borate glass (8) 165*e*.
data, applied to reaction between Ta and rare-earth carbides (5) 123*h*.
defect, and impurity, in rutile (10) 215*g*.
of formation, of chromite spinels (6) 142*d*.
functions, of ideal crystal lattice (6) 137*c*.
of NaBr in NaBr-KBr mixtures (3) 77*h*.
of TeO_2, matrix-isolated (2) 52*j*.
of hydrogen W bronze phases H_xWO_3 (2) 57*i*.
of kaolinite mullitization, in presence of AlF_3 (3) 81*h*.
of LiCl-$MgCl_2$ solid solutions (10) 220*a*.
of $(NH_4)_{0.25}WO_3$ (5) 123*i*.
parameters, in oxide systems (2) 54*a*.
principles, applied to ceramics (7) 159*f*.
properties, of alkali-halide crystals (9) 199*a*.
of Al_2O_3 solutions in cryolite (10) 220*a*.
chemical, of nuclear materials (2) 44*b*.
of Cr silicides (8) 180*d*.
of Cr_3Te_4 and Ni_3Te_4 (3) 79*d*.
of Cu_2Te(c), Ag_2Te(c), $Ag_{1.9}Te$(c), and $Ag_{1.64}Te$(c) (2) 50*b*.
of FeO_x-MgO system (10) 220*c*.
of glass, M(I)-M(II) mixed nitrate, and supercooled liquids (2) 35*f*.
of $La_2O_2C_2$ (3) 81*d*.
of Na Mg fluoride (2) 57*j*.
of Na titanates (2) 57*i*.
of rare-earth triiodides (10) 220*b*.
of Y_2O_3 (3) 81*i*.
of reduction, of Fe oxide powders with H (2) 57*b*.

Thermodynamics *(continued)*
relations, of Zr-U-C system (8) 180*c*.
of Sb_2O_3 (3) 82*c*.
of solid-phase reactions, in $BaCO_3$-Al_2O_3 system (11) 236*i*.
of solid state sintering (7) 159*g*.
stabilities, of arsenides of Zn (9) 199*a*.
study, of $3CaO.Al_2O_3$-H_2O system (8) 180*b*.
of chlorides, bromides, and iodides of Na, K, and Rb (2) 57*b*.
of high-temp. equilibria (2) 57*a*.
of Na_2UO_4 (2) 44*g*.
of Sn silicates (1) 29*d*.
of UO_2, hypostoichiometric (9) 192*i*.
in $UO_{2\pm x}$ (5) 115*i*.
Thermoelectricity, devices, P (3) 72*d*; P (6) 133*d*.
effect, in Ti_2O_3 single crystals (9) 199*a*.
force, of ZrO_2 (1) 23*b*.
materials, coatings for, P (9) 190*e*.
modular structure, P (6) 133*e*.
and photo-, effects in semiconductors—CdS single crystals (8) 180*d*.
Thermography, of CdSb (8) 175*g*.
Thermophysical properties, of specimens, determination, P (6) 134*f*.
Thickness, layer, measurement with beta rays (3) 74*c*.
measuring device, P (9) 193*e*.
Thixotropy, measuring, in ball clays (8) 172*b*.
Thorium, dioxide, axial channeling in (6) 136*j*.
ceramics and metal, vacuum-tight Na-proof seal between (9) 190*a*.
ceramics, pure and doped, electrical conductivity (2) 51*b*.
effect on evolution of A form of lanthanide sesquioxides (2) 51*h*.
lattice parameter (5) 122*f*.
reaction with $ZrCl_4$ (7) 157*b*.
reduction by C (10) 218*h*.
single crystal, paramagnetic resonance of $^{155}Gd^{3+}$ in (7) 156*i*.
spin-lattice interaction for Gd^{3+} in (7) 158*h*.
stopping power of 1-9 MeV He^{2+} ions in (9) 198*g*.
from thermal decomposition of Th salts (7) 157*e*.
transition from ionic to electronic conduction in (3) 82*a*.
zero-field splittings of Gd^{3+} and Cm^{3+} in (5) 124*b*.
hexaboride, nonstoichiometric (5) 121*c*.
mixed oxides, spheroidal material, compression strength, P (3) 73*a*.
monoxide, metastable (4) 95*f*.
oxide, resonance properties of Er^{3+} in (8) 179*b*.
single-crystal, ESR absorption spectra of monovalent Fe in (8) 176*c*.
separation, from neutron-irradiated Th, P (11) 231*h*.
Th(IV), extraction from nitric acid solutions (10) 211*i*.
$ThSiO_4$, synthetic preparation and lattice structure (4) 103*f*.
$(Th_{1-x}U_x)$ oxides, mixed, thermal diffusivity (9) 192*g*.
Thulium, $TmFeO_3$, specific heat anomaly, effect of Tm^{3+} in (11) 235*g*.
Tm^{3+}, intensity parameter in glasses (3) 63*e*.
Tile, artificial stone, P (9) 189*g*.
biscuit-fired, decoration with 3 colors with printing ink (3) 68*e*.
ceramic, grading and selection (7) 148*c*.
kaolin-based, P (1) 12*b*.
large, decorating (11) 221*j*.
panel construction, P (10) 209*e*.
clay, and concrete, ASTM standards, B (7) 159*i*.
drying, rapid or traditional (3) 68*a*.
earthenware, surface strains in, effect of reaction zone (1) 11*f*.
facing, artistic shaping (10) 207*h*.
faience, clays from Chukurovo deposit for (11) 228*h*.
firing setters for, P (1) 10*i*.
floor, and ceiling, prefabrication in Italy (3) 65*j*.
glazed, fully automatic production (2) 38*f*.
laying, effect on behavior (1) 8*b*.
frost resistance, effect of minerals (3) 65*j*.
glazed, spray-drying during production (11) 228*f*.
industry, Austrian (5) 110*g*.
Czechoslovakian (5) 110*e*.
floor and wall, at Euroceramica (2) 39*b*.
Italian, Siri (1) 12*e*.
liquefied gas in (2) 37*d*.
plant development in (8) 166*h*.
refractories in (1) 9*j*.
inspection, electrooptical system for, P (7) 153*c*.
loading, and unloading, automatic, at tunnel kiln (3) 73*e*.
mfg., P (8) 168*f*.
polycell's DIY, and mosaics (4) 91*i*.
printing, screening media and pastes for (8) 168*c*.
removal from molds, P (7) 152*f*.
roofing, clay bodies, thermal properties and thermal fracture (8) 166*i*.
from Fe_2O_3, Ag luster glaze for (9) 189*b*.
P (2) 37*f*; P (8) 168*f*.
smoked, kneading machine for preventing frost damage (4) 89*e*.
thermal fracture during cooling in tunnel kiln (8) 166*f*.
wet and dry slip coating on, frost resistance (3) 66*d*.
or slabs, P (7) 147*g*.
stacking apparatus for, P (2) 39*b*.
susceptibility, to frost cracking (6) 130*f*.
wall (10) 209*f*. and floor, decorating, P (7) 148*j*.
and floor, phosphores furnace slag in (7) 147*e*.
strains in (7) 148*h*.
Tin, coating, inorganic, applying to glass surface, P (10) 206*b*.

Tin *(continued)*
disulfide, electrical conduction mechanism in (11) 234*j*.
-ic oxide, lattice dynamics and ir and Raman spectra (1) 22*a*.
Raman-active phonons in (8) 178*d*.
-ous chloride, anhydrous, in lab (1) 13*d*.
oxide, coatings, on transparent substrates, P (1) 7*a*.
films, electrical and optical properties (7) 149*e*.
silicates, thermodynamic study (1) 29*d*.
^{119}Sn, Moessbauer isotope, nuclear magnetic moments (4) 101*c*.
nuclear gamma resonance (8) 178*b*.
$SnCl_2$-$PdCl_2$ solutions, of glass, nucleation with, before electroless plating (5) 114*h*.
in solution, hydrolysis products, X-ray investigation (5) 123*j*.
Titanium, boride, sintering behavior and oxidation resistance (11) 226*g*.
carbide, graphite-containing ferrous composition, P (5) 112*c*.
P (2) 39*e*; P (5) 112*j*.
tool steel coating, plasma-sprayed, P (4) 91*i*.
coatings on, chemical vapor deposition, P (9) 190*e*.
deposits, structure and microhardness relations in (11) 236*b*.
diboride, electrolytic preparation, P (4) 91*d*.
dioxide (11) 233*b*. concentrate, P (5) 119*j*.
concentrates, from materials containing ilmenite, P (2) 48*g*.
distribution in portland cement clinker phases (8) 161*h*.
effect on thermal expansion of vitreous SiO_2 (4) 86*j*.
effects on sintering zircon bodies (8) 167*d*.
electrical aging (9) 197*b*.
EPR spectra, temp. dependence (9) 199*g*.
extraction from ilmenite and titaniferous slag (10) 214*b*.
Fourier-transform electron-nuclear double resonance of V^{4+} in (7) 155*a*.
microwave dielectric loss (7) 156*a*.
.7Nb_2O_5, electron microscopy (2) 52*j*.
P (8) 173*i*.
phase transitions in (1) 26*c*.
slurries with high solids content, P (3) 76*e*.
solubility in enamel, effect of Nb_2O_5 and WO_3 (2) 33*d*.
transition of Cr^{3+} in, Zeeman effect (9) 199*g*.
treatment, P (7) 153*j*.
yellow crystals, P (7) 153*j*.
interaction, with fusible enamel (6) 126*b*.
nitride, vapor-phase crystallization and physical properties (5) 123*e*.
oxide, concentrates, from titaniferous ores, P (10) 215*b*.
electrical and magnetic properties (7) 155*g*.
in electrosiag processes, P (3) 63*a*.
properties, effect of atomic vacancies (7) 155*i*.
selective recovery from ilmenites, P (2) 48*c*.
thermodynamics (1) 29*e*.
and Pt, reducing interdiffusion rates and inhibiting metallic compound formation between, P (8) 171*d*.
sesquioxide, elastic constants and electrical transition in (8) 175*c*.
metallic V-doped, low-temp. specific heat (8) 177*c*.
reactions with Y_2O_3 (7) 157*d*.
resistivity and "one dimensionality" in (8) 179*a*.
semiconductor, and $(Ti_{0.9}V_{0.1})_2O_3$, semimetal, crystal structures (10) 215*f*.
single-crystal undoped and V-doped, specific heat (8) 179*f*.
single crystals, thermoelectric effects in (9) 199*a*.
sulfide, electron microscopy (2) 51*h*.
tetrachloride, P (6) 136*j*.
photoelectron and optical spectra (3) 80*j*.
$TiAl_3$, low-temp. heat capacity and high-temp. enthalpy (8) 177*c*.
Ti_nO_{2n-1}, and $Ti_{n-2}Cr_2O_{2n-1}$, lattice energies (6) 139*d*.
"TiO", cubic and monoclinic, superconductivity in (3) 81*f*.
in TiO_2 products, volumetric determination (1) 18*j*.
Ti^{3+}-Ti^{4+}, in TiO_2-SiO_2 glasses, EPR (11) 224*a*.
-ZrO_2, pseudobinary (1) 29*g*.
Titration, raw meal, semiautomatic (2) 47*e*.
Tools, abrasion, P (1) 1*i*.
cutting, alumina, review (10) 201*d*.
carbide alloys suitable for, P (4) 91*b*.
mineral, P (7) 148*d*.
saws, carbide-tipped, reducing stress concentration and cracking failures in, P (11) 221*f*.
Ti, with high binder-phase content, P (2) 39*i*.
wire, for clay or plastic material, P (1) 8*g*.
Topaz, microwave ultrasonic attenuation in (8) 177*h*.
Topography, micro-, from 35° domain walls in $LiNbO_3$ crystals (6) 139*b*.
sputter, in SiO_2 glass surfaces (6) 127*a*.
X-ray, of natural fluorite (2) 58*b*.
of stacking fault in $MgAl_2O_4$ spinel single crystals (1) 30*b*.
Tourmaline, crystals, electron microscopy (10) 217*a*.
microwave ultrasonic attenuation in (8) 177*h*.
Transducers, bulk-wave microsonic, efficient (2) 40*e*.
dc triode sputtered, ZnO surface elastic wave (8) 168*i*.
dew point temp., flue gas, P (5) 117*i*.
differential pressure, P (8) 169*j*.
diode energy, high-freq., P (7) 149*c*.
electric, semiconductor pressure, P (3) 72*a*.
semiconductor pressure, P (4) 94*g*.
filter, minimum insertion loss YIG pulse compression, P (11) 231*c*.
high-temp., and housing, P (8) 170*d*.
magnetic, P (2) 42*b*.
P (6) 133*f*; (9) 191*a*.
photo-, novel ICI corrected, for measuring light output of photoflash items, P (9) 187*b*.
piezoelectric, mechanical response (1) 25*i*.

Transducers piezoelectric *(continued)*
and noisemaking devices using, P (10) 211*b*.
P (4) 94*c*.
piezoresistive bridge, P (11) 231*e*.
piezo units, P (2) 43*h*.
pressure, absolute, P (5) 117*h*.
resonant piezoelectric, P (8) 170*i*.
semiconductor, mechanoelectrical, P (2) 43*i*.
mechanoelectrical, P (6) 133*c*.
pressure, P (2) 43*a*.
pressure-sensitive, P (1) 15*c*.
stress-sensitive, testing, P (1) 13*d*.
in semiconductor web, P (1) 15*e*.
stored charge, P (7) 151*g*.
strain gage, P (4) 94*d*.
thin-film shear, interdigital mosaic, P (11) 230*f*.
using integral protective coatings, P (10) 211*f*.
Transformations, order-disorder, in ferroelectrics (8) 174*f*.
Transformers, bushing for, P (5) 113*e*.
ferroelectric, adaptive (5) 113*h*.
Transistors, beta, by isolation diffusion method, P (3) 71*f*.
bipolar, P (1) 13*e*; P (4) 93*a*.
with breakdown mode, improved, P (1) 15*f*.
coaxial inverted geometry, P (1) 13*g*.
double mesa, resistor isolation for, P (1) 15*j*.
field-effect, with back-to-back diodes, P (9) 190*j*.
barrier layer, P (10) 211*g*.
and bipolar, P (1) 14*b*.
complementary, P (11) 230*h*.
etching process for, P (1) 13*i*.
formed by passivating semiconductor material, P (5) 115*c*.
gridistor-type, P (10) 210*g*.
with guard ring, P (8) 170*a*.
high-performance, P (10) 210*i*.
with insulated control electrodes, P (10) 211*j*.
P (2) 43*a*; P (3) 71*d*; P (4) 94*d*; P (6) 132*i*; P (7) 149*b*; P (11) 230*a*; P (11) 230*j*.
Schottky barrier-type, P (2) 43*f*.
stabilizing, P (7) 150*c*.
flip-chip, high heat dissipation solder-reflow, P (11) 230*d*.
Ge planar, P (9) 191*a*.
high-gain, low-saturation, P (3) 71*d*.
high-speed, producing simultaneously with resistors, P (4) 94*f*.
IGFET, channel regions in, P (4) 94*a*.
high-freq., P (8) 170*c*.
P (1) 15*a*; P (2) 41*g*; P (2) 42*i*; P (4) 94*c*; P (6) 132*c*; P (7) 149*e*; P (9) 191*b*: P (11) 231*b*.
Si-gate, P (8) 170*j*.
integrated-circuit test, P (3) 71*e*.
making, P (1) 14*f*; P (1) 15*f*.
MNOSIGFET, P (8) 170*h*.
MOS, circuit arrangements embodying, P (8) 169*h*.
matched pair, P (10) 211*a*.
P (2) 42*h*.
MOSFET, diffusion self-aligned, P (11) 230*i*.
n-channel, P (6) 132*i*.
npn, double-diffused high-voltage, P (4) 93*c*.
high-freq., P (7) 149*c*.
and pnp, guard ring mesa construction for, P (3) 71*b*.
P (2) 44*f*; (3) 71*e*; (7) 151*i*; (8) 171*e*.
passivated, P (3) 72*d*.
passivation, improving, P (1) 15*g*.
photo-, high speed response, P (7) 149*d*.
optimum high gain-bandwidth, P (2) 43*a*.
planar, lead conductors on, P (7) 150*c*.
planar avalanche, by special masking method, P (2) 44*c*.
pnp Si, geometry for, P (2) 41*a*.
P (6) 132*h*.
pressure-sensitive, P (1) 15*f*.
supporting, for nonuniform treatment, P (10) 211*a*.
switching, with memory, P (11) 231*i*.
switching circuit arrangement, P (9) 192*f*.
thyristor, P (3) 72*d*.
vertical, multilayered, P (11) 231*d*.
Transport, chemical, of Mo and W and their dioxides and sulfides (4) 98*i*.
hole, in pure NiO crystals (8) 177*c*.
properties, of GaAs (3) 82*a*.
of Sb_2Se_3 (10) 218*e*.
Tridymite, structure, inversions, and thermal expansion (1) 28*b*.
Triodes, MIMIM, potential distribution and hot electron attenuation measurements (11) 235*b*.
Tubes, cathode-ray, applying internal coating, P (6) 128*f*.
for color TV, forming black patterned portion on phosphorus screen, P (4) 88*d*.
convex major surface of apertured mask for, coating, P (9) 186*e*.
device, P (5) 109*d*.
faceplate panel, cleaning sealing land, P (1) 7*b*.
inverted-image, P (4) 88*h*.
multibeam, using D.A.M. grid, P (4) 89*a*.
NiO- and CoO-containing glass for, P (11) 226*c*.
novel glass compositions for, P (10) 206*j*.
P (1) 7*g*; P (6) 127*i*.
printing negative tolerance matrix screen for, P (6) 128*i*.
with prism-shaped fiber optic faceplate, P (7) 146*i*.
rebuilding, P (10) 206*h*.
tricolor, P (4) 89*i*.
for TV display, glass for, P (7) 146*a*.
color, black surround, grading screen, P (2) 36*b*.
with funnel shield, P (11) 225*d*.

Tubes color *(continued)*
sheet glass face panel with pleated skirt, P (11) 226*a*.
color cathode-ray, P (2) 36*b*; P (4) 88*c*; P (6) 128*i*; P (11) 226*a*.
postdeflection acceleration-type, P (10) 207*a*.
postdeflection focusing-type, P (6) 128*a*.
color picture, exposure device for mfg., P (6) 128*a*.
P (5) 110*b*; P (6) 128*j*.
color TV, screens, correcting lens used to form, P (5) 109*e*.
color TV picture, blank for shadow mask for, P (1) 7*a*.
glass for face panels of, P (9) 186*i*.
diffusion, quartz glass, P (3) 65*d*.
diffusion furnace process, P (9) 190*g*.
discharge, device for sealing, P (9) 186*d*.
electric discharge, P (9) 186*i*.
with poorly reflecting, conductive layer, P (10) 211*b*.
electron, P (5) 110*a*.
electron discharge, disk-sealed, P (8) 165*j*.
evacuated, P (5) 109*f*.
electron emissive, nonthermionic, P (4) 89*b*.
evacuated, magnetic shielding for, P (2) 36*h*.
field-effect storage, P (11) 230*a*.
gas discharge, P (10) 206*e*.
glass, forming apparatus and method, P (1) 7*f*.
heat-exchange matrix, by crystallization, P (3) 65*i*.
internal periphery, coating with glass, P (9) 186*b*.
matrix, P (3) 65*a*.
neutron generator, closed system, P (5) 116*b*.
particle accelerator, insulating ring for, P (2) 41*g*.
picture, faceplate, contrast-enhancing, P (10) 206*a*.
implosion-free, for TV display, P (10) 206*f*.
quartz, pinch in, P (8) 166*a*.
reed switch sealing, glass for, P (10) 206*g*.
TV, forming, P (4) 88*f*.
TV picture, apparatus for coating, P (11) 225*a*.
with electron scattering prevention film, P (2) 37*e*.
ultrasonic imaging, P (9) 192*f*.
vacuum, for accelerating charged particles, P (3) 65*g*.
vidicon, target, P (2) 43*a*.
Tungstates, $A_2(MO_4)_3$, ferroelastic transition in (2) 54*i*.
bond lengths in (10) 215*i*.
double, of alkali metals with Bi (5) 120*f*.
of Sc and alkali metals (11) 234*f*.
Ln_2WO_6-type rare earth, refined cell parameters (5) 122*f*.
Tungsten, boride, deposition (5) 119*e*.
carbide, abrasion-resistant cemented, bonded with Fe-C-Ni-Co, P (10) 208*g*.
-containing electrode material, powdered, P (6) 129*e*.
dendrites, chemical vapor deposition (2) 49*b*.
P (10) 208*i*.
/steel combinations, wet grinding with diamond wheels (9) 181*g*.
/steel, dry grinding with diamond wheels (5) 105*e*.
superconductivity (5) 122*j*.
dioxide, crystal structure, magnetic susceptibility, and electrical conductivity (10) 215*e*.
oxide, enthalpies of formation, high-temp. combustion calorimetry (3) 79*e*.
platinized, H_2 oxidation on (5) 113*j*.
in TiO_2-opacified enamels (2) 33*d*.
from W ore, P (2) 48*b*.
oxoiodide (8) 180*f*.
selenide, electrical properties, microstructural control (6) 140*i*.
soldering, glass for (11) 224*c*.
trioxide, color problem, ir measurements (10) 215*a*.
whiskers, P (8) 168*f*.
and WO_3, and WS_2, chemical transport (4) 98*h*.
Turbines, gas, ceramics in (1) 9*a*.
high-temp. materials in, B (9) 200*c*.

Ultrasonics, apparatus, for analyzing defects, P (3) 74*e*.
attenuation, in $Bi_{12}GeO_{20}$, $Bi_{12}SiO_{20}$, and $Bi_{12}(Ge_{0.5}Si_{0.5})O_{20}$ (10) 215*h*.
studies in Cr K alum (4) 104*c*.
to study photoconduction and optical properties in CdS (2) 57*f*.
devices, using Ge-containing chalcogenide glasses, P (3) 72*e*.
intensity, effect on stress relief of glass (9) 184*j*.
measurements, of MgO, hot-pressed polycrystalline (9) 196*c*.
processing, of materials (10) 212*f*.
propagation, in $SrTiO_3$ (7) 159*h*.
pulse-echo technique, for adhesion testing (1) 18*f*.
in rock testing (2) 47*f*.
study, of diffusion of noble metals in CdS (2) 57*e*.
technique, for determining thermal expansion of glass (11) 224*d*.
velocities, in $BaTiO_3$ (5) 114*c*.
Uranium, ammonium diuranate, reduction/sintering (5) 115*h*.
carbide, by carbothermic reduction of oxide and fluoride (4) 95*g*.
equilibria in molten fluoride solutions of UF_3 and UF_4 in graphite (3) 72*h*.
oxidation in Na with small O content (9) 192*c*.
-UC_2 and UC-UN alloys, X-ray diffraction (5) 115*j*.
chalcogenides, magnetic properties (3) 72*i*.
complexes, P (10) 212*h*.
decontaminating, by reaction with ClF_3 and HF, P (11) 231*d*.
dioxide, -BeO, fueled moderator composition, P (11) 231*e*.
bodies, P (2) 45*e*.
crack healing in (1) 15*i*.
creep behavior, compressive-creep rig for studying (4) 95*d*.
crystallographic shear and ordered reduction (2) 44*c*.
deformation, high-temp. (8) 180*c*.
Uranium dioxide *(continued)*
diffusion of xenon in, effect of stoichiometry (7) 151*e*.
-0.6 wt% Dy_2O_3 fuel containing Al_2O_3 or TiO_2 impurities (4) 95*c*.
films, electron-microscope observation (7) 151*f*.
hypostoichiometric, thermodynamic study (9) 192*i*.
-loaded refractory metals, P (4) 95*a*.
microstructure, strength dependence on (5) 115*i*.
pellets, sintered, microstructure in (10) 211*j*.
+PuO_2, creep tests (1) 18*c*.
reduction by C, X-ray diffraction (10) 212*d*.
-rich compositions, post-oxidation process for, P (6) 133*d*.
-ThO_2 mixtures, sintering (2) 44*f*; -ThO_2 powders, blending (10) 211*i*.
total pressure of U-bearing species over (7) 151*i*.
$(U,Pu)O_2$, stopping power of 1-9MeV He^{++} ions in (9) 198*g*.
hexafluoride, conversion to UO_2, P (5) 116*b*.
conversion to UO_2 structures, P (10) 212*f*.
purification, P (9) 193*b*.
UO_2-rich compositions from, P (7) 152*c*.
isotopes, separating, P (6) 133*d*.
separation by chemical exchange, P (7) 152*d*.
mixed oxides, spheroidal material, compression strength, P (3) 73*a*.
mononitride, chemical thermodynamic properties (2) 44*b*.
elastic properties (8) 171*h*.
heat capacity (5) 115*g*.
monoxide, metastable (4) 95*f*.
nitride, powder, P (1) 16*f*.
and (U,Pu)N, carbothermic synthesis (1) 15*j*.
(U,Pu)N, and PuN compacts, sintering, P (2) 45*g*.
X-ray diffraction study (2) 44*e*.
oxide, matrix isolated species, ir spectra (10) 211*j*.
sintering in reducing atm (6) 133*j*.
species, ir spectra (8) 171*a*.
and Pu nitrates, mixed solutions, P (9) 193*c*.
Pu separation from, P (11) 231*g*.
recovery, from acidic aqueous solution, purification process, P (6) 133*e*.
from ores, P (9) 193*d*.
P (4) 95*d*.
separation, from neutron-irradiated Th, P (11) 231*h*.
solution, mining process, P (7) 152*e*.
$UMo_{10}O_{32}$, structure (10) 219*h*.
$U_1Mo_{20}O_{64}$, alpha-, structure (4) 102*i*.
$UO_{2\pm x}$, thermodynamic and composition changes in (5) 115*i*.
U_3O_8, nonstoichiometry at high temp. (7) 151*h*.
U(VI), extraction from nitric acid solutions (10) 211*i*.
U_2C_3, from decomposition of UC_2 (8) 171*j*.
transformation to in UC-UC_2 and UC_2 phases (8) 171*f*.
U_2MoO_8, crystal structure (1) 22*b*.
U_3O_8, thermoelectric properties (2) 45*b*.
U_3Si, neutron irradiation behavior (8) 171*d*.
U_3Si_2, diffraction pattern, irregularities in (8) 171*b*.

Vacuum, techniques, in quartz crystal industry (2) 45*e*.
Valves, gas metering, P (1) 19*f*.
mixer, P (3) 75*c*.
Vanadates, hypo-, MV_3O_7 (M = Ca,Sr,Cd) (3) 79*j*.
ions, energy transfer from, to rare-earth ions in $CaSO_4$ (10) 216*b*.
meta-, alkaline-earth, crystal-optical properties (4) 98*g*.
Vanadium, deuteride, interstitial superstructures (11) 234*i*.
dioxide, films, optical storage in (4) 93*a*.
metallic, energy bands (8) 176*f*.
metal-insulator transitions in (7) 158*f*.
new defect phases (3) 80*j*.
semiconducting, energy bands (8) 176*f*.
semiconducting films, optical properties (7) 149*e*.
single crystals, synthesized (10) 220*d*.
monoxide, electrical and magnetic properties (7) 155*g*.
near V_4O, long range ordering of interstitial O in (6) 139*f*.
oxide, enthalpy of formation (8) 177*b*.
heat capacity (10) 216*h*.
properties, effect of atomic vacancies (7) 155*i*.
pentoxide, in clays (7) 152*i*.
effect on crystallization of aluminas (3) 76*j*.
Fe^{3+} ions in, EPR spectra (3) 78*i*.
molten, for etching Al_2O_3 surfaces (3) 66*c*.
single crystals, photoelectric properties (3) 80*i*.
phosphide, and VAs, structural and magnetic properties (5) 122*f*.
sesquioxide, reactions with Y_2O_3 (7) 157*d*.
with Stilbazo, spectrophotometry (1) 18*b*.
tetrachloride, photoelectron and optical spectra (3) 80*j*.
trioxide, lifetime spectra of positrons in (6) 139*e*.
metal-insulator transitions in (8) 177*g*.
study by X-ray photoelectron spectroscopy (8) 179*a*.
$V_{0.95}Cr_{0.05}O_2$, structure (7) 158*g*.
V(IV), oxidation by peroxodisulfate ion, kinetics and mechanism (3) 79*j*.
V_3Ga, superconductive composite structure, P (4) 94*b*.
thin-film growth, enhancing, P (9) 191*f*.
V_nO_{2n-1}, lattice energies (6) 139*d*.
VO^{2+}, in xKF-(1-x)B_2O_3 glasses, EPR and optical spectra (11) 223*i*.
V_2O_{3+x}, study (7) 158*g*.
V^{2+}, Raman relaxation in MgO crystals (8) 177*i*.
V^{3+}, in MgO crystal, Jahn-Teller effect for (7) 154*i*; in MgO, paramagnetic resonance spectrum, effect of strains (8) 177*f*.
Vanadium *(continued)*
V_3Si, single-crystal growth (11) 235*c*.
V^{4+}, in cristobalite and quartz glass, EPR (1) 4*c*.
in GeO_2, hyperfine, superhyperfine, and quadrupole interactions (8) 177*d*.
in TiO_2, Fourier-transform electron-nuclear double resonance (7) 155*a*.
V_4O_7, crystal structure (3) 77*a*.
metal-insulator transition in (2) 56*g*.
Vaporization, of Al_2O_3, alpha-, single-crystal (5) 122*g*.
behavior, of defect carbides (8) 180*i*.
of binary compounds, mass spectrometry of ion emission during (9) 197*a*.
CdO(s), Knudsen effusion study (10) 217*a*.
electron-beam, of Al_2O_3, formation of films during (9) 196*e*.
of MgO, from spinel single crystals (7) 159*h*.
of Sb_2Te_3, heats of reaction for gaseous species in (9) 196*g*.
of single crystals, of Al_2O_3 and MgO (9) 197*c*.
thermal, from (111) CaF_2 face (2) 57*h*.
Vapor pressure, of As_2O_3 (2) 57*h*.
of HfF_4 (1) 29*e*.
of Sb_2O_3 (3) 82*c*.
Velocity, ultrasonic, measurement (3) 74*b*.
Vermiculite, Benahavis, morphological changes in (4) 100*d*.
properties (4) 101*g*.
Ca-Mg exchange in (5) 119*f*.
ceramic-grade, physical and mechanical properties (11) 235*a*.
-clay molding powder, P (6) 136*g*.
expanded, molded article of, P (11) 226*j*.
expansion, P (1) 8*g*.
industrial, exfoliation and properties (4) 97*i*.
molding material, fusion-bonded, P (4) 97*e*.
Ni, and Mg, exchangeable cation distribution in (1) 23*j*.
P (11) 226*j*.
permselective membranes, P (6) 136*c*.
water in, state, and role in swelling process (4) 102*a*.
Vibrations, anharmonic, properties of impurities in alkali halide crystals (7) 154*d*.
extensional, flexural, and width-shear, of quartz plates (4) 86*e*.
surface, in alpha-quartz (6) 141*c*.
ultrasonic, etching metals by, P (2) 43*a*.
vibronic properties, of F^+ center in SrO (5) 123*g*.
Vibrators, electromagnetic, P (2) 41*h*.
Viscometers, rotating cylinder, automatic (7) 152*a*.
rotation (4) 96*f*.
simplified continuous, for non-Newtonian fluids (9) 193*a*.
Viscometry, penetration, empirical equation for (4) 96*h*.
Viscosity, of aluminosilicates, liquid (10) 220*d*.
in bulgarites, relation to temp. (11) 235*f*.
of glass (5) 108*g*. alkali germanate (11) 225*j*.
and enamels, Ti-containing (1) 4*b*.
GeO_2, effect of Na_2O impurities (7) 146*d*.
industrial control with penetrometer (11) 224*f*.
$Li_2O.2SiO_2$ (7) 145*h*.
measurement in relation to contraction by compressive stress (10) 204*i*.
Na borosilicate, effect of subcritical microstructure (9) 184*h*.
NBS standard (11) 223*d*.
relation to temp. (9) 185*i*.
of mixtures, between $MgCl_2$, $CaCl_2$, and AlkCl (5) 123*g*.
of slags (1) 27*c*. in MgO-Al_2O_3-SiO_2 system (3) 78*j*.
relation to conductivity (9) 198*c*.
Vitreous materials, compounds, with bistable electrical characteristics, P (4) 89*j*.
Vlasovite, structure, refinement (10) 218*j*.
Volatilization, loss, effect, in flux crystallization of $YFeO_3$ or $Y_3Fe_5O_{12}$ (2) 50*g*.
Voltage, capacitance-, characteristics of $BaTiO_3$-Bi_2O_3 composite ceramic (5) 114*b*.
photo-, in Ag photodoping of As_2S_3 films (3) 70*g*.
Volume, specific, of fluoaluminophosphate glasses (6) 127*j*.

Wastes, colliery, suitability for production of expanded clay (8) 162*f*.
kira, use with portland cement (8) 162*h*.
processing, for conservation of resources (4) 104*a*.
Water, absorption, of gypsum from atmospheric moisture (9) 183*d*.
adsorption, of Ca sulfate (10) 203*c*.
on hardened cement pastes (2) 32*f*.
bound by expanding layers, electrical conductivity measurements applied to study (3) 76*i*.
combined, effect on transformation temp. of phosphate glass (5) 108*e*.
effect, on Na diffusion in glass (2) 33*j*.
filtration, through clays, effect of heterogeneities (3) 73*g*.
interstitial, pH and E_H, effect on reinforcing steel in cement stone and concrete (7) 143*j*.
ir spectra, in attapulgite and sepiolite (3) 79*g*.
light, thermal neutron temp. near temp. discontinuities in (10) 212*d*.
in quartz crystals (5) 123*g*.
reaction, with $CaO.Al_2O_3$ and $12CaO.7Al_2O_3$ single crystals (2) 32*a*.
reactivity, with Ln oxide and Ln oxide-based refractories (4) 90*b*.
sorption, properties, of cement paste cured or stored at high temp. (5) 107*f*.
state, in disperse systems, NMR study (11) 229*b*.
vapor, catalytic action on mineral formation of cement clinker (7) 143*f*.

Water *(continued)*
in vermiculite, state, and role in swelling process (4) 102*a*.
waste, lime precipitation and P removal from (3) 62*b*.
reclamation in fiber glass operation, P (6) 128*e*.
wastes, industrial, control (9) 183*i*.
Waves, acoustic, attenuation in $LiNbO_3$ (2) 50*d*.
propagation in TeO_2 single crystal (6) 136*e*.
surface, convolution on CdS, $LiNbO_3$, and $Bi_{12}GeO_{20}$ crystals (4) 98*a*.
surface, convolution in $LiNbO_3$, nonlinear parameter for (4) 99*a*.
surface, loss mechanisms on $Bi_{12}GeO_{20}$ (3) 76*g*.
surface, on paratellurite (6) 136*e*.
surface, propagation on $Bi_{12}GeO_{20}$ (4) 93*g*.
surface, propagation of $Bi_{12}GeO_{20}$ (10) 217*g*.
surface, properties of ZnO layers on Al_2O_3 (4) 92*f*.
transverse, noncollinear attenuation, in Al_2O_3 (7) 156*g*.
alfven, propagation in graphite (8) 174*d*.
elastic, light scattering by, in Gd molybdate crystals (9) 196*f*.
of optically biaxial crystals, light scattering by (4) 100*f*.
in piezoelectric crystals, nonlinear phenomena due to (7) 156*g*.
propagation in granular media (4) 86*d*.
surface, on $Ba(Ti_{0.95}Zr_{0.05})O_3$ ceramic plates (2) 55*f*.
velocities in oriented clay (6) 137*e*.
electromagnetic, absolute instability in GaAs samples (8) 174*a*.
guide, fused SiO_2 optical, with borosilicate cladding (2) 34*e*.
glass optical, effect of neutron and gamma radiation (11) 223*e*.
light-focusing fiber, P (11) 226*a*.
optical devices, using garnet films, P (2) 43*f*.
optical, ion-bombarded fused quartz for (10) 210*g*.
optical, light source, P (9) 187*c*.
optical, light-wave coupling to (9) 196*g*.
optical, liquid core multimode, P (10) 206*j*.
optical, proton-implanted GaP (9) 198*d*.
optical, Si oxynitride films on SiO_2 for (10) 205*j*.
optical, spectral response (10) 205*a*.
optical, by thermal migration of ions in glass (11) 224*d*.
short-wavelength, P (11) 226*f*.
SiO_2 core-borosilicate clad fiber optical (2) 34*f*.
high-freq., propagation between close parallel surfaces (3) 69*h*.
longitudinal, velocity through hardened cement paste (8) 162*g*.
longitudinal hypersonic, attenuation in Z-cut quartz (1) 21*c*.
magnetoelastic, in YIG sphere (7) 157*d*.
magnetoplasma, dispersion in Bi-type single crystals (8) 177*d*.
micro-, heating, in concrete analysis (11) 222*j*.
loss in ultralow-linewidth substituted garnets (3) 80*g*.
susceptibility, ultrasensitive technique for (1) 18*e*.
ultrasonic attenuation in topaz, beryl, and tourmaline (8) 177*h*.
optical, in $LiNbO_3$, acousto-optic diffraction (6) 136*f*.
Rayleigh, dispersion on surface-treated glass (3) 64*c*.
ferroacoustic interaction with, in YIG (8) 176*i*.
on periodically polarized piezoelectric ceramic (2) 40*i*.
and piezoelectric leaky surface waves, in $LiNbO_3$ (2) 55*e*.
shock, action on Ta_2O_5 (7) 154*a*.
spin, dispersion in NiO, relation to magnetic properties (8) 177*e*.
propagation in YIG films (1) 13*i*.
spin standing, and magnetic anisotropy in YIG (2) 56*d*.
stress, propagation in solids, B (9) 200*c*.
surface, on YIG substrate, dielectrically induced (8) 169*b*.
surface electromagnetic, in anisotropic ferroelectric (3) 81*f*.
surface shear-, mode in GaAs, amplification (3) 76*h*.
three-, resonant and nonresonant mixing in diamond (8) 177*i*.
ultrasonic, microwave, in quartz, velocity measurements (8) 180*j*.
Weighing and weights, batch, system, P (8) 172*d*.
control system, modular batch, P (2) 46*a*.
solid particles, suspended in carrier gas, P (6) 134*h*.
Welding, arc, coated rods, furnace plant for drying or baking, P (10) 203*f*.
in enameling applications (10) 203*g*.
glass, with metals (10) 203*j*.
material, P (3) 63*a*.
silica apparatus, P (5) 112*j*.
substance, P (8) 163*b*.
Wetting, ceramic materials, by feldspar (5) 123*h*.
wettability, of MgO by melts of $MgO-Al_2O_3-SiO_2$ system (8) 167*i*.
of MgO by melts of $MgO-Al_2O_3-SiO_2$ system (11) 236*b*.
Whiskers, SiC, P (2) 39*e*.
Whiteware, bodies, Indian lepidolite in (2) 39*b*.
nepheline syenite in (3) 68*e*.
parameters, relation to casting properties (3) 68*b*.
wet-process, treating, P (3) 68*f*.
casserole, P (5) 113*f*.
cast bodies, mold separation (3) 68*j*.
casting, mechanized (5) 113*b*.
ceramics, Iberian from Valencia, classification (5) 113*d*.
and ceramic treating process, P (10) 209*e*.
china, vitreous, porosity (2) 39*d*.
compositions, adapted to rapid firing (3) 68*f*.
controlled-pore ceramics (9) 189*f*.
fine ceramics, flatware, automatic production (11) 228*g*.
firing (5) 113*b*.
flatware, articles, P (7) 148*j*.
foot, apparatus for forming and finishing, P (4) 91*j*.
glazed, P (9) 189*h*.
Whiteware *(continued)*
hollow, P (2) 39*f*.
unfired, apparatus for sponging rims, P (11) 229*g*.
honeycomb articles, P (1) 12*c*.
honeycomb structures, corrugated ceramics formed into (4) 91*e*.
maintain strength while cutting weight (6) 130*d*.
industry, body preparation plant in Germany (5) 113*b*.
mixtures, calcined sand for (3) 68*g*.
patching method, P (11) 229*i*.
products, application of ternary phase diagrams to (3) 68*e*.
prostheses, artificial bone or tooth material, P (6) 130*g*.
hip joint, P (2) 39*f*.
materials and design for attachment to musculoskeletal system, B (10) 220*f*.
review (9) 189*a*.
sealing together, P (4) 92*c*.
Wire, coated, borate glaze, P (8) 169*i*.
glass-coated, P (6) 126*f*.
steel, for reinforcing glass, P (1) 8*e*.
temperature, in preparatory anneals, with thermocouples (1) 18*a*.
Wollastonite, alpha, pins and setters, P (5) 112*a*.
ceramic mass, permeable, P (11) 229*i*.
synthesis, and use (9) 194*f*.
Wurtzite, crystals, cathode-ray-induced space and surface currents in (9) 194*h*.
elastic constants, and anharmonic properties (4) 101*d*.
Wustite, activity, in solid solutions $(Fe,Mg)O_x$ (10) 220*f*.
electronic structure (10) 216*a*.
fracture properties, enhancement by precipitation (5) 120*b*.
high-temp. equilibria (10) 217*a*.
Moessbauer line in, diffusion broadening (9) 195*f*.
O activities, and phase boundaries in (3) 81*i*.

Xenon, diffusion, and trapping in CaF_2 (5) 115*e*.
in UO_2, effect of stoichiometry (7) 151*e*.
X rays, analysis, of alkali metal sulfate-SbF_3 compounds (5) 123*c*.
of Cd germanates (4) 103*e*.
of clay minerals (3) 74*h*.
of clay minerals (7) 159*j*.
characterization, of $7SrO.5Fe_2O_3$ (2) 57*j*.
data, of Pb phosphates (2) 50*a*.
diffraction, of Ba-Sr zirconates (11) 236*b*.
of cation distribution in spinels (4) 99*a*.
of $Ce_4Zr_3O_{10}$ (1) 29*i*.
of crystalline imperfections in phyllosilicates (3) 81*e*.
data for $Ca_2B_6O_{10}$ (6) 142*f*.
for determining quartz in sedimentary rocks (4) 96*j*.
experiments on Mg and Mg-Mn ferrites (2) 58*a*.
of glasses in system Na_2O-SiO_2 system (2) 35*i*.
grating, P (4) 88*h*.
measurement of anisotropy of pyrocarbon on fuel particles for reactors (6) 133*a*.
pattern, from vitreous C (11) 235*h*.
powder patterns, standard (6) 134*b*.
of $SrZrO_3$-$LaTaO_4$ and $SrTiO_3$-$LaTaO_4$ systems (10) 220*f*.
of structure of vitreous C (11) 236*c*.
study of Ni ferrites (1) 25*e*.
study in spinel Fe_2MoO_4 (6) 142*h*.
study of UN_x (2) 44*e*.
of thermal expansion of oxides of Ce, Pr, and Er (2) 57*e*.
of transformation of gamma-Al_2O_3 to alpha- (5) 120*g*.
of tripolyphosphates of Pr, Sm, and Gd (1) 29*j*.
of UC-UC_2 and UC-UN alloys (5) 115*j*.
of UO_2 reduction by C (10) 212*d*.
electron study, of inner levels of fluorides (10) 220*g*.
emission, and absorption, in SiO_2 (4) 103*d*.
fluorescence, analysis, of MgO clinker (4) 90*j*; analysis of museum objects (10) 201*i*.
of glass pellets for chemical analysis of refractories (11) 226*e*.
review (11) 232*h*.
mass absorption coeff., Reynolds' method (5) 116*j*.
measurement, of NaCl compression (4) 104*g*.
phase analysis, for quantitative determination of alunite, kaolinite, and quartz (11) 232*a*.
powder camera, with external film magazine, P (2) 47*c*.
slit screen for, in determining crystal topography, P (6) 134*j*.
soft, absorption by La and Ce films (8) 169*e*.
data in MgO (9) 197*j*.
study, of Al_2O_3 films (9) 199*b*.
of $CdGeP_2$ crystallization (1) 6*g*.
of diamonds, neutron-irradiated (1) 30*a*.
of Er and Yb tripolyphosphates (4) 104*g*.
of $FeTi_2O_5$-Ti_3O_5 system (5) 123*j*.
of hydrolysis products of Sn(II) in solution (5) 123*j*.
of $La_{2/3}TiO_3$ (5) 124*a*.
of $SrFe_xMo_{1-x}O_{3-y}$ (6) 142*f*.
of Tc(IV) and Re(IV) hexahaloid complexes (4) 103*d*.
on thermal expansion of TeO_2 (7) 159*c*.
surface-plasmon excitation by, in small spherical graphite particles (8) 179*b*.
topographical study, of dislocations in ice (5) 124*a*.
white, and double-crystal diffractometry, of lattice constants (2) 46*e*.

Ytterbium, chloride hexahydrate, thermal decomposition (4) 103*j*.
purifying, and forming refractory compounds with Eu, P (3) 72*g*.
tripolyphosphate, X-ray study (4) 104*g*.
Yttrium, aluminate, biaxial crystal, indices of refraction (10) 217*c*.
optical spectra of Ce^{3+} and Ce^{3+}-sensitized fluorescence in (10) 218*e*.
single crystals, point defects in (11) 235*a*.
dicarbide, reaction with Pt and Ir (5) 122*c*.
fluoride, ionic conductivity (1) 24*h*.
niobate, and tantalate, vibrational spectra (2) 57*i*.
orthoaluminate, multiphonon relaxation of rare-earth ions in (9) 197*g*.
orthoferrite, mobility of magnetic domain walls in (2) 54*j*.
single crystal, domain structure (3) 78*d*.
spin reorientation in (3) 81*d*.
oxide, compacts, sintering to transparency, P (2) 39*g*.
effect on microstructure of sintered Al_2O_3 (7) 154*i*.
effect on sintering AlN (10) 219*a*.
films, conduction, permittivity, internal photoemission, and structure (8) 168*i*.
films, luminescence, during anodization (4) 100*i*.
reaction with Si_3N_4 in hot-pressing (7) 157*b*.
reactions with Ti and V sesquioxides (7) 157*d*.
and Y oxide sulfide, Cu, Fe, Pb, and Zn in, spectrometry (1) 17*b*.
separation, from lanthanides, P (11) 233*b*.
sesquioxide, thermodynamic properties (3) 81*i*.
titanate, massive monocrystalline, P (11) 231*a*.
trifluoride, polymorphism and crystallographic characteristics (3) 81*b*.
vanadate, crystal structure (3) 77*b*.
pure and rare-earth substituted (5) 120*f*.
$YFeO_3$, or $Y_3Fe_5O_{12}$, flux crystallization (2) 50*g*.
$Y_3Ga_5O_{12}$: Pb^{3+} ions in, ESR analysis (9) 196*b*.
$Y_x(Ta_{3x}W_{1-3x})O_3$, new nonstoichiometric perovskites (3) 80*a*.
$Y_3Fe_5O_{12}$ (11) 236*g*.
$Y_3H_{5-x}Si_xO_{12}$, magnetic properties (7) 157*a*.

Zeeman effect, of non-phonon transition of Cr^{3+} in (9) 199*g*.
for rare earth ions, in crystal field with D_2 symmetry (5) 123*e*.
Zeolites, 4,5A, and separating mixtures using, P (5) 119*g*.
adsorbents, P (3) 76*e*.
aluminosilicate, crystalline, P (10) 215*a*.
crystalline, conversion with, P (6) 136*e*.
bodies, with high strength, P (4) 97*h*.
colloidal, treatment, P (5) 119*j*.
crystalline, P (6) 136*c*.
Cu-exchanged type X, P (1) 20*j*.
faujasite, direct synthesis, P (8) 173*e*.
faujasite-type, P (2) 48*c*.
granulated, catalysts and sorbents, P (2) 48*b*.
granules, glass-fiber-reinforced, P (7) 153*e*.
mineralization, in Bulgaria (11) 233*c*.
molecular sieve, DTA (2) 55*h*.
novel, hydrocarbon conversion with, P (5) 119*f*.
organic cation-containing, treatment, P (2) 48*i*.
P (1) 20*c*.
preparation, P (9) 194*h*.
supersiliceous, as hydrocarbon conversion catalysts, P (2) 48*j*.
synthetic, P (1) 20*j*.
Zinc, arsenide, thermodynamic stabilities (9) 199*a*.
borate, stability, temp. dependence (6) 141*g*.
diffusion, into semiconductor crystal, P (7) 150*a*.
fluoride, :LiF, dielectric relaxation (8) 175*d*.
gallate, optical spectra of Cr^{3+} pairs in (9) 197*a*.
oxide, bicharge, P (8) 169*h*.
crystals, growth by chemical transport (2) 52*g*.
crystals, lattice parameters (10) 215*j*.
dispersion of Raman cross section in (8) 175*e*.
elastic and electrical properties (6) 138*d*.
electron-beam-pumped, lasing action in (2) 53*g*.
emission, by two-quantum absorption (5) 122*c*.
exciton region, resonant second-harmonic generation in (9) 198*b*.
films, P (2) 44*i*.
films, sputtered, diagnostic rate monitoring (9) 190*c*.
hollow needles, growth (2) 52*h*.
ion-implanted, anneal characteristics (1) 12*f*.
in K crystal glass (10) 203*j*.
in K crystal glass, titrimetric determination (11) 225*h*.
layers on Al_2O_3, surface acoustic wave properties (4) 92*f*.
with 0.5 mol% Bi_2O_3, intergranular phase in (9) 197*g*.
photoconductive coating, P (8) 170*e*.
photoluminescence, mixed-mode excitons in (7) 156*a*.
resonance Raman scattering in, by tunable dye laser (6) 140*e*.
single-crystal, MIS electroluminescent diodes in (6) 131*g*.
single crystals, baked layers, discharge mechanism (8) 169*c*.
single crystals, defects related to nonstoichiometry (9) 197*c*.
single crystals, growth by chemical vapor (2) 52*h*.
surface, effect of O on electron trapping by (2) 52*h*.
thermal expansion, vibrations in ZnO and ZnS (6) 139*d*.
thin films, photoresponse in (1) 13*b*.
tracers, to study mixing action of glass tank (1) 6*j*.
whiskers, antiphase boundaries in, TEM (9) 199*b*.
wurtzite, photoemission studies (8) 178*i*.
selenide, cathodoluminescence, atomic displacement effects (11) 234*a*.
crystals, photoinduced birefringence in (9) 197*e*.
Mn-doped, luminescence (6) 131*e*.
sulfide, alpha-, elastic and photoelastic constants (2) 50*i*.
cathodoluminescence in (10) 215*i*.
crystals, growth by chemical transport (2) 52*d*.
crystals, growth from vapor phase (2) 52*e*.
crystals, hollow, by pulling sealed tube method (2) 52*c*.

Zinc sulfide *(continued)*
crystals, photovoltaic properties (4) 101*a*.
crystals, structure transformations (5) 122*d*.
:Cu,Cl thin films, cathodoluminescence, yellow emission in (11) 236*b*.
devices, ohmic contact to, P (5) 115*f*.
electrical conductivity (11) 234*b*.
EPR study of $3d^5$ ions in (8) 176*c*.
:Mn,Cu, electroluminescence in (3) 69*a*.
single crystals, growth (2) 52*g*.
single crystals, optical properties of Mn^{2+} in (9) 197*a*.
-TbF_3, and ZnS:Tb^{3+}, thin films, $^5D_3 \rightarrow {}^7F_j$ transitions by cathodoluminescence (11) 234*g*.
thin films, electro- and photoluminescence (3) 69*c*; thin films, crystal structure (9) 195*c*.
$Zn_3Al_4(SO_4)_9 \cdot 36H_2O$, thermal behavior (6) 137*f*.
$ZnCl_2$-TlCl, and $ZnCl_2$-$PbCl_2$ mixed melts, Raman effect study (9) 199*g*.
$ZnGa_2O_4$, doubly excited Cr^{3+} pairs in (9) 195*h*.
ESR spectra of Cr^{3+} nearest-neighbor pairs in (8) 176*d*.
Zn_2GeO_4:Mn, EPR spectra (3) 78*i*.
$ZnGeP_2$, and $ZnSiAs_2$, structural parameters (5) 122*d*.
$ZnMn_3C$, neutron diffraction and NMR studies (4) 100*i*.
ZnSe(Cu,Ga), single-crystal films, moving high field domains in (11) 234*h*.
$ZnSiP_2$, Hall measurements (10) 215*g*.
$ZnWO_4$, crystals, temp. distribution in (2) 56*i*.
Zircon, dissociation, effect of oxides (5) 120*i*.
from silicate ores, P (9) 194*j*.
sintering, effect of complex oxides (11) 226*f*.
synthesis, effect of MoO_3 (7) 155*d*.
vibration spectra (1) 29*h*. isomorphism studied by (4) 100*d*.
Zirconium, arsenosulfides, and arsenoselenides, crystallography (7) 154*a*.

Zirconium *(continued)*
boride, sintering behavior and oxidation resistance (11) 226*g*.
carbide, chemical vapor deposition, P (9) 188*i*.
hard sintered, P (8) 168*b*.
mechanical properties (4) 90*h*.
O solubility in (10) 218*h*.
properties (1) 27*c*.
thermal conductivity (8) 179*j*.
carbonate, properties (4) 101*e*.
ceramic color bodies, P (8) 168*g*.
chloride, reaction with ThO_2 (7) 157*b*.
deposits, structure and microhardness relations in (11) 236*b*.
diboride, electrolytic preparation, P (3) 76*a*.
electrolytic preparation, P (4) 91*d*.
diffusion barrier, in Ti-SiC composite materials, P (4) 91*h*.
dioxide, beta-, .12Nb_2O_5, electron microscopy (2) 56*g*.
coatings, by plasma-gun spraying (5) 112*g*.
crystallization and phase transformations, Raman scattering study (2) 55*j*.
crystals, growth by localized cooling method (7) 155*d*.
crystals, growth and purification (10) 216*g*.
current-blackened, elastic constants (7) 155*b*.
electrical conductivity and ionic transport number (10) 216*g*.
electrical conductivity, temp. dependence (11) 236*g*.
electrical conductivity and thermoelectric force (1) 23*b*.
films, liquid-phase deposition on substrate, P (3) 71*g*.
fracture toughness, in system CaO-ZrO_2 (1) 23*g*.
high-temp. neutron diffraction study (3) 79*f*.
to measure O_2 permeation (9) 199*d*.
metastable tetragonal, characterization and stabilization (3) 76*c*.
-MgO eutectic, directional solidification (11) 234*e*.
partially stabilized, in CaO-ZrO_2 system, microstructure (4) 100*a*.

Zirconium dioxide *(continued)*
single crystals, growth by Na_3AlF_6 flux method (8) 179*c*.
spectroscopic properties and lasing of Nd^{3+} in (2) 56*a*.
stabilization by CaO and MgO (11) 235*f*.
stabilization by rare earth oxides (1) 28*e*.
stabilized, ceramic components from, P (1) 11*e*.
stabilized, as selective O leak source (1) 18*c*.
in system CaO-ZrO_2, thermal-shock structures in (2) 57*h*.
work-of-fracture and fracture toughness for (3) 76*h*.
with Y_2O_3, sintering, atm effect (1) 24*i*.
hydroxide, thermal decomposition products (1) 26*j*.
with methylxylenol blue, spectrophotometry (1) 18*b*.
molybdate, crystal structure, relation to ion-exchange gels (1) 26*j*.
monobromide, by electrolysis of melts (4) 101*d*.
synthesis and crystal structure (7) 158*b*.
-Nb oxide, isostructural high-temp. crystal structure (3) 77*a*.
ores, purification, P (7) 153*i*.
oxide, series spraying material, P (1) 21*a*.
thermodynamics (1) 29*e*.
oxycarbide, crystal structure, in system ZrC-ZrO_2 (8) 174*i*.
and oxycarbonitride, high-temp. oxidation (9) 196*h*.
and rare earth elements, complex oxides, synthesis and properties (9) 199*e*.
silicate, carbonization, with plasma arcs (7) 154*f*.
composition and structure (10) 218*j*.
tetrachloride, P (1) 20*d*.
$Zr(OH)_2CrO_4$, order-disorder structure (3) 80*e*.
$Zr_4(OH)_8(CrO_4)_3H_2O$, crystal structure (3) 77*e*.
$ZrSb_2$, crystal structure (2) 50*e*.
$ZrSe_3$, type structure, properties of compounds with (3) 81*f*.
Zone melting, crucible-free, P (1) 14*a*.
floating, semiconductor rod, P (3) 70*d*.
noncrucible, of crystalline rod, P (7) 152*j*.
Zoning, metastable, in glass-ceramics (2) 34*i*.

INDEX GUIDE

"See" and "See also" references indicate categories under which related or similar information may be indexed. The list is general and categories will not necessarily appear in the index every year.

Abrading apparatus. See *Grinding apparatus.*
Abrasives. See also *Carbides; Diamond; Grinding apparatus; Polishing apparatus; Silicon, carbide.*
Acids. See also specific types.
Acoustics. See also *Insulation, acoustical; Sound.*
Adherence. See *Enamels.*
Adsorption. See also *Diffusion; Sorption.*
Aircraft ceramics. See *Cermets; Spacecraft.*
Alkaline earths. See also specific types.
Alkalis. See also specific types.
Alumina. See *Aluminum oxide.*
Aluminum oxide. See also *Abrasives; Boehmite; Refractories.*
Analysis. See also *Chromatography; Colorimetry; Electron diffraction; Microscopy; Particles; Photometry; Quality control; Screens and Sieves; Spectrography; Spectrometry; Spectrophotometry; Spectroscopy; Testing; Thermal analysis; Thermodynamics; Thermogravimetry; Titration; X rays.*
Anions. See *Ions.*
Anisotropy. See also *Crystals.*
Anodes. See also *Electrodes.*
Antiferromagnetism. See *Ferromagnetism.*
Apparatus. See *Instruments; Machinery and equipment; Testing;* and specific types.
Aquasols. See *Colloids.*
Art and artware. See also *Archeology; Decoration; Design; Majolica; Pottery; Tile.*
Attrition. See *Crushing; Grinding.*
Augers. See *Extrusion.*

Balances. See *Weighing and weights.*
Ball mills. See *Mills.*
Barite. See *Barium, sulfate.*
Barium, titanate. See also *Dielectrics.*
Base exchange. See *Ions.*
Bending. See *Deformation.*
Beneficiation. See also *Classification; Classifiers; Crushing; Grinding; Filters; Flotation; Screens and sieves; Separation; Separators.*
Beryllia. See *Beryllium, oxide.*
Biotite. See *Mica.*
Birefringence. See *Refraction.*
Blending. See *Mixing; Mixers.*
Bodies, ceramic. See also *Dielectrics.*
Bonding. See also *Seals and sealing.*
Brazing. See *Soldering.*
Brick. See also *Masonry; Refractories; Structural materials.*
Brick, freezing or frost resistance. See *Frost resistance.*
Brick industry. See also *Structural clay industry.*
Brickmaking equipment. See also *Dryers; Kilns; Materials handling; Presses.*
Building materials. See also *Aggregates; Brick; Enamels; Insulation, thermal; Structural clay products; Structural materials.*
Bulbs. See *Glass.*
Burners. See also *Flames.*
Burning. See also *Calcination; Combustion; Firing; Lime.*

Calcia. See *Calcium, oxide.*
Calcination. See also *Firing.*
Calcium, oxide. See also *Lime.*
Cameras. See *Photography.*
Carbides. See also specific types.
Carbon. See also *Graphite.*
Carbon, fibers. See *Fibers.*
Casting. See also *Molding; Molds; Refractories; Slip casting.*
Cast iron. See *Enameling metals; Iron.*
Cathode-ray screens. See *Screens, fluorescent.*
Cathode-ray tubes. See *Tubes.*
Cathodoluminescence. See *Luminescence.*
Cations. See *Ions.*
Celestine. See *Strontium, sulfate.*
Cells, fuel. See *Fuel cells.*
Cements. See also *Concrete; Kilns; Mills; Plasters; Mortars; Refractories.*
Ceramic materials. See *Bodies, ceramic; Materials, raw;* and specific types.
Ceramic-metal systems. See also *Enamels.*
Ceria. See *Cerium, oxide.*
Cermets. See also *Composite materials.*
Checker-brick. See *Refractories.*
Chemical analysis. See *Analysis.*
Chemistry. See also *Electrochemistry; Geochemistry; Thermodynamics.*
China clay. See *Kaolin.*
Chinaware. See *Art and artware; Dinnerware; Porcelain.*
Chrome. See *Chromium; Refractories.*
Chromia. See *Chromium, oxide.*
Chromite. See *Refractories.*
Classification. See also *Separation; Separators.*
Classifiers. See *Beneficiation.*
Clays. See also specific types.
Clinkers. See *Cement; Dolomite; Forsterite; Magnesite.*
Coagulation. See *Agglomeration.*
Coal. See *Fuels.*
Coatings. See also *Electrostatic processes; Enamels; Glazes; Films; Resins.*
Color. See also *Pigments; Stains.*
Color, measurement. See *Colorimetry.*
Columbium. See *Niobium.*
Combustion. See also *Burners; Firing; Flames; Furnaces; Heat; Kilns.*
Comminution. See *Crushing; Grinding.*
Compaction. See also *Pressing.*
Concretes. See also *Cements; Masonry; Mortars; Refractories.*
Condensers. See *Capacitors.*
Conductors, electrical. See also *Semiconductors; Superconductors.*
Containers. See *Glass.*
Controls. See also *Feeding apparatus; Instrumentation; Temperature.*
Conveyors. See also *Materials handling.*
Corundum. See also *Aluminum oxide; Refractories.*
Cracks. See also *Defects; Fracture.*
Crazing. See *Glazes.*
Creep. See also *Fatigue; Plasticity.*
Cristobalite. See also *Silicon dioxide.*
Crucibles. See *Refractories.*
Crushing. See also *Crushing apparatus; Mills.*
Crushing apparatus. See also *Mills.*
Crystallites. See also *Crystals, structure.*
Crystallization. See also *Crystals, growth.*
Crystallization, of glass. See *Glass.*
Crystals. See also specific types.
Cutting tools. See *Tools.*
Cyclones. See *Separators.*

Decoration. See also *Art and artware; Color; Engobes; Glazes.*
Defects. See also *Cracks; Crystals; Enameling; Enamels; Fracture; Glass; Structure.*
Deflocculation. See *Dispersion.*
Dehydroxylation. See *Decomposition, thermal.*
Design. See also *Art and artware; Decoration.*
Detectors. See also *Tubes, electron.*
Diamonds. See also *Grinding apparatus.*
Diatomaceous earth, or Diatomite. See *Kieselguhr.*
Dicalcium silicate. See *Calcium, di-.*
Dielectrics. See also *Ferrites; Ferroelectricity; Ferroelectric materials; Glass; Porcelain, electrical; Steatite; Titanates; Whiteware.*
Dies. See also *Extrusion.*
Differential thermal analysis. See *Thermal analysis.*
Diffraction. See also *Electron diffraction; Neutrons; Optical properties; X rays.*
Dilatometers. See also *Expansion.*
Dinnerware. See also *Art and artware; Pottery; Whiteware.*
Diodes. See also *Tubes, electron; Rectifiers.*
Dislocations. See also *Creep; Defects.*
Display devices. See also *Electronic equipment.*
Dissolution. See *Solutions.*
Dolomite. See also *Refractories.*
Dolomite, plaster. See *Plasters.*
Domains. See *Ferroelectricity; Ferroelectric materials; Ferromagnetism; Ferromagnetic materials; Magnetic properties.*
Doping. See *Additives.*
Dry pressing. See *Pressing.*
Dust. See also *Pollution, air; Particles; Powders.*

Elastomers. See *Elastic materials.*
Electric resistors. See *Resistors, electrical.*
Electrical ceramics. See *Electronics.*
Electrical conductance. See *Resistance, electrical.*
Electrical conductivity. See *Conductivity, electrical.*
Electroceramics. See *Electronics.*
Electrochemistry. See also *Corrosion.*
Electrodes. See also *Heating elements.*
Electrodialysis. See *Dialysis.*
Electroluminescence. See *Luminescence.*
Electroluminescent materials. See *Luminescent materials.*
Electromagnets. See *Magnets.*
Electromechanical properties. See *Mechanical properties.*
Electron tubes. See *Tubes.*
Electronics. See also *Electronic equipment.*
Electrophotography. See *Photography.*
Electrophysical properties. See *Physical properties.*
Elements, heating. See *Heating elements.*
Elutriation. See *Beneficiation.*
Enameled ware, panels. See *Building materials.*
Enameling apparatus. See *Electrostatic processes; Furnaces; Spraying.*
Enameling metals, pickling. See *Pickling.*
Enamels. See also *Coatings.*
Energy. See also *Enthalpy; Entropy; Kinetics.*
Entropy. See also *Thermodynamics.*
Epitaxy. See *Crystallization.*
Equilibrium studies. See *Phase equilibria.*
Equipment. See *Machinery and equipment;* specific types.
Expansion. See also *Dilatometers.*

Ferric, Ferrous compounds. See *Iron.*
Ferric oxide. See *Iron, -ic oxide.*
Ferroelectric materials. See also *Barium, titanate; Dielectrics; Ferroelectricity.*
Ferroelectricity. See also *Barium, titanate; Ferroelectricity.*
Ferromagnetic materials. See also *Magnetic materials.*
Fibers. See also *Composites; Glassmaking equipment.*
Filaments. See also *Fibers.*
Films. See also *Coatings;* specific types.
Fine ceramics. See *Whiteware.*
Firebrick. See *Refractories.*
Fireclay. See *Refractories.*
Firing. See also *Burners; Calcination; Combustion; Flames; Furnaces; Kilns; Ovens; Sintering.*
Flames. See also *Burners; Firing.*
Flaws. See *Defects.*
Fluids. See *Liquids.*
Fluorapatite. See *Apatite, fluor-.*
Fluxes, welding. See *Welding.*
Fly ash. See *Ash, fly.*
Forsterite. See also *Refractories.*
Fracture. See also *Cracks.*
Freezing and thawing. See *Frost resistance.*
Fuels. See also *Ash, fly; Combustion; Gases; Oil.*
Furnaces. See also *Burners; Fuels; Kilns; Ovens; Refractories.*

Galvanomagnetic properties. See *Magnetic properties.*
Gels. See *Colloids.*
Germania. See *Germanium, dioxide.*
Glass. See also *Art and artware; Furnaces; Glass-ceramics; Glass industry; Glassmaking equipment.*
Glass, ceramics. See *Glass-ceramics.*
Glass, decoration. See *Decoration.*
Glass, fibers. See *Fibers.*
Glass, molds. See *Molds.*
Glass, seals. See *Seals and sealing.*
Glass, semicrystalline. See *Glass-ceramics.*
Glass, sheet. See also *Glass: flat, plate, window.*
Glass, sitalls. See *Glass-ceramics.*
Glass, wool. See *Fibers, glass.*
Glassmaking, furnaces. See *Furnaces.*
Glazes. See also *Decoration.*
Glossaries. See *Nomenclature.*
Grading machines. See *Machinery and equipment.*
Grains. See *Particles.*
Granular materials. See also *Powders.*
Granulation. See *Crushing; Grinding.*
Granulometry. See *Particles, size.*
Graphite. See also *Carbon; Composites; Refractories.*
Grinding (comminution). See also *Crushing apparatus; Mills.*
Grinding (material removal). See also *Abrasives; Diamonds; Polishing.*
Grinding apparatus. See also *Abrasives.*
Guns. See *Electrostatic processes; Spraying apparatus.*
Gypsum. See also *Plasters.*

Hafnia. See *Hafnium, oxide.*
Health. See also *Air, pollution; Dusts; Safety; Silicosis.*
Heat. See also *Conductivity, thermal; Enthalpy; Entropy; Temperature.*
Heat, conductivity. See *Conductivity, thermal.*
Heaters. See also *Thermoelectricity.*
Heating elements. See also *Electrodes; Thermoelectricity.*
Heavy clay products. See *Structural clay products.*
Hematite. See also *Iron, -ic oxide.*
Hot tops. See *Refractories.*
Humidity. See also *Moisture; Water.*
Hydrocyclones. See *Separators.*

Illite. See also *Clays.*
Index of refraction. See *Refractive index.*
Infrared techniques. See also *Absorption; Radiation; Spectra.*
Inhomogeneity. See *Heterogeneity.*
Inspection. See *Quality control.*
Instrumentation. See *Controls.*
Instruments. See also specific types.
Instability. See *Stability.*
Insulation, electrical. See also *Dielectrics; Glass; Porcelain.*
Insulation, thermal. See also *Fibers, glass; Mineral wool; Refractories.*
Ions. See also specific types.
Iron. See also *Enameling metals; Steels.*
Irradiation. See also *Radiation;* specific types.
Isotopes. See also *Radioactive tracers.*

Jewelry. See *Art and artware.*
Joints. See also *Seals and sealing.*

Kaolinite. See also *Kaolin.*
Kilns. See also *Burners; Furnaces; Ovens.*

Ladles. See *Refractories.*
Lamps. See also *Glass; Glassmaking equipment.*
Lanthanons. See *Rare earths.*
Lasers. See also *Masers.*
Lattice. See *Crystals.*
Lead. See also *Glass; Glazes; Health.*
Lehrs. See *Glassmaking equipment.*
Lenses. See *Glass, optical.*
Lepidolite. See *Mica.*
Lime. See also *Calcium, oxide; Glass.*
Linings. See *Refractories.*
Lithia. See *Lithium, oxide.*
Luminophors. See *Phosphors.*

Machinery and equipment. See also *Materials handling; specific types.*
Magnesia. See *Magnesium, oxide; Refractories.*
Magnesite. See also *Refractories.*
Magnetic materials. See also *Ferrites; Ferromagnetic materials; Ferromagnetism.*
Magnetic properties. See also *Anisotropy; Resonance.*
Magnetoresistance. See *Resistivity, electrical.*
Masers. See also *Lasers.*
Materials handling. See also *Conveyors; Feeding apparatus; Machinery and equipment.*
Meetings. See *Conferences.*
Metalizing. See *Coatings.*
Metalloceramic compositions. See *Cermets.*
Metals. See also *Enameling metals; Rare earths; Refractories.*
Metaphosphates. See *Phosphates.*
Mica. See also *Refractories; Vermiculite.*
Microhardness. See *Hardness.*
Microscopy. See also *Structure, micro-.*
Microstructure. See *Structure, micro-.*
Microwaves. See *Waves, micro-.*
Milling. See also *Crushing; Grinding.*
Mills. See also *Crushing apparatus; Grinding apparatus.*
Mineral fibers. See *Mineral wool.*
Mineral wool. See also *Fibers, glass.*
Mineralizers. See also *Fluxes.*
Minerals. See also *Materials, raw; Rocks; specific types.*
Missiles. See *Spacecraft.*
Modulus of elasticity. See *Elasticity.*
Modulus of rupture. See *Rupture.*
Moisture. See also *Humidity; Steam; Water.*
Molds. See *Slip casting; Slips.*
Mortars. See also *Cements; Concretes.*
Mullite. See also *Refractories.*
Muscovite. See *Mica.*

Nose cones. See *Spacecraft.*
Nozzles. See *Refractories; Spacecraft.*

Opacification. See *Enamels; Glass; Glazes.*
Opacifiers. See *Additives.*
Orthopyroxenes. See *Pyroxenes, ortho-.*
Orthosilicates. See *Silicates, ortho-.*
Organic compounds. See also specific types.
Ovens. See also *Furnaces; Kilns.*
Oxides. See *Rare earths;* specific types.

Pallets. See *Materials handling.*
Panels. See *Building materials; Glass.*
Particles. See also *Colloids; Permeability; Porosity.*
Permittivity. See *Dielectric properties.*
pH. See *Hydrogen ion concentration.*
Phase diagrams. See *Phase equilibria.*
Phase transformations. See *Phase equilibria.*
Phase transitions. See *Phase equilibria.*
Phlogopite. See *Mica.*
Phosphates. See also *Glass;* specific types.
Photoconductors. See *Conductors, electrical.*
Photoelasticity. See *Elasticity.*
Photoelectric cells. See *Cells.*
Photometers. See also *Spectrophotometers.*
Physical chemistry. See *Chemistry.*
Pigments. See also *Color; Stains.*
Pipe. See also *Tile.*
Plaster of Paris. See *Gypsum; Plasters.*
Plasters, molds. See *Molds.*
Plating. See *Coatings.*
Polishing. See also *Abrasives; Diamonds; Lapping.*
Polishing apparatus. See also *Abrasives; Diamonds.*
Polyelectrolytes. See *Electrolytes.*
Polyphosphates. See *Phosphates.*
Porcelain, art. See *Art and artware.*
Pores. See also *Porosity.*
Porosity. See also *Permeability.*
Porous materials. See also *Cements; Concretes; Insulation, thermal.*
Portland cement. See *Cements, portland.*
Potash feldspar. See *Feldspar.*
Potassium. See also *Alkalis.*
Potentiometers. See *Resistors, electrical.*
Potters. See *Artists.*
Pottery. See also *Archeology; Art and artware; Bodies, ceramic; Design; Dinnerware; Earthenware; Stoneware; Whiteware.*
Potterymaking equipment. See also *Dryers; Kiln furniture; Kilns; Materials handling; Molds.*
Powders. See also *Granular materials;* specific types.
Power. See also *Energy.*
Pozzolans. See *Cements; Mortars.*
Pressure, vapor. See *Vapor pressure.*
Pulverizing. See *Crushing and grinding.*
Pulverulent materials. See *Powders.*
Pyristors. See *Temperature measuring instruments.*
Pyrometers; Pyrometry. See *Temperature measuring instruments.*
PLZT. See *Lead, PLZT.*

Quartz. See also *Glass; Refractories; Silicon, dioxide.*
Quicklime. See *Lime.*

Radioactive materials. See *Isotopes; Wastes.*
Radioactive tracers. See *Isotopes.*
Radioisotopes. See *Isotopes.*
Rare earths (lanthanons). See also specific types.
Raw materials. See *Cements; Materials; Sands; Rocks.*
Reagents. See specific types.
Recrystallization. See *Crystallization.*
Recuperators. See *Furnaces; Kilns; Refractories.*
Reflectance. See *Reflection.*
Reflectivity. See *Reflection.*
Refractivity. See *Refraction.*
Refractories. See also *Insulation, thermal; Kiln furniture; Silicon, carbide; Spacecraft.*
Refractories, brick. See also *acid, basic,* and specific types under *Refractories.*
Refractories, cement. See also *Refractories, blast-furnace.*
Refractories, chrome-magnesite. See also *Refractories, magnesite-chrome.*
Refractories, coatings. See *Coatings.*
Refractories, concrete. See *Concretes.*
Refractories, electrocast. See *Refractories, fused cast.*
Refractories, magnesite. See also *Refractories, chrome-magnesite.*
Regenerators. See *Refractories.*
Resistance, electrical. See also *Conductivity, electrical; Electrical properties.*
Retardants. See also *Additives.*
Rock wool. See *Mineral wool.*
Rockets. See *Spacecraft.*
Rocks. See also *Phosphates; Silicates.*
Roughness. See *Surface.*
Ruby. See *Garnets; Lasers.*
Rutile. See also *Titanium, dioxide.*

Saggers. See *Kiln furniture.*
Sanidine. See *Feldspar.*
Sapphire. See also *Aluminum oxide.*
Schools. See *Education.*
Screen process printing. See *Decoration.*
Sculpture. See *Art and artware.*
Seals and sealing. See also *Bonding; Soldering.*
Separation. See also *Beneficiation; Classification; Flotation.*
Separation, electrostatic. See *Electrostatic processes.*
Setting. See *Binders.*
Settling. See *Sedimentation.*
Sewer pipes. See *Pipe.*
Sieves. See *Screens and sieves.*
Silica. See *Silicon dioxide.*
Silicon, carbide. See also *Refractories.*
Silicon dioxide. See also *Coesite; Colloids; Cristobalite; Glass; Quartz; Quartzite; Refractories; Sands.*
Sillimanite. See also *Refractories.*
Silvering. See *Glass.*
Single crystals. See *Crystals;* specific types.
Slaking. See *Lime, hydration.*
Slips. See also *Suspensions.*
Smelting. See *Metallurgy.*
Soapstone. See *Talc.*
Soda or Soda ash. See *Sodium, carbonate.*
Sodium. See also *Alkalis.*
Solar batteries or Solar cells. See *Cells, photovoltaic.*
Solar furnaces. See *Furnaces.*
Soldering. See also *Seals and sealing.*
Solid solutions. See *Solutions, solid.*
Sols. See *Colloids.*
Solutions, solid. See also *Phase equilibria.*
Sorel cement. See *Cements, magnesium oxychloride.*
Sorption. See also *Absorption; Adsorption.*
Spalling. See *Refractories.*
Specific gravity. See *Density.*
Specific heat. See *Heat, specific.*
Specific surface. See *Surface.*
Spectra. See also *Optical properties.*
Spectrophotometry. See also *Photometry.*
Spinel. See also *Refractories;* specific types.
Spraying. See also *Atomization.*
Spraying, electrostatic. See *Electrostatic processes.*
Stains. See also *Color; Pigments.*
Stannic, Stannous. See *Tin.*
Steatite. See also *Talc.*
Steels. See also *Enameling metals; Iron.*
Stones. See also *Rocks.*
Structural clay products. See also *Brick; Tile.*
Structural materials. See *Aggregates; Brick; Building materials; Cements; Concretes; Enameled ware; Glass; Insulation, thermal; Masonry; Structural clay products.*
Structure, micro-. See also *Particles, size; Porosity.*
Supersonics. See *Sonics.*
Suspensions. See also *Slips.*
Systems. See also *Phase equilibria.*

Tableware. See *Dinnerware.*
Talc. See also *Steatite.*
Tanks. See *Furnaces, glass.*
Television screens. See *Screens (fluorescent).*
Television tubes. See *Tubes.*
Tempering, of glass. See *Glass.*
Terminology. See *Nomenclature.*
Testing. See also *Analysis;* specific types.
Thermal conductivity. See *Conductivity, thermal.*
Thermal decomposition. See *Decomposition.*
Thermal expansion. See *Expansion.*
Thermal shock resistance. See *Shock resistance, thermal.*
Thermistors. See *Resistors, electrical.*
Thermochemistry. See *Thermodynamics.*
Thermocouples. See *Temperature measuring instruments.*
Thermoelectrical properties. See *Electrical properties.*
Thermogravimetry. See *Thermal analysis, gravimetric.*
Thermoluminescence. See *Luminescence.*
Thermomechanical properties. See *Mechanical properties.*
Thermometers. See *Temperature measuring instruments.*
Thermophysical properties. See *Physical properties.*
Thin sections. See *Microscopy.*
Thoria. See *Thorium, dioxide.*
Thyristors. See *Transistors.*
Tile. See also *Pipe.*
Titanates. See also *Dielectrics;* specific types.
Titania. See *Titanium, dioxide.*
Titanium, carbide. See also *Cermets.*
Titanium, dioxide, pigments. See *Pigments.*
Titration. See also *Analysis.*
Tools. See also *Drills.*
Tools, cutting. See also *Abrasives.*
Tools, grinding. See *Grinding apparatus.*
Trace elements. See *Elements.*
Tracers. See *Radioactive tracers.*
Transfers. See *Decoration.*
Transport processes. See also *Diffusion; Ions; Kinetics; Resistivity, electrical; Viscosity.*
Tricalcium. See *Calcium, tri-.*
Trituration. See *Crushing; Grinding.*
Tuyeres. See *Refractories.*
Twinning, of crystals. See *Crystals.*

Ultrasonics. See also *Sonics.*
Urania. See *Uranium, dioxide.*

Vacuum tubes. See *Tubes.*
Vapors. See also *Gases; Water.*
Varactors. See *Diodes.*
Varistors. See *Resistors, electrical.*
Viscosity. See also *Density; Friction, internal; Solutions.*

Water. See also *Humidity; Hydration; Moisture; Steam; Vapors.*
Water glass. See *Sodium, silicate.*
Weighing and weights. See also *Thermogravimetry.*
Welding, electrodes. See *Electrodes.*
Whiskers. See *Crystals;* specific types.
Whiteware. See also *Art and artware; Bodies, ceramic; Dielectrics; Dinnerware; Heating elements; Insulators, electrical; Porcelain; Pottery; Tile.*
Windows. See *Glass.*
Windshields. See *Glass.*
Wire, welding. See *Welding.*

Young's modulus. See *Elasticity.*
Ytterbia. See *Ytterbium, oxide.*
Yttria. See *Yttrium, oxide.*

Zircon. See also *Refractories; Zirconium, silicate.*
Zirconia. See *Zirconium, dioxide.*
Zirconium, silicate. See also *Zircon.*